



7/15/2025

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

K0913600
* BRUSH TRUCK

Workorder: V714

In Date: 11/28/2005
Close Date: 12/12/2005

Meter Reading:

Problem?
DEAD BATTERY B-28

Task performed:

Parts	Quantity
HP-31DBATTERY 950CCA HP-31D	2

Workorder: V1108

In Date: 01/04/2006
Close Date: 01/06/2006

Meter Reading:

Problem?
PUMP PACKING LEAKING B-26

Task performed:

Parts	Quantity
NO PARTS USED	

Workorder: V1374

In Date: 01/31/2006
Close Date: 02/13/2006

Meter Reading: 25,721.00

Problem?
R/REAR STROBE LIGHT INOP, B-26

Task performed:

Parts	Quantity
NO PARTS USED	

Workorder: V1640

In Date: 02/27/2006
Close Date: 03/20/2006

Meter Reading:

Problem?
CHAIN SAW PULL ROPE BROKEN, B-26

Task performed:

Parts	Quantity
NO PARTS USED	



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V1915

In Date: 03/21/2006
Close Date: 03/23/2006

Meter Reading:

Problem?

pump leaking water at 90 fitting and several other locations B26

Task performed:

Parts

Quantity

454755C1USE 711553 SEAL FRONT PINION BR TK

1

Workorder: V2010

In Date: 03/29/2006
Close Date: 04/03/2006

Meter Reading:

Problem?

PUMP PANEL LOOSE, TACH ON PUMP PANEL INOP, R/Front STROBE LENS BROKEN, B-26

Task performed:

Parts

Quantity

NO PARTS USED

Workorder: V2102

In Date: 04/05/2006
Close Date: 04/25/2006

Meter Reading:

Problem?

PUMP PACKING LEAKING, B-26

Task performed:

Parts

Quantity

D3TZ-2457BBREAK PEDDEL PAD

1

Workorder: V2356

In Date: 04/23/2006
Close Date: 04/28/2006

Meter Reading:

Problem?

door alarm on all the time B26

Task performed:

Parts

Quantity

NO PARTS USED



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V2448

In Date: 05/02/2006

Meter Reading:

Close Date: 05/04/2006

Problem?

REBUILD CARB, REPAIR FLOTO-PUMP EXHAUST, B-26

Task performed:

Parts

Quantity

LQ37CARB KIT WISCONSIN

1

Workorder: V2477

In Date: 05/04/2006

Meter Reading:

Close Date: 05/10/2006

Problem?

TANK LEVEL LIGHTS INOP, B-26

Task performed:

Parts

Quantity

NO PARTS USED

Workorder: V3653

In Date: 07/26/2006

Meter Reading:

Close Date: 07/31/2006

Problem?

RIGHT FRONT BRAKES GRABBING BADLY. B26

Task performed:

Parts

Quantity

NO PARTS USED



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V3814

In Date: 08/07/2006

Meter Reading: 27,048.00

Close Date: 09/21/2006

Problem?

B INSPECTION AND REPAIRS AS NEEDED B26

Task performed:

Parts

Quantity



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

1. TRAVEL TIME, RETURN BRUSH 25 TO STN. TAKE SPARE TO STN-26/ BRING B-26 TO SHOP FOR PM.
2. B- INSPECTION 8-8-06 4.5 HRS, 8-9-06 8 HRS
3. REPAIR: DASH LIGHTS, ENG COMPARTMENT LIGHTS, REAR WORK LIGHTS, REAR MARKER LIGHTS.
4. INSTAL NEW AIR DRYER SYSTEM. 8-10-06 2 HRS, 8-11-06 8 HRS
5. SERVICE PUMP ENG
6. PUMP ENG COMPLETE TUNE UP/WITH VALVE ADJUSTMENT.
7. PUPM ENG REPLACE BELT.
8. REPLACE ENG BELT.
9. STRAIGHTEN MAOUNTING ON PRIMER PUMP ASSEM.
10. REPLACE WIPER BLADES.
11. FIND/REPAIR AIR LEAKS. DISASSEMBLE DASH TO GAIN ACCESS TO AIR FITTINGS. 8-15-06 2.5 HRS, 8-16-06 4 HRS
12. INSTALL NEW TIRE + WHEEL/ ROTATE OTHERS AROUND
13. HOOK UP COME-A-LONG AND CHAINS AND STRAIGHTEN REAR OVERHEAD LIGHTS + BRSH BAR- FABRICATE AND WELD IN NEW GUSSET BARS.8-16-06 1.5 HRS, 8-17-06 8HRS
14. STRAIGHTEN BATTERY BOX CONTAINMENT COVER AND STEP ASSEMBLY- REINSTALL.
15. OVERHAUL COMPLETE FRONT SUSPENSION-(SPRINGS, SHOCKS, ALL NEW SEALS, BRAKE AND COMPARTMENTS ECT.) 8-18-06 3.0HRS, 8-21 TO 8-25 40 HRS 8-31-06 8HRS

504869C1FLANGE AXLE	1
MISC PARTMISC PART	1
6598SPRING CLIP AG LAMP	1
1668453C1AXLE HOUSING BUSHING	1
1671199C1SEAL TRUNION	2
018765SPRING JOB	1
B113299M6018BRACKET	1
SWT5492744435 ACTUATOR-BLACK	1
SWT54918SW ROCKER DPDT RED/AMBER	1
54-140CIRCUIT BREAK 40 AMP	1
334446BOLT TAPPERED LOCK	6
33269BEARING	2
QD758AGASKET	4
BCP5ESBCP5ES SPARK PLUG	4
800887AD-SP DROP IN DRYER COMPLETE	1
CA1596ASYWIX 42254	1
PH21FILTER OIL 51110	1
7474 BULB	10
2040568C91DASH BULB	2
89BULB	2
5648056480 PLUG-POWER/ACCESS.	1
1668474C91U-JOINT KIT	1
1668463C1SHIM 005	4
284358GOVERNOR D-2	1
1141BULB	2
2032-0000-30LENS CLEAR	2
25-16WIPER BLADE USE 31-16	2
K080745BELT	1
1190BELT	1
20121016CAP DIST. WISC.	1
20121020ROTOR - WICON SIN	1
YL349WIRE SET IGNITION	1
1229-G-2971SPACER SLACK ADJ	3
CR36364416125 NAT SEAL OIL BRUSH TRUCK	2
P1654AWIX 51553 HYD. FILTER	1
MKT1308QSPRING ROLLER KIT BRUSH TK	2
REX1308QBRAKE SHOES FR BRUSH TK	4
RWO4877LOCK WASHER	2
FREIGHTSHIPPING CHARGES	2
B113299L6019BRACKET	1
1658915C1SEAL BKT	2
6923FRONT SHOCK 472414C91	2
504870C1BUSHING	2
1668454C1SEAL OIL SPINDEL	2
1668470C1SHAFT OUTER INTERNATIONAL	1



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

593119C91SEAL AXLE HOUS.	2
PR338324070 WIX FILTER WATER	1
PH713851799 FILTER OIL	1
1677004C9133232 FILTER SEPERATOR	1
2439024390 FUEL FILTER	1
P338033338 FUEL FILTER WIX L/F FP603	2
CA1596WIX 42253 L/F LAF9545 AIR FILTER	1
PVG-KITORING KIT	1
5501455014 SWITCH	1
1822054C1OIL PLUG DRAIN WASHER	1
269827402-10 HOSE N FITTING	1
SC16SERVICE CAN TYPE16	2
566566 BEARING	2
563563 BEARING	2
33462BEARING	2

Workorder: V4311

In Date: 09/07/2006 Meter Reading:
Close Date: 10/10/2006

Problem?

RPLACE RT REAR TIRE AT SHOP CALLAGHAN B26

Task performed:

1. REPLACE R/REAR TIRE AT SHOP CALLAGHAN B26.

Parts	Quantity
NO PARTS USED	

Workorder: V4803

In Date: 10/09/2006 Meter Reading: 2,275.00
Close Date: 10/16/2006

Problem?

Brush 26 will not start. power to the cab but engine will not turn over. Does not click like a dead battery. Tried tapping the starter b no luck.

Task performed:

1. TRAVELED TO STN 26 B-26 FOUND AND WILL NOT START. ON CALL TECH REPAIRED.

Parts	Quantity
NO PARTS USED	

Workorder: V4807

In Date: 10/09/2006 Meter Reading: 2,275.00
Close Date: 10/16/2006

Problem?

Truck started. Put truck out of and back in neutral and started. B-26

Task performed:

1. TRAVELED TO STN 26. TRUCK STARTED RAN TRANI THREW GEARS NO PROBLEMS FOUND.

Parts	Quantity
NO PARTS USED	



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V5317

In Date: 11/08/2006
Close Date: 11/20/2006

Meter Reading: 2,275.00

Problem?

B26 placard is falling off on passanger rear. It needs to be rivoted back on.

Task performed:

1. repair placard

Parts

Quantity

NO PARTS USED

Workorder: V6273

In Date: 01/14/2007
Close Date: 01/23/2007

Meter Reading: 27,325.00

Problem?

Brush 26 1.5 inch float o pump not working. It will run, however as soon as you flow water, it stalls. It's out of service sitting on the bay floor at St. 26.

Task performed:

1. TRAVELED TO STN 26. R/R SPARK PLUG AND TEST, STILL NOT RUNNING. STALL OUT BRING BACK TO SHOP FOR REPAIRS.

Parts

Quantity

NO PARTS USED

Workorder: V6351

In Date: 01/18/2007
Close Date: 01/23/2007

Meter Reading: 27,325.00

Problem?

REPAIR FLOAT PUMP B26 REGANS

Task performed:

1. FLOAT A PUMP SENT TO REGANS FOR REPAIRS.

Parts

Quantity

NO PARTS USED

Vendor?: REGAN'S MOBILE SMALL

Workorder: V6706

In Date: 02/11/2007
Close Date: 02/21/2007

Meter Reading: 2,299.50

Problem?

Coolant level low on Brush 26 truck.

Task performed:

1. SEE WORK ORDER #6746.

Parts

Quantity

NO PARTS USED



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V6746

In Date: 02/13/2007 Meter Reading: 2,299.50
Close Date: 02/21/2007

Problem?

coolant always low, cant find leak E26

Task performed:

1. TRAVELED TO STN 26. PRESSURE CHECK, RAD
CAP BAD REPLACE CAP.

Parts	Quantity
05-17223-000CAP RADIATOR 10 LB	1

Workorder: V6745

In Date: 02/13/2007 Meter Reading: 2,299.50
Close Date: 03/02/2007

Problem?

air leaking down over nite B26

Task performed:

At shop

Parts	Quantity
NO PARTS USED	

Workorder: V7560

In Date: 04/06/2007 Meter Reading: 27,541.00
Close Date: 04/11/2007

Problem?

repair strobe lights sbat 22

Task performed:

1. Installed new strobe pack

Parts	Quantity
UPS690NLA REPAIR ONLY POWER SUPPLY - WHELEN	1

Workorder: V7679

In Date: 04/12/2007 Meter Reading: 27,541.00
Close Date: 04/16/2007

Problem?

water pump leaking B22

Task performed:

1. Meeting with Tim
2. R&R water pump and serviced cooling system
3. R&R broken fender

Parts	Quantity
ZWP185061WATER PUMP	1
PR338324070 WIX FILTER WATER	1
1657747C4L/H FENDER-LOWER HALF INTERNATIONAL	1



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V7596

In Date: 04/09/2007 Meter Reading: 27,541.00
Close Date: 04/26/2007

Problem?

on call coolant leak ab at 22

Task performed:

pressure check cooling system; bad water pump.
Swap driver into spare.

Parts

NO PARTS USED

Quantity

Workorder: V7967

In Date: 04/27/2007 Meter Reading: 27,541.00
Close Date: 05/04/2007

Problem?

A inspection and related repairs (back from vollies-42)

Task performed:

- A-Inspection 7 road test
- 1. Top off low coolant-no leak found
- 2. Windshield fluid low; fill reservoir & add bug solvent
- 3. Trans oil level low; chk for leak-none found; add (2) quarts
- 4. Pump compt lite/work lite out; fnd door conn @ grnd for work lite & blown pump comp bulb; make proper correction measures
- 5. Door open warning lite inop; dia/rep opn grnd

Parts

1156BULB

Quantity

1

Workorder: V8140

In Date: 05/07/2007 Meter Reading: 27,941.00
Close Date: 05/15/2007

Problem?

repair float pump and saw B22 (outside agency-regan's small engine service)

Task performed:

Float pump, cleaned carb; rebuilt, new plug; tested

Parts

NO PARTS USED

Quantity

Vendor?: REGANS SMALL ENG



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V5456

In Date: 11/20/2006 Meter Reading: 2,275.00
Close Date: 05/17/2007

Problem?

mounting bracket on hose reel broken B26

Task performed:

Parts

Quantity

Chk out brkt & rem to to bring to shop & weld up temporarily

NO PARTS USED

Workorder: V5608

In Date: 11/29/2006 Meter Reading: 2,275.00
Close Date: 05/18/2007

Problem?

angle brackett needed to support booster reel. B26

Task performed:

Parts

Quantity

Make up new brackets for hose reel; Travel time to STN26-install new brackets

NO PARTS USED

Workorder: V8303

In Date: 05/17/2007 Meter Reading: 27,941.00
Close Date: 06/08/2007

Problem?

A inspection and related repairs (back from 22)

Task performed:

Parts

Quantity

1. A-Inspection and road test. Tank fill with foam & no hose reel nozzle. Advised by foreman that it is not needed because it is a spare (SW)
2. Battery check good, charging at 14.3V. Battery 2.4 yrs old. Left in service as per floor foreman (SW)
3. Hose reel motor chain snap - replace missing link & rewind hose
4. Marker light out - remove blown bulb & install new bulb

120010LINK #35 HANNAY

1



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V8297

In Date: 05/17/2007 Meter Reading: 27,941.00
Close Date: 06/11/2007

Problem?

pump engine won't start B22

Task performed:

1. Drive to sta, replace battery for pump check charging system test OK

Parts	Quantity
65-72BXT65750 BATTERY	1
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	1

Workorder: V8579

In Date: 06/04/2007 Meter Reading: 27,941.00
Close Date: 06/20/2007

Problem?

repair chain saw s b at 17

Task performed:

1. Installed new O-Ring for cap test OK

Parts	Quantity
MS-290STIHL FUEL CAPS	1
505312226FUEL CAP PARDNERS	1

Workorder: V9333

In Date: 07/16/2007 Meter Reading: 27,941.00
Close Date: 07/23/2007

Problem?

A inspection and related repairs (back from 28)

Task performed:

- A-Inspection
1. Union meeting
 2. Meeting with Tim
 3. Tighten exhaust & reposition rain cap

Parts	Quantity
NO PARTS USED	



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V9756

In Date: 08/07/2007

Meter Reading: 27,941.00

Close Date: 08/16/2007

Problem?

B inspection and related repairs

Task performed:

- B-Inspection
- 1. Svc T-Case with fluid
- 2. Svc rear/front diff with fluid
- 3. R/R marker inop; rep/tighten ground
- 4. Drain valve leaking; ness to rebuild valve
- 5. Rear steamer cap leaking; ness to rem; clean/replc seal
- 6. Replc exterior weather caps on ign & hose real buttons
- 7. Water level gauge inop; ness to rewire under truck & secure; Rem hose reel to replc sendere asy & rear indicator

Parts

Quantity

5008414CARTRIDGE DC100	1
0714024GASKET 4 IN	1
91378905 VALVE KIT 2 IN AKRON	1
25-358SWITCH COVER	1
25-37125-371 TOGGLE BOOT	1
PR338324070 WIX FILTER WATER	1
PH713851799 FILTER OIL	1
P1654AWIX 51553 HYD. FILTER	1
CA1596WIX 42253 L/F LAF9545 AIR FILTER	1
JEIBC207M3RWCABLE BATT	1
JEIBC207M3BWJEIBC207M3BWS CABLE BATT	1
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	2
HP-31DBATTERY 950CCA HP-31D	2
P338033338 FUEL FILTER WIX L/F FP603	1
1677004C9133232 FILTER SEPERATOR	1
PH21FILTER OIL 51110	1
M1395ADAPTER	1
N1394NEW # M1394 ADAPTER FOR MINI	2
2018471C1MUFFLER BRUSH TRUCK	1
1691123C91POWER STEERING CAP	1
45573504557350 MINI 4 LIGHT DISP	1
M1394ADAPTER FOR MARK 5	1
35799FLAT CLAMP 4 IN	1
35794MUFFLER CLAMP 3 IN	1
AO60SENDER 4-WIRE 4571350 NEW NUMBER	1
M1412CONECTOR WIRE CABLE	1

Workorder: V10783

In Date: 10/02/2007

Meter Reading: 27,942.00

Close Date: 10/03/2007

Problem?

A inspection

Task performed:

- 1. "A" INSPECTION AND ROAD TEST

Parts

Quantity

S976GAUGE AIR USE S986	1
------------------------	---



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V11219

In Date: 10/23/2007
Close Date: 10/26/2007

Meter Reading: 27,942.00

Problem?

A inspection and related repairs (back from 28)

Task performed:

- 1. a inspection
- 2. replaced master + rear flash warning switches
- 3. adjust front brakes

Parts	Quantity
DPSTDPST SW-ROCKER	2

Workorder: V11758

In Date: 11/26/2007
Close Date: 12/04/2007

Meter Reading: 27,942.00

Problem?

A inspection and related repairs (back from 73)

Task performed:

- 1. A-Inspection

Parts	Quantity
NO PARTS USED	

Workorder: V7597

In Date: 04/09/2007
Close Date: 12/10/2007

Meter Reading: 27,541.00

Problem?

on call dead battery sb at 22

Task performed:

Parts	Quantity
65-72BXT65750 BATTERY	1
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	1

Workorder: V11934

In Date: 12/03/2007
Close Date: 12/11/2007

Meter Reading: 28,585.00

Problem?

a inspevction and repairs sb3 back from 17

Task performed:

- 1. "A" inspection.
- 2. Replace wiper blades.

Parts	Quantity
91-16USE 31-16 WIPER BLADE	2



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V12478

In Date: 01/09/2008
Close Date: 01/31/2008

Meter Reading: 28,585.00

Problem?

b inspection and repairs as needed sb3

Task performed:

- B-Inspection
2. Torque U-bolts
3. Rem belly pan w/torch air access
4. Transmission leak at shift lever seal; remount belly pan
5. Rep air tank leak-rusted @ petcock; ness to cut steel nipple back; rep threads; replc petcock
6. Pump eng oil full of gas; rem carbureator & rebuild; test j

Parts

Quantity

2439024390 FUEL FILTER	1
PH21FILTER OIL 51110	1
PH713851799 FILTER OIL	1
PR338324070 WIX FILTER WATER	1
23010610SHIFT LEVER SEAL	1
J-26401SHIFT LEVER SAEL REMOVER	1
LQ37CARB KIT WISCONSIN	1
J-26282SHIFT LEVER SEAL INSTALLER	1
29538489TRANS FILTER 58892	1
15W40BSYN OIL BULK QTS	35
P338033338 FUEL FILTER WIX L/F FP603	1
P1654AWIX 51553 HYD. FILTER	1

Workorder: V13870

In Date: 03/13/2008
Close Date: 03/17/2008

Meter Reading: 28,585.00

Problem?

a inspection and repairs as needed sb3 back from 73

Task performed:

1. "A" inspection
2. Replaced 4 cracked lenses

Parts

Quantity

681181363356811813633S LENS CLEAR	1
6811813635S68-1181363-5S LENS RED 64 SERIES	1

Workorder: V15105

In Date: 05/15/2008
Close Date: 06/09/2008

Meter Reading: 28,773.00

Problem?

WILL NOT START, B-54

Task performed:

1. Charged up btry & ran pump motor
2. Adj pump packing
3. Air horn inop; adj air horns. j

Parts

Quantity

NO PARTS USED



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V16833

In Date: 08/05/2008
Close Date: 08/11/2008

Meter Reading: 28,773.30

Problem?

float pump won't start B54 (outside agency-Regan's small engine service)

Task performed:

Float pump won't start B54 - Regans Small Eng j

Parts

NO PARTS USED

Quantity

Vendor?: REGANS SMALL

Workorder: V15999

In Date: 06/26/2008
Close Date: 08/15/2008

Meter Reading: 28,773.00

Problem?

PUMP MOTOR HARD STARTING S B AT 54

Task performed:

1. Door falling off body; installed all new hardware.
2. Pump motor hard starting; fnd bad connection.
3. Pump valve leaking; rep pump leak. j

Parts

KA000072 1/2 IN DARLEY KIT
913399-1339 MUFFLER

Quantity

2
1

Workorder: V17002

In Date: 08/13/2008
Close Date: 08/25/2008

Meter Reading: 28,773.30

Problem?

Brush truck will not start. b54

Task performed:

1. recharged battery and tested
2. rebuilt discharge valve 1&2 due to leaking

Parts

NO PARTS USED

Quantity

Workorder: V15262

In Date: 05/22/2008
Close Date: 10/20/2008

Meter Reading: 28,773.00

Problem?

void

Task performed:

Parts

NO PARTS USED

Quantity



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V18607

In Date: 10/27/2008
Close Date: 10/30/2008

Meter Reading: 28,773.30

Problem?

B-54 WILL NOT START

Task performed:

No pump start; replaced battery. j

Parts

NO PARTS USED

Quantity

Workorder: V18778

In Date: 11/01/2008
Close Date: 11/18/2008

Meter Reading: 28,773.30

Problem?

ON CALL B54 PUMP WONT START

Task performed:

Fnd btry dead; replc btry; fuel pump running; troubleshoot wiring; fnd frnt ignition switch on; shut off switch. j

Parts

65-72BXT65750 BATTERY
BATTERY EPA TAX BATTERY EPA TAX \$1.50 PER BATTERY

1
1

Quantity

Workorder: V19083

In Date: 11/15/2008
Close Date: 12/01/2008

Meter Reading: 28,773.30

Problem?

right rear red light out and left side flasher/turn signal out. B-54

Task performed:

Chkd for lights out; fnd no lights out at this time. j

Parts

NO PARTS USED

Quantity

Workorder: V19656

In Date: 12/10/2008
Close Date: 01/05/2009

Meter Reading: 28,773.30

Problem?

hard starting b54

Task performed:

hard starting; recharge pump btry & tested. j

Parts

NO PARTS USED

Quantity



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V20345

In Date: 01/14/2009
Close Date: 01/27/2009

Meter Reading: 28,773.30

Problem?

WONT START B 54

Task performed:

1- Rechrge battery, and ran pump.

Parts

NO PARTS USED

Quantity

Workorder: V21479

In Date: 03/02/2009
Close Date: 03/16/2009

Meter Reading: 28,773.30

Problem?

c inspection and repairs as needed sb bacck from 54

Task performed:

- C-Service
- 2. Perform low voltage electrical sys performance test.
- 3. Replc alt belt on pump motor.
- 4. Replcd right side cowl marker/T/S light asy.
- 5. Rep faulty grnd on L/rear bullet marker light.
- 6. Replcd maplight on dash.
- 7. Painted fuel cap.
- 8. Replcd wiperblades.
- 9. Cln debris from windshield washer squirters (clogged).
- 10. Replcd both pump panel light asy (corroded).
- 11. Svc air dryer.
- 12. Replcd non-skid on L/R side step/roll bar.
- Replcd belts.
- 14. Replcd eng air filter.
- 15. R/R dash to replcd parking brake valve (leaking air).
- 16. installed reflector tap on rear bar.
- 17. Replcd frt bumper hose.
- 18. Replcd air horn floor swtch. j

Parts

- 120257100C2030-7110-30 CLEAR DOME STEP
- 7605-666764-0023 SWITCH FOOT SIREN
- KN20031PARKING BRAKE VALVE
- 2439024390 FUEL FILTER
- CA1596WIX 42253 L/F LAF9545 AIR FILTER
- P338033338 FUEL FILTER WIX L/F FP603
- PH21FILTER OIL 51110
- PH713851799 FILTER OIL
- 109995PURGE VALVE KIT
- 5008414CARTRIDGE DC100
- 91-16USE 31-16 WIPER BLADE
- YL349WIRE SET IGNITION
- 20121016CAP DIST. WISC.
- 20121020ROTOR - WCONSIN
- 89BULB
- K080745BELT
- 1190BELT
- 8714287142 LIGHT MAP 12"

Quantity

- 2
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 1
- 2
- 1
- 1
- 1
- 1
- 1
- 1



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V22119

In Date: 03/26/2009
Close Date: 04/08/2009

Meter Reading: 28,773.30

Problem?

no throttle for pump at rear of truck, mirror needs replaced B22

Task performed:

- Mirrors WO to A-Inspection Service WO
- 2. Replc grab handle brkt in rear of unit.
- 3. Replc turn signal lense in rear & turn signal lamp left side of cab.
- 4. Replc both mirrors & spot mirror.
- 5. Rep rear eng compt lights & replc lenses.
- 6. Replc blower resistor.
- 7. Tighten rear eng throttle cable, lube cable & chk opn.
- 8. Fill water tank & run pump to chk opn. j

Parts	Quantity
681181583RISLENS AMBER ARROW - RIGHT	1
1156BULB	2
291525END STANCHION	1
ZEE1500MIRROR HEAD INT BRUSH TRUCKS	2
SA110MIRROR ASSY. INTERNATIONAL	1
1685210C91LIGHT TURN SIGNAL	1
99080C ROUND CLEAR LENS	2
980-412173 MIRROR 8 IN	1
506552C1BLOWER RESISTOR	1
895478R2GASKET AXEL	1

Workorder: V22519

In Date: 04/13/2009
Close Date: 04/20/2009

Meter Reading: 28,773.30

Problem?

A inspection and related repairs (from 14)

Task performed:

- 1. A-Inspection
- 2. Replcd lense on rear marker light.
- 3. Rear handle above step has rotating handle; secured handle.
- 4. Rebuild primer valve.
- 5. P/S svc; cut supply hose & reclamp; ordered new dispstick; cln/chk for leaks.
- 6. Rep brkn wiring at pump panel.
- 7. Assist Jeff with P/S sys. j

Parts	Quantity
042-0091-00SPRING PRIMER	1
PVG-KITORING KIT	1
073004100PISTON	1
HF6162PS FILTER 57131	1
1691125C1POWER STEERING DIP STICK	1

Workorder: V22384

In Date: 04/08/2009
Close Date: 04/22/2009

Meter Reading: 28,773.30

Problem?

REPLACE BROKEN HANDLE SB AT 14

Task performed:

- 1. Truck stuck at brush fire; drive to locn; empty water; pull out; chk truck.
- 2. Drive to Stn; replcd handle. j

Parts	Quantity
291525END STANCHION	1



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V24016

In Date: 06/12/2009
Close Date: 06/20/2009

Meter Reading: 28,773.30

Problem?

A inspection and repairs (from25)

Task performed:

- A-Inspection
- 2. Rep brkn wire to marker light & rep bulb in marker light.
- 3. Adj pump packing.
- 4. ordered new P/S dip stick.
- 5. FMLA j

Parts

Quantity

67BULB 12 VOLT	1
1691125C1POWER STEERING DIP STICK	1

Workorder: V25479

In Date: 08/12/2009
Close Date: 08/14/2009

Meter Reading: 28,773.30

Problem?

fuel filter lower housing melted apart on pony engine A inspection

Task performed:

- A-Inspection
- 2. Rep damaged fuel filter hsng & replc fuel filter bowl; started pump motor & chkd opr.
- 3. Rep light in L1-compt - loose ground. j

Parts

Quantity

NO PARTS USED



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V26361

In Date: 09/21/2009
Close Date: 09/28/2009

Meter Reading: 28,773.30

Problem?

A inspection and repairs (from 22)

Task performed:

- A-Inspection
- 2. Rep R/rear clearance light-base loose; tighten/cln out corrosion frm inside fixture to mk good grnd.
- 3. Replc wiper blades.
- 4. Both mirrors were hit roll cage when door is fully opened; reposition both frames & readjust mirrors.
- 5. Frnt jump line & pipe connector missing off truck; chk under Bldg #3 for a piece of new or used jump line; fnd a piece of used hose; take into shop & cut to length; install fittings on both ends.
- 6. C/O problem w/entire door ajar sys 10-7; Fnd (2) switches bad in compt; rep one & replc the other sys still inop; test power to dash warning light; no power; rem dash panels to trace down wiring & fnd burnt wiring; power relay was wired all wrong; tear out old wiring; mk up new harnesses & install; mk all connections; properly to relay & switches; now ok. j

Parts

Quantity

31-1631-16 WIPER BLADES	2
9118-04SWITCH	1
RSR03ZCRLIGHT LED RED TIR3 SERIES	1

Workorder: V26987

In Date: 10/19/2009
Close Date: 10/27/2009

Meter Reading: 28,773.30

Problem?

check pump system

Task performed:

- Ck pump sys & operate to ensure operational ready ness. j

Parts

Quantity

NO PARTS USED



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V27158

In Date: 10/26/2009
Close Date: 10/29/2009

Meter Reading: 28,773.30

Problem?

B INSPECTION AND REPAIRS AS NEEDED SB 3

Task performed:

- B-Inspection
- 2. Replace rain cap on pony motor exh; tighten exh pipe.
- 3. Drain oil in pony motor & refill crank case *oil had water in it.
- 4. Replc 1/4 turn drain on pump. j

Parts

Quantity

PH21FILTER OIL 51110	1
PH713851799 FILTER OIL	1
15W40BSYN OIL BULK QTS	38
2439024390 FUEL FILTER	1
P338033338 FUEL FILTER WIX L/F FP603	1
35512CAP EXHAUST PIPE	1

Workorder: V27075

In Date: 10/22/2009
Close Date: 11/02/2009

Meter Reading: 28,773.30

Problem?

A INSPECTION AND REPAIRS SB 1

Task performed:

- road test & A-Inspection
- 2. L- door striker brkn; rem striker & install new striker.
- 3. Install "no Step" place card on (4) flip up compt doors; drill/tap secure by screws.
- 4. Dia light bar failure; fnd loose brnd & (2) bad switch; repair faults.
- 5. Complete reassembling components after light bar repair.
- 6. Fill water tank. j

Parts

Quantity

1165ZNSTRIKER 206-15	1
EL35115 SW ROCKER A/C 360000088	1
DPSTDPST SW-ROCKER	1



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V23067

In Date: 05/05/2009
Close Date: 12/01/2009

Meter Reading: 28,773.30

Problem?

A inspection and related repairs (from 48)

Task performed:

- Perform A-Inspection
- 2. Replc A/C blower motor.
- 3. Finish A/C blower j
- 4. Oil pan leak; rem oil pan; cln gskt surface & eng _____ surface.
- 5. Dia oil leak at frnt of eng; attempt to rem frnt vibration _____ full; leak rated Class 1 as per Ed Ehrke.
- 6. Rem leaking kick down valve in trans hsng; replc bad seal; reinstall & fill fluid to proper level.

Parts	Quantity
1699291C1A/C BLOWER MOTOR BRUSH TRUCK	1

Workorder: V27858

In Date: 11/23/2009
Close Date: 12/01/2009

Meter Reading: 28,773.30

Problem?

A INSPECTION

Task performed:

- A-Service
- 2. Charged pump motor btry. j

Parts	Quantity
NO PARTS USED	

Workorder: V28219

In Date: 12/08/2009
Close Date: 12/17/2009

Meter Reading: 28,773.30

Problem?

pump motor wont start

Task performed:

- C/O spare brush; btry for pump dead; replc btry & waited for 27 to come PU. j

Parts	Quantity
65-72BXT65750 BATTERY	1
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	1



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V28321

In Date: 12/14/2009
Close Date: 01/11/2010

Meter Reading: 28,773.30

Problem?

A inspection and repairs (from 27)

Task performed:

- A-Inspection
- 2. Rep pump panel light.
- 3. Replc btry. j

Parts	Quantity
HP-31DBATTERY 950CCA HP-31D	2
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	2
1142BULB	1

Workorder: V29361

In Date: 01/22/2010
Close Date: 02/10/2010

Meter Reading: 28,773.30

Problem?

A inspection and repairs (from 25)

Task performed:

- A-Inspection
- 2. Replc btry eng light. j

Parts	Quantity
HA143HA143 LIGHT AMBER WARNING	2

Workorder: V30080

In Date: 02/19/2010
Close Date: 03/18/2010

Meter Reading: 28,773.30

Problem?

A inspection and repairs (from 17)

Task performed:

- A-Inspection - air frt tires.
- 2. Tighten pump alt belt & chk charging sys.
- 3. Adj pump packing. j

Parts	Quantity
NO PARTS USED	

Workorder: V30889

In Date: 03/19/2010
Close Date: 03/26/2010

Meter Reading: 28,773.30

Problem?

PONY PUMP MOTOR WILL NOT START, SHOP SPARE BRUSH

Task performed:

- Chk for nos tart of pony motor; fnd btry NG; replc btry. j

Parts	Quantity
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	1
65-72BXT65750 BATTERY	1



7/15/2025

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V31730

In Date: 04/22/2010
Close Date: 04/27/2010

Meter Reading: 28,773.30

Problem?

A inspection and repairs (from training)

Task performed:

- A-Inspection
- 2. Replc R-turn signal bulb.
- 3. Replc L&R T-signal hsngs front. j

Parts	Quantity
3157TAIL LIGHT BULBS	1
1661761C93TURNSIGNAL LIGHT	1
1661762C93TURNSIGNAL LIGHT	1
BPR5ESSPARK PLUG 7734	2

Workorder: V31686

In Date: 04/21/2010
Close Date: 05/12/2010

Meter Reading: 28,773.30

Problem?

repair hood and paint per estimate (outside agency-Alvin Matthews)

Task performed:

- Rep hood & paint per estimate - Alvin Matthews j

Parts	Quantity
NO PARTS USED	

Vendor?: ALVIN MATTHEWS PAINT

Workorder: V32068

In Date: 05/07/2010
Close Date: 05/21/2010

Meter Reading: 28,773.30

Problem?

pump battery dead

Task performed:

- Replc btry in pump. j

Parts	Quantity
65-72BXT65750 BATTERY	1
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	1

Workorder: V32990

In Date: 06/18/2010
Close Date: 06/24/2010

Meter Reading: 30,420.00

Problem?

A inspection and repairs (from 27)

Task performed:

- A-Inspection
- 2. Replc btrys. j

Parts	Quantity
HP-31DBATTERY 950CCA HP-31D	2
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	2



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V33360

In Date: 07/06/2010
Close Date: 08/09/2010

Meter Reading: 30,438.00

Problem?

C INSPECTION AND REPAIRS AS NEEDED SB3

Task performed:

- 1. Start C-Inspection change all fluids; finidh C-Inspection.
- 2. Replc pump btry.
- 3. Fix t-signals - full of wtr.
- 4. Replc fuel pump on pump motor. ja

Parts	Quantity
CA1596ASYWIX 42254	1
109995PURGE VALVE KIT	1
1677004C9133232 FILTER SEPERATOR	1
CA1596WIX 42253 L/F LAF9545 AIR FILTER	1
P1654AWIX 51553 HYD. FILTER	1
P338033338 FUEL FILTER WIX L/F FP603	1
PH713851799 FILTER OIL	1
PR338324070 WIX FILTER WATER	1
15W40BSYN OIL BULK QTS	38
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	1
3157TAIL LIGHT BULBS	1
5008414CARTRIDGE DC100	1
2439024390 FUEL FILTER	1
PH21FILTER OIL 51110	1
65-72BXT65750 BATTERY	1

Workorder: V34190

In Date: 08/11/2010
Close Date: 08/26/2010

Meter Reading: 30,552.00

Problem?

A inspection and repairs (from 27)

Task performed:

- 1. A-Inspection
- 2. Replc pump panel bulbs X 2.
- 3. Replc term, brake, marker light in R/Rear.
- 4. Replc R/frnt t-signal bulb. ja

Parts	Quantity
1142BULB	2
01046139100EBULB STOP/TAIL	1
3157TAIL LIGHT BULBS	1

Workorder: V35882

In Date: 10/25/2010
Close Date: 10/27/2010

Meter Reading: 30,633.80

Problem?

on call hose on hose reel 10-7 sb at 21

Task performed:

- 1. Rem all hoses frm reel; rem brkn hose fitting frm hose reel; reinstalled hose; need new hose fitting. j

Parts	Quantity
101280018LATCH ASSY. FOR D-PADDLE HANDLE	1
14996-02D PADDLE HANDLE	1



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V35416

In Date: 10/05/2010
Close Date: 10/29/2010

Meter Reading: 28,773.30

Problem?

pump battery dead

Task performed:

Charged pump btry; chk spark/fuel when eng wld not start; fnd spark but no fuel; adj throttle/choke cables; started eng/chk runability; pump motor now runs normal.
j

Parts

NO PARTS USED

Quantity

Workorder: V35690

In Date: 10/16/2010
Close Date: 11/03/2010

Meter Reading: 28,773.30

Problem?

pinion seal leaks

Task performed:

1. Chk frnt hubs brg grease; rem frt hub drive ____ caps; ck ok; chk preload-ck ok; reinstalled caps.
2. Ck frt drive pinion seal; rem drive shaft & u-joint; rem yoke/seal; ck vent; ck ok; installed speedy sleeve; R/R seal; filled drive; reassembled; test drove; ck ok. j

Parts

711553PINION SEAL FRONT BRUSH
R120RRAC01IN-LINE FILTER
117804HNUT-PINION
99237SPEEDI SLEEVE

Quantity

1
1
1
1

Workorder: V35875

In Date: 10/24/2010
Close Date: 11/03/2010

Meter Reading: 30,633.80

Problem?

very small oil leak on front differntal at oil seal or drain plug B21

Task performed:

1. Travel to strn; Oil leak at frnt diff; input seal; chd oil level, sent to shop.
2. Rep dones on W.O. 35690. j

Parts

NO PARTS USED

Quantity



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V36465

In Date: 11/15/2010
Close Date: 12/06/2010

Meter Reading: 30,743.00

Problem?

A INSPECTION AND REPAIRS SB 3

Task performed:

- A-Inspection
- 2. Replc wiper blades.
- 3. Rep right rear marker light - bad grd.
- 4. Install fuel filter. j

Parts

Quantity

31-1631-16 WIPER BLADES

2

Workorder: V36817

In Date: 12/02/2010
Close Date: 01/05/2011

Meter Reading: 30,633.80

Problem?

Pump Battery Dead sb at 19

Task performed:

- 3. Travel to Stn; Pump doesnt start - btry bad; replc btry. j

Parts

Quantity

65-72BXT65750 BATTERY

1

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

1

Workorder: V37000

In Date: 12/08/2010
Close Date: 01/07/2011

Meter Reading: 30,633.80

Problem?

Drive engine won't start B19 (on-call)

Task performed:

- 1. Started to go to Stn19 on no start brush truck; got it started at stn by crew; went to fire; dispatch rerouted me to house.
- 2. Floater pump no start at house4 fire; tried to rep at scene but it was under the wtr; bring to shop after fire for rep. j

Parts

Quantity

NO PARTS USED



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V37420

In Date: 12/27/2010
Close Date: 01/12/2011

Meter Reading: 30,851.00

Problem?

A INSPECTION AND REPAIRS AS NEEDED

Task performed:

- A-Service
- 2. Replcd wiper blades.
- 3. Replcd L/side taillight/brake light asy-shortcd; fab light hsnng & truck body to accept new style light.
- j

Parts	Quantity
01046139100EBULB STOP/TAIL	1
6859813480168-5981348-01 REFLECTOR	1
31-1631-16 WIPER BLADES	2

Workorder: V38355

In Date: 02/08/2011
Close Date: 02/16/2011

Meter Reading: 30,633.80

Problem?

BATTERY DEAD SB 3

Task performed:

- 1. Jump start dead unit; chk btry & alt - sys charging; running volt 14.0 volts.
- 2. Travel to stn16; swap out bad pump motor btry; operate pump. j

Parts	Quantity
65-72BXT65750 BATTERY	1
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	1

Workorder: V38547

In Date: 02/16/2011
Close Date: 03/09/2011

Meter Reading: 30,921.00

Problem?

BRAKES HANGING UP SB AT 16

Task performed:

- 1. Travel to stn; brakes hanging up - air compressor low output; brought firefighter to shop & PU their brush truck
- 2. Air compressor not pumping properly; poss compressor - chk unloader; replc gov, chk intake/discharge lines.
- 3. Chk for not building air; rem lines; t-shoot bad air compr; drained anti-freeze; rem air lines, brkts, hoses & compressor; replc air compressor; replc heater hose to compressor; reassem, ran/ck ok.
- 4. Rep damaged trans line clamps/brkts; cut off clamps; replc clamps.
- 5. Fnd low air press alarm going off; fnd bad switch; ordered switch; R/R switch & test drove; ck ok. j

Parts	Quantity
284358GOVERNOR D-2	1
1818247C1ORING COMPRESSOR MTG	1
1830070C1GEAR AIR COMPRESSOR	1
5004613AIR COMPRESSOR DT466	1
1658820C1PRESSURE SWITCH LOW AIR	1



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V38864

In Date: 02/28/2011 Meter Reading: 30,996.70
Close Date: 03/22/2011

Problem?

Broken top door hinge on B74. Door stays closed but hinge is broken and the light stays on. Behind the passenger door.
K09136000-vehicle number b74

Task performed:

C/O brkn door; travel to Stn74; fnd all bolts off; R/R hinge; drill out door; install bolts. j

Parts

NO PARTS USED

Quantity

Workorder: V38866

In Date: 02/28/2011 Meter Reading: 30,996.70
Close Date: 03/22/2011

Problem?

All three drafting hose has leaks. On B74-K09136000

Task performed:

Go to Stn74; C/O hoses, lube gskts, pull vac on hoses - ok, no leak. j

Parts

0714022GASKET 3 IN

Quantity

4

Workorder: V39338

In Date: 03/21/2011 Meter Reading: 31,297.00
Close Date: 03/24/2011

Problem?

A INSPECTION

Task performed:

1. A-Inspection
2. Replc both headlights.
3. Cab dome ight doesn't work; bulb msng; install bulb; light stays on always; rem bulb; needs new cab dome light fixture.
4. Add (4) qts eng oil. j

Parts

H6054USE CV TYPE SEALED BEAM

Quantity

2



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V39780

In Date: 04/07/2011

Meter Reading: 31,459.00

Close Date: 04/25/2011

Problem?

B INSPECTION AND REPAIRS

Task performed:

- 1. A-Inspection - was changed to "B"
- 2. Fuel tank rusted.
- 3. Eng fan/shroud damaged.
- 4. Eng oil leak/oil pan bolts & turbo return; tightene loose bolts & return line clamp.
- 5. Cab dome light inop - swith bad; replc dome light asy.
- 6. #2 u-joint wont take grease - fitting brkn; had to rem u-joint to R/R grease fitting.
- 7. B-Inspection
- 8. Adj pump packing leaking.
- 9. Wont start - primer pump leaking. bled fuel sys; fnd primer pump leaking; ordered new pump & installed.
- 10. Air horn inop; out of adj; adj air horn.
- 11. Svc pump.
- 12. Rep dash warning lights; translucent cvr fell off; rep dash warning lights.
- 13. Fuel truck at Stn23. j

Parts

Quantity

HOR119721647411C2 FAN	1
1677004C9133232 FILTER SEPERATOR	1
P338033338 FUEL FILTER WIX L/F FP603	1
PH21FILTER OIL 51110	1
PH713851799 FILTER OIL	1
2001023C1FAN CLUTCH	1
476846C2FUEL SENDER	1
464751C3SENDER GASKET	1
GE37GE37 BULB	6
1825473C92PUMP KIT PRIMER OLD DT	1
15W40BSYN OIL BULK QTS	15
1664763C91DOME LIGHT INTERNATIONAL	1
34BVVALVE DRAIN CLASS1	1

Workorder: V40077

In Date: 04/22/2011

Meter Reading: 31,464.00

Close Date: 04/25/2011

Problem?

door ajar light staying on, Sta 26.

Task performed:

- 1. Dia problem w/door ajar light; opened/closed compt doors & chkd switches; light went off; ok at this time.
- 2. j

Parts

Quantity

NO PARTS USED



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V40444

In Date: 05/06/2011
Close Date: 05/16/2011

Meter Reading: 31,661.00

Problem?

A inspection.

Task performed:

A-Inspection
2. Top off engine oil; adj all tire press; drill/remount flashers on left rear.
3. Rep bolts in press guage on pump; some bolts msng on (2) valves; rep right door hard to open; lube/repair.
j

Parts

Quantity

1190BELT

1

Workorder: V41343

In Date: 06/15/2011
Close Date: 06/17/2011

Meter Reading: 31,464.00

Problem?

a inspection.

Task performed:

A-Inspection
2. Cooling sys problems; cooling sys test - sev road test; when hot, hose clamps leaking; rep all.
3. R-1 compt door falling off; rep R-1 compt door; loose in hinge.
4. Pump motor keeps stalling; C/O pump motor; fnd trash in carb; R/R carb/ cln out trash & reinstall; run eng & mk adjustments.
j

Parts

Quantity

NO PARTS USED

Workorder: V41222

In Date: 06/09/2011
Close Date: 06/23/2011

Meter Reading: 31,464.00

Problem?

Pump inop.

Task performed:

Fnd btry dead; R/R btry; cldn cables; ck for constant draw; ck ok; ran/ck charging sys - 13.2V; ran/adj pump packing.
j

Parts

Quantity

65-72BXT65750 BATTERY

1

BATTERY EPA TAX BATTERY EPA TAX \$1.50 PER BATTERY

1



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V41410

In Date: 06/17/2011
Close Date: 06/27/2011

Meter Reading: 31,722.00

Problem?

A inspection.

Task performed:

A-Inspection
2. Load tested btry - ok.
3. Chk switch for starter for pump in cab; fnd bad relay;
R/R relay. j

Parts

Quantity

87499RY48 RELAY

1

Workorder: V41236

In Date: 06/09/2011
Close Date: 06/28/2011

Meter Reading: 31,464.00

Problem?

leaking oil from pump, Sta 48.

Task performed:

checked for oil leak found no leak ak

Parts

Quantity

NO PARTS USED

Workorder: V41703

In Date: 07/01/2011
Close Date: 07/06/2011

Meter Reading: 31,758.60

Problem?

A inspection.

Task performed:

A INSPECTION PERFORMED
WASHER FLUID/LOW/TOP OFF WASHER FLUID AND
ADJ WASHER NOZZLES

BOTH - MARKERS INOP/ 1 BULB AND 1 BAD
CONTACT / REPLACED BULB AND CLEANED
CONTACT

R/S MIRROR BRACKET/BENT/REMOVED
STRAIGHTENED BRAKES

DOOR OPEN WARNING GOES ON WHEN DOME
LIGHT TURNED OFF IMPROPERLY WIRED LOCATE
AND REPAIR WIRING PROBLEM

REAR STROBES IMOP / FUSE BROEN REPLACED
FUSE AK

Parts

Quantity

NO PARTS USED



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V42504

In Date: 08/02/2011
Close Date: 08/16/2011

Meter Reading: 31,758.60

Problem?

Front L tire is flat b28

Task performed:

outside agency front l tire is flat b28

Parts

NO PARTS USED

Quantity

ref to wo 42847 for info only

Vendor?: ELPEX

Workorder: V42477

In Date: 08/01/2011
Close Date: 08/17/2011

Meter Reading: 31,758.60

Problem?

spare brush 28 has air leak in rear on passenger side, pump leaks oil and smokes alot while running, when your going out of 4x4 gears grid and jolts the truck. needs automatic hose reel!!! hand crank does not work up top.

Task performed:

COMPLETED ON WO 42586 A INSPECTION

Parts

14-7014HGR-1 HELMET HOOK

Quantity

2

Workorder: V42586

In Date: 08/05/2011
Close Date: 08/17/2011

Meter Reading: 31,835.00

Problem?

A inspection.

Task performed:

A INSPECTION

ADJUST PRESSURE GOV TO HIGH OF PRESSURE
REPAIR PURGE VALVE LEAK OK

ADJUST ALL TIRE PRESSURES

Parts

HP-31DBATTERY 950CCA HP-31D

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

Quantity

4

4



7/15/2025

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V43084

In Date: 08/26/2011

Meter Reading: 31,929.00

Close Date: 09/09/2011

Problem?

A inspection.

Task performed:

A SERVICE, CHECK ALL GEAR CASES AND DIFF

REPAIR L-1 DOORS, DRILL AND INSTALLED SCREW AND BOLTS IN HINGES ALL BROKEN, DOOR ALARM GOING OFF, REPAIR

SERVICE PUMP MOTOR, WATER IN ENGINE OIL, LITTLE WATER IN GEAR CASE AND DIRTY, TIGHTEN UP THROTTLE CABLE 7 QTS OIL

ADJUST ALL TIRES AIR PRESSURE

Parts

Quantity

PH21FILTER OIL 51110

1

15W40BSYN OIL BULK QTS

7

Workorder: V44276

In Date: 10/11/2011

Meter Reading: 31,758.60

Close Date: 10/12/2011

Problem?

Pump motor won't start.

Task performed:

TRAVEL TO 16 FOUND PMP MOTOR CRANKING BUT NO START, CHECK FOR SPARK, ONLY IN REAR, JUMPED COIL MOTOR STARTED, MOTOR ONLY RUNS WITH CHOKE CLOSED, TRALVE TO SHOP SWAP INTO B16 TRAVEL HOME

Parts

Quantity

NO PARTS USED

Workorder: V44277

In Date: 10/11/2011

Meter Reading: 31,758.60

Close Date: 10/14/2011

Problem?

Pump won't start.

Task performed:

CHECK OUT NO START, REMOVE GAS LINE CHECK FOR FUEL, PUMP OK, FILTER OK, REMOVE CARB, CHLEAN OUT ---, CLEAN OUT JETS, READJUST CARB, TIGHTEN REINSTALL OK

Parts

Quantity

39008USE 39045 KIT

1

2599722C91BRAKE PADS 70MM PFH076910

2

3533356C3SHOCK ABS

2



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V42847

In Date: 08/16/2011
Close Date: 11/07/2011

Meter Reading: 31,758.60

Problem?

Front L tire is flat b28

Task performed:

duplicate refer to wo 42504

Parts

Quantity

NO PARTS USED

Workorder: V45948

In Date: 12/19/2011
Close Date: 12/21/2011

Meter Reading: 31,758.60

Problem?

a inspection.

Task performed:

A-INSPECTION.

Parts

Quantity

PH21FILTER OIL 51110

1

REPAIR COMPARTMENT DOOR R-1 DRILLOUT
BROKEN STUDS INSTALL NEW BOLTS AND NUTS.

R&R AXE HOLDER ON R/S OF BODY.

MIX UP WASHER FLUID AND FILL RESERVOIR.

REPAIR COOLANT LEAK. REPLACE CLAMP
ONHOSE. PRESSURE TEST AND REFILL COOLING
SYSTEM.

MUFFLER LOOSE ON PUMP ENGINE - TIGHTEN
MUFFLER PIPE. LOOSEN AND REALIGN. RAIN CAP
ON EXHAUST TIP.

PUMP ENGINE OIL CONTAMINATED - DRAIN OIL R&R
FILTER - LET DRAIN EXTRA LONG TO GET AS MUCH
BAD OIL OUT. NO 30 WT. OIL IN STOCK ORDERED.
HAD TO WAIT REFILL CRANKCASE AND TEST RUN.

CHECK OIL BATH AIRFILTER FOR WATER - BAD -
R&R FILTER ASSY. DRAIN AND WASH REFILL WITH
NEW OIL REINSTALL.

ALTERNATER BELT LOOSE ADJUSTED BELT.

CHECK PUMP GEAR CASE FOR WATER - DRAIN AND
REFILL.

SERVICE ENGINE CRANK CASE OIL BREATHER.



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V45966

In Date: 12/19/2011
Close Date: 12/21/2011

Meter Reading: 31,758.60

Problem?

Dead battery

Task performed:

VEHICLE DEAD IN P-LOT. RUN EXT. CORDS TO VEHICLE AND PUT ON BATTERY CHARGER. AFTER BATT. CHARGED DRIVE INTO SHOP.

LOAD TEST BATTERIES - FAILED - R&R BOTH BATTERIES CLEAN ALL CABLES INSTALL NEW CORROSION RINGS TEST CHARGING SYSTEM.

Parts

Quantity

BATTERY EPA TAX	BATTERY EPA TAX \$1.50 PER BATTERY	2
HP-31DBATTERY	950CCA HP-31D	2

Workorder: V46806

In Date: 01/24/2012
Close Date: 01/26/2012

Meter Reading: 31,758.60

Problem?

A inspection.

Task performed:

1. A-INSPECTION.
2. R&R SCBA BRACKETS.
3. R&R WIPER BLADES.
4. r&R R1 COMP BVLD.

Parts

Quantity

FHLP-6TANK	CLIP	4
31-1631-16	WIPER BLADES	4
6808300074	VENT A/C LH	4

Workorder: V46834

In Date: 01/25/2012
Close Date: 02/07/2012

Meter Reading: 31,758.60

Problem?

B INSPECTION OIL CHANGE SERVICES

Task performed:

1. B INSPECTION OIL CHANGE SERVICES

Parts

Quantity

NO PARTS USED

Vendor?: OIL CHANGE SERVICES



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V47151

In Date: 02/07/2012
Close Date: 02/09/2012

Meter Reading: 31,758.60

Problem?

REPAIRS FROM B INSPECTION

Task performed:

1. REPLACED EXHAUST CLAMP.
2. INSTALL MISSING BOLT IN TRANS GUARD FRAME SUPPORT. TIGHTEN BOLT AND ALL OTHERS.
3. INSTALL MISSING TIRE VALVE STEM CAPS.
4. DIAGNOSE OIL LEAK - FOUND LOOSE OIL PAN BOLTS. TIGHTEN BOLTS.
5. REBUILD FRONT JUMP LINE VALVE.
6. REPLACE DIRECT FILL PLUG. INSTALL MISSING SCREW IN PLUG AND LENGTHENED CHAIR TETHERED TO PLUG.

Parts

Quantity

91378905 VALVE KIT 2 IN AKRON	1
20S-35033968 CLAMP EXHAUST LAP JOINT 3.5	1

Workorder: V49277

In Date: 05/11/2012
Close Date: 05/15/2012

Meter Reading: 31,758.60

Problem?

repair spark plug wire

Task performed:

ENGINE WON'T RUN/PLUG WIRING SHORTED/REPAIRED WIRING.

Parts

Quantity

YL349WIRE SET IGNITION	1
------------------------	---

Workorder: V50135

In Date: 06/14/2012
Close Date: 06/15/2012

Meter Reading: 32,158.70

Problem?

A inspection

Task performed:

A-INSPECTION AND ROAD TEST.

Parts

Quantity

NO PARTS USED



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V51685

In Date: 08/17/2012
Close Date: 09/20/2012

Meter Reading: 32,158.70

Problem?

A INSPECTION

Task performed:

1. A INSPECT
2. R&R PUMP ENG ALT BELT.
3. ADJ PUMP PACKING ON FIREPUMP.
4. TIGHTEN HOLES OPEN BALLSTUD AND REPLACE MISSING HOLD OPEN BRACKET HARDWARE AND TIGHTEN ALL.
5. DRILL 16 HOLES TO ATTACH COMPT L-3 DOOR TO HINGE. INSTALL ALL NECCES HARDWARE. ALGN AND MODIFY DOOR LATCH STRIKER.

Parts

Quantity

1190BELT

1

Workorder: V52841

In Date: 10/03/2012
Close Date: 11/09/2012

Meter Reading:

Problem?

driver side rear compartment door needs to be reattached B 43

Task performed:

REINSTALLED DOOR AND REWIRED DOOR SWITCH.
PUMP LEAK-REMOVED PUMP FITTINGS AND
INSTALLED NEW PIPE FOR TANK FILL.

Parts

Quantity

NO PARTS USED

Workorder: V53151

In Date: 10/17/2012
Close Date: 11/09/2012

Meter Reading:

Problem?

Brush truck is leaking water from the clamp on the direct fill pipe. b43

Task performed:

REPLACED VALVE NIPPLE THAT WAS LEAKING.

Parts

Quantity

NO PARTS USED



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V53738

In Date: 11/13/2012

Meter Reading: 32,158.70

Close Date: 12/07/2012

Problem?

pump motor wont start b48

Task performed:

REPLACED BATTERY AND TESTED.

Parts

Quantity

65-72BXT65750 BATTERY

1

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

1



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V53998

In Date: 11/26/2012

Meter Reading: 32,158.70

Close Date: 12/20/2012

Problem?

C INSPECTION SB 3

Task performed:

1. C INSP
2. C INSP PUMP ENG HAD WATER IN OIL LET DRAIN OVERNIGHT, PUMP ENG OIL BATH AIR FILTER FULL OF WATER TUNE UP WISCOUSIN ENGINE.
3. C INSP
4. BATTERIES LOW, RECHARGED BATTERIES TESTED OK CLEANED TERMINALS.
5. PUMP WILL NOT START, NO SPARK DURING CRANKING, CHECK WIRING.
6. PUMP WILL NOT START, NO START, NO SPARK DURING CRANKING, CHECK WIRING.
7. PUMP WILL NOT START, WIRED WRONG REPLACED IGNITION SWITCH AND WIRED PROPERLY HAD TO MODIFY PANEL TO INSTALL NEW SWITCH.
8. ADJ PUMP PACKING, LEAKING ADJUSTED PUMP PACKING ALSO TIGHTEN FITTINGS FOR PRIMER THAT WAS LEAKING.
9. CHOKE CABLE FOR PUMP LOOSE, SECURED CHOKE CABLE.
10. REPLACE ALTERNATOR BELTS WORN, REPLACED ALTERNATOR BELT ON PUMP ENG.
11. STARTER ON PUMP INTERMITTENT, POOR WIRE CONNECTION, REPAIRED CONNECTOR.
12. BOOSTER HOSE REEL NEEDS LUBE, LUBED HOSE REEL AND CHAIN THERE IS NO ADJUSTMENT ON CHAIN.
13. INSTALL ACTUATOR FOR VENTILATION SELECTOR.
14. DOOR ALARM SOUNDS INTERMITTENT UNKNOWN CHECKED DOOR SWITCHES ROAD TEST NEEDS FURTHER T-SHORTING.
15. DOOR ALARM INTERMITTENT R-L COMPARTMENT DOOR AND SWITCH OUT OF ADJ, ADJUSTED DOOR AND SWITCH TEST OK.
16. WIPERS WORN, INSTALLED NEW WIPER BLADES.
17. DEFROST INOP, ACTUATOR IN DASH BROKEN, REMOVED ACTUATOR AND ORDERED NEW ONE WILL BE HERE TUESDAY.
18. REAR COMPARTMENT DOOR ALARM SOUNDS INTERMITTENTLY CHECKED AND TIGHTENED DOOR SWITCHES.

Parts

Quantity

CA1596WIX 42253 L/F LAF9545 AIR FILTER	1
PR338324070 WIX FILTER WATER	1
05-17223-000CAP RADIATOR 10 LB	1
BCPR5ESSPARK PLUGS 6130	4
1677004C9133232 FILTER SEPERATOR	1
P338033338 FUEL FILTER WIX L/F FP603	1
PH21FILTER OIL 51110	1
PH713851799 FILTER OIL	1
31-253USE 95634-01 SWITCH IGN	1
31-1631-16 WIPER BLADES	2
ABPN8332229011-3050 SWITCH BLOWER	1
S3240WIX 33582 FUEL FILTER SPARE BRUSH TRUCK	1
20121020ROTOR - WICON SIN	1
20121016CAP DIST. WISC.	1
YL349WIRE SET IGNITION	1
87499RY48 RELAY	2
1190BELT	1
1664769C92CONTROL DEFROST	1



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V54813

In Date: 01/04/2013
Close Date: 01/07/2013

Meter Reading: 32,158.70

Problem?

A INSPECTION

Task performed:

1. A INSP AND ADJUST ALL TIRE PRESSURE.
2. OVERHAUL AIR DRYER. AFTER FINISH DRYER WOULD NOT PURGE CORRECTLY R&R PURGE VALVE ASSY RECLEAN AND CHECK.

Parts

Quantity

5008414CARTRIDGE DC100

1

109995PURGE VALVE KIT

1

Workorder: V50254

In Date: 06/20/2012
Close Date: 01/16/2013

Meter Reading: 32,158.70

Problem?

PUMP TEST SB3

Task performed:

PUMP TEST TRUCK.

Parts

Quantity

NO PARTS USED

Workorder: V54925

In Date: 01/08/2013
Close Date: 01/28/2013

Meter Reading:

Problem?

transmission temp gauge inop. door open light comes on intermittently, unknown why. THis ibem is more of an FYI. we can live w this stuff better than with old truck. pump works great. B 22

Task performed:

ROAD TESTED REPAIRED WIRE TO TRANS TEMP ORDERED.

Parts

Quantity

NO PARTS USED

Workorder: V54999

In Date: 01/11/2013
Close Date: 01/28/2013

Meter Reading:

Problem?

1)Light Bar inoperable. 2)Open door light in cap is on continously. R22

Task performed:

1. TRAVEL TO ST 22 CHECK POWER TO SWITCHES ON DASH FOUND POWER SUPPLY BAD R&R SUPPLY.
2. CHECK OUT D.O.W SYST. SWITCHES RELAYS ECT. SHORT IN BODY WIRING DISCONNECT FOR NOW.
3. TRAVEL TO 22 REPAIRED DOOR AJAR CIRCUIT.

Parts

Quantity

SL6POWER SUPPLY - WHELEN LIGHT BAR

1



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V55317

In Date: 01/26/2013
Close Date: 02/11/2013

Meter Reading: 32,160.00

Problem?

need locking fuel cap, probable fuel theft problem occurring SB-3 @ 22

Task performed:

INSTALLED FUEL CAPS.

Parts

Quantity

4310132 1/2 LOCKING FUEL CAP

1

431012CAP LOCKING

1

Workorder: V56316

In Date: 03/11/2013
Close Date: 03/12/2013

Meter Reading: 32,684.00

Problem?

pump packing nut leaking water . B22

Task performed:

ADJUSTED PUMP PACKING.

Parts

Quantity

NO PARTS USED

Workorder: V56527

In Date: 03/20/2013
Close Date: 03/25/2013

Meter Reading: 32,759.30

Problem?

passenger rear turn signal cracked needs replaced. SB @ ST-22

Task performed:

REPLACED BULB AND LENS ON TURN SIGNAL

Parts

Quantity

681181583RISLENS AMBER ARROW - RIGHT

1

681181583LIS68-1181583-LIS LENS AMBER

1

1046250300BULB

1

Workorder: V56546

In Date: 03/21/2013
Close Date: 03/25/2013

Meter Reading: 32,759.30

Problem?

hydrant wrench is broken and needs to be replaced.also if available we could use two spanner wrenches for brush. Spare brush @ 22

Task performed:

TRAVEL TO 22 INSTALL SPANNER AND HYDRANT.

Parts

Quantity

NO PARTS USED



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V56618

In Date: 03/25/2013 Meter Reading: 32,759.30
Close Date: 03/25/2013

Problem?

on call battery on pump dead B 22

Task performed:

TEST AND REPLACE BATTERY. TRUCK TO SHOP TO GET BATTERY.

Parts	Quantity
65-72BXT65750 BATTERY	1
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	1

Workorder: V52694

In Date: 09/28/2012 Meter Reading: 32,158.70
Close Date: 04/04/2013

Problem?

A INSPECTION SB3

Task performed:

Parts	Quantity
NO PARTS USED	

Workorder: V56943

In Date: 04/10/2013 Meter Reading: 32,822.00
Close Date: 04/12/2013

Problem?

air leak under b22 passenger side frame rail at filter.

Task performed:

TRAVEL TO 22 FOUND AIR LEAK AT PURGE VALVE FOR DRYER. REPLACED PURGE VALVE AND TESTED OK.

Parts	Quantity
109995PURGE VALVE KIT	1



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V56318

In Date: 03/11/2013
Close Date: 04/26/2013

Meter Reading: 32,684.00

Problem?

muffler on pump engine at hose bed level has rusted apart from exhaust pipe . B22

Task performed:

1. REMOVED OLD MUFFLER NEW MUFFLER IS LARGER AND WOULD NOT FIT REMOVED EXHAUST PIPE AND PUT MUFFLER DIRECTLY ON EXHAUST MANIFOLD.
2. TRAVEL TO 22 REMOVED MUFFLER AND CARB PULLED EXHAUST MANIFOLD. 3 BOLTS BROKE. 2 CAME OUT ONE STUCK IN WITH BROKEN EASY OUT SENT TO SHOP WILL ORDER NEW INTAKE MONIFOLD.
3. INSTALLED NEW INTAKE AND EXHAUST MANIFOLD. RAN ENGINE AND TESTED OK.

Parts

Quantity

25871SMALL ENGINE PARTS	1
22237120061001 WIS EXH SET	1
LD257CS1LOWER MANIFOLD	1
WD58AWISCONSON MUFFLER	2
202-0250RAIN CAP	1

Workorder: V59899

In Date: 08/19/2013
Close Date: 08/26/2013

Meter Reading: 1.00

Problem?

Reverse Light Driver Side out. B19

Task performed:

1. TRAVEL TO 19 REPLACED BULB IN REVERSE LIGHT

Parts

Quantity

1046250300BULB	1
----------------	---

Workorder: V61752

In Date: 11/04/2013
Close Date: 11/05/2013

Meter Reading:

Problem?

Choke cable on spare brush truck PUMP not working, cant get the choke OFF, engine running rich and not running well

Task performed:

1. TRAVEL TO 14 DRIVER COMPLAINT CHECK CABLE STUCK ON BRUSH MOTOR. LUBRICATED AND ADJUSTED CABLE AND TESTED OK.

Parts

Quantity

NO PARTS USED



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V61861

In Date: 11/07/2013

Meter Reading:

Close Date: 11/08/2013

Problem?

When you pull the primer the pump engine wants to shut down.

Task performed:

DRIVER COMPLAINT BRUSH MOTOR DIESE WHEN PRIMER USED FOUND ALTERNATOR BELT BROKEN. HAD SHOP BRING BELT UP AND INSTALLED TEST SYSTEM OK.

Parts

Quantity

1190BELT

1

Workorder: V61871

In Date: 11/07/2013

Meter Reading:

Close Date: 11/14/2013

Problem?

oil leaking from sending unit on pump motor b14

Task performed:

1. TRAVEL TO 14 DRIVER COMPLAINT PUMP MOTOR DOESNT RUN R&R PUMP BATTERY.
2. DRIVER COMPLAINT OIL LEAK AT SENSOR. TIGHTENED OIL ALTER.

Parts

Quantity

65-72BXT65750 BATTERY

1

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

1

Workorder: V63416

In Date: 01/15/2014

Meter Reading:

Close Date: 02/06/2014

Problem?

B43 pump will not start-shop advised

Task performed:

RAN PUMP AND ALL TESTED OK.

Parts

Quantity

NO PARTS USED

Workorder: V59616

In Date: 08/06/2013

Meter Reading:

Close Date: 03/19/2014

Problem?

Pump RPM gauge not working

Task performed:

REPAIRED ON W.O #60071 BY TOM TORCHIA.

Parts

Quantity

NO PARTS USED



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V65465

In Date: 04/04/2014

Meter Reading: 33,271.10

Close Date: 04/08/2014

Problem?

replaced one rear tire

Task performed:

REPLACED ONE REAR TIRE.

Parts

NO PARTS USED

Quantity

Vendor?: ELPEX



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V64530

In Date: 02/25/2014

Close Date: 04/16/2014

Meter Reading: 33,271.10

Problem?

C inspection

Task performed:

Parts

Quantity



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

*** BRUSH TRUCK**

1. C INSP. REPLACED AIR FILTER.	1677004C9133232 FILTER SEPERATOR	1
2. REPLACE BATTERIES. REPTHREAD DAMAGED POOSS POST ON NEW BATTERY.	P338033338 FUEL FILTER WIX L/F FP603	1
3. REPLACED WIPER BLADES.	PH21FILTER OIL 51110	1
4. BATTERY BOX COVER NOT SECURE. REPOSTION POS CABLE AND REPLACED HITCH PIN.	PH713851799 FILTER OIL	1
5. REPLACED ALT BELT.	S3240WIX 33582 FUEL FILTER SPARE BRUSH TRUCK	1
6. L/REAR MARKER LIGHT INOP. FOUND BAD BULB AND BAD GROUND. REPLACED THROUGH BOLT AND NUT WITH NON NYLOCK. CLEAN GROUND SURFACES AND LUBE TEST OK.	1663101C1SEAL OUTPUT SHAFT T-CASE	1
7. REMOVE FRT LINE. CUT SECTION OF NEW HOSE AND INSTALL OLD FITTING ON NEW HOSE. INTALL HOSE AND NOZZLE ON TRUCK.	HP-31DBATTERY 950CCA HP-31D	2
8. P/S SERVICE.	BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	2
9. TRANS SERVICE.	211-2BULB	1
10. DOME LIGHT BULB MISSING. RESEARCHED CORRECT BULB FOR DOME . INSTALL CORRECT BULB.	M1404M1404 CABLE W/DEUTSCH END	1
11. COWLING FILLED WITH DEBRIS. VACUUMED OUT COWLING.	M1395ADAPTER	1
12. VEH RADIO MIC DAMAGED. REPLACED MIC.	BD5501516160BD55015-1616-01 SWIVEL	1
13. REBUILD AIR DRYER.	531616-SS53-16-16-SS SWIVEL ADPT	1
14. TORQUE FRT AND REAR U-BOLTS.	TRANSYNDALLISON TRANS FLUID GAL	4
15. REMOVE FRT T-CASE DRIVE SHAFT. DRAIN T-CASE REPLACED LEAKING FRT SEAL. INSTALL YOKE AND DRIVE SHAFT FILL T-CASE WITH GEAR LUBE.	45573504557350 MINI 4 LIGHT DISP	1
16. PROTECT AIR LINES RUBBING ON FRAME RAIL.	PVG-KITORING KIT	1
17. PUMP PANEL LOOSE FROM BROKEN BOLT. REMOVED FROZEN BOLT. DRILL LARGER HOLE AND INSTALL NEW BOLT AND NOCK NUT. TIGHTEN OTHER PANEL BOLTS.	BCPR5ESSPARK PLUGS 6130	4
18. REBUILD PRIMER VALVE.	20121016CAP DIST. WISC.	1
19. SIREN SPEAKER MISSING BOLT. REPLACED CARRAGE BOLT, NUT AND WASHERS. TIGHTENED BOTH BOLTS.	20121020ROTOR - WICON SIN	1
20. MIRRORS LOOSE AND RIGHT CONVEX MIRROR BRACKET BENT REMOVE RIGHT CONVEX MIRROR BRACKET ADD WASHER. FREE UP FROZEN BALL SOCKET. INSTALL AND TIGHTEN ADJ AND TIGHTEN ALL MIRRORS CLEAN GLASS.	1190BELT	1
21. R-COMPT WEATHERSTRIP LOOSE- FOUND WEATHERSTRIP PULLED THROUGH BOLTS. REMOVED NUTS AND INSTALED FENDER WASHERS, GLUED WEATHERSTRIP TO DOOR.	VCGTX15CABLE LOCKING W/MICRO ADJ	1
22. PUMP PANEL LIGHT OUT. REPAIR GROUND.	24117SOLENOID INS CONT DUTY	1
23. PUMP ENGINE LIGHT OUT. FOUND BAD CONNECTION AT BULB SOCET, CLEAN AND LUBRICATE SOCKET TEST OK.	012-1510-05-0KNOB	1
24. BRAKE LINES RUBBING ON DIFF BENT BRACKETS AND ROUTED LINES AWAY FROM DIFFERENTIAL.	681181583RISLENS AMBER ARROW - RIGHT	1
25. ENGINE COOLANT RESEVOIR BLEED/VENT	SW1SWITCH ROCKER RED WHELEN # 41-0701010-83	2
	RK10222RACOR BOWL	1
	31-1631-16 WIPER BLADES	2
	CA1596WIX 42253 L/F LAF9545 AIR FILTER	1
	15W40BSYN OIL BULK QTS	37
	K080745BELT	1
	HF6162PS FILTER 57131	1
	5008414CARTRIDGE DC100	1
	P1654AWIX 51553 HYD. FILTER	1
	109995PURGE VALVE KIT	1



7/15/2025

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

HOSES WORN FROM ABRASION. DRAIN COOLANT AND REPLACE HOSES. FILL WITH COOLANT AND PRESSURE CHECK OK.

26. INSTALL PUMP ALT BELT. OLD BELT MISSING.

27. INSTALL HARD SUCTION HOSE VELCRO STRAPS TO SECURE HOSE.

28. L-3 COMPT STICKER LOOSE. ADJ STRIKER AND TIGHTEN SCREWS.

29. TUNE-UP PUMP MOTOR. REPLACE SPARK PLUGS CUP ROTOR. CHECKED COMPRESSION OF ENGINE. DRAIN AND CLEAN FUEL BOWL.

30. L/REAR OUTSIDE TIRE CUT ON SIDEWALL. REMOVE WHEEL. TRIED TO MATCH UP CORRECT TIRE AND WHEEL NEED TO REMOVE TIRE FROM ONE WHEEL AND INSTALL ON ANOTHER.

31. MISS MATCHED TIRES ON FRT. REMOVE R/F AND INSTALL ON L/R/O INSTALL USED TIRE AND RIM OF R/FRT.

32. DRAIN OLD FUEL FROM PUMP FUEL TANK.

33. PUMP HOKE CABLE MISSING CENTER PIECE. REMOVE CHECK CABLE HOUSING.

34. HOSE REEL SWIVEL FROZEN. REPLACE SWIVEL.

35. BRIGHT LIGHT INDICATOR INOP. REMOVE DASH AND INSTRUMENT CLUSTER. REPLACE BULBS.

36. FRT CAB CLEARANCE LIGHT OUT. REPLACE BULB.

37. HOSE REEL ROLLERS FROZEN. REMOVE PINS CLEAN AND LUBRICATE.

38. REPLACE R/REAR TURN SIGNAL LENS.

39. REPLACE VALVE HANDLE KNOB.

40. COMPT LIGHT SWITCH INDICATOR INOP- FOUND BAD SWITCH AND WIRED INCORRECT. WRONG SWITCH AT PARTS. REPLACEMENT WOULD NOT FI. FOUND CORRECT SWITCH ON AIRPORT SERVICE TRUCK. INSTALL SWITCH. MAKE UP JUMPER WIRE AND WIRE CORRECTLY.

41. EMERG LIGHTS STOPPED WORKING-FOUND BAD SOLENOID. COULD NOT GET SAME SOLENOID. INSTALL DIFFERENT KIND. MAKE UP JUMPER FOR SOLENOID. TEST OK INSTALL COVER.

42. REWIRE SWITCHES FOR STROBES AND MASTER. REPLACE FUSE ON STROBE PACK.

43. VACUUM OUT CAB AREA. FULL OF BRUSH.

44. FOUND PIECE OF AIR DAM IN ENGINE AREA. LOOK FOR MISSING LOCATION. COULD NOT FIND WHERE MISSING.

45. DIAGNOSE AND REPAIR WATER LEVEL GAUGES TEST REAR GAUGE FULL LIGHT INOP. CHECK FOR BAD BULB. NON REPLACEABLE. REPLACE REAR GAUGE- FRT GAUGE 1/4 TANK AND 3/4 TANK. LIGHTS ON AT SAME TIME. TEST GAUGE LEVELS INDIVIDUALLY OK. SWAP FRT AND REAR GAUGE CONNECTORS AT Y CONNECTOR. NO CHANGE.



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

INSTALL NEW HARNESS AND ADAPTER AS TEST. NO CHARGE REMOVE RADIOS, DASH AND GUAGE. INSTALL NEW GUAGE AND SPLICE WIRED. TEST OK INSTALL DASH AND RADIOS.

Workorder: V60037

In Date: 04/18/2014 Meter Reading: 32,886.40
Close Date: 04/18/2014

Problem?
SPARE BRUSH 1-PUMP RPM GAUGE BROKEN

Task performed:	Parts	Quantity
SPARE BRUSH 1-PUMP RPM GAUGE BROKEN. REPAIRS COMPLETED.	NO PARTS USED	

Workorder: V66925

In Date: 06/02/2014 Meter Reading: 33,271.10
Close Date: 06/12/2014

Problem?
replaced left rear inside tire

Task performed:	Parts	Quantity
Repair or replace LRI flat	NO PARTS USED	

Vendor?: BOULEVARD TIRE

Workorder: V68639

In Date: 08/13/2014 Meter Reading:
Close Date: 08/14/2014

Problem?
Oil sending unit on pump leaking/dripping-constant @14

Task performed:	Parts	Quantity
FOUND PRESSURE SW, LEAKING NOT ON TRUCK, LEFT OIL AT STA.	NO PARTS USED	

Workorder: V70442

In Date: 10/25/2014 Meter Reading: 33,594.00
Close Date: 11/03/2014

Problem?
Spare brush truck at station 21. Front passenger turn signal not working

Task performed:	Parts	Quantity
Travel to 21 , repaired lights on brush truck	NO PARTS USED	



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V69936

In Date: 10/06/2014
Close Date: 11/06/2014

Meter Reading: 33,271.10

Problem?

A inspection

Task performed:

1. Check new truck "A" service
2. Installed new wiperblades and top off washer fluid/replace cab marker lights all access to cab.
3. Start to find air leak in air charger manifold. Test with charger system to leak
4. Found air leak in air charger system, order part to repair. Start to do repair on pump motor installed throttle cable in motor and remove carb to rebuild.
5. Repairs to pump motor to get running right, after installing carb and adjustment-found oil leak on motor at sender unit. Remove all necessary part to get to send unit, status, bracket, valve, wiring, ect (order parts)
6. Change oil and oil filter water in oil from exhaust flapper on top off motor out of adjustment letting water in.
7. Got new sending unit for motor, remove plug that is installed for temporary use, install new sending unit installed all wires test unit-OK.

Parts

Quantity

PS15OIL SENDER SW	1
VCGTHOCONTROL	1
194BULB	10
31-1631-16 WIPER BLADES	2
2004161C1ELBOW INTAKE BRUSH TRUCK	1
PH21FILTER OIL 51110	1

Workorder: V71219

In Date: 11/26/2014
Close Date: 12/22/2014

Meter Reading: 33,633.20

Problem?

A inspection SB3

Task performed:

1. A service perform
2. Repairs top off all fluids-check all tires top off all pressure. Check over brush pump and fluids all ok at this time.
3. Repair some lights not work, check ground and power, bad connection repair ok.

Parts

Quantity

NO PARTS USED

Workorder: V71932

In Date: 12/30/2014
Close Date: 12/31/2014

Meter Reading: 33,633.20

Problem?

check brush pump

Task performed:

Checked over truck before delivery to station

Parts

Quantity

NO PARTS USED



7/15/2025

Palm Beach County Fire Rescue Fleet Maintenance Asset History

K0913600

* BRUSH TRUCK

Workorder: V72079

In Date: 01/06/2015
Close Date: 01/08/2015

Meter Reading: 33,689.50

Problem?

COMPARTMENT DOOR ON PASS. SIDE IS BROKEN AND DOESNT LATCH CLOSED, LOCK MECHANISM SHEARED OFF, PUMP IS SPRAYING WATER FROM THE BACK OF PUMP HOUSING, WATER IS POURING OUT OF PACKING NUT. @22

Task performed:

1. Travel to 22-compartment door welds broken, drilled and tapped door and repaired latch.
2. Adjusted pump packing

Parts

NO PARTS USED

Quantity

Workorder: V72357

In Date: 01/15/2015
Close Date: 01/20/2015

Meter Reading:

Problem?

Sta 22 AIR HORN DOES NOT WORK, CHOKE HANDLE FELL OFF PUMP PANEL

Task performed:

- Replaced air horn switch.

Parts

7605-666764-0023 SWITCH FOOT SIREN

Quantity

1

Workorder: V72944

In Date: 02/06/2015
Close Date: 02/23/2015

Meter Reading: 33,732.70

Problem?

A inspection

Task performed:

1. A Inspection
2. R & R wiper blades and top off power steering.
3. Check L1 compartment light. Found dirty connection.
4. Check right front turn light found bad bulb. R & R bulb

Parts

3157TAIL LIGHT BULBS
S986AIR GAUGE 160 PSI

Quantity

1

1

Workorder: V74061

In Date: 03/20/2015
Close Date: 05/22/2015

Meter Reading: 33,732.70

Problem?

Rain gaurd for moter

Task performed:

1. Inspect engine and rain guard. Engine hard to start. Choke needs to be pulled while cranking.

Parts

NO PARTS USED

Quantity



Palm Beach County Fire Rescue Fleet Maintenance Asset History

Asset: (K0913600) 1994 - INTERNATIONAL 4800 Brush Truck Sb1

K0913600

CSHOP-2015-1201

Comments: **CHAINSAW WONT START SPARE BRUSH @25**

Date Opened 6-15-2015 Date Finished 6-17-2015 Meter 1 Reading: 33,787

TASKS PERFORMED

NO PARTS USED

FIRE FIGHTING EQUIPMENT

CSHOP-2015-1380

Comments: **SPARE BRUSH AT 25 PUMP ENGINE STARTER NOT TURNING OVER**

Date Opened 6-25-2015 Date Finished 6-27-2015 Meter 1 Reading: 33,787

TASKS PERFORMED

Q PARTS

TRAVEL TO BE CHARGED TO WORK ORDER
FIRE PUMP

1 BATTERY; BXT65750 BATTERY
1 BATTERY; BATTERY EPA TAX \$1.50 PER BATTERY

CSHOP-2015-2479

Comments: **SPARE BRUSH AT 43 PUMP CHOKE HANDLE PULLED OFF**

Date Opened 8-24-2015 Date Finished 8-24-2015 Meter 1 Reading: 34,081

TASKS PERFORMED

NO PARTS USED

TRAVEL TO BE CHARGED TO WORK ORDER
FIRE APPARATUS

CSHOP-2015-263

Comments: **SPARE BRUSH TRUCK AT 17 BROKEN DOWN WONT BUILD AIR PRESSURE**

Date Opened 4-24-2015 Date Finished 4-27-2015 Meter 1 Reading: 33,785

TASKS PERFORMED

Q PARTS

TRAVEL TO BE CHARGED TO WORK ORDER
AIR SYSTEM

1 GOVERNOR; GOVERNOR D-2

CSHOP-2015-2687

Comments: **B43 FRONT RIGHT SIGNAL NOT WORKING**

Date Opened 9-3-2015 Date Finished 9-8-2015 Meter 1 Reading: 34,081

TASKS PERFORMED

NO PARTS USED

STEERING

Asset Work Order History K0913600

CSHOP-2015-3222

Comments: **REPAIRS FROM C**

Date Opened 10-5-2015

Date Finished 10-14-2015

Meter 1 Reading: 34,126

QC INSEP.

TASKS PERFORMED

PRIMING PUMP FIRE PUMP
WIRING
SWITCH-ELECTRICAL
DIAGNOSE ELECTRICAL
TIRE
AIR DRIER
STROBE LIGHTS
QUALITY CHECK-REPAIRS

<u>Q</u>	<u>PARTS</u>
1	PUMP; PRIMER PUMP MOTOR
1	VALVE; PURGE VALVE KIT
-1	VALVE; PURGE VALVE KIT
1	9IP; AD-SP DROP IN DRYER COMPLETE
1	BRAKE; CARTRIDGE DC100
-1	BRAKE; CARTRIDGE DC100
1	POWER SUPPLY; POWER SUPPLY CSP690

CSHOP-2015-3223

Comments: **C INSPECTION SB3**

Date Opened 10-5-2015

Date Finished 10-13-2015

Meter 1 Reading: 34,126

TASKS PERFORMED

PM SERVICE C

<u>Q</u>	<u>PARTS</u>
1	FILTER; FILTER OIL 51110
1	FILTER; 33338 FUEL FILTER WIX L/F FP603
1	FILTER; FILTER OIL 51799
37	FLUID; SYN OIL BULK QTS
1	FILTER; WIX 33582 FUEL FILTER SPARE BRUSH TRUCK
1	FILTER; 33232 FILTER SEPERATOR

CSHOP-2015-372

Comments: **AIR COMPRESSOR INOP SPARE BRUSH3**

Date Opened 4-30-2015

Date Finished 5-8-2015

Meter 1 Reading: 33,787

TASKS PERFORMED

AIR SYSTEM

<u>Q</u>	<u>PARTS</u>
1	9IP; 4988280 GASKET P/S PUMP TO AIR COMP
1	GOVERNOR; GOVERNOR D-2
1	GASKET; GASKET
1	COMPRESSOR; AIR COMPRESSOR DT466
1	COMPRESSOR; GEAR AIR COMPRESSOR

CSHOP-2016-2996

Date Opened 6-21-2016

Date Finished 6-21-2016

Meter 1 Reading: 34,127

TASKS PERFORMED

BATTERY

<u>Q</u>	<u>PARTS</u>
1	BATTERY; BXT65750 BATTERY
1	BATTERY; BATTERY EPA TAX \$1.50 PER BATTERY

Asset Work Order History K0913600

CSHOP-2016-3470

Date Opened 7-19-2016 Date Finished 9-7-2016 Meter 1 Reading: 34,372

TASKS PERFORMED

NO PARTS USED

TRAVEL TO BE CHARGED TO WORK ORDER
FIRE APPARATUS

Service Requests:

07/17/2016 ENGINE / 34: ROUGH / REPAIR
BRUSH TRUCK SPARE AT ST. 74. PUMP IS RUNNING, BUT SPUTTERING / MISSING AT ALL SPEEDS.

CSHOP-2016-4086

Comments: **REPAIRS FROM PM**

Date Opened 8-18-2016 Date Finished 9-19-2016 Meter 1 Reading: 34,372

TASKS PERFORMED

NO PARTS USED

PRIMING PUMP FIRE PUMP
OIL
FRONT BRAKE PADS-SHOES
QUALITY CHECK-REPAIRS

CSHOP-2016-4496

Comments: **C INSPECTION**

Date Opened 9-15-2016 Date Finished 9-20-2016 Meter 1 Reading: 34,372

TASKS PERFORMED

Q PARTS

PM SERVICE C

1 FILTER; FILTER OIL 51110
1 FILTER; WIX 33582 FUEL FILTER SPARE BRUSH TRUCK
40 FLUID; SYN OIL BULK QTS
1 FILTER; 33232 FILTER SEPERATOR
1 FILTER; FILTER OIL 51799
1 FILTER; 33338 FUEL FILTER WIX L/F FP603
1 9IP; WIX 42253 L/F LAF9545 AIR FILTER
1 FILTER; 24070 WIX FILTER WATER

VENDOR? H2 FIRE SERVICES

CSHOP-2016-5699

Date Opened 12-7-2016 Date Finished 1-5-2017 Meter 1 Reading: 34,483

TASKS PERFORMED

Q PARTS

FIRE APPARATUS
IGNITION SYSTEM

2 BATTERY; BATTERY 950CCA HP-31D
2 BATTERY; BATTERY EPA TAX \$1.50 PER BATTERY

Asset Work Order History K0913600

CSHOP-2016-862

Comments: **BRUSH PUMP NOT STARTING**

Date Opened 2-22-2016 Date Finished 2-29-2016 Meter 1 Reading: 34,127

R / 1 AND L / 1 COMPARTMENT DR. LATCHES ARE FALLING OFF DOOR

TASKS PERFORMED

Q PARTS

PONY PUMP MOTOR	1	9IP; GASKET
FIRE PUMP	1	9IP; GAUGE VAC/PRESS.
BATTERY	1	GAUGE; GAUGE 0-600 PSI
AIR SYSTEM	1	GOVERNOR; GOVERNOR D-2
DOOR HINGE-PINS-BUSHINGS		

CSHOP-2017-385

Comments: **SBR 3 K09136 Q.C. CHECK BEFORE GIVING TO 72 FOR LOANER WHILE THERES COME TO THE SHOP FOR P.M.**

Date Opened 1-18-2017 Date Finished 1-23-2017 Meter 1 Reading: 34,510

TASKS PERFORMED

Q PARTS

FIRE PUMP	1	PUMP; PRIMER PUMP MOTOR
-----------	---	-------------------------

CSHOP-2017-4449

Date Opened 8-1-2017 Date Finished 8-3-2017 Meter 1 Reading: 34,756

TASKS PERFORMED

Q PARTS

CRANKING SYSTEM	1	9LL; SWITCH
	1	MAC; PREM START FL 11OZ
	1	1AD; BATTERY 65 SEVERE DUTY

CSHOP-2017-4777

Date Opened 8-15-2017 Date Finished 8-17-2017 Meter 1 Reading: 34,756

TASKS PERFORMED

Q PARTS

MIRRORS	1	LIT; 7-1 2 ROUND MIRROR
---------	---	-------------------------

Asset Work Order History K0913600

CSHOP-2017-6812

Date Opened 11-28-2017 Date Finished 12-14-2017 Meter 1 Reading: 34,850

TASKS PERFORMED

Q PARTS

CRANKING SYSTEM

1 2TP; FUEL WATER SEPERATOR
-8 NGK; SPARK PLUG
8 NGK; SPARK PLUG
1 NONSTOCK; FREIGHT CHARGE
1 9HY; AIR DOT BRAKE HOSE
8 NGK; SPARK PLUG
10 BK; HOSE CLAMP
1 9IP; CARB WISCONSON
1 9HY; FITTINGS
1 BK; UNIVERSAL FUEL PUMP
2 FIL; NAPAGOLD FUEL FILTER
1 1AD; BATTERY 65 SEVERE DUTY

CSHOP-2017-811

Date Opened 2-8-2017 Date Finished 4-25-2017 Meter 1 Reading: 34,716

TASKS PERFORMED

Q PARTS

FIRE APPARATUS

1 MIRROR; GRO716S MIRROR S/S

Service Requests:

02/09/2017 MIRROR / 19: LOOSE / REPAIR
MIRROR ISSUE NEED PASSENGER SIDE FISH EYE

CSHOP-2017-924

Comments: **ON-CALL B32 AIR NOT BUILDING**

Date Opened 2-14-2017 Date Finished 3-4-2017 Meter 1 Reading: 34,716

TASKS PERFORMED

Q PARTS

FUEL SYSTEM
ENGINE AND ACCESSORIES
AIR SYSTEM
RUNNING BOARDS

1 2IH; 2IH
1 2IH; FUEL TUBE SUPPLY
8 2IH; 2IH
1 2IH; TUBE ASSY
-1 2IH; TUBE ASSY
1 2IH; TUBE ASSY
1 2IH; HOSE AIR COMP
1 2IH; 2IH
1 BRAKE; CARTRIDGE DC100

Asset Work Order History K0913600

CSHOP-2018-3737

Date Opened 7-3-2018

Date Finished

8-8-2018

Meter 1 Reading:

34,881

TASKS PERFORMED

Q PARTS

PM SERVICE C

1 FIL; NAPAGOLD OIL FILTER
8 1AD; 30 SAE QT
1 FIL; NAPA COOLANT FILTER
1 FIL; NAPAGOLD FUEL FILTER
-1 FIL; NAPA COOLANT FILTER
1 FIL; NAPAGOLD OIL FILTER
-1 FIL; NAPAGOLD FUEL FILTER
1 FIL; NAPA HYDRAULIC FILTER
1 FIL; NAPAGOLD FUEL FILTER
1 TWD; FUEL WATER SEPARATOR
30 4PC; 15W40 PREMIUM BLUE OIL
1 FIL; NAPAGOLD FUEL FILTER

CSHOP-2018-379

Date Opened 1-17-2018

Date Finished

1-18-2018

Meter 1 Reading:

34,850

TASKS PERFORMED

NO PARTS USED

WATER PUMP

CSHOP-2018-4707

Comments: **REPAIRS FROM PM**

Date Opened 8-21-2018

Date Finished

9-18-2018

Meter 1 Reading:

34,910

TASKS PERFORMED

Q PARTS

CONTROL VALVE FIRE PUMP

FIRE PUMP

WASHER NOZZLE

VACUUM PUMP

TURN SIGNAL LIGHTS

TRANSFER CASE

REPAIR FROM PM - BATTERIES

REAR AXLE

FRONT AXLE

STEERING

BRAKES

EMERGENCY EQUIPMENT

1 5AB; 2" BALL KIT COMPOSITE
1 NCB; SYN GRSE PTFE 5LB
1 5AB; 2.5 BALL KIT COMPOSITE
1 9AP; CARBURETOR
1 1AD; 30 NON-DETERGENT QT
1 NBH; RADHOSE
1 NONSTOCK; FREIGHT CHARGE
1 9ME; DARLEY PACKING, PUMP INJECT (8) PELLETS
2 9HF; ROUTER SPEED CONTROL DIAL
1 CRC; CLEANRCARB 20OZ
1 5TN; ESP12 MOTORPRIMER PUMP WPVG PRIMER VLV
1 9IP; 3156 WAGNER BULB
8 9OC; GEAR OIL BULK
16 9OC; GEAR OIL BULK
13 9OC; GEAR OIL BULK
1 BK; 12V ACCESSORY PLUG
1 LMP; LAMP

Asset Work Order History K0913600

CSHOP-2018-6119

Date Opened 10-27-2018 Date Finished 11-6-2018 Meter 1 Reading: 34,986

TASKS PERFORMED

Q PARTS

TRAVEL TO BE CHARGED TO WORK ORDER
FIRE APPARATUS
CRANKING SYSTEM
ALTERNATOR-GENERATOR

1 9AP; REBUILT ALT
1 1AD; 65 SERIES BATTERY

Service Requests:

10/28/2018 ENGINE / 12: BROKEN / EXCHANGE - NEW
BRUSH 43 PUMP MOTOR WILL NOT START. NO POWER

CSHOP-2018-6125

Date Opened 10-28-2018 Date Finished 10-28-2018 Meter 1 Reading: 34,974

TASKS PERFORMED

NO PARTS USED

TRAVEL TO BE CHARGED TO WORK ORDER
FIRE PUMP

CSHOP-2018-6448

Date Opened 11-13-2018 Date Finished 11-13-2018 Meter 1 Reading: 35,010

TASKS PERFORMED

NO PARTS USED

FIRE APPARATUS

CSHOP-2018-6467

Comments: PRE-TRIP

Date Opened 11-14-2018 Date Finished 11-16-2018 Meter 1 Reading: 35,011

TASKS PERFORMED

NO PARTS USED

PRE TRIP INSPECTION

Asset Work Order History K0913600

CSHOP-2018-6780

Comments: **B15**

Date Opened 11-30-2018 Date Finished 12-19-2018 Meter 1 Reading: 35,030

TASKS PERFORMED

Q PARTS

TRAVEL TO BE CHARGED TO WORK ORDER
PONY PUMP MOTOR
FIRE PUMP
DISCHARGE GAUGE
LIGHTING SYSTEM
CRANKING SYSTEM

1 9IP; CABLE
1 9ME; DARLEY PACKING, PUMP INJECT (8) PELLETS
1 5CS; GAUGE, 2.5" LFP22, 0-400PSI
1 1AD; 65 SERIES BATTERY

Service Requests:

11/29/2018 LIGHTS / 12: BROKEN / REPAIR
VEHICLE LIGHTS NOT WORKING. SPARE BRUSH TRUCK AT STATION 15 HAS A PUMP BATTERY PROBLEM. BATTERY NEEDS TO BE REPLACED, SHORE LINE PLUG IN NEEDS TO BE ADDED TO BRUSH TRUCK SO IT WITH STAY CHARGED. PUMP CHOAK NEEDS TO BE ADJUSTED. PUMP PANEL LIGHTS NOT WORKING. TRUCK NEEDS TO BE FIXED SO WE CAN SWAP OUT TRUCKS SO STATION 15'S REGULAR BRUSH TRUCK CAN GO TO THE SHOP FOR PM.

CSHOP-2018-7152

Date Opened 12-17-2018 Date Finished 1-7-2019 Meter 1 Reading: 0

TASKS PERFORMED

Q PARTS

TRAVEL TO BE CHARGED TO WORK ORDER
STARTER
BATTERY

1 9AP; WISCONSIN STARTER
1 1AD; 65 SERIES BATTERY

Service Requests:

12/17/2018 ENGINE / 12: BROKEN / REPAIR
ENGINE FOR PUMP WON'T START. IT'S AT ST. 15. WE SWAPPED OUT OF IT INTO THE REGULAR BRUSH TRUCK

CSHOP-2018-791

Date Opened 2-7-2018 Date Finished 8-10-2018 Meter 1 Reading: 34,881

TASKS PERFORMED

Q PARTS

WIPER BLADES
ENGINE AND ACCESSORIES
BATTERY
TIRES & WHEELS
STROBE LIGHTS

2 9IP; 31-16 WIPER BLADES
1 9IP; MODULE IGNITION
1 1AD; BATTERY65SEVEREDUTY

CSHOP-2019-1340

Date Opened 3-12-2019 Date Finished 3-12-2019 Meter 1 Reading: 35,318

TASKS PERFORMED

NO PARTS USED

TRAVEL TO BE CHARGED TO WORK ORDER
BATTERY

Asset Work Order History K0913600

CSHOP-2019-2597

Date Opened 5-17-2019 Date Finished 5-20-2019 Meter 1 Reading: 35,495

TASKS PERFORMED

NO PARTS USED

TRAVEL TO BE CHARGED TO WORK ORDER
FIRE PUMP PLUMBING

CSHOP-2019-2750

Date Opened 5-29-2019 Date Finished 6-7-2019 Meter 1 Reading: 35,586

TASKS PERFORMED

NO PARTS USED

TRAVEL TO BE CHARGED TO WORK ORDER

Service Requests:

05/28/2019 SERVICE REQUEST / 12: BROKEN / EXCHANGE - NEW
SHIFTER HANDLE BROKEN COMES OUT OF SHAFT

CSHOP-2019-2827

Comments: **SPARE BRUSH AT 21**

Date Opened 6-3-2019 Date Finished 6-7-2019 Meter 1 Reading: 35,586

TASKS PERFORMED

Q PARTS

SHIFTER CONTROLS-SELECTOR

1 2IH; SHIFTERASSY

Service Requests:

06/02/2019 SERVICE REQUEST / 12: BROKEN / EXCHANGE - NEW
SHIFTER HANDLE BROKEN INTO MULTIPLE PIECES.

CSHOP-2019-3797

Date Opened 7-22-2019 Date Finished 9-6-2019 Meter 1 Reading: 35,790

TASKS PERFORMED

NO PARTS USED

THROTTLE LINKAGE

Service Requests:

07/22/2019 SERVICE REQUEST / 19: LOOSE / REPAIR
PUMP ON B21 WILL NOT THROTTLE DOWN. IMMEDIATELY GOES TO 3,000 RPM AND 150 PSI ONCE THE PUMP IS
TURNED ON.

CSHOP-2019-3906

Date Opened 7-29-2019 Date Finished 7-30-2019 Meter 1 Reading: 35,710

TASKS PERFORMED

NO PARTS USED

SIDE COMPARTMENT BODY

Asset Work Order History K0913600

CSHOP-2019-442

Comments: **CHOKE LEVER MISSING**

Date Opened 1-24-2019 Date Finished 1-25-2019 Meter 1 Reading: 35,276

TASKS PERFORMED

Q PARTS

ENGINE AND ACCESSORIES

1 9IP; CABLE

CSHOP-2019-4495

Date Opened 8-24-2019 Date Finished 9-25-2019 Meter 1 Reading: 35,789

TASKS PERFORMED

Q PARTS

PONY PUMP MOTOR

2 CRC; CLEAN R CARB 200Z

GEAR BOX FIRE PUMP

1 1AD; 65 SERIES BATTERY

FIRE PUMP

1 9ES; ALTERNATOR 12V 51A PONY

EQUIPMENT MOUNTING BRACKETS

1 9IP; TURBOTUB STROBE

COOLING SYSTEM

1 LMP; LAMP

LIGHTING SYSTEM

1 NF; FLASHER-ELECTRO MECH

CRANKING SYSTEM

1 1WL; LENS CLEAR 4 FLAT RND

STEERING

1 1WL; FLANGE 4 FLSH MT 4 RND 01 0463512 01

AIR SYSTEM

2 4AH; GAS SPRING 7 5 45LB

1 1AD; 65 SERIES BATTERY

2 4AH; 4AH

2 9OC; BULK TRANS SYN

1 FIL; NAPAGOLDOILFILTER

1 FIL; NAPAGOLD AIR FILTER

1 2IH; AIR COMPRESSOR

1 TWD; PURGE VALVE KIT

-1 TWD; PURGE VALVE KIT

1 2BE; PURGE VALVE KIT

CSHOP-2019-4624

Date Opened 8-29-2019 Date Finished 9-13-2019 Meter 1 Reading: 35,789

TASKS PERFORMED

Q PARTS

PM SERVICE C

1 FIL; NAPAGOLD OIL FILTER

1 FIL; NAPAGOLD AIR FILTER

-1 FIL; NAPAGOLD AIR FILTER

1 MAC; MAC WITE LITHIUM GRES

1 FIL; NAPAGOLD FUEL FILTER

1 9IP; WIX 42253 L/F LAF9545 AIR FILTER

7 4PC; 15W40 PREMIUM BLUE OIL

30 4PC; 15W40 PREMIUM BLUE OIL

1 FIL; NAPAGOLD FUEL FILTER

1 FIL; NAPAGOLD OIL FILTER

1 FIL; WIX AIR FILTER

1 FIL; NAPA COOLANT FILTER

1 FIL; NAPAGOLD FUEL FILTER

1 2TP; 2TP

-1 FIL; NAPAGOLD FUEL FILTER

Asset Work Order History K0913600

CSHOP-2019-4663

Date Opened 9-2-2019 Date Finished 9-5-2019 Meter 1 Reading: 35,790

TASKS PERFORMED

Q PARTS

AIR SYSTEM

2 TWD; BENDIX D 2 GOV
1 NCB; BLASTER PENETRANT

CSHOP-2019-4719

Date Opened 9-5-2019 Date Finished 9-30-2019 Meter 1 Reading: 35,805

CHOKE CABLE

TASKS PERFORMED

NO PARTS USED

THROTTLE LINKAGE

Service Requests:

09/05/2019 BRAKES / 12: BROKEN / EXCHANGE - NEW
BRAKE ISSUES

CSHOP-2019-5874

Comments: **QC**

Date Opened 11-8-2019 Date Finished 11-13-2019 Meter 1 Reading: 35,831

TASKS PERFORMED

NO PARTS USED

QUALITY CHECK-REPAIRS

CSHOP-2019-6179

Comments: **SPARE AT 27**

Date Opened 11-26-2019 Date Finished 11-27-2019 Meter 1 Reading: 36,002

TASKS PERFORMED

NO PARTS USED

FIRE PUMP

Service Requests:

11/23/2019 SERVICE REQUEST / 18: LEAKING / ADJUST
SPARE BRUSH TRUCK PUMP AT STATION 27 IS INOP. ASSET NUMBER K09136000.

CSHOP-2019-6284

Date Opened 12-4-2019 Date Finished 12-4-2019 Meter 1 Reading: 36,002

TASKS PERFORMED

Q PARTS

BATTERY

1 1AD; BATTERY GROUP 65

Asset Work Order History K0913600

CSHOP-2020-1232

Date Opened 3-2-2020 Date Finished 3-4-2020 Meter 1 Reading: 36,121

TASKS PERFORMED

NO PARTS USED

FIRE PUMP

Service Requests:

03/02/2020 SERVICE REQUEST / 18: LEAKING / REPAIR
B74 SPARE (K09136000): LEAKING FROM PUMP AND HAVING TROUBLE PUTTING IT INTO DRIVE GEAR

CSHOP-2020-1799

Date Opened 4-1-2020 Date Finished 4-3-2020 Meter 1 Reading: 36,168

TASKS PERFORMED

Q PARTS

QUALITY CHECK-REPAIRS
COMPARTMENT LIGHT BODY
CONTROL VALVE FIRE PUMP
LENS
TAIL LIGHTS
CRANKING SYSTEM
WIRING
AIR SYSTEM

1 TWD; CHERSEE
1 ECH; RELAY AR462

CSHOP-2020-2167

Comments: **SPARE BRUSH AT 22**

Date Opened 4-23-2020 Date Finished 5-6-2020 Meter 1 Reading: 36,381

TASKS PERFORMED

NO PARTS USED

TRAVEL TO BE CHARGED TO WORK ORDER
PRIMING PUMP FIRE PUMP

Service Requests:

04/22/2020 SERVICE REQUEST / 12: BROKEN / INSPECT
TYPE PROBLEM INTO DESCRIPTION HANDLE FOR PUMP PRIMER MISSING

CSHOP-2020-3190

Date Opened 6-17-2020 Date Finished 7-2-2020 Meter 1 Reading: 36,477

TASKS PERFORMED

Q PARTS

LIGHTING SYSTEM
EMERGENCY EQUIPMENT

2 1WL; 600 LED BRAKE TAIL RED

Service Requests:

06/17/2020 LIGHTS / 18: LEAKING / REPAIR
VEHICLE LIGHTS NOT WORKING

06/17/2020 LIGHTS / 18: LEAKING / REPAIR
VEHICLE LIGHTS NOT WORKING: RIGHT REAR BRAKE LIGHT OUT

Asset Work Order History K0913600

CSHOP-2020-3659

Date Opened 7-14-2020 Date Finished 7-18-2020 Meter 1 Reading: 36,582

TASKS PERFORMED

Q PARTS

FIRE APPARATUS
ELECTRICAL

1 1AD; BATTERY GROUP 65

CSHOP-2020-3660

Date Opened 7-14-2020 Date Finished 7-18-2020 Meter 1 Reading: 36,582

TASKS PERFORMED

NO PARTS USED

PM SERVICE B

CSHOP-2020-3745

Comments: **ON CALL**

Date Opened 7-19-2020 Date Finished 7-27-2020 Meter 1 Reading: 36,582

TASKS PERFORMED

Q PARTS

BATTERY

1 1AD; BATTERY GROUP 65

CSHOP-2020-4161

Comments: **SPARE BRUSH AT 48**

Date Opened 8-12-2020 Date Finished 8-12-2020 Meter 1 Reading: 36,582

TASKS PERFORMED

NO PARTS USED

EMERGENCY EQUIPMENT

Service Requests:

08/12/2020 SERVICE REQUEST / 18: LEAKING / REPAIR
FS 48 BRUSH TRUCK NOT ABLE TO PUMP WATER

CSHOP-2020-4644

Date Opened 9-7-2020 Date Finished 9-9-2020 Meter 1 Reading: 36,582

TASKS PERFORMED

Q PARTS

DIAGNOSE ELECTRICAL

1 1AD; BATTERY GROUP 65
1 NBH; FHP TRUFLEX V BELT

Asset Work Order History K0913600

CSHOP-2020-4822

Comments: **SPARE BRUSH AT 48**

Date Opened 9-15-2020

Date Finished 10-7-2020

Meter 1 Reading: 36,582

TASKS PERFORMED

NO PARTS USED

DIAGNOSE ELECTRICAL

Service Requests:

09/07/2020

ENGINE / 18: LEAKING / REPAIR

BRUSH 48 PUMP BATTERY IS NOT CHARGING, WEAK/DEAD BATTERY ON CHECKOUT

CSHOP-2020-5821

Comments: **ON GOING DEAD BATTERY ON THE PUMP MOTOR. CAN YOU MAKE SURE THEY ARE NOT LEAVING THE FUEL PUMP SWITCH ON THE DASH IN THE ON POSITION "IF APPLICABLE" AND MAKE SURE THE CREW IS AWARE IF IT HAS THE FUEL PUMP SWITCH. THANK YOU**

Date Opened 11-4-2020

Date Finished 11-7-2020

Meter 1 Reading: 36,582

TASKS PERFORMED

Q PARTS

BATTERY

1 8GR; SOLOAR BATTERY TENDER

CSHOP-2020-6681

Comments: **TICKET NOT USED, MADE IN ERROR**

Date Opened 12-22-2020

Date Finished 5-10-2021

Meter 1 Reading: 0

TASKS PERFORMED

NO PARTS USED

PM SERVICE C

CSHOP-2020-6682

Date Opened 12-22-2020

Date Finished 4-20-2021

Meter 1 Reading: 36,888

TASKS PERFORMED

Q PARTS

TRAVEL TO BE CHARGED TO WORK ORDER
COOLING SYSTEM
BELT
INSTRUMENTS-GAUGES-METERS

1 2IH; 50 50 COOLANT FLEETGUARD
1 NBH; FHP TRUFLEX V BELT
1 BK; GAUGE

Service Requests:

02/12/2021

SERVICE REQUEST / 12: BROKEN / REPAIR

BRUSH TRUCK K09136: FLOAT PUMP NOT STARTING

CSHOP-2021-1227

Date Opened 3-6-2021

Date Finished 3-8-2021

Meter 1 Reading: 36,890

TASKS PERFORMED

Q PARTS

BATTERY

2 1AD; 1000 CCA 31 SERIES BATTERY

Asset Work Order History K0913600

CSHOP-2021-1338

Comments: **SPARE BRUSH AT 25**

Date Opened 3-10-2021

Date Finished 3-22-2021

Meter 1 Reading: 36,891

TASKS PERFORMED

NO PARTS USED

SMALL ENGINE REPAIR
CRANKING SYSTEM

Service Requests:

03/10/2021 SERVICE REQUEST / 12: BROKEN / REPAIR
PUMP ENGINE BATTERY IS EITHER NOT HOLDING A CHARGE OR NOT GETTING A CHARGE

03/10/2021 SERVICE REQUEST / 12: BROKEN / REPAIR
THE PULL-CORD ON THE FLOAT PUMP SNAPPED

CSHOP-2021-2038

Comments: **SPARE AT 27**

Date Opened 4-16-2021

Date Finished 4-20-2021

Meter 1 Reading: 36,905

TASKS PERFORMED

NO PARTS USED

TRAVEL TO BE CHARGED TO WORK ORDER
FIRE PUMP PLUMBING

Service Requests:

04/16/2021 SERVICE REQUEST / 18: LEAKING / REPAIR
SEVERE LEAK DUE TO A HOLE IN THE PUMP HOUSING. SEVERE EXFOLIATION NOTED, ASSET NUMBER : K0913600

CSHOP-2021-2098

Date Opened 4-20-2021

Date Finished 4-21-2021

Meter 1 Reading: 36,905

TASKS PERFORMED

NO PARTS USED

TRAVEL TO BE CHARGED TO WORK ORDER
FIRE PUMP

Service Requests:

04/18/2021 SERVICE REQUEST / 18: LEAKING / REPAIR
LARGE LEAK FROM THE PUMP

CSHOP-2021-2560

Date Opened 5-10-2021

Date Finished 5-12-2021

Meter 1 Reading: 36,975

TASKS PERFORMED

NO PARTS USED

PM SERVICE C

Asset Work Order History K0913600

CSHOP-2021-2635

Comments: **LUBE OIL FILTER AND PM FOLLOW UPS**

Date Opened 5-12-2021 Date Finished 6-14-2021 Meter 1 Reading: 36,975

TASKS PERFORMED

Q PARTS

QUALITY CHECK-REPAIRS	7	4PC; 15W40 PREMIUM BLUE OIL
PONY PUMP MOTOR	4	NGK; SPARK PLUG
PARK-CLEARANCE LIGHTS	1	FIL; NAPAGOLD FUEL FILTER
	1	FIL; NAPAGOLD OIL FILTER
	1	2TP; 2TP

CSHOP-2021-335

Date Opened 1-21-2021 Date Finished 1-25-2021 Meter 1 Reading: 36,582

TASKS PERFORMED

Q PARTS

QUALITY CHECK-REPAIRS	1	9EM; SEAL VITOLIC 1 5
FIRE APPARATUS	1	9HY; NIPPLE VIC
WIPERS-WASHER	1	9HC; 2 VICTAULIC CLAMP W SEAL
LIGHTING SYSTEM	1	9HY; VIC CLAMP GASKET 2 5
CRANKING SYSTEM	1	9HY; BUSHING BLACK 3
	2	1AN; 16 WIPER BLADE
	1	9IP; BULB

CSHOP-2021-506

Comments: **SPARE BRUSH AT 25**

Date Opened 1-29-2021 Date Finished 1-29-2021 Meter 1 Reading: 36,881

TASKS PERFORMED

NO PARTS USED

FIRE PUMP

Service Requests:

01/29/2021 SERVICE REQUEST / 18: LEAKING / REPAIR
K09136 BRUSH TRUCK LEAKING WATER FROM THE PUMP.

CSHOP-2021-5189

Date Opened 9-15-2021 Date Finished 2-8-2022 Meter 1 Reading: 36,975

TASKS PERFORMED

NO PARTS USED

PONY PUMP MOTOR

Asset Work Order History K0913600

CSHOP-2021-817

Date Opened 2-11-2021 Date Finished 2-16-2021 Meter 1 Reading: 36,881

TASKS PERFORMED

Q PARTS

TRAVEL TO BE CHARGED TO WORK ORDER
BATTERY

1 1AD; BATTERY GROUP 65

Service Requests:

02/11/2021 SERVICE REQUEST / 38: SHORTED / EXCHANGE - NEW
PUMP BATTERY DEAD.

CSHOP-2021-898

Date Opened 2-16-2021 Date Finished 2-16-2021 Meter 1 Reading: 36,881

TASKS PERFORMED

NO PARTS USED

TRAVEL TO BE CHARGED TO WORK ORDER
SMALL ENGINE REPAIR

CSHOP-2022-2281

Date Opened 4-26-2022 Date Finished 5-16-2022 Meter 1 Reading: 36,975

TASKS PERFORMED

NO PARTS USED

INSPECTION

CSHOP-2022-6176

Comments: **DEAD BATTERIES**

Date Opened 11-23-2022 Date Finished 11-29-2022 Meter 1 Reading: 36,975

TASKS PERFORMED

Q PARTS

BATTERY

2 1AD; 1000 CCA 31 SERIES BATTERY

CSHOP-2023-243

Date Opened 1-17-2023 Date Finished 1-18-2023 Meter 1 Reading: 36,980

TASKS PERFORMED

Q PARTS

FIRE PUMP

1 BK; IGNTIONSWTCHWKEYS
1 TWD; FUEL WATER SEPARATOR
1 1AD; BATTERY GROUP 65

CSHOP-2024-1332

Comments: **PM INSPECTION**

Date Opened 3-11-2024 Date Finished 9-9-2024 Meter 1 Reading: 0

TASKS PERFORMED

NO PARTS USED

INSPECTION

Asset Work Order History K0913600

CSHOP-2024-1334

Comments: **PM FOLLOW UPS AND REPAIRS**

Date Opened 3-11-2024

Date Finished

8-22-2024

Meter 1 Reading:

0

TASKS PERFORMED

Q PARTS

PONY PUMP MOTOR
STEP
DOOR PROP CYLINDER
WIPER BLADES
FILTER
OIL
PARK-CLEARANCE LIGHTS
STARTER RELAY-SOLENOID
BATTERY
ALTERNATOR-GENERATOR

1 FIL; NAPAGOLD OIL FILTER
1 TWD; FUEL WATER SEPARATOR
1 8AM; IGNITION SWITCH KEYLESS
3 NBH; FHP TRUFLEX V BELT
1 BK; TIE DOWN
1 2IH; BRACKET SUPPORT FUEL TANK
1 2IH; CABLE TANK MTG
2 4AH; GAS SPRING 13 209 94LB
2 WIP; 16IN EXACTFITBLADE
1 FIL; NAPAGOLD FUEL FILTER
1 FIL; NAPA COOLANT FILTER
1 FIL; NAPAGOLD FUEL FILTER
1 FIL; NAPAGOLD OIL FILTER
1 FNY; SOLDER
2 TWD; C HERSEE
1 9AP; NEGATIVE BATTERY JUMPER 2 POST
2 1AD; 1000 CCA 31 SERIES BATTERY
1 FREIGHT
1 2IH; ALTERNATOR

CSHOP-2024-1664

Comments: **STEP WELDING REPAIR**

Date Opened 4-1-2024

Date Finished

4-2-2024

Meter 1 Reading:

36,983

TASKS PERFORMED

NO PARTS USED

STEP

SSHOP-2019-402

Date Opened 11-23-2019

Date Finished

11-25-2019

Meter 1 Reading:

36,002

TASKS PERFORMED

Q PARTS

BATTERY

1 1AD; BATTERY GROUP 65