

KEY TO MAP

500-Year Flood Boundary	ZONE B
100-Year Flood Boundary	ZONE A1 DATE
Zone Designations* With Date of Identification e.g., 10/15/92	ZONE A5 DATE
100-Year Flood Boundary	ZONE B
500-Year Flood Boundary	ZONE B
Base Flood Elevation Line With Elevation in Feet**	513
Base Flood Elevation in Feet Where Uniform Within Zone**	(EL 987)
Elevation Reference Mark	RM7x
Zone D Boundary	M1.5
River Mile	M1.5

**Referenced to the National Geodetic Vertical Datum of 1929

***EXPLANATION OF ZONE DESIGNATIONS**

ZONE	EXPLANATION
A	Areas of 100-year flood; base flood elevations and flood hazard factors not determined.
A0	Areas of 100-year shallow flooding where depths are between one (1) and three (3) feet; average depths of inundation are shown, but no flood hazard factors are determined.
AH	Areas of 100-year shallow flooding where depths are between one (1) and three (3) feet; base flood elevations are shown, but no flood hazard factors are determined.
A1-A30	Areas of 100-year flood; base flood elevations and flood hazard factors determined.
A99	Areas of 100-year flood to be protected by flood protection system under construction; base flood elevations and flood hazard factors not determined.
B	Areas between limits of the 100-year flood and 500-year flood or certain areas subject to 100-year flooding with average depths less than one (1) foot or where the contributing drainage area is less than one square mile; or area protected by levees from the base flood. (Medium shading)
C	Areas of minimal flooding. (No shading)
D	Areas of undetermined, but possible, flood hazards.
V	Areas of 100-year coastal flood with velocity (wave action); base flood elevations and flood hazard factors not determined.
V1-V30	Areas of 100-year coastal flood with velocity (wave action); base flood elevations and flood hazard factors determined.

NOTES TO USER

Certain areas not in the special flood hazard areas (zones A and V) may be protected by flood control structures.

This map is for flood insurance purposes only; it does not necessarily show all areas subject to flooding in the community or all planimetric features outside special flood hazard areas.

For adjoining map panels, see separately printed Index To Map Panels.

Coastal base flood elevations shown on this map include the effects of wave action.


INITIAL IDENTIFICATION:
JUNE 17, 1970

FLOOD HAZARD BOUNDARY MAP REVISIONS:

FLOOD INSURANCE RATE MAP EFFECTIVE:
FEBRUARY 1, 1979

FLOOD INSURANCE RATE MAP REVISIONS:
Map revised October 15, 1982 to change zone designations and base flood elevations reflecting wave action effects, and to reduce special flood hazard areas, and to change corporate limits.

To determine if flood insurance is available in this community, contact your insurance agent, or call the National Flood Insurance Program, at (800) 638-6620.



REFERENCE MARK	ELEVATION (FT. NGVD)	DESCRIPTION OF LOCATION
RM63	24.17	Located north of Canal Point on Levee no. 9, Herbert Hoover Dike. To reach: from intersection of levee access road that is approximately 200 feet north of Hurricane gate no. 6 on Levee 9 go north 5.15 miles to station location. Station is located on lake side slope of levee, 70 feet west of Pin Line Station, P.O.T. 615 + 00. Mark is a standard U.S. Army Corps of Engineers bronze disk set in concrete. Post flush ground stamped F.C.E. 2376, 1962.
RM64	21.85	Station is located north of Canal Point, Florida, 4.2 miles on U.S. Highways 98 and 441. To reach: from intersection of U.S. Highways 98 and 441 in Canal Point, Florida, proceed 4.2 miles north on U.S. Highway 98/441 to State Highway bridge H-20 1954 at Sand Cut Labor Camp and station location. Station is located on the southwest corner of bridge H-20. Mark is a U.S. Army Corps of Engineers bronze traverse disk grouted in southwest concrete abutment curbing of bridge H-20 and is stamped FCE-3464, 1971, JAX, FLA.

REFERENCE MARK	ELEVATION (FT. NGVD)	DESCRIPTION OF LOCATION
RM65	18.64	Station is located approximately 1 mile east of Sand Cut, between Port Mayaca and Canal Point, Florida. To reach: from intersection of U.S. Highways 98 and 441 in Canal Point, Florida, proceed 4.5 miles north on U.S. Highway 98/441 to a farm road going east. Turn east and go 1.0 mile to a wooden bridge crossing a large canal. Continue across bridge and turn south at intersection with a levee road on east side of the canal; then go south along top of levee 0.3 mile to station location. Station is at the junction of two large canals (one east-west and one north-south), on the east bank of the north-south canal, on approximate centerline of the east-west canal. Station is 7.5 feet west of northwest corner of corrugated tin pump house, on top of canal bank and 31.6 feet north of southwest corner of pump house. Mark is a U.S. Army Corps of Engineers bronze disk set in top of a 12-inch diameter concrete monument, projecting 0.2 foot above ground. Monument is supported by a 5 foot piece of 2-inch pipe, and mark is stamped FCE-3465, 1971, JAX, FLA.
RM66	22.30	Located north of Canal Point on L-D-9. To reach: from culvert no. 13, go north on levee approximately 800 feet to a curve and station location. Station is on lake side of levee, approximately 190 feet northwest of point of intersection of curve and at station 487 + 37.25, range 228.41. Mark is a U.S. Army Corps of Engineers disk set in concrete post and stamped FCE-2370, 1962.
RM67	24.99	Located north of Canal Point on L-D-9. To reach: from H.G. no. 5, go north on levee approximately 1.9 miles to curve and station location. Station is on lake side of levee, approximately 190 feet north of point of intersection of the curve and at station 421 + 86.63 range 218.22. Mark is a U.S. Army Corps of Engineers disk set in concrete post and stamped FCE-2362, 1962.

REFERENCE MARK	ELEVATION (FT. NGVD)	DESCRIPTION OF LOCATION
RM66	22.30	Located north of Canal Point on L-D-9. To reach: from culvert no. 13, go north on levee approximately 800 feet to a curve and station location. Station is on lake side of levee, approximately 190 feet northwest of point of intersection of curve and at station 487 + 37.25, range 228.41. Mark is a U.S. Army Corps of Engineers disk set in concrete post and stamped FCE-2370, 1962.
RM67	24.99	Located north of Canal Point on L-D-9. To reach: from H.G. no. 5, go north on levee approximately 1.9 miles to curve and station location. Station is on lake side of levee, approximately 190 feet north of point of intersection of the curve and at station 421 + 86.63 range 218.22. Mark is a U.S. Army Corps of Engineers disk set in concrete post and stamped FCE-2362, 1962.

NATIONAL FLOOD INSURANCE PROGRAM

FIRM FLOOD INSURANCE RATE MAP

PALM BEACH COUNTY, FLORIDA (UNINCORPORATED AREAS)

PANEL 50 OF 245 (SEE MAP INDEX FOR PANELS NOT PRINTED)

COMMUNITY-PANEL NUMBER 120192 0050 B

MAP REVISED: OCTOBER 15, 1982

Federal Emergency Management Agency