Name	McClellan	Arena,	Comment For Use Approval Process		Use Approval Process Provisions need to be made in the TDD Use Matrix to permit an amphitheatre by-right in the TMD District, consistent with the Canyons Town Center TMD	Use Standards	Thresholds
Eric	McClellan	1.5		Revise the definition and/or standards to draw clear distinctions between this recreation use and RVPD, and to clarify any threshold requiring a campground that provides RV accommodations to be a RVPD.	(Control No. 2004-471).	between this recreation use and RVPD, and to clarify any threshold requiring a campground that provides RV	Revise the definition and/or standards to draw clear distinctions between this recreation use and RVPD, and to clarify any threshold requiring a campground that provides RV accommodations to be a RVPD.
Eric		Gun Club, Open	Use Approval Process		Amend the required approval in the PO Zoning District from B to A so that the BCC retains ultimate approval authority for such a public facility.		

		71			Use Approval Process		Thresholds
Eric	McClellan	,	above	Revise the definition and standards to accommodate neighborhood serving facilities that can be co-located with these parks, such as a community service center/facility or multi-purpose building. This is particularly critical for CCRT areas, which typically have no other land resources to introduce needed services and facilities. Note that the current definition accurately reflects that such parks are developed according to the demands and character of the specific neighborhoods that they serve, which may necessarily include co-located facilities to serve community residents.		Revise the definition and standards to accommodate neighborhood serving facilities that can be colocated with these parks, such as a community service center/facility or multipurpose building. This is particularly critical for CCRT areas, which typically have no other land resources to introduce needed services and facilities. Note that the current definition accurately reflects that such parks are developed according to the demands and character of the specific neighborhoods that they serve, which may necessarily include colocated facilities to serve community residents.	

Last Name	Use Type	Comment For	Use Definitions	Use Approval Process	Use Standards	Thresholds
	Park, Public		Expand to expressly include and encompass all co-located recreation facilities that collectively compose a Public Park, such that each individual building/use that alone might be classified as a principal use is not distinguished from the Public Park use classification. Burt Aaronson South County Regional Park (Control Nos. 1987-059 and 2007-012) serves as a prime example, as an amphitheatre and golf course components of the program were permitted and developed under the Public Park classification as opposed to the approval process for those particular uses as if stand-alone facilities. Similar examples in support of this very same approach exist throughout the County.			

	Last						
Name		71			Use Approval Process	Use Standards	Thresholds
Jean	Matthews	Park, Public		The Parks and Recreation			
				Department supports and			
				requests the expansion of the			
				public park definition to be more inclusive of the wide			
				variety of recreational activities			
				occurring in County Parks, and			
				recommends adding language			
				to specify public refers			
				exclusively to government			
				agencies.			
Jean		Park,		The Parks and Recreation			
		Neighborhood		Department supports and			
				requests the expansion of the			
				Neighborhood Infill Park			
				definition to include community centers or			
				recreation center that allow			
				site lighting, restrooms and			
				parking.			
Chris	Barry	Arena,	Use Approval		1. Why is the "Arena, Auditorium		
			Process		or Stadium" use not allowable in		
		Stadium			any PIPD?		
					2. Why are the "Entertainment,		
					Indoor", "Entertainment, Outdoor"		
					and "Fitness Center" uses not allowable in IG or a PIPD with an		
					IND/G FLU?		
					3. Why is the "Entertainment,		
					Indoor" use not allowable in an		
					MUPD with an IND FLU?		