



5/8/2019

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142514

Crown Vic STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V339

In Date: 10/31/2005
Close Date: 11/07/2005

Meter Reading: 28,683.00

Problem?

WILL NOT START

Task performed:

Parts ----- Quantity

65-72BXT65750 BATTERY 1

Workorder: V1536

In Date: 02/16/2006
Close Date: 05/11/2006

Meter Reading:

Problem?

PAINT WORK ON UNIT

Task performed:

Parts ----- Quantity

NO PARTS USED

Vendor? *

Workorder: V3619

In Date: 07/24/2006
Close Date: 08/02/2006

Meter Reading:

Problem?

DETAIL UNIT AT TIP TOP

Task performed:

Parts ----- Quantity

NO PARTS USED

Vendor? TIPTOP

Workorder: V6432

In Date: 01/23/2007
Close Date: 01/31/2007

Meter Reading: 27,179.00

Problem?

DETAIL VEHICLE OPS 1 (TIP TOP)

Task performed:

Parts ----- Quantity

1. UNIT SENT TO AUTO SPA FOR DETAILING. NO PARTS USED

Vendor? AUTO SPA



5/8/2019

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142514

Crown Vic STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V6439

In Date: 01/24/2007
Close Date: 02/26/2007

Meter Reading: 27,179.00

Problem?

replace tires at callaghan ent ops1

Task performed:

REPLACE 4 TIRES

Parts

NO PARTS USED

Quantity

Vendor? CALLAGHAN TIRE

Workorder: V7268

In Date: 03/19/2007
Close Date: 04/02/2007

Meter Reading: 39,890.00

Problem?

BRAKES FEEL SPOUNGE WIPER BLADES STALLS OUT ON RESTART WHEN HOT

Task performed:

1. Replaced brake fluid. Clean throttle body. Replace wipers
2. R&R left front caliper, bleed all brakes, install new master cylinder

Parts

3W1Z2B121ABLEFT FRONT CALIPER C.V. 03
 6W1Z2140BAMASTER CYLINDER C.V.
 91-22WIPER BLADE
 CORECORE CHARGE
 F87Z1130GBHUB CAP

Quantity

1
1
2
1
4

Workorder: V6429

In Date: 01/23/2007
Close Date: 08/09/2007

Meter Reading: 39,139.00

Problem?

B INSPECTION OPS-1

Task performed:

1. PERFORMED PM B INSPECTION.

Parts

46134AIR FILTER C.V.
 G801833595 FILTER FUEL WIX
 PH2USE 51372 OIL FILTER L/F PH820

Quantity

1
1
1



5/8/2019

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142514

Crown Vic STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V11700

In Date: 11/20/2007
Close Date: 11/27/2007

Meter Reading: 43,254.00

Problem?

B inspection and repairs as needed ops (sierra)

Task performed:

Test Drive; "B-Inspection"
Change oil/filter; replc fuel/air filters j

Parts

Quantity

46134AIR FILTER C.V.

1

51372OIL FILTER PH2

1

G801833595 FILTER FUEL WIX

1

Workorder: V9945

In Date: 08/15/2007
Close Date: 01/14/2008

Meter Reading: 43,254.00

Problem?

need wiper blades replaced

Task performed:

Parts

Quantity

91-22WIPER BLADE

2

Workorder: V14242

In Date: 04/02/2008
Close Date: 04/15/2008

Meter Reading: 43,254.00

Problem?

DETAIL UNIT

Task performed:

Detail unit - Palm Beach Auto Wash j

Parts

Quantity

NO PARTS USED

Vendor? PALM BEACH AUTO



5/8/2019

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142514

Crown Vic STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V14240

In Date: 04/02/2008
Close Date: 05/01/2008

Meter Reading: 43,254.00

Problem?

B INSPECTION AND REPAIRS AS NEEDED

Task performed:

1. b inspection. test drive , change oil/filter, change fuel/ air filters change belts
2. service radiator, replace battery, recharge a/c system.
3. polish head lite lenses, replace L / mirror strobe, clean, sand , paint all 4 wheels
4. install front brake pads, install rear brakes, install rear shocks.

Parts	Quantity
15W40BSYN OIL BULK QTS	6
3U2Z18125ADREAR SHOCK	2
3W7Z2001BAFRONT PADS CV	1
46134AIR FILTER C.V.	1
4W1Z2200AA6W1Z2200AA REAR BRAKE PADS C.V.	1
500LTUBE500 TUBE REF	1
51372OIL FILTER PH2	1
65-72BXT65750 BATTERY	1
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTER	1
G801833595 FILTER FUEL WIX	1

Workorder: V15355

In Date: 05/27/2008
Close Date: 06/06/2008

Meter Reading: 43,254.00

Problem?

b inspection and repairs as needed A/C CHANGES SPEED WHILE DRIVING

Task performed:

B-Inspection

1. Test drive, change oil/filter.
2. Flush & cln radiator
3. Polish headlights.
4. Rep contrast on mirror; control swtch A/C fan-NPF. rep wire on A/C blowing control. j

Parts	Quantity
15W40BSYN OIL BULK QTS	6
51372OIL FILTER PH2	1

Workorder: V16391

In Date: 07/16/2008
Close Date: 07/21/2008

Meter Reading: 53,279.00

Problem?

runs poorly

Task performed:

1. Run scam; misfire cyc #8; install (8) spark plugs; order coil.
2. Cln truck body; test drive.
3. Cln fuel coil/injectdors; cln clear codes; test drive.
4. Cln fuel coil/injectors; clear codes; test drive. j

Parts	Quantity
3W7Z12029AACOIL ASY C.V.	1
AP104SPARK PLUG	8



5/8/2019

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142514

Crown Vic STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V16485

In Date: 07/21/2008

Meter Reading: 53,279.00

Close Date: 07/28/2008

Problem?

repair fuel system wayne akres

Task performed:

Parts

Quantity

Repair fuel system - Wayne Akers j

NO PARTS USED

Vendor? WAYNE AKERS

Workorder: V16894

In Date: 08/07/2008

Meter Reading: 53,710.00

Close Date: 08/11/2008

Problem?

Engine overheating

Task performed:

Parts

Quantity

1. Dia fan noise; fan motor bad; order motor.

3W1Z8C607BDFAN AND MOTOR ASY. 03 CV

1

2. Install new fan, fan motor & _____

Workorder: V16895

In Date: 08/07/2008

Meter Reading: 53,710.00

Close Date: 08/20/2008

Problem?

tow to shop (outside agency-sister's towing)

Task performed:

Parts

Quantity

Tow to shop - Sisters Towing j

NO PARTS USED

Vendor? SISTERS TOWING



5/8/2019

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142514

Crown Vic STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V18637

In Date: 10/27/2008
Close Date: 11/05/2008

Meter Reading: 57,026.00

Problem?

B INSPECTION AND REPAIRS AS NEEDED

Task performed:

1. test drive "B" inspection; change oil/filter; replc fuel/air filter; replc wiper blades.
2. Replc right mirror strobe.
3. Rep windshield _____.
4. Rep mirror control.
5. Install left/right upper control arms. j

Parts

Quantity

15W40BSYN OIL BULK QTS	6
46134AIR FILTER C.V.	1
500LTUBE500 TUBE REF	1
51372OIL FILTER PH2	1
6W1Z23084SRIGHT UPPER CONTROL ARM C.V. 03	1
6W1Z3085MLEFT UPPER CONTROL ARM C.V. 03	1
91-22WIPER BLADE	2
G801833595 FILTER FUEL WIX	1

Workorder: V18834

In Date: 11/04/2008
Close Date: 12/04/2008

Meter Reading: 57,449.00

Problem?

replace tires at callaghan

Task performed:

Replace tires at Callaghan Callaghan MG

Parts

Quantity

NO PARTS USED

Vendor? CALLAGHAN

Workorder: V19352

In Date: 11/26/2008
Close Date: 12/08/2008

Meter Reading: 57,449.00

Problem?

DETAIL VEHICLE

Task performed:

Detail vehicle - Palm Beach Auto wash j

Parts

Quantity

NO PARTS USED

Vendor? PALM BEACH AUTO



5/8/2019

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142514

Crown Vic STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V19923

In Date: 12/23/2008
Close Date: 01/12/2009

Meter Reading: 57,449.00

Problem?

BATTERY DEAD

Task performed:

Drive to location; isntalled btry; chk charging sys; ok.
j

Parts

Quantity

65-72BXT65750 BATTERY

1

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTEF

1

Workorder: V18836

In Date: 11/04/2008
Close Date: 02/19/2009

Meter Reading: 57,449.00

Problem?

front end alignment

Task performed:

Front end alignment - Callaghan j

Parts

Quantity

NO PARTS USED

Vendor? CALLAGHAN

Workorder: V21553

In Date: 03/05/2009
Close Date: 03/06/2009

Meter Reading:

Problem?

Side mirror switch works both mirrors at the sametime no matter if it is left or right position. needs to be replaced ops 1

Task performed:

Drive to HQ; rem mirror return to shop for parts; return to HQ; install switch. j

Parts

Quantity

65-D12201-5 2 IN SPOT MIRROR

2

F5TZ17B676AMIRROR SWITCH

1

Rem defective mirror switch & install new switch. j

Workorder: V21554

In Date: 03/05/2009
Close Date: 03/06/2009

Meter Reading:

Problem?

Wipers need to be replaced ops 1

Task performed:

Drive to HQ; replcd wiperblades. j

Parts

Quantity

91-22WIPER BLADE

2



5/8/2019

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142514

Crown Vic STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V23244

In Date: 05/13/2009
Close Date: 05/26/2009

Meter Reading: 63,117.00

Problem?

B inspection and repairs

Task performed:

B-Inspection
2. Polish head lights. j

Parts

51372OIL FILTER PH2

Quantity

1

Workorder: V23578

In Date: 05/27/2009
Close Date: 06/04/2009

Meter Reading: 63,353.00

Problem?

REPAINT L/REAR DOOR, PAINT PEELED OFF AFTER GRAPHIC KIT INSTALLED. OPS-1

Task performed:

Parts

NO PARTS USED

Quantity

Vendor? ALVIN MATTHEWS

Workorder: V24118

In Date: 06/15/2009
Close Date: 07/09/2009

Meter Reading: 64,055.00

Problem?

REPLACE GRAPHICS, Chief St.Pierre

Task performed:

Replace graphics, Chief St. Pierre
j Graphic Designs

Parts

NO PARTS USED

Quantity

Vendor? GRAPHIC DESIGNS

Workorder: V25671

In Date: 08/20/2009
Close Date: 09/01/2009

Meter Reading: 65,990.00

Problem?

needs wipers

Task performed:

R/R wipers; fill washers. j

Parts

91-22WIPER BLADE

Quantity

4



5/8/2019

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142514

Crown Vic STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V27273

In Date: 10/29/2009
Close Date: 10/29/2009

Meter Reading: 69,167.00

Problem?

B inspection and repairs (performed by al packer ford)

Task performed:

B inspection and repairs performed by al packer ford

Parts

Quantity

NO PARTS USED

Workorder: V27230

In Date: 10/28/2009
Close Date: 11/16/2009

Meter Reading: 68,740.00

Problem?

B inspection and repairs (outside agency-al packer ford)

Task performed:

B-Inspection/repairs Al Packer j

Parts

Quantity

NO PARTS USED

Vendor? AL PACKER FORD

Workorder: V27274

In Date: 10/29/2009
Close Date: 11/16/2009

Meter Reading: 68,740.00

Problem?

detail (outside agency-tip-top car wash)

Task performed:

Detail Tip-Top car wash j

Parts

Quantity

NO PARTS USED

Vendor? TIP-TOP CAR WASH

Workorder: V30053

In Date: 02/18/2010
Close Date: 03/18/2010

Meter Reading: 72,407.00

Problem?

rain guard falling off 2 windows

Task performed:

Sec rain guard on all four doors (fall out). j

Parts

Quantity

NO PARTS USED



5/8/2019

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142514

Crown Vic STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V29706

In Date: 02/04/2010
Close Date: 04/22/2010

Meter Reading: 69,167.00

Problem?

Engine running poorly (transfer part to ford dealer-outside agency-al packer)

Task performed:

transfer part to ford dealer from al packer ford

Parts

NO PARTS USED

Quantity

Vendor? AL PACKER FORD

Workorder: V32497

In Date: 05/28/2010
Close Date: 06/14/2010

Meter Reading: 76,290.00

Problem?

B inspection and repairs (performed by al packer ford)

Task performed:

B-Inspection/repairs - Al Packer j

Parts

NO PARTS USED

Quantity

Vendor? AL PACKER FORD

Workorder: V32498

In Date: 05/28/2010
Close Date: 06/14/2010

Meter Reading: 69,167.00

Problem?

detail (outside agency-tip-top)

Task performed:

Detail - Tip-Top j

Parts

NO PARTS USED

Quantity

Vendor? TIP-TOP

Workorder: V36459

In Date: 11/15/2010
Close Date: 11/19/2010

Meter Reading:

Problem?

won't start

Task performed:

Jump start; replc btry. j

Parts

65-72BXT65750 BATTERY

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTER

Quantity

1

1



5/8/2019

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142514

Crown Vic STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V36704

In Date: 11/29/2010
Close Date: 12/06/2010

Meter Reading: 77,989.00

Problem?

A INSPECTION AND REPAIRS AS NEEDED

Task performed:

A-inspection
2. Replc right mirror strobe. j

Parts

500LTUBE500 TUBE REF

Quantity

1

Workorder: V37185

In Date: 12/15/2010
Close Date: 01/11/2011

Meter Reading: 80,605.00

Problem?

B inspection and repairs (outside agency- al packer ford)

Task performed:

B-Inspection/repairs - Al Packer j

Parts

NO PARTS USED

Quantity

Vendor? AL PACKER

Workorder: V40909

In Date: 05/27/2011
Close Date: 06/03/2011

Meter Reading: 81,214.00

Problem?

A Inspection

Task performed:

A-Inspection j

Parts

NO PARTS USED

Quantity

Workorder: V40530

In Date: 05/10/2011
Close Date: 06/09/2011

Meter Reading: 81,193.00

Problem?

Check engine light is on.

Task performed:

work completed on WO 40909

Parts

NO PARTS USED

Quantity



5/8/2019

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142514

Crown Vic STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V41355

In Date: 06/15/2011
Close Date: 06/17/2011

Meter Reading: 81,193.00

Problem?

Battery is dead.

Task performed:

Parts

Quantity

1. Jump car in parking lot; pull in shop; hookup btry charger; chk btrys - ok.
2. Get car going at gas pump. j

NO PARTS USED

Workorder: V41709

In Date: 06/30/2011
Close Date: 07/01/2011

Meter Reading: 81,193.00

Problem?

Alarm control module ticking.

Task performed:

Parts

Quantity

checked alarm control module
found module to be faulty
disabled alarm ak

NO PARTS USED

Workorder: V42231

In Date: 07/22/2011
Close Date: 07/25/2011

Meter Reading: 82,253.00

Problem?

Nail in tire.

Task performed:

Parts

Quantity

R/R right frnt tire - j

NO PARTS USED

Workorder: V38047

In Date: 01/25/2011
Close Date: 07/28/2011

Meter Reading:

Problem?

won't start

Task performed:

Parts

Quantity

REFER TO WO 36459 AK

NO PARTS USED



5/8/2019

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142514

Crown Vic STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V42365

In Date: 07/28/2011
Close Date: 08/01/2011

Meter Reading: 82,253.00

Problem?

Needs missing jack replaced. Hey everybody!!!! miss you guys!!!

Task performed:

WILL ORDER

Parts

NO PARTS USED

Quantity

Workorder: V42562

In Date: 08/05/2011
Close Date: 08/05/2011

Meter Reading: 82,253.00

Problem?

Dead battery.

Task performed:

TRAVEL TO HQ R&R BATTERY

Parts

NO PARTS USED

Quantity

Workorder: V41870

In Date: 07/08/2011
Close Date: 08/08/2011

Meter Reading: 82,253.00

Problem?

Dead battery.

Task performed:

replaced batteries

Parts

65-72BXT65750 BATTERY

BATTERY EPA TAX BATTERY EPA TAX \$1.50 PER BATTER

2

2

Workorder: V42643

In Date: 08/08/2011
Close Date: 08/17/2011

Meter Reading: 83,133.00

Problem?

B Inspection @ Al Packer

Task performed:

B Inspection @ Al Packer. Replaced front and rear brakes. Replaced front and rear rotors.

Vendor? AL PACKER

Parts

NO PARTS USED

Quantity



5/8/2019

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142514

Crown Vic STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V42219

In Date: 07/25/2011
Close Date: 09/21/2011

Meter Reading: 82,253.00

Problem?

Repair flat tire @ boulevard tires.

Task performed:

Repair flat tire - Boulevard j

Parts

NO PARTS USED

Quantity

Vendor? BOULEVARD

Workorder: V44505

In Date: 10/19/2011
Close Date: 10/19/2011

Meter Reading: 83,692.00

Problem?

Dead battery @ head quarters, need's priorty start, leave key's at front desk With debbie brewer.

Task performed:

WENT TO HQ, FOUND BATT. DEAD, R&R BATT,
STARTED AND CK CHARGING SYSTEM, CK OK,
RETURN TO SHOP

Parts

65-72BXT65750 BATTERY

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTEF

Quantity

1

1

Workorder: V44736

In Date: 10/28/2011
Close Date: 11/02/2011

Meter Reading: 84,359.00

Problem?

Runs rough.

Task performed:

Chkd over veh after deal PM - j

Parts

NO PARTS USED

Quantity

Vendor? AL PACKER

Workorder: V44813

In Date: 10/31/2011
Close Date: 11/21/2011

Meter Reading: 83,692.00

Problem?

Install cutoff switch.

Task performed:

installed cutoff switch

Parts

1079606PRIORITY START HAVIS SHIELD

Quantity

1



5/8/2019

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142514

Crown Vic STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V46163

In Date: 12/29/2011
Close Date: 01/03/2012

Meter Reading: 86,301.00

Problem?

BATTERY DEAD AT HQ CHECK THAT PRIORITY START IS WORKING PROPERLEY SEE NANCY BURDETT FOR KEYS

Task performed:

travel to hq replaced dead battery and checked charging system ok

Parts

Quantity

65-72BXT65750 BATTERY

1

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTER

1

Workorder: V48012

In Date: 03/16/2012
Close Date: 04/02/2012

Meter Reading: 87,189.00

Problem?

B INSPECTION AL PACKER - A/C inop

Task performed:

B inspection
oil and filter change
a/c inop-replace fan/motor asy
replaced orifice tube
replaced fuel filter

Parts

Quantity

NO PARTS USED

Vendor? AL PACKER

Workorder: V46463

In Date: 01/10/2012
Close Date: 04/04/2012

Meter Reading: 86,301.00

Problem?

BATTERY DEAD

Task performed:

jumped battery

Parts

Quantity

NO PARTS USED

Workorder: V48441

In Date: 04/04/2012
Close Date: 04/05/2012

Meter Reading: 87,371.00

Problem?

A/C blowing cold intermittently

Task performed:

A/C BLOWING COLD INTERMITTENTLY.

Parts

Quantity

NO PARTS USED

Vendor? AL PACKER FORD



5/8/2019

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142514

Crown Vic STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V49766

In Date: 05/31/2012
Close Date: 06/18/2012

Meter Reading: 88,169.00

Problem?

check engine light

Task performed:

CHECK ENGINE LIGHT.

Parts

NO PARTS USED

Quantity

Vendor? AL PACKER FORD

Workorder: V56341

In Date: 03/12/2013
Close Date: 03/12/2013

Meter Reading: 90,103.00

Problem?

B-inspection Al Packer

Task performed:

B-inspection
Inspect brakes and rotate tires
Install front wiper blades
Replace battery

Parts

KR27RNSOBSOLETE LAMP HAVIS

Quantity

1

Vendor? AL PACKER

Workorder: V59510

In Date: 08/02/2013
Close Date: 08/09/2013

Meter Reading: 91,257.00

Problem?

Replace all tires

Task performed:

REPLACE ALL TIRES.

Parts

NO PARTS USED

Quantity

Vendor? ELPEX

Workorder: V59646

In Date: 08/07/2013
Close Date: 08/13/2013

Meter Reading: 91,313.00

Problem?

R/R window inop

Task performed:

Diagnose and replaced r/r window regulator
Inspect and repair r/r wheels

Parts

NO PARTS USED

Quantity

Vendor? AL PACKER



5/8/2019

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142514

Crown Vic STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V63852

In Date: 01/30/2014
Close Date: 01/30/2014

Meter Reading: 93,002.00

Problem?

B-inspection

Task performed:

B-inspection
Replaced l/f strut
Cooling system flush

Vendor? AL PACKER

Parts

Quantity

NO PARTS USED

Workorder: V63842

In Date: 01/30/2014
Close Date: 03/05/2014

Meter Reading: 92,713.00

Problem?

L/R strobe inop

Task performed:

REPAIRED LIGHT IN REAR OF CAR THAT WAS OUT.

Parts

Quantity

NO PARTS USED

Workorder: V70494

In Date: 11/05/2014
Close Date: 11/12/2014

Meter Reading: 96,213.00

Problem?

B-inspection

Task performed:

B-inspection
Replaced l/f window motor

Vendor? AL PACKER

Parts

Quantity

NO PARTS USED



Palm Beach County Fire Rescue Fleet Maintenance Asset History

Asset: (10142514) 2003 - FORD CROWN VIC Sedan

10142514

CSHOP-2016-299

Date Opened 1-21-2016 Date Finished 1-21-2016 Meter 1 Reading: 100,170

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2016-5421

Date Opened 11-19-2016 Date Finished 11-19-2016 Meter 1 Reading: 101,301

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2016-5488

Comments: **FUEL DOOR**

Date Opened 11-23-2016 Date Finished 11-23-2016 Meter 1 Reading: 101,328

TASKS PERFORMED

NO PARTS USED

DOOR

VENDOR? AL PACKER

CSHOP-2017-1427

Comments: **FLAT REAR TIRE**

Date Opened 3-8-2017 Date Finished 3-23-2017 Meter 1 Reading: 103,130

TASKS PERFORMED

Q PARTS

TIRES & WHEELS

1 9AP; TIRE REPAIR KIT

CSHOP-2017-3202

Date Opened 5-31-2017 Date Finished 5-31-2017 Meter 1 Reading: 105,768

TASKS PERFORMED

NO PARTS USED

COMMERCIAL WORK - OUTSIDE AGENCY

VENDOR? AL PACKER

Asset Work Order History 10142514

CSHOP-2017-4655

Date Opened 8-10-2017 Date Finished 8-10-2017 Meter 1 Reading: 106,301

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2017-6272

Comments: **CK BATT DEAD**

Date Opened 10-30-2017 Date Finished 10-30-2017 Meter 1 Reading: 106,455

TASKS PERFORMED

Q PARTS

BATTERY

1 1AD; BATTERY 65 SEVERE DUTY

CSHOP-2018-3594

Date Opened 6-26-2018 Date Finished 6-26-2018 Meter 1 Reading: 107,549

TASKS PERFORMED

NO PARTS USED

BATTERY

CSHOP-2018-3691

Date Opened 7-2-2018 Date Finished 7-3-2018 Meter 1 Reading: 107,749

TASKS PERFORMED

NO PARTS USED

BATTERY

CSHOP-2018-5808

Date Opened 10-15-2018 Date Finished 10-15-2018 Meter 1 Reading: 110,691

TASKS PERFORMED

NO PARTS USED

TIRES ALL

VENDOR? DAN CALLAGHAN ENTERPRISES

CSHOP-2018-6781

Date Opened 11-30-2018 Date Finished 9-11-2018 Meter 1 Reading: 110,192

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

Asset Work Order History 10142514

CSHOP-2018-768

Date Opened 2-6-2018

Date Finished 2-13-2018

Meter 1 Reading: 106,456

TASKS PERFORMED

NO PARTS USED

BATTERY
