



3/2/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10162606

IMPALA STAFF VEHICLE, NON-EMERGENCY RESPONSE

Workorder: V3021

In Date: 06/16/2006
Close Date: 06/19/2006

Meter Reading:

Problem?
REPLACE BATTERY,

Task performed:

Parts	Quantity
34BATTERY	1

Workorder: V8808

In Date: 06/12/2007
Close Date: 11/03/2006

Meter Reading: 4,469.00

Problem?
b inspection done at fleet

Task performed:

Parts	Quantity
NO PARTS USED	

Workorder: V9716

In Date: 07/30/2007
Close Date: 08/03/2007

Meter Reading: 11,514.00

Problem?
B INSPECTION (JIFFY LUBE)

Task performed:

Parts	Quantity
NO PARTS USED	

Workorder: V11081

In Date: 10/17/2007
Close Date: 10/17/2007

Meter Reading: 10,307.00

Problem?
replace tires at callaghan ent

Task performed:

Replace tires (Training) - Callaghan j

Parts	Quantity
NO PARTS USED	

Vendor?: CALLAGHAN



3/2/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10162606

IMPALA STAFF VEHICLE, NON-EMERGENCY RESPONSE

Workorder: V11064

In Date: 10/16/2007
Close Date: 10/23/2007

Meter Reading: 10,307.00

Problem?

B inspection and related repairs (human resources-kurth)

Task performed:

1. b inspection + r/r wiper blades

Parts

Quantity

49115AIR FILTER 06 IMPALA

1

91-22WIPER BLADE

2

PH59WIX 51522 FRM PH3675 OIL FILTER

1

Workorder: V11043

In Date: 10/15/2007
Close Date: 11/13/2007

Meter Reading: 10,307.00

Problem?

flat tire at wellness center

Task performed:

Flat tire - Callaghan

Parts

Quantity

NO PARTS USED

Vendor?: CALLAGHAN

Workorder: V11067

In Date: 10/16/2007
Close Date: 11/14/2007

Meter Reading: 10,307.00

Problem?

detail vehicle-human resources-kurth (outside agency-tip-top car wash)

Task performed:

Detail vehicle-Human Resources-Kurth - Tip-top wash

Parts

Quantity

NO PARTS USED

Vendor?: TIP-TOP WASH

Workorder: V9550

In Date: 07/25/2007
Close Date: 01/14/2008

Meter Reading: 10,307.00

Problem?

detail unit at tip top

Task performed:

Parts

Quantity

NO PARTS USED



3/2/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10162606

IMPALA STAFF VEHICLE, NON-EMERGENCY RESPONSE

Workorder: V14727

In Date: 04/28/2008
Close Date: 04/30/2008

Meter Reading: 10,307.00

Problem?

B INSPECTION, (LAUREN)

Task performed:

1. Test drive, B Inspection, change oil and filter

Parts

PH59WIX 51522 FRM PH3675 OIL FILTER

Quantity

1

Workorder: V17303

In Date: 08/25/2008
Close Date: 09/02/2008

Meter Reading: 23,584.00

Problem?

car dead at hq

Task performed:

1. travel to hq.
2. diagnose starting problem found weak battery and replaced. charging system ops ok altenator working properly.
3. travel to shop.

Parts

24-60BATTERY GROUP 24

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

Quantity

1

1

Workorder: V18053

In Date: 10/01/2008
Close Date: 10/07/2008

Meter Reading: 24,890.00

Problem?

B INSPECTION AND REPAIRS AS NEEDED, KURTH

Task performed:

Tst drive "B" inspection; change oil/filter; replc air filter.
j

Parts

15W40BSYN OIL BULK QTS

49115AIR FILTER 06 IMPALA

PH59WIX 51522 FRM PH3675 OIL FILTER

Quantity

6

1

1



3/2/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10162606

IMPALA STAFF VEHICLE, NON-EMERGENCY RESPONSE

Workorder: V23233

In Date: 05/12/2009
Close Date: 05/20/2009

Meter Reading: 31,107.00

Problem?

B inspection and repairs

Task performed:

- B-Inspection
- 2. Rotate tires.
- 3. install left tie rod. j

Parts	Quantity
15W40BSYN OIL BULK QTS	6
49115AIR FILTER 06 IMPALA	1
91-22WIPER BLADE	2
ES3459TIE ROD END	1
PH59WIX 51522 FRM PH3675 OIL FILTER	1

Workorder: V23335

In Date: 05/18/2009
Close Date: 06/05/2009

Meter Reading: 31,356.00

Problem?

alignment (outside agency-callaghan tire)

Task performed:

Parts	Quantity
NO PARTS USED	

Vendor?: CALLAGHAN

Workorder: V28676

In Date: 12/29/2009
Close Date: 01/08/2010

Meter Reading: 37,306.00

Problem?

B INSPECTION AND REPAIRS AS NEEDED

Task performed:

- B-inspection
- 2. Replc wiper blades. j

Parts	Quantity
15W40BSYN OIL BULK QTS	6
49115AIR FILTER 06 IMPALA	1
91-22WIPER BLADE	2
PH59WIX 51522 FRM PH3675 OIL FILTER	1



3/2/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10162606

IMPALA STAFF VEHICLE, NON-EMERGENCY RESPONSE

Workorder: V28678

In Date: 12/29/2009
Close Date: 01/20/2010

Meter Reading: 37,306.00

Problem?

detail car tip top tip top

Task performed:

Detail car - Tip Top j

Parts

Quantity

NO PARTS USED

Vendor?: TIP TOP

Workorder: V32059

In Date: 05/07/2010
Close Date: 05/17/2010

Meter Reading: 40,485.00

Problem?

check tire at sta 15

Task performed:

Went to Stn15; aired up R/front tire; sprayed/mov car to find a small nail in tire; marked leak; Ok to move; 5/32 tread on rear tires; 7/32 on frt. j

Parts

Quantity

NO PARTS USED

Workorder: V32049

In Date: 05/06/2010
Close Date: 06/14/2010

Meter Reading: 40,485.00

Problem?

repair tire boulevard

Task performed:

Repair tire - Boulevard j

Parts

Quantity

NO PARTS USED

Vendor?: BOULEVARD

Workorder: V35907

In Date: 10/25/2010
Close Date: 10/25/2010

Meter Reading: 44,835.00

Problem?

B inspection and repairs(outside agency-jiffy)

Task performed:

Parts

Quantity

NO PARTS USED



3/2/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10162606

IMPALA STAFF VEHICLE, NON-EMERGENCY RESPONSE

Workorder: V40860

In Date: 05/25/2011

Meter Reading: 50,211.00

Close Date: 06/03/2011

Problem?

B inspection @ Roger Dean

Task performed:

Parts

Quantity

B-Inspection - Roger Dean j

NO PARTS USED

Vendor?: ROGER DEAN

Workorder: V41029

In Date: 06/01/2011

Meter Reading: 50,211.00

Close Date: 06/08/2011

Problem?

Replace all tires, normal wear.

Task performed:

Parts

Quantity

Replace all tires, normal wear - Callaghan j

NO PARTS USED

Vendor?: CALLAGHAN

Workorder: V46108

In Date: 12/27/2011

Meter Reading: 53,195.00

Close Date: 01/10/2012

Problem?

REPAIR BODY DAMAGE

Task performed:

Parts

Quantity

REPAIR BODY DAMAGE

NO PARTS USED

Vendor?: AFFORDABLE PAINT & B



3/2/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10162606

IMPALA STAFF VEHICLE, NON-EMERGENCY RESPONSE

Workorder: V46310

In Date: 01/04/2012
Close Date: 01/11/2012

Meter Reading: 53,195.00

Problem?

B inspection

Task performed:

- HAD TO LOWER BRUSH TRUCK OFF HOISTS. MOVE VEHICLE OUTSIDE - SET LIFTS FOR CAR SIZE TIRES IN ORDER TO DO B-INSPECTION ON CAR.
- B-INSPECTION
- R&R BATTERY - WRONG BATTERY INSTALLED IN VEHICLE. HAD TO MOVE STRUT AND ELECTRICAL BOX IN ORDER TO R&R BATTERY. AS PER STEVE REINES - DON'T ORDER CORRECT BATTERY PUT WHAT CAME OUT.
- R&R WIPER BLADES
- INFLATE ALL TIRES TO CORRECT PSI.
- R&R AIR FILTER HAVE TO R&R AIR INTAKE PIPE IN ORDER TO OPEN AIR FILTER BOX.

Parts

Quantity

24-60BATTERY GROUP 24	1
31-22USE 91-22 WIPER BLADES	2
49115AIR FILTER 06 IMPALA	1
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	2
PH59WIX 51522 FRM PH3675 OIL FILTER	1

Workorder: V50332

In Date: 06/22/2012
Close Date: 06/26/2012

Meter Reading: 56,341.00

Problem?

repair flat tire

Task performed:

REPAIR FLAT TIRE.

Parts

Quantity

NO PARTS USED

Vendor?: BOULEVARD TIRE CENTE

Workorder: V52643

In Date: 09/26/2012
Close Date: 09/26/2012

Meter Reading: 57,871.00

Problem?

B inspection

Task performed:

- b inspection
- oil and filter change
- tire rotation
- replaced l shaft
- replaced wiper blades
- resurfaced brake rotors and replaced pads

Parts

Quantity

NO PARTS USED

Vendor?: ROGER DEAN



3/2/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10162606

IMPALA STAFF VEHICLE, NON-EMERGENCY RESPONSE

Workorder: V58232

In Date: 06/06/2013
Close Date: 06/06/2013

Meter Reading: 59,902.00

Problem?

Quality check [Back from Roger Dean]

Task performed:

Q.A WITH ROAD TEST.

Parts

Quantity

NO PARTS USED

Workorder: V58242

In Date: 06/06/2013
Close Date: 06/06/2013

Meter Reading: 59,902.00

Problem?

B-inspection [Roger Dean]

Task performed:

B-inspection
Replaced r/f axle cv joint
Replaced transmission line fittings
Vendor?: ROGER DEAN

Parts

Quantity

NO PARTS USED

Workorder: V58717

In Date: 06/26/2013
Close Date: 06/28/2013

Meter Reading: 60,854.00

Problem?

balance tires

Task performed:

BALANCE TIRES.

Parts

Quantity

NO PARTS USED

Vendor?: ELPEX

Workorder: V62507

In Date: 12/06/2013
Close Date: 12/17/2013

Meter Reading: 64,911.00

Problem?

B-inspection

Task performed:

B INSPECTION

Parts

Quantity

NO PARTS USED

Vendor?: ROGER DEAN



3/2/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10162606

IMPALA STAFF VEHICLE, NON-EMERGENCY RESPONSE

Workorder: V67330

In Date: 06/19/2014
Close Date: 06/19/2014

Meter Reading: 69,417.00

Problem?

TURN SIGNAL INOP

Task performed:

REPLACE TURN SIGNAL BULB.

Parts

NO PARTS USED

Quantity

Workorder: V67745

In Date: 07/08/2014
Close Date: 07/08/2014

Meter Reading: 69,835.00

Problem?

B-inspection

Task performed:

B-inspection

Parts

NO PARTS USED

Quantity

Vendor?: AL PACKER

Workorder: V68859

In Date: 08/21/2014
Close Date: 08/21/2014

Meter Reading: 70,456.00

Problem?

Check a/c Replace headlight assemblies

Task performed:

Evac system recharge, add dye system must be set to recirc after every ign cycle
Replace headlight lenses

Vendor?: AL PACKER

Parts

NO PARTS USED

Quantity

Workorder: V68620

In Date: 08/12/2014
Close Date: 09/17/2014

Meter Reading: 70,986.00

Problem?

Noise in dash

Task performed:

Replaced air inlet actuator and calibrate

Parts

NO PARTS USED

Quantity

Vendor?: AL PACKER



3/2/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10162606

IMPALA STAFF VEHICLE, NON-EMERGENCY RESPONSE

Workorder: V73645

In Date: 03/04/2015

Close Date: 03/04/2015

Meter Reading: 74,038.00

Problem?

B-inspection

Task performed:

B-inspection
Rotate tires
Air filter
Wiper blades
Front brakes and rotors
Rear brakes
Replaced battery

Vendor?: AL PACKER

Parts

Quantity

NO PARTS USED

Workorder: V73653

In Date: 03/05/2015

Close Date: 03/05/2015

Meter Reading: 74,087.00

Problem?

Recall 14299

Task performed:

Performed recall 14299

Vendor?: ROGER DEAN

Parts

Quantity

NO PARTS USED



Palm Beach County Fire Rescue

Fleet Maintenance Asset History

Asset: (10162606) 2005 - CHEVROLET IMPALA Staff Vehicle - Non-Emergency Response

10162606

CSHOP-2015-3561

Comments: **B-INSPECTION PACKER REPLACED LF AXLE REPLACED BATTERY RESURFACED REAR ROTORS**
Date Opened 10-22-2015 Date Finished 10-22-2015 Meter 1 Reading: 83,029

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2015-4111

Comments: **REPLACE TIRES CALLAGHAN**
Date Opened 11-23-2015 Date Finished 11-23-2015 Meter 1 Reading: 83,421

TASKS PERFORMED

NO PARTS USED

TIRES ALL

VENDOR? DAN CALLAGHAN ENTERPRISES

CSHOP-2016-2108

Date Opened 5-3-2016 Date Finished 5-3-2016 Meter 1 Reading: 86,234

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2016-4199

Date Opened 8-25-2016 Date Finished 8-25-2016 Meter 1 Reading: 87,194

TASKS PERFORMED

NO PARTS USED

COOLING SYSTEM

VENDOR? AL PACKER

CSHOP-2016-4457

Date Opened 9-13-2016 Date Finished 9-13-2016 Meter 1 Reading: 87,370

TASKS PERFORMED

NO PARTS USED

COOLING SYSTEM

VENDOR? AL PACKER

Asset Work Order History 10162606

CSHOP-2017-6174

Date Opened 10-26-2017 Date Finished 1-22-2018 Meter 1 Reading: 94,128

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2017-989

Date Opened 2-16-2017 Date Finished 2-16-2017 Meter 1 Reading: 90,371

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2018-4096

Comments: **I ASSIGNED THIS TO VASKO AND CARL ONE OF YOU PLEASE CHECK INTO IT AT ST68 THANK YOU**

Date Opened 7-20-2018 Date Finished 7-23-2018 Meter 1 Reading: 97,884

TASKS PERFORMED

NO PARTS USED

TRAVEL TO BE CHARGED TO WORK ORDER
CRANKING SYSTEM

Service Requests:

07/19/2018 STARTER / 12: BROKEN / REPAIR
VEHICLE WILL NOT START - BATTERY COMPLETELY DEAD, NO LIGHTS, NO DOOR LOCKS, NO DASH LIGHTS. THIS IS A BATTERY ISSUE NOT A STARTER. NO CODE IN SYSTEM FOR BATTERY.

CSHOP-2018-4575

Date Opened 8-15-2018 Date Finished 8-15-2018 Meter 1 Reading: 99,325

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2019-4568

Date Opened 8-27-2019 Date Finished 8-27-2019 Meter 1 Reading: 103,389

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

Asset Work Order History 10162606

CSHOP-2019-690

Date Opened 2-4-2019

Date Finished

2-4-2019

Meter 1 Reading:

102,516

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER
