



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142513

*** STAFF CAR OR VEHICLE- EMERGENCY RESPONSE**

Workorder: V7344

In Date: 03/23/2007 Meter Reading:
Close Date: 04/18/2007

Problem?
repair flat tire callaghan ent bc2

Task performed:	Parts	Quantity
Repaired flat tire BC2 Callaghan Ent	NO PARTS USED	

Vendor?: CALLAGHAN ENT

Workorder: V11434

In Date: 11/05/2007 Meter Reading:
Close Date: 11/21/2007

Problem?
wipers B/C2

Task performed:	Parts	Quantity
drive to stn; R/R wiperblades j	91-20WIPER BLADE 20 IN	2

Workorder: V13854

In Date: 03/12/2008 Meter Reading:
Close Date: 03/21/2008

Problem?
detail unit gulfstream auto wash

Task performed:	Parts	Quantity
Detail unit - Palm Beach Auto Wash j	NO PARTS USED	

Vendor?: PALM BEACH AUTO



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142513

*** STAFF CAR OR VEHICLE- EMERGENCY RESPONSE**

Workorder: V13901

In Date: 03/14/2008
Close Date: 04/14/2008

Meter Reading: 94,750.00

Problem?

b inspection and repairs as needed

Task performed:

1. test drive -b inspection. change oil/filter, replace fuel and air filter.replace wiper blades.
2. service radiator
- 3 driver side front window not working, replace master windo cntl. switch.
4. r/r rear shocks.

Parts	Quantity
46134AIR FILTER C.V.	1
51372OIL FILTER PH2	1
550018SHOCK FORD# 2X3U2Z18125AF	2
5L1Z14529AAWINDOW SWITCH	1
65-72BXT65750 BATTERY	1
91-22WIPER BLADE	2
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	1
G801833595 FILTER FUEL WIX	1

Workorder: V14377

In Date: 04/09/2008
Close Date: 04/18/2008

Meter Reading:

Problem?

replace tires at callaghghan

Task performed:

replace tires - Callaghan j

Parts	Quantity
NO PARTS USED	

Vendor?: CALLAGHAN

Workorder: V24093

In Date: 06/15/2009
Close Date: 06/20/2009

Meter Reading: 70,887.00

Problem?

B inspection and repairs

Task performed:

1. B-Inspection
2. Svc radiator
3. Rep strobelight i left rear backup light.
4. Replcd wigwag control unit.
5. Paint rims.
6. Cover blank hole in radio box. j

Parts	Quantity
01046301700S30HACP STROBE CLEAR	1
15W40BSYN OIL BULK QTS	6
46134AIR FILTER C.V.	1
51372OIL FILTER PH2	1
FHL2SCFLASHER HEADLIGHT	1
G801833595 FILTER FUEL WIX	1



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142513

*** STAFF CAR OR VEHICLE- EMERGENCY RESPONSE**

Workorder: V25304

In Date: 08/04/2009

Meter Reading:

Close Date: 08/10/2009

Problem?

A/C blowing hot air and car making clicking noise that seems to be related to A/C.

Task performed:

Parts

Quantity

Replace electric fan(broken); test A/C 40c. j

3W1Z8C607BDFAN AND MOTOR ASY. 03 CV

1

Workorder: V27617

In Date: 11/12/2009

Meter Reading: 73,282.00

Close Date: 11/12/2009

Problem?

B inspection and repairs

Task performed:

Parts

Quantity

B inspection and repairs performed by al packer ford

NO PARTS USED

Workorder: V27571

In Date: 11/10/2009

Meter Reading: 72,339.00

Close Date: 11/16/2009

Problem?

B inspection and repairs (Outside agency-al packer ford)

Task performed:

Parts

Quantity

B-Inspection/repairs - Al Packer j

NO PARTS USED

Vendor?: AL PACKER FORD

Workorder: V29188

In Date: 01/15/2010

Meter Reading: 74,184.00

Close Date: 01/15/2010

Problem?

B inspection and repairs (performed by-al packer ford)

Task performed:

Parts

Quantity

B inspection and repairs performed by al packer ford

NO PARTS USED



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142513

*** STAFF CAR OR VEHICLE- EMERGENCY RESPONSE**

Workorder: V29187

In Date: 01/15/2010
Close Date: 02/24/2010

Meter Reading: 74,184.00

Problem?

B inspection and repairs (Outside agency-al packer ford)

Task performed:

B-Inspection/repairs - Al Packer j

Parts

Quantity

NO PARTS USED

Vendor?: AL PACKERS

Workorder: V30767

In Date: 03/16/2010
Close Date: 04/02/2010

Meter Reading: 73,806.00

Problem?

vehicle battery not charging poss alternator wont start at 73

Task performed:

Chkd alt; it is ____ 14V with all lites on; test btry-ok; had to unplug alarm after testing btry; stn has no remote for alarm. j

Parts

Quantity

NO PARTS USED

Workorder: V30771

In Date: 03/16/2010
Close Date: 04/02/2010

Meter Reading: 73,806.00

Problem?

alternator light on, not charging-had to jump start. vehicle is parked at sta 73

Task performed:

Jerry already changed. j

Parts

Quantity

NO PARTS USED

Workorder: V25950

In Date: 09/01/2009
Close Date: 04/14/2010

Meter Reading:

Problem?

Replace cap with new one.

Task performed:

parts only no labor

Parts

Quantity

MGC832GAS CAP

1



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142513

*** STAFF CAR OR VEHICLE- EMERGENCY RESPONSE**

Workorder: V36783

In Date: 12/01/2010
Close Date: 12/02/2010

Meter Reading: 82,409.00

Problem?

B INSPECTION AND REPAIRS AS NEEDED

Task performed:

- (1)"B" INSPECTION
- (2) REPLACED FRONT BRAKE PADS.
- (3) REPLACED REAR BRAKE PADS.
- (4) REPLACED STROBES IN BACKUP LIGHTS X 2.
J.W.

Parts	Quantity
01046301700S30HACP STROBE CLEAR	2
15W40BSYN OIL BULK QTS	6
46134AIR FILTER C.V.	1
51372OIL FILTER PH2	1
G801833595 FILTER FUEL WIX	1
MX931BRAKE PADS 06 C.V.	1
MX932BRAKE PADS CROWN VIC	1

Workorder: V37049

In Date: 12/09/2010
Close Date: 01/11/2011

Meter Reading: 83,256.00

Problem?

repair brakes Bat. 7 staff (outside agency-al packer ford)

Task performed:

Repair brakes Bat 7 staff - Al Packer j

Parts	Quantity
NO PARTS USED	

Vendor?: AL PACKER

Workorder: V42499

In Date: 08/02/2011
Close Date: 08/08/2011

Meter Reading: 87,538.00

Problem?

B Inspection @ Al Packer

Task performed:

B Inspection @ Al Packer.

Parts	Quantity
NO PARTS USED	

Vendor?: AL PACKER



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142513

*** STAFF CAR OR VEHICLE- EMERGENCY RESPONSE**

Workorder: V42575

In Date: 08/05/2011
Close Date: 08/09/2011

Meter Reading: 87,538.00

Problem?

Check lights.

Task performed:

replaced strobe light at right frf marker and reqire also repaired marker light housing (cracked)

replaced altenator and checked charing system

replaced battery (old)

also repaired batter tray hold down assembly (stripped out)

Parts

Quantity

65-72BXT65750 BATTERY	1
8318200 AMP ALTERNATOR	1
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	1
F75Z10718AASPACER FOR BATTERY HOLD DOWN F-350	1

Workorder: V51472

In Date: 08/08/2012
Close Date: 08/09/2012

Meter Reading: 94,984.00

Problem?

B inspection - Al Packer

Task performed:

B inspection
oil and filter change
install front wiper blades
replace speed plug
repalced fuel filter
replaced air filter

Vendor?: AL PACKER

Parts

Quantity

NO PARTS USED

Workorder: V51482

In Date: 08/09/2012
Close Date: 09/13/2012

Meter Reading: 93,872.00

Problem?

replace 4 tires

Task performed:

REPLACE 4 TIRES.

Vendor?: CALLAGHAN TIRE

Parts

Quantity

NO PARTS USED



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142513

*** STAFF CAR OR VEHICLE- EMERGENCY RESPONSE**

Workorder: V56673

In Date: 03/27/2013
Close Date: 04/16/2013

Meter Reading: 99,083.00

Problem?

Armrest were window switches pops out, mirror switch does not work AT 73

Task performed:

1. R&R DOOR PANEL R&R WINDOW SWITCHES SWITCH MOUNT BROKEN ORDER PANEL.
2. TRAVEL TO ST 73 R&R WINDOW SWITCH PANEL.

Parts

Quantity

3W7Z14524BADDOR SW COVER DRIVER
5L1Z14529AAWINDOW SWITCH

1
1

Workorder: V49626

In Date: 05/25/2012
Close Date: 04/19/2013

Meter Reading: 93,366.00

Problem?

REPAIR BRAKES AL PACKER FORD

Task performed:

no issue with brakes, no repair at this time

Parts

Quantity

NO PARTS USED

Workorder: V57373

In Date: 04/30/2013
Close Date: 05/09/2013

Meter Reading:

Problem?

car shakes during driving, not horrible but you can notice it. the drivers door sticks and doesnt fully shut. but it locks and close

Task performed:

REPAIRED AT AL PACKER.

Parts

Quantity

NO PARTS USED

Workorder: V57589

In Date: 05/08/2013
Close Date: 05/15/2013

Meter Reading: 101,139.00

Problem?

B-Inspection [Al Packer] Check for vibration

Task performed:

B-inspection multi point
oil and filter change
Resurfaced front rotors
replaced drivers door hinge and adj
replaced steering rack and spindle connecting rods

Parts

Quantity

NO PARTS USED

Vendor?: AL PACKER



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142513

*** STAFF CAR OR VEHICLE- EMERGENCY RESPONSE**

Workorder: V62668

In Date: 12/12/2013
Close Date: 12/12/2013

Meter Reading: 102,726.00

Problem?

B INSPECTION AL PACKER

Task performed:

B INSPECTION
ROTATE TIRES
WIPER BLADES
REPAIR DOOR LOCKS
REPLACE MIRROR SWITCH
REPLACE TAG LIGHT
REPLACE HEADLIGHTS
ADJUST TRUNK

Vendor?: AL PACKER

Parts

Quantity

NO PARTS USED

Workorder: V70548

In Date: 10/29/2014
Close Date: 11/03/2014

Meter Reading: 106,857.00

Problem?

gas cap missing

Task performed:

Taken out to 73. Parts only. No labor.

Parts

Quantity

XU5Z9030JAFUEL CAP CROWN VIC

1

Workorder: V70981

In Date: 11/17/2014
Close Date: 11/18/2014

Meter Reading: 107,122.00

Problem?

B-inspection

Task performed:

B-inspection
Replaced upper ball joints
repaired a/c
Repaired connector for wiper control

Vendor?: AL PACKER

Parts

Quantity

NO PARTS USED



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142513

*** STAFF CAR OR VEHICLE- EMERGENCY RESPONSE**

Workorder: V71073

In Date: 11/19/2014
Close Date: 11/26/2014

Meter Reading: 106,857.00

Problem?
Alignment

Task performed:

perform alignment

Parts

Quantity

NO PARTS USED

Vendor?: TIRESOLES

Workorder: V75021

In Date: 04/29/2015
Close Date: 04/29/2015

Meter Reading: 112,003.00

Problem?
outside b service

Task performed:

b service
changed plugs and coil
air filter
fuel filter
injector throttle body service
trans service
wheel stud

Parts

Quantity

NO PARTS USED

Vendor?: AL PACKER



Palm Beach County Fire Rescue Fleet Maintenance Asset History

Asset: (10142513) 2003 - FORD CROWN VIC Sedan

10142513

CSHOP-2015-2992

Comments: **B-INSPECTION THE VEHICLE WON`T SHIFT OUT OF PARK... THE SHIFT INTERLOCK WILL NOT UNLOCK. THERE IS A WIRE BROKEN OFF OF THE BRAKE SWITCH. THE BRAKE LIGHTS AND INTERLOCK WORKS WHEN BYPASSED. NEEDS A NEW CONNECTOR AT THE BRAKE SWITCH.**

Date Opened 9-21-2015 Date Finished 9-28-2015 Meter 1 Reading: 116,152

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2016-1362

Comments: **STAFF CAR AT 73 WILL NOT SHIFT OUT OF PARK.**

Date Opened 3-22-2016 Date Finished 3-24-2016 Meter 1 Reading: 117,214

TASKS PERFORMED

NO PARTS USED

TRAVEL TO BE CHARGED TO WORK ORDER
SHIFTER CONTROLS-SELECTOR

Service Requests:

03/18/2016 ENGINE / 11: BINDS/STICKS / INSPECT
VEHICLE WILL NOT SHIFT OUT OF PARK.

CSHOP-2016-1572

Date Opened 4-1-2016 Date Finished 4-1-2016 Meter 1 Reading: 117,434

TASKS PERFORMED

NO PARTS USED

TRANSMISSION

VENDOR? AL PACKER

CSHOP-2016-2493

Comments: **CHECK ENGINE LIGHT ON**

Date Opened 5-24-2016 Date Finished 5-24-2016 Meter 1 Reading: 118,859

TASKS PERFORMED

NO PARTS USED

INSTRUMENTS-GAUGES-WARNING &

VENDOR? AL PACKER

Asset Work Order History 10142513

CSHOP-2016-3316

Comments: **B SERVICE**

Date Opened 7-8-2016 Date Finished 7-8-2016 Meter 1 Reading: 119,134

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2016-809

Comments: **B SERVICE**

Date Opened 2-19-2016 Date Finished 2-19-2016 Meter 1 Reading: 117,035

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2017-2632

Date Opened 5-4-2017 Date Finished 5-4-2017 Meter 1 Reading: 125,006

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2017-364

Date Opened 1-17-2017 Date Finished 1-17-2017 Meter 1 Reading: 124,204

TASKS PERFORMED

NO PARTS USED

IGNITION SYSTEM

VENDOR? AL PACKER

CSHOP-2017-4356

Date Opened 7-27-2017 Date Finished 7-27-2017 Meter 1 Reading: 125,630

TASKS PERFORMED

NO PARTS USED

COMMERCIAL WORK - OUTSIDE AGENCY

VENDOR? AL PACKER

CSHOP-2017-5286

Date Opened 9-11-2017 Date Finished 9-21-2017 Meter 1 Reading: 126,566

TASKS PERFORMED

Q PARTS

WIPER BLADES

2 1AN; 22" WIPER BLADE

Asset Work Order History 10142513

CSHOP-2018-387

Date Opened 1-18-2018 Date Finished 1-18-2018 Meter 1 Reading: 126,688

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2018-463

Date Opened 1-22-2018 Date Finished 1-22-2018 Meter 1 Reading: 126,688

TASKS PERFORMED

NO PARTS USED

VENDOR TIRE REPAIR/CHANGE

VENDOR? DAN CALLAGHAN ENTERPRISES

CSHOP-2019-1052

Date Opened 2-25-2019 Date Finished 2-25-2019 Meter 1 Reading: 133,797

TASKS PERFORMED

NO PARTS USED

WINDOW ELECTRIC MOTOR

VENDOR? AL PACKER

CSHOP-2019-4728

Date Opened 9-6-2019 Date Finished 9-6-2019 Meter 1 Reading: 135,376

TASKS PERFORMED

NO PARTS USED

WINDOW REGULATOR

VENDOR? AL PACKER

CSHOP-2019-5718

Date Opened 10-31-2019 Date Finished 11-1-2019 Meter 1 Reading: 135,583

TASKS PERFORMED

Q PARTS

TRAVEL TO BE CHARGED TO WORK ORDER
WIPER BLADES

2 1AN; 22 WIPER BLADE

CSHOP-2019-618

Date Opened 1-31-2019 Date Finished 1-31-2019 Meter 1 Reading: 133,623

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER
