



3/2/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10136331
2500 TRUCK SUPPORT

Workorder: V2180

In Date: 04/10/2006 Meter Reading:
Close Date: 04/14/2006

Problem?
REPLACE WIPER BLADES SHOP TRUCK

Task performed:	<u>Parts</u>	<u>Quantity</u>
	91-20WIPER BLADE 20 IN	2

Workorder: V1934

In Date: 03/22/2006 Meter Reading:
Close Date: 10/03/2006

Problem?
transmission starts out in 3rd gear (OUTSIDE SERVICE ATLAS TRANSMISSION)

Task performed:	<u>Parts</u>	<u>Quantity</u>
	NO PARTS USED	

Workorder: V6557

In Date: 01/31/2007 Meter Reading: 34,964.00
Close Date: 02/01/2007

Problem?
repace battery

Task performed:	<u>Parts</u>	<u>Quantity</u>
1. Replaced battery checked charging system	27-60CAN USE 65-72 BATTERY 27-60	1
	BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	1

Workorder: V7343

In Date: 03/23/2007 Meter Reading: 36,071.00
Close Date: 04/03/2007

Problem?
b inspection and reairs

Task performed:	<u>Parts</u>	<u>Quantity</u>
1. B Inspection	CA3901L/F AF7877 WIX 46077	1
	PH16L/F PH253 WIX 51307 OIL FILTER	1



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10136331

2500 TRUCK SUPPORT

Workorder: V8914

In Date: 06/19/2007 Meter Reading: 37,746.00
Close Date: 07/02/2007

Problem?

engine runs very rough at startup

Task performed:

1. check eng; cln/tighten air box; test line

Parts

NO PARTS USED

Quantity

Workorder: V13803

In Date: 03/10/2008 Meter Reading: 42,105.00
Close Date: 03/11/2008

Problem?

B INSPECTION (JIFFY LUBE)

Task performed:

Parts

NO PARTS USED

Quantity

Workorder: V18191

In Date: 10/07/2008 Meter Reading: 43,580.00
Close Date: 10/14/2008

Problem?

B INSPECTION AND REPAIRS AS NEEDED

Task performed:

- 1- Test drive B inspection, change oil n filter, replaced air filter.
- 2-replace battery, repair battery box.
- 3-install dash mat.
- 4-install front brakes.
- 5-install upper ball joints

Parts

15W40BSYN OIL BULK QTS 7

27-60CAN USE 65-72 BATTERY 27-60 1

5015254ACMX859 PAD FR DODGE 2500 3500 1

911102FRONT SHOCK 01 DODGE VAN 2

911103SHOCKS 01 DODGE RAM 2500 2

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY 1

CA3901L/F AF7877 WIX 46077 1

K070975BELT 1

K7366BALL JOINT 2

PH16L/F PH253 WIX 51307 OIL FILTER 1

Quantity



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10136331

2500 TRUCK SUPPORT

Workorder: V18529

In Date: 10/22/2008
Close Date: 12/09/2008

Meter Reading: 44,940.00

Problem?

replace rear tires (outside agency-callaghan tire)

Task performed:

Replace rear tires - Callaghan j

Parts

NO PARTS USED

Quantity

Vendor?: CALLAGHAN

Workorder: V24217

In Date: 06/19/2009
Close Date: 06/22/2009

Meter Reading: 47,918.00

Problem?

B inspection and repairs

Task performed:

B-Inspection
2. Trans svc. j

Parts

58613TRANS FILTER
CA3901L/F AF7877 WIX 46077
PH16L/F PH253 WIX 51307 OIL FILTER

Quantity

1
1
1

Workorder: V35580

In Date: 10/12/2010
Close Date: 10/14/2010

Meter Reading: 54,790.00

Problem?

B service. Oil change sevicecs.

Task performed:

B-Svc - oil change svcs. j

Parts

NO PARTS USED

Quantity

Vendor?: OIL CHANGE SVCS INC

Workorder: V35460

In Date: 10/06/2010
Close Date: 10/21/2010

Meter Reading: 54,790.00

Problem?

B inspection, oil connetion

Task performed:

B-Inspection - Oil Change Svc j

Parts

NO PARTS USED

Quantity

Vendor?: OIL CHANGE SVC



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10136331

2500 TRUCK SUPPORT

Workorder: V35479

In Date: 10/07/2010
Close Date: 10/25/2010

Meter Reading: 54,790.00

Problem?

REPLACE FRONT TIRES CALLAGHAN

Task performed:

Replace frnt tires - Callaghan j

Parts

NO PARTS USED

Quantity

Vendor?: CALLAGHAN

Workorder: V35480

In Date: 10/07/2010
Close Date: 10/25/2010

Meter Reading: 54,790.00

Problem?

ALIGNMENT CALLAGHAN

Task performed:

Alignment - Callaghan j

Parts

NO PARTS USED

Quantity

Vendor?: CALLAGHAN

Workorder: V40232

In Date: 04/28/2011
Close Date: 04/29/2011

Meter Reading: 57,100.00

Problem?

replace wiper blades

Task performed:

Replace both wiper blades. j

Parts

91-20WIPER BLADE 20 IN

Quantity

2

Workorder: V42268

In Date: 07/25/2011
Close Date: 08/01/2011

Meter Reading: 57,100.00

Problem?

B Inspection with Oil Change Services

Task performed:

B Inspection with Oil Change Services

Parts

NO PARTS USED

Quantity

Vendor?: OIL CHANGE SERVICES



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10136331

2500 TRUCK SUPPORT

Workorder: V43599

In Date: 09/12/2011
Close Date: 03/09/2012

Meter Reading: 57,503.00

Problem?

replace nuetral safety switch

Task performed:

Parts

Quantity

NO PARTS USED

Workorder: V48289

In Date: 03/29/2012
Close Date: 03/29/2012

Meter Reading: 61,202.00

Problem?

B INSPECTION AL PACKER

Task performed:

Parts

Quantity

B INSPECTION

NO PARTS USED

REPAIR A/C CLEANED LEAVES OUT OF BLOWER

WIPER BLADES

ROTATE TIRES

REPLACE BAD MODULE

Vendor?: AL PACKER

Workorder: V49466

In Date: 05/18/2012
Close Date: 06/04/2012

Meter Reading: 61,846.00

Problem?

Check engine light on. 57 sta

Task performed:

Parts

Quantity

CHECKED FOR CODES FOUND LOW ON COOLANT.

NO PARTS USED



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10136331

2500 TRUCK SUPPORT

Workorder: V49793

In Date: 05/18/2012
Close Date: 06/11/2012

Meter Reading: 62,154.00

Problem?

won't start. check engine light

Task performed:

WON'T START. CHECK ENGINE LIGHT.

Parts

Quantity

NO PARTS USED

Vendor?: AL PACKER FORD

Workorder: V54972

In Date: 01/10/2013
Close Date: 01/10/2013

Meter Reading: 63,787.00

Problem?

B inspection

Task performed:

multi point inspection
rotate tires
repalced water pump
cut extra key

Parts

Quantity

NO PARTS USED

Vendor?: AL PACKER

Workorder: V57715

In Date: 05/14/2013
Close Date: 05/21/2013

Meter Reading:

Problem?

window tint distorted and seperating from glass, remove and retint.(safety hazard).

Task performed:

WINDOW TINT DISTORTED AND SEPERATING FROM GLASS, REMOVE AND RETINT. (SAFETY HAZRAD).

Parts

Quantity

NO PARTS USED

Vendor?: 60 MINUTE AUTOTINT

Workorder: V57714

In Date: 05/14/2013
Close Date: 05/30/2013

Meter Reading:

Problem?

Runs and idles rough sta 28

Task performed:

no repair at this time, engine running fine. vehicle had been sitting for a long period of time.

Parts

Quantity

NO PARTS USED



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10136331

2500 TRUCK SUPPORT

Workorder: V60917

In Date: 10/02/2013
Close Date: 10/11/2013

Meter Reading: 65,517.00

Problem?
dead battery

Task performed:

TRAVEL TO 28 DRIVER COMPLAINT BATTERY DEAD.
R&R BATTERY AND CHECK CHARGING SYSTEM OK

Parts	Quantity
27-60CAN USE 65-72 BATTERY 27-60	1
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	1

Workorder: V61878

In Date: 11/07/2013
Close Date: 11/07/2013

Meter Reading: 65,795.00

Problem?
B-inspection

Task performed:

B-inspection
Inspect brakes and rotate tires
Replace shocks
Vendor?: AL PACKER

Parts	Quantity
NO PARTS USED	

Workorder: V65886

In Date: 04/22/2014
Close Date: 04/22/2014

Meter Reading: 67,270.00

Problem?
Power steering leak

Task performed:

Replaced power steering hose
Vendor?: AL PACKER

Parts	Quantity
NO PARTS USED	

Workorder: V69234

In Date: 09/08/2014
Close Date: 09/09/2014

Meter Reading: 68,583.00

Problem?
B-inspection

Task performed:

B-inspection
Check for running rough Diagnose only.
Vendor?: AL PACKER

Parts	Quantity
NO PARTS USED	



Palm Beach County Fire Rescue Fleet Maintenance Asset History

Asset: (10136331) 2001 - DODGE 2500 Truck Support

10136331

CSHOP-2015-2376

Comments: REPLACE WIPER BLADES

Date Opened 8-18-2015 Date Finished 8-19-2015 Meter 1 Reading: 72,109

TASKS PERFORMED

Q PARTS

WIPERS-WASHER

2 WIPER; WIPER BLADE 20 IN

CSHOP-2015-4254

Comments: A/C BLOWER NOT WORKING ON HIGH

Date Opened 12-1-2015 Date Finished 12-1-2015 Meter 1 Reading: 72,109

TASKS PERFORMED

NO PARTS USED

AIR CONDITIONING

VENDOR? AL PACKER

CSHOP-2015-598

Comments: 10136331 DODGE PU AT 28 WONT START

Date Opened 5-12-2015 Date Finished 5-15-2015 Meter 1 Reading: 70,677

TASKS PERFORMED

Q PARTS

WAIT TIME TO BE CHARGED TO WORK ORDER
TRAVEL TO BE CHARGED TO WORK ORDER
BATTERY

1 BATTERY; BATTERY EPA TAX \$1.50 PER BATTERY
1 BATTERY; BATTERY 27-60

CSHOP-2015-946

Comments: WORK ORDER CREATED IN ERROR WRONG ASSET

Date Opened 6-2-2015 Date Finished 6-25-2015 Meter 1 Reading: 70,677

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2016-2670

Date Opened 6-3-2016 Date Finished 6-3-2016 Meter 1 Reading: 74,811

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

Asset Work Order History 10136331

CSHOP-2016-2722

Comments: **NO START**

Date Opened 6-7-2016

Date Finished

6-7-2016

Meter 1 Reading:

74,829

TASKS PERFORMED

NO PARTS USED

ENGINE AND ACCESSORIES

VENDOR? AL PACKER

CSHOP-2016-4231

Date Opened 8-27-2016

Date Finished

8-27-2016

Meter 1 Reading:

74,829

TASKS PERFORMED

NO PARTS USED

FRONT TIRES

VENDOR? DAN CALLAGHAN ENTERPRISES

CSHOP-2017-1295

Date Opened 3-2-2017

Date Finished

3-2-2017

Meter 1 Reading:

77,066

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2017-5994

Date Opened 10-18-2017

Date Finished

10-18-2017

Meter 1 Reading:

79,705

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2018-1941

Date Opened 4-6-2018

Date Finished

4-30-2018

Meter 1 Reading:

80,435

TASKS PERFORMED

NO PARTS USED

ENGINE AND ACCESSORIES

VENDOR? AL PACKER

Service Requests:

04/06/2018

ENGINE / 18: LEAKING / REPAIR
ENGINE RUNNING ROUGH FULL OF FUEL , WATER AND OIL

Asset Work Order History 10136331

CSHOP-2018-3145

Comments: **INSPECT ONLY NO OIL/FILTERS THIS UNIT IS AT TRAINING MAKE SURE TO FILL OUT INSPECTION FORM**

Date Opened 6-6-2018 Date Finished 6-7-2018 Meter 1 Reading: 80,435

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

CSHOP-2018-380

Comments: **DEAD BATTERY**

Date Opened 1-17-2018 Date Finished 2-5-2018 Meter 1 Reading: 80,087

TASKS PERFORMED

Q PARTS

CRANKING SYSTEM

1 1AD; BATTERY

CSHOP-2018-5348

Date Opened 9-19-2018 Date Finished 9-20-2018 Meter 1 Reading: 80,435

TASKS PERFORMED

Q PARTS

TRAVEL TO BE CHARGED TO WORK ORDER
BATTERY

1 BAT; BATTERY

Service Requests:

09/19/2018 SERVICE REQUEST / 38: SHORTED / EXCHANGE - NEW
BATTERY WILL NOT HOLD CHARGE OVER NIGHT CAN CHARGE BATTERY TO START AND WILL START ALL DAY WILL
NOT START FOLLOWING DAY

CSHOP-2019-3300

Date Opened 7-10-2019 Date Finished 7-10-2019 Meter 1 Reading: 81,068

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER
