



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142566

* TRUCK EMS OR RESCUE CAPTAIN VEHICLE

Workorder: V272

In Date: 10/21/2005
Close Date: 11/02/2005

Meter Reading:

Problem?

B INSPECTION EMS4

Task performed:

Parts	Quantity
1C3Z-2001-BAMKD824 PAD FRONT F-350 SUPERDUTY	1
3C3Z6731AA57314 NEW 57312 OIL FILTER 6.0 DIESEL	1
3C3Z7A098AAFILTER TRANS F350 SERVICE TRUCK	1
3C3Z7A194AATRANS OIL PAN NS	1
3C3Z9601BAAIR FILTER 42731	1
3C3Z9N184CAWIX 33899 FUEL FILTER 6.0 DIESEL	1
5C3Z-4676-AASEAL REAR PINION	1
65-72BXT65750 BATTERY	2
9UTUBELINEAR REF CORNER	2
F6TZ7A191ATRANS GASKET	1
F81Z6730AATRANS DRAIN PLUG S/O	1
GT-HBATTERY NS	1

Workorder: V364

In Date: 10/31/2005
Close Date: 11/07/2005

Meter Reading:

Problem?

ENGINE STALLS, EMS-4

Task performed:

Parts	Quantity
91-16USE 31-16 WIPER BLADE	2

Workorder: V599

In Date: 11/16/2005
Close Date: 11/16/2005

Meter Reading:

Problem?

BATTERY SYSTEM NOT CHARGING EMS-4

Task performed:

Parts	Quantity
4C3Z10346AAUSE 10V346HO 200 AMP	1
F81Z10346ERMALTERNATOR FORD USE4C3Z MODLE	1



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V515

In Date: 11/08/2005

Meter Reading:

Close Date: 11/17/2005

Problem?

REPLACE WINDOW COVERS, EMS-4

Task performed:

Parts

Quantity

561111VENTSHADES S/O

1

Workorder: V597

In Date: 11/16/2005

Meter Reading:

Close Date: 11/17/2005

Problem?

VOLTS AT 8/9 VOLTS EMS4

Task performed:

Parts

Quantity

NO PARTS USED

Workorder: V832

In Date: 12/07/2005

Meter Reading:

Close Date: 12/12/2005

Problem?

AJUST GEAR SELECTOR, EMS-4

Task performed:

Parts

Quantity

NO PARTS USED

Workorder: V926

In Date: 12/13/2005

Meter Reading:

Close Date: 12/13/2005

Problem?

multiple strobes out on light bar DC4

Task performed:

Parts

Quantity

9UTUBELINEAR REF CORNER

4



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V910

In Date: 12/13/2005
Close Date: 12/19/2005

Meter Reading: 38,273.00

Problem?

STROBE LIGHTS INOP, EMS-4 AT STA-42

Task performed:

Parts

Quantity

NO PARTS USED

Workorder: V934

In Date: 12/14/2005
Close Date: 12/30/2005

Meter Reading:

Problem?

vehicle shimmies at high speeds w/brake application-check front end-send for alignment EMS4

Task performed:

Parts

Quantity

NO PARTS USED

Workorder: V1794

In Date: 03/09/2006
Close Date: 03/31/2006

Meter Reading: 43,612.00

Problem?

B INSPECTION EMS4

Task performed:

See B Inspection pre-printed form

Parts

Quantity

3C3Z6731AA57314 NEW 57312 OIL FILTER 6.0 DIESEL

1

3C3Z9N184CAWIX 33899 FUEL FILTER 6.0 DIESEL

1

F7UZ3E651ABSTERRING DAMPNER FORD F350

1

YC3Z-2200-AAMKD757 PAD BRAKE F-350 REAR

1

Workorder: V2269

In Date: 04/18/2006
Close Date: 04/27/2006

Meter Reading:

Problem?

PORTABLE FRIDGE INOP, EMS-4

Task performed:

Parts

Quantity

NO PARTS USED



3/2/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V2430

In Date: 05/01/2006

Meter Reading:

Close Date: 05/03/2006

Problem?

WILL NOT START, EMS-4

Task performed:

Parts	Quantity
4921597OUTBOARD SPEED SENSOR	1
65-72BXT65750 BATTERY	2

Workorder: V2474

In Date: 05/03/2006

Meter Reading:

Close Date: 05/25/2006

Problem?

front end shudders badly on brake application-mount push bar EMS4

Task performed:

Parts	Quantity
1C3Z-2001-BAMKD824 PAD FRONT F-350 SUPERDUTY	1
50R03ZRRRLIGHT 500 TIR LED	2
E7TZ1S190BSEAL FR F350	2
F7UZ1S175ASEAL REAR F350	2
F81Z1001AAO RING REAR AXEL F350	2
F81Z1102DBROTOR FR 2 WHEEL DR F-350 CAPT VEH	2
F81Z2C026EAROTOR REAR F-350 CAPT VEH	2
YC3Z-2200-AAMKD757 PAD BRAKE F-350 REAR	1

Workorder: V2576

In Date: 05/11/2006

Meter Reading:

Close Date: 06/14/2006

Problem?

REPLACE 6 TIRES EMS-4 (CALLAGHAN)

Task performed:

Parts	Quantity
NO PARTS USED	

Vendor?: VC-15214



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V3970

In Date: 08/17/2006
Close Date: 09/14/2006

Meter Reading: 50,899.00

Problem?

B INSPECTION AND REPAIRS AS NESS. EMS 4

Task performed:

Parts	Quantity
1L2Z9628AA CLIP AIR FILTER	1
3C3Z6731AA57314 NEW 57312 OIL FILTER 6.0 DIESEL	1
3C3Z9601BAAIR FILTER 42731	1
3C3Z9N184CAWIX 33899 FUEL FILTER 6.0 DIESEL	1
4ELTUBE4ELTUBE REFLECTOR ASSY.	1
5770257702 FILTER TRANS COOLER	1

Workorder: V5015

In Date: 10/23/2006
Close Date: 10/24/2006

Meter Reading: 54,008.00

Problem?

WILL NOT START, EMS-4

Task performed:

Parts	Quantity
NO PARTS USED	

Workorder: V4824

In Date: 10/10/2006
Close Date: 10/27/2006

Meter Reading: 53,684.00

Problem?

runs poorly sent to al packer for warranty ems4

Task performed:

1. VEHICLE RUNNING POORLY SENT OF TO AL PACKER FORD FOR SERVICE STILL UNDER WARRANTY.

Vendor?: AL PACKER FORD

Parts	Quantity
NO PARTS USED	



3/2/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V5045

In Date: 10/24/2006
Close Date: 11/02/2006

Meter Reading: 54,008.00

Problem?

batterys dead EMS4

Task performed:

1. TRAVELED TO STN 42. INSTALLED TWO NEW BATTERIES. TEST/OK.

Parts	Quantity
65-72BXT65750 BATTERY	2
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	2

Workorder: V5919

In Date: 12/22/2006
Close Date: 12/29/2006

Meter Reading: 57,789.00

Problem?

REPLACE WIPER BLADES EMS4

Task performed:

1. Replaced wiper blades

Parts	Quantity
91-20WIPER BLADE 20 IN	4

Workorder: V5929

In Date: 12/22/2006
Close Date: 12/29/2006

Meter Reading:

Problem?

EMS9 vehicle has almost no acceleration when cold - seems like turbocharger is not working till engine heats up, and that takes several minutes.

Task performed:

1. Checked unit needs to go to Ford for reprogram

Parts	Quantity
NO PARTS USED	

Workorder: V5928

In Date: 12/22/2006
Close Date: 01/11/2007

Meter Reading:

Problem?

Oil Dipstick handle broken - dip rod comes off -

Task performed:

1. Replaced dip stick
2. Checked problem with hand light found broken wire

Parts	Quantity
3C3Z6750AADIP STICK F350 2005	1



3/2/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V6665

In Date: 02/08/2007

Meter Reading: 60,115.00

Close Date: 02/08/2007

Problem?

won't start at al packer (ems4)

Task performed:

1. Replaced both batteries

Parts

Quantity

65-72BXT65750 BATTERY

2

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

2

Workorder: V6577

In Date: 02/01/2007

Meter Reading: 60,115.00

Close Date: 02/21/2007

Problem?

B INSPECTION AND REPAIRS AS NEEDED EMS

Task performed:

1. complete b inspection
2. engine missfiring sent to ford for warranty
3.r&r coolant tank and cap refill system and check for leaks

Parts

Quantity

3C3Z6731AA57314 NEW 57312 OIL FILTER 6.0 DIESEL

1

3C3Z9601BAAIR FILTER 42731

1

3C3Z9N184CAWIX 33899 FUEL FILTER 6.0 DIESEL

1

6C3Z8A080BTANK

1

F60Z8100ATANK CAP F6DZ-8100-A

1

Workorder: V7758

In Date: 04/16/2007

Meter Reading: 64,146.00

Close Date: 04/17/2007

Problem?

check brakes-make noise, refrigerator innop. EMS4

Task performed:

Replaced front brake pads and right front rotor assy

Parts

Quantity

1C3Z-2001-BAMKD824 PAD FRONT F-350 SUPERDUTY

1

F81Z1102DBROTOR FR 2 WHEEL DR F-350 CAPT VEH

1

Workorder: V8473

In Date: 05/29/2007

Meter Reading:

Close Date: 06/13/2007

Problem?

EMS4 vehicle, oil noticed on floor in bay below where vehicle is parked.

Task performed:

1. Checked oil leak will send to shop

Parts

Quantity

NO PARTS USED



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V8896

In Date: 06/18/2007
Close Date: 06/18/2007

Meter Reading: 67,358.00

Problem?

replace tires at callaghan ent ems4

Task performed:

Replace tires - Callaghan

Parts

NO PARTS USED

Quantity

Vendor?: CALLAGHAN

Workorder: V8923

In Date: 06/19/2007
Close Date: 07/02/2007

Meter Reading:

Problem?

Per Elpex, they aligned the vehicle the best they could. They say the vehicle needs the left upper ball joint replaced.ems4

Task performed:

Repaired on W/O 8652

Parts

NO PARTS USED

Quantity

Workorder: V8652

In Date: 06/27/2007
Close Date: 07/06/2007

Meter Reading: 68,315.00

Problem?

B inspection and related repairs ems4

Task performed:

1. B inspection
2. Serviced trans
3. Replaced ball joints
4. Replaced front and rear brakes
5. Replaced fan belt
6. Replaced wiper blades
7. Lubricated all door latches on body

Parts

1C3Z-2001-BAMKD824 PAD FRONT F-350 SUPERDUTY
 3C3Z6731AA57314 NEW 57312 OIL FILTER 6.0 DIESEL
 3C3Z7A098AAFILTER TRANS F350 SERVICE TRUCK
 3C3Z9601BAAIR FILTER 42731
 3C3Z9N184CAWIX 33899 FUEL FILTER 6.0 DIESEL
 4160SEAL
 91-22WIPER BLADE
 F6TZ7A191ATRANS GASKET
 K081265BELT SER TK FORD
 K80027BALL JOINT
 K80028BALL JOINT
 S506USE 501 GAUGE AIR
 S775COUPLER
 YC3Z-2200-AAMKD757 PAD BRAKE F-350 REAR

Quantity

1
1
1
1
1
2
2
1
1
2
2
1
1
1



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V9169

In Date: 07/05/2007
Close Date: 07/17/2007

Meter Reading: 68,315.00

Problem?

front end alignment ems 4

Task performed:

front end alignment - Elpex

Parts

Quantity

NO PARTS USED

Vendor?: ELPEX

Workorder: V8582

In Date: 06/04/2007
Close Date: 07/18/2007

Meter Reading: 66,504.00

Problem?

warranty deductible for repair of oil leak ems 4

Task performed:

WARRANTY

Parts

Quantity

NO PARTS USED

Vendor?: AL PACKER-WNTY

Workorder: V10424

In Date: 09/13/2007
Close Date: 09/25/2007

Meter Reading: 71,804.00

Problem?

engine runs rough at idle (EMS4)

Task performed:

Chk out codes w/snap-on tool fnd 94) codes, (3) out;
need injector work; send to Ford

Parts

Quantity

NO PARTS USED

Workorder: V10552

In Date: 09/19/2007
Close Date: 09/27/2007

Meter Reading: 71,804.00

Problem?

refrigerator 10-7, wire pulled out of connector EMS4

Task performed:

Retighten wiring; rep connector & replc fuse

Parts

Quantity

NO PARTS USED



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V10451

In Date: 09/14/2007
Close Date: 09/28/2007

Meter Reading: 71,804.00

Problem?

repair fuel system ems 4

Task performed:

Repair fuel system

Parts

NO PARTS USED

Quantity

Vendor?: WAYNE AKERS

Workorder: V10647

In Date: 09/25/2007
Close Date: 10/01/2007

Meter Reading: 71,804.00

Problem?

WILL NOT START EMS-4

Task performed:

1. CHANGED OUT BATTERIES

Parts

NO PARTS USED

Quantity

Workorder: V11460

In Date: 11/06/2007
Close Date: 11/14/2007

Meter Reading: 74,867.00

Problem?

wont start ems 4

Task performed:

1. Replaced batteries
2. Checked problem with A/C found low on charge - recharged system

Parts

65-72BXT65750 BATTERY
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

Quantity

2
2

Workorder: V12238

In Date: 12/26/2007
Close Date: 01/16/2008

Meter Reading:

Problem?

strobe on top lightbar out ems 4

Task performed:

Parts

01026647600USE PRMISCC DUAL NEW UNIT

Quantity

1



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V12912

In Date: 01/30/2008

Meter Reading:

Close Date: 02/07/2008

Problem?

ems 4 vehicle. High speed wobble in steering wheel. Extremely sluggish, especially when cold, stalled once. Past due for pm based on mileage.

Task performed:

1. Road test for wobble, balance tires, true rotors
2. re-test wobble, test drive, air up all tires, check brake wear, 80%, send to tire shop for high speed balance, (unit had) complete brake job 7/7/07
3. Check out motor in AM, didn't have sluggish problem, was just serviced.

Parts

NO PARTS USED

Quantity

Workorder: V12915

In Date: 01/30/2008

Meter Reading: 79,774.00

Close Date: 02/07/2008

Problem?

b inspection and repairs as needed ems4

Task performed:

1. "B" inspection
2. R&R wiper blades
3. rear ctr marker light out, check for at light, no power, pulled out wiring till found open at connector, cut out wire and splice
4. Pull apart lt bar, check out strobe pack, found bad light assy, swapout.

Parts

0714021GASKET 2 1/2"	5
15W40BSYN OIL BULK QTS	16
3C3Z6731AA57314 NEW 57312 OIL FILTER 6.0 DIESEL	1
3C3Z9601BAAIR FILTER 42731	1
3C3Z9N184CAWIX 33899 FUEL FILTER 6.0 DIESEL	1
4ELTUBE4ELTUBE REFLECTOR ASSY.	1
91-22WIPER BLADE	2

Quantity

Workorder: V13825

In Date: 03/11/2008

Meter Reading: 81,013.00

Close Date: 03/14/2008

Problem?

Front end shakes on brake application ems4

Task performed:

1. R & R rotors, brake pads, repair bearings

Parts

1C3Z-2001-BAMKD824 PAD FRONT F-350 SUPERDUTY	1
3C3Z1102CAFRONT ROTORS F350	2
4160SEAL	2

Quantity



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V13075

In Date: 02/05/2008
Close Date: 03/21/2008

Meter Reading: 79,774.00

Problem?

warranty repair for fuel system repair

Task performed:

Warranty repair for fuel system - Wyane Akers j

Parts

NO PARTS USED

Quantity

Vendor?: WAYNE AKERS

Workorder: V14655

In Date: 05/24/2008
Close Date: 05/07/2008

Meter Reading: 84,537.00

Problem?

WONT START EMS4

Task performed:

REPLACED BATTERIES.

Parts

65-72BXT65750 BATTERY

BATTERY EPA TAX BATTERY EPA TAX \$1.50 PER BATTERY

Quantity

2

2

Workorder: V15278

In Date: 05/22/2008
Close Date: 06/11/2008

Meter Reading: 84,537.00

Problem?

replace tires at callaghan ems 4

Task performed:

Replacetires EMS4 - Callaghan j

Parts

NO PARTS USED

Quantity

Vendor?: CALLAGHAN

Workorder: V16910

In Date: 08/08/2008
Close Date: 08/14/2008

Meter Reading: 89,293.00

Problem?

WILL NOT START, EMS-4

Task performed:

installed new batteries in truck. j

Parts

UNT1400BLOWER MTR. + SQU IRREL CAGE ASSY. 110 A/

Quantity

1



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V17564

In Date: 09/08/2008
Close Date: 09/08/2008

Meter Reading: 91,630.40

Problem?

CHECK BRAKES, EMS-4

Task performed:

inspect and drive unit for a reported brake problem. checked fluid and temperature variations and all found to be within normal ranges.

Parts

NO PARTS USED

Quantity

Workorder: V17409

In Date: 08/30/2008
Close Date: 09/29/2008

Meter Reading:

Problem?

EMS vehicle past due for pm a/c works occasionally exhaust leak, black soot under hood EMS4

Task performed:

1. Chkd engine compt for exh leak; nothing found at this time; ok.
2. Chk A/C sys; fnd sys 1/2 lb. low; charge & chk; ok at this time. j

Parts

NO PARTS USED

Quantity

Workorder: V17435

In Date: 09/01/2008
Close Date: 09/29/2008

Meter Reading: 91,630.40

Problem?

B INSPECTION AND REPAIRS AS NEEDED EMS 4.

Task performed:

1. B-Service
2. Installed all new brakes front & rear; brake pads.
3. Rep light in light bar.
4. Replc air box gauges in air filter. j

Parts

15W40BSYN OIL BULK QTS 16

1C3Z-2001-BAMKD824 PAD FRONT F-350 SUPERDUTY 1

3C3Z6731AA57314 NEW 57312 OIL FILTER 6.0 DIESEL 1

3C3Z9601BAAIR FILTER 42731 1

3C3Z9N184CAWIX 33899 FUEL FILTER 6.0 DIESEL 1

4ELTUBE4ELTUBE REFLECTOR ASSY. 1

5C3Z9622-AAIR FILTER MINDER 5C3Z9N622A 1

YC3Z-2200-AAMKD757 PAD BRAKE F-350 REAR 1

Quantity



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V17797

In Date: 09/18/2008
Close Date: 10/01/2008

Meter Reading: 91,630.40

Problem?

driver complaint brakes fade /a/c not working properly

Task performed:

1. C/O brakes/ no problem found/brakes over heated. Changed fluid as per Eddie-E Test with Scotty (OK) driver hard on brakes.
2. C/O trouble shoot A/C problem, talking with dealer.
3. Trouble shoot electric fan clutch.

Parts

Quantity

4C3Z10346AAUSE 10V346HO 200 AMP
CORECORE CHARGE
MS-290STIHL FUEL CAPS

1
1
1

(R.T.)

Workorder: V18675

In Date: 10/29/2008
Close Date: 10/31/2008

Meter Reading: 93,861.50

Problem?

FUEL LEAK EMS 4

Task performed:

Fuel leak; fuel filter housing leaking; will send to Ford. j

Parts

Quantity

NO PARTS USED

Workorder: V18686

In Date: 10/29/2008
Close Date: 11/03/2008

Meter Reading: 93,861.50

Problem?

check brakes- (noise heard on application)

Task performed:

No problem found. j

Parts

Quantity

NO PARTS USED

Workorder: V19286

In Date: 11/24/2008
Close Date: 12/02/2008

Meter Reading: 95,048.20

Problem?

WILL NOT START, EMS-4

Task performed:

Replaced btrys & chkd charging sys. j

Parts

Quantity

65-72BXT65750 BATTERY
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

2
2



3/2/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V18665

In Date: 10/28/2008

Meter Reading: 93,861.50

Close Date: 12/05/2008

Problem?

repair flat ems 4 callaghan

Task performed:

repair flat ems4

Parts

Quantity

NO PARTS USED

Vendor?: *

Workorder: V19529

In Date: 12/04/2008

Meter Reading: 95,048.20

Close Date: 01/05/2009

Problem?

REPLACE BLOWER MOTOR EMS-4

Task performed:

Installed new heater fan control switch. j

Parts

Quantity

1L2Z19986AABLOWER SWITCH

1

4C2Z19A706AARESISTOR ASY

1

XC3Z19805CABLOWER MOTOR

1

Workorder: V20080

In Date: 01/02/2009

Meter Reading: 97,639.70

Close Date: 02/04/2009

Problem?

replace missing hubcap EMS4

Task performed:

R/F wheel cover missing; isntalled new cover. j

Parts

Quantity

F81Z1A115AAWHEEL COVER

1



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V20718

In Date: 01/30/2009
Close Date: 02/27/2009

Meter Reading: 98,404.00

Problem?

b inspection and repairs as needed ems4

Task performed:

- B-Inspection & service.
- 2. Fnd wires at btry damaged; replcd terms & rep wiring.
- 3. Btry charger mnt brkn; rem charger, auto-eject & wiring; remnted charger; rewired & rep wiring; rep charger gauge; ck opn; ck ok.
- 4. Replc frnt brake pads; rem wheels, brake, calipers, brkts, pads, hub/rotor asy; cln/repacked brgs; R/R wheel seals/pads; reassembled all parts; test drove; ck ok.
- 6. Cab brake light out; R/R bulb; cld socket; ck opn; ck ok.
- 6. Maplight out; fnd bad brnd; rep grnd; ck light; ck ok.
- 7. Test drive; no power when cold; fnd truck shuts off when brakes are applied; hard starting when truck shutoff.
- 8. Hood won't stay open; R/R hood shocks; test drove; truck just back from Ford; tightened positive connection at btry. j

Parts

Quantity

15W40BSYN OIL BULK QTS	16
1C3Z-2001-BAMKD824 PAD FRONT F-350 SUPERDUTY	1
3C3Z6731AA57314 NEW 57312 OIL FILTER 6.0 DIESEL	1
3C3Z6750AADIP STICK F350 2005	1
3C3Z9N184CAWIX 33899 FUEL FILTER 6.0 DIESEL	1
516TIRE INFLATOR	1
91-22WIPER BLADE	2
E7TZ1S190BSEAL FR F350	2
F81Z-16C826-ABHOOD SHOCK F350	2
S448GAUGE TIRE TREAD DEPTH	1

Workorder: V20865

In Date: 02/04/2009
Close Date: 02/28/2009

Meter Reading: 98,404.00

Problem?

replace bad injector ems 4

Task performed:

Replace bad injector EMS4 - Al Packer j

Parts

Quantity

NO PARTS USED

Vendor?: AL PACKER

Workorder: V21088

In Date: 02/12/2009
Close Date: 02/28/2009

Meter Reading: 98,404.00

Problem?

REPLACE BAD WIRING HARNESS EMS 4

Task performed:

Replace bad wiring harness EMS4 - Al Packere Ford j

Parts

Quantity

NO PARTS USED

Vendor?: AL PACKER FR=ORD



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V21209

In Date: 02/19/2009
Close Date: 03/11/2009

Meter Reading: 98,404.00

Problem?

replace tires ems4

Task performed:

Replace tirest EMS4 - Callaghan j

Parts

Quantity

NO PARTS USED

Vendor?: CALLAGHAN

Workorder: V21499

In Date: 03/03/2009
Close Date: 03/16/2009

Meter Reading: 99,894.00

Problem?

batterys low ems 4

Task performed:

Chk start charging sys; slow cranking; all ok; poss loose connectin @ auto-eject. j

Parts

Quantity

NO PARTS USED

Workorder: V22683

In Date: 04/20/2009
Close Date: 04/27/2009

Meter Reading: 102,389.50

Problem?

HAND HELD FLASHLIGHT INOP, EMS-4

Task performed:

C/O ELL sys; ok; chk contacts; straighten out bulbss contacts; ok now charging. j

Parts

Quantity

NO PARTS USED

Workorder: V23055

In Date: 05/05/2009
Close Date: 05/13/2009

Meter Reading: 103,443.90

Problem?

replace wiper blades ems 4

Task performed:

Installed new wiper blades. j

Parts

Quantity

91-22WIPER BLADE

2



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V23249

In Date: 05/13/2009
Close Date: 05/13/2009

Meter Reading: 103,443.90

Problem?

tow unit to shop ems 4

Task performed:

Parts

Quantity

NO PARTS USED

Vendor?: SISTERS

Workorder: V23262

In Date: 05/13/2009
Close Date: 05/21/2009

Meter Reading: 103,443.90

Problem?

radiator leaking ems 4

Task performed:

Parts

Quantity

1. Drained rad; rem cowling, fan shroud, rad mnts, trans lines & rad; replcd rad; reinstalleall parts; filled rad; ran/ck for leaks; ck ok.
2. Replc coolant tank; replcd ank; reinstalled hoses. j

NO PARTS USED

Workorder: V23264

In Date: 05/13/2009
Close Date: 05/22/2009

Meter Reading: 103,443.90

Problem?

B INSPECTION AND REPAIRS AS NEEDED EMS 4

Task performed:

Parts

Quantity

1. B-insection (had no lifts).
2. Load test btry; both btrys bad; R/R (2) btrys; clnd term & cables; ck ok.
3. Replcd belt; rem fan/clutch, rad shroud on eng, belt, tension/idler pullesy; replcd belt, idler pullesy & tensioner; reinstalled all parts; ran/ck opn; ck ok.
4. Brake booster leaking; rem brake master cyl, booster, hoses, lines/fittings, brake pedal rod & stop light swtch; rem booster; replcd booster; reassembled; filled; ck for leaks; test drove; ck ok.
5. Weather strip on box falling off; reinstalled seal; ck ok
6. Cln work area. j

15W40BSYN OIL BULK QTS	12
3C2Z6B209AABELT TENSIONER	1
3C3Z6731AA57314 NEW 57312 OIL FILTER 6.0 DIESEL	1
3C3Z6766CAOIL FILTER CAP	1
3C3Z8678EBGROOVED TENSIONER SER TK	1
3C3Z9N184CAWIX 33899 FUEL FILTER 6.0 DIESEL	1
4C3Z8009BACPRADIATOR	1
5C7Z2005BHYDRO BOOSTER FOR F350 2001	1
65-72BXT65750 BATTERY	2
6C3Z8A080BTANK	1
7C3Z8678BBELT TENSIONER	1
BATTERY EPA TAX BATTERY EPA TAX \$1.50 PER BATTERY	2
F6DZ-8100-A9C3Z8101B RADIATOR CAP 10238 STANT	1



3/2/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V23666

In Date: 05/30/2009

Meter Reading: 104,433.00

Close Date: 06/24/2009

Problem?

EMS 4 vehicle smells like it is leaking coolant

Task performed:

Parts

Quantity

Chk for coolant smell; chk cooling sys ok; smell was from previous repair. j

NO PARTS USED

Workorder: V24426

In Date: 06/29/2009

Meter Reading: 104,806.00

Close Date: 07/10/2009

Problem?

GPS 10-7 EMS4

Task performed:

Parts

Quantity

GPS inop; blown fuse; installed new fuse. j

NO PARTS USED

Workorder: V25154

In Date: 07/29/2009

Meter Reading: 107,355.00

Close Date: 08/07/2009

Problem?

Auto eject loose and cover spring broken EMS4

Task performed:

Parts

Quantity

Auto eject loose & cover spring brkn; replc cover & drill/tap new threads. j

091-3YWCOVER KUSSMAUL AUTO EJECT

1

Workorder: V25651

In Date: 08/19/2009

Meter Reading: 107,355.00

Close Date: 08/26/2009

Problem?

*

Task performed:

Parts

Quantity

Refrigerator inop; 12V plug defective; replc 12V plug. j

NO PARTS USED



3/2/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V26554

In Date: 09/30/2009
Close Date: 10/06/2009

Meter Reading: 110,550.00

Problem?

B inspection and repairs ems 4

Task performed:

B-Service j

Parts

Quantity

3C3Z6731AA57314 NEW 57312 OIL FILTER 6.0 DIESEL

1

3C3Z9N184CAWIX 33899 FUEL FILTER 6.0 DIESEL

1

Workorder: V26556

In Date: 09/30/2009
Close Date: 10/08/2009

Meter Reading: 110,550.00

Problem?

check and repair brakes as needed ems 4

Task performed:

- 1. R/R brakes front;rear.
- 2. R/R frnt & rear brakes; R/R frnt rotors. j

Parts

Quantity

1C3Z-2001-BAMKD824 PAD FRONT F-350 SUPERDUTY

1

3C3Z1102CAFRONT ROTORS F350

2

E7TZ1S190BSEAL FR F350

2

YC3Z-2200-AAMKD757 PAD BRAKE F-350 REAR

1

Workorder: V25957

In Date: 09/01/2009
Close Date: 10/15/2009

Meter Reading: 107,355.00

Problem?

tow unit to al packer ford

Task performed:

Tow unit to Al Packer Ford j

Parts

Quantity

NO PARTS USED

Vendor?: SISTERS TOWING

Workorder: V26579

In Date: 09/30/2009
Close Date: 11/16/2009

Meter Reading: 110,550.00

Problem?

repair flat tire callaghan

Task performed:

Repair flat tire - Callaghan j

Parts

Quantity

NO PARTS USED

Vendor?: CALLAGHAN



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V27881

In Date: 11/23/2009
Close Date: 12/10/2009

Meter Reading: 112,117.00

Problem?

engine missfire when cold-hard warmup EMS4 (outside agency-al packer ford)

Task performed:

Eng missfire when cold-hard warmup EMS4 - Al Packer
j

Parts

NO PARTS USED

Quantity

Vendor?: AL PACKER

Workorder: V28523

In Date: 12/22/2009
Close Date: 01/05/2010

Meter Reading: 114,468.00

Problem?

NO START EMS 4 @ ST44

Task performed:

Tested btry-NG; replc; need to chk & see if hi-output alt
has been installed. j

Parts

65-72BXT65750 BATTERY

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

Quantity

1

1

Workorder: V28466

In Date: 12/18/2009
Close Date: 01/06/2010

Meter Reading: 114,468.00

Problem?

NO START EMS 4 @ ST44

Task performed:

No start @ Stn44; dead btrys; charged/tested btrys;
were ok; chk charging sys & all grnds/connections all
ok. j

Parts

NO PARTS USED

Quantity

Workorder: V28628

In Date: 12/28/2009
Close Date: 01/08/2010

Meter Reading: 114,468.00

Problem?

L-2 COMPARTMENT WEATHER STRIP FALLING OFF

Task performed:

L-2 compt weatherstrip fall off; reinstalled weatherstrip.
j

Parts

NO PARTS USED

Quantity



3/2/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V28681

In Date: 12/29/2009
Close Date: 01/12/2010

Meter Reading: 114,468.00

Problem?

Shoreline charger inop EMS4

Task performed:

Parts

Quantity

1. Shoreline charger inop-blown fuse; auto-eject hanging up; replc blown fuse; clnd/lubed terms; installed inline fuses to btrys.
2. TIC charger inop; replcd charger. j

NO PARTS USED

Workorder: V29443

In Date: 01/26/2010
Close Date: 01/29/2010

Meter Reading: 116,043.10

Problem?

L/Front WHEEL COVER MISSING, EMS-4

Task performed:

Parts

Quantity

WHEEL COVER WAS IN STOCK AS DNI PER ED WOODLAND

NO PARTS USED

Install L/frnt wheel cover. j

Workorder: V28711

In Date: 12/30/2009
Close Date: 02/22/2010

Meter Reading:

Problem?

Shore line to charge EMS 4 not charging. Already fixed by John at Station 42 This put in per your request.

Task performed:

Parts

Quantity

Traced out problem; fnd bad grnd. j

NO PARTS USED

Workorder: V30169

In Date: 02/23/2010
Close Date: 02/23/2010

Meter Reading: 118,577.00

Problem?

B inspection and repairs EMS4 (performed by-al packer ford)

Task performed:

Parts

Quantity

B inspection performed by al packer ford

NO PARTS USED



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V30051

In Date: 02/18/2010 Meter Reading: 117,998.00
Close Date: 03/03/2010

Problem?

B inspection and repairs EMS4 (outside agency-al packer ford)

Task performed:	Parts	Quantity
B-Inspection/repairs - Al Packer j	NO PARTS USED	

Vendor?: AL PACKER

Workorder: V30168

In Date: 02/23/2010 Meter Reading: 118,577.00
Close Date: 03/19/2010

Problem?

replace all tires EMS4 (outside agency-callaghan tire)

Task performed:	Parts	Quantity
Replc all tires EMS4 - Callaghan j	NO PARTS USED	

Vendor?: CALLAGHAN

Workorder: V31295

In Date: 04/06/2010 Meter Reading: 119,566.70
Close Date: 04/28/2010

Problem?

BATTERYYS DEAD EMS 4

Task performed:	Parts	Quantity
Chk btrys; driver stated will not start; replc both btrys; chk charging sys; ok. j	65-72BXT65750 BATTERY	2
	BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	2

Workorder: V31305

In Date: 04/06/2010 Meter Reading: 119,566.70
Close Date: 04/28/2010

Problem?

landline charger lights bar not lighting on back of vehicle EMS4

Task performed:	Parts	Quantity
Chk btry charger - NG; replc charger; test ok; charge btrys. j	091-39-INDAUTO CHARGER INDICATOR	1
	0913912CHARGER 2000	1



3/2/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142566

* TRUCK EMS OR RESCUE CAPTAIN VEHICLE

Workorder: V32133

In Date: 05/10/2010
Close Date: 05/19/2010

Meter Reading: 121,825.00

Problem?

A inspection and repairs (spare ems)

Task performed:

A-Inspection j

Parts

NO PARTS USED

Quantity

Workorder: V32116

In Date: 05/10/2010
Close Date: 05/21/2010

Meter Reading: 121,825.00

Problem?

Check out switch inside truck for emergency lights loose/inop. EMS 4

Task performed:

C/O lites pull switch box; fnd switch bolts msng; go get screws out of old siren head & replc screws in head & switch; retest sys - ok. j

Parts

NO PARTS USED

Quantity

Workorder: V32403

In Date: 05/24/2010
Close Date: 06/02/2010

Meter Reading: 121,825.00

Problem?

A inspection and repairs (from 57)

Task performed:

1. A-Inspection
2. install front/rear breaks.
3. Install front caliper, left & right.
4. Replc bulb in right marker light. j

Parts

BRC76RMFRONT CALIPERS F350 1
 BRC77RMFRONT CALIPER F350 1
 MX756FRONT BRAKE PADS 1
 YC3Z-2200-AAMKD757 PAD BRAKE F-350 REAR 1

Quantity

Workorder: V33133

In Date: 06/25/2010
Close Date: 06/28/2010

Meter Reading: 121,825.00

Problem?

A inspection and repairs (from 57)

Task performed:

A-Inspection; add P/S fluid & coolant; adj tire press. j

Parts

NO PARTS USED

Quantity



3/2/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V33730

In Date: 07/22/2010
Close Date: 07/26/2010

Meter Reading: 122,820.00

Problem?

A inspection and repairs (from 19)

Task performed:

Road test - A-Inspection j

Parts

NO PARTS USED

Quantity

Workorder: V33893

In Date: 07/29/2010
Close Date: 08/16/2010

Meter Reading: 114,468.00

Problem?

adjust misc. brackets, 1 emergency light out EMS10

Task performed:

1. Rem brckt & adj it; reinstall.
2. Fnd bad wig wag module; R/R wigwag module.
3. In stall modem - Reines. ja

Parts

030126FLASHER SHO-ME

1

Quantity

Workorder: V34083

In Date: 08/06/2010
Close Date: 08/26/2010

Meter Reading: 122,848.00

Problem?

A inspection and repairs (from 23)

Task performed:

A-Inspection - NPF ja

Parts

NO PARTS USED

Quantity

Workorder: V34881

In Date: 09/11/2010
Close Date: 09/27/2010

Meter Reading: 122,924.00

Problem?

The refrigerator and garmin do not work. There is no power to the cigarette lighter outlets. mechanic is here and working on it. EM

Task performed:

Fridge inop & power points inop; fnd blown fuses at fuse panel & center console. j

Parts

NO PARTS USED

Quantity



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V35028

In Date: 09/17/2010
Close Date: 09/27/2010

Meter Reading: 123,310.00

Problem?

A inspection and repairs (from 91)

Task performed:

A-Inspection - road test. j

Parts

Quantity

NO PARTS USED

Workorder: V34669

In Date: 09/01/2010
Close Date: 09/29/2010

Meter Reading: 122,830.00

Problem?

B inspection and repairs (outside agency-al packer ford)

Task performed:

B-Inspection/repairs - Al Packer j

Parts

Quantity

NO PARTS USED

Vendor?: AL PACKER

Workorder: V36045

In Date: 10/30/2010
Close Date: 11/05/2010

Meter Reading: 124,220.10

Problem?

Battery #2 appears to be dead, it is not charging when plugged into the shoreline. This is causing the MDC modem to reset when the vehicle is started. Sta 73

Task performed:

(1) TRAVELED TO ST73 TO CHECK EMS7 VEHICLE FOR STARTING SLOW. CHECKED BATTERIES. REMOVED AND INSTALLED TWO NEW BATTERIES THAT WAS NEEDED DUE TO THE OLD ONES TESTING BAD. ENGINE STARTED AS SHOULD AND CHARGING WAS WNL. SHORELINE CHARGING SYSTEM CHECKED OUT OK ALSO. J.W.

Parts

Quantity

65-72BXT65750 BATTERY

2

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

2



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V34871

In Date: 09/10/2010 Meter Reading: 122,924.00
Close Date: 12/22/2010

Problem?

SHORELINE EJECTOR NOT EJECTING ems 3

Task performed:

- inspect auto eject, found bad auto eject, old style, had to return to shop for proper auto eject
- return to install auto eject in ems3 , check ok, after installation. jab

Parts	Quantity
091-20WP-120AUTO EJECT	1
0915520120AUTO EJECT 20 AERO OTL3925	1

Workorder: V37124

In Date: 12/13/2010 Meter Reading: 123,310.00
Close Date: 12/22/2010

Problem?

A inspection and repairs (from 23)

Task performed:

- "A" INSPECTION AND REPAIRS AS NEEDED.
J.W.

Parts	Quantity
NO PARTS USED	

Workorder: V37281

In Date: 12/20/2010 Meter Reading: 124,994.00
Close Date: 01/10/2011

Problem?

FRIDGE 10-7 EMS 3 ON CALL

Task performed:

- Fridge power good; fridge motor burned up; came to shop to look for spare; cld not locate. j

Parts	Quantity
NO PARTS USED	

Workorder: V37280

In Date: 12/20/2010 Meter Reading: 124,994.00
Close Date: 01/11/2011

Problem?

FRIDGE 10-7 EMS 3

Task performed:

- Swapped out fridge. j

Parts	Quantity
NO PARTS USED	



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V38693

In Date: 02/22/2011 Meter Reading: 126,619.00
Close Date: 02/28/2011

Problem?

ON CALL SHORELINE 10-7 EMS 9

Task performed:

Parts

Quantity

Shoreline inop - fuse holder melted; rep wiring; test start
- chg sys - ok. j

NO PARTS USED

Workorder: V40323

In Date: 05/02/2011 Meter Reading: 128,404.00
Close Date: 05/11/2011

Problem?

A inspection.

Task performed:

Parts

Quantity

A-Inspection j

NO PARTS USED

Workorder: V40401

In Date: 05/04/2011 Meter Reading: 128,417.00
Close Date: 05/16/2011

Problem?

B inspection

Task performed:

Parts

Quantity

B-Inspection - Oil Change Svc j

NO PARTS USED

Vendor?: OIL CHANGE SVC

Workorder: V43915

In Date: 09/26/2011 Meter Reading: 129,972.00
Close Date: 09/26/2011

Problem?

replace light bulbs in light bar.

Task performed:

Parts

Quantity

replaced two strobe lights in cab roof light bar (burnt out)

9UTUBELINEAR REF CORNER

2



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V44140

In Date: 10/04/2011
Close Date: 10/05/2011

Meter Reading: 130,435.00

Problem?

replace rear tire

Task performed:

Parts

Quantity

Replc rear tire - Boulevard j

NO PARTS USED

Vendor?: BOULEVARD

Workorder: V45169

In Date: 11/14/2011
Close Date: 12/02/2011

Meter Reading:

Problem?

FUEL GAUGE NOT OPERATING PROPERLY. WHEN LEAVING SHOP WITH THIS UNIT, GAUGE SHOWED 1/8 OF A TANK. 13 GALLONS ADDED, GAUAGE WENT TO FULL. NOT A PRIORITY, NOTIFICATION FOR WHEN THIS TRUCK RETURNS TO SH SEMS AT 28

Task performed:

Parts

Quantity

TRAVEL TO 28 TRUCK AT SHOP

NO PARTS USED

Workorder: V45886

In Date: 12/15/2011
Close Date: 12/15/2011

Meter Reading: 130,976.00

Problem?

B inspection. Al Packer

Task performed:

Parts

Quantity

B inspection, oil and filter change, replaced front shocks, replaced r swaybar bushings, wiper blades, replaced broken fuel cap-oil cap and dipstick

NO PARTS USED

CLOSED - PLEASE FILE.

Vendor?: AL PACKER



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V47062

In Date: 02/03/2012
Close Date: 02/15/2012

Meter Reading: 131,174.00

Problem?

A inspection.

Task performed:

1. A INSPECTION.
2. HAD TO R&R REAR WHEEL COVERS - INSTALLED WRONG CAN'T CHECK TIRE PRESSURES.
3. INFLATE 6 TIRES TO CORRECT PRESSURE.
4. MIX AND FILL WASHER RESERVOIR.
5. CAN'T SEE BRAKE PADS THROUGH WHEEL OR BACK SIDE. R&R WHEEL TO CHECK FRONT BRAKE LININGS.
6. R&R CYCLOPS BRAKE LIGHT - HAS PROVISION FOR 3 BULBS BUT ONLY ONE INSTALLED. BULB SOCKETS AND WIRING FOR OTHER TWO MISSING.
7. WIRES HANGING IN COMPT. R/3 ATTACH WIRE CLAMPS TO SURFACE - SECURE HARNESS.
8. 3 COMPT DOORS HARD TO CLOSE - HAD 2 CUT AND SECURE WEATHER STRIP ON 2 OF THEM. INTERFERES WITH LATCH LUBE AND ADJ. 3 LATCHES AND STRIKERS.
9. REMOVE COMPT. WEATHER STRIP SQUEEZE GRIP EDGE CLOSED - REINSTALL WEATHER STRIP.

Parts

Quantity

NO PARTS USED

Workorder: V47137

In Date: 02/06/2012
Close Date: 02/28/2012

Meter Reading: 131,507.20

Problem?

EMS1 fuel cap and charger

Task performed:

1. REPLACED FUEL CAP. CHARGER WORKS WITH WEIGHT OF CORD OFF PLUG. PLUG WORKS OK ON OTHER VEHICLES NEED TO REPLACE AUTO EJECT. TRAVEL AND WAIT FOR CAPTAIN.
2. INSTALLED NEW AUTO EJECT CHECKED OK.

Parts

Quantity

091-20WP-120AUTO EJECT
F4TZ9030C FUEL CAP

1
1



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V49138

In Date: 05/07/2012
Close Date: 05/10/2012

Meter Reading: 132,692.00

Problem?

A INSPECTION

Task performed:

1. A-INSPECTION.
2. R&R L/R WHEEL COVER CHECK AND ADJUST RIRE PRESSURES.
3. R&R LENS R&R BULB ON CAB CENTER ROOF MARKER LIGHT.
4. R&R FRONT BRAKE PADS.

Parts

Quantity

1C3Z-2001-BAMKD824 PAD FRONT F-350 SUPERDUTY

1

Workorder: V49543

In Date: 05/22/2012
Close Date: 05/31/2012

Meter Reading: 133,529.60

Problem?

slide out tray stuck out EMS 1

Task performed:

DISASSEMBLE S LIDING TRAY - REMOVE BENT PIN - STRAIGHTEN OUT PIN AND REASSEMBLE AND LOCKING PIN BROKEN NEED TO BE REPLACE.

Parts

Quantity

NO PARTS USED

Workorder: V49767

In Date: 05/31/2012
Close Date: 06/06/2012

Meter Reading: 133,725.00

Problem?

REPAIR PULL OUT TRAY

Task performed:

INSPECT PULL OUT TRAY LOCK CABLES AND ORDER NEW CABLES.

Parts

Quantity

NO PARTS USED

Workorder: V49968

In Date: 06/07/2012
Close Date: 06/08/2012

Meter Reading: 133,725.00

Problem?

REPAIR WIRING FOR FRIDGE

Task performed:

FRIDGE INOP/FUSE BLOWN/REPLACED FUSE BEHIND PANEL AND WIRE IN FRIDGE.

Parts

Quantity

NO PARTS USED



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V50441

In Date: 05/31/2012
Close Date: 08/09/2012

Meter Reading: 133,725.00

Problem?

REPAIR PULL OUT TRAY

Task performed:

ORDERED PARTS.

Parts

NO PARTS USED

Quantity

Workorder: V51331

In Date: 08/02/2012
Close Date: 09/11/2012

Meter Reading: 136,366.20

Problem?

EMS2 VEHICLE WILL NOT START

Task performed:

NO START/BATTERY BAD/CHARGE AND TEST
BATTERIES FAILED REPLACED BATTERIES.

Parts

65-72BXT65750 BATTERY

BATTERY EPA TAX BATTERY EPA TAX \$1.50 PER BATTERY

2

2

Quantity

Workorder: V52300

In Date: 09/11/2012
Close Date: 09/11/2012

Meter Reading: 137,163.00

Problem?

B inspection

Task performed:

multi point inspection
oil and filter change
Vendor?: AL PACKER

Parts

NO PARTS USED

Quantity

Workorder: V51891

In Date: 08/27/2012
Close Date: 09/12/2012

Meter Reading: 137,046.50

Problem?

A INSPECTION

Task performed:

1. A INSP R&R REAR WHEEL COVERS TO CHK TIRE
PRESSURES FILL WASHER RESEVOIR.
2. SEARCHED PARTS DEPT FOR A LATCH THAT ONLY
FIT FLOOR COMPT IN CAB- NONE IN STOCK.

Parts

KSMA2124703QFRONTBRAKE KIT RUMPER AND 4DR RE

2

Quantity



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V51908

In Date: 08/27/2012 Meter Reading: 137,046.50
Close Date: 10/01/2012

Problem?
FRONT TIRES AND ALIGNMENT

Task performed:	Parts	Quantity
FRONT TIRES AND ALIGNMENT.	NO PARTS USED	

Vendor?: CALLAGHAN TIRE

Workorder: V56676

In Date: 03/27/2013 Meter Reading: 54,505.00
Close Date: 04/08/2013

Problem?
install new hitch for foam trailer at 68

Task performed:	Parts	Quantity
TRAVELED TO 68 INSTALLED HITCH AND ADJUSTEI	TS10037BRECEIVER HITCH B&W TOW & STOW	1

Workorder: V57039

In Date: 04/15/2013 Meter Reading: 54,505.00
Close Date: 04/16/2013

Problem?
dead battery

Task performed:	Parts	Quantity
TRAVEL TO HEAD QUARTERS JUMP OFF TRUCK TOLD TRAINING TO PLUG IN TRUCK.	NO PARTS USED	

Workorder: V57606

In Date: 05/09/2013 Meter Reading: 54,505.00
Close Date: 05/09/2013

Problem?
Fill foam trailer with new foam

Task performed:	Parts	Quantity
1. REMOVE EMPTY FOAM CONTAINERS AND LOAD FULL CONTAINERS ON TRAILER. FUEL FORK LIFT. 2. REMOVE EMPTY CONTAINERS PER TRAILER INSTALLED NEW ONE ON MOUNT DOWN GO TO MAKO GET PALLY TANK VALVE ADAPT TO MONT HOSES ON NEW TRUCK.	436808HOSE & FITTINGS	1



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V59045

In Date: 07/12/2013
Close Date: 07/19/2013

Meter Reading: 137,438.20

Problem?

Coolant leak

Task performed:

- CHECKED FOR COOLANT LEAK FOUND HOSE FROM RESERVOIRS TO ENGINE LEAK WILL ORDER HOSE.
- TRAVEL TO 68 DRAINED COOLANT REMOVED AIR INTAKE SYSTEM AND TURBO FEED LINE REPLACED HOSE AND REINSTALLED PARTS FILLED COOLANT OK.

Parts

Quantity

3C3Z8075AEHOSE ASSY SURGE TANK

1

Workorder: V59160

In Date: 07/17/2013
Close Date: 07/19/2013

Meter Reading: 137,438.20

Problem?

L turn light is out on Foam 68

Task performed:

REPLACED SIGNAL LIGHT BULB.

Parts

Quantity

1157BULB

2

Workorder: V61627

In Date: 10/29/2013
Close Date: 10/30/2013

Meter Reading: 137,438.20

Problem?

B-inspection

Task performed:

Parts

Quantity

NO PARTS USED

Workorder: V67826

In Date: 07/11/2014
Close Date: 07/14/2014

Meter Reading: 137,438.20

Problem?

Batteries dead

Task performed:

Get batteries an drive to Station 23 . Check batteries. Remove and replace batteries. Test for operation is good now also check tic. charger found bad content. Omit repair is ok.

Parts

Quantity

65-72BXT65750 BATTERY

2

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

2



3/2/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V67103

In Date: 06/10/2014

Meter Reading:

Close Date: 07/16/2014

Problem?

The shore line charger does not appear to be working. There are no lights on when the unit is plugged in.

Task performed:

Parts

Quantity

repairs complete on ticket v67826.

NO PARTS USED

Workorder: V68394

In Date: 08/04/2014

Meter Reading: 137,523.00

Close Date: 08/05/2014

Problem?

B-inspection

Task performed:

Parts

Quantity

B-inspection

R&R front calipers,hoses,rotors,pads

Vendor?: AL PACKER

NO PARTS USED

Workorder: V70754

In Date: 11/06/2014

Meter Reading:

Close Date: 12/02/2014

Problem?

SEMS2 is located at st 48 when plugged into shore line it is not charging.

Task performed:

Parts

Quantity

Replaced charger gauge for 110 charger and tested (dni

NO PARTS USED

Workorder: V70777

In Date: 11/07/2014

Meter Reading:

Close Date: 12/02/2014

Problem?

District Captain 4 vehicle not charging with shoreline. Facilities was out and the shoreline is working properly, but the AUTO EJEC outlet on rear on vehicle is bad, needs to be replaced

Task performed:

Parts

Quantity

1. Traced out problem with charger found unit working and charging at 13.2

2. Repaired rear door latch that was hard to open

NO PARTS USED



3/2/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142566

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V72804

In Date: 02/05/2015

Meter Reading: 138,664.30

Close Date: 02/11/2015

Problem?

WONT START EMS 48

Task performed:

No start. Removed batteries and replaced.

Parts

Quantity

65-72BXT65750 BATTERY

2

BATTERY EPA TAX BATTERY EPA TAX \$1.50 PER BATTERY

2



Palm Beach County Fire Rescue Fleet Maintenance Asset History

Asset: (10142566) 2003 - FORD F350 Ems48

10142566

CSHOP-2015-535

Comments: **B-INSPECTION EMS48 FUEL FILTER WIPER BLADES**

Date Opened 5-8-2015 Date Finished 5-8-2015 Meter 1 Reading: 139,472

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2015-947

Comments: **CAP 48 - NO POWER TO FRIDGE**

Date Opened 6-2-2015 Date Finished 6-29-2015 Meter 1 Reading: 139,480

TASKS PERFORMED

Q PARTS

ELECTRICAL

1 POWER POINT FORD
1 SOCKET POWER POINT

CSHOP-2016-1150

Comments: **CAP 48**

Date Opened 3-10-2016 Date Finished 3-20-2016 Meter 1 Reading: 140,845

TASKS PERFORMED

Q PARTS

TRAVEL TO BE CHARGED TO WORK ORDER
CHARGING SYSTEM

2 BATTERY; BXT65750 BATTERY
2 BATTERY; BATTERY EPA TAX \$1.50 PER BATTERY

Service Requests:

03/09/2016 ENGINE / 19: LOOSE / REPAIR
ENGINE WONT START, PUT ON CHARGER MULTIPLE TIMES, STILL WONT CHARGE OR START.

Asset Work Order History 10142566

CSHOP-2016-1836

Comments: EMS48 DEAD

Date Opened 4-19-2016 Date Finished 4-26-2016 Meter 1 Reading: 140,909

TASKS PERFORMED

Q PARTS

TRAVEL TO BE CHARGED TO WORK ORDER
DIAGNOSE ELECTRICAL

1 BATTERY; BATTERY EPA TAX \$1.50 PER BATTERY
1 BATTERY; BATTERY
1 CHARGER; CHARGER 2000

Service Requests:

04/19/2016 SERVICE REQUEST / 19: LOOSE / C
EMS48 HAS DEAD BATTERIES.

04/19/2016 LIGHTS / 19: LOOSE / REPAIR
PASSENGER SIDE REAR BRAKE LIGHT NOT WORKING.

CSHOP-2016-1971

Comments: B SERVICE

Date Opened 4-26-2016 Date Finished 4-26-2016 Meter 1 Reading: 140,909

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2016-2013

Comments: CHECK BATTERIES FOR DRAW

Date Opened 4-28-2016 Date Finished 4-28-2016 Meter 1 Reading: 140,915

TASKS PERFORMED

Q PARTS

BATTERY
FUSE

1 FUSE HOLDER

CSHOP-2017-1027

Date Opened 2-17-2017 Date Finished 2-17-2017 Meter 1 Reading: 143,081

TASKS PERFORMED

NO PARTS USED

DOOR

VENDOR? AL PACKER

Asset Work Order History 10142566

CSHOP-2017-1352

Date Opened 3-6-2017 Date Finished 4-4-2017 Meter 1 Reading: 143,081

TASKS PERFORMED

Q PARTS

CAB-INTERIOR ACCESSORIES

1 9ME; AIR BRACKETS

Service Requests:

03/03/2017 SERVICE REQUEST / 18: LEAKING / REPAIR
SERVICE REQUEST ----- PER CHIEF MCGLYNN, WE WOULD LIKE TO INSTALL AN SCBA HOLDING MOUNT TO THE LEFT OR RIGHT SIDE (REAR) ROLL-OUT PAD OF BC48 VEHICLE AT STATION 48. CURRENTLY THEY ARE KEEPING IT IN THE BACK SEAT OF THEIR TRUCK. THANK YOU. I'LL BE HERE ON MONDAY IF YOU HAVE ANY QUESTIONS. THANKS, CHAD BARTON EMS42B. 307-8147.

CSHOP-2017-3394

Date Opened 6-8-2017 Date Finished 6-8-2017 Meter 1 Reading: 143,887

TASKS PERFORMED

NO PARTS USED

ELECTRICAL

Service Requests:

06/08/2017 ENGINE / 18: LEAKING / REPAIR
ENGINE, TRUCK WILL NOT START, JUST CLICKS WHEN THE KEY IS TURNED. TRUCK CURRENTLY HOOKED UP TO STATION'S PORTABLE CHARGER/JUMPER

CSHOP-2017-4577

Date Opened 8-8-2017 Date Finished 8-8-2017 Meter 1 Reading: 143,972

TASKS PERFORMED

Q PARTS

CRANKING SYSTEM

2 1AD; BATTERY 65 SEVERE DUTY

CSHOP-2017-5001

Date Opened 8-25-2017 Date Finished 9-9-2017 Meter 1 Reading: 144,086

TASKS PERFORMED

NO PARTS USED

DIAGNOSE ELECTRICAL

Service Requests:

08/25/2017 SERVICE REQUEST / 18: LEAKING / REPAIR
CHARGING OUTLET NOT KEEPING TRUCK CHARGED.

CSHOP-2017-5328

Date Opened 9-14-2017 Date Finished 9-27-2017 Meter 1 Reading: 144,299

TASKS PERFORMED

Q PARTS

STARTER
SHORELINE CHRAGER

1 NNE; NEW STARTER

Asset Work Order History 10142566

CSHOP-2017-5514

Comments: **USE A INSPECTION FORM**

Date Opened 9-22-2017 Date Finished 9-28-2017 Meter 1 Reading: 144,299

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

CSHOP-2017-5991

Date Opened 10-18-2017 Date Finished 10-19-2017 Meter 1 Reading: 144,429

TASKS PERFORMED

Q PARTS

CHARGING SYSTEM

2 NW; FUSE HOLDER
1 6KU; AUTO CHAGER AC2000 12V
2 BK; MAX-30 FUSE
2 BK; CBC-50B CIR BRKR
5 BK; MAX-40 FUSE PAC
1 1FD; ALTERNATOR
2 1AD; BATTERY 65 SEVERE DUTY

CSHOP-2017-6003

Date Opened 10-18-2017 Date Finished 10-19-2017 Meter 1 Reading: 144,299

TASKS PERFORMED

Q PARTS

STARTER

1 1FD; STARTER

CSHOP-2017-7109

Date Opened 12-13-2017 Date Finished 12-14-2017 Meter 1 Reading: 144,429

TASKS PERFORMED

Q PARTS

TRAVEL TO BE CHARGED TO WORK ORDER
LIGHTING SYSTEM

2 LMP; HALOGEN LAMP

Service Requests:

12/12/2017 HAZARD / 18: LEAKING / REPAIR
HAZARDOUS ISSUE POOR VISIBILITY AT NIGHT , VERY DIM HEAD LIGHTS, I HAVE TO USE THE HIGH BEAMS JUST TO BE ABLE TO SEE .

CSHOP-2017-7181

Date Opened 12-17-2017 Date Finished 12-19-2017 Meter 1 Reading: 145,178

TASKS PERFORMED

Q PARTS

BATTERY

2 1AD; BATTERY 65 SEVERE DUTY

Asset Work Order History 10142566

CSHOP-2017-7293

Date Opened 12-21-2017 Date Finished 12-22-2017 Meter 1 Reading: 145,309

TASKS PERFORMED

NO PARTS USED

TRAVEL TO BE CHARGED TO WORK ORDER
FAULT CODE

CSHOP-2017-7332

Comments: **TRUCK AT ST-16 CK FOR LOW POWER**

Date Opened 12-26-2017 Date Finished 12-28-2017 Meter 1 Reading: 145,630

TASKS PERFORMED

NO PARTS USED

ENGINE AND ACCESSORIES

CSHOP-2017-7417

Comments: **CK SIREN INOP**

Date Opened 12-29-2017 Date Finished 2-9-2018 Meter 1 Reading: 147,203

TASKS PERFORMED

Q PARTS

SIREN

1 1WL; CONTROL PNL
-1 1WL; Q-SIREN
1 1WL; Q-SIREN

CSHOP-2017-823

Date Opened 2-9-2017 Date Finished 2-9-2017 Meter 1 Reading: 143,003

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2017-907

Date Opened 2-13-2017 Date Finished 2-13-2017 Meter 1 Reading: 143,003

TASKS PERFORMED

NO PARTS USED

TIRE

VENDOR? DAN CALLAGHAN ENTERPRISES

CSHOP-2017-970

Comments: **BATTERIES**

Date Opened 2-16-2017 Date Finished 2-28-2017 Meter 1 Reading: 143,082

TASKS PERFORMED

Q PARTS

A INSPECTION
LIGHTING SYSTEM
BATTERY
CHARGING SYSTEM
WHEEL COVERS

1 LIGHT; 600 SERIES RED LED W/O FLANGE
1 BULB; LIGHT BULB
2 9IP; BXT65750 BATTERY
1 1FD; 1FD

Asset Work Order History 10142566

CSHOP-2018-1066

Date Opened 2-21-2018 Date Finished 2-21-2018 Meter 1 Reading: 147,348

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2018-1088

Date Opened 2-22-2018 Date Finished 2-22-2018 Meter 1 Reading: 147,348

TASKS PERFORMED

NO PARTS USED

BUMPER REAR

CSHOP-2018-1878

Date Opened 4-3-2018 Date Finished 4-3-2018 Meter 1 Reading: 147,499

TASKS PERFORMED

NO PARTS USED

ELECTRICAL

CSHOP-2018-3115

Date Opened 6-5-2018 Date Finished 6-5-2018 Meter 1 Reading: 147,833

TASKS PERFORMED

NO PARTS USED

WINDSHIELD

CSHOP-2018-5719

Date Opened 10-9-2018 Date Finished 10-9-2018 Meter 1 Reading: 148,451

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2018-5731

Date Opened 10-9-2018 Date Finished 10-15-2018 Meter 1 Reading: 148,481

TASKS PERFORMED

Q PARTS

STROBE LIGHTS

2 9IP; 4ELTUBE REFLECTOR ASSY.
1 9IP; 4ELTUBE REFLECTOR ASSY.
1 9IP; 68-1181363-5S LENS RED 64 SERIES

Asset Work Order History 10142566

CSHOP-2018-5920

Date Opened 10-18-2018 Date Finished 10-18-2018 Meter 1 Reading: 148,481

TASKS PERFORMED

NO PARTS USED

ELECTRICAL

CSHOP-2019-1363

Date Opened 3-13-2019 Date Finished 3-15-2019 Meter 1 Reading: 148,773

TASKS PERFORMED

Q PARTS

ELECTRICAL
BODY EXTERIOR

1 1AD; 65 SERIES BATTERY

Service Requests:

03/12/2019 STARTER / 18: LEAKING / REPAIR
VEHICLE WILL NOT START, DESPITE BEING PLUGGED IN THE SHORE LINE. THE GFI WHICH THE TRUCK IS USUALLY CONNECT TO IS NOT WORKING SO THE SHORELINE FROM DC48'S VEHICLE IS BEING USED TO CHARGE EMS 48'S WITHOUT SUCCESS. ON THE BATTERY INDICATOR, ONLY ONE BAR IS ILLUMINATED. THE GFI IS NEXT TO A SPRINKLER HEAD

CSHOP-2019-4567

Date Opened 8-27-2019 Date Finished 8-27-2019 Meter 1 Reading: 149,343

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

RADIO-2018-1101

Comments: DELIVERED PAGER AMP TO EMS48

Date Opened 10-16-2018 Date Finished 10-16-2018 Meter 1 Reading: 0

TASKS PERFORMED

NO PARTS USED

PAGER-GPS- MDC RELATED

Service Requests:

10/15/2018 RADIO / /
EMS 48 WAS AT THE SHOP TODAY AND WAS GIVEN A PAGER AMPLIFIER FOR EMS 48 QUARTERS BY THE RADIO SHOP.

SSHOP-2019-245

Date Opened 8-8-2019 Date Finished 8-8-2019 Meter 1 Reading: 148,773

TASKS PERFORMED

NO PARTS USED

TRANSMISSION
