



10/27/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10174222

SUBURBAN LS FULLSIZE 4X4 SUV

Workorder: V12415

In Date: 01/07/2008
Close Date: 01/17/2008

Meter Reading:

Problem?

clean headliner

Task performed:

Clean headliner - Central Auto Trim j

Parts

NO PARTS USED

Quantity

Vendor?: CENTRAL AUTO TRIM

Workorder: V13490

In Date: 02/25/2008
Close Date: 02/26/2008

Meter Reading: 1,664.00

Problem?

SIREN SPEAKER BRAKET BROKEN DC2

Task performed:

1. Make bracket for siren, broken off

Parts

NO PARTS USED

Quantity

Workorder: V14151

In Date: 03/28/2008
Close Date: 04/02/2008

Meter Reading: 2,407.00

Problem?

install battery charger

Task performed:

1. Install battery charger and wire up system. Install cold cathode lights and wire up.
1A. Continued work on item in line 1 above

Parts

091-20WP-120AUTO EJECT

0913912CHARGER 2000

KR-CCLCATHODE COMPARTMENT LIGHT

1

1

2

Workorder: V14223

In Date: 04/01/2008
Close Date: 04/04/2008

Meter Reading: 2,407.00

Problem?

replace battery charger

Task performed:

1. check out charger not working , installed on 3-31-08. check wiring no power, found fuse blown on input side replaced and reinstalled.

Parts

NO PARTS USED

Quantity



10/27/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10174222

SUBURBAN LS FULLSIZE 4X4 SUV

Workorder: V13053

In Date: 02/05/2008
Close Date: 04/15/2008

Meter Reading: 136.00

Problem?

TINT FRONT WINDOWS DC-2

Task performed:

Tint front windows DC2 - 60 Minute Auto Tint

j

Parts

NO PARTS USED

Quantity

Vendor?: 60 MINUTE AUTO TINT

Workorder: V14705

In Date: 04/26/2008
Close Date: 04/28/2008

Meter Reading:

Problem?

Service 4 wheel drive message came on. DC2

Task performed:

1. found no problem when tested.

Parts

NO PARTS USED

Quantity

Workorder: V15111

In Date: 05/15/2008
Close Date: 06/17/2008

Meter Reading: 4,563.00

Problem?

headlight 10-7

Task performed:

1.drive to station, r/r head light. tested = ok

Parts

3U2Z14S411FKAAWIRE ASY

Quantity

1

Workorder: V15773

In Date: 06/16/2008
Close Date: 06/25/2008

Meter Reading: 6,664.00

Problem?

B inspection and repairs as needed dc 2

Task performed:

B-Inspection.

test drive, change oil/filter; replc air filter.

j

Parts

42487USE CA8756 AIR FILTER

57060OIL FILTER

Quantity

1

1



10/27/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10174222

SUBURBAN LS FULLSIZE 4X4 SUV

Workorder: V15929

In Date: 06/23/2008

Meter Reading: 6,664.00

Close Date: 08/12/2008

Problem?

INSTALL EQUIPMENT SET UP NEW VEHICLE DC-2

Task performed:

- 1. Set up new truck; wire up box. Murray
- 2. Set up new truck; wire up box. Vasko j

Parts

Quantity

5025TERMINAL BOX

1

PD2343BACKUP RADAR

1

Workorder: V17364

In Date: 08/28/2008

Meter Reading: 8,974.00

Close Date: 09/30/2008

Problem?

INSTALL HOLDERS FOR SCBA BOTTLES DC2

Task performed:

Install straps for SCBA bottles.

Parts

Quantity

NO PARTS USED

Workorder: V18444

In Date: 10/20/2008

Meter Reading: 11,636.00

Close Date: 11/18/2008

Problem?

B INSPECTION AND REPAIRS AS NEEDED DC2

Task performed:

Test drive, "B" inspection; change oil/filter. j

Parts

Quantity

57060OIL FILTER

1

5W30BENGINE OIL

6

Workorder: V19238

In Date: 11/21/2008

Meter Reading: 13,412.00

Close Date: 11/26/2008

Problem?

dead battery dc2

Task performed:

Drive to Stn; rem btry; go to parts store & get (1) installed; test charging sys; ok. j

Parts

Quantity

48-60BATTERY

1

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

1



10/27/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10174222

SUBURBAN LS FULLSIZE 4X4 SUV

Workorder: V20358

In Date: 01/14/2009

Meter Reading: 15,480.00

Close Date: 02/04/2009

Problem?

won't start at station 28 (D/C2)

Task performed:

1- Drive to shop, get batt drive to sta replace batt check charging system replace plug test ok.

Parts

Quantity

48-60BATTERY

1

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

1

Workorder: V20475

In Date: 01/21/2009

Meter Reading: 15,480.00

Close Date: 02/04/2009

Problem?

no power to center console DC-2

Task performed:

1- drive to station 40, amp fuse blown, drive to congress auto replace blue on roof and test, found short under hood repaired test ok.

Parts

Quantity

NO PARTS USED

Workorder: V20691

In Date: 01/29/2009

Meter Reading: 16,665.00

Close Date: 02/06/2009

Problem?

install divider and diamond plate D/C 2

Task performed:

1. install divider behind seat; moveradios & wiring; install floor plate; fab shelf.
2. Installed shelf brackets & installed shelf in command cabinet. j

Parts

Quantity

NO PARTS USED

Workorder: V20779

In Date: 01/22/2009

Meter Reading: 16,665.00

Close Date: 02/06/2009

Problem?

order material for rear seat area

Task performed:

1. Order metal for floor plate & cut plate & stands for unit.
2. Cut up alum for stock order. j

Parts

Quantity

NO PARTS USED



10/27/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10174222

SUBURBAN LS FULLSIZE 4X4 SUV

Workorder: V21052

In Date: 02/11/2009

Meter Reading: 17,194.00

Close Date: 02/28/2009

Problem?

repair comp door dc2

Task performed:

rep cabinet door behind jump seat. j

Parts

Quantity

NO PARTS USED

Workorder: V21658

In Date: 03/09/2009

Meter Reading: 5,908.00

Close Date: 03/17/2009

Problem?

repair auto eject dc2

Task performed:

Drive to Stn; replcd auto-ejector. j

Parts

Quantity

091-20WP-120AUTO EJECT

1

Workorder: V22079

In Date: 03/25/2009

Meter Reading: 19,338.00

Close Date: 03/25/2009

Problem?

b inspection done at al packer dc

Task performed:

1 b inspection done at al packer

Parts

Quantity

NO PARTS USED

Workorder: V22078

In Date: 03/25/2009

Meter Reading: 19,338.00

Close Date: 04/14/2009

Problem?

b inspection dc2 al packer

Task performed:

B-inspection DC2 - Al Packer j

Parts

Quantity

NO PARTS USED

Vendor?: AL PACKER FORD



10/27/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10174222

SUBURBAN LS FULLSIZE 4X4 SUV

Workorder: V22587

In Date: 04/16/2009

Meter Reading:

Close Date: 04/24/2009

Problem?

Bottom Command Board Drawer stuck appears to be a bolt from the bottom has come partially out. D/C 2

Task performed:

Parts

Quantity

Bolt on rear of command cab worked loose & is holding drawer in lift cab; to cut old bolt ___ off; rem drawer & redrill cab base; replc hold down bolt. j

NO PARTS USED

Workorder: V25211

In Date: 07/31/2009

Meter Reading:

Close Date: 08/10/2009

Problem?

Elpex in to repair DC2 left rear. ATEC 22 notified. Need follow up due to valve stem computer gizmo not put back on making dash light warning appear.

Task performed:

Parts

Quantity

Drive to Stn; try to reset msgng sender; have Scott get w/Elpex to repair. j

NO PARTS USED

Workorder: V25333

In Date: 08/05/2009

Meter Reading: 26,317.00

Close Date: 08/18/2009

Problem?

tire pressure warning alarm on DC-2

Task performed:

Parts

Quantity

reset all tire pressures & recalibrate TPMS monitor. j

NO PARTS USED

Workorder: V25346

In Date: 08/06/2009

Meter Reading: 26,317.00

Close Date: 08/25/2009

Problem?

replace tire D/C2 (outside agency-tiresoles)

Task performed:

Parts

Quantity

Replc tires D/C2 - Tiresoles j

NO PARTS USED

Vendor?: TIRESOLES



10/27/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10174222

SUBURBAN LS FULLSIZE 4X4 SUV

Workorder: V26200

In Date: 09/11/2009

Meter Reading: 27,875.00

Close Date: 09/29/2009

Problem?

rear door won't open D/C2

Task performed:

Drive to Stn; rem old latch; dirve to shop get new one & installed; test ok. j

Parts

HA-24673LATCH

Quantity

2

Workorder: V26062

In Date: 09/04/2009

Meter Reading: 26,317.00

Close Date: 10/14/2009

Problem?

replace all 4 tires D/C2 (outside agency-callaghan tire)

Task performed:

Replcd all (4) tires DC2 - Callaghan j

Parts

NO PARTS USED

Quantity

Vendor?: CALLAGHAN

Workorder: V26009

In Date: 09/03/2009

Meter Reading: 26,317.00

Close Date: 10/15/2009

Problem?

B Inspection and repairs (al packer ford)

Task performed:

B-Inspection/repairs - Al Packer Ford j

Parts

NO PARTS USED

Quantity

Vendor?: AL PACKER FORD

Workorder: V28879

In Date: 01/06/2010

Meter Reading: 33,524.00

Close Date: 01/27/2010

Problem?

replace battery check charging system DC 2

Task performed:

R/R btry; cldn cables/terms; ran/ck charging sys; ck ok. j

Parts

48-60BATTERY

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

Quantity

1

1



10/27/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10174222

SUBURBAN LS FULLSIZE 4X4 SUV

Workorder: V29497

In Date: 01/28/2010
Close Date: 01/28/2010

Meter Reading: 34,676.00

Problem?

B inspection and repairs (performed by- al packer ford)

Task performed:

B inspection and repairs performed by al packer ford

Parts

NO PARTS USED

Quantity

Workorder: V29498

In Date: 01/28/2010
Close Date: 02/11/2010

Meter Reading: 34,676.00

Problem?

Add 2nd battery and wiring D/C2

Task performed:

Install 2nd btry & wire. j

Parts

14005061RETAINER BATTERY

15888242F-CABLE

48-60BATTERY

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

Quantity

1

1

1

1

Workorder: V29417

In Date: 01/25/2010
Close Date: 02/24/2010

Meter Reading: 26,317.00

Problem?

B inspection and repairs (outside agency- al packer ford)

Task performed:

B-Inspection/repairs - Al Packer j

Parts

NO PARTS USED

Quantity

Vendor?: AL PACKERS

Workorder: V26063

In Date: 09/04/2009
Close Date: 04/13/2010

Meter Reading: 26,317.00

Problem?

B inspection and repairs (work performed at al packer ford)

Task performed:

Parts

NO PARTS USED

Quantity



10/27/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10174222

SUBURBAN LS FULLSIZE 4X4 SUV

Workorder: V31655

In Date: 04/20/2010
Close Date: 04/27/2010

Meter Reading: 34,676.00

Problem?

backup alarm stays on until lights go out (see scott) face on drawer for cabinet loose D/C2

Task performed:

NPF j

Parts

Quantity

NO PARTS USED

Workorder: V31595

In Date: 04/16/2010
Close Date: 05/12/2010

Meter Reading: 40,018.00

Problem?

B inspection and repairs (outside agency-Shumacher buick)

Task performed:

B-Inspection/repairs j

Parts

Quantity

NO PARTS USED

Vendor?: SCHUMACHER

Workorder: V32173

In Date: 05/13/2010
Close Date: 05/20/2010

Meter Reading: 40,018.00

Problem?

repair comp in comand center DC2

Task performed:

Went to Stn28 from Stn18; fnd command center drawer falling apart; rem drawer; diss, glued, drilled drawer & rep slides; ck ok. j

Parts

Quantity

NO PARTS USED

Workorder: V32539

In Date: 06/01/2010
Close Date: 06/08/2010

Meter Reading: 41,127.00

Problem?

on call flat tire DC 2

Task performed:

Call tire o. on tire rep at 7:25 a.m.; was paged at 10-27a.m.; fnd tire co did not show up; went to Stn28; rem R/rear tire; rep tire; reinstalled & return home. j

Parts

Quantity

NO PARTS USED



10/27/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10174222

SUBURBAN LS FULLSIZE 4X4 SUV

Workorder: V32566

In Date: 06/01/2010
Close Date: 06/21/2010

Meter Reading: 41,127.00

Problem?

REPAIR FLAT TIRE DC2 BOULEVARD

Task performed:

Went to HQ; fnd throttle on pump panel inop; R/R throttle; ran/ck opn; ck ok. j

Parts

NO PARTS USED

Quantity

Repair flat tire DC2 - Boulevard j

Vendor?: BOULEVARD TIRE

Workorder: V32799

In Date: 06/10/2010
Close Date: 06/21/2010

Meter Reading: 41,127.00

Problem?

Check eng lt on fuel cap 10-7 Dc2 Part orderd

Task performed:

1. C/O eng light on - evap sys? cap on fuel tank neds replcd; ordern new cap.
2. Installed gas cap; ran/cleared codes; ck ok. j

Parts

2582733520915842 FUEL CAP SUBURBAN

Quantity

1

Workorder: V29160

In Date: 01/15/2010
Close Date: 07/14/2010

Meter Reading: 33,943.00

Problem?

need electrical parts for computer D/C 2 (parts only)

Task performed:

Verified job. j

Parts

54-870PL558-60 CIRCUIT BREAKER 60 AMP

Quantity

2

Workorder: V33083

In Date: 06/23/2010
Close Date: 07/21/2010

Meter Reading: 42,401.00

Problem?

repair coolant leak dc2

Task performed:

1. C/O coolant leak; cld not find leak; top off coolant; order rad cap; part ordered.
2. R/R cap; ck level; ck ok. j

Parts

13502353RAD CAP SUBURBAN 08

Quantity

1



10/27/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10174222

SUBURBAN LS FULLSIZE 4X4 SUV

Workorder: V34096

In Date: 08/06/2010

Meter Reading: 44,235.00

Close Date: 08/23/2010

Problem?

left alley light and 1 front bumper L.E.D. light 10-7

Task performed:

1. Replc frnt bumper LED warning light.
2. Alley light inop; dissem, replc bulb; chk/power; ck ___; replc wire harness.

Parts	Quantity
46-0763846-13LAMP HOLDER MR11	1
50R03ZCRLIGHT LED RED TIR 6	1
MR1135 WATT BULB	1

Workorder: V34052

In Date: 08/05/2010

Meter Reading: 44,345.00

Close Date: 09/10/2010

Problem?

B inspection and repairs (outside agency-Shumacher buick)

Task performed:

B-Inspection/repairs - Schumacher j

Parts	Quantity
NO PARTS USED	

Vendor?: SHUMACHER

Workorder: V33017

In Date: 06/20/2010

Meter Reading: 42,200.00

Close Date: 10/19/2010

Problem?

Check engine light is back on DC2

Task performed:

Completed j

Parts	Quantity
NO PARTS USED	

Workorder: V36163

In Date: 11/03/2010

Meter Reading: 48,834.00

Close Date: 11/16/2010

Problem?

B INSPECTION AND REPAIRS AS NEEDED DC 2

Task performed:

1. b service. jab

Parts	Quantity
15W40BSYN OIL BULK QTS	6
57060OIL FILTER	1
CA875642487 FILTER AIR	1



10/27/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10174222

SUBURBAN LS FULLSIZE 4X4 SUV

Workorder: V37097

In Date: 12/12/2010

Meter Reading: 50,747.00

Close Date: 12/22/2010

Problem?

PASSENGER SIDE RUMBLER SIREN ON DC2 IS BROKEN OFF OF ITS BASE, DRIVER SIDE RUMBLER STILL ATTACHED A WORKING PASSENGER SIDE REMOVED

Task performed:

(1) TRAVELED TO ST28 TO REPAIR DC2 RUMBLER. WAS NOT AT STATION.
(2) TRAVELED TO ST28 AGAIN TO REPAIR BUMBLER ON DC2 VEHICLE. R&R RUMBLER BRACKET AND REINSTALLED RUMBLER. OK. J.W.

Parts

Quantity

82831043-KCRADLE BRACKET

2

Workorder: V37398

In Date: 12/24/2010

Meter Reading: 51,822.00

Close Date: 01/10/2011

Problem?

"hot Engine" light on, A/C turned off - bad sending unit - reported to on call mechanic DC2

Task performed:

1. DC called while out on call for Squad 4; veh not overheating; DC to stay in veh until Mon morning.
2. C/O problem reported; FNP at this time; rem old crumbling loom; rem elect tape & chk wiring & connection - ok; repos wire harness, protect & secure; erase eng code. j

Parts

Quantity

NO PARTS USED

Workorder: V37211

In Date: 12/16/2010

Meter Reading: 51,259.00

Close Date: 01/11/2011

Problem?

replace tires TCI DC2

Task performed:

Replc tires DC2 - TCI j

Parts

Quantity

NO PARTS USED

Vendor?: TCI



10/27/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10174222

SUBURBAN LS FULLSIZE 4X4 SUV

Workorder: V37999

In Date: 01/24/2011

Meter Reading: 53,551.00

Close Date: 01/28/2011

Problem?

Left front rumbler broke off from brackett. Needs to be remounted. DC 2

Task performed:

(1) TRAVELED TO ST-28 TO REPAIR THE RUMBLE ON DC2 VEHICLE. FOUND THE BRACKET BROKEN. REPLACED WITH A NEW BRACKET. J.W.

Parts

Quantity

82831043-KCRADLE BRACKET

1

CV1C05RB-CVIC05 RUMBLER MOUNT KIT

1

Z82831062ABAND RUMBLER

1

Workorder: V38430

In Date: 02/10/2011

Meter Reading: 55,058.00

Close Date: 02/18/2011

Problem?

B inspection and repairs D/C 2

Task performed:

B-Inspection; top off washer bluid, P/S fluid & coolant; press chk cooling sys - ok.
2. Svc btrys. j

Parts

Quantity

15W40BSYN OIL BULK QTS

5

57060OIL FILTER

1

Workorder: V39669

In Date: 04/04/2011

Meter Reading: 58,245.00

Close Date: 04/13/2011

Problem?

The right bracket that holds the brush guard on is cracked. The right side of the brush guard is very loose DC2

Task performed:

travel to 28; inspected/ordered bracket for bush bar.
j

Parts

Quantity

NO PARTS USED

Workorder: V40251

In Date: 04/29/2011

Meter Reading: 59,729.00

Close Date: 05/02/2011

Problem?

Won't shift out of four wheel drive. Sta 28.

Task performed:

Enroute to CS; call got cancelled; DC was able to get veh out of 4-wheel drive. j

Parts

Quantity

NO PARTS USED



10/27/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10174222

SUBURBAN LS FULLSIZE 4X4 SUV

Workorder: V41208

In Date: 06/08/2011

Meter Reading: 61,552.00

Close Date: 06/14/2011

Problem?

SCBA bracket is broken

Task performed:

1. Short test drive; chk lights & in general quick check over.
2. Mnt SCBA brkt in rear compt.
3. Replc bulb in light bar (R/side alley light). j

Parts

MR1135 WATT BULB

Quantity

1

Workorder: V41068

In Date: 06/02/2011

Meter Reading: 61,320.00

Close Date: 06/15/2011

Problem?

B Inspection at Roger Dean

Task performed:

B-Inspection - Roger Dean j

Parts

NO PARTS USED

Quantity

Vendor?: ROGER DEAN

Workorder: V41609

In Date: 06/26/2011

Meter Reading: 61,947.00

Close Date: 06/30/2011

Problem?

Small air leakin left rear tire keeps loosing pressure. Pressure light light on dash display keeps coming on even though tire has been Refilled several times. Front driver door needs greasing. Makes noise when opened. DC2

Task performed:

Travel to 28; tire rep by tire co.; lube drivers door. j

Parts

NO PARTS USED

Quantity

Workorder: V41636

In Date: 06/27/2011

Meter Reading: 61,947.00

Close Date: 07/08/2011

Problem?

REPAIR FLAT TIRE DC2

Task performed:

Repair flat tire DC2 - Boulevard j

Parts

NO PARTS USED

Quantity

Vendor?: BOULEVARD



10/27/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10174222

SUBURBAN LS FULLSIZE 4X4 SUV

Workorder: V41961

In Date: 07/13/2011

Meter Reading: 63,201.00

Close Date: 07/13/2011

Problem?

BATTERY DEAD ON CALL DC 2

Task performed:

Parts

Quantity

DC 2 WOOD NO START A SCINE GOT STARTER
WENT BCK TO STA. AK

NO PARTS USED

HE SAID THAT MACHINE WAS - ON HE WAS GOING
TO BRING BATTERY TO DAY AK

Workorder: V41856

In Date: 07/07/2011

Meter Reading: 63,037.00

Close Date: 07/14/2011

Problem?

Check humming noise.

Task performed:

Parts

Quantity

1. Travel to 28; chkd charging sys - ok; chkd btry charge ok; will replc btrys tomorrow.
2. Travel to 28; replc btrys & tested sys - ok. j

48-60BATTERY

2

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

2

Workorder: V41869

In Date: 07/08/2011

Meter Reading: 63,037.00

Close Date: 07/18/2011

Problem?

REPAIR PUSH GAURD BRACKET DC2

Task performed:

Parts

Quantity

REMOVE BRACKET TO FUEL GUARD CLEAN UP AND
WELD UP CRANK AND CUT BRACKETS TO FIT AND
WELD ON TO REINFORCE BRACKET PAINT AN
REINSTALL ON GUARD OK

NO PARTS USED

CHECK OUT CHARGING SYSTEM SEEM TO NOT BE
WORKING FOUND BAD WIRE AND FUSE REPAIR
SHORE LINE CHARGING AT THIS TIME. AK



10/27/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10174222

SUBURBAN LS FULLSIZE 4X4 SUV

Workorder: V42443

In Date: 08/01/2011

Meter Reading: 64,376.00

Close Date: 08/03/2011

Problem?

Left driver side front quarter panel emergency light lens cover broken off 10174222, Sta 28.

Task performed:

TRAVEL TO 28 R&R LF LED LIGHT AK

Parts

50R03ZCRLIGHT LED RED TIR 6

Quantity

1

Workorder: V42545

In Date: 08/04/2011

Meter Reading: 64,588.00

Close Date: 08/05/2011

Problem?

black type over spray dots all over hood and fenders poss. needs to be buffed out with compound, Sta 28.

Task performed:

TRAVEL TO 28 TO CHECK TRUCK

Parts

NO PARTS USED

Quantity

Workorder: V43477

In Date: 09/06/2011

Meter Reading: 66,329.00

Close Date: 09/13/2011

Problem?

B INSPECTION ROGER DEAN

Task performed:

B inspection

Parts

NO PARTS USED

Quantity

Vendor?: ROGER DEAN

Workorder: V43542

In Date: 09/09/2011

Meter Reading: 66,329.00

Close Date: 09/14/2011

Problem?

Front rear strobe inop DC 2

Task performed:

diagnose why all strobes not working

finish diagnosis and repair replace 4 storbe bulbs one each in corner veh lights

Parts

01046301700S30HACP STROBE CLEAR

194BULB

283255 SLIDE 18IN 500 LBS

3157TAIL LIGHT BULBS

Quantity

4

2

1

2



10/27/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10174222

SUBURBAN LS FULLSIZE 4X4 SUV

Workorder: V45534

In Date: 12/01/2011

Meter Reading:

Close Date: 12/02/2011

Problem?

Unable to read odometer due to tire pressure sensor. Sensor keeps coming on even when pressure is adequate. May have issue with leakign tire? Sta 28

Task performed:

Parts

Quantity

CHECKED TIRE PRESSURES AND ADDED AIR STILL SAYS CHECK TIRES ON DASH POSSIBLE BAD SENSOR

NO PARTS USED

Workorder: V47126

In Date: 02/06/2012

Meter Reading: 7,366.20

Close Date: 02/07/2012

Problem?

repair leak in tire

Task performed:

Parts

Quantity

REPAIR LEAK IN TIRE.

1142BULB

1

4419BULB

1

Vendor?: BOULEVARD TIRE CENTE

Workorder: V47010

In Date: 02/01/2012

Meter Reading: 73,366.20

Close Date: 02/14/2012

Problem?

B inspection

Task performed:

Parts

Quantity

b inspection

57060OIL FILTER

1

replace belt

88964201MKD784 FRONT PADS SUBURBAN

1

replace front brake pads

CA875642487 FILTER AIR

1

repair rear compartment latch

K040378BELT SUBURBANS 2002/2003

1

rotate tires

K060935BELT

1

put spare back in place

L1261F33585XE FUEL FILTER WIX

1

PH8942FILTER OIL 57182 LFP3729

1

S3225PFUEL FILTER 33630 LFF5849

1



10/27/2020

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10174222

SUBURBAN LS FULLSIZE 4X4 SUV

Workorder: V48714

In Date: 04/16/2012
Close Date: 04/17/2012

Meter Reading: 77,607.00

Problem?

Vehicle losing power after refueling at station 20. Feels like low power steering but fluid is good? Check engine light remains on.

Task performed:

1. VEHICLE LOSING POWER/ FOUND 2 CODES RELATING TO ???? CONDITION/ FOUND LOOSE INTAKE NOSE AT THROTTLE BODY TIGHTENED HOSE CLEARED CODES AND ROAD TESTED OK WILL BRING BACK IN TO TUNE UP AND REPLACE O2 SENSORS.

Parts

Quantity

NO PARTS USED

Workorder: V49108

In Date: 05/04/2012
Close Date: 05/10/2012

Meter Reading: 78,844.00

Problem?

DC2 shoreline will not auto eject from the rear after start.

Task performed:

TRAVEL TO 28 REPLACED KUSS MAUL AUTO EJECT AND TESTED. OK.

Parts

Quantity

091-20WP-120AUTO EJECT

1

Workorder: V49948

In Date: 06/06/2012
Close Date: 06/06/2012

Meter Reading: 80,440.00

Problem?

B inspection - Roger Dean

Task performed:

B inspection
oil and filter change
ses light - found throttle position sensor faulty
replaced 4wd switch
replaced front and rear brakes and machined rotors
Vendor?: ROGER DEAN

Parts

Quantity

NO PARTS USED



10/27/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10174222

SUBURBAN LS FULLSIZE 4X4 SUV

Workorder: V48995

In Date: 04/30/2012
Close Date: 06/22/2012

Meter Reading: 78,620.00

Problem?

#1. Relocate exhaust to side of vehicle. Current location at the rear causes hazard while working at command board. #2. Modify rear command board lighting. Current lighting does not illuminate board effectively.

Task performed:

TRAVEL TO HEADQUARTERS REPLACED EXHAUST TAIL PIPE WITH A 90 DEGREE ELBOW.

Parts	Quantity
091-3YWCOVER KUSSMAUL AUTO EJECT	1
0915520120AUTO EJECT 20 AERO OTL3925	1
134RLENS	1
35794MUFFLER CLAMP 3 IN	1
424453 IN ELBOW	1
52-24WIPER BLADES ANCO 24	2
LF18TS-LEDMAP LIGHT LED 18 IN	2

Workorder: V50589

In Date: 07/04/2012
Close Date: 07/05/2012

Meter Reading: 81,799.00

Problem?

vehicle does not engage into 4x4. DC 2

Task performed:

1. PAGED AT 18:28 - ENROUTE 18:40 CALLED BY DIST 2 - CANCELED AT 18:55 - HOME 19:10.
2. CANCELED WHILE IN ROUTE.

Parts	Quantity
NO PARTS USED	

Workorder: V50540

In Date: 07/02/2012
Close Date: 07/11/2012

Meter Reading: 81,732.00

Problem?

REPLACE TIRES DC 2

Task performed:

CHANGE TIRES OVER FROM SPARE TRUCK

Parts	Quantity
NO PARTS USED	



10/27/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10174222

SUBURBAN LS FULLSIZE 4X4 SUV

Workorder: V49969

In Date: 06/07/2012

Meter Reading: 80,440.00

Close Date: 07/26/2012

Problem?

alignment on vehicle - Callaghan

Task performed:

Parts

Quantity

ALIGNMENT ON VEHICLE - CALLAGHAN .

NO PARTS USED

Vendor?: CALLAGHAN TIRE

Workorder: V50937

In Date: 07/17/2012

Meter Reading: 82,486.00

Close Date: 08/08/2012

Problem?

Dash board message: "service air bag" appears intermittently. DC2

Task performed:

Parts

Quantity

NO PROBLEM FOUND.

NO PARTS USED

Workorder: V51288

In Date: 08/01/2012

Meter Reading: 83,214.00

Close Date: 08/08/2012

Problem?

SERVICE 4 WHEEL DRIVE INDICATOR dc 2

Task performed:

Parts

Quantity

CHECKED 4WD NO PROBLEM FOUND.

NO PARTS USED

Workorder: V51380

In Date: 08/06/2012

Meter Reading: 83,503.00

Close Date: 08/08/2012

Problem?

vehicle is low on windshield washer fluid. DC2

Task performed:

Parts

Quantity

ADDED WASHER FLUID

NO PARTS USED



10/27/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10174222

SUBURBAN LS FULLSIZE 4X4 SUV

Workorder: V52582

In Date: 09/23/2012

Meter Reading: 86,279.00

Close Date: 10/11/2012

Problem?

B inspection "Service Four Wheel Drive" is showing on the message center. The vehicle feels as though it is automatically engaging in 4 wheel drive when turning at low rates of speed. DC 2

Task performed:

Parts

Quantity

B inspection
oil and filter change
reprogram tccm for 4 w/d light
replaced oil pan gasket
replaced battery

NO PARTS USED

Vendor?: ROGER DEAN

Workorder: V53060

In Date: 10/13/2012

Meter Reading:

Close Date: 10/16/2012

Problem?

Passenger head light not working on DC2 vehicle.

Task performed:

Parts

Quantity

CHKD HEADLIGHTS BOTH OK.

90059005 HEADLIGHT BULB

1

Workorder: V54654

In Date: 12/27/2012

Meter Reading: 87,563.00

Close Date: 12/28/2012

Problem?

Quality check vehicle wire harness repair. Siren inop, tighten battery cable, check shore charger

Task performed:

Parts

Quantity

1. CHECK UNDERHOOD WIRING - FOUND RT. BATT. AND CABLES LOOSE - TIGHTENED BATT. MOUNT - TIGHTEN POSITIVE CABLE ENDS AND BATT. - R&R NEG. BATT. TERM.
2. CHECK UNDER HOOD WIRING CONT. INSTALLED ALL BATTERIES CABLES - CHECK SIREN INOP - REMOVED HEAD - REINSTALLED POWER PLUG - CHECK SIREN AND HOWLER. CHECK OK - CHECK SHORELINE CHARGER - CHECK OK.

NO PARTS USED



10/27/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10174222

SUBURBAN LS FULLSIZE 4X4 SUV

Workorder: V54619

In Date: 12/26/2012
Close Date: 01/22/2013

Meter Reading: 87,563.00

Problem?

wire harness under hood caught fire

Task performed:

WIRE HARNESS UNDER HOOD CAUGHT FIRE.

Parts

NO PARTS USED

Quantity

Vendor?: ROGER DEAN CHEVROLE

Workorder: V55384

In Date: 01/29/2013
Close Date: 02/05/2013

Meter Reading: 88,860.00

Problem?

repair tire

Task performed:

REPAIR TIRE

Parts

NO PARTS USED

Quantity

Vendor?: BOULEVARD TIRE CENTE

Workorder: V56175

In Date: 03/05/2013
Close Date: 03/08/2013

Meter Reading: 90,671.00

Problem?

repair flat

Task performed:

REPAIR FLAT.

Parts

NO PARTS USED

Quantity

Vendor?: CALLAGHAN TIRE

Workorder: V56995

In Date: 04/12/2013
Close Date: 04/12/2013

Meter Reading: 92,560.00

Problem?

truck needs new wiper blades

Task performed:

INSTALL WIPER BLADES.

Parts

25877402WIPER BLADES NEW GM 22 IN

Quantity

2



10/27/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10174222

SUBURBAN LS FULLSIZE 4X4 SUV

Workorder: V57007

In Date: 04/13/2013
Close Date: 04/18/2013

Meter Reading: 92,560.00

Problem?

White strobe light that is installed near right (passenger) side head light/turn signal is out. Bulb is actually part of headlight/turn signal assembly DC-2

Task performed:

TRAE TO 28 REPLACED STROBE BULB IN RF HEADLIGHT.

Parts

01046301700S30HACP STROBE CLEAR

Quantity

1

Workorder: V58364

In Date: 06/12/2013
Close Date: 06/13/2013

Meter Reading: 95,400.00

Problem?

B INSPECTION DC 2 MAJOR OIL LEAK

Task performed:

B inspection
oil and filter change
replaced tail lamp bulb
replace wiper blades
repalce air filter

Vendor?: ROGER DEAN

Parts

NO PARTS USED

Quantity

Workorder: V58357

In Date: 06/12/2013
Close Date: 07/01/2013

Meter Reading:

Problem?

Oil leak DC2

Task performed:

Sent to dealer was repaired on PM service

Parts

NO PARTS USED

Quantity

Workorder: V59152

In Date: 07/17/2013
Close Date: 08/07/2013

Meter Reading: 96,431.00

Problem?

R/S mirror broken mount rusted out SDC@57

Task performed:

- 1. REPAINTED RIMS ON ALL SIDES.
- 2. REMOVED AND REPLACED MIRROR.

Parts

20809968R/S MIRROR ASSY

Quantity

1



10/27/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10174222

SUBURBAN LS FULLSIZE 4X4 SUV

Workorder: V58350

In Date: 06/12/2013
Close Date: 09/09/2013

Meter Reading: 95,400.00

Problem?

Engine oil low DC2

Task performed:

Parts

Quantity

NO PARTS USED

Workorder: V62485

In Date: 12/04/2013
Close Date: 12/17/2013

Meter Reading: 101,308.00

Problem?

B-inspection Check engine light on

Task performed:

Parts

Quantity

B INSPECTION
CHECK ENG. LT ON REPLACE VENT VALVE IN EVAP
SYSTEM

NO PARTS USED

Vendor?: ROGER DEAN

Workorder: V62775

In Date: 12/17/2013
Close Date: 01/03/2014

Meter Reading: 101,308.00

Problem?

a inspection

Task performed:

Parts

Quantity

1. COMPLETED A INSPECTION/ PRESSURED
TESTED RADIATOR, REMOVED BROKEN COOLANT
CAP.
2. REPLACED RADIATOR ABD REFILLED COOLANT,
BLEND AIR OUT OF SYSTEM, RECHECKED FOR
LEAKS. TEST DROVE.

13502353RAD CAP SUBURBAN 08 1
22840116RADIATOR ASSY 1
C1123-T91SEAT COVER 1
FREIGHTSHIPPING CHARGES 15
S777COUPLING NIPPLE 4

Workorder: V63062

In Date: 01/02/2014
Close Date: 01/07/2014

Meter Reading: 101,308.00

Problem?

Replace tires

Task performed:

Parts

Quantity

REPLACE TIRES.

NO PARTS USED

Vendor?: GOOD YEAR



10/27/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10174222

SUBURBAN LS FULLSIZE 4X4 SUV

Workorder: V64215

In Date: 02/13/2014
Close Date: 02/18/2014

Meter Reading: 101,308.00

Problem?

Dead battery

Task performed:

JUMP START VEHICLE. CHARGE BATTERIES. TEST BATTERIES OK. REPLACED ONE NEG CABLE TERMINAL CRIMP AND HEAT SHRINK CABLE TERMINAL. CHECKED CHARGING SYSTEM. CHECKED SHORELINE CHARGER OK.

Parts

Quantity

NO PARTS USED

Workorder: V66036

In Date: 04/28/2014
Close Date: 04/29/2014

Meter Reading: 103,156.00

Problem?

ON CALL COOLANT LEAK DC 4

Task performed:

FOUND WATER PUMP BAD SWAPED OUT TRUCK.

Parts

Quantity

NO PARTS USED

Workorder: V67025

In Date: 06/06/2014
Close Date: 06/09/2014

Meter Reading: 103,156.00

Problem?

Coolant leak

Task performed:

diagnose coolant leak found leak at top of reservoir need to go to al packard ford help chief switch out vehicle.

Parts

Quantity

NO PARTS USED

Workorder: V67121

In Date: 06/10/2014
Close Date: 06/12/2014

Meter Reading: 103,317.00

Problem?

Coolant leak

Task performed:

Replaced coolant tank
Replaced steering wheel cover

Vendor?: AL PACKER

Parts

Quantity

NO PARTS USED



10/27/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10174222

SUBURBAN LS FULLSIZE 4X4 SUV

Workorder: V67566

In Date: 06/30/2014

Meter Reading: 101,581.00

Close Date: 06/30/2014

Problem?

Alternator light on

Task performed:

Parts

Quantity

Replace alternator

NO PARTS USED

Vendor?: AL PACKER

Workorder: V67809

In Date: 07/10/2014

Meter Reading:

Close Date: 07/11/2014

Problem?

Spare vehicle is slow starting, battery found to have loose connection(tightened), charging system lights only seem to be working on one side. Please evaluate.

Task performed:

Parts

Quantity

travel to sta, 19 driver compliant batt,low replaced batt, and tested ok.

48-60BATTERY

2

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

2

Workorder: V67841

In Date: 07/11/2014

Meter Reading: 103,649.00

Close Date: 07/14/2014

Problem?

Remove decals

Task performed:

Parts

Quantity

Remove DC-4 decals from both sides of vehicle and clean of surfaces.

NO PARTS USED

Workorder: V67837

In Date: 07/11/2014

Meter Reading: 103,743.00

Close Date: 07/16/2014

Problem?

Severe high speed vehicle vibration at 72-76 mph mostly felt inthe seat.

Task performed:

Parts

Quantity

Found driveshaft out of phase

NO PARTS USED

Vendor?: AL PACKER



10/27/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10174222

SUBURBAN LS FULLSIZE 4X4 SUV

Workorder: V66149

In Date: 06/03/2014

Meter Reading: 103,294.00

Close Date: 07/22/2014

Problem?

B-inspection Replace water pump

Task performed:

B-inspection
Inspect brakes and rotate tires
Replaced water pump
Replaced A/C comp and tensioner

Vendor?: AL PACKER

Parts

Quantity

19208815WATER PUMP KIT

1

Workorder: V67023

In Date: 06/26/2014

Meter Reading: 103,156.00

Close Date: 07/22/2014

Problem?

Replace seat covers Paint wheels Polish headlight lenses and light bar lens

Task performed:

1. remove and replaced front seat cover.
2. reset tire monitor and air all tires to spec, test drive ,for operation after.
charging light came on may need alt,.
3. polish out head lights

Parts

Quantity

C1123-H8SEAT COVER

1

FRT 65376FREIGHT CHARGE

1

Workorder: V68297

In Date: 07/31/2014

Meter Reading:

Close Date: 08/06/2014

Problem?

DC2 loaner vehicle interior driver door handle not operating. have to roll window down and reach out to exterior handle to open.
Other options: Dukes of Hazzard exit,Aasking for assistance - both of which I considered

Task performed:

TRUCK BACK AT SHOP.

Parts

Quantity

NO PARTS USED



10/27/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10174222

SUBURBAN LS FULLSIZE 4X4 SUV

Workorder: V68850

In Date: 08/21/2014
Close Date: 08/21/2014

Meter Reading: 104,248.00

Problem?

Tire light on

Task performed:

Parts

Quantity

CK, OUT LOW AIR PRESSURE ON R-R TIRE LIGHT ON CK, TIRE FOR LEAK OK FOUND AIR UP TO SPEC, TEST DRIVE FOR OPERATION AND RETEST FOR CODES OR LEAKS CK, OK.

NO PARTS USED

Workorder: V70407

In Date: 10/23/2014
Close Date: 10/24/2014

Meter Reading: 107,215.00

Problem?

A-inspection

Task performed:

Parts

Quantity

Performed A Inspection.

NO PARTS USED

Workorder: V68876

In Date: 08/22/2014
Close Date: 10/28/2014

Meter Reading: 105,764.00

Problem?

Right front turn signal strobe, Left rear turn signal strobe and left side scene light out. S.H.

Task performed:

Parts

Quantity

Replaced left low beam bulb (burnt out).

H11H11-55WLL BULB LOW BEAM 92095787

1

Workorder: V70909

In Date: 11/13/2014
Close Date: 11/13/2014

Meter Reading: 107,659.00

Problem?

B-inspection

Task performed:

Parts

Quantity

B-inspection
Replaced pvc dirty air line
Reset fuel trim road test
Shocks
Replaced jounce rubbers
Vendor?: AL PACKER

NO PARTS USED



10/27/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10174222

SUBURBAN LS FULLSIZE 4X4 SUV

Workorder: V70556

In Date: 10/29/2014

Meter Reading:

Close Date: 12/13/2014

Problem?

Spare DC truck at 91/DC3. Check engine light is on.

Task performed:

repaired at packer

Parts

Quantity

NO PARTS USED

Workorder: V70497

In Date: 10/28/2014

Meter Reading:

Close Date: 12/15/2014

Problem?

No start @ 19

Task performed:

Travel to station 19, check out dc inop-found battery low and second battery not hooked up. Reinstall cable and charge batts get running test alt. and batts retest 110v charger ok. Check starter ok.

Parts

Quantity

NO PARTS USED

Repaired lower door hinge on center, interior and cabinet

Workorder: V71565

In Date: 12/10/2014

Meter Reading: 107,999.00

Close Date: 12/22/2014

Problem?

SPARE DC VEHICLE SHAKES VIOLENTLY BETWEEN 70 - 75 MPH. THERE IS ALSO A RATTLE COMING FROM THE FRONT RIGHT OF THE VEHICLE, POSSIBLY SUSPENSION

Task performed:

WORK REPAIRS AS REQUESTED.

Parts

Quantity

NO PARTS USED

Vendor?: AL PACKER FORD

Workorder: V73961

In Date: 03/17/2015

Meter Reading: 109,413.00

Close Date: 03/18/2015

Problem?

Power steering leak

Task performed:

Replaced power steering hoses

Parts

Quantity

NO PARTS USED

Vendor?: AL PACKER



10/27/2020

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10174222

SUBURBAN LS FULLSIZE 4X4 SUV

Workorder: V73775

In Date: 03/10/2015

Close Date: 04/01/2015

Meter Reading: 108,797.00

Problem?

A-inspection

Task performed:

1. A- Inspection.

Parts

Quantity

NO PARTS USED



Palm Beach County Fire Rescue

Fleet Maintenance Asset History

Asset: (10174222) 2008 - CHEVROLET SUBURBAN LS Fullsize 4X4 Suv

10174222

CSHOP-2015-2176

Comments: **LEFT BRAKE LIGHT OUT BC FORMERLY DC5**

Date Opened: 8-6-2015 Date Finished: 8-17-2015 Meter 1 Reading: 110,800

TASKS PERFORMED

Q PARTS

TRAVEL TO BE CHARGED TO WORK ORDER
BRAKE LIGHTS
BATTERY
CRANKING SYSTEM

1 BATTERY; BATTERY
1 BULB; TAIL LIGHT BULBS
1 BATTERY; BATTERY GROUP 24
2 BATTERY; BATTERY EPA TAX \$1.50 PER BATTERY

CSHOP-2015-316

Comments: **DEAD BATTERY @ HQ 10174222**

Date Opened: 4-27-2015 Date Finished: 4-28-2015 Meter 1 Reading: 110,326

TASKS PERFORMED

NO PARTS USED

BATTERY

CSHOP-2015-3191

Comments: **A INSPECTION**

Date Opened: 10-2-2015 Date Finished: 10-5-2015 Meter 1 Reading: 115,247

TASKS PERFORMED

Q PARTS

TRAVEL TO BE CHARGED TO WORK ORDER
A INSPECTION
STROBE LIGHTS

2 9IP; S30HACP STROBE CLEAR
2 9IP; S30HACP STROBE CLEAR

CSHOP-2015-3564

Comments: **B-INSPECTION PACKER**

Date Opened: 10-22-2015 Date Finished: 10-22-2015 Meter 1 Reading: 115,928

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2015-3606

Comments: **REPLACE BATTERIES**

Date Opened: 10-26-2015 Date Finished: 10-26-2015 Meter 1 Reading: 115,930

TASKS PERFORMED

Q PARTS

BATTERY

2 BATTERY; BATTERY
2 BATTERY; BATTERY EPA TAX \$1.50 PER BATTERY

Asset Work Order History 10174222

CSHOP-2015-3937

Comments: **REPLACE TIRES**

Date Opened: 11-12-2015 Date Finished 11-12-2015 Meter 1 Reading: 115,930

TASKS PERFORMED

NO PARTS USED

TIRES ALL

VENDOR? DAN CALLAGHAN ENTERPRISES

CSHOP-2015-4148

Comments: **REPLACE ALL TIRE PRESSURE SENSORS**

Date Opened: 11-25-2015 Date Finished 11-25-2015 Meter 1 Reading: 116,068

TASKS PERFORMED

NO PARTS USED

TIRES & WHEELS

VENDOR? AL PACKER

CSHOP-2015-461

Comments: **B INSPECTION AL PACKER PO 042315-15428**

Date Opened: 5-5-2015 Date Finished 6-25-2015 Meter 1 Reading: 110,800

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2016-2333

Comments: **BATT48**

Date Opened: 5-16-2016 Date Finished 8-12-2016 Meter 1 Reading: 116,530

TASKS PERFORMED

Q PARTS

TRAVEL TO BE CHARGED TO WORK ORDER
CHARGING SYSTEM
AIR CONDITIONING

1 BATTERY; BATTERY
1 BATTERY; BATTERY EPA TAX \$1.50 PER BATTERY
3 A/C; FREON LB

Service Requests:

05/15/2016 LIGHTS / 19: LOOSE / S
LIGHT BRACKET: FOR 1 OF THE REAR WINDOW LED LIGHTS (WHELEN DUAL TALON), THE BAIL BRACKETS IS
BROKEN AND NEEDS TO BE REPLACED.

Asset Work Order History 10174222

CSHOP-2016-3332

Comments: **DEAD BATTERY**

Date Opened: 7-11-2016 Date Finished 7-14-2016 Meter 1 Reading: 116,530

HARD START

TASKS PERFORMED

NO PARTS USED

BATTERY

Service Requests:

07/08/2016 **STARTER / 43: WEAK / INSPECT**
SPARE BC-42 VEHICLE (ASSET #10174222): BATTERY CANNOT HOLD A CHARGE AND NEEDS TO BE REPLACED
(VEHICLE CAN ONLY BE STARTED WHEN JUMP STARTED).

CSHOP-2016-3791

Comments: **CHECK BATTERY AND CHARGING SYSTEM**

Date Opened: 8-4-2016 Date Finished 8-9-2016 Meter 1 Reading: 116,530

TASKS PERFORMED

NO PARTS USED

TRAVEL TO BE CHARGED TO WORK ORDER
CRANKING SYSTEM

Service Requests:

08/01/2016 **STARTER / 12: BROKEN / INSPECT**
SPARE BC-42 VEHICLE (ASSET #10174222): STILL HAVING PROBLEMS STARTING THE CHEVY SUBURBAN. EVEN
THOUGH THE VEHICLE IS ALWAYS CONNECTED TO THE SHORELINE POWER, BATTERY IS DEAD AND NEEDS TO BE
JUMP-STARTED TO START THE VEHICLE.

CSHOP-2016-4153

Date Opened: 8-23-2016 Date Finished 8-26-2016 Meter 1 Reading: 117,376

TASKS PERFORMED

Q PARTS

TRAVEL TO BE CHARGED TO WORK ORDER
IGNITION SYSTEM

1 BATTERY; BATTERY
1 BATTERY; BATTERY EPA TAX \$1.50 PER BATTERY

CSHOP-2016-4220

Date Opened: 8-27-2016 Date Finished 8-27-2016 Meter 1 Reading: 117,376

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2016-4304

Comments: **REPLACE BATTERIES**

Date Opened: 9-2-2016 Date Finished 9-2-2016 Meter 1 Reading: 117,387

TASKS PERFORMED

Q PARTS

BATTERY

2 BATTERY; BATTERY
2 BATTERY; BATTERY EPA TAX \$1.50 PER BATTERY

Asset Work Order History 10174222

CSHOP-2016-5104

Comments: **DEAD BATTERY CHECK START/CHARGE SYSTEM ALSO CHECK SHORELINE BATTALION 48**
Date Opened: 10-26-2016 Date Finished 10-26-2016 Meter 1 Reading: 117,557

TASKS PERFORMED

NO PARTS USED

CHARGING SYSTEM

CSHOP-2016-5263

Date Opened: 11-8-2016 Date Finished 11-8-2016 Meter 1 Reading: 117,557

TASKS PERFORMED

NO PARTS USED

DIAGNOSE ELECTRICAL

CSHOP-2016-5362

Comments: **CHECK SHORELINE BATTALION 48 CHIEF GUYNN SAID THE SIREN IS WIRED HOT ALL THE TIME AND THE CHARGER FUSE WAS RED HOT. POWER FROM THE STATION WAS WORKING PROPERLY**
Date Opened: 11-16-2016 Date Finished 12-5-2016 Meter 1 Reading: 117,889

TASKS PERFORMED

Q PARTS

ELECTRICAL

2 BATTERY; BATTERY EPA TAX \$1.50 PER BATTERY
2 BATTERY; BATTERY

CSHOP-2016-5698

Comments: **SHORELINE INOP**
Date Opened: 12-7-2016 Date Finished 12-7-2016 Meter 1 Reading: 117,557

TASKS PERFORMED

NO PARTS USED

AUTO-EJECT

CSHOP-2017-1620

Comments: **A-INSPECTION BACK FROM PACKER**
Date Opened: 3-16-2017 Date Finished 3-22-2017 Meter 1 Reading: 118,121

NEEDS QC

TASKS PERFORMED

NO PARTS USED

SHORELINE CHARGER
QUALITY CHECK-REPAIRS

CSHOP-2017-1713

Date Opened: 3-20-2017 Date Finished 3-20-2017 Meter 1 Reading: 118,121

TASKS PERFORMED

NO PARTS USED

FUEL PUMP

VENDOR? AL PACKER

Asset Work Order History 10174222

CSHOP-2017-2049

Date Opened: 4-7-2017 Date Finished 4-7-2017 Meter 1 Reading: 118,135

TASKS PERFORMED

NO PARTS USED

AIR BAG CONTROL MODULE

VENDOR? AL PACKER

CSHOP-2017-2050

Date Opened: 4-7-2017 Date Finished 4-7-2017 Meter 1 Reading: 118,135

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2017-210

Date Opened: 1-10-2017 Date Finished 1-10-2017 Meter 1 Reading: 117,557

TASKS PERFORMED

NO PARTS USED

DIAGNOSE ELECTRICAL

CSHOP-2017-2736

Comments: **GLASS HAS WELL WATER STAINS**

Date Opened: 5-9-2017 Date Finished 5-23-2017 Meter 1 Reading: 118,136

TASKS PERFORMED

Q PARTS

LENS	1	9IP; HEADLITE KIT WITH SEALER
HEADLIGHTS LOW BEAM	1	9IP; MEGA FUSE HOLDER
SHORELINE CHARGER	1	8HD; 8HD
GEAR BOX	2	9IP; SIREN DRIVER SMALL
GLASS	1	1WL; SIREN AMPLIFIER
LIGHT BAR	-1	1WL; SIREN AMPLIFIER
SIREN	1	NTH; COUPLER
HOSES-LINES & FITTINGS	1	NTH; ADAPTER

CSHOP-2017-424

Comments: **BATTALION 48 BATTERY NOT CHARGING**

Date Opened: 1-19-2017 Date Finished 2-7-2017 Meter 1 Reading: 118,008

TASKS PERFORMED

Q PARTS

BATTERY	2	BATTERY; BATTERY
DIAGNOSE ELECTRICAL		

Service Requests:

01/19/2017	SERVICE REQUEST / 12: BROKEN / REPAIR BATTERY NOT CHARGING
------------	---

Asset Work Order History 10174222

CSHOP-2017-5992

Date Opened: 10-18-2017 Date Finished 10-19-2017 Meter 1 Reading: 120,132

TASKS PERFORMED

Q PARTS

CHARGING SYSTEM

1 9IP; AUTO CHARGER INDICATOR
2 1AD; BATTERY

CSHOP-2017-6759

Comments: **B INSPECTION NO OIL/FILTERS**

Date Opened: 11-27-2017 Date Finished 12-1-2017 Meter 1 Reading: 120,877

TASKS PERFORMED

Q PARTS

PM SERVICE B LIGHT

1 FIL; NAPAGOLD AIR FILTER

CSHOP-2017-6796

Date Opened: 11-28-2017 Date Finished 11-30-2017 Meter 1 Reading: 120,877

TASKS PERFORMED

Q PARTS

POWER BOOSTER-HYDRO BOOST

1 1GM; BOOSTER

CSHOP-2018-4571

Date Opened: 8-15-2018 Date Finished 8-15-2018 Meter 1 Reading: 122,888

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2019-5199

Date Opened: 10-7-2019 Date Finished 10-7-2019 Meter 1 Reading: 124,628

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2020-3723

Date Opened: 7-17-2020 Date Finished 7-18-2020 Meter 1 Reading: 130,192

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

Asset Work Order History 10174222

CSHOP-2020-4059

Comments: DURING AND AFTER REPAIRS, OTHER ISSUES NOTICED -COOLANT LEAK FROM HEATER HOSE CONNECTIONS
-BOTH EXHAUST MANIFOLDS HAVE BROKEN BOLTS, CAUSING EXHAUST LEAKS -CLASS 3 OIL LEAK FROM THE REAR
OF THE MOTOR - DRIVER`S SIDE LOW BEAM HEADLAMP INOP -A/C DISCHARGE HOSE LEAKING

Date Opened: 8-7-2020 Date Finished 8-10-2020 Meter 1 Reading: 130,294

TASKS PERFORMED

Q PARTS

DOOR LATCH

1 1GM; DRIVER DOOR LATCH

RADIO-2016-764

Date Opened: 12-7-2016 Date Finished 12-7-2016 Meter 1 Reading: 117,557

TASKS PERFORMED

NO PARTS USED

RADIO

Service Requests:

12/07/2016 RADIO / /
INSTALLED NEW DOCKING AND RELOCATED MICS.

RADIO-2018-326

Comments: REPLACED MAIN FUSE IN ENGINE COMPARTMENT

Date Opened: 4-18-2018 Date Finished 4-18-2018 Meter 1 Reading: 0

TASKS PERFORMED

NO PARTS USED

MOBILE RELATED

Service Requests:

04/16/2018 RADIO / /
BC48 MOBILE RADIO HAS A SHORT. WHEN DRIVING RADIO CONTINUALLY RESTARTS AND ANNOUNCES THE
CHANNEL AND RADIO RADIO TRAFFIC GETS MISSED. COMING TO RADIO SHOP TODAY.

SSHOP-2019-241

Date Opened: 8-5-2019 Date Finished 8-6-2019 Meter 1 Reading: 123,622

TASKS PERFORMED

Q PARTS

BATTERY

2 1AD; BATTERYSEVEREDUTY

SSHOP-2019-261

Date Opened: 8-20-2019 Date Finished 8-20-2019 Meter 1 Reading: 123,622

TASKS PERFORMED

NO PARTS USED

TIRES & WHEELS

Asset Work Order History 10174222

SSHOP-2019-414

Date Opened: 12-5-2019

Date Finished

12-6-2019

Meter 1 Reading:

125,241

TASKS PERFORMED

Q PARTS

BATTERY
LIGHT BAR

2 1AD; BATTERY GROUP 48

SSHOP-2020-250

Date Opened: 7-28-2020

Date Finished

7-29-2020

Meter 1 Reading:

130,274

TASKS PERFORMED

NO PARTS USED

TRAVEL TO BE CHARGED TO WORK ORDER
