

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031 2000 FREIGHTLINER PUMPERS

Discarded: 01/01/1900

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V607	0.00				
In Date:	11/17/2005	Close Date:	11/21/2005		
Problem	DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT	0.75			
Problem	PONY PUMP MOTOR	0.25			

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V935	0.00				
In Date:	12/15/2005	Close Date:	12/19/2005		
Problem	DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT	0.75			
Problem	RELIEF VALVE DISCHARGE	1.00			

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V1020	0.00				
In Date:	12/27/2005	Close Date:	12/30/2005		
Problem	DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT	0.75	52-624SWITCH DOOR		1.00
Problem	DOOR/COMPT. OPEN WARNING LIGHT	1.00			

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V1245	39,543.00				
In Date:	01/23/2006	Close Date:	01/24/2006		
Problem	DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT	0.75			
Problem	AIR LEAK DIAGNOSIS	0.25			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder:	V1297	Meter Reading:	39,691.00	Labor Hours	Description	Parts	Quantity
In Date:	01/25/2006	Close Date:	01/31/2006				
Problem	DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT			0.75			
Problem	VALVES INTAKE			0.50			

10132031

Workorder:	V1427	Meter Reading:	22,940.00	Labor Hours	Description	Parts	Quantity
In Date:	02/06/2006	Close Date:	02/14/2006				
Problem	VALVES INTAKE			1.50			

10132031

Workorder:	V1458	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	02/09/2006	Close Date:	03/01/2006				
Problem	COMPUTER SYSTEM			2.75	101847ENGINE STATUS CTR		1.00

10132031

Workorder:	V1708	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	03/02/2006	Close Date:	03/27/2006				
Problem	PREVENTIVE MAINTENANCE			1.00	X125QUAD SEAL FOR CROSSFIRE		1.00

10132031

Workorder:	V1988	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	03/28/2006	Close Date:	04/03/2006				
Problem	VALVES INTAKE			3.00	78308930 AKRON 3 IN VALVE		1.00

10132031

Workorder:	V2082	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	04/04/2006	Close Date:	04/06/2006				
Problem	WHEELS			1.50	6256RJN6256RJN NUT-OUTER/RIGHT		4.00
					AMH-1AMH-1 VALVE EXTENSION		1.00
					H1422TSX STUD		4.00
					N251N252 WHEEL COVERS FRONT + REAR FOR ENGINES		1.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V1592 Meter Reading: 0.00
In Date: 02/22/2006 Close Date: 04/10/2006

Problem	Labor Hours	Description	Parts	Quantity
		ABPN8332229011-3050 SWITCH BLOWER		1.00

10132031

Workorder: V1899 Meter Reading: 0.00
In Date: 03/20/2006 Close Date: 04/10/2006

Problem	Labor Hours	Description	Parts	Quantity
OIL LEAK	2.25	200226200200-2262-50 SWITCH-PROXIMITY QG VALVE		2.00

10132031

Workorder: V2248 Meter Reading: 0.00
In Date: 04/17/2006 Close Date: 04/20/2006

Problem	Labor Hours	Description	Parts	Quantity
*	1.00			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V2369 Meter Reading: 0.00

Labor Hours

Description

Parts

Quantity

In Date: 04/24/2006 Close Date: 05/15/2006

Problem PM B INSPECTION PREVENTIVE MAINTENANCE

17.50

038-1010-01HALE RELIEF VALVE W/ VULCANIZED SEAT	1.00
038-1550-00VALVE CHECK HALE 1/4"	1.00
040-1160-03-00 RING SEAL	1.00
046-5130-00GASKET GEAR BOX COVER (HALE)	2.00
048009000SPEEDCOUNTER PUMP PANEL	1.00
0769027STRAINER 2.5 IN	1.00
142-0160-00SLINGER	1.00
180R002HURST HYD. FLUID QT	1.00
1836267000VISOR RETRN	1.00
29541736 SEAL-TRANS. REAR	1.00
2962540000SEAL SAME AS 29867 C/R	2.00
3530016HOSE HURST 16 ORANGE	2.00
377R054FEET - HURST TOOL	1.00
40896474309418 PUMP-WATER ISC REBUILT	1.00
4525245252 GROTE RED MARKER LT	1.00
4525345253 AMBER LITE	1.00
5460990500GASKET SEAL KIT P25/30	1.00
67BULB 12 VOLT	1.00
6806970098SEAL DOOR	1.00
78R536078R5360M 2PK FILTER AIR COND	1.00
91398907 VALVE KIT 3 IN AKRON	1.00
91513AMBER LENS	2.00
9440BELT	1.00
9480BELT	1.00
A1834388002MOLD L/H	2.00
A1834388003MOLD R/H	2.00
CA8193AIR FILTER 46744 WIX	1.00
FS1022FILTER FUEL WIX 33422 PS8689 FRAM	1.00
HLD374211 IN HOLD-OPEN 30LB	1.00
HP-31DBATTERY 950CCA HP-31D	4.00
HPH6349AOIL FILTER 51748	1.00
K080716BELT	1.00
PR338324070 WIX FILTER WATER	1.00
R90PFILTER FUEL 33231	1.00
U-24RWIPER REFILL	1.00
VML-S1414FILTER P/S	1.00
VML-T1264GASKET P/S COVER	1.00
VML-T1279WASHER P/S	1.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V2691	Meter Reading: 0.00	Labor Hours	Description	Parts	Quantity
In Date: 05/20/2006	Close Date: 05/25/2006				
Problem BRAKE LIGHTS		1.00	01046139100EBULB STOP/TAIL		1.00

10132031

Workorder: V2415	Meter Reading: 0.00	Labor Hours	Description	Parts	Quantity
In Date: 04/28/2006	Close Date: 06/06/2006				
Problem					

10132031

Workorder: V3000	Meter Reading: 0.00	Labor Hours	Description	Parts	Quantity
In Date: 06/15/2006	Close Date: 06/19/2006				
Problem SMALL ENGINE REPAIR, SAW, GENERATOR		1.25			

10132031

Workorder: V3310	Meter Reading: 0.00	Labor Hours	Description	Parts	Quantity
In Date: 07/05/2006	Close Date: 07/11/2006				
Problem WATER TANK LEVEL LIGHTS		1.00	3157TAIL LIGHT BULBS		2.00
			H27TL12BULB		1.00
			STOPSN12BULB STOP/TAIL LIGHT		2.00

10132031

Workorder: V3311	Meter Reading: 0.00	Labor Hours	Description	Parts	Quantity
In Date: 07/05/2006	Close Date: 07/11/2006				
Problem LIGHTING		0.50			

10132031

Workorder: V3247	Meter Reading: 0.00	Labor Hours	Description	Parts	Quantity
In Date: 07/01/2006	Close Date: 07/13/2006				
Problem SPOTLIGHT		1.50	620122SPOT LIGHT REMOTE		1.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V3478	Meter Reading: 0.00	Labor Hours	Description	Parts	Quantity
In Date: 07/14/2006	Close Date: 07/24/2006				
Problem SWITCH		1.50	52-624SWITCH DOOR		1.00

10132031

Workorder: V3598	Meter Reading: 0.00	Labor Hours	Description	Parts	Quantity
In Date: 07/23/2006	Close Date: 07/27/2006				
Problem SMALL ENGINE REPAIR, SAW, GENERATOR		1.00	FZ51368FEET RUBBER RAM-FAN		1.00

10132031

Workorder: V3838	Meter Reading: 0.00	Labor Hours	Description	Parts	Quantity
In Date: 08/08/2006	Close Date: 08/18/2006				
Problem A/C,HEATING, & VENTILATION SYSTEM		1.50	18-29935-001RH DOOR LATCH NEW		1.00
Problem A/C,HEATING, & VENTILATION SYSTEM		0.50			

10132031

Workorder: V4127	Meter Reading: 0.00	Labor Hours	Description	Parts	Quantity
In Date: 08/25/2006	Close Date: 09/06/2006				
Problem WIRING		2.00			

10132031

Workorder: V4189	Meter Reading: 0.00	Labor Hours	Description	Parts	Quantity
In Date: 08/31/2006	Close Date: 09/06/2006				
Problem BATTERY CHARGER		1.00			

10132031

Workorder: V4356	Meter Reading: 0.00	Labor Hours	Description	Parts	Quantity
In Date: 09/10/2006	Close Date: 09/25/2006				
Problem STROBE LIGHT		1.00	02036317300STROBE LINEAR REFLECTOR 6ELTUBE		1.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V4404	Meter Reading: 37,267.00	Labor Hours	Description	Parts	Quantity
In Date: 09/12/2006	Close Date: 09/25/2006				
Problem OIL LEAK		1.00			

10132031

Workorder: V4490	Meter Reading: 37,267.00	Labor Hours	Description	Parts	Quantity
In Date: 09/19/2006	Close Date: 09/27/2006				
Problem HEADLIGHTS		1.00	H6054USE CV TYPE SEALED BEAM		1.00

10132031

Workorder: V4631	Meter Reading: 0.00	Labor Hours	Description	Parts	Quantity
In Date: 09/28/2006	Close Date: 10/12/2006				
Problem PANEL LIGHTS		1.50			

10132031

Workorder: V4791	Meter Reading: 0.00	Labor Hours	Description	Parts	Quantity
In Date: 10/07/2006	Close Date: 10/16/2006				
Problem A/C,HEATING, & VENTILATION SYSTEM		1.50	39437933943793 LINK ADJ A/C COMP		1.00
			3945207BOLT ADJ A/C COMP		2.00

10132031

Workorder: V4883	Meter Reading: 37,267.00	Labor Hours	Description	Parts	Quantity
In Date: 10/13/2006	Close Date: 10/23/2006				
Problem CONTROLS/SWITCHES/WIRING		1.00	091-3YWCOVER KUSSMAUL AUTO EJECT		1.00

10132031

Workorder: V5133	Meter Reading: 37,267.00	Labor Hours	Description	Parts	Quantity
In Date: 10/28/2006	Close Date: 11/08/2006				
Problem DOORS		1.00	18-45484-000LATCH L/H		1.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V5235	Meter Reading: 37,267.00	Labor Hours	Description	Parts	Quantity
In Date: 11/03/2006	Close Date: 11/13/2006				
Problem INTAKE VALVE		1.50			

10132031

Workorder: V5357	Meter Reading: 1,447.70	Labor Hours	Description	Parts	Quantity
In Date: 11/12/2006	Close Date: 12/04/2006				
Problem STROBE LIGHT		1.00			

10132031

Workorder: V5573	Meter Reading: 44,345.00	Labor Hours	Description	Parts	Quantity
In Date: 11/28/2006	Close Date: 12/04/2006				
Problem TIRE'S ,FRONT		1.00			

10132031

Workorder: V5618	Meter Reading: 44,345.00	Labor Hours	Description	Parts	Quantity
In Date: 12/01/2006	Close Date: 12/12/2006				
Problem REPLACE TIRES AT STATION CALLAGHAN ENT E27					

10132031

Workorder: V5826	Meter Reading: 44,345.00	Labor Hours	Description	Parts	Quantity
In Date: 12/15/2006	Close Date: 12/19/2006				
Problem THROTTLES/CABLES		2.50			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V6075 Meter Reading: 1,506.00

In Date: 01/03/2007 Close Date: 01/16/2007

Problem	Description	Labor Hours	Parts	Quantity
PM B INSPECTION PREVENTIVE MAINTENANCE	005-1210-00-SWITCH MNT PLATE	8.00		1.00
PUMP SYSTEM	073004100PISTON	5.00		1.00
ENGINE	100944BEZEL FOR DIGITAL DISPLAY			1.00
	10129102690ZNF/W/O FLUSH LOCK BOLT			3.00
	107796DRYER KIT AD9 -NEW	0.75		1.00
	107800VALVE CHECK AD9			1.00
WINDSHIELD WIPER	108-12FBEADED CHAIN W/CONN 12	1.00		1.00
	1891BULB			1.00
LIGHTING	26312YLIGHT MARKER YELLO	1.00		1.00
	283255 SLIDE 18IN 500 LBS			2.00
BRAKES REAR	29526898 29548988 TRANS FILTER ALLISON	3.00		1.00
	3040815PLUG THREAD			1.00
	3046202THREAD PLUG			1.00
ENGINE	35799FLAT CLAMP 4 IN	2.00		1.00
	39181923918192 WASHER SEAL			2.00
DRAIN	3920773WASHER DRAIN PLUG	2.00		1.00
	39351713935171 WASHER-SEAL			4.00
RELIEF VALVE DISCHARGE	3949085PUMP ISC FUEL TRANSFER NEW #4935005	2.50		1.00
	39663983USE 3963983 WASHER-FUEL SYS.			1.00
	4025130FUEL PRESS SENSOR			1.00
SERVICE TRANSMISSION	513-0270-01513-0270-01 HALE HARNESS	2.00		1.00
	538-1400-00QG VALVE			1.00
EXHAUST SYSTEM	546-1620-02MASTER INTAKE KIT	1.00		1.00
	546126000TPM/QG HALE REPAIR KIT			1.00
	800405PURGE VALVE KIT			1.00
OIL LEAK	A2254926000WASHER PUMP W/GROMMET	1.50		1.00
	AMH-1AMH-1 VALVE EXTENSION			1.00
DRYER	FS1022FILTER FUEL WIX 33422 PS8689 FRAM	2.00		1.00
	HPH6349AOIL FILTER 51748			1.00
BATTERY OR BATTERY SYSTEM	PR338324070 WIX FILTER WATER	5.00		1.00
	R90PFILTER FUEL 33231			1.00
FUEL SYSTEM	S2R7017173USE KIT15625PM BRAKE PAD	5.00		2.00
PM B INSPECTION PREVENTIVE MAINTENANCE		3.00		
FUEL SYSTEM		2.50		
DISCHARGE VALVE		0.75		

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V6607	Meter Reading: 22.60	Labor Hours	Description	Parts	Quantity
In Date: 02/04/2007	Close Date: 02/06/2007				
Problem FUEL FILTER		1.50	FS1022FILTER FUEL WIX 33422 PS8689 FRAM		1.00
			R90PFILTER FUEL 33231		1.00

10132031

Workorder: V6608	Meter Reading: 22.60	Labor Hours	Description	Parts	Quantity
In Date: 02/04/2007	Close Date: 02/06/2007				
Problem HEADLIGHTS		1.00	02036273300 TURBO94 CORNERLINEAR REFLECTOR		2.00

10132031

Workorder: V6737	Meter Reading: 22.60	Labor Hours	Description	Parts	Quantity
In Date: 02/13/2007	Close Date: 03/05/2007				
Problem BRAKES		2.00	A-1779-WGREASE ROCKWELL A-1779-W-283		1.00
Problem BRAKES		2.00			
Problem BRAKES		2.00			

10132031

Workorder: V6963	Meter Reading: 45,845.00	Labor Hours	Description	Parts	Quantity
In Date: 02/27/2007	Close Date: 03/06/2007				
Problem DISC BRAKES		2.00			
Problem DISC BRAKES		2.00			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V7889 Meter Reading: 46,277.00

In Date: 04/23/2007 Close Date: 05/16/2007

Problem	Description	Labor Hours	Parts	Quantity
MISCELLANOUS CODES	0100080010STRAINER	4.00		1.00
SIREN CONTROL HEAD	0714021GASKET 2 1/2"	1.50		3.00
	0714023GASKET 3.5 IN			3.00
SCENE LIGHTS	0769027STRAINER 2.5 IN	1.00		1.00
	1141BULB			10.00
A/C COMPRESSOR	1212BTURTLE TILE 12X12 BLACK	3.00		9.00
	14-7014HGR-1 HELMET HOOK			1.00
TRANSMISSION	180R002HURST HYD. FLUID QT	0.50		1.00
	1836267000VISOR RETRN			2.00
INTAKE VALVE	194BULB	0.50		10.00
	200-2450-00NC SWITCH OK TO PUMP			2.00
PRIMER PUMP MOTOR	3530016HOSE HURST 16 ORANGE	2.00		1.00
	3530033USE 353R222 HOSE HURST SWIVEL/ORING			1.00
SLIDES	353R091USE 353R403 HURST HOSE 16 GREEN	1.00		1.00
	501-3090-00PRIMER PUMP MOTOR			1.00
FAN	52-24WIPER BLADES ANCO 24	1.00		2.00
	5269LPVM-5 SM MOUNT			1.00
PM B INSPECTION PREVENTIVE MAINTENANCE	680-10LAMERICAN FLAG W UV CLEAR LEFT	8.00		1.00
	680-10RAMERICAN FLAG W UV CLEAR RIGHT			1.00
PM B INSPECTION PREVENTIVE MAINTENANCE	6805450005RELAY NEW # POT-BFMA-15F41	4.00		2.00
	9440BELT			1.00
LIGHT BAR FRONT	9480BELT	1.00		1.00
	A1712756000HOOD CABLE			1.00
MISCELLANOUS CODES	ABM-1BASE MOUNT ALUMINUM	0.50		1.00
	FZ-K190-1MOTOR MOUNT RAM FAN GF165			1.00
VALVES	FZ51368FEET RUBBER RAM-FAN	1.00		4.00
	K080716BELT			1.00
PUMP TESTING	LPVM-7LG MOUNT	4.00		2.00
	PR20SCCCUSE 02-382477-00			1.00
LIGHTING	REDG6S14023 GASKET 6 IN	1.50		1.00
	SAHSVS2510STRAP			1.00
VALVES	TH1QUICK MOUNT TOOL HOLDER	1.50		1.00
	UMVS-0811-11STRAP ZICO			4.00
PRIMER PUMP MOTOR	UMVS111611STRAP	2.00		1.00
	UMVS162511STRAP			3.00
MISCELLANOUS CODES		3.00		

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

Problem	RELACE ALL BELTS	3.00
Problem	SWITCH	1.00
Problem	DOORS	1.50
Problem	MISCELLANOUS CODES	8.00
Problem	MISCELLANOUS CODES	8.00
Problem	MISCELLANOUS CODES	4.00
Problem	HURST POWER UNIT	3.50
Problem	SMALL ENGINE REPAIR, SAW, GENERATOR	2.50
Problem	HURST POWER UNIT	3.50
Problem	WINDSHIELD WIPER	0.50

10132031

Workorder: V8177 **Meter Reading:** 1,629.70
In Date: 05/09/2007 **Close Date:** 05/18/2007

Labor Hours	Description	Parts	Quantity
--------------------	--------------------	--------------	-----------------

Problem	FIREFIGHTING EQUIPMENT	0.25
----------------	------------------------	------

10132031

Workorder: V8184 **Meter Reading:** 1,629.70
In Date: 05/09/2007 **Close Date:** 06/05/2007

Labor Hours	Description	Parts	Quantity
--------------------	--------------------	--------------	-----------------

Problem	HOSE BED COVER	1.00
----------------	----------------	------

10132031

Workorder: V8200 **Meter Reading:** 46,553.00
In Date: 05/10/2007 **Close Date:** 06/05/2007

Labor Hours	Description	Parts	Quantity
Problem	AIR HOSE		0.75
Problem	AIR HOSE		1.00
	1654-8FERRULE .718		2.00
	S506USE 501 GAUGE AIR		1.00
	S602CARD MALE CONN. 3/8 IN HOSE		2.00
	S775COUPLER		1.00
	S777COUPLING NIPPLE		1.00
	S778COUPLING		1.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V8381	Meter Reading: 61.20	Labor Hours	Description	Parts	Quantity
In Date: 05/22/2007	Close Date: 06/05/2007				
Problem	ENGINE				

10132031

Workorder: V8470	Meter Reading: 1,670.30	Labor Hours	Description	Parts	Quantity
In Date: 05/29/2007	Close Date: 06/06/2007				
Problem	TAIL LIGHTS/ TAG LIGHT	1.00			
Problem	ON BOARD O2 SYSTEM	1.00			
Problem	GRAPHICS-LETTERING	1.00			
Problem	A/C LOW FREON	1.00			

10132031

Workorder: V7607	Meter Reading: 46,277.00	Labor Hours	Description	Parts	Quantity
In Date: 04/09/2007	Close Date: 06/19/2007				
Problem	repair fuel system cummins power south				

10132031

Workorder: V8669	Meter Reading: 47,013.00	Labor Hours	Description	Parts	Quantity
In Date: 06/08/2007	Close Date: 06/20/2007				
Problem	THROTTLES/CABLES	6.00			
			103103THROTTLE INTERFACE		1.00
			55790-1350000008 ELECTRONIC THROTTLE	100076 FELSTED	1.00

10132031

Workorder: V8726	Meter Reading: 1,714.00	Labor Hours	Description	Parts	Quantity
In Date: 06/12/2007	Close Date: 06/28/2007				
Problem	PM C INSPECTION PREVENTIVE MAINTENANCE	1.00			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V8728	Meter Reading: 1,714.00	Labor Hours	Description	Parts	Quantity
In Date: 06/12/2007	Close Date: 06/28/2007				
Problem HAND LIGHTS		1.00			

10132031

Workorder: V8858	Meter Reading: 47,446.00	Labor Hours	Description	Parts	Quantity
In Date: 06/14/2007	Close Date: 07/03/2007				
Problem MAP LIGHT		1.00	LF18TS-LEDMAP LIGHT LED 18 IN		1.00

10132031

Workorder: V8883	Meter Reading: 17,208.00	Labor Hours	Description	Parts	Quantity
In Date: 06/17/2007	Close Date: 07/03/2007				
Problem EMERGENCY / WARNING		0.25			

10132031

Workorder: V8885	Meter Reading: 17,208.00	Labor Hours	Description	Parts	Quantity
In Date: 06/17/2007	Close Date: 07/03/2007				
Problem MIRRORS		0.75	980-412173 MIRROR 8 IN		3.00

10132031

Workorder: V8217	Meter Reading: 1,629.70	Labor Hours	Description	Parts	Quantity
In Date: 05/12/2007	Close Date: 07/05/2007				
Problem VALVES		1.00	ABM-1BASE MOUNT ALUMINUM		2.00
Problem GRAPHICS-LETTERING		1.00	SAHSVS2510STRAP		2.00
			UMVS056511STRAP		2.00
			UMVS111611STRAP		2.00

10132031

Workorder: V9643	Meter Reading: 1,821.30	Labor Hours	Description	Parts	Quantity
In Date: 07/31/2007	Close Date: 08/07/2007				
Problem SCENE LIGHTS		0.75	1156BULB		10.00
			194BULB		10.00
			8550A250A8550A250A BULB		2.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V9615		Meter Reading: 48,368.00	Labor Hours	Description	Parts	Quantity
In Date: 07/29/2007		Close Date: 08/20/2007				
Problem	HURST POWER UNIT		1.00	2032-0000-30LENS CLEAR		5.00
Problem	COMPARTMENT LIGHTS		1.00	6806840118DOOR SILL R/H		1.00
Problem	COMPARTMENT LIGHTS		0.75	68336833 BELT		1.00
				68836883 BELT COMPRESSOR		1.00
				68956895 BELT COMPRESSOR		1.00

10132031

Workorder: V9749		Meter Reading: 486,614.00	Labor Hours	Description	Parts	Quantity
In Date: 08/07/2007		Close Date: 08/24/2007				
Problem	WATER TANK LEVEL GAUGE		1.00	102245111661 GAUGE TANK LEVEL CLASS 1		3.00
Problem	WATER TANK LEVEL GAUGE		1.50			
Problem	FOAM SYSTEM		1.00			
Problem	CAB DOOR		1.00			

10132031

Workorder: V9976		Meter Reading: 0.00	Labor Hours	Description	Parts	Quantity
In Date: 08/17/2007		Close Date: 08/31/2007				
Problem	DRAIN		1.00			

10132031

Workorder: V10540		Meter Reading: 1,963.40	Labor Hours	Description	Parts	Quantity
In Date: 09/19/2007		Close Date: 09/25/2007				
Problem						

10132031

Workorder: V10123		Meter Reading: 49,139.00	Labor Hours	Description	Parts	Quantity
In Date: 08/25/2007		Close Date: 10/01/2007				
Problem	WATER TANK LEVEL GAUGE		1.00	12105QUICK DRAIN		1.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder:	V10721	Meter Reading:	49,761.00	Labor Hours	Description	Parts	Quantity
In Date:	09/28/2007	Close Date:	10/01/2007				
Problem	SMALL ENGINE REPAIR, SAW, GENERATOR			1.00			
Problem	HEADLIGHTS			1.00			

10132031

Workorder:	V9242	Meter Reading:	47,890.00	Labor Hours	Description	Parts	Quantity
In Date:	07/10/2007	Close Date:	10/15/2007				
Problem	CAB DOOR			1.00	18-29935-001RH DOOR LATCH NEW		2.00
Problem	CAB DOOR			1.00	18-45484-000LATCH L/H		2.00
					29111TAIL SPOUT CHROME		1.00
					338-25338-25 ADAPT.SUCTION		1.00
					98032R 41032-3 RED REFLECTOR OVAL REFLECTOR		8.00

10132031

Workorder:	V11094	Meter Reading:	2,022.00	Labor Hours	Description	Parts	Quantity
In Date:	10/17/2007	Close Date:	10/25/2007				
Problem							

10132031

Workorder:	V11095	Meter Reading:	2,022.00	Labor Hours	Description	Parts	Quantity
In Date:	10/17/2007	Close Date:	10/25/2007				
Problem							

10132031

Workorder:	V9904	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	08/14/2007	Close Date:	10/26/2007				
Problem	FOAM SYSTEM			1.00	168-0380-51USE 168-0380-56-0 OLD CONTROL UNIT HALE		1.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V9223	Meter Reading: 1,771.30	Labor Hours	Description	Parts	Quantity
In Date: 07/09/2007	Close Date: 11/06/2007				
Problem LIGHTING		1.00			
Problem LIGHTING		1.00			

10132031

Workorder: V11656	Meter Reading: 51,101.00	Labor Hours	Description	Parts	Quantity
In Date: 11/17/2007	Close Date: 11/28/2007				
Problem SIREN SPEAKERS		1.00			

10132031

Workorder: V11552	Meter Reading: 51,042.00	Labor Hours	Description	Parts	Quantity
In Date: 11/09/2007	Close Date: 11/29/2007				
Problem AIR LEAK DIAGNOSIS		1.00	02036070900CSTROBE LIGHT-MICRO		2.00
Problem STROBE LIGHT		1.00	284358GOVERNOR D-2		1.00
			6811806465S 68-1180646-5S LENS MICROBEAM		2.00

10132031

Workorder: V11673	Meter Reading: 2,108.00	Labor Hours	Description	Parts	Quantity
In Date: 11/19/2007	Close Date: 11/29/2007				
Problem INTERIOR LIGHTS/MAP LIGHT		1.00			

10132031

Workorder: V11845	Meter Reading: 2,156.80	Labor Hours	Description	Parts	Quantity
In Date: 11/30/2007	Close Date: 12/03/2007				
Problem ELECTRICAL SYSTEM 12 VOLT					

10132031

Workorder: V11675	Meter Reading: 51,101.00	Labor Hours	Description	Parts	Quantity
In Date: 11/19/2007	Close Date: 12/20/2007				
Problem replace rear tires at sta 53 callaghan					

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V12090	Meter Reading: 2,186.30	Labor Hours	Description	Parts	Quantity
In Date: 12/16/2007	Close Date: 12/21/2007				
Problem VEHICLE LIGHTS		1.50			

10132031

Workorder: V12219	Meter Reading: 52,172.00	Labor Hours	Description	Parts	Quantity
In Date: 12/26/2007	Close Date: 12/26/2007				
Problem AIR HOSE			05-16423-000HOSE LOWER RADIATOR		1.00

10132031

Workorder: V12143	Meter Reading: 2,186.30	Labor Hours	Description	Parts	Quantity
In Date: 12/18/2007	Close Date: 01/04/2008				
Problem EQUIPMENT MOUNTING BRACKETS		1.00	6818102645L/H BRACKET RESCUE/SHORT TYPE MIRROR		1.00
			GRO716SGRO716S MIRROR S/S		1.00

10132031

Workorder: V8668	Meter Reading: 47,013.00	Labor Hours	Description	Parts	Quantity
In Date: 06/08/2007	Close Date: 01/14/2008				
Problem					

10132031

Workorder: V12242	Meter Reading: 22,148.00	Labor Hours	Description	Parts	Quantity
In Date: 12/26/2007	Close Date: 01/16/2008				
Problem DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT		0.25	15W40QSYN OIL QT		12.00
Problem MIRRORS		0.75	ABPN8332229011-3050 SWITCH BLOWER		4.00
Problem BLOWER		1.00			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V12589		Meter Reading: 52,617.00	Labor Hours	Description	Parts	Quantity
In Date: 01/15/2008		Close Date: 01/18/2008				
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE		3.50	15W40BSYN OIL BULK QTS		20.00
Problem	BATTERY OR BATTERY SYSTEM		1.00	194BULB		10.00
Problem	WINDSHIELD WIPER		0.25	52-24WIPER BLADES ANCO 24		2.00
Problem	TURN SIGNALS		0.25	78R536078R5360M 2PK FILTER AIR COND		1.00
Problem	VEHICLE LIGHTS		0.25	91513AMBER LENS		1.00
Problem	A/C FILTER		0.25	H27W12VMH27W12VM BULB		1.00
Problem	COMPARTMENTS		0.25	HPH6349AOIL FILTER 51748		1.00
Problem	AIR INTAKE SYSTEM		0.25			

10132031

Workorder: V12640		Meter Reading: 2,273.00	Labor Hours	Description	Parts	Quantity
In Date: 01/16/2008		Close Date: 01/18/2008				
Problem	FOAM SYSTEM		1.50			
Problem	BATTERY CHARGER		1.00			

10132031

Workorder: V12651		Meter Reading: 2,273.20	Labor Hours	Description	Parts	Quantity
In Date: 01/17/2008		Close Date: 02/01/2008				
Problem	FOAM SYSTEM		1.00			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V12843	Meter Reading: 4,368.30	Labor Hours	Description	Parts	Quantity
In Date: 01/26/2008	Close Date: 02/05/2008				
Problem AIR HORN		1.50			
Problem		0.75			
Problem FOAM TANK		1.00			
Problem VALVES		1.00			

10132031

Workorder: V12891	Meter Reading: 4,463.60	Labor Hours	Description	Parts	Quantity
In Date: 01/29/2008	Close Date: 02/05/2008				
Problem		1.00			

10132031

Workorder: V3839	Meter Reading: 0.00	Labor Hours	Description	Parts	Quantity
In Date: 08/08/2006	Close Date: 02/07/2008				
Problem					

10132031

Workorder: V13119	Meter Reading: 474.00	Labor Hours	Description	Parts	Quantity
In Date: 02/07/2008	Close Date: 02/13/2008				
Problem HOSES/TUBING		1.00			

10132031

Workorder: V13147	Meter Reading: 474.00	Labor Hours	Description	Parts	Quantity
In Date: 02/09/2008	Close Date: 02/13/2008				
Problem BATTERY CHARGER		1.00			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V13413	Meter Reading: 53,684.00	Labor Hours	Description	Parts	Quantity
In Date: 02/21/2008	Close Date: 03/03/2008				
Problem BATTERY OR BATTERY SYSTEM		2.50	283255 SLIDE 18IN 500 LBS		2.00
			A0631087000CABLE BATT. POS.		1.00
			A0631088000CABLE BATT. NEG.		1.00
			BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY		4.00
			HP-31DBATTERY 950CCA HP-31D		4.00

10132031

Workorder: V13509	Meter Reading: 513.00	Labor Hours	Description	Parts	Quantity
In Date: 02/26/2008	Close Date: 03/05/2008				
Problem SCENE LIGHTS		1.00			

10132031

Workorder: V13885	Meter Reading: 54,151.00	Labor Hours	Description	Parts	Quantity
In Date: 03/13/2008	Close Date: 03/19/2008				
Problem AIR LEAK DIAGNOSIS		1.00	2952271729552377 VALVE ASSY.ACCUM		1.00

10132031

Workorder: V14238	Meter Reading: 602.00	Labor Hours	Description	Parts	Quantity
In Date: 04/02/2008	Close Date: 04/10/2008				
Problem RELIEF VALVE DISCHARGE		1.00			
Problem AIR LEAK DIAGNOSIS		1.00			

10132031

Workorder: V14289	Meter Reading: 610.00	Labor Hours	Description	Parts	Quantity
In Date: 04/04/2008	Close Date: 04/10/2008				
Problem HOSE		1.00			

10132031

Workorder: V14605	Meter Reading: 6,462.30	Labor Hours	Description	Parts	Quantity
In Date: 04/21/2008	Close Date: 04/30/2008				
Problem OIL LEAK		1.00			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V14894	Meter Reading: 6,505.80	Labor Hours	Description	Parts	Quantity
In Date: 05/06/2008	Close Date: 06/04/2008				
Problem LIGHTING		1.00	14-7014HGR-1 HELMET HOOK		4.00

10132031

Workorder: V15073	Meter Reading: 709.90	Labor Hours	Description	Parts	Quantity
In Date: 05/14/2008	Close Date: 06/04/2008				
Problem FIRE PUMP SYSTEM		1.00			
Problem CAB DOOR		1.00			
Problem RELIEF VALVE DISCHARGE		1.00			

10132031

Workorder: V15444	Meter Reading: 56,371.00	Labor Hours	Description	Parts	Quantity
In Date: 06/02/2008	Close Date: 06/16/2008				
Problem OIL LEAK		1.00			

10132031

Workorder: V15723	Meter Reading: 56,674.00	Labor Hours	Description	Parts	Quantity
In Date: 06/13/2008	Close Date: 06/25/2008				
Problem ACCESSORIES/TRIM/MOLDINGS		1.00	UMVS254411STRAP 46 IN		1.00
Problem HOSE BED COVER		0.50			

10132031

Workorder: V15740	Meter Reading: 56,775.00	Labor Hours	Description	Parts	Quantity
In Date: 06/13/2008	Close Date: 06/25/2008				
Problem		1.00			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V15672	56,563.00				
In Date: 06/11/2008	Close Date: 07/01/2008				
Problem PRIMER PUMP MOTOR		1.50	501-3090-00PRIMER PUMP MOTOR		1.00

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V15938	0.00				
In Date: 06/24/2008	Close Date: 07/11/2008				
Problem AIR LEAK DIAGNOSIS		1.00	UPS64RXPOWER SUPPLY REPAIRED		1.00
Problem STROBE LIGHT		1.00			

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V16193	0.00				
In Date: 07/07/2008	Close Date: 07/24/2008				
Problem SMALL ENGINE REPAIR, SAW, GENERATOR					

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V16516	0.00				
In Date: 07/22/2008	Close Date: 07/30/2008				
Problem LIGHTING		1.00			
Problem AIR LEAK DIAGNOSIS					

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V16669	57,633.00				
In Date: 07/29/2008	Close Date: 08/14/2008				
Problem FIREFIGHTING EQUIPMENT		0.75			
Problem FIREFIGHTING EQUIPMENT		0.75			
Problem DOOR/COMPT. OPEN WARNING LIGHT		1.00			
Problem REAR/TAILBOARD		1.50			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V17005	Meter Reading: 0.00	Labor Hours	Description	Parts	Quantity
In Date: 08/13/2008	Close Date: 08/22/2008				
Problem FOAM SYSTEM		1.00			

10132031

Workorder: V17478	Meter Reading: 58,374.20	Labor Hours	Description	Parts	Quantity
In Date: 09/03/2008	Close Date: 09/08/2008				
Problem OIL LEAK			15W40QSYN OIL QT		4.00
Problem ELECTRICAL SYSTEM 12 VOLT					

10132031

Workorder: V17006	Meter Reading: 0.00	Labor Hours	Description	Parts	Quantity
In Date: 08/13/2008	Close Date: 09/22/2008				
Problem CLEARANCE LIGHTS		0.25			

10132031

Workorder: V17549	Meter Reading: 0.00	Labor Hours	Description	Parts	Quantity
In Date: 09/07/2008	Close Date: 09/29/2008				
Problem INTAKE VALVE		1.00			
Problem PUMP SYSTEM		1.50			

10132031

Workorder: V17497	Meter Reading: 0.00	Labor Hours	Description	Parts	Quantity
In Date: 09/04/2008	Close Date: 09/30/2008				
Problem INDICATORS		1.50			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder:	V17736	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	09/16/2008	Close Date:	09/30/2008				
Problem	PRIMER PUMP MOTOR			1.00	5460370530VPS SHIFT KIT	546-0370-53-0	1.00
Problem	AIR LEAK DIAGNOSIS			1.50			

10132031

Workorder:	V17861	Meter Reading:	58,607.00	Labor Hours	Description	Parts	Quantity
In Date:	09/22/2008	Close Date:	10/15/2008				
Problem				1.00			

10132031

Workorder:	V18151	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	10/06/2008	Close Date:	10/15/2008				
Problem				0.25			
Problem				1.00			
Problem				0.25			

10132031

Workorder:	V18174	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	10/06/2008	Close Date:	10/15/2008				
Problem				1.00			

10132031

Workorder:	V15107	Meter Reading:	55,873.00	Labor Hours	Description	Parts	Quantity
In Date:	05/15/2008	Close Date:	10/20/2008				
Problem					546126000TPM/QG HALE REPAIR KIT		1.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V14007 Meter Reading: 54,151.00

In Date: 03/20/2008 Close Date: 10/28/2008

Problem	Description	Labor Hours	Parts	Quantity
BACK-UP LIGHTS		1.00		

10132031

Workorder: V18153 Meter Reading: 0.00

In Date: 10/06/2008 Close Date: 11/10/2008

Problem	Description	Labor Hours	Parts	Quantity
FUSES/BREAKERS		1.00		
COOLER		6.00		
VOLTS		2.00		
PM C INSPECTION PREVENTIVE MAINTENANCE		3.00		
WATER TANK LEVEL GAUGE		5.00		
DRAIN		2.00		
ENGINE		6.00		
WATER TANK LEVEL GAUGE		1.50		

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V18173 Meter Reading: 0.00
In Date: 10/06/2008 Close Date: 11/10/2008

		Labor Hours	Description	Parts	Quantity
Problem	FOAM TANK	0.50			
Problem	WATER TANK	2.50			
Problem	TIRE'S ,FRONT	1.00			
Problem	THROTTLES/CABLES	0.50			
Problem	SEATS	1.50			
Problem	REAR WINDOW	1.00			
Problem	CAB DOOR	1.00			
Problem	ACCESSORIES/TRIM/MOLDINGS	0.75			
Problem	MOUNTS	0.50			
Problem	REAR WINDOW	0.25			
Problem	A/C,HEATING, & VENTILATION SYSTEM	4.00			
Problem	ENGINE	1.00			
Problem	VEHICLE LIGHTS	0.50			
Problem	EMERGENCY / WARNING	0.50			
Problem	VALVES	0.50			
Problem	DOOR/COMPT. OPEN WARNING LIGHT	1.00			
Problem	ACCESSORIES/TRIM/MOLDINGS	1.00			
Problem	RELIEF VALVE INTAKE	8.00			
Problem	RELACE ALL BELTS	2.00			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

Problem	A/C,HEATING, & VENTILATION SYSTEM	2.00
Problem	A/C,HEATING, & VENTILATION SYSTEM	4.00
Problem	PUMP PANEL GUAGES	0.50
Problem	PUMP PANEL GUAGES	5.00
Problem	ACCESSORIES/TRIM/MOLDINGS	0.50
Problem	WINDSHIELD WIPER	0.25
Problem	ACCESSORIES/TRIM/MOLDINGS	0.50
Problem	COMPARTMENTS	0.50
Problem	HANDLES	0.75
Problem	ACCESSORIES/TRIM/MOLDINGS	0.50
Problem	BUMPERS	1.50
Problem	COOLANT LEAK	1.50
Problem	HANDLES	0.50
Problem	CLEARENCE LIGHTS	1.00
Problem	ACCESSORIES/TRIM/MOLDINGS	0.50
Problem	CABLES/LINKAGE	6.75
Problem	A/C,HEATING, & VENTILATION SYSTEM	8.00
Problem	FOAM SYSTEM	7.00
Problem	FOAM SYSTEM	8.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V18227 Meter Reading: 59,310.40
In Date: 10/08/2008 Close Date: 11/10/2008

Labor Hours	Description	Parts	Quantity
-------------	-------------	-------	----------

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

0100080010STRAINER	2.00
012-5071-00-0KNOB DRAIN VALVE	1.00
013-2010-054 PIN CABLE FLOW SENSOR HALE FOAM SYS.	1.00
013-2020-056 PIN CABLE HALE CONTROL	1.00
032110401150 VALVE AIR SEAT	1.00
0467020000VALVE SEAT DRAIN	1.00
08-3423B4580S SPLICER SB6103-3	1.00
080-134PA/C SPLICER HIGH SIDE	1.00
102245111661 GAUGE TANK LEVEL CLASS 1	1.00
107796DRYER KIT AD9 -NEW	1.00
107800VALVE CHECK AD9	1.00
108-12FBEADED CHAIN W/CONN 12	1.00
10TF4-10FBA/C FITTING 45 DEGREE	1.00
15016KIT15016 PIN KIT	2.00
15W40BSYN OIL BULK QTS	24.00
18-29935-001RH DOOR LATCH NEW	1.00
18-45484-000LATCH L/H	1.00
1836267000VISOR RETRN	1.00
194BULB	4.00
26312YLIGHT MARKER YELLO	1.00
3218K167ROTOR-BRAKE	2.00
380003ASEAL	2.00
3934044 3938160 OIL PAN C GASKET	1.00
401581GASKET AXLE FL80 R002435	2.00
4407S08-6462BS 45 DEG FITTING 8 SB1312	1.00
52-24WIPER BLADES ANCO 24	2.00
52-624SWITCH DOOR	4.00
524740830-805 A/F HONDA 17210-ZE1-505	1.00
546126000TPM/QG HALE REPAIR KIT	1.00
55790-1350000008 ELECTRONIC THROTTLE 100076 FELSTED	1.00
572572 BEARING/RACE	2.00
5730A/C COMPRESSOR	1.00
580580 BEARING	2.00
592A592A RACE	2.00
594-A594-A BEARING	2.00
6806970098SEAL DOOR	1.00
6807680003PLATE DOOR HANDLE	1.00
6808300074VENT A/C LH	2.00
6808300174VENT A/C RH	2.00
71R406018-2664 KNOB	1.00
71R755011-2624 TRINARY SWITCH A/C 1560	1.00
72R311018-2640 VENT A/C NEW # 1719	4.00
7460967AIR FILTER 17210-ZE2-515 HONDA	1.00
74R258607-2613A RED DOT DRIER 7127	1.00
7605-7238GAUGE TRANS TEMP	1.00
800405PURGE VALVE KIT	1.00
8201L17-3428 ESTER OIL E7	1.00
91368904 VALVE KIT 1 1/2 IN	1.00
91388906 VALVE KIT 2.5 IN AKRON	1.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

Problem	PM C INSPECTION PREVENTIVE MAINTENANCE	8.00	91398907 VALVE KIT 3 IN AKRON 91553941 GAUGE	2.00 8.00
Problem	PM C INSPECTION PREVENTIVE MAINTENANCE	4.00	91583953 GAUGE COMPOUND LIQUID FILLED 9440 BELT	2.00 1.00
Problem	ELECTRICAL	4.00	9480 BELT A13263M1157 CALIPER ASSY ENGREAR L/H	1.00 1.00
Problem	PM C INSPECTION PREVENTIVE MAINTENANCE	4.00	A1818557002 HANDLE-WINDOW A23263M1157 CALIPER ASSY ENG REAR R/H	1.00 1.00
Problem	PM C INSPECTION PREVENTIVE MAINTENANCE	1.50	BPR5 ESSPARK PLUG 7734 BPR6 ESSPARK PLUG 7131	1.00 1.00
Problem	PM C INSPECTION PREVENTIVE MAINTENANCE	7.50	CA8193 AIR FILTER 46744 WIX DSK3-1283 ATRANS OIL COOLER	1.00 1.00
Problem	PM C INSPECTION PREVENTIVE MAINTENANCE	6.00	E-600013-3052 NUT FREIGHT SHIPPING CHARGES	1.00 1.00
Problem	BRAKES	3.00	FS1022 FILTER FUEL WIX 33422 PS8689 FRAM HPH6349 A OIL FILTER 51748	1.00 1.00
			K080716 BELT MA15445NT3030 STD CHAMBER 30/30	1.00 2.00
			PR338324070 WIX FILTER WATER R004961 ANUT ROTOR/HUB	1.00 19.00
			R802462 SLACK ADJ R802463 SLACK ADJUSTER	1.00 1.00
			R90P FILTER FUEL 33231 S2R7017173 USE KIT15625 PM BRAKE PAD	2.00 2.00
			S4410325140R955342 SENSOR REAR ABS 4410328140 S777 COUPLING NIPPLE	2.00 17.00
			VML-S1414 FILTER P/S VML-T1264 GASKET P/S COVER	1.00 1.00
			VML-T1279 WASHER P/S	1.00

10132031

Workorder: V18631 Meter Reading: 59,310.40
In Date: 10/27/2008 Close Date: 11/10/2008

Problem	Labor Hours	Description	Parts	Quantity
---------	-------------	-------------	-------	----------

make new cushions for airpacks

10132031

Workorder: V18923 Meter Reading: 59,310.40
In Date: 11/07/2008 Close Date: 11/17/2008

Problem	Labor Hours	Description	Parts	Quantity
---------	-------------	-------------	-------	----------

COOLER 6.00 325806 HOSE 1.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V19002	0.00				
In Date: 11/11/2008	Close Date: 12/01/2008				
Problem	LIGHTING	0.75			
Problem	LIGHTING	1.00			
Problem	WATER TANK LEVEL GAUGE	0.75			

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V19011	0.00				
In Date: 11/12/2008	Close Date: 12/01/2008				
Problem	RELIEF VALVE DISCHARGE	1.00			

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V19287	59,666.50				
In Date: 11/24/2008	Close Date: 12/02/2008				
Problem	HEADLIGHTS	1.00			

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V18152	0.00				
In Date: 10/06/2008	Close Date: 12/04/2008				
Problem	REPLACE HOSE BED COVER E53				

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V18475	59,310.40				
In Date: 10/21/2008	Close Date: 12/05/2008				
Problem	replace rear tires at shop callaghan				

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V18744	59,310.40				
In Date: 10/31/2008	Close Date: 12/05/2008				
Problem	replace front tires at shop callaghan				

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V19482 **Meter Reading:** 60,068.60 **Labor Hours** **Description** **Parts** **Quantity**

In Date: 12/03/2008 **Close Date:** 12/11/2008

Problem

	15W40QSYN OIL QT	5.00
	180R002HURST HYD. FLUID QT	3.00

10132031

Workorder: V19621 **Meter Reading:** 2,985.00 **Labor Hours** **Description** **Parts** **Quantity**

In Date: 12/09/2008 **Close Date:** 01/05/2009

Problem AIR HORN 1.00

10132031

Workorder: V19750 **Meter Reading:** 0.00 **Labor Hours** **Description** **Parts** **Quantity**

In Date: 12/15/2008 **Close Date:** 01/05/2009

Problem SMALL ENGINE REPAIR, SAW, GENERATOR 1.00

10132031

Workorder: V20222 **Meter Reading:** 3,059.90 **Labor Hours** **Description** **Parts** **Quantity**

In Date: 01/08/2009 **Close Date:** 01/27/2009

Problem 0.75 1094KIT-AIR HORN-GROVER 2.00

Problem 0.75 EL360081760611 SOLENOID AIR HORN 1.00

10132031

Workorder: V20661 **Meter Reading:** 61,622.00 **Labor Hours** **Description** **Parts** **Quantity**

In Date: 01/28/2009 **Close Date:** 02/12/2009

Problem 3.00 UMVS-0811-11STRAP ZICO 7.00

UMVS111611STRAP 7.00

UMVS162511STRAP 7.00

UMVS254411STRAP 46 IN 2.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder:	V20295	Meter Reading:	3,059.90	Labor Hours	Description	Parts	Quantity
In Date:	01/12/2009	Close Date:	02/18/2009				
Problem	FOAM SYSTEM			1.00			
Problem	FUEL FILTER			0.75			
Problem	A/C BELT REAR A/C			0.75			
Problem	WATER TANK LEVEL GAUGE			0.25			

10132031

Workorder:	V20582	Meter Reading:	3,103.00	Labor Hours	Description	Parts	Quantity
In Date:	01/25/2009	Close Date:	02/19/2009				
Problem	ACCESSORIES/TRIM/MOLDINGS			0.75	1157BULB		10.00

10132031

Workorder:	V21146	Meter Reading:	187.00	Labor Hours	Description	Parts	Quantity
In Date:	02/17/2009	Close Date:	02/25/2009				
Problem	PANEL LIGHTS			1.50			

10132031

Workorder:	V21286	Meter Reading:	62,173.00	Labor Hours	Description	Parts	Quantity
In Date:	02/23/2009	Close Date:	03/13/2009				
Problem	CHECK ENGINE LIGHT			2.00	4025130FUEL PRESS SENSOR		2.00

10132031

Workorder:	V22108	Meter Reading:	3,192.40	Labor Hours	Description	Parts	Quantity
In Date:	03/26/2009	Close Date:	04/06/2009				
Problem	VALVES DISCHARGE			0.75			
Problem	VALVES DISCHARGE			1.50			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder:	V21708	Meter Reading:	3,192.40	Labor Hours	Description	Parts	Quantity
In Date:	03/11/2009	Close Date:	04/10/2009				
Problem	PANEL LIGHTS			1.00	120257100C2030-7110-30 CLEAR DOME STEP		4.00
Problem	CLEARANCE LIGHTS			1.00	372000082CHROME MARKER LIGHT MOUNT		2.00
					372000083GASKET MOUNTING		2.00
					372000084MARKER LIGHT		2.00
					372000085HARNES FOR MARKER LIGHT		2.00
					NI PLATEMARKER LIGHT MOUNTING PLATE		2.00

10132031

Workorder:	V22401	Meter Reading:	286.00	Labor Hours	Description	Parts	Quantity
In Date:	04/08/2009	Close Date:	04/29/2009				
Problem	SPOTLIGHT			1.00			
Problem	PUMP SYSTEM			1.00			
Problem	A/C CONDENSER			1.00			

10132031

Workorder:	V23135	Meter Reading:	63,948.00	Labor Hours	Description	Parts	Quantity
In Date:	05/07/2009	Close Date:	05/13/2009				
Problem	DISC BRAKES			2.50			

10132031

Workorder:	V23394	Meter Reading:	367.00	Labor Hours	Description	Parts	Quantity
In Date:	05/19/2009	Close Date:	06/02/2009				
Problem	FOAM SYSTEM			2.00	24117SOLENOID INS	CONT DUTY	1.00

10132031

Workorder:	V23628	Meter Reading:	64,447.00	Labor Hours	Description	Parts	Quantity
In Date:	05/28/2009	Close Date:	06/19/2009				
Problem	PRIMER PUMP MOTOR						

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V23699	Meter Reading: 410.00	Labor Hours	Description	Parts	Quantity
In Date: 06/01/2009	Close Date: 06/19/2009				
Problem SMALL ENGINE REPAIR, SAW, GENERATOR		1.00			

10132031

Workorder: V23700	Meter Reading: 410.00	Labor Hours	Description	Parts	Quantity
In Date: 06/01/2009	Close Date: 06/19/2009				
Problem OIL LEAK		1.00	15W40QSYN OIL QT		12.00

10132031

Workorder: V23702	Meter Reading: 410.00	Labor Hours	Description	Parts	Quantity
In Date: 06/01/2009	Close Date: 06/19/2009				
Problem LIGHTING		1.00	22-51374-000SENSOR AIR RESTRICTION		1.00
Problem WIRING		1.00	25-358SWITCH COVER		1.00
			923182-2151 SWITCH MOMENTARY 24-372		1.00

10132031

Workorder: V23868	Meter Reading: 410.00	Labor Hours	Description	Parts	Quantity
In Date: 06/05/2009	Close Date: 06/19/2009				
Problem DOOR/COMPT. OPEN WARNING LIGHT		1.00			
Problem WIRING		1.00			

10132031

Workorder: V23922	Meter Reading: 410.00	Labor Hours	Description	Parts	Quantity
In Date: 06/08/2009	Close Date: 06/23/2009				
Problem CHECK ENGINE LIGHT		2.50	22-51374-000SENSOR AIR RESTRICTION		1.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V22174	3,192.40				
In Date: 03/29/2009	Close Date: 07/06/2009				
Problem HANDLES		1.00	512-0070-00-0MIV HANDLE		1.00
Problem PANEL LIGHTS		1.00			

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V24294	443.00				
In Date: 06/23/2009	Close Date: 07/06/2009				
Problem SPOTLIGHT		1.00	4007BULB NIGHT FIGHTER		2.00
Problem WATER TANK LEVEL GAUGE		1.00			
Problem BRAKES		1.00			

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V24293	443.00				
In Date: 06/23/2009	Close Date: 07/08/2009				
Problem RELIEF VALVE INTAKE		1.00			

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V24052	65,420.00				
In Date: 06/13/2009	Close Date: 07/09/2009				
Problem TOW UNIT TO STA 42					

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V24104	65,420.00				
In Date: 06/15/2009	Close Date: 07/09/2009				
Problem repair ram fan E53 (outside agency-Regan's small engine service)					

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V24586 **Meter Reading:** 65,420.00
In Date: 07/06/2009 **Close Date:** 07/25/2009

Labor Hours	Description	Parts	Quantity
-------------	-------------	-------	----------

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

0100080010STRAINER	1.00
012-0160-00T-HANDLE	1.00
038-0191-00CONTROL VALVE	1.00
042-0550-00SPRING-VALVE QG RELIEF VALVE	1.00
073004100PISTON	1.00
103385NDRAIN COCK	3.00
1141BULB	5.00
120257100C2030-7110-30 CLEAR DOME STEP	2.00
15W40BSYN OIL BULK QTS	24.00
1891BULB	1.00
194BULB	10.00
200226200200-2262-50 SWITCH-PROXIMITY QG VALVE	1.00
2032-0000-30LENS CLEAR	2.00
22402240 VALVE HEATER CONT. PULL TO OPEN 5/8 IN 3/4 O	1.00
2332920005SMASK LENS W/RST BUTTON VDO	1.00
281923XDV-2 DRAIN VALVE	2.00
2952271729552377 VALVE ASSY.ACCUM	1.00
29535973ACCUM.KIT	1.00
372000082CHROME MARKER LIGHT MOUNT	2.00
372000083GASKET MOUNTING	2.00
372000084MARKER LIGHT	2.00
372000085HARNES FOR MARKER LIGHT	2.00
3936953INJ TUBE	6.00
3939284VALVE GASKET COVER	1.00
3948529RXINJECTOR	6.00
3966854DIPSTICK	1.00
3992090RACK GASKET	1.00
4537BULB 100W SPOT	1.00
519007110SLIDE CONTROL 519-0071-10	1.00
538-0790-00-0BODY CONTROL ASSEMBLY	1.00
538-1400-00QG VALVE	1.00
546126000TPM/QG HALE REPAIR KIT	1.00
5501455014 SWITCH	1.00
680-277-00-40-CBRACKET	1.00
6808200020LIGHT ASSY. TURN SIGNAL	2.00
800373SC-3 CHECK VALVE 5003525	1.00
9096-02SWITCH	1.00
EL360081760611 SOLENOID AIR HORN	1.00
FREIGHTSHIPPING CHARGES	1.00
FS1022FILTER FUEL WIX 33422 PS8689 FRAM	1.00
HPH6349AOIL FILTER 51748	1.00
NI PLATEMARKER LIGHT MOUNTING PLATE	2.00
PR338324070 WIX FILTER WATER	1.00
PVG-KITORING KIT	1.00
R90PFILTER FUEL 33231	1.00
S777COUPLING NIPPLE	1.00
SPR-908-028BELLOWS JOINT BELLOW	2.00
SPR-S4804WEATHER CAP FOR WIPERS	1.00
SPR-W58-1TEE PLASTIC	1.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

Problem	STEPS	2.00	SPRC21542NUT-WIPER	1.00
			SPRC2157WASHER WIPER SHAFT	1.00
Problem	COMPARTMENT LIGHTS	0.50	SPRGS39902WIPER SHAFT	1.00
			U-24RWIPER REFILL	1.00
Problem	REAR/TAILOBOARD	0.50		
Problem	A/C,HEATING, & VENTILATION SYSTEM	1.00		
Problem	PANEL LIGHTS	0.50		
Problem	PANEL LIGHTS	1.00		
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	4.00		
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	3.00		
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	2.00		
Problem	ENGINE	3.00		
Problem	ENGINE	5.00		
Problem	TIRE REPAIR	0.50		
Problem	LINES	2.00		
Problem	PUMP PANEL GUAGES	1.50		
Problem	ENGINE COWLING	1.50		
Problem	WINDSHIELD WIPER	0.50		
Problem	INTAKE VALVE	1.50		
Problem	SLIDES	2.50		
Problem	LINES	1.00		
Problem	LINES	0.50		
Problem	WASHER WINDSHIELD	0.50		

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

Problem	MANIFOLD	1.00
Problem	COMPARTMENT LIGHTS	0.50
Problem	DRYER/ACCUMULATOR	2.00
Problem	DRYER/ACCUMULATOR	2.00
Problem	DRYER/ACCUMULATOR	2.00
Problem	FUEL	1.00
Problem	SCENE LIGHTS	0.50
Problem	SLIDES	2.00
Problem	BRAKES REAR	1.00
Problem	TURN SIGNALS	2.50
Problem	VALVES	1.00
Problem	CLEARENCE LIGHTS	1.50
Problem	VALVES	2.50
Problem	ACCESSORIES/TRIM/MOLDINGS	0.50
Problem	COMPARTMENTS	1.50
Problem	AIR LEAK DIAGNOSIS	1.50
Problem	COMPARTMENT DOOR	1.00
Problem	DASH BOARD	1.00
Problem	DASH BOARD	2.00
Problem	SEATS	2.50
Problem	LIGHTING	1.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

Problem	LIGHTING	0.50
Problem	AIR HORN	2.00
Problem	VALVES	6.00
Problem	VALVES	2.00
Problem	WASHER WINDSHIELD	0.50
Problem	U-BOLTS	0.50
Problem	WHEELS	1.00

10132031

Workorder:	V24406	Meter Reading:	443.00	Labor Hours	Description	Parts	Quantity
In Date:	06/28/2009	Close Date:	08/05/2009	<hr/>			
Problem	SPOTLIGHT			1.00			
Problem	COMPARTMENT DOOR			1.00			

10132031

Workorder:	V24631	Meter Reading:	65,420.00	Labor Hours	Description	Parts	Quantity
In Date:	07/08/2009	Close Date:	08/14/2009	<hr/>			
Problem	OIL PRESURE UPDATE CUMMINS POWER SOUTH						

10132031

Workorder:	V25465	Meter Reading:	66,319.60	Labor Hours	Description	Parts	Quantity
In Date:	08/12/2009	Close Date:	08/25/2009	<hr/>			
Problem	AIR HORN			1.00			
Problem	RELIEF VALVE INTAKE			1.00			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V25891	3,515.00				
In Date: 08/30/2009	Close Date: 09/14/2009				
Problem	HURST TOOL MANIFOLD	1.50			
Problem	HURST TOOL MANIFOLD	2.00			

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V25714	3,515.00				
In Date: 08/22/2009	Close Date: 09/21/2009				
Problem	STROBE LIGHT	1.00	102245111661 GAUGE TANK LEVEL CLASS 1		1.00
Problem	AIR LEAK DIAGNOSIS	1.00			

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V25964	3,515.00				
In Date: 09/01/2009	Close Date: 09/21/2009				
Problem	DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT	0.50	WS-295HFSM1USE 295SLSA1 SIREN		1.00
Problem	SIREN SPEAKERS	0.50			
Problem	SPOTLIGHT	0.25			

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V27010	3,603.20				
In Date: 10/20/2009	Close Date: 12/04/2009				
Problem	COMPARTMENT DOOR	1.00			
Problem	TURN SIGNALS	1.00			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder:	V27865	Meter Reading:	3,673.00	Labor Hours	Description	Parts	Quantity
In Date:	11/23/2009	Close Date:	01/13/2010				
Problem	SPOTLIGHT			1.00			
Problem	STEPS			1.00			
Problem	STEERING			1.00			

10132031

Workorder:	V28058	Meter Reading:	68,306.00	Labor Hours	Description	Parts	Quantity
In Date:	12/02/2009	Close Date:	01/14/2010				
Problem	ACCESSORIES/TRIM/MOLDINGS			1.00			
Problem	SCENE LIGHTS			0.25	1156BULB		20.00
					15W40QSYN OIL QT		12.00
					800372CHECK VALVE		1.00
Problem	STEPS			1.00			

10132031

Workorder:	V28766	Meter Reading:	68,885.00	Labor Hours	Description	Parts	Quantity
In Date:	01/04/2010	Close Date:	01/26/2010				
Problem	A/C,HEATING, & VENTILATION SYSTEM						

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V29539 **Meter Reading:** 69,760.00 **Labor Hours**

In Date: 01/29/2010 **Close Date:** 02/19/2010

Problem	Description	Parts	Quantity
PM A INSPECTION	1893BULB		1.00
STEPS	372000030BATTERY ON DISPLAY		1.00
	4537BULB 100W SPOT		1.00
SPOTLIGHT	72R31001720 DIFFUSER A/C 3.5 IN		1.00
	ACX-84534LUG NUT COVER PK10		1.00
BATTERY OR BATTERY SYSTEM			
COMPARTMENT DOOR			
A/C,HEATING, & VENTILATION SYSTEM			
AIR RIDE			

10132031

Workorder: V28861 **Meter Reading:** 272.00 **Labor Hours**

In Date: 01/06/2010 **Close Date:** 02/22/2010

Problem	Description	Parts	Quantity
AIR HORN			1.00

10132031

Workorder: V29219 **Meter Reading:** 69,760.00 **Labor Hours**

In Date: 01/18/2010 **Close Date:** 03/19/2010

Problem	Description	Parts	Quantity
SCENE LIGHTS			1.00

10132031

Workorder: V29328 **Meter Reading:** 3,805.00 **Labor Hours**

In Date: 01/21/2010 **Close Date:** 03/19/2010

Problem	Description	Parts	Quantity
ANTILOCK BRAKE LIGHT			1.00

10132031

Workorder: V30820 **Meter Reading:** 70,461.00 **Labor Hours**

In Date: 03/17/2010 **Close Date:** 04/05/2010

Problem	Description	Parts	Quantity
HEADLIGHTS	H6054USE CV TYPE SEALED BEAM		1.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder:	V31161	Meter Reading:	70,646.00	Labor Hours	Description	Parts	Quantity
In Date:	03/30/2010	Close Date:	04/20/2010				
Problem	CHECK ENGINE LIGHT			2.00	40020664921601 SENSOR CRANK POSITION		1.00
Problem	DOOR/COMPT. OPEN WARNING LIGHT			1.00	4025130FUEL PRESS SENSOR 52-624SWITCH DOOR		1.00 1.00

10132031

Workorder:	V31404	Meter Reading:	71,154.00	Labor Hours	Description	Parts	Quantity
In Date:	04/09/2010	Close Date:	04/29/2010				
Problem	STROBE LIGHT			0.50	02036317300STROBE LINEAR REFLECTOR 6ELTUBE 1141BULB		1.00 2.00
Problem	SEATS			0.50	1142BULB		1.00
Problem	TIRE REPAIR			0.50			
Problem	PANEL LIGHTS			1.50			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V31657 Meter Reading: 71,154.00

In Date: 04/20/2010 Close Date: 05/05/2010

Problem	Description	Labor Hours	Parts	Quantity
HOSE REEL	0100030000SCREEN 6 IN	1.00		1.00
DOORS	0401540000O-RING FOR HALE FOAM PUMP	0.50		1.00
ACCESSORIES/TRIM/MOLDINGS	097-1971-00-05MM SEAL WASHER FOR SPEED SENSOR	0.25		1.00
DRYER	107796DRYER KIT AD9 -NEW	1.00		1.00
FOAM SYSTEM	1156BULB	4.00		1.00
SWITCH	15W40BSYN OIL BULK QTS	0.50		24.00
THROTTLES/CABLES	168-0380-56-0FM CONTROL UNIT RETROFIT KIT	0.75		1.00
SCREEN	18-45484-000LATCH L/H	0.25		1.00
COMPARTMENT DOOR	200-2481-00-0546-3240-00-0 FOAM PUMP SENSOR KIT	0.50		1.00
FOAM SYSTEM	25-358SWITCH COVER	4.00		1.00
FOAM SYSTEM	26312RMARKER LIGHT	2.00		1.00
FOAM SYSTEM	381 838 02 19DASH VENT	6.50		3.00
DIFFERENTIAL	52-24WIPER BLADES ANCO 24	0.50		2.00
SERVICE "T" CASE	55790-1350000008 ELECTRONIC THROTTLE 100076 FELSTED	0.50		1.00
ACCESSORIES/TRIM/MOLDINGS	620122SPOT LIGHT REMOTE	0.50		1.00
STEPS	6806970098SEAL DOOR	0.25		1.00
TIRE REPAIR	6807600070HANDLE DOOR EXT L/H	0.75		2.00
SPOTLIGHT	6807600170HANDLE DOOR EXT. R/H	0.50		2.00
PARTS HANDLING/TRANSACTION	6808300074VENT A/C LH	0.25		1.00
	6808300174VENT A/C RH	0.50		1.00
	75W90GEAR OIL SYN QT	4.00		24.00
	800405PURGE VALVE KIT	2.00		1.00
	923182-2151 SWITCH MOMENTARY 24-372	2.00		1.00
	A1834388003MOLD R/H	6.50		1.00
	EL35115 SW ROCKER A/C 360000088	2.00		2.00
	FS1022FILTER FUEL WIX 33422 PS8689 FRAM	1.00		1.00
	HPH6349AOIL FILTER 51748	0.50		1.00
	PR338324070 WIX FILTER WATER	0.50		1.00
	R90PFILTER FUEL 33231	0.50		1.00
	SPRGW2612WASHER NOZZLE W/RELIEF	0.50		2.00
	WAT61403STRAINER 6 IN	0.25		1.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

Problem	CLEARENCE LIGHTS	0.50
Problem	ACCESSORIES/TRIM/MOLDINGS	0.25
Problem	HANDLES	1.25
Problem	LATCHES	0.25
Problem	PM C INSPECTION PREVENTIVE MAINTENANCE	5.00
Problem	BLADES	0.25
Problem	ACCESSORIES/TRIM/MOLDINGS	0.25
Problem	SERVICE TRANSMISSION	0.75
Problem	PM C INSPECTION PREVENTIVE MAINTENANCE	4.00

10132031

Workorder: V31222 **Meter Reading:** 69,760.00
In Date: 04/02/2010 **Close Date:** 05/07/2010

Labor Hours	Description	Parts	Quantity
1.50	PM A INSPECTION		
0.50	SPOTLIGHT		
1.00	SPOTLIGHT		
0.50	STEPS		

10132031

Workorder: V31745 **Meter Reading:** 65,420.00
In Date: 04/23/2010 **Close Date:** 05/11/2010

Problem	replace 1 tire (outside agency-boulevard tire)	
----------------	--	--

10132031

Workorder: V31668 **Meter Reading:** 65,420.00
In Date: 04/20/2010 **Close Date:** 05/12/2010

Problem	repair hose bed cover (outside agency-central auto trim)	
----------------	--	--

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder:	V32396	Meter Reading:	69,760.00	Labor Hours	Description	Parts	Quantity
In Date:	05/24/2010	Close Date:	06/01/2010				
Problem	PM A INSPECTION			1.50			
Problem	PANEL LIGHTS			0.50			
Problem	A/C,HEATING, & VENTILATION SYSTEM			1.00			
Problem	A/C,HEATING, & VENTILATION SYSTEM			1.00			

10132031

Workorder:	V32461	Meter Reading:	71,723.50	Labor Hours	Description	Parts	Quantity
In Date:	05/26/2010	Close Date:	06/04/2010				
Problem	PM A INSPECTION			3.00			
Problem	ACCESSORIES/TRIM/MOLDINGS			1.00			

10132031

Workorder:	V32683	Meter Reading:	72,010.00	Labor Hours	Description	Parts	Quantity
In Date:	06/06/2010	Close Date:	06/28/2010				
Problem	HURST TOOL HOSE			1.00			
					3530016HOSE HURST 16 ORANGE		1.00
					353R091USE 353R403 HURST HOSE 16 GREEN		1.00

10132031

Workorder:	V33802	Meter Reading:	71,723.50	Labor Hours	Description	Parts	Quantity
In Date:	07/26/2010	Close Date:	08/02/2010				
Problem	PM A INSPECTION			1.25	1142BULB		2.00
Problem	ACCESSORIES/TRIM/MOLDINGS			0.25			
Problem	A/C,HEATING, & VENTILATION SYSTEM			1.00			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V36517	Meter Reading: 45,972.00	Labor Hours	Description	Parts	Quantity
In Date: 11/17/2010	Close Date: 12/01/2010				
Problem SEATS		1.00	54-53030055-30BX CIRCUIT BREAKER		3.00

10132031

Workorder: V36528	Meter Reading: 45,972.00	Labor Hours	Description	Parts	Quantity
In Date: 11/17/2010	Close Date: 12/01/2010				
Problem BRAKES		1.00			
Problem WATER LEAK		1.00			

10132031

Workorder: V36587	Meter Reading: 73,000.00	Labor Hours	Description	Parts	Quantity
In Date: 11/20/2010	Close Date: 12/01/2010				
Problem LIGHTING		1.00	1142BULB		5.00

10132031

Workorder: V36591	Meter Reading: 73,000.00	Labor Hours	Description	Parts	Quantity
In Date: 11/20/2010	Close Date: 12/01/2010				
Problem BRAKES		1.00			

10132031

Workorder: V36619	Meter Reading: 73,068.00	Labor Hours	Description	Parts	Quantity
In Date: 11/22/2010	Close Date: 12/01/2010				
Problem GUAGES		1.00			

10132031

Workorder: V36484	Meter Reading: 45,972.00	Labor Hours	Description	Parts	Quantity
In Date: 11/16/2010	Close Date: 12/03/2010				
Problem COMPARTMENT DOOR		1.00			
Problem STRETCHER		1.50			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V36859 Meter Reading: 71,723.50
In Date: 12/03/2010 Close Date: 12/22/2010

Labor Hours	Description	Parts	Quantity
-------------	-------------	-------	----------

Problem			
	160012-2012A EXPANSION VALVE 71R8301		1.00
	5730A/C COMPRESSOR		1.00
	74R258607-2613A RED DOT DRIER 7127		1.00
	PVG-KITORING KIT		1.00

10132031

Workorder: V37764 Meter Reading: 73,760.00
In Date: 01/12/2011 Close Date: 01/25/2011

Labor Hours	Description	Parts	Quantity
-------------	-------------	-------	----------

Problem	CLEARANCE LIGHTS		0.50	0913912CHARGER 2000	1.00
Problem	BLADES	0.25	0915520120AUTO EJECT 20 AERO OTL3925	1.00	
			15W40BSYN OIL BULK QTS	24.00	
			194BULB	10.00	
Problem	BODY,INTERIOR	2.50	2032-0000-30LENS CLEAR	2.00	
			54-44054-440 CIRCUIT BREAKER	1.00	
Problem	AIR PRESSURE	0.25	FS1022FILTER FUEL WIX 33422 PS8689 FRAM	1.00	
			HPH6349AOIL FILTER 51748	1.00	
Problem	BODY,EXTERIOR	1.00	MSA110-A1818 INCH MANSAYER COMPLETE	1.00	
			R90PFILTER FUEL 33231	1.00	
Problem	COMPARTMENTS	3.50	U-24RWIPER REFILL	1.00	
Problem	BODY,INTERIOR	0.75			
Problem	BODY,EXTERIOR	1.25			
Problem	A/C,HEATING, & VENTILATION SYSTEM	4.00			
Problem	AUTO-EJECT	4.00			
Problem	BATTERY CHARGER	4.00			
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	2.00			
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	4.00			
Problem	LIGHTING	1.50			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V37393	73,283.70				
In Date:	Close Date:				
12/24/2010	02/07/2011				
Problem	TAIL LIGHTS/ TAG LIGHT	1.00			
Problem	PANEL LIGHTS	0.75			

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V38203	71,723.50				
In Date:	Close Date:				
02/01/2011	02/16/2011				
Problem	PM A INSPECTION	1.00			
Problem	ACCESSORIES/TRIM/MOLDINGS	0.25	112336ACUATOR FOR E8 VALVE 800629 VALVE THROTTLE FOOT 91513AMBER LENS		1.00 1.00 1.00
Problem	BRAKES	1.75			
Problem	BRAKES	2.25			

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V39420	74,932.00				
In Date:	Close Date:				
03/24/2011	03/24/2011				
Problem	DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT	1.00			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V38887		Meter Reading: 74,787.00		Labor Hours	Description	Parts	Quantity
In Date: 03/01/2011		Close Date: 03/30/2011					
Problem	CLEARENCE LIGHTS			0.50	038-1790-00CHECK VALVE	INJECTOR HALE FOAM SYS.	1.00
Problem	MIRRORS			0.25			
Problem	COMPARTMENT LIGHTS			0.25			
Problem	ACCESSORIES/TRIM/MOLDINGS			1.00			
Problem	ACCESSORIES/TRIM/MOLDINGS			0.50			
Problem	A/C,HEATING, & VENTILATION SYSTEM			1.00			
Problem	FOAM SYSTEM			0.50			
Problem	TIRE REPAIR			1.00			
Problem	PM A INSPECTION			1.50			
Problem	FOAM SYSTEM			2.50			

10132031

Workorder: V39330		Meter Reading: 74,797.00		Labor Hours	Description	Parts	Quantity
In Date: 03/21/2011		Close Date: 04/05/2011					
Problem	ACCESSORIES/TRIM/MOLDINGS			1.00			

10132031

Workorder: V39355		Meter Reading: 74,884.00		Labor Hours	Description	Parts	Quantity
In Date: 03/22/2011		Close Date: 04/06/2011					
Problem	DOORS			1.00			

10132031

Workorder: V39829		Meter Reading: 75,304.70		Labor Hours	Description	Parts	Quantity
In Date: 04/11/2011		Close Date: 04/14/2011					
Problem	BATTERY OR BATTERY SYSTEM						

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder:	V40038	Meter Reading:	75,567.30	Labor Hours	Description	Parts	Quantity
In Date:	04/21/2011	Close Date:	04/29/2011				
Problem	SIREN CONTROL HEAD			0.50	6804640043HORN CONTACT		1.00
Problem	SIREN CONTROL HEAD			1.50	6814600340A14-15472-000 HORN BUTTON		1.00

10132031

Workorder:	V40158	Meter Reading:	75,699.00	Labor Hours	Description	Parts	Quantity
In Date:	04/26/2011	Close Date:	05/02/2011				
Problem	EQUIPMENT MOUNTING BRACKETS			0.50			
Problem	PM A INSPECTION			1.00			
Problem	COMPARTMENT DOOR			0.50			
Problem	A/C,HEATING, & VENTILATION SYSTEM			1.00			

10132031

Workorder:	V39808	Meter Reading:	75,304.70	Labor Hours	Description	Parts	Quantity
In Date:	04/09/2011	Close Date:	05/06/2011				
Problem	BATTERY OR BATTERY SYSTEM			2.00	BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY		4.00
					HP-31DBATTERY 950CCA HP-31D		4.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V40448		Meter Reading: 75,840.00	Labor Hours	Description	Parts	Quantity
In Date: 05/06/2011		Close Date: 05/19/2011				
Problem	PM A INSPECTION		1.00	1141BULB		10.00
Problem	TRANSMISSION		0.25	6811813635S68-1181363-5S LENS RED 64 SERIES		1.00
Problem	ACCESSORIES/TRIM/MOLDINGS		0.25			
Problem	STEPS		0.50			
Problem	STROBE LIGHT		0.25			
Problem	AIR LEAK DIAGNOSIS		1.00			
Problem	GUAGES		1.00			

10132031

Workorder: V40759		Meter Reading: 75,998.00	Labor Hours	Description	Parts	Quantity
In Date: 05/20/2011		Close Date: 06/03/2011				
Problem	ACCESSORIES/TRIM/MOLDINGS		1.00			
Problem	A/C,HEATING, & VENTILATION SYSTEM		1.00			

10132031

Workorder: V40157		Meter Reading: 74,787.00	Labor Hours	Description	Parts	Quantity
In Date: 03/01/2011		Close Date: 06/09/2011				
Problem						

10132031

Workorder: V41112		Meter Reading: 76,279.00	Labor Hours	Description	Parts	Quantity
In Date: 06/05/2011		Close Date: 07/01/2011				
Problem	WATER LEAK		0.25			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V41229	Meter Reading: 76,470.00	Labor Hours	Description	Parts	Quantity
In Date: 06/09/2011	Close Date: 07/01/2011				
Problem BRAKES		1.00			

10132031

Workorder: V41333	Meter Reading: 76,563.00	Labor Hours	Description	Parts	Quantity
In Date: 06/14/2011	Close Date: 07/01/2011				
Problem FAN		1.00			

10132031

Workorder: V41411	Meter Reading: 77,222.00	Labor Hours	Description	Parts	Quantity
In Date: 07/14/2011	Close Date: 07/18/2011				
Problem PM A INSPECTION		0.50			
Problem PM A INSPECTION		1.00	54-13030055-30 CIRCUIT BREAKER		3.00
Problem PM A INSPECTION		0.25	A0631117000HORN HIGH NEW # 06-52125-039		1.00
Problem PM A INSPECTION		4.00			
Problem PM A INSPECTION		0.25			
Problem PM A INSPECTION		1.00			
Problem PM A INSPECTION		0.50			

10132031

Workorder: V41924	Meter Reading: 77,162.60	Labor Hours	Description	Parts	Quantity
In Date: 07/11/2011	Close Date: 08/08/2011				
Problem WATER TANK LEVEL GAUGE		1.00			

10132031

Workorder: V42634	Meter Reading: 77,446.70	Labor Hours	Description	Parts	Quantity
In Date: 08/08/2011	Close Date: 08/10/2011				
Problem					

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V42698

Meter Reading: 77,505.00

Labor Hours

Description

Parts

Quantity

In Date: 08/09/2011

Close Date: 08/11/2011

Problem DOORS

2.00

18-45484-000LATCH L/H

1.00

10132031

Workorder: V42930

Meter Reading: 77,582.00

Labor Hours

Description

Parts

Quantity

In Date: 08/20/2011

Close Date: 08/24/2011

Problem SPOTLIGHT

1.50

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder:	V43158	Meter Reading:	78,095.00	Labor Hours	Description	Parts	Quantity
In Date:	08/30/2011	Close Date:	09/26/2011				
Problem	TRANSMISSION FILTERS			0.50	0769027STRAINER 2.5 IN		2.00
Problem	LIGHTING			0.25	101281028DC5-1508-2 DOOR HOLD OPEN FERRARA 8 IN		1.00
					1012910235619A STRIKER PLATE		1.00
					101305002DH0007-5 BRACKET RIGHT		1.00
Problem	LIGHTING			0.50	102245111661 GAUGE TANK LEVEL CLASS 1		2.00
					107796DRYER KIT AD9 -NEW		1.00
Problem	GROUND LADDERS			0.50	12854DOME LIGHT BULBS		1.00
					15W40BSYN OIL BULK QTS		23.00
					194BULB		10.00
Problem	HOSES/FITTINGS			0.50	52-24WIPER BLADES ANCO 24		2.00
					5460370530VPS SHIFT KIT 546-0370-53-0		1.00
Problem	WIRING			0.50	6256RJN6256RJN NUT-OUTER/RIGHT		4.00
					78R536078R5360M 2PK FILTER AIR COND		1.00
Problem	DOOR PANELS			0.50	800405PURGE VALVE KIT		1.00
					91368904 VALVE KIT 1 1/2 IN		1.00
Problem	DOORS			0.25	91388906 VALVE KIT 2.5 IN AKRON		1.00
					91398907 VALVE KIT 3 IN AKRON		1.00
					9440BELT		1.00
Problem	VALVES			0.50	9480BELT		1.00
					CA8193AIR FILTER 46744 WIX		1.00
Problem	SPRINGS			0.50	FS1022FILTER FUEL WIX 33422 PS8689 FRAM		1.00
					H1422TSX STUD		4.00
Problem	ACCESSORIES/TRIM/MOLDINGS			1.00	HPH6349AOIL FILTER 51748		1.00
					K080716BELT		1.00
Problem	AIR LEAK DIAGNOSIS			1.00	LML-1102-0023CAB AIR BAG IS4007		1.00
					PR338324070 WIX FILTER WATER		1.00
					R90PFILTER FUEL 33231		1.00
Problem	AIR LEAK DIAGNOSIS			1.50	S775COUPLER		2.00
					S777COUPLING NIPPLE		1.00
Problem	STEERING			1.00	U-7421SWITCH - ROCKER FOR UNITY LIGHT		1.00
					VML-S1414FILTER P/S		1.00
Problem	SWITCH			0.50			
Problem	INTERIOR LIGHTS/MAP LIGHT			0.25			
Problem	LATCHES			0.25			
Problem	BRAKES REAR			1.25			
Problem	BRAKES REAR			3.75			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

Problem	CALIPER	0.75
Problem	HUBS	0.25
Problem	EXHAUST SYSTEM	0.25
Problem	ACCESSORIES/TRIM/MOLDINGS	0.25
Problem	ACCESSORIES/TRIM/MOLDINGS	0.25
Problem	ACCESSORIES/TRIM/MOLDINGS	0.25
Problem	DRYER	1.25
Problem	PUMP SYSTEM	3.00
Problem	BATTERY OR BATTERY SYSTEM	1.00
Problem	TIRE REPAIR	0.50
Problem	STEERING	0.75
Problem	WINDSHIELD WIPER	0.25
Problem	A/C FILTER	0.25
Problem	A/C,HEATING, & VENTILATION SYSTEM	1.00
Problem	INDICATOR LIGHTS	0.25
Problem	ACCESSORIES/TRIM/MOLDINGS	0.50
Problem	DOORS	0.50
Problem	DOORS	0.50
Problem	EQUIPMENT MOUNTING BRACKETS	0.25
Problem	PUMP SYSTEM	2.00
Problem	AIR LEAK DIAGNOSIS	3.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

Problem	EQUIPMENT MOUNTING BRACKETS	0.25
Problem	FOAM SYSTEM	2.00
Problem	WATER TANK LEVEL GAUGE	2.00
Problem	VACUUM PUMP	1.00
Problem	QUALITY CHECK	0.50
Problem	ACCESSORIES/TRIM/MOLDINGS	0.25
Problem	AIR HORN	0.50
Problem	WHEEL,REAR	1.00
Problem	DOORS	0.25
Problem	BEARINGS	0.25
Problem	THROTTLES/CABLES	0.25
Problem	ACCESSORIES/TRIM/MOLDINGS	0.25
Problem	PM C INSPECTION PREVENTIVE MAINTENANCE	8.00
Problem	RELACE ALL BELTS	1.50
Problem	SERVICE "T" CASE	0.50

10132031

Workorder: V44342 **Meter Reading:** 0.00
In Date: 10/12/2011 **Close Date:** 10/13/2011

Problem	A/C,HEATING, & VENTILATION SYSTEM	1.00
----------------	-----------------------------------	------

Labor Hours	Description	Parts	Quantity
-------------	-------------	-------	----------

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V44396 Meter Reading: 78,312.00

In Date: 10/14/2011 Close Date: 10/18/2011

Problem	Labor Hours	Description	Parts	Quantity
LIGHTING	1.50	120257100C2030-7110-30 CLEAR DOME STEP		1.00
PM A INSPECTION	2.00	A1834388003MOLD R/H		1.00
		H20SN12H20SN12 BULB		1.00
		TURB6HALSTROBE		1.00
INTERIOR LIGHTS/MAP LIGHT	0.75			
PANEL LIGHTS	0.75			
ACCESSORIES/TRIM/MOLDINGS	0.75			

10132031

Workorder: V47361 Meter Reading: 78,285.60

In Date: 02/16/2012 Close Date: 02/29/2012

Problem	Labor Hours	Description	Parts	Quantity
FIRE PUMP SYSTEM	2.50	038-1862-50-0FLAPPER KIT		1.00
FIRE PUMP SYSTEM	7.50	0460060000GASKET		2.00
		115-1320-01-0FLANGE		1.00
		529008000529-0080-10-0 1 1/4 ANODE KIT		1.00
FIRE PUMP SYSTEM	7.50	91398907 VALVE KIT 3 IN AKRON		1.00
FIRE PUMP SYSTEM	3.00			
FOAM LEAK	1.50			
WATER LEAK	2.00			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V47893 Meter Reading: 78,285.60

In Date: 03/12/2012 Close Date: 03/19/2012

Problem	Labor Hours	Description	Parts	Quantity
PM A INSPECTION	1.50	1079606PRIORITY START HAVIS SHIELD		1.00
A/C,HEATING, & VENTILATION SYSTEM	2.50	1817PLUG		2.00
A/C,HEATING, & VENTILATION SYSTEM	2.00	37000003722-44816-001 DOME LIGHT RECT		1.00
A/C,HEATING, & VENTILATION SYSTEM	2.00	5025TERMINAL BOX		1.00
A/C,HEATING, & VENTILATION SYSTEM	1.50	52-624SWITCH DOOR		1.00
		FHLP-6TANK CLIP		2.00
		S1818COUPLING		2.00
LIGHTING	0.50			
LIGHTING	0.50			
ACCESSORIES/TRIM/MOLDINGS	0.50			

10132031

Workorder: V49189 Meter Reading: 79,224.50

In Date: 05/08/2012 Close Date: 05/16/2012

Problem	Labor Hours	Description	Parts	Quantity
POWER STEERING LEAK	0.25			
COOLANT LEAK	1.25			
PM A INSPECTION	1.50			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V49709 Meter Reading: 79,224.50

In Date: 05/29/2012 Close Date: 06/07/2012

Problem	Labor Hours	Description	Parts	Quantity
COMPARTMENT DOOR	0.50	101305002DH0007-5 BRACKET RIGHT		2.00
PM B INSPECTION PREVENTIVE MAINTENANCE	4.00	1094KIT-AIR HORN-GROVER		2.00
AIR LEAK DIAGNOSIS	0.50	12105QUICK DRAIN		1.00
SPOTLIGHT	0.50	5460370530VPS SHIFT KIT	546-0370-53-0	1.00
TIRE'S ,FRONT	1.00	91553943GUAGE		1.00
DISCHARGE GAUGE	0.50	FS1022FILTER FUEL	WIX 33422 PS8689 FRAM	1.00
LIGHTING	0.25	HPH6349AOIL FILTER	51748	1.00
WATER TANK LEVEL GAUGE	1.00	PVG-KITORING KIT		1.00
LUG NUTS/STUDS	0.50	R90PFILTER FUEL	33231	1.00
AIR LEAK DIAGNOSIS	1.75	U-7421SWITCH - ROCKER FOR UNITY LIGHT		1.00
VALVES	1.00			
HOSE BED COVER	0.25			
AIR HORN	1.00			
ACCESSORIES/TRIM/MOLDINGS	0.25			
COMPARTMENT DOOR	0.25			
PM B INSPECTION PREVENTIVE MAINTENANCE	1.50			
SERVICE "T" CASE	0.50			
QUALITY CHECK	0.50			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder:	V50557	Meter Reading:	79,224.50	Labor Hours	Description	Parts	Quantity
In Date:	07/02/2012	Close Date:	07/09/2012				
Problem	LIGHT BAR FRONT			6.00	19570 AMP RELAY		1.00
					87499RY48 RELAY		1.00

10132031

Workorder:	V52015	Meter Reading:	79,398.00	Labor Hours	Description	Parts	Quantity
In Date:	08/30/2012	Close Date:	09/12/2012				
Problem	WATER LEAK			2.00	22-51950-000HEADLINER RETAINER PLUG		7.00
Problem	WATER LEAK			1.00	A1835899000HEADLINER		1.00
Problem	WATER LEAK			1.00			
Problem	WATER LEAK			2.50			

10132031

Workorder:	V52130	Meter Reading:	79,398.00	Labor Hours	Description	Parts	Quantity
In Date:	09/04/2012	Close Date:	09/12/2012				
Problem	PM A INSPECTION			2.00	101331605QUINT COOLANT RES CAP		1.00
Problem	PM A INSPECTION			0.25	372000084MARKER LIGHT		1.00
Problem	PM A INSPECTION			0.25	A0631117003HORN LOW NEW #06-52125-041		1.00
Problem	PM A INSPECTION			0.50	BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY		4.00
Problem	PM A INSPECTION			1.00	HP-31DBATTERY 950CCA HP-31D		4.00
Problem	PM A INSPECTION			1.50			

10132031

Workorder:	V52466	Meter Reading:	79,501.20	Labor Hours	Description	Parts	Quantity
In Date:	09/18/2012	Close Date:	09/19/2012				
Problem							

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V52414	0.00				
In Date: 09/16/2012	Close Date: 09/25/2012				
Problem	DOOR/COMPT. OPEN WARNING LIGHT	1.75			

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V52548	79,501.20				
In Date: 09/21/2012	Close Date: 09/26/2012				
Problem	PM A INSPECTION	2.00			
Problem	PM A INSPECTION	0.25	418591HOSE& FITTING ASSY		1.00
Problem	PM A INSPECTION	0.25	52-24WIPER BLADES ANCO 24		2.00
Problem	PM A INSPECTION	0.25			
Problem	PM A INSPECTION	0.50			
Problem	PM A INSPECTION	1.75			
Problem	PM A INSPECTION	1.50			
Problem	PM A INSPECTION	0.25			
Problem	PM A INSPECTION	0.25			

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V52776	79,501.20				
In Date: 10/02/2012	Close Date: 10/04/2012				
Problem	LIGHTING				

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V52914	0.00				
In Date: 10/08/2012	Close Date: 10/12/2012				
Problem					

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V52933	Meter Reading: 79,721.10	Labor Hours	Description	Parts	Quantity
In Date: 10/09/2012	Close Date: 10/12/2012				
Problem A/C LOW FREON					

10132031

Workorder: V52965	Meter Reading: 0.00	Labor Hours	Description	Parts	Quantity
In Date: 10/09/2012	Close Date: 10/16/2012				
Problem A/C,HEATING, & VENTILATION SYSTEM		2.00			

10132031

Workorder: V53210	Meter Reading: 79,791.70	Labor Hours	Description	Parts	Quantity
In Date: 10/19/2012	Close Date: 10/22/2012				
Problem PM A INSPECTION		1.50			
Problem PM A INSPECTION		0.25			
Problem PM A INSPECTION		0.25			

10132031

Workorder: V53076	Meter Reading: 79,791.70	Labor Hours	Description	Parts	Quantity
In Date: 10/15/2012	Close Date: 10/26/2012				
Problem A/C,HEATING, & VENTILATION SYSTEM		1.00			
Problem A/C,HEATING, & VENTILATION SYSTEM		1.00			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V53579 **Meter Reading:** 80,373.00 **Labor Hours**

In Date: 11/06/2012 **Close Date:** 11/14/2012

Problem	Description	Parts	Quantity
PM A INSPECTION	042-0550-00SPRING-VALVE QG RELIEF VALVE		1.00
PM A INSPECTION	073-0011-00PISTON-RELIEF VALVE (QG VALVE)		1.00
PM A INSPECTION	200226200200-2262-50 SWITCH-PROXIMITY QG VALVE		1.00
PM A INSPECTION	52-24WIPER BLADES ANCO 24		2.00
PM A INSPECTION	538-1400-00QG VALVE		1.00
PM A INSPECTION	546126000TPM/QG HALE REPAIR KIT		1.00
PM A INSPECTION	MSA150-A18MANSAYER COVER		1.00
PM A INSPECTION	MSA150-A20MANSAYER COVER		1.00
PM A INSPECTION			2.00
PM A INSPECTION			0.50
PM A INSPECTION			1.00
PM A INSPECTION			0.50

10132031

Workorder: V53436 **Meter Reading:** 0.00 **Labor Hours**

In Date: 10/31/2012 **Close Date:** 11/16/2012

Problem	Description	Parts	Quantity
ACCESSORIES/TRIM/MOLDINGS			1.00

10132031

Workorder: V50227 **Meter Reading:** 79,224.50 **Labor Hours**

In Date: 06/19/2012 **Close Date:** 11/20/2012

Problem	Description	Parts	Quantity
PUMP TESTING			1.00

10132031

Workorder: V53783 **Meter Reading:** 80,373.00 **Labor Hours**

In Date: 11/14/2012 **Close Date:** 11/20/2012

Problem	Description	Parts	Quantity
REPLACE TIRE			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V53417	Meter Reading: 80,039.40	Labor Hours	Description	Parts	Quantity
In Date: 10/31/2012	Close Date: 11/28/2012				
Problem FIRE PUMP SYSTEM		1.75			
			101AKRON SHORT ARM RC-4		1.00
			102AKRON LONG ARM RC-4		1.00
			H27SN12BULB		2.00
			H35DSN12BULB 35W DUAL FILAMENT DOME		2.00

10132031

Workorder: V51608	Meter Reading: 79,224.50	Labor Hours	Description	Parts	Quantity
In Date: 08/15/2012	Close Date: 04/11/2013				
Problem A/C,HEATING, & VENTILATION SYSTEM		1.50			

10132031

Workorder: V56195	Meter Reading: 0.00	Labor Hours	Description	Parts	Quantity
In Date: 03/06/2013	Close Date: 05/03/2013				
Problem COMPARTMENTS		1.50			

10132031

Workorder: V57243	Meter Reading: 0.00	Labor Hours	Description	Parts	Quantity
In Date: 04/24/2013	Close Date: 05/23/2013				
Problem ACCESSORIES/TRIM/MOLDINGS		1.25	101540TSM CIRCUIT BOARD SPEC OPS AND QUINTS		1.00
Problem ACCESSORIES/TRIM/MOLDINGS		3.75	102AKRON LONG ARM RC-4		1.00
			91398907 VALVE KIT 3 IN AKRON		1.00
Problem ACCESSORIES/TRIM/MOLDINGS		4.75	S777COUPLING NIPPLE		2.00
			X170DECK GUN ROTATION LOCK INSERT		1.00
Problem ACCESSORIES/TRIM/MOLDINGS		0.50			
Problem ACCESSORIES/TRIM/MOLDINGS		0.75			
Problem ACCESSORIES/TRIM/MOLDINGS		0.75			
Problem ACCESSORIES/TRIM/MOLDINGS		0.75			
Problem ACCESSORIES/TRIM/MOLDINGS		1.75			
Problem ACCESSORIES/TRIM/MOLDINGS		2.00			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V57245 Meter Reading: 81,090.10

In Date: 04/24/2013 Close Date: 05/23/2013

Problem	Description	Labor Hours	Parts	Quantity
PM C INSPECTION PREVENTIVE MAINTENANCE	038-1010-01HALE RELIEF VALVE W/ VULCANIZED SEAT	5.00		1.00
PM C INSPECTION PREVENTIVE MAINTENANCE	073-0190-01PISTON TPM RELIEF VALVE	4.00		1.00
PM C INSPECTION PREVENTIVE MAINTENANCE	107796DRYER KIT AD9 -NEW			1.00
PM C INSPECTION PREVENTIVE MAINTENANCE	107800VALVE CHECK AD9	1.25		1.00
PM C INSPECTION PREVENTIVE MAINTENANCE	1141BULB			2.00
PM C INSPECTION PREVENTIVE MAINTENANCE	1142BULB			2.00
PM C INSPECTION PREVENTIVE MAINTENANCE	194BULB	1.00		10.00
PM C INSPECTION PREVENTIVE MAINTENANCE	52-624SWITCH DOOR			1.00
PM C INSPECTION PREVENTIVE MAINTENANCE	529008000529-0080-10-0 1 1/4 ANODE KIT	0.50		1.00
PM C INSPECTION PREVENTIVE MAINTENANCE	54-12554-125 CIRCUIT BREAKER			1.00
PM C INSPECTION PREVENTIVE MAINTENANCE	546126000TPM/QG HALE REPAIR KIT	0.75		1.00
PM C INSPECTION PREVENTIVE MAINTENANCE	78R536078R5360M 2PK FILTER AIR COND			1.00
PM C INSPECTION PREVENTIVE MAINTENANCE	800405PURGE VALVE KIT			1.00
PM C INSPECTION PREVENTIVE MAINTENANCE	CA8193AIR FILTER 46744 WIX	0.25		1.00
PM C INSPECTION PREVENTIVE MAINTENANCE	FS1022FILTER FUEL WIX 33422 PS8689 FRAM			1.00
PM C INSPECTION PREVENTIVE MAINTENANCE	HPH6349AOIL FILTER 51748	0.50		1.00
PM C INSPECTION PREVENTIVE MAINTENANCE	LPVM-7LG MOUNT			4.00
PM C INSPECTION PREVENTIVE MAINTENANCE	PR338324070 WIX FILTER WATER	2.00		1.00
PM C INSPECTION PREVENTIVE MAINTENANCE	R90PFILTER FUEL 33231			1.00
PM C INSPECTION PREVENTIVE MAINTENANCE		2.00		
PM C INSPECTION PREVENTIVE MAINTENANCE		0.50		
PM C INSPECTION PREVENTIVE MAINTENANCE		1.25		
PM C INSPECTION PREVENTIVE MAINTENANCE		3.00		
PM C INSPECTION PREVENTIVE MAINTENANCE		0.25		
PM C INSPECTION PREVENTIVE MAINTENANCE		1.75		
PM C INSPECTION PREVENTIVE MAINTENANCE		1.75		

10132031

Workorder: V56956 Meter Reading: 0.00

In Date: 04/11/2013 Close Date: 05/29/2013

Problem	Description	Labor Hours	Parts	Quantity
FOAM SYSTEM	S775COUPLER	1.00		6.00
	S777COUPLING NIPPLE			6.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V58696	81,436.00				
In Date: 06/26/2013	Close Date: 08/09/2013				
Problem	INTAKE VALVE	4.00			

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V58416	81,436.00				
In Date: 06/14/2013	Close Date: 09/30/2013				
Problem	ACCESSORIES/TRIM/MOLDINGS	1.00			
Problem	AIR LEAK DIAGNOSIS	1.00			

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V59355	81,436.00				
In Date: 07/25/2013	Close Date: 09/30/2013				
Problem	EMERGENCY / WARNING	1.00			
Problem	CAB DOOR	1.00			

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V61298	81,999.00				
In Date: 10/16/2013	Close Date: 10/16/2013				
Problem			ALA00350-50 EXTENDED LIFE COOLANT GAL		6.00
			TRANSYND-GGAL CONTAINER TRANS FLUID		2.00

10132031

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V61177	81,999.00				
In Date: 10/11/2013	Close Date: 10/18/2013				
Problem	ACCESSORIES/TRIM/MOLDINGS	0.50			
Problem	ACCESSORIES/TRIM/MOLDINGS	0.50			
Problem	ENGINE	0.50			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V60694	Meter Reading: 0.00	Labor Hours	Description	Parts	Quantity
In Date: 09/23/2013	Close Date: 11/25/2013				
Problem DOOR/COMPT. OPEN WARNING LIGHT		1.00			

10132031

Workorder: V60593	Meter Reading: 81,436.00	Labor Hours	Description	Parts	Quantity
In Date: 09/18/2013	Close Date: 03/03/2014				
Problem			377R054FEET - HURST TOOL		1.00
			447171HOSE & FITTINGS		1.00
			S775COUPLER		2.00
			UMVS111611STRAP		2.00

10132031

Workorder: V60075	Meter Reading: 81,436.00	Labor Hours	Description	Parts	Quantity
In Date: 04/18/2014	Close Date: 04/18/2014				
Problem ACCESSORIES/TRIM/MOLDINGS		1.00			

10132031

Workorder: V62060	Meter Reading: 0.00	Labor Hours	Description	Parts	Quantity
In Date: 11/15/2013	Close Date: 04/18/2014				
Problem ACCESSORIES/TRIM/MOLDINGS		0.50	4867JB320 UPGRADE ALTERNATOR		1.00

10132031

Workorder: V63044	Meter Reading: 0.00	Labor Hours	Description	Parts	Quantity
In Date: 12/31/2013	Close Date: 04/18/2014				
Problem ACCESSORIES/TRIM/MOLDINGS		1.00	5269LPVM-5 SM MOUNT		20.00
			SAHSVS2510STRAP		10.00
			UMVS056511STRAP		8.00
			UMVS162511STRAP		8.00
			UMVS254411STRAP 46 IN		10.00

10132031

Workorder: V67431	Meter Reading: 84,202.00	Labor Hours	Description	Parts	Quantity
In Date: 06/24/2014	Close Date: 09/18/2014				
Problem			1541201GAUGE		1.00
			X125QUAD SEAL FOR CROSSFIRE		1.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031
Workorder: V68139 **Meter Reading:** 0.00 **Labor Hours** **Description** **Parts** **Quantity**
In Date: 07/24/2014 **Close Date:** 09/18/2014

Problem	Labor Hours	Description	Parts	Quantity
Problem	1.00	52-239BAR ELECT BUS		1.00
Problem	9.00	54-150 CIRCUIT BREAKER		2.00
Problem	1.50	54-53030055-30BX CIRCUIT BREAKER		4.00
Problem	8.00	87401RY-30T RELAY 5 PIN 12V		1.00
Problem		91388906 VALVE KIT 2.5 IN AKRON		3.00

10132031
Workorder: V68140 **Meter Reading:** 0.00 **Labor Hours** **Description** **Parts** **Quantity**
In Date: 07/24/2014 **Close Date:** 09/18/2014

Problem	Labor Hours	Description	Parts	Quantity
Problem	0.50			

10132031
Workorder: V68516 **Meter Reading:** 84,202.00 **Labor Hours** **Description** **Parts** **Quantity**
In Date: 08/08/2014 **Close Date:** 09/18/2014

Problem	Labor Hours	Description	Parts	Quantity
Problem	2.00			
Problem	0.50			

10132031
Workorder: V68724 **Meter Reading:** 0.00 **Labor Hours** **Description** **Parts** **Quantity**
In Date: 08/16/2014 **Close Date:** 09/18/2014

Problem	Labor Hours	Description	Parts	Quantity
Problem	0.25	120257100C2030-7110-30 CLEAR DOME STEP		1.00
Problem		1891BULB		2.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132031
since 01/01/2005

10132031

Workorder: V68778 Meter Reading: 84,202.00

In Date: 08/19/2014 Close Date: 09/18/2014

Problem	Labor Hours	Description	Parts	Quantity
Problem	0.50	029-0511-00-0ANODE ONLY		1.00
Problem	7.50	107796DRYER KIT AD9 -NEW		1.00
Problem	0.50	107800VALVE CHECK AD9		1.00
Problem	1.00	3920773WASHER DRAIN PLUG		1.00
Problem	1.00	3924147OIL DRAIN PLUG CUMMINS		1.00
Problem	1.00	4025130FUEL PRESS SENSOR		1.00
Problem	1.00	5460370530VPS SHIFT KIT 546-0370-53-0		1.00
Problem	1.50	78R536078R5360M 2PK FILTER AIR COND		1.00
Problem	3.00	800405PURGE VALVE KIT		1.00
Problem	5.00	91388906 VALVE KIT 2.5 IN AKRON		2.00
Problem	1.00	DNEPG110286DNEPG110314 AIR CLEANER ASSY		1.00
Problem	1.25	FS1022FILTER FUEL WIX 33422 PS8689 FRAM		1.00
Problem		HPH6349AOIL FILTER 51748		1.00
Problem		R90PFILTER FUEL 33231		1.00

10132031

Workorder: V73139 Meter Reading: 0.00

In Date: 02/13/2015 Close Date: 07/08/2015

Problem	Labor Hours	Description	Parts	Quantity
Problem DOORS	1.00	30-230FH3683 STRAP-RATCHET TYPE		1.00
		55790-1350000008 ELECTRONIC THROTTLE	100076 FELSTED	1.00

250.00