

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058 2000 FREIGHTLINE PUMPER

Discarded: 01/01/1900

10132058

Workorder: V080		Meter Reading: 0.00	Labor Hours	Description	Parts	Quantity
In Date: 10/06/2005		Close Date: 10/07/2005				
Problem	LIGHTING		0.25	4435HEADLIGHT		1.00
Problem	LIGHTING		0.25			
Problem						
Problem						
Problem	HOSE REEL		1.00			
Problem	HOSE REEL		1.00			

10132058

Workorder: V192		Meter Reading: 72,192.00	Labor Hours	Description	Parts	Quantity
In Date: 10/12/2005		Close Date: 10/14/2005				
Problem	PUMP SYSTEM		1.50	013-2010-054 PIN CABLE FLOW SENSOR HALE FOAM SYS.		1.00
Problem	PUMP SYSTEM		1.50	200-2491-00SENSOR HALE HPF FOAM FLOW		1.00
Problem	LIGHTING		0.50	87141USE LED MAP LIGHT 24"		1.00
Problem	LIGHTING		0.50	8714287142 LIGHT MAP 12"		1.00

10132058

Workorder: V492		Meter Reading: 0.00	Labor Hours	Description	Parts	Quantity
In Date: 11/05/2005		Close Date: 11/08/2005				
Problem	PRIMER PUMP MOTOR					
Problem	PRIMER PUMP MOTOR					

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V623	Meter Reading: 0.00	Labor Hours	Description	Parts	Quantity
In Date: 11/18/2005	Close Date: 12/12/2005				
Problem HOSES		1.00	3530033USE 353R222 HOSE HURST SWIVEL/ORING		2.00
Problem HOSES		1.00	353R023HURST HOSE W/O SWIVEL		2.00
			353R091USE 353R403 HURST HOSE 16 GREEN		1.00
			FZ51368FEET RUBBER RAM-FAN		4.00

10132058

Workorder: V686	Meter Reading: 0.00	Labor Hours	Description	Parts	Quantity
In Date: 11/28/2005	Close Date: 12/12/2005				
Problem LIGHTING		0.25			
Problem LIGHTING		0.25			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder:	V1117	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	01/04/2006	Close Date:	01/24/2006				
Problem	SEATS			1.00	0106837849C8COMP LIGHT WHITE LED 200		1.00
Problem	SEATS			1.00	038-1550-00VALVE CHECK HALE 1/4"		1.00
					0769027STRAINER 2.5 IN		1.00
					1229F4634SKIT RING/LOCK WASHER		1.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE			1.00	15016KIT15016 PIN KIT		2.00
					16-3445CAP-BLACK 134A 5579 KOOL TEMP		1.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE			1.00	180R002HURST HYD. FLUID QT		1.00
					20A-400CLAMP 4" 33969		2.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE			1.00	21-374CLAMP V EXHAUST 35290		1.00
					279LSS1250D-RING HANDLE W/LOCK 101280008		6.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE			1.00	3530033USE 353R222 HOSE HURST SWIVEL/ORING		1.00
					353R023HURST HOSE W/O SWIVEL		6.00
					35799FLAT CLAMP 4 IN		1.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE			8.00	377R054FEET - HURST TOOL		1.00
					380003ASEAL		2.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE			8.00	401581GASKET AXLE FL80 R002435		2.00
					501-3090-00PRIMER PUMP MOTOR		1.00
					546-0200-50QD REL.VALVE KIT		2.00
Problem	BRAKES			4.00	546126000TPM/QG HALE REPAIR KIT		1.00
					6806970098SEAL DOOR		2.00
Problem	BRAKES			4.00	78R536078R5360M 2PK FILTER AIR COND		1.00
					91398907 VALVE KIT 3 IN AKRON		1.00
Problem	BRAKES			4.00	A33222T2308USE KIT195020 BRAKE PADS FL80		1.00
					AMH-1AMH-1 VALVE EXTENSION		1.00
Problem	BRAKES			4.00	BPR5ESSPARK PLUG 7734		1.00
					CA8193AIR FILTER 46744 WIX		1.00
					FS1022FILTER FUEL WIX 33422 PS8689 FRAM		1.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE			5.00	HPH6349AOIL FILTER 51748		1.00
					HU024AHUB COVER		5.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE			5.00	J19LMUSE 1147 NGK SPARK PLUG		1.00
					PA2222AIR FILTER 42420		1.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE			14.00	PR338324070 WIX FILTER WATER		1.00
					R90PFILTER FUEL 33231		1.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE			14.00	RC-4101 AKRON SHORT HANDLED VALVE REMOTE		1.00
					S2R7017173USE KIT15625PM BRAKE PAD		2.00
					S4410325140R955342 SENSOR REAR ABS 4410328140		2.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE			1.00	S777COUPLING NIPPLE		2.00
					VML-S1414FILTER P/S		1.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE			1.00	VML-T1264GASKET P/S COVER		1.00
					VML-T1279WASHER P/S		1.00
Problem	PREVENTIVE MAINTENANCE			3.00			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

Problem	PREVENTIVE MAINTENANCE	3.00
Problem	FIREFIGHTING EQUIPMENT	5.00
Problem	FIREFIGHTING EQUIPMENT	5.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	14.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	14.00
Problem	PREVENTIVE MAINTENANCE	2.00
Problem	PREVENTIVE MAINTENANCE	2.00
Problem	PREVENTIVE MAINTENANCE	1.00
Problem	PREVENTIVE MAINTENANCE	1.00
Problem	PREVENTIVE MAINTENANCE	1.00
Problem	PREVENTIVE MAINTENANCE	1.00
Problem	BATTERY OR BATTERY SYSTEM	3.00
Problem	BATTERY OR BATTERY SYSTEM	3.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	4.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	4.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	5.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	5.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	4.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	4.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	2.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	2.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	11.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	11.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	11.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	11.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	4.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	4.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	4.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	4.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	4.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	4.00

10132058

Workorder: V1792 **Meter Reading:** 0.00
In Date: 03/09/2006 **Close Date:** 03/16/2006

Labor Hours	Description	Parts	Quantity
1.00	PREVENTIVE MAINTENANCE		
1.00	PREVENTIVE MAINTENANCE		

10132058

Workorder: V1736 **Meter Reading:** 0.00
In Date: 03/06/2006 **Close Date:** 03/28/2006

Labor Hours	Description	Parts	Quantity
1.75	PREVENTIVE MAINTENANCE	55790-1350000008 ELECTRONIC THROTTLE	100076 FELSTED 1.00
1.75	PREVENTIVE MAINTENANCE		

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder:	V1935	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	03/23/2006	Close Date:	04/05/2006				
Problem	COOLING SYSTEM			1.00	RSC-85927C1SENSOR COOLANT TANK LEVEL		1.00
Problem	COOLING SYSTEM			1.00			
Problem	HEADLIGHTS			0.25			
Problem	HEADLIGHTS			0.25			

10132058

Workorder:	V523	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	11/08/2005	Close Date:	05/11/2006				
Problem	PRIMER PUMP MOTOR			2.00	2000071102000072100 SOLENOID HALE PRIMER		2.00
Problem	PRIMER PUMP MOTOR			2.00			

10132058

Workorder:	V2980	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	06/14/2006	Close Date:	06/15/2006				
Problem	A/C,HEATING, & VENTILATION SYSTEM			3.00	RD-5-7123-0 18-2108 FIVE BLADE FAN 3382		2.00
Problem	A/C,HEATING, & VENTILATION SYSTEM			3.00	RD571290 01-2616 MOTOR 12V 73R-0542 3512		2.00

10132058

Workorder:	V3051	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	06/20/2006	Close Date:	06/26/2006				
Problem	A/C,HEATING, & VENTILATION SYSTEM			1.00			
Problem	A/C,HEATING, & VENTILATION SYSTEM			1.00			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder:	V3171	Meter Reading:	77,419.00	Labor Hours	Description	Parts	Quantity
In Date:	06/27/2006	Close Date:	06/30/2006				
Problem	PM A INSPECTION			2.00	72R311018-2640 VENT A/C	NEW # 1719	1.00
Problem	PM A INSPECTION			2.00			

10132058

Workorder:	V3274	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	07/03/2006	Close Date:	07/12/2006				
Problem	MIRRORS			1.00			
Problem	MIRRORS			1.00			

10132058

Workorder:	V3232	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	06/30/2006	Close Date:	07/13/2006				
Problem	A/C,HEATING, & VENTILATION SYSTEM			2.00	02-0361112-00MICRO SIDE BEAM STROBE ASSY		1.00
Problem	A/C,HEATING, & VENTILATION SYSTEM			2.00			

10132058

Workorder:	V3279	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	07/03/2006	Close Date:	07/14/2006				
Problem	MIRRORS			0.75	GRO716SGRO716S MIRROR S/S		1.00
Problem	MIRRORS			0.75			

10132058

Workorder:	V3280	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	07/03/2006	Close Date:	07/14/2006				
Problem	HOSE			1.50	16-3148VALVE CORE A/C 8926		1.00
Problem	HOSE			1.50	16-31498925 VALVE CORE		2.00
					16-3445CAP-BLACK 134A 5579 KOOL TEMP		1.00
					16-34465580 CAP-BLACK R134A		1.00
					DT043PP007DEUTSCH RECEPTACLE		2.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V3359	0.00				
In Date: 07/09/2006	Close Date: 07/14/2006				
Problem	A/C,HEATING, & VENTILATION SYSTEM	1.00			
Problem	A/C,HEATING, & VENTILATION SYSTEM	1.00			

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V3360	0.00				
In Date: 07/09/2006	Close Date: 07/21/2006				
Problem	PM A INSPECTION	5.00			
Problem	PM A INSPECTION	5.00			
			08-3001B4479 SPLICER B/L		1.00
			1141BULB		1.00
			1156BULB		20.00
			120257100C2030-7110-30 CLEAR DOME STEP		1.00
			4419BULB		1.00
			4435HEADLIGHT		1.00
			4537BULB 100W SPOT		1.00
			72R311018-2640 VENT A/C NEW # 1719		2.00
			78R536078R5360M 2PK FILTER AIR COND		1.00
			89BULB		1.00
			H3LIGHT BULB BP1255/H3 H		2.00

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V3504	0.00				
In Date: 07/17/2006	Close Date: 07/21/2006				
Problem	BRAKES	1.00			
Problem	BRAKES	1.00			

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V5239	79,238.00				
In Date: 11/03/2006	Close Date: 11/13/2006				
Problem	A/C LOW FREON	1.50			
Problem	A/C LOW FREON	1.50			
			ABPN8332229011-3050 SWITCH BLOWER		2.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V5806	1,910.40				
In Date: 12/14/2006	Close Date: 12/15/2006				
Problem VALVES		1.00			
Problem VALVES		1.00			

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V5961	1,917.00				
In Date: 12/26/2006	Close Date: 12/29/2006				
Problem HURST POWER UNIT		1.00			
Problem HURST POWER UNIT		1.00			

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V6880	80,122.00				
In Date: 02/22/2007	Close Date: 02/27/2007				
Problem COOLANT LEAK		1.00			
Problem COOLANT LEAK		1.00			

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V6908	80,122.00				
In Date: 02/23/2007	Close Date: 02/27/2007				
Problem COOLANT LEAK		1.00			
Problem COOLANT LEAK		1.00			

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V6951	80,122.00				
In Date: 02/27/2007	Close Date: 02/27/2007				
Problem A/C,HEATING, & VENTILATION SYSTEM		1.00			
Problem A/C,HEATING, & VENTILATION SYSTEM		1.00			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V7583 Meter Reading: 2,011.20

In Date: 04/08/2007 Close Date: 04/11/2007

		Labor Hours	Description	Parts	Quantity
Problem	RELIEF VALVE DISCHARGE	0.50			
Problem	RELIEF VALVE DISCHARGE	0.50			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V7760 Meter Reading: 81,183.00

In Date: 04/16/2007 Close Date: 05/04/2007

Problem	Description	Labor Hours	Parts	Quantity
SERVICE COOLANT SYSTEM	048009000SPEEDCOUNTER PUMP PANEL	1.00		1.00
SERVICE COOLANT SYSTEM	10129102690ZNF/O FLUSH LOCK BOLT	1.00		2.00
DRYER	107796DRYER KIT AD9 -NEW	2.00		1.00
DRYER	107800VALVE CHECK AD9	2.00		1.00
DRYER	108-12FBEADED CHAIN W/CONN 12	2.00		1.00
DRYER	1141BULB	2.00		3.00
DRYER	203FFBEARING PULLEY	2.00		1.00
DRYER	26312YLIGHT MARKER YELLO	2.00		3.00
PM B INSPECTION PREVENTIVE MAINTENANCE	29526898 29548988 TRANS FILTER ALLISON	4.00		1.00
PM B INSPECTION PREVENTIVE MAINTENANCE	6737200054673-720-00-54 SEAL WINDOW	4.00		1.00
PM B INSPECTION PREVENTIVE MAINTENANCE	6807200353GUIDE METAL	4.00		1.00
PM B INSPECTION PREVENTIVE MAINTENANCE	6809870055SEAL CAB WINDOW	4.00		1.00
COOLANT LEAK	72R311018-2640 VENT A/C NEW # 1719	1.50		1.00
COOLANT LEAK	78R536078R5360M 2PK FILTER AIR COND	1.50		1.00
COOLANT LEAK	800405PURGE VALVE KIT	1.50		1.00
COOLANT LEAK	9463BELT	1.50		1.00
COOLANT LEAK	9480BELT	1.50		1.00
COOLANT LEAK	99050RLENS RED	1.50		3.00
CHAIN	A1834388003MOLD R/H	1.00		1.00
CHAIN	C938-22AH7600-22 TRAY SLIDES 22 IN HD	1.00		1.00
CHAIN	CA8193AIR FILTER 46744 WIX	1.00		1.00
CHAIN	FS1022FILTER FUEL WIX 33422 PS8689 FRAM	1.00		1.00
NO OTHER CODE APPLICABLE	HPH6349AOIL FILTER 51748	1.00		1.00
NO OTHER CODE APPLICABLE	K080716BELT	1.00		1.00
NO OTHER CODE APPLICABLE	PR338324070 WIX FILTER WATER	1.00		1.00
NO OTHER CODE APPLICABLE	R90PFILTER FUEL 33231	1.00		1.00
NO OTHER CODE APPLICABLE	REDG6S14023 GASKET 6 IN	1.00		1.00
LIGHTING		1.50		
LIGHTING		1.50		
VACUUM PUMP		2.00		
VACUUM PUMP		2.00		
PM B INSPECTION PREVENTIVE MAINTENANCE		6.00		
PM B INSPECTION PREVENTIVE MAINTENANCE		6.00		
PUMP SYSTEM		2.00		

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

Problem	PUMP SYSTEM	2.00
Problem	RELACE ALL BELTS	2.00
Problem	RELACE ALL BELTS	2.00
Problem	SHOCK ABSORBERS FRONT	0.75
Problem	SHOCK ABSORBERS FRONT	0.75
Problem	BATTERY OR BATTERY SYSTEM	0.75
Problem	BATTERY OR BATTERY SYSTEM	0.75
Problem	SERVICE "T" CASE	2.00
Problem	SERVICE "T" CASE	2.00
Problem	A/C LOW FREON	2.00
Problem	A/C LOW FREON	2.00
Problem	CAB DOOR	2.50
Problem	CAB DOOR	2.50

10132058

Workorder: V8984 **Meter Reading:** 81,183.00
In Date: 06/23/2007 **Close Date:** 06/25/2007

Labor Hours	Description	Parts	Quantity
-------------	-------------	-------	----------

Problem	A/C,HEATING, & VENTILATION SYSTEM
Problem	A/C,HEATING, & VENTILATION SYSTEM

10132058

Workorder: V8188 **Meter Reading:** 2,011.20
In Date: 05/10/2007 **Close Date:** 07/02/2007

Labor Hours	Description	Parts	Quantity
-------------	-------------	-------	----------

Problem	THROTTLES/CABLES	1.50	55790-1350000008 ELECTRONIC THROTTLE	100076 FELSTED	1.00
Problem	THROTTLES/CABLES	1.50			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder:	V9033	Meter Reading:	20,782.10	Labor Hours	Description	Parts	Quantity
In Date:	06/26/2007	Close Date:	07/02/2007				
Problem	SEAT BELTS			1.00	IMMF11361SEAT BELT P/S		1.00
Problem	SEAT BELTS			1.00			

10132058

Workorder:	V9154	Meter Reading:	5.60	Labor Hours	Description	Parts	Quantity
In Date:	07/05/2007	Close Date:	07/06/2007				
Problem	RELIEF VALVE INTAKE						
Problem	RELIEF VALVE INTAKE						

10132058

Workorder:	V9215	Meter Reading:	82,266.00	Labor Hours	Description	Parts	Quantity
In Date:	07/09/2007	Close Date:	07/24/2007				
Problem	STROBE LIGHT						
Problem	STROBE LIGHT						

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V9866 Meter Reading: 82,310.00

In Date: 08/13/2007 Close Date: 08/31/2007

		Labor Hours	Description	Parts	Quantity
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	3.00	02036317300STROBE LINEAR REFLECTOR 6ELTUBE		1.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	3.00	073004100PISTON		1.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	3.00	0769027STRAINER 2.5 IN		1.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	3.00	1142BULB		1.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	3.00	1156BULB		10.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	3.00	2032-0000-30LENS CLEAR		3.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	3.00	372000031IGNITION ON DISPLAY		1.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	3.00	52-24WIPER BLADES ANCO 24		2.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	3.00	52-624SWITCH DOOR		1.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	3.00	538-0201-02-0QG RELIEF VALVE COMPLETE		1.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	3.00	A0631087000CABLE BATT. POS.		1.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	3.00	A0631088000CABLE BATT. NEG.		1.00
Problem	WINDSHIELD WIPER	0.50	ACX-84534LUG NUT COVER PK10		1.00
Problem	WINDSHIELD WIPER	0.50	BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY		4.00
Problem	LATCHES	1.00	EL35014EL35014 SWITCH		1.00
Problem	LATCHES	1.00	FS1022FILTER FUEL WIX 33422 PS8689 FRAM		1.00
Problem	LIGHTING	0.50	HP-31DBATTERY 950CCA HP-31D		4.00
Problem	LIGHTING	0.50	HPH6349AOIL FILTER 51748		1.00
Problem	RELIEF VALVE INTAKE	2.50	PR338324070 WIX FILTER WATER		1.00
Problem	RELIEF VALVE INTAKE	2.50	PVG-KITORING KIT		1.00
Problem	STROBE LIGHT	0.75	R90PFILTER FUEL 33231		1.00
Problem	STROBE LIGHT	0.75			
Problem	STEPS	2.00			
Problem	STEPS	2.00			
Problem	A/C LOW FREON	1.50			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

Problem	A/C LOW FREON	1.50
Problem	LATCHES	2.00
Problem	LATCHES	2.00
Problem	DOOR PANELS	0.50
Problem	DOOR PANELS	0.50
Problem	DOOR/COMPT. OPEN WARNING LIGHT	1.50
Problem	DOOR/COMPT. OPEN WARNING LIGHT	1.50
Problem	A/C BELT FRONT A/C	1.50
Problem	A/C BELT FRONT A/C	1.50
Problem	HOSE REEL	0.75
Problem	HOSE REEL	0.75
Problem	VALVES INTAKE	0.50
Problem	VALVES INTAKE	0.50
Problem	DOORS	1.00
Problem	DOORS	1.00
Problem	BATTERY OR BATTERY SYSTEM	2.00
Problem	BATTERY OR BATTERY SYSTEM	2.00
Problem	PRIMER PUMP MOTOR	2.00
Problem	PRIMER PUMP MOTOR	2.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	3.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	3.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder:	V9912	Meter Reading:	82,310.00	Labor Hours	Description	Parts	Quantity
In Date:	08/14/2007	Close Date:	09/10/2007				
Problem	replace hose bed cover (outside agency-central auto trim)						
Problem	replace hose bed cover (outside agency-central auto trim)						

10132058

Workorder:	V11015	Meter Reading:	83,106.00	Labor Hours	Description	Parts	Quantity
In Date:	10/14/2007	Close Date:	10/22/2007				
Problem	HEADLIGHTS			0.75	H6054USE CV TYPE SEALED BEAM		6.00
Problem	HEADLIGHTS			0.75			
Problem	CONTROLS/SWITCHES/WIRING			1.00			
Problem	CONTROLS/SWITCHES/WIRING			1.00			

10132058

Workorder:	V11022	Meter Reading:	45.30	Labor Hours	Description	Parts	Quantity
In Date:	10/15/2007	Close Date:	10/23/2007				
Problem	EXHAUST SYSTEM			1.00			
Problem	EXHAUST SYSTEM			1.00			
Problem	FOAM GAUGE			1.50			
Problem	FOAM GAUGE			1.50			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V11218 Meter Reading: 83,106.00

In Date: 10/23/2007 Close Date: 10/31/2007

			Labor Hours	Description	Parts	Quantity
Problem	SWITCHES/CONTROLS		5.50	023465CLUTCH A/C		1.00
Problem	SWITCHES/CONTROLS		5.50	091-3YWCOVER KUSSMAUL AUTO EJECT		1.00
				1142BULB		1.00
				1156BULB		2.00
Problem	BRAKE LIGHTS		1.25	1157BULB		6.00
				16-31438915 VALVE CORE A/C 3544706C1		1.00
Problem	BRAKE LIGHTS		1.25	200054000USE 2000540080 LIGHT ASSY GREEN		1.00
				22-58581-000WASHER RESIVOR CAP		1.00
Problem	SWITCHES/CONTROLS		4.50	513-0270-01513-0270-01 HALE HARNESS		1.00
				67BULB 12 VOLT		1.00
Problem	SWITCHES/CONTROLS		4.50	6805400358SWITCH STOPLIGHT		1.00
				74R258607-2613A RED DOT DRIER 7127		1.00
				89BULB		1.00
Problem	PRIMER PUMP MOTOR		1.00	NI-BRACKETMOUNTING BRACKET		1.00
				SPR-W58-1TEE PLASTIC		1.00
Problem	PRIMER PUMP MOTOR		1.00	STOPSN12BULB STOP/TAIL LIGHT		2.00
				546-1620-02MASTER INTAKE KIT		1.00
Problem	BODY,EXTERIOR		8.50	501-3090-00PRIMER PUMP MOTOR		1.00
Problem	BODY,EXTERIOR		8.50			
Problem	A/C CONDENSER FAN		6.75			
Problem	A/C CONDENSER FAN		6.75			
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE		3.75			
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE		3.75			
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE		0.25			
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE		0.25			
Problem	MIRRORS		0.25			
Problem	MIRRORS		0.25			
Problem	MISC.SHOP EQUIPMENT WORK		0.50			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

Problem	MISC.SHOP EQUIPMENT WORK	0.50
Problem	WINDSHIELD WIPER	0.25
Problem	WINDSHIELD WIPER	0.25
Problem	MAP LIGHT	0.50
Problem	MAP LIGHT	0.50
Problem	SWITCHES/CONTROLS	2.50
Problem	SWITCHES/CONTROLS	2.50
Problem	AIR LEAK DIAGNOSIS	1.25
Problem	AIR LEAK DIAGNOSIS	1.25
Problem	BRAKE LIGHTS	1.50
Problem	BRAKE LIGHTS	1.50
Problem	PRIMER PUMP MOTOR	1.50
Problem	PRIMER PUMP MOTOR	1.50

10132058

Workorder: V11255 **Meter Reading:** 83,106.00
In Date: 10/26/2007 **Close Date:** 10/31/2007

		Labor Hours	Description	Parts	Quantity
Problem	A/C,HEATING, & VENTILATION SYSTEM	1.00			
Problem	A/C,HEATING, & VENTILATION SYSTEM	1.00			
Problem	STRETCHER	1.00			
Problem	STRETCHER	1.00			
Problem	ALTERNATOR BELT	1.00			
Problem	ALTERNATOR BELT	1.00			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V7176 Meter Reading: 2,011.20

In Date: 03/12/2007 Close Date: 12/10/2007

Labor Hours	Description	Parts	Quantity
-------------	-------------	-------	----------

Problem

Problem

10132058

Workorder: V12178 Meter Reading: 45.30

In Date: 12/20/2007 Close Date: 01/04/2008

Labor Hours	Description	Parts	Quantity
-------------	-------------	-------	----------

Problem DOORS 1.00

Problem DOORS 1.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V12289 Meter Reading: 83,106.00

Labor Hours

Description

Parts

Quantity

In Date: 12/31/2007 Close Date: 01/07/2008

Problem	Description	Labor Hours
PM A INSPECTION		1.00
PM A INSPECTION		1.00
TANK WATER		0.50
TANK WATER		0.50
A/C FILTER		0.50
A/C FILTER		0.50
A/C LOW FREON		1.50
A/C LOW FREON		1.50
TANK WATER		0.50
TANK WATER		0.50
VALVES INTAKE		2.00
VALVES INTAKE		2.00
PM A INSPECTION		1.00
PM A INSPECTION		1.00

10132058

Workorder: V9115 Meter Reading: 5.60

Labor Hours

Description

Parts

Quantity

In Date: 07/03/2007 Close Date: 01/14/2008

Problem		
Problem		

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V3738 Meter Reading: 0.00
In Date: 08/02/2006 Close Date: 02/07/2008

Labor Hours	Description	Parts	Quantity
-------------	-------------	-------	----------

Problem

Problem

10132058

Workorder: V14134 Meter Reading: 45.30
In Date: 03/27/2008 Close Date: 03/28/2008

Labor Hours	Description	Parts	Quantity
-------------	-------------	-------	----------

Problem HEADLIGHTS

Problem HEADLIGHTS

10132058

Workorder: V14967 Meter Reading: 83,106.00
In Date: 05/09/2008 Close Date: 05/21/2008

Labor Hours	Description	Parts	Quantity
-------------	-------------	-------	----------

Problem A/C LOW FREON 1.00 15W40BSYN OIL BULK QTS 40.00

Problem A/C LOW FREON 1.00 1893BULB 1.00

Problem A/C LOW FREON 1.00 200054014LENS GREEN 1.00

Problem PM B INSPECTION PREVENTIVE MAINTENANCE 5.00 FS1022FILTER FUEL WIX 33422 PS8689 FRAM 1.00

Problem PM B INSPECTION PREVENTIVE MAINTENANCE 5.00 HPH6349AOIL FILTER 51748 1.00

Problem PM B INSPECTION PREVENTIVE MAINTENANCE 5.00 L1261F33585XE FUEL FILTER WIX 1.00

Problem PM B INSPECTION PREVENTIVE MAINTENANCE 5.00 PH8942FILTER OIL 57182 LFP3729 1.00

Problem 2.00 PR338324070 WIX FILTER WATER 1.00

Problem 2.00 R90PFILTER FUEL 33231 1.00

Problem 2.00 S3225PFUEL FILTER 33630 LFF5849 1.00

Problem 2.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V16410		Meter Reading: 83,106.00	Labor Hours	Description	Parts	Quantity
In Date: 07/17/2008		Close Date: 07/21/2008				
Problem	STROBE LIGHT		5.00	02036317300STROBE LINEAR REFLECTOR 6ELTUBE		6.00
Problem	STROBE LIGHT		5.00	UPS64LXPOWER SUPPLY		2.00
Problem	STROBE LIGHT		4.00			
Problem	STROBE LIGHT		4.00			

10132058

Workorder: V16426		Meter Reading: 45.30	Labor Hours	Description	Parts	Quantity
In Date: 07/18/2008		Close Date: 07/23/2008				
Problem	STROBE LIGHT		1.50			
Problem	STROBE LIGHT		1.50			

10132058

Workorder: V16644		Meter Reading: 83,590.00	Labor Hours	Description	Parts	Quantity
In Date: 07/28/2008		Close Date: 08/05/2008				
Problem	A/C,HEATING, & VENTILATION SYSTEM		2.75			
Problem	A/C,HEATING, & VENTILATION SYSTEM		2.75			
Problem	NO OTHER CODE APPLICABLE		1.00			
Problem	NO OTHER CODE APPLICABLE		1.00			
Problem	PM A INSPECTION		2.50			
Problem	PM A INSPECTION		2.50			
Problem	STROBE LIGHT		2.50			
Problem	STROBE LIGHT		2.50			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V20968 Meter Reading: 0.00

In Date: 02/09/2009 Close Date: 02/23/2009

		Labor Hours	Description	Parts	Quantity
Problem	FIRE PUMP SYSTEM	2.50			
Problem	FIRE PUMP SYSTEM	2.50			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V22189	83,590.00				
In Date:	Close Date:				
03/30/2009	05/06/2009				
Problem	STEPS	0.50	01-20152-00501-20152-006 CLAMP		1.00
Problem	STEPS	0.50	0100080010STRAINER		2.00
Problem	VALVES	8.00	05-17223-000CAP RADIATOR 10 LB		1.00
Problem	VALVES	8.00	107796DRYER KIT AD9 -NEW		1.00
Problem	VALVES	8.00	107800VALVE CHECK AD9		1.00
Problem	VALVES	8.00	14022-1-5COOLER 14032		1.00
Problem	EMERGENCY / WARNING	2.00	15W40BSYN OIL BULK QTS		24.00
Problem	EMERGENCY / WARNING	2.00	4870JBALTERNATOR 270 AMP NEEDS EXCITER WIRE		1.00
Problem	EMERGENCY / WARNING	2.00	680-10LAMERICAN FLAG W UV CLEAR LEFT		1.00
Problem	EMERGENCY / WARNING	2.00	680-10RAMERICAN FLAG W UV CLEAR RIGHT		1.00
Problem	A/C,HEATING, & VENTILATION SYSTEM	2.00	6806970098SEAL DOOR		1.00
Problem	A/C,HEATING, & VENTILATION SYSTEM	2.00	78R5253A/C FILTER WPB		1.00
Problem	A/C,HEATING, & VENTILATION SYSTEM	2.00	800405PURGE VALVE KIT		1.00
Problem	LATCHES	1.00	91368904 VALVE KIT 1 1/2 IN		1.00
Problem	LATCHES	1.00	91398907 VALVE KIT 3 IN AKRON		1.00
Problem	LATCHES	1.00	CA8193AIR FILTER 46744 WIX		1.00
Problem	SEAT BELTS	1.00	FS1022FILTER FUEL WIX 33422 PS8689 FRAM		1.00
Problem	SEAT BELTS	1.00	H6054USE CV TYPE SEALED BEAM		1.00
Problem	SEAT BELTS	1.00	HPH6349AOIL FILTER 51748		1.00
Problem	SEAT BELTS	1.00	PR338324070 WIX FILTER WATER		1.00
Problem	SEAT BELTS	1.00	R90PFILTER FUEL 33231		1.00
Problem	SEAT BELTS	1.00	VML-S1414FILTER P/S		1.00
Problem	SEAT BELTS	1.00	VML-T1264GASKET P/S COVER		1.00
Problem	SEAT BELTS	1.00	VML-T1279WASHER P/S		1.00
Problem	SEAT BELTS	1.00	RAIRK30880N122WSKL4000 SENSOR WATER IN FUEL		1.00
Problem	GRAPHICS-LETTERING	1.00			
Problem	GRAPHICS-LETTERING	1.00			
Problem	RESTOCK VEHICLES	2.00			
Problem	RESTOCK VEHICLES	2.00			
Problem	DRYER	1.50			
Problem	DRYER	1.50			
Problem	DRYER	0.50			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

Problem	DRYER	0.50
Problem	PUMP SYSTEM	1.00
Problem	PUMP SYSTEM	1.00
Problem	ACCESSORIES/TRIM/MOLDINGS	0.75
Problem	ACCESSORIES/TRIM/MOLDINGS	0.75
Problem	PANEL LIGHTS	0.50
Problem	PANEL LIGHTS	0.50
Problem	PM C INSPECTION PREVENTIVE MAINTENANCE	2.50
Problem	PM C INSPECTION PREVENTIVE MAINTENANCE	2.50
Problem	PM C INSPECTION PREVENTIVE MAINTENANCE	5.50
Problem	PM C INSPECTION PREVENTIVE MAINTENANCE	5.50
Problem	PARTS HANDLING/TRANSACTION	0.50
Problem	PARTS HANDLING/TRANSACTION	0.50
Problem	PM C INSPECTION PREVENTIVE MAINTENANCE	1.50
Problem	PM C INSPECTION PREVENTIVE MAINTENANCE	1.50
Problem	EQUIPMENT MOUNTING BRACKETS	0.50
Problem	EQUIPMENT MOUNTING BRACKETS	0.50
Problem	SLIDES	0.50
Problem	SLIDES	0.50
Problem	COOLER	2.00
Problem	COOLER	2.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

Problem	SERVICE COOLANT SYSTEM	2.00
Problem	SERVICE COOLANT SYSTEM	2.00
Problem	STEERING	1.50
Problem	STEERING	1.50
Problem	DOORS	1.00
Problem	DOORS	1.00
Problem	PUMP SYSTEM	3.00
Problem	PUMP SYSTEM	3.00
Problem	FUEL FILTER	2.00
Problem	FUEL FILTER	2.00
Problem	HEADLIGHTS	0.50
Problem	HEADLIGHTS	0.50
Problem		2.00
Problem		2.00
Problem	A/C FILTER	0.50
Problem	A/C FILTER	0.50

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder:	V24515	Meter Reading:	83,590.00	Labor Hours	Description	Parts	Quantity
In Date:	07/01/2009	Close Date:	07/10/2009				
Problem	A/C,HEATING, & VENTILATION SYSTEM			0.50	6808300174VENT A/C RH		2.00
Problem	A/C,HEATING, & VENTILATION SYSTEM			0.50	68129100826812910082 BRAKE PEDAL		1.00
Problem	A/C,HEATING, & VENTILATION SYSTEM				89BULB		1.00
Problem	PM A INSPECTION			1.50			
Problem	PM A INSPECTION			1.50			
Problem	CLEARENCE LIGHTS			0.50			
Problem	CLEARENCE LIGHTS			0.50			
Problem	PADS			0.25			
Problem	PADS			0.25			

10132058

Workorder:	V24921	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	07/20/2009	Close Date:	07/28/2009				
Problem	RELIEF VALVE DISCHARGE			1.00	9096-02SWITCH		1.00
Problem	RELIEF VALVE DISCHARGE			1.00	914125008700SCREW DOOR LATCH		4.00
Problem	RELIEF VALVE DISCHARGE			1.00			
Problem	RELIEF VALVE DISCHARGE			1.00			

10132058

Workorder:	V24923	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	07/21/2009	Close Date:	07/28/2009				
Problem	FIRE PUMP SYSTEM			2.00			
Problem	FIRE PUMP SYSTEM			2.00			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V25459 Meter Reading: 86,249.00

In Date: 08/11/2009 Close Date: 08/25/2009

			Labor Hours	Description	Parts	Quantity
Problem	PM A INSPECTION		2.00			
Problem	PM A INSPECTION		2.00			
Problem	SLACK ADJUSTERS		0.25			
Problem	SLACK ADJUSTERS		0.25			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V25263 Meter Reading: 86,249.00

In Date: 08/03/2009 Close Date: 09/10/2009

			Labor Hours	Description	Parts	Quantity
Problem	SLACK ADJUSTERS		0.50	0100080010STRAINER		1.00
Problem	SLACK ADJUSTERS		0.50	02036317300STROBE LINEAR REFLECTOR 6ELTUBE		1.00
Problem	STROBE LIGHT		0.50	1094KIT-AIR HORN-GROVER		2.00
Problem	STROBE LIGHT		0.50	512-0070-00-0MIV HANDLE		1.00
Problem	STROBE LIGHT		0.50	S690AIR CHUCK		1.00
Problem	LIGHT BAR FRONT		3.50			
Problem	LIGHT BAR FRONT		3.50			
Problem	A/C,HEATING, & VENTILATION SYSTEM		2.00			
Problem	A/C,HEATING, & VENTILATION SYSTEM		2.00			
Problem	SCREEN		0.50			
Problem	SCREEN		0.50			
Problem	SCREEN		1.00			
Problem	SCREEN		1.00			
Problem	INTAKE VALVE		0.50			
Problem	INTAKE VALVE		0.50			
Problem	AIR HORN		0.75			
Problem	AIR HORN		0.75			
Problem	PM A INSPECTION		2.50			
Problem	PM A INSPECTION		2.50			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder:	V26357	Meter Reading:	86,547.00	Labor Hours	Description	Parts	Quantity
In Date:	09/21/2009	Close Date:	09/24/2009				
Problem	RELIEF VALVE DISCHARGE						
Problem	RELIEF VALVE DISCHARGE						

10132058

Workorder:	V26394	Meter Reading:	86,547.00	Labor Hours	Description	Parts	Quantity
In Date:	09/22/2009	Close Date:	09/29/2009				
Problem	A/C,HEATING, & VENTILATION SYSTEM			0.50			
Problem	A/C,HEATING, & VENTILATION SYSTEM			0.50			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V26179 Meter Reading: 86,749.80

In Date: 09/10/2009 Close Date: 10/02/2009

		Labor Hours	Description	Parts	Quantity
Problem	PM A INSPECTION	1.50			
			372000082CHROME MARKER LIGHT MOUNT		2.00
			372000083GASKET MOUNTING		2.00
Problem	PM A INSPECTION	1.50			
			372000084MARKER LIGHT		2.00
			372000085HARNES FOR MARKER LIGHT		2.00
Problem	SPOTLIGHT	1.00			
			4007BULB NIGHT FIGHTER		1.00
			559282-2122 SWITCH		1.00
Problem	SPOTLIGHT	1.00			
			NI PLATEMARKER LIGHT MOUNTING PLATE		2.00
Problem	SPOTLIGHT	0.50			
Problem	SPOTLIGHT	0.50			
Problem	CLEARENCE LIGHTS	1.50			
Problem	CLEARENCE LIGHTS	1.50			
Problem	TIRE'S ,REAR	2.00			
Problem	TIRE'S ,REAR	2.00			
Problem	SERVICE TRANSMISSION	0.75			
Problem	SERVICE TRANSMISSION	0.75			
Problem	LIGHTING	3.75			
Problem	LIGHTING	3.75			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V27045 Meter Reading: 86,547.00

In Date: 10/21/2009 Close Date: 11/02/2009

		Labor Hours	Description	Parts	Quantity
Problem	PARKING BRAKE	1.50	800034VALVE PARKING BRK.		1.00
Problem	PARKING BRAKE	1.50	EB6POWER SUPPLY WHELEN LIGHT BAR		1.00
Problem	LIGHT BAR FRONT	1.00	KN20021DASH VALVE		1.00
Problem	LIGHT BAR FRONT	1.00	MSA150-A20MANSAYER COVER		2.00
Problem	LIGHT BAR FRONT	1.50	RC-4101 AKRON SHORT HANDLED VALVE REMOTE		1.00
Problem	LIGHT BAR FRONT	1.50			
Problem	TIRE'S ,REAR	1.00			
Problem	TIRE'S ,REAR	1.00			
Problem	CLEARENCE LIGHTS	0.50			
Problem	CLEARENCE LIGHTS	0.50			
Problem	PADS	1.00			
Problem	PADS	1.00			
Problem	ACCESSORIES/TRIM/MOLDINGS	2.00			
Problem	ACCESSORIES/TRIM/MOLDINGS	2.00			
Problem	BRAKE RETARDER	1.50			
Problem	BRAKE RETARDER	1.50			
Problem	PM A INSPECTION	1.50			
Problem	PM A INSPECTION	1.50			
Problem	PARKING BRAKE	1.00			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V27645		Meter Reading: 87,383.80		Labor Hours	Description	Parts	Quantity
In Date: 11/13/2009		Close Date: 12/01/2009					
Problem	TRANSMISSION			0.25	02036317300STROBE LINEAR REFLECTOR 6ELTUBE		2.00
Problem	TRANSMISSION			0.25			
Problem	STROBE LIGHT			1.00			
Problem	STROBE LIGHT			1.00			
Problem	PM A INSPECTION			2.50			
Problem	PM A INSPECTION			2.50			
Problem	PANEL LIGHTS			0.25			
Problem	PANEL LIGHTS			0.25			
Problem	PRIMER PUMP MOTOR			0.50			
Problem	PRIMER PUMP MOTOR			0.50			

10132058

Workorder: V27872		Meter Reading: 87,383.80		Labor Hours	Description	Parts	Quantity
In Date: 11/23/2009		Close Date: 01/15/2010					
Problem	repair hose bed cover (outside agency-central auto trim)						
Problem	repair hose bed cover (outside agency-central auto trim)						

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V28940 Meter Reading: 87,559.00

In Date: 01/08/2010 Close Date: 03/08/2010

Problem	Description	Labor Hours	Parts	Quantity
Problem	FOAM SYSTEM	3.00	012133000HANDLE FOAM FLUSH	1.00
Problem	FOAM SYSTEM	3.00	02024061400COUTPUT HARNESS	1.00
Problem	FOAM SYSTEM	1.00	02036317300STROBE LINEAR REFLECTOR 6ELTUBE	1.00
Problem	FOAM SYSTEM	1.00	104961MASTER DRAIN VALVE	1.00
Problem	FOAM SYSTEM	1.00	15W40BSYN OIL BULK QTS	28.00
Problem	FOAM SYSTEM	1.00	25-358SWITCH COVER	1.00
Problem	FOAM SYSTEM	1.00	29526898 29548988 TRANS FILTER ALLISON	1.00
Problem	AIR HORN	0.25	55790-1350000008 ELECTRONIC THROTTLE 100076 FELSTED	1.00
Problem	AIR HORN	0.25	78R536078R5360M 2PK FILTER AIR COND	1.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	1.00	A1834388002MOLD L/H	1.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	1.00	BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	4.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	1.00	FS1022FILTER FUEL WIX 33422 PS8689 FRAM	1.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	1.00	HP-31DBATTERY 950CCA HP-31D	4.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	1.00	HPH6349AOIL FILTER 51748	1.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	1.00	PVG-KITORING KIT	1.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	1.00	UPS64LXPOWER SUPPLY	1.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	1.50	1012910235619A STRIKER PLATE	3.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	1.50	12854DOME LIGHT BULBS	2.00
Problem	SERVICE TRANSMISSION	1.00	KIT195020PAD KIT FRONT FL80 PUMPER	1.00
Problem	SERVICE TRANSMISSION	1.00	R90PFILTER FUEL 33231	1.00
Problem	DIFFERENTIAL	0.50		
Problem	DIFFERENTIAL	0.50		
Problem	ACCESSORIES/TRIM/MOLDINGS	0.50		
Problem	ACCESSORIES/TRIM/MOLDINGS	0.50		
Problem	BATTERY OR BATTERY SYSTEM	1.50		

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

Problem	BATTERY OR BATTERY SYSTEM	1.50
Problem	CLEARANCE LIGHTS	0.25
Problem	CLEARANCE LIGHTS	0.25
Problem	STROBE LIGHT	1.00
Problem	STROBE LIGHT	1.00
Problem	VALVES	1.25
Problem	VALVES	1.25
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	0.50
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	0.50
Problem	STROBE LIGHT	2.50
Problem	STROBE LIGHT	2.50
Problem	THROTTLES/CABLES	0.75
Problem	THROTTLES/CABLES	0.75
Problem	FOAM SYSTEM	2.00
Problem	FOAM SYSTEM	2.00
Problem	COMPARTMENT DOOR	
Problem	COMPARTMENT DOOR	
Problem	DRAIN	1.00
Problem	DRAIN	1.00
Problem	LINES	1.00
Problem	LINES	1.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder:	V31952	Meter Reading:	87,777.00	Labor Hours	Description	Parts	Quantity
In Date:	05/03/2010	Close Date:	05/17/2010				
Problem	A/C,HEATING, & VENTILATION SYSTEM			1.50			
Problem	A/C,HEATING, & VENTILATION SYSTEM			1.50			

10132058

Workorder:	V31986	Meter Reading:	87,777.00	Labor Hours	Description	Parts	Quantity
In Date:	05/04/2010	Close Date:	05/17/2010				
Problem	A/C,HEATING, & VENTILATION SYSTEM						
Problem	A/C,HEATING, & VENTILATION SYSTEM						

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V31241 Meter Reading: 87,383.80

Labor Hours

Description

Parts

Quantity

In Date: 04/02/2010 Close Date: 06/11/2010

Problem	Description	Labor Hours	Parts	Quantity
PANEL LIGHTS	120257100C2030-7110-30 CLEAR DOME STEP			1.00
PANEL LIGHTS	26312YLIGHT MARKER YELLO			1.00
PANEL LIGHTS	52-24WIPER BLADES ANCO 24			2.00
A/C,HEATING, & VENTILATION SYSTEM				
A/C,HEATING, & VENTILATION SYSTEM				
PM A INSPECTION		1.25		
PM A INSPECTION		1.25		
WINDSHIELD WIPER		0.25		
WINDSHIELD WIPER		0.25		
ACCESSORIES/TRIM/MOLDINGS		0.25		
ACCESSORIES/TRIM/MOLDINGS		0.25		
ACCESSORIES/TRIM/MOLDINGS		0.25		
ACCESSORIES/TRIM/MOLDINGS		0.25		
PM A INSPECTION				
PM A INSPECTION				
TIRE REPAIR				
TIRE REPAIR				

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V33542	87,777.00				
In Date: 07/14/2010	Close Date: 07/23/2010				
Problem	BATTERY OR BATTERY SYSTEM	2.00	BATTERY EPA TAX	BATTERY EPA TAX \$1.50 PER BATTERY	4.00
Problem	BATTERY OR BATTERY SYSTEM	2.00	HP-31D	BATTERY 950CCA HP-31D	4.00

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V34384	87,777.00				
In Date: 08/19/2010	Close Date: 09/07/2010				
Problem	FUEL FILTER	0.75	R90P	FILTER FUEL 33231	1.00
Problem	FUEL FILTER	0.75			

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V34872	87,777.00				
In Date: 09/10/2010	Close Date: 09/28/2010				
Problem	PUMP TESTING	3.50			
Problem	PUMP TESTING	3.50			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V35241 Meter Reading: 87,777.00

In Date: 09/28/2010 Close Date: 10/28/2010

Problem	Description	Labor Hours	Parts	Quantity
DRYER	101259-8103G BUSHINGS	1.00		1.00
DRYER	107796DRYER KIT AD9 -NEW	1.00		1.00
DRYER	107800VALVE CHECK AD9	1.00		1.00
PM C INSPECTION PREVENTIVE MAINTENANCE	15W40BSYN OIL BULK QTS	2.50		24.00
PM C INSPECTION PREVENTIVE MAINTENANCE	176973PSSEAT COMPT. DOOR AND LATCH	2.50		2.00
PM C INSPECTION PREVENTIVE MAINTENANCE	3818885O-RING WATER SHUT OFF	2.50		2.00
ACCESSORIES/TRIM/MOLDINGS	3937367GASKET 4942874	1.00		1.00
ACCESSORIES/TRIM/MOLDINGS	39438574989614 SEAL O-RING SHUT-OFF VALVE	1.00		1.00
ACCESSORIES/TRIM/MOLDINGS	39768315259022 GROOVED TENSIONER OLD#3936213	1.00		2.00
ACCESSORIES/TRIM/MOLDINGS	44364436 BULB	1.00		1.00
ACCESSORIES/TRIM/MOLDINGS	5582-10 82-2111 GROTE ON-OFF WEATHERPROOF	1.00		1.00
SHOCK ABSORBERS FRONT	6803230300 65482 SHOCK FRONT ENGINE	1.00		2.00
SHOCK ABSORBERS FRONT	7605-7459USE VENT	1.25		1.00
SHOCK ABSORBERS FRONT	800405PURGE VALVE KIT	1.25		1.00
SHOCK ABSORBERS FRONT	812580ATBADJ BOLT	1.25		1.00
SHOCK ABSORBERS FRONT	91368904 VALVE KIT 1 1/2 IN	1.25		1.00
SHOCK ABSORBERS FRONT	91378905 VALVE KIT 2 IN AKRON	1.25		1.00
SHOCK ABSORBERS FRONT	91388906 VALVE KIT 2.5 IN AKRON	1.25		3.00
SLIDES	9463BELT	1.00		1.00
SLIDES	9480BELT	1.00		1.00
SLIDES	AD40ADJUSTING BOLT	1.00		1.00
SLIDES	CA8193AIR FILTER 46744 WIX	1.00		1.00
SLIDES	K080716BELT	1.00		1.00
COMPARTMENT DOOR	PR338324070 WIX FILTER WATER	0.50		1.00
COMPARTMENT DOOR	R90PFILTER FUEL 33231	0.50		1.00
COMPARTMENT DOOR	U-7421SWITCH - ROCKER FOR UNITY LIGHT	0.50		1.00
RELACE ALL BELTS	HPH6349AOIL FILTER 51748	2.00		1.00
RELACE ALL BELTS	FS1022FILTER FUEL WIX 33422 PS8689 FRAM	2.00		1.00
RELACE ALL BELTS		2.00		
FUEL FILTER		2.00		
FUEL FILTER		2.00		
SERVICE "T" CASE		0.50		
SERVICE "T" CASE		0.50		
ACCESSORIES/TRIM/MOLDINGS		0.50		

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

Problem	ACCESSORIES/TRIM/MOLDINGS	0.50
Problem	A/C,HEATING, & VENTILATION SYSTEM	1.50
Problem	A/C,HEATING, & VENTILATION SYSTEM	1.50
Problem	AIR LEAK DIAGNOSIS	1.50
Problem	AIR LEAK DIAGNOSIS	1.50
Problem	DOOR/COMPT. OPEN WARNING LIGHT	1.00
Problem	DOOR/COMPT. OPEN WARNING LIGHT	1.00
Problem	ACCESSORIES/TRIM/MOLDINGS	0.50
Problem	ACCESSORIES/TRIM/MOLDINGS	0.50
Problem	U-BOLTS	1.00
Problem	U-BOLTS	1.00
Problem	FOAM SYSTEM	4.00
Problem	FOAM SYSTEM	4.00
Problem	SPOTLIGHT	1.00
Problem	SPOTLIGHT	1.00
Problem	PUMP SYSTEM	5.00
Problem	PUMP SYSTEM	5.00
Problem	COOLING SYSTEM	1.00
Problem	COOLING SYSTEM	1.00
Problem	PM C INSPECTION PREVENTIVE MAINTENANCE	2.50
Problem	PM C INSPECTION PREVENTIVE MAINTENANCE	2.50

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

Problem	PM C INSPECTION PREVENTIVE MAINTENANCE	3.00
Problem	PM C INSPECTION PREVENTIVE MAINTENANCE	3.00
Problem	PM C INSPECTION PREVENTIVE MAINTENANCE	1.00
Problem	PM C INSPECTION PREVENTIVE MAINTENANCE	1.00

10132058

Workorder: V35853 **Meter Reading:** 88,575.00
In Date: 10/22/2010 **Close Date:** 11/03/2010

	Labor Hours	Description	Parts	Quantity
Problem	0.25	DOOR/COMPT. OPEN WARNING LIGHT		
Problem	0.25	DOOR/COMPT. OPEN WARNING LIGHT		

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V35933		Meter Reading: 88,679.00		Labor Hours	Description	Parts	Quantity
In Date: 10/26/2010		Close Date: 12/22/2010					
Problem	PM A INSPECTION			1.00	15W40BSYN OIL BULK QTS		40.00
Problem	PM A INSPECTION			1.00	279LSS1250D-RING HANDLE W/LOCK 101280008		1.00
					4579SRNO. 8 SPLICE REDUCED BARRIER HOSE		1.00
Problem	PANEL LIGHTS			0.75	P1147GFUEL FILTER 33120 WIX DELCO TP916		1.00
					PH7405 51971 OIL FILTER WIX		2.00
					R90PFILTER FUEL 33231		1.00
Problem	PANEL LIGHTS			0.75			
Problem	LATCHES			0.75			
Problem	LATCHES			0.75			
Problem	A/C,HEATING, & VENTILATION SYSTEM			1.50			
Problem	A/C,HEATING, & VENTILATION SYSTEM			1.50			
Problem	TRANSMISSION			0.50			
Problem	TRANSMISSION			0.50			
Problem	ACCESSORIES/TRIM/MOLDINGS			1.00			
Problem	ACCESSORIES/TRIM/MOLDINGS			1.00			
Problem	A/C,HEATING, & VENTILATION SYSTEM			3.00			
Problem	A/C,HEATING, & VENTILATION SYSTEM			3.00			

10132058

Workorder: V37490		Meter Reading: 88,575.00		Labor Hours	Description	Parts	Quantity
In Date: 12/29/2010		Close Date: 01/10/2011					
Problem	TURN SIGNALS			1.00	EL12FLASHER ELECTRONIC		1.00
Problem	TURN SIGNALS			1.00			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V37491 Meter Reading: 88,575.00

In Date: 12/29/2010 Close Date: 01/10/2011

Problem	Labor Hours	Description	Parts	Quantity
EQUIPMENT MOUNTING BRACKETS	0.50	5269LPVM-5 SM MOUNT		2.00
EQUIPMENT MOUNTING BRACKETS	0.50			

10132058

Workorder: V37492 Meter Reading: 88,575.00

In Date: 12/29/2010 Close Date: 01/11/2011

Problem	Labor Hours	Description	Parts	Quantity
ACCESSORIES/TRIM/MOLDINGS	0.50	UMVS162511STRAP		4.00
ACCESSORIES/TRIM/MOLDINGS	0.50	UMVS254411STRAP 46 IN		2.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V37889 Meter Reading: 89,565.00

In Date: 01/19/2011 Close Date: 01/25/2011

		Labor Hours	Description	Parts	Quantity
Problem	PM A INSPECTION	1.50			
			0913912CHARGER 2000		1.00
Problem	PM A INSPECTION	1.50			
			0915520120AUTO EJECT 20 AERO OTL3925		1.00
			4419BULB		1.00
			A0631088000CABLE BATT. NEG.		1.00
Problem	LIGHTING	0.50			
Problem	LIGHTING	0.50			
Problem	SWITCHES/CONTROLS	0.25			
Problem	SWITCHES/CONTROLS	0.25			
Problem	AUTO-EJECT	7.25			
Problem	AUTO-EJECT	7.25			
Problem	CLEARANCE LIGHTS	0.25			
Problem	CLEARANCE LIGHTS	0.25			
Problem	BODY,EXTERIOR	1.00			
Problem	BODY,EXTERIOR	1.00			
Problem	BATTERY CABLES	1.00			
Problem	BATTERY CABLES	1.00			
Problem	PANEL LIGHTS	0.25			
Problem	PANEL LIGHTS	0.25			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder:	V37626	Meter Reading:	88,887.90	Labor Hours	Description	Parts	Quantity
In Date:	01/04/2011	Close Date:	01/27/2011				
Problem	repair flat e 33 tci						
Problem	repair flat e 33 tci						

10132058

Workorder:	V37940	Meter Reading:	89,252.00	Labor Hours	Description	Parts	Quantity
In Date:	01/20/2011	Close Date:	02/16/2011				
Problem	oil pressuere update cummins power south						
Problem	oil pressuere update cummins power south						

10132058

Workorder:	V39550	Meter Reading:	89,924.00	Labor Hours	Description	Parts	Quantity
In Date:	03/30/2011	Close Date:	04/18/2011				
Problem	RELIEF VALVE DISCHARGE			3.00	038-0191-00CONTROL VALVE		1.00
Problem	RELIEF VALVE DISCHARGE			3.00	18-45484-000LATCH L/H		1.00
Problem	RELIEF VALVE DISCHARGE				538-0790-00-0BODY CONTROL ASSEMBLY		1.00
Problem	PM A INSPECTION			1.25			
Problem	PM A INSPECTION			1.25			
Problem	PM A INSPECTION			2.50			
Problem	PM A INSPECTION			2.50			

10132058

Workorder:	V39880	Meter Reading:	89,887.40	Labor Hours	Description	Parts	Quantity
In Date:	04/13/2011	Close Date:	05/13/2011				
Problem	FIRE PUMP SYSTEM			1.00	538028052VALVE PRIMER PUMP W/HARDWARE		1.00
Problem	FIRE PUMP SYSTEM			1.00	EG-3500OIL CAP HONDA		1.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V40498	89,887.40				
In Date: 05/09/2011	Close Date: 05/17/2011				
Problem	A/C,HEATING, & VENTILATION SYSTEM	2.50			
Problem	A/C,HEATING, & VENTILATION SYSTEM	2.50			

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V39516	89,887.40				
In Date: 03/29/2011	Close Date: 05/23/2011				
Problem	REAR/TAILOBOARD	1.00	038-1010-01HALE RELIEF VALVE W/ VULCANIZED SEAT		1.00
Problem	REAR/TAILOBOARD	1.00	194BULB		10.00
Problem	PM A INSPECTION	1.00	26312RMARKER LIGHT		1.00
Problem	PM A INSPECTION	1.00	52-24WIPER BLADES ANCO 24		2.00
Problem	PM A INSPECTION	1.00	546085303NC SWITCH/BRACKT		1.00
Problem	PM A INSPECTION	1.00	546126000TPM/QG HALE REPAIR KIT		1.00
Problem	WINDSHIELD WIPER	0.25			
Problem	WINDSHIELD WIPER	0.25			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V39744		Meter Reading: 89,887.40	Labor Hours	Description	Parts	Quantity
In Date: 04/06/2011		Close Date: 05/23/2011				
Problem	PUMP TESTING		2.50			
Problem	PUMP TESTING		2.50			
Problem	PUMP TESTING		1.50			
Problem	PUMP TESTING		1.50			
Problem	PUMP TESTING		1.00			
Problem	PUMP TESTING		1.00			
Problem	VACUUM TEST		1.00			
Problem	VACUUM TEST		1.00			
Problem	VALVES		1.75			
Problem	VALVES		1.75			

10132058

Workorder: V40174		Meter Reading: 89,887.40	Labor Hours	Description	Parts	Quantity
In Date: 04/26/2011		Close Date: 05/23/2011				
Problem	VACUUM TEST		0.25	92541676VAC TEST GAUGE 0-30		1.00
Problem	VACUUM TEST		0.25	UPS64LXPOWER SUPPLY		1.00

10132058

Workorder: V40923		Meter Reading: 90,246.00	Labor Hours	Description	Parts	Quantity
In Date: 05/27/2011		Close Date: 05/27/2011				
Problem	WATER LEAK		0.50			
Problem	WATER LEAK		0.50			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V41044 Meter Reading: 90,427.00

In Date: 06/02/2011 Close Date: 06/07/2011

		Labor Hours	Description	Parts	Quantity
Problem	PM A INSPECTION	1.00			
			3949085PUMP ISC FUEL TRANSFER NEW #4935005		1.00
Problem	PM A INSPECTION	1.00			1.00
			RC-4101 AKRON SHORT HANDLED VALVE REMOTE		
Problem	ACCESSORIES/TRIM/MOLDINGS	0.25			
Problem	ACCESSORIES/TRIM/MOLDINGS	0.25			
Problem	A/C,HEATING, & VENTILATION SYSTEM	0.50			
Problem	A/C,HEATING, & VENTILATION SYSTEM	0.50			
Problem	HANDLES	1.50			
Problem	HANDLES	1.50			
Problem	DOOR PANELS	1.50			
Problem	DOOR PANELS	1.50			
Problem	PUMP SYSTEM	2.25			
Problem	PUMP SYSTEM	2.25			
Problem	PUMP SYSTEM	1.50			
Problem	PUMP SYSTEM	1.50			

10132058

Workorder: V39357 Meter Reading: 89,565.00

In Date: 03/22/2011 Close Date: 06/09/2011

		Labor Hours	Description	Parts	Quantity
Problem					
Problem					

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V41259 Meter Reading: 90,428.00

In Date: 06/10/2011 Close Date: 06/16/2011

		Labor Hours	Description	Parts	Quantity
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	5.50	101847ENGINE STATUS CTR		1.00
			15W40BSYN OIL BULK QTS		4.00
Problem	PM B INSPECTION PREVENTIVE MAINTENANCE	5.50	FS1022FILTER FUEL WIX 33422 PS8689 FRAM		1.00
			HPH6349AOIL FILTER 51748		1.00
Problem	ACCESSORIES/TRIM/MOLDINGS	0.50	L PLACARDLARGE SIDE PLACARD		2.00
			L PLACARD INSERTLARGE PLACARD INSERT CARD		2.00
Problem	ACCESSORIES/TRIM/MOLDINGS	0.50	R90PFILTER FUEL 33231		1.00
Problem	GRAPHICS-LETTERING	0.50			
Problem	GRAPHICS-LETTERING	0.50			
Problem	FUEL LEVEL	1.00			
Problem	FUEL LEVEL	1.00			
Problem	PANEL LIGHTS	0.75			
Problem	PANEL LIGHTS	0.75			
Problem	QUALITY CHECK	0.50			
Problem	QUALITY CHECK	0.50			
Problem	PUMP PANEL GUAGES	1.00			
Problem	PUMP PANEL GUAGES	1.00			
Problem	TIRE'S ,FRONT	1.50			
Problem	TIRE'S ,FRONT	1.50			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder:	V40937	Meter Reading:	90,246.00	Labor Hours	Description	Parts	Quantity
In Date:	05/27/2011	Close Date:	06/22/2011				
Problem	ACCESSORIES/TRIM/MOLDINGS			1.00			
Problem	ACCESSORIES/TRIM/MOLDINGS			1.00			

10132058

Workorder:	V40938	Meter Reading:	90,246.00	Labor Hours	Description	Parts	Quantity
In Date:	05/27/2011	Close Date:	06/22/2011				
Problem	WATER LEAK			1.00			
Problem	WATER LEAK			1.00			

10132058

Workorder:	V41426	Meter Reading:	90,376.00	Labor Hours	Description	Parts	Quantity
In Date:	06/18/2011	Close Date:	06/24/2011				
Problem	EMERGENCY / WARNING			1.00			
Problem	EMERGENCY / WARNING			1.00			
Problem	A/C,HEATING, & VENTILATION SYSTEM			0.50			
Problem	A/C,HEATING, & VENTILATION SYSTEM			0.50			
Problem	A/C,HEATING, & VENTILATION SYSTEM			0.50			
Problem	A/C,HEATING, & VENTILATION SYSTEM			0.50			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V41488	90,379.00				
In Date:	Close Date:				
06/21/2011	06/24/2011				
Problem	STARTER	2.50	104610896386 NEW STARTER	37MT 1993928	1.00
Problem	STARTER	2.50	UPS64LXPOWER SUPPLY		1.00
Problem	STROBE LIGHT	1.00			
Problem	STROBE LIGHT	1.00			

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V41555	90,733.10				
In Date:	Close Date:				
06/23/2011	06/28/2011				
Problem		2.00	4867JB320 UPGRADE ALTERNATOR		1.00
Problem		2.00			

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V41585	90,733.10				
In Date:	Close Date:				
06/24/2011	07/12/2011				
Problem	AIR HORN	0.50			
Problem	AIR HORN	0.50			
Problem	WATER TANK LEVEL GAUGE	1.00			
Problem	WATER TANK LEVEL GAUGE	1.00			
Problem	PM A INSPECTION	1.50			
Problem	PM A INSPECTION	1.50			
Problem	A/C,HEATING, & VENTILATION SYSTEM	1.50			
Problem	A/C,HEATING, & VENTILATION SYSTEM	1.50			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V41331	90,376.00				
In Date:	Close Date:				
06/14/2011	07/13/2011				
Problem	REPLACE FRONT TIRES				
Problem	REPLACE FRONT TIRES				

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V45475	91,166.00				
In Date:	Close Date:				
11/09/2011	11/29/2011				
Problem	VALVES DISCHARGE	7.50			
Problem	VALVES DISCHARGE	7.50			
			91368904 VALVE KIT 1 1/2 IN		1.00
			91378905 VALVE KIT 2 IN AKRON		2.00

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V44148	90,880.10				
In Date:	Close Date:				
12/16/2011	12/19/2011				
Problem	PM A INSPECTION	1.00			
Problem	PM A INSPECTION	1.00			

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V45908	91,166.00				
In Date:	Close Date:				
12/16/2011	12/19/2011				
Problem	PM A INSPECTION	0.25			
Problem	PM A INSPECTION	0.25			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V47005 Meter Reading: 91,373.00

In Date: 01/25/2012 Close Date: 02/03/2012

		Labor Hours	Description	Parts	Quantity
Problem	PUMP SYSTEM	0.50			
			038-1862-50-0FLAPPER KIT		1.00
Problem	PUMP SYSTEM	0.50			
			0460060000GASKET		2.00
			115-1320-01-0FLANGE		1.00
Problem	PUMP SYSTEM	5.00			
			529008000529-0080-10-0 1 1/4 ANODE KIT		1.00
Problem	PUMP SYSTEM	5.00			
Problem	PUMP SYSTEM	1.50			
Problem	PUMP SYSTEM	1.50			
Problem	PUMP SYSTEM	7.50			
Problem	PUMP SYSTEM	7.50			
Problem	PUMP SYSTEM	7.50			
Problem	PUMP SYSTEM	7.50			
Problem	PUMP SYSTEM	2.50			
Problem	PUMP SYSTEM	2.50			
Problem	WATER LEAK	2.00			
Problem	WATER LEAK	2.00			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V46707 Meter Reading: 91,373.00

In Date: 01/19/2012 Close Date: 02/06/2012

Problem	Description	Labor Hours	Parts	Quantity
Problem	ACCESSORIES/TRIM/MOLDINGS	0.75	1094KIT-AIR HORN-GROVER	1.00
Problem	ACCESSORIES/TRIM/MOLDINGS	0.75	512-0070-00-0MIV HANDLE	2.00
Problem	AIR HORN	0.50	5460370530VPS SHIFT KIT 546-0370-53-0	1.00
Problem	AIR HORN	0.50	91398907 VALVE KIT 3 IN AKRON	1.00
Problem	AIR HORN	0.50	A1512KNOB TFT REPLACEMENT	1.00
Problem	AIR LEAK DIAGNOSIS	2.75	UMVS111611STRAP	1.00
Problem	AIR LEAK DIAGNOSIS	2.75	SAHSVS2510STRAP	1.00
Problem	SPOTLIGHT	1.00		
Problem	SPOTLIGHT	1.00		
Problem	BATTERY OR BATTERY SYSTEM	0.50		
Problem	BATTERY OR BATTERY SYSTEM	0.50		
Problem	PM A INSPECTION	1.50		
Problem	PM A INSPECTION	1.50		
Problem	TIRE REPAIR	0.25		
Problem	TIRE REPAIR	0.25		
Problem	COMPARTMENT LIGHTS	0.25		
Problem	COMPARTMENT LIGHTS	0.25		
Problem	OIL LEAK	0.75		
Problem	OIL LEAK	0.75		
Problem	BODY,EXTERIOR	2.00		

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

Problem	BODY,EXTERIOR	2.00
Problem	AIR LEAK DIAGNOSIS	0.50
Problem	AIR LEAK DIAGNOSIS	0.50
Problem	AIR HORN	1.00
Problem	AIR HORN	1.00
Problem	FIRE PUMP RESERVOIR TANK	1.00
Problem	FIRE PUMP RESERVOIR TANK	1.00
Problem	ACCESSORIES/TRIM/MOLDINGS	1.00
Problem	ACCESSORIES/TRIM/MOLDINGS	1.00
Problem	REAR WINDOW	0.50
Problem	REAR WINDOW	0.50
Problem	ACCESSORIES/TRIM/MOLDINGS	0.25
Problem	ACCESSORIES/TRIM/MOLDINGS	0.25

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V47604 Meter Reading: 91,373.00

In Date: 02/27/2012 Close Date: 03/15/2012

Problem	Description	Labor Hours	Parts	Quantity
ACCESSORIES/TRIM/MOLDINGS	107796DRYER KIT AD9 -NEW	0.25		1.00
ACCESSORIES/TRIM/MOLDINGS	107800VALVE CHECK AD9	0.25		1.00
WATER TANK	120257100C2030-7110-30 CLEAR DOME STEP	0.50		1.00
WATER TANK	35200-RLIGHT MARKER LED RED	0.50		1.00
WATER TANK	800405PURGE VALVE KIT	0.50		1.00
WATER TANK	91398907 VALVE KIT 3 IN AKRON	0.50		1.00
ACCESSORIES/TRIM/MOLDINGS	91513AMBER LENS	3.50		1.00
ACCESSORIES/TRIM/MOLDINGS	A1834388002MOLD L/H	3.50		1.00
ACCESSORIES/TRIM/MOLDINGS	A1834388003MOLD R/H	3.50		1.00
ACCESSORIES/TRIM/MOLDINGS	CA8193AIR FILTER 46744 WIX	3.50		1.00
ACCESSORIES/TRIM/MOLDINGS	VML-S1414FILTER P/S	3.50		1.00
ACCESSORIES/TRIM/MOLDINGS	VML-T1264GASKET P/S COVER	3.50		1.00
ACCESSORIES/TRIM/MOLDINGS	VML-T1279WASHER P/S	3.50		1.00
HOSE BED COVER		0.25		
HOSE BED COVER		0.25		
HOSE BED COVER		0.25		
HOSE BED COVER		0.25		
SERVICE "T" CASE		0.50		
SERVICE "T" CASE		0.50		
DRYER/ACCUMULATOR		0.50		
DRYER/ACCUMULATOR		0.50		
POWER STEERING LEAK		0.50		
POWER STEERING LEAK		0.50		
TURN SIGNALS		0.25		
TURN SIGNALS		0.25		
REAR WINDOW		0.75		

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

Problem	REAR WINDOW	0.75
Problem	PANEL LIGHTS	0.25
Problem	PANEL LIGHTS	0.25
Problem	PANEL LIGHTS	0.75
Problem	PANEL LIGHTS	0.75
Problem	LIGHTING	0.25
Problem	LIGHTING	0.25
Problem	LIGHTING	0.25
Problem	LIGHTING	0.25
Problem	PUMP SYSTEM	1.25
Problem	PUMP SYSTEM	1.25
Problem	VACUUM TEST	0.25
Problem	VACUUM TEST	0.25
Problem	VACUUM TEST	2.00
Problem	VACUUM TEST	2.00
Problem	HOSES	0.50
Problem	HOSES	0.50
Problem	HOSE BED COVER	2.25
Problem	HOSE BED COVER	2.25
Problem	HOSE BED COVER	1.50
Problem	HOSE BED COVER	1.50

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

Problem	COMPARTMENT DOOR	0.25
Problem	COMPARTMENT DOOR	0.25
Problem	ACCESSORIES/TRIM/MOLDINGS	0.25
Problem	ACCESSORIES/TRIM/MOLDINGS	0.25
Problem	PM C INSPECTION PREVENTIVE MAINTENANCE	2.75
Problem	PM C INSPECTION PREVENTIVE MAINTENANCE	2.75
Problem	PANEL LIGHTS	0.25
Problem	PANEL LIGHTS	0.25

10132058

Workorder: V49165 **Meter Reading:** 91,542.00
In Date: 05/07/2012 **Close Date:** 05/08/2012

Labor Hours	Description	Parts	Quantity
Problem	REPAIR FLAT SE 4		
Problem	REPAIR FLAT SE 4		

10132058

Workorder: V49190 **Meter Reading:** 91,542.00
In Date: 05/08/2012 **Close Date:** 05/14/2012

Labor Hours	Description	Parts	Quantity
Problem	SMALL ENGINE REPAIR, SAW, GENERATOR	101285002BUSHING HOSE REEL SO	2.00
Problem	SMALL ENGINE REPAIR, SAW, GENERATOR		

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V49191	91,542.00				
In Date:	Close Date:				
05/08/2012	05/14/2012				
Problem	ACCESSORIES/TRIM/MOLDINGS	0.75			
Problem	ACCESSORIES/TRIM/MOLDINGS	0.75			
Problem	A/C,HEATING, & VENTILATION SYSTEM	0.75			
Problem	A/C,HEATING, & VENTILATION SYSTEM	0.75			

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V49230	91,610.70				
In Date:	Close Date:				
05/09/2012	05/18/2012				
Problem	ACCESSORIES/TRIM/MOLDINGS	0.25			
Problem	ACCESSORIES/TRIM/MOLDINGS	0.25			

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V49561	91,683.00				
In Date:	Close Date:				
05/22/2012	05/29/2012				
Problem	repair flat				
Problem	repair flat				

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V49325	91,610.70				
In Date:	Close Date:				
05/14/2012	05/31/2012				
Problem	FOAM SYSTEM	1.00			
Problem	FOAM SYSTEM	1.00			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder:	V49489	Meter Reading:	91,683.00	Labor Hours	Description	Parts	Quantity
In Date:	05/19/2012	Close Date:	06/04/2012				
Problem	CHECK ENGINE LIGHT			0.25			
Problem	CHECK ENGINE LIGHT			0.25			

10132058

Workorder:	V50118	Meter Reading:	92,328.10	Labor Hours	Description	Parts	Quantity
In Date:	06/13/2012	Close Date:	06/25/2012				
Problem	HOSE			2.00			
Problem	HOSE			2.00			

10132058

Workorder:	V50133	Meter Reading:	92,328.10	Labor Hours	Description	Parts	Quantity
In Date:	06/14/2012	Close Date:	07/27/2012				
Problem	HOSES/FITTINGS			1.50			
Problem	HOSES/FITTINGS			1.50			
Problem	HOSES/FITTINGS			0.50			
Problem	HOSES/FITTINGS			0.50			

10132058

Workorder:	V51268	Meter Reading:	92,328.10	Labor Hours	Description	Parts	Quantity
In Date:	08/01/2012	Close Date:	08/02/2012				
Problem	BATTERY OR BATTERY SYSTEM			0.50	BATTERY EPA TAX	BATTERY EPA TAX \$1.50 PER BATTERY	4.00
Problem	BATTERY OR BATTERY SYSTEM			0.50	HP-31DBATTERY 950CCA	HP-31D	4.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V51675 Meter Reading: 92,328.10

In Date: 08/17/2012 Close Date: 10/09/2012

		Labor Hours	Description	Parts	Quantity
Problem	PM A INSPECTION	1.25			
			8546A044A8546A044A KNOB FOR NITE		1.00
Problem	PM A INSPECTION	1.25			
			8546A046A STUD FOR NITEFIGHTER LITE		1.00
			SPR-W58-1TEE PLASTIC		1.00
Problem	PM A INSPECTION	3.25			
Problem	PM A INSPECTION	3.25			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V53235 Meter Reading: 92,467.50

In Date: 10/22/2012 Close Date: 10/23/2012

		Labor Hours	Description	Parts	Quantity
Problem	WINDSHIELD WIPER	0.25	1141BULB		3.00
			1142BULB		2.00
Problem	WINDSHIELD WIPER	0.25	120257100C2030-7110-30 CLEAR DOME STEP		1.00
			18-29935-001RH DOOR LATCH NEW		1.00
Problem	PM A INSPECTION	1.50	23-11345-714INSTRUMENT CLUSTER SCREWS 1 1/2 LONG		2.00
			4923090025DASH BULB VDO		2.00
Problem	PM A INSPECTION	1.50	52-24WIPER BLADES ANCO 24		2.00
			78R536078R5360M 2PK FILTER AIR COND		1.00
Problem	TIRE REPAIR	0.75	AMH-1AMH-1 VALVE EXTENSION		1.00
			S986AIR GAUGE 160 PSI		1.00
Problem	TIRE REPAIR	0.75			
Problem	CAB DOOR	0.25			
Problem	CAB DOOR	0.25			
Problem	THROTTLES/CABLES	0.25			
Problem	THROTTLES/CABLES	0.25			
Problem	LIGHTING	1.75			
Problem	LIGHTING	1.75			
Problem	A/C FILTER	0.25			
Problem	A/C FILTER	0.25			
Problem	CAB DOOR	0.50			
Problem	CAB DOOR	0.50			
Problem	ACCESSORIES/TRIM/MOLDINGS	0.75			
Problem	ACCESSORIES/TRIM/MOLDINGS	0.75			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V53295	92,467.50				
In Date:	Close Date:				
10/24/2012	10/24/2012				
Problem	AIR LEAK DIAGNOSIS	1.75	FSC17492134NC SW PARK BK SPADE TYPE CONNECTOR		1.00
Problem	AIR LEAK DIAGNOSIS	1.75	H50SN12BULB		2.00
Problem	EMERGENCY / WARNING	2.25			
Problem	EMERGENCY / WARNING	2.25			

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V50230	92,328.10				
In Date:	Close Date:				
06/19/2012	11/20/2012				
Problem	PUMP TESTING	2.00			
Problem	PUMP TESTING	2.00			

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V53771	93,453.50				
In Date:	Close Date:				
11/14/2012	12/06/2012				
Problem	B INSPECTION SE 4				
Problem	B INSPECTION SE 4				

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V54404 Meter Reading: 93,453.50

In Date: 12/12/2012 Close Date: 12/13/2012

Problem	Description	Labor Hours	Parts	Quantity
VALVES	120257100C2030-7110-30 CLEAR DOME STEP	0.25		1.00
VALVES	435 VALVE CAP	0.25		2.00
VALVES		0.25		
VALVES		0.25		
VALVES		1.00		
VALVES		1.00		
VALVES		0.75		
VALVES		0.75		
VALVES		1.50		
VALVES		1.50		

10132058

Workorder: V53903 Meter Reading: 93,453.50

In Date: 11/19/2012 Close Date: 04/04/2013

Problem	Description	Labor Hours	Parts	Quantity
Problem				
Problem				

10132058

Workorder: V52733 Meter Reading: 0.00

In Date: 09/30/2012 Close Date: 04/05/2013

Problem	Description	Labor Hours	Parts	Quantity
ACCESSORIES/TRIM/MOLDINGS	2000071102000072100 SOLENOID HALE PRIMER	2.00		1.00
ACCESSORIES/TRIM/MOLDINGS	501-3090-00PRIMER PUMP MOTOR	2.00		1.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V52709 Meter Reading: 0.00
In Date: 09/29/2012 Close Date: 04/08/2013

Labor Hours	Description	Parts	Quantity
-------------	-------------	-------	----------

Problem

Problem

10132058

Workorder: V53577 Meter Reading: 93,453.50
In Date: 11/06/2012 Close Date: 04/10/2013

Labor Hours	Description	Parts	Quantity
-------------	-------------	-------	----------

Problem

Problem

10132058

Workorder: V57851 Meter Reading: 93,767.80
In Date: 05/20/2013 Close Date: 06/05/2013

Labor Hours	Description	Parts	Quantity
-------------	-------------	-------	----------

Problem	VALVES	1.50	0100080010STRAINER	1.00
Problem	VALVES	1.50	0381570000038-1570-06-0 VALVE CHECK 3 IN 9003-1	1.00
			0460050000GASKET	2.00
			200226200200-2262-50 SWITCH-PROXIMITY QG VALVE	1.00
Problem	VALVES	1.00	250-8002-00250-8002-00 BEARING-THRUS	2.00
			411-0768170 PIGTAIL	1.00
Problem	VALVES	1.00	512-0070-00-0MIV HANDLE	1.00
			519007110SLIDE CONTROL 519-0071-10	1.00
Problem	VALVES	1.00	546126000TPM/QG HALE REPAIR KIT	1.00
			91553943GUAGE	1.00
			S PLACARDFRONT AND BACK PLACARD	2.00
Problem	VALVES	1.00	S PLACARD INSERTFRONT AND BACK INSERT CARD	4.00
Problem	VALVES	1.50		
Problem	VALVES	1.50		

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V56238 Meter Reading: 93,767.80

In Date: 03/07/2013 Close Date: 06/11/2013

		Labor Hours	Description	Parts	Quantity
Problem	RELIEF VALVE INTAKE	1.00			
Problem	RELIEF VALVE INTAKE	1.00			
Problem	ACCESSORIES/TRIM/MOLDINGS	0.50			
Problem	ACCESSORIES/TRIM/MOLDINGS	0.50			
Problem	DISCHARGE GAUGE	0.50			
Problem	DISCHARGE GAUGE	0.50			
Problem	ACCESSORIES/TRIM/MOLDINGS	0.25			
Problem	ACCESSORIES/TRIM/MOLDINGS	0.25			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V56379 Meter Reading: 1,343.00

In Date: 03/13/2013 Close Date: 06/11/2013

Problem	Description	Labor Hours	Parts	Quantity
Problem	FOAM SYSTEM	1.50	168-0380-56-0FM CONTROL UNIT RETROFIT KIT	1.00
Problem	FOAM SYSTEM	1.50		
Problem	FOAM SYSTEM	1.00		
Problem	FOAM SYSTEM	1.00		
Problem	A/C,HEATING, & VENTILATION SYSTEM	1.00		
Problem	A/C,HEATING, & VENTILATION SYSTEM	1.00		
Problem	FOAM SYSTEM	0.75		
Problem	FOAM SYSTEM	0.75		
Problem	FOAM SYSTEM	5.00		
Problem	FOAM SYSTEM	5.00		
Problem	AIR LEAK DIAGNOSIS	1.00		
Problem	AIR LEAK DIAGNOSIS	1.00		

10132058

Workorder: V58383 Meter Reading: 93,767.80

In Date: 06/13/2013 Close Date: 07/19/2013

Problem	Description	Labor Hours	Parts	Quantity
Problem	ACCESSORIES/TRIM/MOLDINGS	1.00		
Problem	ACCESSORIES/TRIM/MOLDINGS	1.00		

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V58417	93,902.00				
In Date: 06/14/2013	Close Date: 10/01/2013				
Problem	FOAM LEAK	1.00			
Problem	FOAM LEAK	1.00			

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V60695	94,131.70				
In Date: 09/23/2013	Close Date: 10/18/2013				
Problem	LIGHTING	1.00			
Problem	LIGHTING	1.00			

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V62473	0.00				
In Date: 12/04/2013	Close Date: 02/06/2014				
Problem	VALVES DISCHARGE	1.00	91-20WIPER BLADE 20 IN		2.00
Problem	VALVES DISCHARGE	1.00	91-22WIPER BLADE		2.00

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V58702	0.00				
In Date: 06/26/2013	Close Date: 04/10/2014				
Problem					
Problem					

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V60064	93,902.00				
In Date: 04/18/2014	Close Date: 04/18/2014				
Problem	ACCESSORIES/TRIM/MOLDINGS	1.00			
Problem	ACCESSORIES/TRIM/MOLDINGS	1.00			

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V62061	0.00				
In Date:	Close Date:				
11/15/2013	04/18/2014				
Problem	ACCESSORIES/TRIM/MOLDINGS	0.50			
Problem	ACCESSORIES/TRIM/MOLDINGS	0.50	6805450828PLUG A/C BLR ABPN8332229011-3050 SWITCH BLOWER		1.00 1.00

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V63046	0.00				
In Date:	Close Date:				
12/31/2013	04/18/2014				
Problem	ACCESSORIES/TRIM/MOLDINGS	1.00			
Problem	ACCESSORIES/TRIM/MOLDINGS	1.00			

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V67866	0.00				
In Date:	Close Date:				
07/12/2014	12/22/2014				
Problem					
Problem					

10132058

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V69270	0.00				
In Date:	Close Date:				
09/10/2014	12/22/2014				
Problem			800405PURGE VALVE KIT		1.00
Problem					

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V71824 Meter Reading: 97,785.00

In Date: 12/22/2014 Close Date: 01/20/2015

Problem	Description	Labor Hours	Parts	Quantity
SERVICE COOLANT SYSTEM	02-0361112-00MICRO SIDE BEAM STROBE ASSY	1.00		1.00
SERVICE COOLANT SYSTEM	038-1790-00CHECK VALVE INJECTOR HALE FOAM SYS.	1.00		1.00
	107796DRYER KIT AD9 -NEW			1.00
	107800VALVE CHECK AD9			1.00
	1141BULB	2.00		2.00
	1142BULB			1.00
	120257100C2030-7110-30 CLEAR DOME STEP	2.00		2.00
	2032-0000-30LENS CLEAR			1.00
POWER STEERING LEAK	29526898 29548988 TRANS FILTER ALLISON	0.50		1.00
	3937367GASKET 4942874			1.00
POWER STEERING LEAK	39437394940547 SHAFT SHUT-OFF VALVE	0.50		1.00
	3943740SHAFT SHUT-OFF VALVE			1.00
	39438574989614 SEAL O-RING SHUT-OFF VALVE			1.00
VEHICLE LIGHTS	39444543977737 SCREW SHUTOFF VALVE	2.25		1.00
	39768315259022 GROOVED TENSIONER OLD#3936213			1.00
VEHICLE LIGHTS	4989614O-RING SHUT-OFF VALVE	2.25		2.00
	546-00011-000HALE GREEN INDICATOR			1.00
	546-1620-02MASTER INTAKE KIT			1.00
	800405PURGE VALVE KIT	0.50		1.00
	9440BELT			1.00
	9463BELT	0.50		1.00
	9480BELT			1.00
COOLING SYSTEM	98032R 41032-3 RED REFLECTOR OVAL REFLECTOR	1.50		1.00
	A1834388002MOLD L/H			1.00
	K080716BELT			1.00
COOLING SYSTEM	PR338324070 WIX FILTER WATER	1.50		1.00
	R90PFILTER FUEL 33231			1.00
WINDOW FRAME/VENT	CA8193AIR FILTER 46744 WIX	0.25		1.00
	FS1022FILTER FUEL WIX 33422 PS8689 FRAM			1.00
WINDOW FRAME/VENT	HPH6349AOIL FILTER 51748	0.25		1.00
	VML-S1414FILTER P/S			1.00
SERVICE TRANSMISSION	VML-T1264GASKET P/S COVER	0.75		1.00
	VML-T1279WASHER P/S			1.00
SERVICE TRANSMISSION		0.75		
REPLACE BELT TENSIONER		0.25		
REPLACE BELT TENSIONER		0.25		
A/C LOW FREON		1.75		

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

Problem	A/C LOW FREON	1.75
Problem	AIR PRESSURE	0.50
Problem	AIR PRESSURE	0.50
Problem	SERVICE POWER STEERING	0.75
Problem	SERVICE POWER STEERING	0.75
Problem	RELACE ALL BELTS	2.00
Problem	RELACE ALL BELTS	2.00
Problem	DRYER	0.75
Problem	DRYER	0.75
Problem	QUALITY CHECK	0.50
Problem	QUALITY CHECK	0.50
Problem	PM C INSPECTION PREVENTIVE MAINTENANCE	7.00
Problem	PM C INSPECTION PREVENTIVE MAINTENANCE	7.00
Problem	FIRE PUMP SYSTEM	0.25
Problem	FIRE PUMP SYSTEM	0.25
Problem	LIGHTING	0.75
Problem	LIGHTING	0.75
Problem	FIRE PUMP SYSTEM	5.00
Problem	FIRE PUMP SYSTEM	5.00
Problem	PUMP SYSTEM	1.00
Problem	PUMP SYSTEM	1.00

Palm Beach County Fire Rescue
Discarded Asset Maintenance History for : 10132058
since 01/01/2005

10132058

Workorder: V73431 Meter Reading: 0.00
In Date: 02/25/2015 Close Date: 04/24/2015

Problem VALVES DISCHARGE
Problem VALVES DISCHARGE

Labor Hours	Description	Parts	Quantity
0.25	101AKRON SHORT ARM RC-4		1.00
0.25	91583953GAUGE COMPOUND LIQUID FILLED		1.00

10132058

Workorder: V73116 Meter Reading: 0.00
In Date: 02/12/2015 Close Date: 06/30/2015

Problem
Problem

Labor Hours	Description	Parts	Quantity
-------------	-------------	-------	----------

10132058

Workorder: V73816 Meter Reading: 0.00
In Date: 03/11/2015 Close Date: 07/08/2015

Problem
Problem

Labor Hours	Description	Parts	Quantity
	500455HOSE & FITTINGS		1.00

140.00