

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

**10152010** FIRE DEPARTMENT PUMPER, NFPA COMPLIANT  
FERRARA PUMPER

Discarded: 01/01/1900

**10152010**

Workorder: V17764 Meter Reading: 443.60 Labor Hours Description Parts Quantity  
In Date: 09/17/2008 Close Date: 01/01/1900

Problem	Description	Labor Hours
A/C BELT FRONT A/C		1.50
A/C BELT FRONT A/C		1.50
A/C BELT FRONT A/C		1.50
A/C BELT FRONT A/C		1.50

**10152010**

Workorder: V484 Meter Reading: 0.00 Labor Hours Description Parts Quantity  
In Date: 11/07/2005 Close Date: 11/15/2005

Problem	Description	Labor Hours
DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT		0.75
DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT		0.75
FIREFIGHTING EQUIPMENT		0.25
FIREFIGHTING EQUIPMENT		0.25

**10152010**

Workorder: V803 Meter Reading: 0.00 Labor Hours Description Parts Quantity  
In Date: 12/05/2005 Close Date: 12/15/2005

Problem	Description	Labor Hours	Quantity
DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT	LB-D30BULB QUARTZ HAL. 12V 150W	0.75	1.00
DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT		0.75	
LIGHTING		0.25	
LIGHTING		0.25	

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder: V842		Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date: 12/08/2005		Close Date: 12/19/2005					
<b>Problem</b>	DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT			0.75	34BVVALVE DRAIN CLASS1		1.00
<b>Problem</b>	DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT			0.75			
<b>Problem</b>	PONY PUMP MOTOR			0.75			
<b>Problem</b>	PONY PUMP MOTOR			0.75			

10152010

Workorder: V973		Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date: 12/19/2005		Close Date: 12/19/2005					
<b>Problem</b>	BATTERY SWITCH				51-30219-1045 MASTER SWITCH 175 AMP		1.00
<b>Problem</b>	BATTERY SWITCH				75908SWITCH BATTERY MASTER 300A		2.00
					M-284-01SWITCH BATTERY MASTER		1.00

10152010

Workorder: V1111		Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date: 01/04/2006		Close Date: 01/06/2006					
<b>Problem</b>	AIR LEAK DIAGNOSIS			0.75			
<b>Problem</b>	AIR LEAK DIAGNOSIS			0.75			
<b>Problem</b>	DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT			0.75			
<b>Problem</b>	DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT			0.75			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder: V1211 Meter Reading: 0.00

In Date: 01/18/2006 Close Date: 01/24/2006

		Labor Hours	Description	Parts	Quantity
<b>Problem</b>	WATER TANK LEVEL LIGHTS	0.25			
<b>Problem</b>	WATER TANK LEVEL LIGHTS	0.25			
<b>Problem</b>	DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT	0.75			
<b>Problem</b>	DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT	0.75			
<b>Problem</b>	LIGHTING	0.25			
<b>Problem</b>	LIGHTING	0.25			
<b>Problem</b>	DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT	0.50			
<b>Problem</b>	DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT	0.50			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V1232	23,132.00				
In Date: 01/19/2006	Close Date: 02/22/2006				
<b>Problem</b>	PM B INSPECTION PREVENTIVE MAINTENANCE	52.50			
			0106837849C8COMP LIGHT WHITE LED 200		1.00
			038-1550-00VALVE CHECK HALE 1/4"		1.00
<b>Problem</b>	PM B INSPECTION PREVENTIVE MAINTENANCE	52.50			
			046-5130-00GASKET GEAR BOX COVER (HALE)		2.00
			0772750010SNAP RING		1.00
			082-2007-00-0GREASE ZERK W/CHECK VLV		2.00
			107796DRYER KIT AD9 -NEW		1.00
			107800VALVE CHECK AD9		1.00
			108-12FBEADED CHAIN W/CONN 12		2.00
			1891BULB		9.00
			2962540000SEAL SAME AS 29867 C/R		2.00
			35799FLAT CLAMP 4 IN		1.00
			440-5 VALVE EXT.		1.00
			5462290020VALVE KIT SS VALVE 2 1/2 546-2290-02-0		2.00
			5462300020VALVE KIT SS VALVE 3 IN		1.00
			67BULB 12 VOLT		1.00
			6806970098SEAL DOOR		1.00
			78R536078R5360M 2PK FILTER AIR COND		1.00
			800405PURGE VALVE KIT		1.00
			91513AMBER LENS		2.00
			98032R 41032-3 RED REFLECTOR OVAL REFLECTOR		1.00
			A1834388002MOLD L/H		2.00
			A1834388003MOLD R/H		2.00
			A3752MC-1ADAPTER 4 X 6		1.00
			CA8193AIR FILTER 46744 WIX		1.00
			FG87904MFG3937557S FILTER P/S NEW STYLE		1.00
			FGQ79699GASKET-P/S FILTER NEW STYLE		1.00
			FS1022FILTER FUEL WIX 33422 PS8689 FRAM		1.00
			FZ51368FEET RUBBER RAM-FAN		2.00
			HP-31DBATTERY 950CCA HP-31D		4.00
			HPH6349AOIL FILTER 51748		1.00
			R90PFILTER FUEL 33231		1.00

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V1645	0.00				
In Date: 02/27/2006	Close Date: 03/20/2006				
<b>Problem</b>	PONY PUMP MOTOR				
<b>Problem</b>	PONY PUMP MOTOR				

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V1846	0.00				
<b>In Date:</b>	<b>Close Date:</b>				
03/16/2006	03/29/2006				
<b>Problem</b>	PREVENTIVE MAINTENANCE	1.00			
<b>Problem</b>	PREVENTIVE MAINTENANCE	1.00			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V1937	0.00				
<b>In Date:</b>	<b>Close Date:</b>				
03/23/2006	03/29/2006				
<b>Problem</b>	LIGHTING	0.50	620122SPOT LIGHT REMOTE		1.00
<b>Problem</b>	LIGHTING	0.50			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V1660	0.00				
<b>In Date:</b>	<b>Close Date:</b>				
02/28/2006	04/03/2006				
<b>Problem</b>	COOLING SYSTEM	1.25	4076930SWITCH OIL PRESSURE		1.00
<b>Problem</b>	COOLING SYSTEM	1.25	4076931PRESSURE SENSOR H20		1.00

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V2117	32,047.00				
<b>In Date:</b>	<b>Close Date:</b>				
04/05/2006	04/19/2006				
<b>Problem</b>	PM B INSPECTION PREVENTIVE MAINTENANCE	34.50	048083000ISOLATOR		1.00
<b>Problem</b>	PM B INSPECTION PREVENTIVE MAINTENANCE	34.50	101280017DOOR HANDLE W/LOCK		1.00
			108-12FBEADED CHAIN W/CONN 12		1.00
			5462270020VALVE KIT SS 546-2270-02-0		1.00
			A0631087000CABLE BATT. POS.		1.00
			A0631088000CABLE BATT. NEG.		1.00

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V2340	0.00				
<b>In Date:</b>	<b>Close Date:</b>				
04/24/2006	04/28/2006				
<b>Problem</b>	COMPARTMENTS	1.00			
<b>Problem</b>	COMPARTMENTS	1.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V2491	0.00				
<b>In Date:</b> 05/05/2006	<b>Close Date:</b> 05/15/2006				
<b>Problem</b> ENGINE		1.75			
<b>Problem</b> ENGINE		1.75			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V2562	0.00				
<b>In Date:</b> 05/11/2006	<b>Close Date:</b> 05/25/2006				
<b>Problem</b> DISCHARGE VALVE		0.75	5462290020VALVE KIT SS VALVE 2 1/2 546-2290-02-0		1.00
<b>Problem</b> DISCHARGE VALVE		0.75	5462300020VALVE KIT SS VALVE 3 IN		1.00

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V2630	0.00				
<b>In Date:</b> 05/15/2006	<b>Close Date:</b> 05/25/2006				
<b>Problem</b>					
<b>Problem</b>					

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V2740	0.00				
<b>In Date:</b> 05/24/2006	<b>Close Date:</b> 06/05/2006				
<b>Problem</b> THROTTLES/CABLES		1.00	STOPSN12BULB STOP/TAIL LIGHT		1.00
<b>Problem</b> THROTTLES/CABLES		1.00			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V2891	0.00				
<b>In Date:</b> 06/07/2006	<b>Close Date:</b> 06/08/2006				
<b>Problem</b> FOAM SYSTEM		1.25			
<b>Problem</b> FOAM SYSTEM		1.25			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V2923	0.00				
<b>In Date:</b> 06/09/2006	<b>Close Date:</b> 06/13/2006				
<b>Problem</b> VALVES INTAKE		1.75			
<b>Problem</b> VALVES INTAKE		1.75			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V2987	0.00				
<b>In Date:</b> 06/14/2006	<b>Close Date:</b> 06/16/2006				
<b>Problem</b> PREVENTIVE MAINTENANCE		2.50			
<b>Problem</b> PREVENTIVE MAINTENANCE		2.50	55790-1350000008 ELECTRONIC THROTTLE 76062-15-NC SWITCH PRESS CA8193AIR FILTER	100076 FELSTED 46744 WIX	1.00 1.00 1.00

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V3057	0.00				
<b>In Date:</b> 06/20/2006	<b>Close Date:</b> 06/23/2006				
<b>Problem</b> PANEL LIGHTS		0.25			
<b>Problem</b> PANEL LIGHTS		0.25			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V3120	0.00				
<b>In Date:</b> 06/02/2006	<b>Close Date:</b> 06/23/2006				
<b>Problem</b>					
<b>Problem</b>					

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V3144	0.00				
<b>In Date:</b> 06/26/2006	<b>Close Date:</b> 07/06/2006				
<b>Problem</b> VALVES INTAKE		3.50	538028052VALVE PRIMER PUMP W/HARDWARE		1.00
<b>Problem</b> VALVES INTAKE		3.50			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

**10152010**

Workorder:	V3258	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	07/02/2006	Close Date:	07/13/2006				
Problem	WATER TANK LEVEL LIGHTS			1.50	200-0020-00USE 546-0852-01 RELIEF VALVE SWITCH		1.00
Problem	WATER TANK LEVEL LIGHTS			1.50			

**10152010**

Workorder:	V3597	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	07/22/2006	Close Date:	07/28/2006				
Problem	FOAM SYSTEM			2.00	100R4FOAM HOSE	AS PER SAMPLE	1.00
Problem	FOAM SYSTEM			2.00			

**10152010**

Workorder:	V3757	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	08/03/2006	Close Date:	08/11/2006				
Problem	DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT			0.50	180R002HURST HYD. FLUID QT		3.00
Problem	DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT			0.50			

**10152010**

Workorder:	V3831	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	08/07/2006	Close Date:	08/22/2006				
Problem	AUTOMATIC TRANSMISSION			1.00			
Problem	AUTOMATIC TRANSMISSION			1.00			

**10152010**

Workorder:	V4008	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	08/18/2006	Close Date:	08/22/2006				
Problem	DOOR/COMPT. OPEN WARNING LIGHT			1.00	52-624SWITCH DOOR		2.00
Problem	DOOR/COMPT. OPEN WARNING LIGHT			1.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V4639	1,249.00				
In Date: 09/28/2006	Close Date: 10/05/2006				
Problem AIR PUMP		1.00			
Problem AIR PUMP		1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V4676	37,664.00				
In Date: 10/02/2006	Close Date: 10/12/2006				
Problem FUEL SYSTEM		1.00			
Problem FUEL SYSTEM		1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V4852	1,242.00				
In Date: 10/10/2006	Close Date: 10/30/2006				
Problem VALVES		1.00			
Problem VALVES		1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V4656	37,664.00				
In Date: 09/29/2006	Close Date: 11/06/2006				
Problem TOW UNIT FROM STA 17 TO CUMMINS RE17					
Problem TOW UNIT FROM STA 17 TO CUMMINS RE17					

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V4507	37,518.00				
In Date: 09/19/2006	Close Date: 11/08/2006				
Problem DRAIN		1.00			
Problem DRAIN		1.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder: V5550 Meter Reading: 39,250.00

In Date: 11/27/2006 Close Date: 12/04/2006

		Labor Hours	Description	Parts	Quantity
<b>Problem</b>	HOSES/FITTINGS	2.00			
			30063-20CIRCUIT BREAKER		1.00
<b>Problem</b>	HOSES/FITTINGS	2.00	30063-30BREAKER 30 AMP		1.00
			4300-505PUMP FLOJET 12V		1.00
<b>Problem</b>	FUSES/BREAKERS	1.00			
<b>Problem</b>	FUSES/BREAKERS	1.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder: V5680 Meter Reading: 39,568.00

In Date: 12/05/2006 Close Date: 12/11/2006

			Labor Hours	Description	Parts	Quantity
<b>Problem</b>	VEHICLE LIGHTS		0.75	038-1550-00VALVE CHECK HALE 1/4"		1.00
<b>Problem</b>	VEHICLE LIGHTS		0.75	180R002HURST HYD. FLUID QT		2.00
				3530016HOSE HURST 16 ORANGE		1.00
<b>Problem</b>	FIREFIGHTING EQUIPMENT		1.50	39768315259022 GROOVED TENSIONER	OLD#3936213	1.00
				9440BELT		1.00
				9480BELT		1.00
<b>Problem</b>	FIREFIGHTING EQUIPMENT		1.50	BPR5ESSPARK PLUG 7734		2.00
				FS1022FILTER FUEL WIX 33422	PS8689 FRAM	1.00
<b>Problem</b>	FOAM SYSTEM		2.00	HPH6349AOIL FILTER 51748		1.00
				K080716BELT		1.00
<b>Problem</b>	FOAM SYSTEM		2.00	PR338324070 WIX FILTER WATER		1.00
				R90PFILTER FUEL 33231		1.00
<b>Problem</b>	BATTERY OR BATTERY SYSTEM		1.50			
<b>Problem</b>	BATTERY OR BATTERY SYSTEM		1.50			
<b>Problem</b>	RELACE ALL BELTS		3.00			
<b>Problem</b>	RELACE ALL BELTS		3.00			
<b>Problem</b>	PM B INSPECTION PREVENTIVE MAINTENANCE		8.50			
<b>Problem</b>	PM B INSPECTION PREVENTIVE MAINTENANCE		8.50			
<b>Problem</b>	PRIMER PUMP MOTOR		2.00			
<b>Problem</b>	PRIMER PUMP MOTOR		2.00			
<b>Problem</b>	MISCELLANOUS CODES		1.00			
<b>Problem</b>	MISCELLANOUS CODES		1.00			
<b>Problem</b>	SERVICE "T" CASE		1.00			
<b>Problem</b>	SERVICE "T" CASE		1.00			
<b>Problem</b>	DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT		1.50			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

<b>Problem</b>	DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT	1.50
<b>Problem</b>	FIREFIGHTING EQUIPMENT	2.00
<b>Problem</b>	FIREFIGHTING EQUIPMENT	2.00
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR	5.50
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR	5.50

10152010

<b>Workorder:</b>	V5648	<b>Meter Reading:</b>	1,246.40	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	12/02/2006	<b>Close Date:</b>	12/13/2006	<hr/>			
<b>Problem</b>	PUMP SYSTEM			1.00			
<b>Problem</b>	PUMP SYSTEM			1.00			

10152010

<b>Workorder:</b>	V5901	<b>Meter Reading:</b>	1,246.40	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	12/20/2006	<b>Close Date:</b>	12/27/2006	<hr/>			
<b>Problem</b>	SWITCHES/ELECTRICAL			3.25			
<b>Problem</b>	SWITCHES/ELECTRICAL			3.25			

10152010

<b>Workorder:</b>	V5943	<b>Meter Reading:</b>	39,568.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	12/24/2006	<b>Close Date:</b>	12/29/2006	<hr/>			
<b>Problem</b>				1.00	52-624SWITCH DOOR		6.00
<b>Problem</b>				1.00	XG840-KITEXTENDA GUN SWITCH		1.00
<b>Problem</b>	DOOR/COMPT. OPEN WARNING LIGHT			1.00			
<b>Problem</b>	DOOR/COMPT. OPEN WARNING LIGHT			1.00			
<b>Problem</b>				1.00			
<b>Problem</b>				1.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder: V5980 Meter Reading: 1,246.40  
In Date: 12/28/2006 Close Date: 12/29/2006

Labor Hours	Description	Parts	Quantity
-------------	-------------	-------	----------

Problem

Problem

10152010

Workorder: V5947 Meter Reading: 1,246.40  
In Date: 12/25/2006 Close Date: 01/04/2007

Labor Hours	Description	Parts	Quantity
-------------	-------------	-------	----------

Problem SMALL ENGINE REPAIR, SAW, GENERATOR 0.25

Problem SMALL ENGINE REPAIR, SAW, GENERATOR 0.25

10152010

Workorder: V6097 Meter Reading: 40,160.00  
In Date: 01/04/2007 Close Date: 01/08/2007

Labor Hours	Description	Parts	Quantity
-------------	-------------	-------	----------

Problem REPAIR VENT SAW E17 REGANS SMALL ENG REPAIR

Problem REPAIR VENT SAW E17 REGANS SMALL ENG REPAIR

10152010

Workorder: V6272 Meter Reading: 1,247.00  
In Date: 01/14/2007 Close Date: 01/23/2007

Labor Hours	Description	Parts	Quantity
-------------	-------------	-------	----------

Problem VEHICLE LIGHTS 0.50

Problem VEHICLE LIGHTS 0.50

10152010

Workorder: V6416 Meter Reading: 1,247.00  
In Date: 01/22/2007 Close Date: 01/26/2007

Labor Hours	Description	Parts	Quantity
-------------	-------------	-------	----------

Problem HEADLIGHTS 0.25 H6054USE CV TYPE SEALED BEAM 2.00

Problem HEADLIGHTS 0.25

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V6475	1,247.20				
In Date: 01/25/2007	Close Date: 02/01/2007				
<b>Problem</b>	HURST TOOL CUTTERS	1.00			
<b>Problem</b>	HURST TOOL CUTTERS	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V6497	40,933.00				
In Date: 01/27/2007	Close Date: 02/01/2007				
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR	1.00	FZ51368FEET RUBBER RAM-FAN		4.00
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V6572	1,247.20				
In Date: 02/01/2007	Close Date: 02/06/2007				
<b>Problem</b>			101847ENGINE STATUS CTR		1.00
<b>Problem</b>					

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V6590	40,933.00				
In Date: 02/02/2007	Close Date: 02/06/2007				
<b>Problem</b>	DISCHARGE GAUGE	1.00	IOA200A00DISPLAY MODULE REBUILD ONLY SEND IN		1.00
<b>Problem</b>	DISCHARGE GAUGE	1.00			
<b>Problem</b>	DISCHARGE GAUGE	1.00			
<b>Problem</b>	DISCHARGE GAUGE	1.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V6474	1,247.20				
In Date: 01/25/2007	Close Date: 02/27/2007				
Problem	NO OTHER CODE APPLICABLE	0.50			
Problem	NO OTHER CODE APPLICABLE	0.50			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V6925	1,247.00				
In Date: 02/25/2007	Close Date: 03/02/2007				
Problem	VEHICLE LIGHTS	1.00			
Problem	VEHICLE LIGHTS	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V6836	1,247.00				
In Date: 02/20/2007	Close Date: 03/05/2007				
Problem	ENGINE	2.00			
Problem	ENGINE	2.00			
Problem	SPOTLIGHT	1.00			
Problem	SPOTLIGHT	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V6902	41,995.00				
In Date: 02/23/2007	Close Date: 03/05/2007				
Problem	LIGHTING	1.00			
Problem	LIGHTING	1.00			
Problem	LIGHTING	1.00			
Problem	LIGHTING	1.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V6972	42,464.00				
In Date: 02/28/2007	Close Date: 03/05/2007				
<b>Problem</b>	AUTOMATIC TRANSMISSION	1.00			
<b>Problem</b>	AUTOMATIC TRANSMISSION	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V7619	1,247.00				
In Date: 04/10/2007	Close Date: 04/12/2007				
<b>Problem</b>	LATCHES	1.00	101280017DOOR HANDLE W/LOCK		1.00
<b>Problem</b>	LATCHES	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V7845	44,650.00				
In Date: 04/20/2007	Close Date: 04/30/2007				
<b>Problem</b>	Repair saw (outside agency-Regan's small engine service)				
<b>Problem</b>	Repair saw (outside agency-Regan's small engine service)				

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V8460	1,247.00				
In Date: 05/29/2007	Close Date: 06/05/2007				
<b>Problem</b>	A/C,HEATING, & VENTILATION SYSTEM	0.25			
<b>Problem</b>	A/C,HEATING, & VENTILATION SYSTEM	0.25			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V8283	1,247.20				
In Date:	Close Date:				
05/16/2007	06/13/2007				
<b>Problem</b>	GROUND LADDERS	1.00			
<b>Problem</b>	GROUND LADDERS	1.00			
<b>Problem</b>	GROUND LADDERS	1.00			
<b>Problem</b>	GROUND LADDERS	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V8363	45,693.00				
In Date:	Close Date:				
05/22/2007	06/13/2007				
<b>Problem</b>	SWITCHES/CONTROLS	1.00			
<b>Problem</b>	SWITCHES/CONTROLS	1.00			
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR	0.50			
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR	0.50			
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR	0.50			
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR	0.50			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V8702	46,390.00				
In Date:	Close Date:				
06/11/2007	06/26/2007				
<b>Problem</b>	EMERGENCY / WARNING				
<b>Problem</b>	EMERGENCY / WARNING				

601000000N0DE MINI V-MUX 6010-0000-00 1.00

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder: V8666 Meter Reading: 1,654.00

In Date: 06/07/2007 Close Date: 06/29/2007

Problem	Description	Labor Hours	Parts	Quantity
INDICATOR LIGHTS	372000082CHROME MARKER LIGHT MOUNT	1.00		2.00
INDICATOR LIGHTS		1.00		
INDICATOR LIGHTS		1.00		
INDICATOR LIGHTS		1.00		

10152010

Workorder: V9086 Meter Reading: 2,605.00

In Date: 07/01/2007 Close Date: 07/06/2007

Problem	Description	Labor Hours	Parts	Quantity
DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT		0.25		
DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT		0.25		
DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT		0.25		
DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT		0.25		

10152010

Workorder: V9176 Meter Reading: 47,485.00

In Date: 07/06/2007 Close Date: 07/06/2007

Problem	Description	Labor Hours	Parts	Quantity

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V9207	417.30				
In Date: 07/08/2007	Close Date: 07/19/2007				
<b>Problem</b>	FOAM GAUGE	1.00	WL2600WLA260-A00 FOAM TANK VISION OLD FERR # 352000020		1.00
<b>Problem</b>	FOAM GAUGE	1.00			
<b>Problem</b>	FOAM GAUGE	1.00			
<b>Problem</b>	FOAM GAUGE	1.00			
<b>Problem</b>	FOAM GAUGE	1.00			
<b>Problem</b>	FOAM GAUGE	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V9231	417.30				
In Date: 07/09/2007	Close Date: 07/19/2007				
<b>Problem</b>		3.00			
<b>Problem</b>		3.00			
<b>Problem</b>		1.50			
<b>Problem</b>		1.50			
<b>Problem</b>		4.00			
<b>Problem</b>		4.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V9414	440.10				
<b>In Date:</b> 07/19/2007	<b>Close Date:</b> 07/20/2007				
<b>Problem</b> CONTROLS/SWITCHES/WIRING		2.50	6010000000NODE MINI V-MUX	6010-0000-00	1.00
<b>Problem</b> CONTROLS/SWITCHES/WIRING		2.50			
<b>Problem</b> WIRING		2.00			
<b>Problem</b> WIRING		2.00			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V9647	1,253.00				
<b>In Date:</b> 07/31/2007	<b>Close Date:</b> 08/07/2007				
<b>Problem</b> SIREN SPEAKERS		1.50	SD-210RXSIREN DRIVER SMALL		1.00
<b>Problem</b> SIREN SPEAKERS		1.50			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V9723	1,255.00				
<b>In Date:</b> 08/03/2007	<b>Close Date:</b> 08/08/2007				
<b>Problem</b> A/C,HEATING, & VENTILATION SYSTEM		1.00			
<b>Problem</b> A/C,HEATING, & VENTILATION SYSTEM		1.00			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V9792	198.30				
<b>In Date:</b> 08/09/2007	<b>Close Date:</b> 09/10/2007				
<b>Problem</b> DISCHARGE GAUGE			X823GAUGE AND BOOT		1.00
<b>Problem</b> DISCHARGE GAUGE					
<b>Problem</b> DISCHARGE GAUGE		1.00			
<b>Problem</b> DISCHARGE GAUGE		1.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V10108	1,257.00				
In Date:	Close Date:				
08/24/2007	09/12/2007				
Problem	replace tires at sta 17 callaghan ent				
Problem	replace tires at sta 17 callaghan ent				

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V10114	1,257.00				
In Date:	Close Date:				
08/24/2007	09/12/2007				
Problem	WHEELS	1.00			
Problem	WHEELS	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V10496	1,257.00				
In Date:	Close Date:				
09/17/2007	09/20/2007				
Problem	PUMP SYSTEM	2.50	538028052VALVE PRIMER PUMP W/HARDWARE		1.00
Problem	PUMP SYSTEM	2.50			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V10503	1,257.00				
In Date:	Close Date:				
09/18/2007	09/25/2007				
Problem	HOSE	1.00			
Problem	HOSE	1.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V10175	1,257.00				
In Date: 08/29/2007	Close Date: 09/26/2007				
<b>Problem</b> VEHICLE LIGHTS		2.00	01068234000CTACTLD1 CONTROL PANEL TRAFFIC		1.00
<b>Problem</b> VEHICLE LIGHTS		2.00			
<b>Problem</b> VEHICLE LIGHTS		1.00			
<b>Problem</b> VEHICLE LIGHTS		1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V10225	1,257.00				
In Date: 09/03/2007	Close Date: 09/26/2007				
<b>Problem</b> SEATS		0.25			
<b>Problem</b> SEATS		0.25			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V10259	48,988.00				
In Date: 09/05/2007	Close Date: 09/26/2007				
<b>Problem</b> SEAT BELTS		1.00	52-24WIPER BLADES ANCO 24		2.00
<b>Problem</b> SEAT BELTS		1.00	IMMF11358SEAT BELTS		1.00
<b>Problem</b> PM A INSPECTION		1.00			
<b>Problem</b> PM A INSPECTION		1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V10607	1,257.00				
In Date: 09/22/2007	Close Date: 09/27/2007				
<b>Problem</b> LIGHT BAR ARROW STICK		1.00	01068234000CTACTLD1 CONTROL PANEL TRAFFIC		1.00
<b>Problem</b> LIGHT BAR ARROW STICK		1.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder: V10713 Meter Reading: 49,916.00

In Date: 09/27/2007 Close Date: 10/15/2007

			Labor Hours	Description	Parts	Quantity
<b>Problem</b>	VALVES DISCHARGE		0.50	08-6986BFITTING A/C		1.00
<b>Problem</b>	VALVES DISCHARGE		0.50	107796DRYER KIT AD9 -NEW		1.00
<b>Problem</b>	CLAMPS		2.00	107800VALVE CHECK AD9		1.00
<b>Problem</b>	CLAMPS		2.00	108-12FBEADED CHAIN W/CONN 12		1.00
<b>Problem</b>	VALVES		2.00	29526898 29548988 TRANS FILTER ALLISON		1.00
<b>Problem</b>	VALVES		2.00	35200-RLIGHT MARKER LED RED		1.00
<b>Problem</b>	REAR/TAILBOARD		0.75	35200-YLIGHT MARKER LEDAMBER		1.00
<b>Problem</b>	REAR/TAILBOARD		0.75	372000031IGNITION ON DISPLAY		1.00
<b>Problem</b>	VALVE SYSTEM		1.00	5005037KIT MAINT. AD-9		1.00
<b>Problem</b>	VALVE SYSTEM		1.00	6806970098SEAL DOOR		1.00
<b>Problem</b>	VACUUM TEST		1.00	BPR5ESSPARK PLUG 7734		1.00
<b>Problem</b>	VACUUM TEST		1.00	CA8193AIR FILTER 46744 WIX		1.00
<b>Problem</b>	PM B INSPECTION PREVENTIVE MAINTENANCE		10.00	FS1022FILTER FUEL WIX 33422 PS8689 FRAM		1.00
<b>Problem</b>	PM B INSPECTION PREVENTIVE MAINTENANCE		10.00	HPH6349AOIL FILTER 51748		1.00
<b>Problem</b>	BATTERY OR BATTERY SYSTEM		1.00	PR338324070 WIX FILTER WATER		1.00
<b>Problem</b>	BATTERY OR BATTERY SYSTEM		1.00	R90PFILTER FUEL 33231		1.00
<b>Problem</b>	SERVICE TRANSMISSION		2.00			
<b>Problem</b>	SERVICE TRANSMISSION		2.00			
<b>Problem</b>	DRUM/LINING		1.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

<b>Problem</b>	DRUM/LINING	1.00
<b>Problem</b>	AIR LEAK DIAGNOSIS	0.50
<b>Problem</b>	AIR LEAK DIAGNOSIS	0.50
<b>Problem</b>	A/C COMPRESSOR	
<b>Problem</b>	A/C COMPRESSOR	
<b>Problem</b>	EQUIPMENT MOUNTING BRACKETS	3.00
<b>Problem</b>	EQUIPMENT MOUNTING BRACKETS	3.00
<b>Problem</b>	LIGHTING	1.75
<b>Problem</b>	LIGHTING	1.75
<b>Problem</b>	U-BOLTS	1.00
<b>Problem</b>	U-BOLTS	1.00
<b>Problem</b>	SERVICE REAR AXLE	1.00
<b>Problem</b>	SERVICE REAR AXLE	1.00
<b>Problem</b>	SERVICE "T" CASE	1.00
<b>Problem</b>	SERVICE "T" CASE	1.00
<b>Problem</b>	PM B INSPECTION PREVENTIVE MAINTENANCE	1.00
<b>Problem</b>	PM B INSPECTION PREVENTIVE MAINTENANCE	1.00
<b>Problem</b>	COMPUTER SYSTEM	3.00
<b>Problem</b>	COMPUTER SYSTEM	3.00
<b>Problem</b>	STEERING	2.00
<b>Problem</b>	STEERING	2.00

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

<b>Problem</b>	FIREFIGHTING EQUIPMENT	2.00
<b>Problem</b>	FIREFIGHTING EQUIPMENT	2.00
<b>Problem</b>	DELIVER FUEL	0.75
<b>Problem</b>	DELIVER FUEL	0.75
<b>Problem</b>	GENERATOR	2.00
<b>Problem</b>	GENERATOR	2.00
<b>Problem</b>	FRONT	1.00
<b>Problem</b>	FRONT	1.00
<b>Problem</b>	FOAM SYSTEM	0.75
<b>Problem</b>	FOAM SYSTEM	0.75
<b>Problem</b>	BRAKES	0.50
<b>Problem</b>	BRAKES	0.50
<b>Problem</b>	A/C,HEATING, & VENTILATION SYSTEM	4.00
<b>Problem</b>	A/C,HEATING, & VENTILATION SYSTEM	4.00
<b>Problem</b>	COMPUTER SYSTEM	1.50
<b>Problem</b>	COMPUTER SYSTEM	1.50
<b>Problem</b>	SEALS	0.75
<b>Problem</b>	SEALS	0.75

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V11060	1,257.00				
In Date:	Close Date:				
10/16/2007	10/25/2007				
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR	1.00			
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V11319	50,760.00				
In Date:	Close Date:				
10/30/2007	11/05/2007				
<b>Problem</b>	TURBOCHARGER				
<b>Problem</b>	TURBOCHARGER				

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V11327	50,760.00				
In Date:	Close Date:				
10/30/2007	11/07/2007				
<b>Problem</b>	TURBOCHARGER	4.00	3800401RXUSE 4955658RX TURBO		1.00
<b>Problem</b>	TURBOCHARGER	4.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V10749	49,916.00				
In Date:	Close Date:				
09/30/2007	11/13/2007				
<b>Problem</b>	replace hose bed cover e17 central auto trim				
<b>Problem</b>	replace hose bed cover e17 central auto trim				

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V11403	0.00				
In Date:	Close Date:				
11/02/2007	11/16/2007				
<b>Problem</b>	HOUR METER	1.00	331-955D HOUR METER		1.00
<b>Problem</b>	HOUR METER	1.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	V11618	Meter Reading:	51,400.00	Labor Hours	Description	Parts	Quantity
In Date:	11/15/2007	Close Date:	11/16/2007				
Problem	repair saw e17 regans						
Problem	repair saw e17 regans						

10152010

Workorder:	V11487	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	11/07/2007	Close Date:	11/19/2007				
Problem	VEHICLE LIGHTS			1.00	68-3963453-30LENS CLEAR FOR STRIP LIGHT		2.00
Problem	VEHICLE LIGHTS			1.00			

10152010

Workorder:	V11492	Meter Reading:	51,000.00	Labor Hours	Description	Parts	Quantity
In Date:	11/07/2007	Close Date:	11/19/2007				
Problem	SMALL ENGINE REPAIR, SAW, GENERATOR			1.00			
Problem	SMALL ENGINE REPAIR, SAW, GENERATOR			1.00			

10152010

Workorder:	V11740	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	11/25/2007	Close Date:	12/04/2007				
Problem	FOAM SYSTEM			1.50			
Problem	FOAM SYSTEM			1.50			

10152010

Workorder:	V11800	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	11/28/2007	Close Date:	12/04/2007				
Problem							
Problem							

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V11322	50,760.00				
In Date:	Close Date:				
10/30/2007	12/05/2007				
<b>Problem</b>	tow unit from sta 17 to shop e17				
<b>Problem</b>	tow unit from sta 17 to shop e17				

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V12066	0.00				
In Date:	Close Date:				
12/14/2007	12/18/2007				
<b>Problem</b>	RELIEF VALVE DISCHARGE				0.25
<b>Problem</b>	RELIEF VALVE DISCHARGE				0.25

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V12173	0.00				
In Date:	Close Date:				
12/20/2007	12/31/2007				
<b>Problem</b>	DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT				1.00
			HR149460107MOUNT VIBRATION (NEWER POWER UNITS)		2.00
<b>Problem</b>	DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT				1.00
<b>Problem</b>	HURST POWER UNIT				0.75
<b>Problem</b>	HURST POWER UNIT				0.75

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V12167	0.00				
In Date:	Close Date:				
12/19/2007	01/03/2008				
<b>Problem</b>	HOUR METER				0.75
<b>Problem</b>	HOUR METER				0.75
<b>Problem</b>	DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT				1.00
<b>Problem</b>	DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT				1.00

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

**10152010**

<b>Workorder:</b>	V12348	<b>Meter Reading:</b>	52,530.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	01/03/2008	<b>Close Date:</b>	01/07/2008				
<b>Problem</b>	SENDERS			2.00	15W40QSYN OIL QT		12.00
<b>Problem</b>	SENDERS			2.00	3348747NX4921497 SENSOR PRESS.		1.00
<b>Problem</b>	SENDERS			2.00	3408345AIR TEMP SENSOR		1.00
<b>Problem</b>	SENDERS			2.00	ANTICOOLANT ANTIFREEZE GAL		1.00

**10152010**

<b>Workorder:</b>	V9111	<b>Meter Reading:</b>	2,605.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	07/02/2007	<b>Close Date:</b>	01/14/2008				
<b>Problem</b>							
<b>Problem</b>							

**10152010**

<b>Workorder:</b>	V9201	<b>Meter Reading:</b>	417.30	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	07/07/2007	<b>Close Date:</b>	01/14/2008				
<b>Problem</b>							
<b>Problem</b>							

**10152010**

<b>Workorder:</b>	V12194	<b>Meter Reading:</b>	52,530.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	12/21/2007	<b>Close Date:</b>	01/16/2008				
<b>Problem</b>	repair hose bed cover	E17 (outside agency-central auto trim)					
<b>Problem</b>	repair hose bed cover	E17 (outside agency-central auto trim)					

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

<b>Workorder:</b>	V12658	<b>Meter Reading:</b>	53,363.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	01/17/2008	<b>Close Date:</b>	01/18/2008				
<b>Problem</b>	repair chain saw regans						
<b>Problem</b>	repair chain saw regans						

10152010

<b>Workorder:</b>	V12262	<b>Meter Reading:</b>	0.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	12/28/2007	<b>Close Date:</b>	01/23/2008				
<b>Problem</b>	DRIVER SIDE INNER TIRE 5-PSI THIS AM. POSSIBLE VALVE STEM PROBLEM,SEEMS LOOSE. ED ORLANDO ADVISED. FOO NOTIFIED OOS. THANKS... E 17						
<b>Problem</b>	DRIVER SIDE INNER TIRE 5-PSI THIS AM. POSSIBLE VALVE STEM PROBLEM,SEEMS LOOSE. ED ORLANDO ADVISED. FOO NOTIFIED OOS. THANKS... E 17						

10152010

<b>Workorder:</b>	V12358	<b>Meter Reading:</b>	0.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	01/04/2008	<b>Close Date:</b>	01/24/2008				
<b>Problem</b>	SENDERS			1.00	I03100PT-2XE-IO3100PT3-S0B	600 TRANSDUCER INT	1.00
<b>Problem</b>	SENDERS			1.00			

10152010

<b>Workorder:</b>	V12474	<b>Meter Reading:</b>	53,070.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	01/09/2008	<b>Close Date:</b>	01/25/2008				
<b>Problem</b>	DISCHARGE VALVE						
<b>Problem</b>	DISCHARGE VALVE						

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	V12549	Meter Reading:	13.10	Labor Hours	Description	Parts	Quantity
In Date:	01/13/2008	Close Date:	02/04/2008				
Problem	COMPARTMENT DOOR			1.00			
Problem	COMPARTMENT DOOR			1.00			

10152010

Workorder:	V12717	Meter Reading:	53,363.00	Labor Hours	Description	Parts	Quantity
In Date:	01/21/2008	Close Date:	02/05/2008				
Problem	LIGHTING			1.50			
Problem	LIGHTING			1.50			

10152010

Workorder:	V12932	Meter Reading:	53,618.00	Labor Hours	Description	Parts	Quantity
In Date:	01/30/2008	Close Date:	02/06/2008				
Problem	REPAIR FUEL SYSTEM E17						
Problem	REPAIR FUEL SYSTEM E17						

10152010

Workorder:	V13013	Meter Reading:	45.20	Labor Hours	Description	Parts	Quantity
In Date:	02/03/2008	Close Date:	02/12/2008				
Problem	TURN SIGNALS			1.00			
Problem	TURN SIGNALS			1.00			

10152010

Workorder:	V13014	Meter Reading:	53,618.00	Labor Hours	Description	Parts	Quantity
In Date:	02/03/2008	Close Date:	02/12/2008				
Problem	NO OTHER CODE APPLICABLE			0.25			
Problem	NO OTHER CODE APPLICABLE			0.25			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

**10152010**

Workorder:	Meter Reading:	64.00	Labor Hours	Description	Parts	Quantity
In Date: 02/20/2008	Close Date: 02/25/2008					
<b>Problem</b>	THROTTLES/CABLES		1.50	103103THROTTLE INTERFACE		1.00
<b>Problem</b>	THROTTLES/CABLES		1.50	55790-1350000008 ELECTRONIC THROTTLE	100076 FELSTED	1.00

**10152010**

Workorder:	Meter Reading:	64.00	Labor Hours	Description	Parts	Quantity
In Date: 02/20/2008	Close Date: 02/25/2008					
<b>Problem</b>	DISCHARGE VALVE		1.00			
<b>Problem</b>	DISCHARGE VALVE		1.00			

**10152010**

Workorder:	Meter Reading:	86.60	Labor Hours	Description	Parts	Quantity
In Date: 02/27/2008	Close Date: 03/03/2008					
<b>Problem</b>	HURST POWER UNIT		1.00	HR149460107MOUNT VIBRATION (NEWER POWER UNITS)		4.00
<b>Problem</b>	HURST POWER UNIT		1.00	HT-145R013FRAME SERIES 2000 POWER UNIT		1.00

**10152010**

Workorder:	Meter Reading:	64.00	Labor Hours	Description	Parts	Quantity
In Date: 02/21/2008	Close Date: 03/05/2008					
<b>Problem</b>	FOAM SYSTEM		1.00			
<b>Problem</b>	FOAM SYSTEM		1.00			

**10152010**

Workorder:	Meter Reading:	86.60	Labor Hours	Description	Parts	Quantity
In Date: 02/26/2008	Close Date: 03/05/2008					
<b>Problem</b>	TAIL LIGHTS/ TAG LIGHT		1.00			
<b>Problem</b>	TAIL LIGHTS/ TAG LIGHT		1.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

<b>Workorder:</b>	V13583	<b>Meter Reading:</b>	86.60	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	02/28/2008	<b>Close Date:</b>	03/06/2008				
<b>Problem</b>	SCENE LIGHTS			1.00	LB-D30BULB QUARTZ HAL. 12V 150W		2.00
<b>Problem</b>	SCENE LIGHTS			1.00			

10152010

<b>Workorder:</b>	V13746	<b>Meter Reading:</b>	98.30	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	03/07/2008	<b>Close Date:</b>	03/12/2008				
<b>Problem</b>				1.00			
<b>Problem</b>				1.00			

10152010

<b>Workorder:</b>	V13895	<b>Meter Reading:</b>	54,966.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	03/14/2008	<b>Close Date:</b>	03/18/2008				
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR			1.00			
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR			1.00			

10152010

<b>Workorder:</b>	V13930	<b>Meter Reading:</b>	117.90	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	03/17/2008	<b>Close Date:</b>	03/21/2008				
<b>Problem</b>	DISCHARGE VALVE			2.50	73000000050VALVE SS 3IN NEW # 830-0000-00-50		1.00
<b>Problem</b>	DISCHARGE VALVE			2.50			

10152010

<b>Workorder:</b>	V13352	<b>Meter Reading:</b>	53,920.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	02/19/2008	<b>Close Date:</b>	04/07/2008				
<b>Problem</b>	TOWING						
<b>Problem</b>	TOWING						

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

**10152010**

<b>Workorder:</b> V14243		<b>Meter Reading:</b> 55,577.00		<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b> 04/02/2008		<b>Close Date:</b> 04/07/2008					
<b>Problem</b>	PM B INSPECTION PREVENTIVE MAINTENANCE			6.00	05-17223-000CAP RADIATOR 10 LB		1.00
<b>Problem</b>	PM B INSPECTION PREVENTIVE MAINTENANCE			6.00	101305009SS0001 CPI SHELF BRACKET ONE HOLE 2005		4.00
					1050093 IN P1S FLANGE		1.00
					1160033 IN FLANGE ADPT W/ HOLES P2S		1.00
<b>Problem</b>	EMS EQUIPMENT			2.00	15W40BSYN OIL BULK QTS		24.00
					6809880678STUD DZ		2.00
<b>Problem</b>	EMS EQUIPMENT			2.00	6809940145CLIP		2.00
					78R536078R5360M 2PK FILTER AIR COND		1.00
					883088301201 3 IN SLO-CLOZ W/R1 HANDLE		1.00
<b>Problem</b>	A/C MOUNTING			1.00	BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY		4.00
					FS1022FILTER FUEL WIX 33422 PS8689 FRAM		1.00
<b>Problem</b>	A/C MOUNTING			1.00	HP-31DBATTERY 950CCA HP-31D		4.00
					HPH6349AOIL FILTER 51748		1.00
<b>Problem</b>	BATTERY OR BATTERY SYSTEM			2.00	PR338324070 WIX FILTER WATER		1.00
					R90PFILTER FUEL 33231		1.00
<b>Problem</b>	BATTERY OR BATTERY SYSTEM			2.00			
<b>Problem</b>	DISCHARGE VALVE			5.00			
<b>Problem</b>	DISCHARGE VALVE			5.00			
<b>Problem</b>	VEHICLE PICK-UP/DELIVERY			3.00			
<b>Problem</b>	VEHICLE PICK-UP/DELIVERY			3.00			
<b>Problem</b>	PM B INSPECTION PREVENTIVE MAINTENANCE			1.50			
<b>Problem</b>	PM B INSPECTION PREVENTIVE MAINTENANCE			1.50			

**10152010**

<b>Workorder:</b> V14284		<b>Meter Reading:</b> 148.70		<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b> 04/04/2008		<b>Close Date:</b> 04/07/2008					
<b>Problem</b>	FIREFIGHTING EQUIPMENT			3.00			
<b>Problem</b>	FIREFIGHTING EQUIPMENT			3.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V14467	166.40				
In Date: 04/15/2008	Close Date: 04/23/2008				
Problem VALVE SYSTEM		1.00			
Problem VALVE SYSTEM		1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V14498	185.80				
In Date: 04/16/2008	Close Date: 04/23/2008				
Problem SPOTLIGHT		1.00	620122SPOT LIGHT REMOTE		1.00
Problem SPOTLIGHT		1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V14725	56,346.00				
In Date: 04/28/2008	Close Date: 04/30/2008				
Problem ELECTRICAL		1.00			
Problem ELECTRICAL		1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V14803	151.20				
In Date: 05/01/2008	Close Date: 06/02/2008				
Problem LIGHTING		1.00			
Problem LIGHTING		1.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

**10152010**

<b>Workorder:</b>	V14880	<b>Meter Reading:</b>	151.20	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	05/05/2008	<b>Close Date:</b>	06/02/2008				
<b>Problem</b>	FOAM SYSTEM			1.00	55020-04 MOMENTARY SWITCH WEATHERPROOF		2.00
<b>Problem</b>	FOAM SYSTEM			1.00	8126482-2106 TOGGLE GUARD		2.00
<b>Problem</b>	FOAM SYSTEM			1.00			
<b>Problem</b>	FOAM SYSTEM			1.00			

**10152010**

<b>Workorder:</b>	V15151	<b>Meter Reading:</b>	193.90	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	05/17/2008	<b>Close Date:</b>	06/06/2008				
<b>Problem</b>	TIRE'S ,FRONT			1.00			
<b>Problem</b>	TIRE'S ,FRONT			1.00			

**10152010**

<b>Workorder:</b>	V13691	<b>Meter Reading:</b>	54,574.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	03/05/2008	<b>Close Date:</b>	06/17/2008				
<b>Problem</b>							
<b>Problem</b>							

**10152010**

<b>Workorder:</b>	V15055	<b>Meter Reading:</b>	49,938.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	05/13/2008	<b>Close Date:</b>	06/17/2008				
<b>Problem</b>	COOLING SYSTEM			1.00	15W40QSYN OIL QT		12.00
<b>Problem</b>	COOLING SYSTEM			1.00	ALA00350-50 EXTENDED LIFE COOLANT GAL		1.00
					TRANSYND-GGAL CONTAINER TRANS FLUID		1.00

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V15848	278.40				
In Date: 06/19/2008	Close Date: 06/23/2008				
Problem CARBURETOR		1.00	4626BPMR7A SPARK PLUG		1.00
Problem CARBURETOR		1.00	BCPR5ESSPARK PLUGS 6130		2.00
			BPR5ESSPARK PLUG 7734		2.00

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V15751	57,714.00				
In Date: 06/15/2008	Close Date: 06/24/2008				
Problem CHECK ENGINE LIGHT		1.00			
Problem CHECK ENGINE LIGHT		1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V15656	278.40				
In Date: 06/10/2008	Close Date: 07/01/2008				
Problem SCENE LIGHTS		1.50	LB-D30BULB QUARTZ HAL. 12V 150W		1.00
Problem SCENE LIGHTS		1.50			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V16445	340.00				
In Date: 07/18/2008	Close Date: 07/31/2008				
Problem ACCESSORIES/TRIM/MOLDINGS		1.00			
Problem ACCESSORIES/TRIM/MOLDINGS		1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V16947	374.20				
In Date: 08/10/2008	Close Date: 08/11/2008				
Problem DOOR/COMPT. OPEN WARNING LIGHT					
Problem DOOR/COMPT. OPEN WARNING LIGHT					

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	V16916	Meter Reading:	374.20	Labor Hours	Description	Parts	Quantity
In Date:	08/08/2008	Close Date:	08/20/2008				
Problem	DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT			0.25			
Problem	DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT			0.25			

10152010

Workorder:	V16962	Meter Reading:	374.20	Labor Hours	Description	Parts	Quantity
In Date:	08/11/2008	Close Date:	08/20/2008				
Problem	QUARTZ LIGHT			1.00			
Problem	QUARTZ LIGHT			1.00			

10152010

Workorder:	V16922	Meter Reading:	374.20	Labor Hours	Description	Parts	Quantity
In Date:	08/08/2008	Close Date:	08/21/2008				
Problem	DOOR/COMPT. OPEN WARNING LIGHT			1.00			
Problem	DOOR/COMPT. OPEN WARNING LIGHT			1.00			

10152010

Workorder:	V16949	Meter Reading:	374.20	Labor Hours	Description	Parts	Quantity
In Date:	08/10/2008	Close Date:	08/21/2008				
Problem	ELECTRICAL SYSTEM 12 VOLT			0.25			
Problem	ELECTRICAL SYSTEM 12 VOLT			0.25			

10152010

Workorder:	V16959	Meter Reading:	374.20	Labor Hours	Description	Parts	Quantity
In Date:	08/11/2008	Close Date:	08/21/2008				
Problem	ACCESSORIES/TRIM/MOLDINGS			1.00			
Problem	ACCESSORIES/TRIM/MOLDINGS			1.00	373-2.5E-Z LOK BRACKET UMFS-0311UTILITY STRAP		2.00 2.00

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

**10152010**

Workorder:	Meter Reading:	414.30	Labor Hours	Description	Parts	Quantity
In Date: 09/02/2008	Close Date: 09/30/2008					
<b>Problem</b>	ON-BOARD GENERATOR		1.00			
<b>Problem</b>	ON-BOARD GENERATOR		1.00			

**10152010**

Workorder:	Meter Reading:	465.50	Labor Hours	Description	Parts	Quantity
In Date: 09/30/2008	Close Date: 10/09/2008					
<b>Problem</b>	WIRING		3.00			
<b>Problem</b>	WIRING		3.00			

**10152010**

Workorder:	Meter Reading:	465.50	Labor Hours	Description	Parts	Quantity
In Date: 09/26/2008	Close Date: 10/14/2008					
<b>Problem</b>			1.00	168-0380-51USE 168-0380-56-0 OLD CONTROL UNIT HALE		1.00
<b>Problem</b>			1.00			

**10152010**

Workorder:	Meter Reading:	485.00	Labor Hours	Description	Parts	Quantity
In Date: 10/07/2008	Close Date: 10/14/2008					
<b>Problem</b>			1.50	2952271729552377 VALVE ASSY.ACCUM		1.00
<b>Problem</b>			1.50			

**10152010**

Workorder:	Meter Reading:	57,110.00	Labor Hours	Description	Parts	Quantity
In Date: 05/21/2008	Close Date: 10/20/2008					
<b>Problem</b>	replace front tires at sta 17 callaghan					
<b>Problem</b>	replace front tires at sta 17 callaghan					

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	V18506	Meter Reading:	509.40	Labor Hours	Description	Parts	Quantity
In Date:	10/22/2008	Close Date:	10/29/2008				
Problem	ANTI-WHEEL LOCK			1.00			
Problem	ANTI-WHEEL LOCK			1.00			

10152010

Workorder:	V18746	Meter Reading:	524.00	Labor Hours	Description	Parts	Quantity
In Date:	10/31/2008	Close Date:	11/05/2008				
Problem	ACCESSORIES/TRIM/MOLDINGS			0.25			
Problem	ACCESSORIES/TRIM/MOLDINGS			0.25			

10152010

Workorder:	V19484	Meter Reading:	579.30	Labor Hours	Description	Parts	Quantity
In Date:	12/03/2008	Close Date:	12/16/2008				
Problem	COMPUTER SYSTEM			2.00	29509637USE	29643432 SENSOR SPEED	1.00
Problem	COMPUTER SYSTEM			2.00			

10152010

Workorder:	V19464	Meter Reading:	579.30	Labor Hours	Description	Parts	Quantity
In Date:	12/02/2008	Close Date:	12/23/2008				
Problem	COMPARTMENTS			1.00	101305009SS0001 CPI SHELF BRACKET ONE HOLE 2005		8.00
Problem	COMPARTMENTS			1.00	273490SHELF CHANNEL PER FT		6.00
Problem	COMPARTMENTS			2.50			
Problem	COMPARTMENTS			2.50			
Problem	COMPARTMENTS			4.50			
Problem	COMPARTMENTS			4.50			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V17180	393.40				
In Date:	Close Date:				
08/20/2008	01/02/2009				
<b>Problem</b>	SENDERS	1.50	LT-S347-SWMAG SWITCH		2.00
<b>Problem</b>	SENDERS	1.50			
<b>Problem</b>	SENDERS	1.50			
<b>Problem</b>	SENDERS	1.50			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V18916	529.00				
In Date:	Close Date:				
11/07/2008	01/08/2009				
<b>Problem</b>	TIRE REPAIR	1.00			
<b>Problem</b>	TIRE REPAIR	1.00			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V20215	63,701.00				
In Date:	Close Date:				
01/08/2009	02/04/2009				
<b>Problem</b>		1.50			
<b>Problem</b>		1.50			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V20236	593.40				
In Date:	Close Date:				
01/08/2009	02/04/2009				
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	1.00			
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	1.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	V20245	Meter Reading:	593.40	Labor Hours	Description	Parts	Quantity
In Date:	01/09/2009	Close Date:	02/04/2009				
Problem	ACCESSORIES/TRIM/MOLDINGS			1.00			
Problem	ACCESSORIES/TRIM/MOLDINGS			1.00			

10152010

Workorder:	V20255	Meter Reading:	593.40	Labor Hours	Description	Parts	Quantity
In Date:	01/09/2009	Close Date:	02/04/2009				
Problem	COOLANT LEAK			1.00			
Problem	COOLANT LEAK			1.00			

10152010

Workorder:	V20312	Meter Reading:	64,154.40	Labor Hours	Description	Parts	Quantity
In Date:	01/13/2009	Close Date:	02/04/2009				
Problem				2.00	5460370530VPS SHIFT KIT	546-0370-53-0	1.00
Problem				2.00	BM6AUSE 5921 SPARK PLUG		1.00
Problem				1.00			
Problem				1.00			

10152010

Workorder:	V20274	Meter Reading:	593.40	Labor Hours	Description	Parts	Quantity
In Date:	01/10/2009	Close Date:	02/05/2009				
Problem	RELIEF VALVE INTAKE			2.00	5460370530VPS SHIFT KIT	546-0370-53-0	1.00
Problem	RELIEF VALVE INTAKE			2.00			
Problem	RELIEF VALVE INTAKE			0.50			
Problem	RELIEF VALVE INTAKE			0.50			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

**Workorder:** V19758    **Meter Reading:** 63,701.00  
**In Date:** 12/15/2008    **Close Date:** 02/11/2009

<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
--------------------	--------------------	--------------	-----------------

---

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

0100030000SCREEN 6 IN	2.00
0106837849C8COMP LIGHT WHITE LED 200	1.00
038-1010-01HALE RELIEF VALVE W/ VULCANIZED SEAT	1.00
042-0550-00SPRING-VALVE QG RELIEF VALVE	1.00
05-16423-000HOSE LOWER RADIATOR	2.00
05-17223-000CAP RADIATOR 10 LB	1.00
073004100PISTON	1.00
077-0750-21RING RETAINERHALE	1.00
107796DRYER KIT AD9 -NEW	1.00
107800VALVE CHECK AD9	1.00
15W40BSYN OIL BULK QTS	24.00
168-0380-51USE 168-0380-56-0 OLD CONTROL UNIT HALE	1.00
24117SOLENOID INS CONT DUTY	1.00
295SLSA1SIREN	1.00
2FC00ZCR4 IN ROUND LED	2.00
300634040 AMP CIRCUIT BK RUBBERIZED 30063-40	1.00
35200-YLIGHT MARKER LEDAMBER	2.00
3934044 3938160 OIL PAN C GASKET	1.00
39768315259022 GROOVED TENSIONER OLD#3936213	1.00
519007110SLIDE CONTROL 519-0071-10	1.00
532703-0602 COMPRESSOR U4735 4471	1.00
538-1400-00QG VALVE	1.00
546-0852-01SWITCH OLD # 200-0020-00	1.00
546085303NC SWITCH/BRACKET	1.00
546126000TPM/QG HALE REPAIR KIT	1.00
5462270020VALVE KIT SS 546-2270-02-0	1.00
5462290020VALVE KIT SS VALVE 2 1/2 546-2290-02-0	1.00
680-10LAMERICAN FLAG W UV CLEAR LEFT	1.00
680-10RAMERICAN FLAG W UV CLEAR RIGHT	1.00
6808300074VENT A/C LH	1.00
6808300174VENT A/C RH	2.00
716907-0610A DRYER	1.00
75908SWITCH BATTERY MASTER 300A	1.00
800405PURGE VALVE KIT	1.00
883088301201 3 IN SLO-CLOZ W/R1 HANDLE	1.00
92541676VAC TEST GAUGE 0-30	1.00
9440BELT	1.00
94862PIGTAIL LED MARKER LIGHTS	2.00
CA8193AIR FILTER 46744 WIX	1.00
DSK3-1283ATRANS OIL COOLER	1.00
FG87904MFG3937557S FILTER P/S NEW STYLE	1.00
FGQ79699GASKET-P/S FILTER NEW STYLE	1.00
FS1022FILTER FUEL WIX 33422 PS8689 FRAM	1.00
HPH6349AOIL FILTER 51748	1.00
IMMF11358SEAT BELTS	1.00
IMMF13240REAR SEAT BELT OLD # IMMF11847	1.00
K080716BELT	1.00
LT-S347-SWMAG SWITCH	2.00
PR338324070 WIX FILTER WATER	1.00

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

<b>Problem</b>	VALVES	2.00	PVG-KITORING KIT	1.00
			R90PFILTER FUEL 33231	1.00
<b>Problem</b>	VALVES	2.00		
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.50		
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.50		
<b>Problem</b>	GASKETS	3.00		
<b>Problem</b>	GASKETS	3.00		
<b>Problem</b>	COOLER	2.50		
<b>Problem</b>	COOLER	2.50		
<b>Problem</b>	COOLER	2.50		
<b>Problem</b>	COOLER	2.50		
<b>Problem</b>	SERVICE "T" CASE	1.00		
<b>Problem</b>	SERVICE "T" CASE	1.00		
<b>Problem</b>	UNIVERSAL JOINTS	1.00		
<b>Problem</b>	UNIVERSAL JOINTS	1.00		
<b>Problem</b>	QUARTZ LIGHT	6.00		
<b>Problem</b>	QUARTZ LIGHT	6.00		
<b>Problem</b>	PUMP PANEL GUAGES	8.00		
<b>Problem</b>	PUMP PANEL GUAGES	8.00		
<b>Problem</b>	PEDAL	1.00		
<b>Problem</b>	PEDAL	1.00		
<b>Problem</b>	A/C COMPRESSOR	2.50		

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

<b>Problem</b>	A/C COMPRESSOR	2.50
<b>Problem</b>	RELACE ALL BELTS	1.50
<b>Problem</b>	RELACE ALL BELTS	1.50
<b>Problem</b>	DRYER	2.00
<b>Problem</b>	DRYER	2.00
<b>Problem</b>	FOAM SYSTEM	1.00
<b>Problem</b>	FOAM SYSTEM	1.00
<b>Problem</b>	RELIEF VALVE INTAKE	8.00
<b>Problem</b>	RELIEF VALVE INTAKE	8.00
<b>Problem</b>	RELIEF VALVE INTAKE	4.00
<b>Problem</b>	RELIEF VALVE INTAKE	4.00
<b>Problem</b>	VALVES	2.00
<b>Problem</b>	VALVES	2.00
<b>Problem</b>	PM C INSPECTION PREVENTIVE MAINTENANCE	5.00
<b>Problem</b>	PM C INSPECTION PREVENTIVE MAINTENANCE	5.00
<b>Problem</b>	FOAM SYSTEM	1.00
<b>Problem</b>	FOAM SYSTEM	1.00
<b>Problem</b>	PRIMER PUMP MOTOR	1.00
<b>Problem</b>	PRIMER PUMP MOTOR	1.00
<b>Problem</b>	PRIMER PUMP MOTOR	2.00
<b>Problem</b>	PRIMER PUMP MOTOR	2.00

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

<b>Problem</b>	HANGERS	1.00
<b>Problem</b>	HANGERS	1.00
<b>Problem</b>	SLIDES	1.00
<b>Problem</b>	SLIDES	1.00
<b>Problem</b>	COMPUTER SYSTEM	1.00
<b>Problem</b>	COMPUTER SYSTEM	1.00
<b>Problem</b>	RADIATOR CAP	1.00
<b>Problem</b>	RADIATOR CAP	1.00
<b>Problem</b>	BATTERY SWITCH	1.00
<b>Problem</b>	BATTERY SWITCH	1.00
<b>Problem</b>	CAB DOOR	1.50
<b>Problem</b>	CAB DOOR	1.50
<b>Problem</b>	SEAT BELTS	2.00
<b>Problem</b>	SEAT BELTS	2.00
<b>Problem</b>	CLEARENCE LIGHTS	1.00
<b>Problem</b>	CLEARENCE LIGHTS	1.00
<b>Problem</b>	WINDOW FRAME/VENT	2.00
<b>Problem</b>	WINDOW FRAME/VENT	2.00
<b>Problem</b>	STEERING	1.00
<b>Problem</b>	STEERING	1.00
<b>Problem</b>	PM C INSPECTION PREVENTIVE MAINTENANCE	6.00

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

<b>Problem</b>	PM C INSPECTION PREVENTIVE MAINTENANCE	6.00
<b>Problem</b>	VALVES	8.00
<b>Problem</b>	VALVES	8.00

10152010

<b>Workorder:</b>	V20818	<b>Meter Reading:</b>	64,799.70	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	01/30/2009	<b>Close Date:</b>	02/11/2009	<hr/>			
<b>Problem</b>	on call e 17 coolant leak		2.00	108-12FBEADED CHAIN W/CONN 12		1.00	
<b>Problem</b>	on call e 17 coolant leak		2.00				

10152010

<b>Workorder:</b>	V20724	<b>Meter Reading:</b>	636.30	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	01/30/2009	<b>Close Date:</b>	02/13/2009	<hr/>			
<b>Problem</b>	BLEEDER		1.00				
<b>Problem</b>	BLEEDER		1.00				

10152010

<b>Workorder:</b>	V17763	<b>Meter Reading:</b>	443.60	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	09/17/2008	<b>Close Date:</b>	02/19/2009	<hr/>			
<b>Problem</b>	Hose bed cover needs repair.Sand bag stiching came loose and dumped all of the sand out.Now it's flapping in the wind but still repairable if caught soon. E17						
<b>Problem</b>	Hose bed cover needs repair.Sand bag stiching came loose and dumped all of the sand out.Now it's flapping in the wind but still repairable if caught soon. E17						

10152010

<b>Workorder:</b>	V20638	<b>Meter Reading:</b>	626.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	01/27/2009	<b>Close Date:</b>	02/23/2009	<hr/>			
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS		2.00	108-12FBEADED CHAIN W/CONN 12		1.00	
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS		2.00				

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	626.00	Labor Hours	Description	Parts	Quantity
In Date: 01/27/2009	Close Date: 02/24/2009					
Problem	EQUIPMENT MOUNTING BRACKETS		0.50			
Problem	EQUIPMENT MOUNTING BRACKETS		0.50			

10152010

Workorder:	Meter Reading:	688.60	Labor Hours	Description	Parts	Quantity
In Date: 02/25/2009	Close Date: 02/28/2009					
Problem	HANDLES		2.00			
Problem	HANDLES		2.00			
Problem	LIGHTING		1.00			
Problem	LIGHTING		1.00			
Problem	LIGHTING		1.50			
Problem	LIGHTING		1.50			
				1210001003IC SENDER		1.00
				RC-4101 AKRON SHORT HANDLED VALVE REMOTE		1.00

10152010

Workorder:	Meter Reading:	485.00	Labor Hours	Description	Parts	Quantity
In Date: 10/13/2008	Close Date: 03/02/2009					
Problem						
Problem						

10152010

Workorder:	Meter Reading:	688.60	Labor Hours	Description	Parts	Quantity
In Date: 02/28/2009	Close Date: 03/02/2009					
Problem	ENGINE					
Problem	ENGINE					
				FS1022FILTER FUEL	WIX 33422 PS8689 FRAM	1.00
				R90PFILTER FUEL	33231	1.00

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

<b>Workorder:</b>	V19905	<b>Meter Reading:</b>	63,701.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	12/22/2008	<b>Close Date:</b>	03/06/2009				
<b>Problem</b>	repair generator e17						
<b>Problem</b>	repair generator e17						

10152010

<b>Workorder:</b>	V21551	<b>Meter Reading:</b>	651.50	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	03/05/2009	<b>Close Date:</b>	03/12/2009				
<b>Problem</b>	FAN			1.00			
<b>Problem</b>	FAN			1.00			

10152010

<b>Workorder:</b>	V21686	<b>Meter Reading:</b>	720.20	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	03/10/2009	<b>Close Date:</b>	03/17/2009				
<b>Problem</b>	RELIEF VALVE DISCHARGE						
<b>Problem</b>	RELIEF VALVE DISCHARGE						
<b>Problem</b>	RELIEF VALVE DISCHARGE			1.00			
<b>Problem</b>	RELIEF VALVE DISCHARGE			1.00			

10152010

<b>Workorder:</b>	V21945	<b>Meter Reading:</b>	736.80	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	03/19/2009	<b>Close Date:</b>	03/27/2009				
<b>Problem</b>	WINDSHIELD WIPER			0.50	52-24WIPER BLADES ANCO 24		2.00
<b>Problem</b>	WINDSHIELD WIPER			0.50			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V22014	742.30				
In Date: 03/23/2009	Close Date: 03/27/2009				
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	1.50	15W40QSYN OIL QT		12.00
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	1.50			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V22301	759.20				
In Date: 04/03/2009	Close Date: 04/16/2009				
<b>Problem</b>	A/C BELT FRONT A/C	3.50	203FFBEARING PULLEY		1.00
<b>Problem</b>	A/C BELT FRONT A/C	3.50	39768315259022 GROOVED TENSIONER K080716BELT	OLD#3936213	1.00 2.00

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V22490	67,398.40				
In Date: 04/13/2009	Close Date: 04/17/2009				
<b>Problem</b>	SCENE LIGHTS	1.00			
<b>Problem</b>	SCENE LIGHTS	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V21647	713.40				
In Date: 03/09/2009	Close Date: 05/12/2009				
<b>Problem</b>	EQUIPMENT MOUNTING BRACKETS	1.00			
<b>Problem</b>	EQUIPMENT MOUNTING BRACKETS	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V23227	68,114.40				
In Date: 05/12/2009	Close Date: 05/21/2009				
<b>Problem</b>	FIRE SCENE SUPPORT	5.00	FS1022FILTER FUEL	WIX 33422 PS8689 FRAM	1.00
<b>Problem</b>	FIRE SCENE SUPPORT	5.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V23782	881.00				
In Date: 06/03/2009	Close Date: 06/23/2009				
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR	1.00	MS-290STIHL FUEL CAPS		1.00
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V24454	929.00				
In Date: 06/29/2009	Close Date: 07/08/2009				
<b>Problem</b>	A/C,HEATING, & VENTILATION SYSTEM	1.00			
<b>Problem</b>	A/C,HEATING, & VENTILATION SYSTEM	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V23737	69,102.00				
In Date: 06/02/2009	Close Date: 07/09/2009				
<b>Problem</b>	replace rear tires e17 callaghan				
<b>Problem</b>	replace rear tires e17 callaghan				

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder: V24587 Meter Reading: 70,266.40

In Date: 07/06/2009 Close Date: 07/15/2009

Problem	Description	Labor Hours	Parts	Quantity
PM B INSPECTION PREVENTIVE MAINTENANCE	038-1790-00CHECK VALVE INJECTOR HALE FOAM SYS.	3.50		1.00
PM B INSPECTION PREVENTIVE MAINTENANCE	15W40BSYN OIL BULK QTS	3.50		24.00
PM B INSPECTION PREVENTIVE MAINTENANCE	200-2700-00HALE CAFTEC TRANSORB ASSY. FOAM SYS	3.50		1.00
PM B INSPECTION PREVENTIVE MAINTENANCE	91513AMBER LENS	3.50		2.00
PM B INSPECTION PREVENTIVE MAINTENANCE	ACX-84534LUG NUT COVER PK10	3.50		2.00
PM B INSPECTION PREVENTIVE MAINTENANCE	FS1022FILTER FUEL WIX 33422 PS8689 FRAM	3.50		1.00
PM B INSPECTION PREVENTIVE MAINTENANCE	HPH6349AOIL FILTER 51748	3.50		1.00
RESTOCK VEHICLES	PR338324070 WIX FILTER WATER	2.50		1.00
RESTOCK VEHICLES	R90PFILTER FUEL 33231	2.50		1.00
RESTOCK VEHICLES		2.50		
AIR LEAK DIAGNOSIS		0.50		
AIR LEAK DIAGNOSIS		0.50		
SLIDES		1.00		
SLIDES		1.00		
TURN SIGNALS		0.50		
TURN SIGNALS		0.50		
A/C FILTER		0.50		
A/C FILTER		0.50		
ALIGNMENT		3.00		
ALIGNMENT		3.00		
ALIGNMENT		3.00		
ALIGNMENT		3.00		
FOAM SYSTEM		7.50		

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

<b>Problem</b>	FOAM SYSTEM	7.50
<b>Problem</b>	FOAM SYSTEM	2.00
<b>Problem</b>	FOAM SYSTEM	2.00

10152010

<b>Workorder:</b>	V24393	<b>Meter Reading:</b>	923.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	06/26/2009	<b>Close Date:</b>	07/16/2009	<hr/>			
<b>Problem</b>	FOAM SYSTEM	2.00					
<b>Problem</b>	FOAM SYSTEM	2.00					

10152010

<b>Workorder:</b>	V24736	<b>Meter Reading:</b>	70,266.40	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	07/13/2009	<b>Close Date:</b>	07/27/2009	<hr/>			
<b>Problem</b>	repair hose bed cover e 17						
<b>Problem</b>	repair hose bed cover e 17						

10152010

<b>Workorder:</b>	V24929	<b>Meter Reading:</b>	70,487.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	07/21/2009	<b>Close Date:</b>	07/27/2009	<hr/>			
<b>Problem</b>	FOAM SYSTEM	3.50	24076SOLENOID	1.00			
<b>Problem</b>	FOAM SYSTEM	3.50					

10152010

<b>Workorder:</b>	V25252	<b>Meter Reading:</b>	71,041.40	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	08/03/2009	<b>Close Date:</b>	08/10/2009	<hr/>			
<b>Problem</b>	FOAM SYSTEM	1.00					
<b>Problem</b>	FOAM SYSTEM	1.00					

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder: V25275 Meter Reading: 71,041.40 Labor Hours Description Parts Quantity  
In Date: 08/04/2009 Close Date: 08/10/2009

Problem

Problem

10152010

Workorder: V25375 Meter Reading: 71,189.40 Labor Hours Description Parts Quantity  
In Date: 08/07/2009 Close Date: 08/10/2009

Problem DOOR/COMPT. OPEN WARNING LIGHT 2.00 52-624SWITCH DOOR 1.00

Problem DOOR/COMPT. OPEN WARNING LIGHT 2.00

10152010

Workorder: V25298 Meter Reading: 983.00 Labor Hours Description Parts Quantity  
In Date: 08/04/2009 Close Date: 08/13/2009

Problem ACCESSORIES/TRIM/MOLDINGS 1.00

Problem ACCESSORIES/TRIM/MOLDINGS 1.00

10152010

Workorder: V25218 Meter Reading: 978.00 Labor Hours Description Parts Quantity  
In Date: 08/01/2009 Close Date: 08/17/2009

Problem ACCESSORIES/TRIM/MOLDINGS 2.50

Problem ACCESSORIES/TRIM/MOLDINGS 2.50

10152010

Workorder: V25297 Meter Reading: 983.00 Labor Hours Description Parts Quantity  
In Date: 08/04/2009 Close Date: 08/17/2009

Problem ACCESSORIES/TRIM/MOLDINGS 0.25

Problem ACCESSORIES/TRIM/MOLDINGS 0.25

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

**10152010**

**Workorder:** V25691    **Meter Reading:** 618.60    **Labor Hours**

**In Date:** 08/21/2009    **Close Date:** 08/25/2009

---

Problem	Description	Parts	Quantity
	A9061420580GASKET		1.00
	A90614206791EA9061421179	EGR COOLER	1.00
	A9061420880GASKET		1.00
	A9061421080GASKET	EGR COOLER	1.00
	DDE/A0039973352EGR COOLING HOSE		2.00
	DDE/A02799760480-O-RINGS M2 WATER PUMP		1.00
	EA9061420619RA9061420619	EGR VALVE	1.00
	N917003022003GASKET/SEAL M2 WATER PUMP		1.00

**10152010**

**Workorder:** V25913    **Meter Reading:** 1,034.70    **Labor Hours**

**In Date:** 08/31/2009    **Close Date:** 09/03/2009

---

Problem	Description	Parts	Quantity
A/C BELT FRONT A/C			1.50
A/C BELT FRONT A/C			1.50

**10152010**

**Workorder:** V26391    **Meter Reading:** 72,724.00    **Labor Hours**

**In Date:** 09/22/2009    **Close Date:** 09/30/2009

---

Problem	Description	Parts	Quantity
FAN BELT	9480BELT		1.00
FAN BELT			1.50

**10152010**

**Workorder:** V26443    **Meter Reading:** 1,072.60    **Labor Hours**

**In Date:** 09/24/2009    **Close Date:** 09/30/2009

---

Problem	Description	Parts	Quantity
A/C BELT REAR A/C	203FFBEARING PULLEY		1.00
A/C BELT REAR A/C	9440BELT		1.00

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V27048	1,107.10				
In Date: 10/21/2009	Close Date: 11/05/2009				
Problem	ELECTRICAL	0.25			
Problem	ELECTRICAL	0.25			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V27180	1,114.00				
In Date: 10/26/2009	Close Date: 11/05/2009				
Problem	A/C BELT FRONT A/C	1.00			
Problem	A/C BELT FRONT A/C	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V27501	1,136.50				
In Date: 11/08/2009	Close Date: 11/30/2009				
Problem	ACCESSORIES/TRIM/MOLDINGS	0.25			
Problem	ACCESSORIES/TRIM/MOLDINGS	0.25			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V27589	1,141.50				
In Date: 11/11/2009	Close Date: 11/30/2009				
Problem	SCENE LIGHTS	0.25			
Problem	SCENE LIGHTS	0.25			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V27795	1,150.30				
In Date:	Close Date:				
11/19/2009	11/30/2009				
<b>Problem</b>	HURST POWER UNIT	3.50			
<b>Problem</b>	HURST POWER UNIT	3.50			
<b>Problem</b>	HURST POWER UNIT	1.00			
<b>Problem</b>	HURST POWER UNIT	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V23743	874.10				
In Date:	Close Date:				
06/02/2009	12/01/2009				
<b>Problem</b>	e17 smoke fan won,t start#10153808. Has spark ?fuel problem.				
<b>Problem</b>	e17 smoke fan won,t start#10153808. Has spark ?fuel problem.				

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V27968	1,150.30				
In Date:	Close Date:				
11/28/2009	12/07/2009				
<b>Problem</b>	GROUND LADDERS	1.00			
<b>Problem</b>	GROUND LADDERS	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V27500	1,136.50				
In Date:	Close Date:				
11/08/2009	12/08/2009				
<b>Problem</b>	HURST POWER UNIT	0.50	BPR5ESSPARK PLUG 7734		1.00
<b>Problem</b>	HURST POWER UNIT	0.50	LB-D30BULB QUARTZ HAL. 12V 150W		2.00
<b>Problem</b>	SCENE LIGHTS	2.50			
<b>Problem</b>	SCENE LIGHTS	2.50			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	V28326	Meter Reading:	1,171.00	Labor Hours	Description	Parts	Quantity
In Date:	12/14/2009	Close Date:	01/05/2010				
Problem	PRIMER PUMP MOTOR			2.00	PVG-KITORING KIT		1.00
Problem	PRIMER PUMP MOTOR			2.00			

10152010

Workorder:	V28927	Meter Reading:	1,212.40	Labor Hours	Description	Parts	Quantity
In Date:	01/08/2010	Close Date:	02/01/2010				
Problem	PARTS HANDLING/TRANSACTION			0.25	101281012GSS6298UH STRUTS 90#		1.00
Problem	PARTS HANDLING/TRANSACTION			0.25	16302RETAINER CLIP		2.00
Problem	AIR LEAK DIAGNOSIS			0.50			
Problem	AIR LEAK DIAGNOSIS			0.50			

10152010

Workorder:	V29236	Meter Reading:	76,236.00	Labor Hours	Description	Parts	Quantity
In Date:	01/19/2010	Close Date:	02/01/2010				
Problem	S.C.B.A. BRACKETS						
Problem	S.C.B.A. BRACKETS						

10152010

Workorder:	V29075	Meter Reading:	1,223.00	Labor Hours	Description	Parts	Quantity
In Date:	01/13/2010	Close Date:	02/08/2010				
Problem	FOAM SYSTEM			1.00	15W40QSYN OIL QT		12.00
Problem	FOAM SYSTEM			1.00			
Problem	FOAM SYSTEM			1.00			
Problem	FOAM SYSTEM			1.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V28327	1,171.00				
<b>In Date:</b>	<b>Close Date:</b>				
12/14/2009	02/10/2010				
<b>Problem</b>	COMPARTMENT DOOR	1.00			
<b>Problem</b>	COMPARTMENT DOOR	1.00			
<b>Problem</b>	COMPARTMENT DOOR	1.00			
<b>Problem</b>	COMPARTMENT DOOR	1.00			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V29205	1,223.00				
<b>In Date:</b>	<b>Close Date:</b>				
01/16/2010	02/10/2010				
<b>Problem</b>	TANK WATER	0.50			
<b>Problem</b>	TANK WATER	0.50			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V28930	1,212.40				
<b>In Date:</b>	<b>Close Date:</b>				
01/08/2010	02/11/2010				
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.25			
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.25			
<b>Problem</b>	COMPARTMENT DOOR	1.00			
<b>Problem</b>	COMPARTMENT DOOR	1.00			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V29393	76,236.00				
<b>In Date:</b>	<b>Close Date:</b>				
01/25/2010	02/11/2010				
<b>Problem</b>	RELIEF VALVE DISCHARGE	2.50			
			538-1400-00QG VALVE		1.00
<b>Problem</b>	RELIEF VALVE DISCHARGE	2.50			
			546-0200-50QD REL. VALVE KIT		1.00
			546126000TPM/QG HALE REPAIR KIT		1.00

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder: V29430		Meter Reading: 1,231.00	Labor Hours	Description	Parts	Quantity
In Date: 01/25/2010		Close Date: 03/03/2010				
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS			012-0010-00KNOB DRAIN		1.00
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS			39768315259022 GROOVED TENSIONER	OLD#3936213	1.00
				9440BELT		1.00
				9480BELT		1.00
<b>Problem</b>	REPLACE BELT TENSIONER			K080716BELT		1.00
<b>Problem</b>	REPLACE BELT TENSIONER					
<b>Problem</b>	REPLACE BELT TENSIONER					
<b>Problem</b>	REPLACE BELT TENSIONER					

10152010

Workorder: V30383		Meter Reading: 77,708.40	Labor Hours	Description	Parts	Quantity
In Date: 03/02/2010		Close Date: 03/17/2010				
<b>Problem</b>	S.C.B.A. BRACKETS		2.50			
<b>Problem</b>	S.C.B.A. BRACKETS		2.50			

10152010

Workorder: V30444		Meter Reading: 77,708.40	Labor Hours	Description	Parts	Quantity
In Date: 03/04/2010		Close Date: 03/17/2010				
<b>Problem</b>	LIGHTING		1.00			
<b>Problem</b>	LIGHTING		1.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder: V29837 Meter Reading: 76,968.80

In Date: 02/09/2010 Close Date: 03/18/2010

		Labor Hours	Description	Parts	Quantity
<b>Problem</b>	HAND LIGHTS	0.50			
<b>Problem</b>	HAND LIGHTS	0.50			
<b>Problem</b>	HAND LIGHTS	1.00			
<b>Problem</b>	HAND LIGHTS	1.00			

10152010

Workorder: V30802 Meter Reading: 78,126.00

In Date: 03/17/2010 Close Date: 04/02/2010

		Labor Hours	Description	Parts	Quantity
<b>Problem</b>	STARTING SYSTEM	0.50			
<b>Problem</b>	STARTING SYSTEM	0.50			
<b>Problem</b>	BATTERY OR BATTERY SYSTEM				
<b>Problem</b>	BATTERY OR BATTERY SYSTEM				

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

**Workorder:** V30248    **Meter Reading:** 77,594.00  
**In Date:** 02/25/2010    **Close Date:** 04/27/2010

Labor Hours	Description	Parts	Quantity
-------------	-------------	-------	----------

---

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

0100080010STRAINER	2.00
042-0550-00SPRING-VALVE QG RELIEF VALVE	1.00
05-17223-000CAP RADIATOR 10 LB	1.00
073004100PISTON	2.00
104610896386 NEW STARTER 37MT 1993928	1.00
107796DRYER KIT AD9 -NEW	1.00
107800VALVE CHECK AD9	1.00
12-3022A1608 2 1/2 TON VALVE EXPANSION	2.00
12105QUICK DRAIN	3.00
15W40BSYN OIL BULK QTS	16.00
18-29935-001RH DOOR LATCH NEW	2.00
18-45484-000LATCH L/H	2.00
29526898 29548988 TRANS FILTER ALLISON	1.00
2FC00ZCR4 IN ROUND LED	1.00
35200-RLIGHT MARKER LED RED	5.00
4867JB320 UPGRADE ALTERNATOR	1.00
50R00FRRFLASHER RED LED FLANGED	1.00
50R03ZCRLIGHT LED RED TIR 6	1.00
52-24WIPER BLADES ANCO 24	2.00
524740830-805 A/F HONDA 17210-ZE1-505	1.00
546126000TPM/QG HALE REPAIR KIT	1.00
5462270020VALVE KIT SS 546-2270-02-0	2.00
5462280020VALVE KIT 2 IN SS VALVE 546-2280-02-0	3.00
5462290020VALVE KIT SS VALVE 2 1/2 546-2290-02-0	6.00
5TSMACMOUNT 500 TIR SER CHROME	1.00
6803230300 65482 SHOCK FRONT ENGINE	2.00
6806840118DOOR SILL R/H	2.00
6806970098SEAL DOOR	1.00
6807200575HANDLE DOOR	1.00
6808200020LIGHT ASSY. TURN SIGNAL	1.00
6808300074VENT A/C LH	2.00
6808300174VENT A/C RH	2.00
71R755011-2624 TRINARY SWITCH A/C 1560	1.00
7460967AIR FILTER 17210-ZE2-515 HONDA	1.00
74R258607-2613A RED DOT DRIER 7127	1.00
78R536078R5360M 2PK FILTER AIR COND	1.00
800405PURGE VALVE KIT	1.00
8201L17-3428 ESTER OIL E7	1.00
980-412173 MIRROR 8 IN	2.00
98032R 41032-3 RED REFLECTOR OVAL REFLECTOR	4.00
A1834388002MOLD L/H	2.00
A1834388003MOLD R/H	2.00
BPR5ESSPARK PLUG 7734	1.00
BPR6ESSPARK PLUG 7131	1.00
CA8193AIR FILTER 46744 WIX	1.00
EAA-8350-90UGSS6558UK STRUT-LIFT	8.00
FG87904MFG3937557S FILTER P/S NEW STYLE	1.00
FGQ79699GASKET-P/S FILTER NEW STYLE	1.00
FS1022FILTER FUEL WIX 33422 PS8689 FRAM	1.00

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.25	HPH6349AOIL FILTER 51748	1.00
			P119325AIR FILTER NUT	1.00
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.25	PR338324070 WIX FILTER WATER	1.00
			PVG-KITORING KIT	2.00
<b>Problem</b>	SERVICE COOLANT SYSTEM	0.25	R90PFILTER FUEL 33231	1.00
<b>Problem</b>	SERVICE COOLANT SYSTEM	0.25		
<b>Problem</b>	A/C,HEATING, & VENTILATION SYSTEM	2.00		
<b>Problem</b>	A/C,HEATING, & VENTILATION SYSTEM	2.00		
<b>Problem</b>	SERVICE COOLANT SYSTEM	2.00		
<b>Problem</b>	SERVICE COOLANT SYSTEM	2.00		
<b>Problem</b>	STEERING	0.50		
<b>Problem</b>	STEERING	0.50		
<b>Problem</b>	VALVES DISCHARGE	4.50		
<b>Problem</b>	VALVES DISCHARGE	4.50		
<b>Problem</b>	DRYER	1.50		
<b>Problem</b>	DRYER	1.50		
<b>Problem</b>	INTAKE VALVE	5.00		
<b>Problem</b>	INTAKE VALVE	5.00		
<b>Problem</b>	VALVES	1.00		
<b>Problem</b>	VALVES	1.00		
<b>Problem</b>	PM C INSPECTION PREVENTIVE MAINTENANCE	2.50		
<b>Problem</b>	PM C INSPECTION PREVENTIVE MAINTENANCE	2.50		
<b>Problem</b>	PM C INSPECTION PREVENTIVE MAINTENANCE	6.00		

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

<b>Problem</b>	PM C INSPECTION PREVENTIVE MAINTENANCE	6.00
<b>Problem</b>	HOSE BED COVER	1.00
<b>Problem</b>	HOSE BED COVER	1.00
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR	1.00
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR	1.00
<b>Problem</b>	SERVICE TRANSMISSION	1.00
<b>Problem</b>	SERVICE TRANSMISSION	1.00
<b>Problem</b>	SERVICE "T" CASE	0.25
<b>Problem</b>	SERVICE "T" CASE	0.25
<b>Problem</b>	PEDAL	0.50
<b>Problem</b>	PEDAL	0.50
<b>Problem</b>	LATCHES	0.25
<b>Problem</b>	LATCHES	0.25
<b>Problem</b>	A/C,HEATING, & VENTILATION SYSTEM	0.50
<b>Problem</b>	A/C,HEATING, & VENTILATION SYSTEM	0.50
<b>Problem</b>	WINDSHIELD WIPER	0.25
<b>Problem</b>	WINDSHIELD WIPER	0.25
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.50
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.50
<b>Problem</b>	TIRE REPAIR	0.50
<b>Problem</b>	TIRE REPAIR	0.50

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

<b>Problem</b>	COMPARTMENT DOOR	0.50
<b>Problem</b>	COMPARTMENT DOOR	0.50
<b>Problem</b>	COMPARTMENT DOOR	0.50
<b>Problem</b>	COMPARTMENT DOOR	0.50
<b>Problem</b>	CLEARENCE LIGHTS	0.50
<b>Problem</b>	CLEARENCE LIGHTS	0.50
<b>Problem</b>	COMPARTMENT LIGHTS	0.25
<b>Problem</b>	COMPARTMENT LIGHTS	0.25
<b>Problem</b>	DOOR/COMPT. OPEN WARNING LIGHT	0.25
<b>Problem</b>	DOOR/COMPT. OPEN WARNING LIGHT	0.25
<b>Problem</b>	A/C FILTER	0.25
<b>Problem</b>	A/C FILTER	0.25
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.25
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.25
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.75
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.75
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.50
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.50
<b>Problem</b>	RADIATOR CAP	0.25
<b>Problem</b>	RADIATOR CAP	0.25
<b>Problem</b>		2.50

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

<b>Problem</b>		2.50
<b>Problem</b>		1.00
<b>Problem</b>		1.00
<b>Problem</b>	QUALITY CHECK	1.00
<b>Problem</b>	QUALITY CHECK	1.00
<b>Problem</b>	CAB DOOR	0.50
<b>Problem</b>	CAB DOOR	0.50
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.50
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.50
<b>Problem</b>	HANDLES	0.50
<b>Problem</b>	HANDLES	0.50
<b>Problem</b>	COMPARTMENT DOOR	0.50
<b>Problem</b>	COMPARTMENT DOOR	0.50
<b>Problem</b>	DOORS	0.50
<b>Problem</b>	DOORS	0.50
<b>Problem</b>	EQUIPMENT MOUNTING BRACKETS	0.50
<b>Problem</b>	EQUIPMENT MOUNTING BRACKETS	0.50
<b>Problem</b>	COMPARTMENT DOOR	0.25
<b>Problem</b>	COMPARTMENT DOOR	0.25
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.50
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.50

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

<b>Problem</b>	COMPARTMENT DOOR	0.50
<b>Problem</b>	COMPARTMENT DOOR	0.50
<b>Problem</b>	RELIEF VALVE DISCHARGE	1.50
<b>Problem</b>	RELIEF VALVE DISCHARGE	1.50
<b>Problem</b>	VACUUM TEST	0.50
<b>Problem</b>	VACUUM TEST	0.50
<b>Problem</b>	SLIDES	0.50
<b>Problem</b>	SLIDES	0.50
<b>Problem</b>	DIFFERENTIAL	0.25
<b>Problem</b>	DIFFERENTIAL	0.25
<b>Problem</b>	AUTO-DRAIN SYSTEM	0.25
<b>Problem</b>	AUTO-DRAIN SYSTEM	0.25
<b>Problem</b>	SHOCK ABSORBERS FRONT	0.75
<b>Problem</b>	SHOCK ABSORBERS FRONT	0.75
<b>Problem</b>	STARTING SYSTEM	2.50
<b>Problem</b>	STARTING SYSTEM	2.50
<b>Problem</b>	STARTER	3.50
<b>Problem</b>	STARTER	3.50
<b>Problem</b>	SEATS	0.25
<b>Problem</b>	SEATS	0.25
<b>Problem</b>	CAB DOOR	0.50

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

<b>Problem</b>	CAB DOOR	0.50
<b>Problem</b>	CHARGING SYSTEM	0.50
<b>Problem</b>	CHARGING SYSTEM	0.50
<b>Problem</b>	VALVES	1.50
<b>Problem</b>	VALVES	1.50
<b>Problem</b>	SEATS	0.50
<b>Problem</b>	SEATS	0.50
<b>Problem</b>	EQUIPMENT MOUNTING BRACKETS	0.25
<b>Problem</b>	EQUIPMENT MOUNTING BRACKETS	0.25
<b>Problem</b>	HOSE BED COVER	0.25
<b>Problem</b>	HOSE BED COVER	0.25
<b>Problem</b>	DOORS	0.50
<b>Problem</b>	DOORS	0.50
<b>Problem</b>	FOAM SYSTEM	0.50
<b>Problem</b>	FOAM SYSTEM	0.50

10152010

**Workorder:** V31448    **Meter Reading:** 78,305.00  
**In Date:** 04/12/2010    **Close Date:** 04/27/2010

		<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>Problem</b>	DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT				
<b>Problem</b>	DELIVER, TRAVEL, PICK-UP UNITS & EQUIPMENT				

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	V31425	Meter Reading:	78,305.00	Labor Hours	Description	Parts	Quantity
In Date:	04/10/2010	Close Date:	04/29/2010				
Problem	SCENE LIGHTS			1.00			
Problem	SCENE LIGHTS			1.00			

10152010

Workorder:	V31544	Meter Reading:	78,696.00	Labor Hours	Description	Parts	Quantity
In Date:	04/14/2010	Close Date:	04/30/2010				
Problem	HEADLIGHTS			1.00	EAA-8350-60UGSS6557UP STRUT-LIFT		7.00
Problem	HEADLIGHTS			1.00			
Problem	HEADLIGHTS			2.00			
Problem	HEADLIGHTS			2.00			
Problem	DOORS			1.00			
Problem	DOORS			1.00			
Problem	CLEARENCE LIGHTS			0.50			
Problem	CLEARENCE LIGHTS			0.50			
Problem	BACK-UP ALARM			0.50			
Problem	BACK-UP ALARM			0.50			

10152010

Workorder:	V31312	Meter Reading:	78,305.00	Labor Hours	Description	Parts	Quantity
In Date:	04/06/2010	Close Date:	05/11/2010				
Problem	repair 2 seats (outside agency-central auto trim)						
Problem	repair 2 seats (outside agency-central auto trim)						

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	V31871	Meter Reading:	78,859.00	Labor Hours	Description	Parts	Quantity
In Date:	04/29/2010	Close Date:	05/11/2010				
Problem	ACCESSORIES/TRIM/MOLDINGS			1.00			
Problem	ACCESSORIES/TRIM/MOLDINGS			1.00			

10152010

Workorder:	V31703	Meter Reading:	78,859.00	Labor Hours	Description	Parts	Quantity
In Date:	04/21/2010	Close Date:	06/11/2010				
Problem	LIGHTING			1.50	15W40QSYN OIL QT		12.00
Problem	LIGHTING			1.50	ALA00350-50 EXTENDED LIFE COOLANT GAL		6.00

10152010

Workorder:	V32698	Meter Reading:	80,284.20	Labor Hours	Description	Parts	Quantity
In Date:	06/07/2010	Close Date:	06/21/2010				
Problem	SIREN SPEAKERS			0.25			
Problem	SIREN SPEAKERS			0.25			

10152010

Workorder:	V32826	Meter Reading:	80,284.20	Labor Hours	Description	Parts	Quantity
In Date:	06/11/2010	Close Date:	06/21/2010				
Problem	HORNS/WARNING DEVICES			1.00			
Problem	HORNS/WARNING DEVICES			1.00			
Problem	QUARTZ LIGHT			1.00			
Problem	QUARTZ LIGHT			1.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V31704	78,859.00				
In Date:	Close Date:				
04/21/2010	07/14/2010				
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.25			
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.25			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V33628	81,356.50				
In Date:	Close Date:				
07/19/2010	07/26/2010				
<b>Problem</b>	SCENE LIGHTS	0.75			
<b>Problem</b>	SCENE LIGHTS	0.75			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V33860	81,475.00				
In Date:	Close Date:				
07/28/2010	08/11/2010				
<b>Problem</b>	PUMP / FAN BELTS	2.50			
<b>Problem</b>	PUMP / FAN BELTS	2.50	39768315259022 GROOVED TENSIONER K080716BELT	OLD#3936213	1.00 1.00

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V33861	81,475.00				
In Date:	Close Date:				
07/28/2010	08/11/2010				
<b>Problem</b>	RELIEF VALVE DISCHARGE	1.00			
<b>Problem</b>	RELIEF VALVE DISCHARGE	1.00			
<b>Problem</b>	COMPARTMENTS	1.50			
<b>Problem</b>	COMPARTMENTS	1.50			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V34051	81,700.70				
In Date:	Close Date:				
08/05/2010	08/31/2010				
Problem	SPOTLIGHT	0.50	H3-100WBP1210H3	BULB	1.00
Problem	SPOTLIGHT	0.50			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V34120	81,998.00				
In Date:	Close Date:				
08/09/2010	08/31/2010				
Problem	AIR LEAK DIAGNOSIS	2.00			
Problem	AIR LEAK DIAGNOSIS	2.00			
Problem	ACCESSORIES/TRIM/MOLDINGS	0.50			
Problem	ACCESSORIES/TRIM/MOLDINGS	0.50			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V34164	82,064.00				
In Date:	Close Date:				
08/10/2010	08/31/2010				
Problem	ACCESSORIES/TRIM/MOLDINGS	0.50			
Problem	ACCESSORIES/TRIM/MOLDINGS	0.50			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V33013	80,480.00				
In Date:	Close Date:				
06/20/2010	09/03/2010				
Problem	SPOTLIGHT	1.50	FC-CLIPFOCUS RETAINER KIT		2.00
Problem	SPOTLIGHT	1.50	LB-D30BULB QUARTZ HAL. 12V 150W		2.00
Problem	SPOTLIGHT	1.50			
Problem	SPOTLIGHT	1.50			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V34166	82,064.00				
In Date: 08/10/2010	Close Date: 09/03/2010				
<b>Problem</b>	LIGHTING	0.25			
<b>Problem</b>	LIGHTING	0.25			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V34376	82,293.00				
In Date: 08/19/2010	Close Date: 09/03/2010				
<b>Problem</b>	LIGHTING	0.25			
<b>Problem</b>	LIGHTING	0.25			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V34165	82,064.00				
In Date: 08/10/2010	Close Date: 09/17/2010				
<b>Problem</b>	COMPARTMENT DOOR	0.50			
<b>Problem</b>	COMPARTMENT DOOR	0.50			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V34987	82,902.50				
In Date: 09/16/2010	Close Date: 10/05/2010				
<b>Problem</b>	SPOTLIGHT	1.50	620122SPOT LIGHT REMOTE		1.00
<b>Problem</b>	SPOTLIGHT	1.50			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V34988	82,902.50				
In Date: 09/16/2010	Close Date: 10/05/2010				
<b>Problem</b>	HURST POWER UNIT	0.50			
<b>Problem</b>	HURST POWER UNIT	0.50			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V33957	81,700.70				
In Date:	Close Date:				
08/02/2010	10/19/2010				
<b>Problem</b>	AIR LEAK DIAGNOSIS	0.25			
<b>Problem</b>	AIR LEAK DIAGNOSIS	0.25			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V35777	83,720.00				
In Date:	Close Date:				
10/19/2010	10/26/2010				
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR	1.00			
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR	1.00			
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR	0.50			
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR	0.50			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V35478	83,293.90				
In Date:	Close Date:				
10/07/2010	11/03/2010				
<b>Problem</b>	AIR LEAK DIAGNOSIS	1.00			
<b>Problem</b>	AIR LEAK DIAGNOSIS	1.00	15W40QSYN OIL QT		12.00
<b>Problem</b>	AIR LEAK DIAGNOSIS	1.00	6000000003NODE HERCULES	V-MUX	1.00
<b>Problem</b>	AIR LEAK DIAGNOSIS	0.50	800034VALVE PARKING BRK.		1.00
<b>Problem</b>	AIR LEAK DIAGNOSIS	0.50			
<b>Problem</b>	TURN SIGNALS	3.00			
<b>Problem</b>	TURN SIGNALS	3.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder: V36197 Meter Reading: 84,074.00

In Date: 11/04/2010 Close Date: 11/24/2010

Problem	Description	Labor Hours	Parts	Quantity
COOLING SYSTEM	05-17223-000CAP RADIATOR 10 LB	0.25		1.00
COOLING SYSTEM	082-2007-00-0GREASE ZERK W/CHECK VLV	0.25		1.00
MISCELLANOUS CODES	103385NDRAIN COCK	0.25		2.00
MISCELLANOUS CODES	15W40BSYN OIL BULK QTS	0.25		24.00
MISCELLANOUS CODES	200226200200-2262-50 SWITCH-PROXIMITY QG VALVE	0.25		1.00
MISCELLANOUS CODES	512-0070-00-0MIV HANDLE	0.25		1.00
MISCELLANOUS CODES	6805450124SWITCH TURN SIGNAL	0.25		1.00
MISCELLANOUS CODES	6808300174VENT A/C RH	0.25		1.00
HANDLES	91398907 VALVE KIT 3 IN AKRON	0.50		1.00
HANDLES	BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	0.50		4.00
HANDLES	EAA-8350-30UGSS1783UQ STRUT-LIFT	0.50		2.00
HANDLES	EAA-8700-90ULIFT SUPPORT GSS6364UL 90LB	0.50		2.00
BATTERY OR BATTERY SYSTEM	ESX120105112STARTER RELAY ESX-120-105112	1.00		1.00
BATTERY OR BATTERY SYSTEM	FS1022FILTER FUEL WIX 33422 PS8689 FRAM	1.00		1.00
BATTERY OR BATTERY SYSTEM	HP-31DBATTERY 950CCA HP-31D	1.00		4.00
BATTERY OR BATTERY SYSTEM	HPH6349AOIL FILTER 51748	1.00		1.00
BATTERY OR BATTERY SYSTEM	PR338324070 WIX FILTER WATER	1.00		1.00
BATTERY OR BATTERY SYSTEM	R90PFILTER FUEL 33231	1.00		1.00
ACTUATOR, VALVE		0.50		
ACTUATOR, VALVE		0.50		
FLOW METER		3.00		
FLOW METER		3.00		
FOAM TANK		1.00		
FOAM TANK		1.00		
HANDLES		0.25		
HANDLES		0.25		
COOLANT LEAK		0.50		
COOLANT LEAK		0.50		
VALVES DISCHARGE		2.00		

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

<b>Problem</b>	VALVES DISCHARGE	2.00
<b>Problem</b>	MISCELLANOUS CODES	0.25
<b>Problem</b>	MISCELLANOUS CODES	0.25
<b>Problem</b>	BATTERY CHARGER	3.50
<b>Problem</b>	BATTERY CHARGER	3.50
<b>Problem</b>	HOSE BED COVER	0.50
<b>Problem</b>	HOSE BED COVER	0.50
<b>Problem</b>	SWITCH	0.50
<b>Problem</b>	SWITCH	0.50
<b>Problem</b>	PUMP TESTING	0.75
<b>Problem</b>	PUMP TESTING	0.75
<b>Problem</b>	DRAIN	0.25
<b>Problem</b>	DRAIN	0.25
<b>Problem</b>	RELIEF VALVE INTAKE	0.50
<b>Problem</b>	RELIEF VALVE INTAKE	0.50
<b>Problem</b>	PM C INSPECTION PREVENTIVE MAINTENANCE	6.25
<b>Problem</b>	PM C INSPECTION PREVENTIVE MAINTENANCE	6.25
<b>Problem</b>	PM C INSPECTION PREVENTIVE MAINTENANCE	1.75
<b>Problem</b>	PM C INSPECTION PREVENTIVE MAINTENANCE	1.75
<b>Problem</b>	A/C,HEATING, & VENTILATION SYSTEM	0.25
<b>Problem</b>	A/C,HEATING, & VENTILATION SYSTEM	0.25

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

<b>Workorder:</b> V36329	<b>Meter Reading:</b> 84,074.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b> 11/09/2010	<b>Close Date:</b> 12/06/2010				
<b>Problem</b> FOAM SYSTEM		0.25			
<b>Problem</b> FOAM SYSTEM		0.25			

10152010

<b>Workorder:</b> V30539	<b>Meter Reading:</b> 77,708.40	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b> 03/08/2010	<b>Close Date:</b> 12/22/2010				
<b>Problem</b>					
<b>Problem</b>					

10152010

<b>Workorder:</b> V34487	<b>Meter Reading:</b> 82,441.10	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b> 08/24/2010	<b>Close Date:</b> 12/22/2010				
<b>Problem</b> SPOTLIGHT		1.50			
<b>Problem</b> SPOTLIGHT		1.50			

10152010

<b>Workorder:</b> V34595	<b>Meter Reading:</b> 82,441.10	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b> 08/30/2010	<b>Close Date:</b> 12/22/2010				
<b>Problem</b> SPOTLIGHT		0.25			
<b>Problem</b> SPOTLIGHT		0.25			

10152010

<b>Workorder:</b> V36330	<b>Meter Reading:</b> 84,074.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b> 11/09/2010	<b>Close Date:</b> 12/22/2010				
<b>Problem</b>					
<b>Problem</b>					

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	V36814	Meter Reading:	84,545.80	Labor Hours	Description	Parts	Quantity
In Date:	12/02/2010	Close Date:	12/30/2010				
Problem	COOLANT LEAK			0.50	1094KIT-AIR HORN-GROVER		1.00
Problem	COOLANT LEAK			0.50			
Problem	EMERGENCY / WARNING			1.00			
Problem	EMERGENCY / WARNING			1.00			

10152010

Workorder:	V37189	Meter Reading:	77,986.00	Labor Hours	Description	Parts	Quantity
In Date:	12/15/2010	Close Date:	12/30/2010				
Problem	EMERGENCY / WARNING			1.00	PVG-KITORING KIT		1.00
Problem	EMERGENCY / WARNING			1.00			

10152010

Workorder:	V36813	Meter Reading:	84,545.80	Labor Hours	Description	Parts	Quantity
In Date:	12/02/2010	Close Date:	01/06/2011				
Problem	LIGHTING			1.00			
Problem	LIGHTING			1.00			
Problem	SIREN CONTROL HEAD			1.00			
Problem	SIREN CONTROL HEAD			1.00			

10152010

Workorder:	V36820	Meter Reading:	84,545.80	Labor Hours	Description	Parts	Quantity
In Date:	12/02/2010	Close Date:	01/06/2011				
Problem	HORNS/WARNING DEVICES			2.00	295SLSA1SIREN		1.00
Problem	HORNS/WARNING DEVICES			2.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V37526	85,523.00				
In Date:	Close Date:				
12/31/2010	01/06/2011				
<b>Problem</b>	SPOTLIGHT	1.00			
<b>Problem</b>	SPOTLIGHT	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V36916	84,705.40				
In Date:	Close Date:				
12/06/2010	01/07/2011				
<b>Problem</b>	FUEL SYSTEM	1.00	R90PFILTER FUEL 33231		1.00
<b>Problem</b>	FUEL SYSTEM	1.00	RAIRK30880N122WSKL4000 SENSOR WATER IN FUEL		1.00

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V37755	85,802.10				
In Date:	Close Date:				
01/12/2011	01/18/2011				
<b>Problem</b>	WINDSHIELD WIPER	0.25			
<b>Problem</b>	WINDSHIELD WIPER	0.25			
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.25			
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.25			
<b>Problem</b>	PONY PUMP MOTOR	1.00			
<b>Problem</b>	PONY PUMP MOTOR	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V38833	86,869.80				
In Date:	Close Date:				
02/28/2011	03/03/2011				
<b>Problem</b>	FIREFIGHTING EQUIPMENT				
<b>Problem</b>	FIREFIGHTING EQUIPMENT				

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	V38835	Meter Reading:	86,869.80	Labor Hours	Description	Parts	Quantity
In Date:	02/28/2011	Close Date:	03/03/2011				
Problem	FIREFIGHTING EQUIPMENT			0.25	012-1510-00-0HANDLE		1.00
Problem	FIREFIGHTING EQUIPMENT			0.25	012-1510-05-0KNOB		1.00

10152010

Workorder:	V38785	Meter Reading:	86,869.80	Labor Hours	Description	Parts	Quantity
In Date:	02/25/2011	Close Date:	03/07/2011				
Problem	FIREFIGHTING EQUIPMENT			0.25			
Problem	FIREFIGHTING EQUIPMENT			0.25			

10152010

Workorder:	V39285	Meter Reading:	87,143.30	Labor Hours	Description	Parts	Quantity
In Date:	03/18/2011	Close Date:	03/24/2011				
Problem	ANTILOCK BRAKE LIGHT						
Problem	ANTILOCK BRAKE LIGHT						

10152010

Workorder:	V39664	Meter Reading:	87,650.00	Labor Hours	Description	Parts	Quantity
In Date:	04/04/2011	Close Date:	04/14/2011				
Problem	CONTROLS/SWITCHES/WIRING			0.50	200-2450-00NC SWITCH OK TO PUMP		2.00
Problem	CONTROLS/SWITCHES/WIRING			0.50			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V40959	88,893.00				
In Date:	Close Date:				
05/30/2011	06/06/2011				
<b>Problem</b>	MIRRORS	0.50			
			4070091740 GROMMET T/L 4 IN		1.00
<b>Problem</b>	MIRRORS	0.50			
			607141-05USE 61H01 COPMPARTMENT LIGHT		3.00
			ZEE1500MIRROR HEAD INT BRUSH TRUCKS		1.00
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.25			
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.25			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V41027	88,893.00				
In Date:	Close Date:				
06/01/2011	06/06/2011				
<b>Problem</b>	SCENE LIGHTS	0.50			
<b>Problem</b>	SCENE LIGHTS	0.50			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V41059	89,192.20				
In Date:	Close Date:				
06/02/2011	06/06/2011				
<b>Problem</b>	SPOTLIGHT	1.00			
			620122SPOT LIGHT REMOTE		1.00
<b>Problem</b>	SPOTLIGHT	1.00			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V41081	89,331.00				
In Date:	Close Date:				
06/03/2011	06/07/2011				
<b>Problem</b>	A/C BELT REAR A/C	1.00			
<b>Problem</b>	A/C BELT REAR A/C	1.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder: V41158 Meter Reading: 89,560.30

In Date: 06/06/2011 Close Date: 06/09/2011

Problem	Labor Hours	Description	Parts	Quantity
FIRE SCENE SUPPORT	2.00	LB-D30BULB QUARTZ HAL. 12V 150W		1.00
FIRE SCENE SUPPORT	2.00			

10152010

Workorder: V41409 Meter Reading: 89,772.00

In Date: 06/17/2011 Close Date: 06/17/2011

Problem	Labor Hours	Description	Parts	Quantity
CHECK ENGINE LIGHT				
CHECK ENGINE LIGHT				

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder: V41387 Meter Reading: 89,858.00

In Date: 06/16/2011 Close Date: 07/07/2011

		Labor Hours	Description	Parts	Quantity
<b>Problem</b>	FUEL SYSTEM	1.00	39768315259022 GROOVED TENSIONER	OLD#3936213	1.00
<b>Problem</b>	FUEL SYSTEM	1.00	52-24WIPER BLADES ANCO 24		2.00
			5641SA/C PULLEY		1.00
			9440BELT		1.00
<b>Problem</b>	PM B INSPECTION PREVENTIVE MAINTENANCE	1.50	9480BELT		1.00
			CA8193AIR FILTER 46744 WIX		1.00
<b>Problem</b>	PM B INSPECTION PREVENTIVE MAINTENANCE	1.50	FS1022FILTER FUEL WIX 33422	PS8689 FRAM	1.00
			HPH6349AOIL FILTER 51748		1.00
			K080716BELT		1.00
<b>Problem</b>	BATTERY OR BATTERY SYSTEM	1.00	MT14-1117CMT14-1117C SHIM M.H.		1.00
			R90PFILTER FUEL 33231		1.00
<b>Problem</b>	BATTERY OR BATTERY SYSTEM	1.00	SPR-W58-1TEE PLASTIC		1.00
			SPRGW2612WASHER NOZZLE W/RELIEF		1.00
<b>Problem</b>	PM B INSPECTION PREVENTIVE MAINTENANCE	1.00			
<b>Problem</b>	PM B INSPECTION PREVENTIVE MAINTENANCE	1.00			
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.25			
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.25			
<b>Problem</b>	WINDSHIELD WIPER	0.50			
<b>Problem</b>	WINDSHIELD WIPER	0.50			
<b>Problem</b>	CLEARENCE LIGHTS	0.75			
<b>Problem</b>	CLEARENCE LIGHTS	0.75			
<b>Problem</b>	QUALITY CHECK	0.50			
<b>Problem</b>	QUALITY CHECK	0.50			
<b>Problem</b>	A/C FILTER	0.50			
<b>Problem</b>	A/C FILTER	0.50			
<b>Problem</b>	WASHER WINDSHIELD	0.25			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

<b>Problem</b>	WASHER WINDSHIELD	0.25
<b>Problem</b>	PM B INSPECTION PREVENTIVE MAINTENANCE	3.00
<b>Problem</b>	PM B INSPECTION PREVENTIVE MAINTENANCE	3.00
<b>Problem</b>	REPLACE BELT TENSIONER	6.75
<b>Problem</b>	REPLACE BELT TENSIONER	6.75

10152010

<b>Workorder:</b>	V41801	<b>Meter Reading:</b>	90,077.40	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	07/05/2011	<b>Close Date:</b>	07/07/2011				
<b>Problem</b>	LIGHTING			1.00	LB-D30BULB QUARTZ HAL. 12V 150W		2.00
<b>Problem</b>	LIGHTING			1.00			

10152010

<b>Workorder:</b>	V41370	<b>Meter Reading:</b>	89,772.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	06/16/2011	<b>Close Date:</b>	07/08/2011				
<b>Problem</b>							
<b>Problem</b>							

10152010

<b>Workorder:</b>	V41377	<b>Meter Reading:</b>	89,772.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	06/16/2011	<b>Close Date:</b>	07/08/2011				
<b>Problem</b>							
<b>Problem</b>							

10152010

<b>Workorder:</b>	V41872	<b>Meter Reading:</b>	90,077.40	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	07/08/2011	<b>Close Date:</b>	07/13/2011				
<b>Problem</b>	SCENE LIGHTS			1.00			
<b>Problem</b>	SCENE LIGHTS			1.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V42226	90,304.10				
<b>In Date:</b> 07/22/2011	<b>Close Date:</b> 07/27/2011				
<b>Problem</b>	INSTRUMENTS/GUAGES	0.50	91553941GAUGE		2.00
<b>Problem</b>	INSTRUMENTS/GUAGES	0.50			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V42304	90,304.10				
<b>In Date:</b> 07/26/2011	<b>Close Date:</b> 08/01/2011				
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR	1.00			
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR	1.00			
<b>Problem</b>	GENERATOR	1.50			
<b>Problem</b>	GENERATOR	1.50			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V42959	90,798.40				
<b>In Date:</b> 08/22/2011	<b>Close Date:</b> 08/22/2011				
<b>Problem</b>	PRIMER PUMP MOTOR		2000071102000072100 SOLENOID HALE PRIMER		1.00
<b>Problem</b>	PRIMER PUMP MOTOR				

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V42879	90,798.40				
<b>In Date:</b> 08/18/2011	<b>Close Date:</b> 08/24/2011				
<b>Problem</b>	ELECTRICAL	1.00	101847ENGINE STATUS CTR		1.00
<b>Problem</b>	ELECTRICAL	1.00	108-12FBEADED CHAIN W/CONN 12		3.00

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	V43660	Meter Reading:	91,356.30	Labor Hours	Description	Parts	Quantity
In Date:	09/14/2011	Close Date:	09/15/2011				
Problem	HURST POWER UNIT			1.50	HR149460107MOUNT VIBRATION (NEWER POWER UNITS)		4.00
Problem	HURST POWER UNIT			1.50			

10152010

Workorder:	V43686	Meter Reading:	91,356.30	Labor Hours	Description	Parts	Quantity
In Date:	09/14/2011	Close Date:	09/19/2011				
Problem	ANTI-WHEEL LOCK			1.00			
Problem	ANTI-WHEEL LOCK			1.00			

10152010

Workorder:	V43395	Meter Reading:	91,143.60	Labor Hours	Description	Parts	Quantity
In Date:	09/02/2011	Close Date:	09/28/2011				
Problem	PUMP PANEL GUAGES			1.00			
Problem	PUMP PANEL GUAGES			1.00			
Problem	ENGINE			0.50			
Problem	ENGINE			0.50			

10152010

Workorder:	V43920	Meter Reading:	91,562.00	Labor Hours	Description	Parts	Quantity
In Date:	09/26/2011	Close Date:	09/29/2011				
Problem	HOSE BED COVER			1.50			
Problem	HOSE BED COVER			1.50			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

**10152010**

Workorder:	V44027	Meter Reading:	91,562.00	Labor Hours	Description	Parts	Quantity
In Date:	09/29/2011	Close Date:	10/11/2011				
Problem	HURST POWER UNIT			0.50			
Problem	HURST POWER UNIT			0.50			

**10152010**

Workorder:	V45081	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	11/10/2011	Close Date:	11/14/2011				
Problem	STARTER			1.50			
Problem	STARTER			1.50			

**10152010**

Workorder:	V45295	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	11/19/2011	Close Date:	11/30/2011				
Problem	PUMP TESTING			2.00			
Problem	PUMP TESTING			2.00			

**10152010**

Workorder:	V45556	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	12/01/2011	Close Date:	12/01/2011				
Problem	HURST POWER UNIT			0.50			
Problem	HURST POWER UNIT			0.50			

**10152010**

Workorder:	V46094	Meter Reading:	92,936.20	Labor Hours	Description	Parts	Quantity
In Date:	12/27/2011	Close Date:	12/28/2011				
Problem	SPOTLIGHT			1.00	LB-D30BULB QUARTZ HAL. 12V 150W		2.00
Problem	SPOTLIGHT			1.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V46240	93,128.70				
In Date: 01/03/2012	Close Date: 01/10/2012				
Problem	HAND LIGHTS	1.00			
Problem	HAND LIGHTS	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V46543	93,250.80				
In Date: 01/12/2012	Close Date: 01/13/2012				
Problem	HURST POWER UNIT	1.00	180R002HURST HYD. FLUID QT		1.00
Problem	HURST POWER UNIT	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V46662	93,250.80				
In Date: 01/18/2012	Close Date: 01/19/2012				
Problem	COOLANT LEAK	1.00			
Problem	COOLANT LEAK	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V46144	92,936.20				
In Date: 12/28/2011	Close Date: 01/27/2012				
Problem	REPLACE FRONT TIRES E 17				
Problem	REPLACE FRONT TIRES E 17				

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V47309	93,704.00				
In Date:	Close Date:				
02/14/2012	02/16/2012				
<b>Problem</b>	S.C.B.A. BRACKETS	0.50			
			R90PFILTER FUEL 33231		1.00
<b>Problem</b>	S.C.B.A. BRACKETS	0.50		RAIRK30880N122WSKL4000 SENSOR WATER IN FUEL	1.00
<b>Problem</b>	HOSE	0.50			
<b>Problem</b>	HOSE	0.50			
<b>Problem</b>	FUEL FILTER	0.50			
<b>Problem</b>	FUEL FILTER	0.50			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V47119	93,704.00				
In Date:	Close Date:				
02/06/2012	02/28/2012				
<b>Problem</b>	AIR LEAK DIAGNOSIS	1.00			
			5460370530VPS SHIFT KIT	546-0370-53-0	1.00
<b>Problem</b>	AIR LEAK DIAGNOSIS	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V44535	0.00				
In Date:	Close Date:				
10/20/2011	03/09/2012				
<b>Problem</b>					
<b>Problem</b>					

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V47924	93,821.50				
In Date:	Close Date:				
03/13/2012	03/16/2012				
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.25			
			15W40QSYN OIL QT		12.00
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.25			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder: V47916 Meter Reading: 93,821.50

Labor Hours

Description

Parts

Quantity

In Date: 03/12/2012 Close Date: 03/20/2012

Problem ACCESSORIES/TRIM/MOLDINGS 0.25

Problem ACCESSORIES/TRIM/MOLDINGS 0.25

10152010

Workorder: V48244 Meter Reading: 93,821.50

Labor Hours

Description

Parts

Quantity

In Date: 03/27/2012 Close Date: 03/29/2012

Problem REPLACE REAR TIRES

Problem REPLACE REAR TIRES

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder: V47641 Meter Reading: 93,821.50

In Date: 02/29/2012 Close Date: 03/30/2012

		Labor Hours	Description	Parts	Quantity
<b>Problem</b>	EQUIPMENT MOUNTING BRACKETS	2.00			
			042-0550-00SPRING-VALVE QG RELIEF VALVE		1.00
<b>Problem</b>	EQUIPMENT MOUNTING BRACKETS	2.00			
			077-3930-00RING-COVER RETAINING (QG VALVE)		1.00
			3867043ORINGS		6.00
<b>Problem</b>	EQUIPMENT MOUNTING BRACKETS	3.00			
			3883284O-RING AIR INTAKE		1.00
			3917892GASKET		1.00
<b>Problem</b>	EQUIPMENT MOUNTING BRACKETS	3.00			
			3939284VALVE GASKET COVER		1.00
			3944646GASKET		1.00
<b>Problem</b>	EQUIPMENT MOUNTING BRACKETS	3.00			
			3944833PASS THRU INJECTOR		6.00
			3948529RXINJECTOR		6.00
<b>Problem</b>	FIRE PUMP SYSTEM	1.00			
			3992090RACK GASKET		1.00
			512-0070-00-0MIV HANDLE		1.00
<b>Problem</b>	FIRE PUMP SYSTEM	1.00			
			5269LPVM-5 SM MOUNT		5.00
			546-1620-02MASTER INTAKE KIT		1.00
<b>Problem</b>	FIRE PUMP SYSTEM	2.00			
			546126000TPM/QG HALE REPAIR KIT		1.00
			TH1QUICK MOUNT TOOL HOLDER		1.00
<b>Problem</b>	FIRE PUMP SYSTEM	2.00			
			TH2QUIC-MOUNT TOOL HOLDER		2.00
			UMVS162511STRAP		1.00
<b>Problem</b>	FIRE PUMP SYSTEM	2.00			
<b>Problem</b>	FIRE PUMP SYSTEM	2.00			
<b>Problem</b>	HOSE BED COVER	3.00			
<b>Problem</b>	HOSE BED COVER	3.00			
<b>Problem</b>	FIRE PUMP SYSTEM	5.00			
<b>Problem</b>	FIRE PUMP SYSTEM	5.00			
<b>Problem</b>	INTAKE VALVE	2.00			
<b>Problem</b>	INTAKE VALVE	2.00			
<b>Problem</b>	INJECTORS	2.75			
<b>Problem</b>	INJECTORS	2.75			
<b>Problem</b>	INJECTORS	6.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

<b>Problem</b>	INJECTORS	6.00
<b>Problem</b>	INJECTORS	2.00
<b>Problem</b>	INJECTORS	2.00
<b>Problem</b>	INJECTORS	2.00
<b>Problem</b>	INJECTORS	2.00
<b>Problem</b>	GASKETS	2.00
<b>Problem</b>	GASKETS	2.00
<b>Problem</b>	COMPARTMENTS	4.00
<b>Problem</b>	COMPARTMENTS	4.00
<b>Problem</b>	GASKETS	2.00
<b>Problem</b>	GASKETS	2.00
<b>Problem</b>	GASKETS	2.00
<b>Problem</b>	GASKETS	2.00
<b>Problem</b>	FIRE PUMP SYSTEM	2.00
<b>Problem</b>	FIRE PUMP SYSTEM	2.00
<b>Problem</b>	COMPARTMENTS	3.00
<b>Problem</b>	COMPARTMENTS	3.00
<b>Problem</b>	COMPARTMENTS	1.00
<b>Problem</b>	COMPARTMENTS	1.00
<b>Problem</b>	STEPS	1.00
<b>Problem</b>	STEPS	1.00

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V48263	93,821.50				
In Date: 03/28/2012	Close Date: 03/30/2012				
<b>Problem</b>	AIR LEAK DIAGNOSIS	2.00	037-1341-50-0VPS SHIFT KIT 2 PIECE		1.00
<b>Problem</b>	AIR LEAK DIAGNOSIS	2.00			
<b>Problem</b>	AIR LEAK DIAGNOSIS	1.00			
<b>Problem</b>	AIR LEAK DIAGNOSIS	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V48293	94,107.00				
In Date: 03/29/2012	Close Date: 04/02/2012				
<b>Problem</b>	LIGHTING	3.00	6000000003NODE HERCULES V-MUX		1.00
<b>Problem</b>	LIGHTING	3.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V48294	94,107.00				
In Date: 03/29/2012	Close Date: 04/02/2012				
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.50	UMVS111611STRAP		1.00
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.50			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder: V47663 Meter Reading: 93,821.50

In Date: 03/01/2012 Close Date: 04/03/2012

Problem	Description	Labor Hours	Parts	Quantity
MISC.SHOP EQUIPMENT WORK	101370017TAG INSERT	0.50		3.00
MISC.SHOP EQUIPMENT WORK	101370099BEZEL	0.50		3.00
SERVICE "T" CASE	107796DRYER KIT AD9 -NEW	0.50		1.00
SERVICE "T" CASE	18-29935-001RH DOOR LATCH NEW	0.50		1.00
SERVICE "T" CASE	1893BULB	0.50		3.00
SERVICE "T" CASE	35200-YLIGHT MARKER LEDAMBER	0.50		1.00
DRYER	52-24WIPER BLADES ANCO 24	1.00		2.00
DRYER	546-2210-02-OLIGHT KIT HALE	1.00		3.00
DRYER	6806970098SEAL DOOR	1.00		1.00
DRYER	6807200253GUIDE METAL	1.00		1.00
DRYER	6807200353GUIDE METAL	1.00		1.00
DRYER	6808300174VENT A/C RH	1.00		1.00
COOLING SYSTEM	78R536078R5360M 2PK FILTER AIR COND	1.00		1.00
COOLING SYSTEM	800405PURGE VALVE KIT	1.00		1.00
COOLING SYSTEM	91513AMBER LENS	1.00		2.00
COOLANT LEAK	A1834388002MOLD L/H	2.00		1.00
COOLANT LEAK	A1834388003MOLD R/H	2.00		1.00
COOLANT LEAK	CA8193AIR FILTER 46744 WIX	2.00		1.00
COOLANT LEAK	FS1022FILTER FUEL WIX 33422 PS8689 FRAM	2.00		1.00
COOLANT LEAK	HPH6349AOIL FILTER 51748	2.00		1.00
ACCESSORIES/TRIM/MOLDINGS	PR338324070 WIX FILTER WATER	2.50		1.00
ACCESSORIES/TRIM/MOLDINGS	R90PFILTER FUEL 33231	2.50		1.00
ACCESSORIES/TRIM/MOLDINGS	S1003-A3103015 SEAL	2.00		2.00
ACCESSORIES/TRIM/MOLDINGS		2.50		
ACCESSORIES/TRIM/MOLDINGS		2.00		
ACCESSORIES/TRIM/MOLDINGS		2.00		
WINDOW FRAME/VENT		2.00		
WINDOW FRAME/VENT		2.00		
ACCESSORIES/TRIM/MOLDINGS		0.50		
ACCESSORIES/TRIM/MOLDINGS		0.50		
DOORS		0.50		

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

<b>Problem</b>	DOORS	0.50
<b>Problem</b>	BLADES	0.25
<b>Problem</b>	BLADES	0.25
<b>Problem</b>	WINDSHIELD WIPER	0.25
<b>Problem</b>	WINDSHIELD WIPER	0.25
<b>Problem</b>	CAB DOOR	0.25
<b>Problem</b>	CAB DOOR	0.25
<b>Problem</b>	A/C,HEATING, & VENTILATION SYSTEM	0.25
<b>Problem</b>	A/C,HEATING, & VENTILATION SYSTEM	0.25
<b>Problem</b>	A/C FILTER	0.25
<b>Problem</b>	A/C FILTER	0.25
<b>Problem</b>	TURN SIGNALS	0.25
<b>Problem</b>	TURN SIGNALS	0.25
<b>Problem</b>	HOSE BED COVER	0.25
<b>Problem</b>	HOSE BED COVER	0.25
<b>Problem</b>	OIL LEAK	1.00
<b>Problem</b>	OIL LEAK	1.00
<b>Problem</b>	PM C INSPECTION PREVENTIVE MAINTENANCE	7.00
<b>Problem</b>	PM C INSPECTION PREVENTIVE MAINTENANCE	7.00
<b>Problem</b>	EQUIPMENT MOUNTING BRACKETS	0.25
<b>Problem</b>	EQUIPMENT MOUNTING BRACKETS	0.25

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.25
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.25
<b>Problem</b>	SEAT BELTS	0.25
<b>Problem</b>	SEAT BELTS	0.25
<b>Problem</b>	LATCHES	0.50
<b>Problem</b>	LATCHES	0.50
<b>Problem</b>	WATER LEAK	1.50
<b>Problem</b>	WATER LEAK	1.50
<b>Problem</b>	QUALITY CHECK	0.50
<b>Problem</b>	QUALITY CHECK	0.50
<b>Problem</b>	VEHICLE LIGHTS	0.50
<b>Problem</b>	VEHICLE LIGHTS	0.50
<b>Problem</b>	FUEL FILTER	0.50
<b>Problem</b>	FUEL FILTER	0.50
<b>Problem</b>	INTAKE VALVE	1.00
<b>Problem</b>	INTAKE VALVE	1.00

10152010

**Workorder:** V48309    **Meter Reading:** 94,107.00  
**In Date:** 03/30/2012    **Close Date:** 04/10/2012

		<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	2.00			
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	2.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder: V48621		Meter Reading: 94,368.70	Labor Hours	Description	Parts	Quantity
In Date: 04/12/2012		Close Date: 04/12/2012				
Problem	BRAKES FRONT		2.00	3758FRONT DRUM M2 ENGINE 3598 107453		2.00
Problem	BRAKES FRONT		2.00	450434450434 PLUG OIL HUB		2.00
Problem	BRAKES FRONT		2.00	KSR3014720QPBRAKE SHOES FRONT M2		2.00
Problem	BRAKES FRONT		2.00			
Problem	FOAM SYSTEM		0.25			
Problem	FOAM SYSTEM		0.25			

10152010

Workorder: V48602		Meter Reading: 94,368.70	Labor Hours	Description	Parts	Quantity
In Date: 04/11/2012		Close Date: 04/24/2012				
Problem	BRAKES		0.50			
Problem	BRAKES		0.50			

10152010

Workorder: V48641		Meter Reading: 94,368.70	Labor Hours	Description	Parts	Quantity
In Date: 04/13/2012		Close Date: 04/24/2012				
Problem	PUMP TESTING		1.00	55790-1350000008 ELECTRONIC THROTTLE	100076 FELSTED	1.00
Problem	PUMP TESTING		1.00			

10152010

Workorder: V48786		Meter Reading: 94,368.70	Labor Hours	Description	Parts	Quantity
In Date: 04/20/2012		Close Date: 04/24/2012				
Problem	TURN SIGNALS		2.00	6010000000NODE MINI V-MUX	6010-0000-00	1.00
Problem	TURN SIGNALS		2.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

**10152010**

<b>Workorder:</b>	V48644	<b>Meter Reading:</b>	94,368.70	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	04/13/2012	<b>Close Date:</b>	04/30/2012				
<b>Problem</b>	LIGHTING			1.00			
<b>Problem</b>	LIGHTING			1.00			

**10152010**

<b>Workorder:</b>	V49003	<b>Meter Reading:</b>	94,666.30	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	05/01/2012	<b>Close Date:</b>	05/04/2012				
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS			1.00	68318358710600 SER NON OPTIC AMBER		2.00
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS			1.00	68318358750600 NON OPTIC RED LENS		4.00

**10152010**

<b>Workorder:</b>	V49377	<b>Meter Reading:</b>	94,920.10	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	05/15/2012	<b>Close Date:</b>	05/29/2012				
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS			1.00			
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS			1.00			

**10152010**

<b>Workorder:</b>	V49452	<b>Meter Reading:</b>	95,147.10	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	05/17/2012	<b>Close Date:</b>	05/29/2012				
<b>Problem</b>	SIREN CONTROL HEAD			1.00			
<b>Problem</b>	SIREN CONTROL HEAD			1.00			

**10152010**

<b>Workorder:</b>	V49595	<b>Meter Reading:</b>	95,263.90	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	05/24/2012	<b>Close Date:</b>	05/31/2012				
<b>Problem</b>	HURST POWER UNIT			0.50			
<b>Problem</b>	HURST POWER UNIT			0.50			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V49729	95,263.90				
In Date:	Close Date:				
05/30/2012	06/04/2012				
<b>Problem</b>	HOSES/FITTINGS	1.00	REDG6S14023 GASKET 6 IN		5.00
<b>Problem</b>	HOSES/FITTINGS	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V49865	95,263.90				
In Date:	Close Date:				
06/04/2012	06/07/2012				
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	1.00	LB-D30BULB QUARTZ HAL. 12V 150W		2.00
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	1.00			
<b>Problem</b>	LATCHES	0.50			
<b>Problem</b>	LATCHES	0.50			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V49900	95,263.90				
In Date:	Close Date:				
06/05/2012	06/07/2012				
<b>Problem</b>	ELECTRICAL SYSTEM 12 VOLT	1.00			
<b>Problem</b>	ELECTRICAL SYSTEM 12 VOLT	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V50172	95,263.90				
In Date:	Close Date:				
06/16/2012	06/18/2012				
<b>Problem</b>	ELECTRICAL SYSTEM 12 VOLT	4.50	6010000000NODE MINI V-MUX	6010-0000-00	1.00
<b>Problem</b>	ELECTRICAL SYSTEM 12 VOLT	4.50			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V50414	95,263.90				
In Date: 06/26/2012	Close Date: 06/28/2012				
Problem LIGHTING		1.00			
Problem LIGHTING		1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V50462	95,263.90				
In Date: 06/28/2012	Close Date: 07/03/2012				
Problem SPOTLIGHT		1.00	H3LIGHT BULB	BP1255/H3 H	1.00
Problem SPOTLIGHT		1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V50661	96,068.00				
In Date: 07/07/2012	Close Date: 07/09/2012				
Problem LIGHTING					
Problem LIGHTING					
Problem LIGHTING					
Problem LIGHTING					

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	V51240	Meter Reading:	96,214.00	Labor Hours	Description	Parts	Quantity
In Date:	07/31/2012	Close Date:	08/02/2012				
Problem	ACCESSORIES/TRIM/MOLDINGS			1.00			
Problem	ACCESSORIES/TRIM/MOLDINGS			1.00			
Problem	COMPARTMENTS			0.50			
Problem	COMPARTMENTS			0.50			
Problem	SIREN SPEAKERS			0.50			
Problem	SIREN SPEAKERS			0.50			

10152010

Workorder:	V51930	Meter Reading:	96,919.00	Labor Hours	Description	Parts	Quantity
In Date:	08/27/2012	Close Date:	09/07/2012				
Problem	ELECTRICAL SYSTEM 12 VOLT				6010000000NODE MINI V-MUX	6010-0000-00	2.00
Problem	ELECTRICAL SYSTEM 12 VOLT				FS1022FILTER FUEL	WIX 33422 PS8689 FRAM	1.00
Problem	ELECTRICAL SYSTEM 12 VOLT				R90PFILTER FUEL	33231	1.00
Problem	ELECTRICAL SYSTEM 12 VOLT						

10152010

Workorder:	V52616	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	09/25/2012	Close Date:	09/26/2012				
Problem	gas fan does not run without choke more than 3/4 applied, even after warming up. RE17						
Problem	gas fan does not run without choke more than 3/4 applied, even after warming up. RE17						

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

**10152010**

<b>Workorder:</b>	V53568	<b>Meter Reading:</b>	0.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	11/06/2012	<b>Close Date:</b>	11/09/2012				
<b>Problem</b>	SEATS			1.00	15W40QSYN OIL QT		12.00
<b>Problem</b>	SEATS			1.00	UMVS056511STRAP		2.00
					UMVS111611STRAP		4.00

**10152010**

<b>Workorder:</b>	V53776	<b>Meter Reading:</b>	98,265.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	11/14/2012	<b>Close Date:</b>	12/06/2012				
<b>Problem</b>	B INSPECTION E17				3576REAR BRAKE DRUMS		2.00
<b>Problem</b>	B INSPECTION E17				CT4515METBRAKE LINNING		4.00
					KIT9081BRAKE HARDWARE KIT		2.00

**10152010**

<b>Workorder:</b>	V54022	<b>Meter Reading:</b>	0.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	11/27/2012	<b>Close Date:</b>	12/10/2012				
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS			0.50			
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS			0.50			

**10152010**

<b>Workorder:</b>	V54361	<b>Meter Reading:</b>	98,844.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	12/11/2012	<b>Close Date:</b>	12/27/2012				
<b>Problem</b>	DRAIN			0.25			
<b>Problem</b>	DRAIN			0.25			

**10152010**

<b>Workorder:</b>	V54363	<b>Meter Reading:</b>	98,844.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	12/11/2012	<b>Close Date:</b>	12/27/2012				
<b>Problem</b>	FOAM SYSTEM			0.50	4300-505PUMP FLOJET 12V		1.00
<b>Problem</b>	FOAM SYSTEM			0.50			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V54463	99,083.00				
In Date:	Close Date:				
12/17/2012	12/27/2012				
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.50			
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.50			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V54504	99,083.00				
In Date:	Close Date:				
12/19/2012	12/27/2012				
<b>Problem</b>	HURST POWER UNIT	1.00			
<b>Problem</b>	HURST POWER UNIT	1.00			
<b>Problem</b>	WATER LEAK	1.00			
<b>Problem</b>	WATER LEAK	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V54169	0.00				
In Date:	Close Date:				
12/03/2012	01/10/2013				
<b>Problem</b>	COOLANT LEAK	0.50	4076930SWITCH OIL PRESSURE		1.00
<b>Problem</b>	COOLANT LEAK	0.50			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V54677	0.00				
In Date:	Close Date:				
12/28/2012	01/10/2013				
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	1.00	538-1260-00VALVE THERMAL RELIEF		1.00
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	1.00			
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	1.00			
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	1.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V54801	0.00				
In Date:	Close Date:				
01/03/2013	01/10/2013				
<b>Problem</b>	COOLANT LEAK	1.00			
<b>Problem</b>	COOLANT LEAK	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V54918	99,290.00				
In Date:	Close Date:				
01/08/2013	01/16/2013				
<b>Problem</b>	PRIMER PUMP MOTOR	1.00	538028052VALVE PRIMER PUMP W/HARDWARE		1.00
<b>Problem</b>	PRIMER PUMP MOTOR	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V55282	0.00				
In Date:	Close Date:				
01/24/2013	01/29/2013				
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	1.00			
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V56509	153,168.00				
In Date:	Close Date:				
03/19/2013	03/27/2013				
<b>Problem</b>	LIGHTING	1.00	LB-D30BULB QUARTZ HAL. 12V 150W		2.00
<b>Problem</b>	LIGHTING	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V56442	153,168.00				
In Date:	Close Date:				
03/16/2013	03/28/2013				
<b>Problem</b>	EXHAUST SYSTEM	3.00	490124 IN EXH PIPE		10.00
<b>Problem</b>	EXHAUST SYSTEM	3.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

<b>Workorder:</b>	V56727	<b>Meter Reading:</b>	100,540.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	03/30/2013	<b>Close Date:</b>	04/05/2013				
<b>Problem</b>	LIGHTING			0.50			
<b>Problem</b>	LIGHTING			0.50			

10152010

<b>Workorder:</b>	V56734	<b>Meter Reading:</b>	100,540.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	03/31/2013	<b>Close Date:</b>	04/05/2013				
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR			1.00			
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR			1.00			

10152010

<b>Workorder:</b>	V52510	<b>Meter Reading:</b>	0.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	09/19/2012	<b>Close Date:</b>	04/08/2013				
<b>Problem</b>							
<b>Problem</b>							

10152010

<b>Workorder:</b>	V52847	<b>Meter Reading:</b>	97,967.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	10/04/2012	<b>Close Date:</b>	04/08/2013				
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS			0.50	68318358750600 NON OPTIC RED LENS		4.00
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS			0.50			

10152010

<b>Workorder:</b>	V57100	<b>Meter Reading:</b>	100,988.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	04/17/2013	<b>Close Date:</b>	04/19/2013				
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR			1.00			
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR			1.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

<b>Workorder:</b>	V57135	<b>Meter Reading:</b>	100,988.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	04/18/2013	<b>Close Date:</b>	04/23/2013	<hr/>			
<b>Problem</b>	INTAKE VALVE			1.00			
<b>Problem</b>	INTAKE VALVE			1.00			

10152010

<b>Workorder:</b>	V57260	<b>Meter Reading:</b>	0.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	04/24/2013	<b>Close Date:</b>	04/30/2013	<hr/>			
<b>Problem</b>	ELECTRICAL SYSTEM 12 VOLT			0.50			
<b>Problem</b>	ELECTRICAL SYSTEM 12 VOLT			0.50			

10152010

<b>Workorder:</b>	V57456	<b>Meter Reading:</b>	0.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	05/03/2013	<b>Close Date:</b>	05/08/2013	<hr/>			
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS			1.00	4626BPMR7A SPARK PLUG		2.00
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS			1.00			

10152010

<b>Workorder:</b>	V58075	<b>Meter Reading:</b>	101,636.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	05/30/2013	<b>Close Date:</b>	06/12/2013	<hr/>			
<b>Problem</b>	GENERATOR			1.00			
<b>Problem</b>	GENERATOR			1.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder: V58483		Meter Reading: 101,880.00	Labor Hours	Description	Parts	Quantity
In Date: 06/17/2013		Close Date: 06/24/2013				
Problem	HOOD		5.00			
Problem	HOOD		5.00			
Problem	HOOD		2.50			
Problem	HOOD		2.50			
Problem	HOOD		3.00			
Problem	HOOD		3.00			

10152010

Workorder: V58286		Meter Reading: 101,768.00	Labor Hours	Description	Parts	Quantity
In Date: 06/10/2013		Close Date: 07/02/2013				
Problem	BODY,EXTERIOR		1.00			
Problem	BODY,EXTERIOR		1.00			

10152010

Workorder: V58434		Meter Reading: 101,880.00	Labor Hours	Description	Parts	Quantity
In Date: 06/14/2013		Close Date: 07/09/2013				
Problem	EQUIPMENT MOUNTING BRACKETS		2.00			
Problem	EQUIPMENT MOUNTING BRACKETS		2.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V58706	102,119.00				
In Date:	Close Date:				
06/26/2013	07/18/2013				
<b>Problem</b>	HOOD	5.00			
<b>Problem</b>	HOOD	5.00			
<b>Problem</b>	HOOD	1.00			
<b>Problem</b>	HOOD	1.00			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V59084	102,422.00				
In Date:	Close Date:				
07/15/2013	07/18/2013				
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	1.50			
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	1.50			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V59409	102,634.00				
In Date:	Close Date:				
07/29/2013	07/31/2013				
<b>Problem</b>	INTAKE SYSTEM	1.50	I03100PT-2XE-IO3100PT3-S0B	600 TRANSDUCER INT	1.00
<b>Problem</b>	INTAKE SYSTEM	1.50			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V59861	158,883.00				
In Date:	Close Date:				
08/16/2013	09/03/2013				
<b>Problem</b>	WATER LEAK	0.50	0467020000VALVE SEAT DRAIN		1.00
<b>Problem</b>	WATER LEAK	0.50	108-12FBEADED CHAIN W/CONN 12		2.00
<b>Problem</b>	WATER LEAK	0.25			
<b>Problem</b>	WATER LEAK	0.25			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder: V59906 Meter Reading: 158,883.00

In Date: 08/19/2013 Close Date: 09/03/2013

		Labor Hours	Description	Parts	Quantity
<b>Problem</b>	INTAKE VALVE	1.00			
<b>Problem</b>	INTAKE VALVE	1.00			
<b>Problem</b>	ON-BOARD GENERATOR	0.25			
<b>Problem</b>	ON-BOARD GENERATOR	0.25			
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.50			
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.50			
<b>Problem</b>	STRETCHER	0.25			
<b>Problem</b>	STRETCHER	0.25			
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	1.75			
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	1.75			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder: V59909 Meter Reading: 158,883.00

In Date: 08/19/2013 Close Date: 09/05/2013

		Labor Hours	Description	Parts	Quantity
<b>Problem</b>	A/C COMPRESSOR	1.00			
<b>Problem</b>	A/C COMPRESSOR	1.00			
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	2.00			
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	2.00			
<b>Problem</b>	HURST TOOL CUTTERS	1.00			
<b>Problem</b>	HURST TOOL CUTTERS	1.00			
<b>Problem</b>	HURST TOOL CUTTERS	0.25			
<b>Problem</b>	HURST TOOL CUTTERS	0.25			

10152010

Workorder: V58432 Meter Reading: 102,957.00

In Date: 06/14/2013 Close Date: 09/10/2013

		Labor Hours	Description	Parts	Quantity
<b>Problem</b>					
<b>Problem</b>					

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	V59908	Meter Reading:	158,883.00	Labor Hours	Description	Parts	Quantity
In Date:	08/19/2013	Close Date:	09/11/2013				
<b>Problem</b>	SERVICE REAR AXLE			0.50	082-2007-00-0GREASE ZERK W/CHECK VLV		2.00
					104967DIAPHRAM FOR 6 PORT DUMP VALVE		1.00
<b>Problem</b>	SERVICE REAR AXLE			0.50	107796DRYER KIT AD9 -NEW		1.00
					107800VALVE CHECK AD9		1.00
<b>Problem</b>	SERVICE POWER STEERING			0.75	14022-1-5COOLER 14032		1.00
					15W40BSYN OIL BULK QTS		25.00
<b>Problem</b>	SERVICE POWER STEERING			0.75	25-358SWITCH COVER		1.00
					29526898 29548988 TRANS FILTER ALLISON		1.00
<b>Problem</b>	BRAKES REAR			4.00	35200-RLIGHT MARKER LED RED		3.00
					3576REAR BRAKE DRUMS		2.00
<b>Problem</b>	BRAKES REAR			4.00	372000030BATTERY ON DISPLAY		1.00
					39768315259022 GROOVED TENSIONER OLD#3936213		1.00
<b>Problem</b>	TIRE REPAIR			0.25	4300-505PUMP FLOJET 12V		1.00
					512-0070-00-0MIV HANDLE		1.00
<b>Problem</b>	TIRE REPAIR			0.25	52-24WIPER BLADES ANCO 24		2.00
					78R536078R5360M 2PK FILTER AIR COND		1.00
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS			1.75	800405PURGE VALVE KIT		1.00
					9440BELT		1.00
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS			1.75	9480BELT		1.00
					A0924LADDER OUT OF SERVICE STICKER		24.00
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS			1.75	A1712756000HOOD CABLE		1.00
					CA8193AIR FILTER 46744 WIX		1.00
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS			1.00	FG87904MFG3937557S FILTER P/S NEW STYLE		1.00
					FGQ79699GASKET-P/S FILTER NEW STYLE		1.00
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS			1.00	FS1022FILTER FUEL WIX 33422 PS8689 FRAM		1.00
					HPH6349AOIL FILTER 51748		1.00
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS			0.25	K080716BELT		1.00
					L PLACARDLARGE SIDE PLACARD		2.00
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS			0.25	L PLACARD INSERTLARGE PLACARD INSERT CARD		2.00
					PR338324070 WIX FILTER WATER		1.00
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS			0.25	PVG-KITORING KIT		1.00
					R90PFILTER FUEL 33231		1.00
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS			0.25	S PLACARDFRONT AND BACK PLACARD		2.00
					S PLACARD INSERTFRONT AND BACK INSERT CARD		2.00
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS			0.25	SD-210RXSIREN DRIVER SMALL		1.00
					TRANSYNDALLISON TRANS FLUID GAL		6.00
<b>Problem</b>	SEATS			0.50	WAT61403STRAINER 6 IN		1.00
					XK4034707QPMHD SHOE KIT 3/8 BEAM		2.00
<b>Problem</b>	SEATS			0.50			
<b>Problem</b>	SEATS			0.25			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

<b>Problem</b>	SEATS	0.25
<b>Problem</b>	HOSE REEL	0.25
<b>Problem</b>	HOSE REEL	0.25
<b>Problem</b>	REPLACE BELT TENSIONER	1.50
<b>Problem</b>	REPLACE BELT TENSIONER	1.50
<b>Problem</b>	DRYER/ACCUMULATOR	1.25
<b>Problem</b>	DRYER/ACCUMULATOR	1.25
<b>Problem</b>	TRANSFER CASE	0.50
<b>Problem</b>	TRANSFER CASE	0.50
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.25
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.25
<b>Problem</b>	WATER TANK LEVEL GAUGE	1.75
<b>Problem</b>	WATER TANK LEVEL GAUGE	1.75
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.75
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.75
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.75
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.75
<b>Problem</b>	GENERATOR	1.00
<b>Problem</b>	GENERATOR	1.00
<b>Problem</b>	PM C INSPECTION PREVENTIVE MAINTENANCE	1.50
<b>Problem</b>	PM C INSPECTION PREVENTIVE MAINTENANCE	1.50

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

<b>Problem</b>	PM C INSPECTION PREVENTIVE MAINTENANCE	7.00
<b>Problem</b>	PM C INSPECTION PREVENTIVE MAINTENANCE	7.00
<b>Problem</b>	PM C INSPECTION PREVENTIVE MAINTENANCE	1.00
<b>Problem</b>	PM C INSPECTION PREVENTIVE MAINTENANCE	1.00
<b>Problem</b>	SEATS	0.50
<b>Problem</b>	SEATS	0.50
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.50
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.50
<b>Problem</b>	GRAPHICS-LETTERING	4.75
<b>Problem</b>	GRAPHICS-LETTERING	4.75
<b>Problem</b>	HOOD	0.25
<b>Problem</b>	HOOD	0.25
<b>Problem</b>	BLADES	0.25
<b>Problem</b>	BLADES	0.25
<b>Problem</b>	VALVES	2.00
<b>Problem</b>	VALVES	2.00
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.50
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.50
<b>Problem</b>	BATTERY OR BATTERY SYSTEM	0.25
<b>Problem</b>	BATTERY OR BATTERY SYSTEM	0.25
<b>Problem</b>	HEADLINER	0.50

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

<b>Problem</b>	HEADLINER	0.50
<b>Problem</b>	PUMP PANEL GUAGES	0.25
<b>Problem</b>	PUMP PANEL GUAGES	0.25
<b>Problem</b>	EQUIPMENT MOUNTING BRACKETS	0.25
<b>Problem</b>	EQUIPMENT MOUNTING BRACKETS	0.25
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.25
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.25
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.50
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.50
<b>Problem</b>	AIR HOSE	0.25
<b>Problem</b>	AIR HOSE	0.25
<b>Problem</b>	U-BOLTS	0.50
<b>Problem</b>	U-BOLTS	0.50
<b>Problem</b>	DOOR PANELS	0.25
<b>Problem</b>	DOOR PANELS	0.25
<b>Problem</b>	SERVICE TRANSMISSION	1.00
<b>Problem</b>	SERVICE TRANSMISSION	1.00
<b>Problem</b>	STARTER	0.50
<b>Problem</b>	STARTER	0.50
<b>Problem</b>	FUEL	0.50
<b>Problem</b>	FUEL	0.50

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

<b>Problem</b>	FOAM SYSTEM	2.75
<b>Problem</b>	FOAM SYSTEM	2.75
<b>Problem</b>	FOAM SYSTEM	1.25
<b>Problem</b>	FOAM SYSTEM	1.25
<b>Problem</b>	AIR LEAK DIAGNOSIS	0.50
<b>Problem</b>	AIR LEAK DIAGNOSIS	0.50
<b>Problem</b>	WIRING	0.25
<b>Problem</b>	WIRING	0.25
<b>Problem</b>	EGR COOLER	3.00
<b>Problem</b>	EGR COOLER	3.00
<b>Problem</b>	BRAKES REAR	0.50
<b>Problem</b>	BRAKES REAR	0.50
<b>Problem</b>	WATER LEAK	0.50
<b>Problem</b>	WATER LEAK	0.50

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder: V60442 Meter Reading: 102,957.00

In Date: 09/11/2013 Close Date: 09/11/2013

		Labor Hours	Description	Parts	Quantity
Problem	WATER LEAK	0.25			
Problem	WATER LEAK	0.25			
Problem	WATER LEAK	0.50			
Problem	WATER LEAK	0.50			
Problem	EXHAUST SYSTEM	0.50			
Problem	EXHAUST SYSTEM	0.50			
Problem	AIR LEAK DIAGNOSIS	1.00			
Problem	AIR LEAK DIAGNOSIS	1.00			
Problem	AIR LEAK DIAGNOSIS	1.00			
Problem	AIR LEAK DIAGNOSIS	1.00			
Problem	FUEL SYSTEM	0.50			
Problem	FUEL SYSTEM	0.50			
Problem	QUALITY CHECK	0.50			
Problem	QUALITY CHECK	0.50			

10152010

Workorder: V60341 Meter Reading: 102,957.00

In Date: 09/06/2013 Close Date: 09/18/2013

		Labor Hours	Description	Parts	Quantity
Problem	ELECTRICAL SYSTEM 12 VOLT	0.50			
Problem	ELECTRICAL SYSTEM 12 VOLT	0.50			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V61130	103,426.00				
<b>In Date:</b>	<b>Close Date:</b>				
10/09/2013	10/18/2013				
<b>Problem</b>	ELECTRICAL SYSTEM 12 VOLT	1.00			
			56415CIG. LIGHTER ACCES.		1.00
<b>Problem</b>	ELECTRICAL SYSTEM 12 VOLT	1.00			
			LB-D30BULB QUARTZ HAL. 12V 150W		2.00
<b>Problem</b>	SCENE LIGHTS	0.50			
<b>Problem</b>	SCENE LIGHTS	0.50			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V60831	50,996.00				
<b>In Date:</b>	<b>Close Date:</b>				
09/27/2013	10/22/2013				
<b>Problem</b>	VEHICLE LIGHTS	0.25			
<b>Problem</b>	VEHICLE LIGHTS	0.25			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V61750	0.00				
<b>In Date:</b>	<b>Close Date:</b>				
11/04/2013	11/14/2013				
<b>Problem</b>	AIR HORN	0.25			
<b>Problem</b>	AIR HORN	0.25			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V61868	0.00				
<b>In Date:</b>	<b>Close Date:</b>				
11/07/2013	11/14/2013				
<b>Problem</b>	HURST POWER UNIT	0.50			
<b>Problem</b>	HURST POWER UNIT	0.50			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V62399	104,280.00				
In Date:	Close Date:				
12/02/2013	12/23/2013				
<b>Problem</b>	MIRRORS	0.50			
<b>Problem</b>	MIRRORS	0.50			
<b>Problem</b>	LIGHTING	0.50			
<b>Problem</b>	LIGHTING	0.50			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V62716	104,442.00				
In Date:	Close Date:				
12/14/2013	12/26/2013				
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.25	LB-D30BULB QUARTZ HAL. 12V 150W		1.00
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.25			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V62744	104,442.00				
In Date:	Close Date:				
12/16/2013	12/26/2013				
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	1.00	LB-D30BULB QUARTZ HAL. 12V 150W		1.00
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V63191	104,967.00				
In Date:	Close Date:				
01/07/2014	01/07/2014				
<b>Problem</b>	ACTUATOR, VALVE	2.25	102AKRON LONG ARM RC-4		1.00
<b>Problem</b>	ACTUATOR, VALVE	2.25			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V63387	105,246.00				
In Date:	Close Date:				
01/14/2014	01/15/2014				
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR	1.50			
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR	1.50			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V62901	0.00				
In Date:	Close Date:				
12/23/2013	01/17/2014				
<b>Problem</b>	PUMP PANEL GUAGES	0.75	546-2210-02-0LIGHT KIT HALE FCA100-V15LED SCENELIGHT HEAD		1.00
<b>Problem</b>	PUMP PANEL GUAGES	0.75			2.00
<b>Problem</b>	PUMP PANEL GUAGES	1.50			
<b>Problem</b>	PUMP PANEL GUAGES	1.50			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V63200	0.00				
In Date:	Close Date:				
01/07/2014	01/17/2014				
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	1.00			
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V63024	104,730.90				
In Date:	Close Date:				
12/30/2013	01/23/2014				
<b>Problem</b>	FAN		16957-ZE1-812HONDA FUEL GROMET GX160HONDA FUEL CAP		3.00
<b>Problem</b>	FAN				1.00
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.75			
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.75			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V63569	0.00				
<b>In Date:</b> 01/21/2014	<b>Close Date:</b> 01/31/2014				
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	1.00			
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	1.00			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V63695	0.00				
<b>In Date:</b> 01/25/2014	<b>Close Date:</b> 01/31/2014				
<b>Problem</b>			15W40QSYN OIL QT		12.00
<b>Problem</b>					

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V63747	0.00				
<b>In Date:</b> 01/27/2014	<b>Close Date:</b> 02/03/2014				
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.50			
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS	0.50			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V63911	0.00				
<b>In Date:</b> 02/02/2014	<b>Close Date:</b> 02/03/2014				
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR	0.50			
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR	0.50			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V64162	0.00				
<b>In Date:</b> 02/12/2014	<b>Close Date:</b> 02/13/2014				
<b>Problem</b>	VEHICLE LIGHTS	1.00	372000084MARKER LIGHT		2.00
<b>Problem</b>	VEHICLE LIGHTS	1.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V63871	0.00				
In Date:	Close Date:				
01/31/2014	03/10/2014				
<b>Problem</b>		1.00			
<b>Problem</b>		1.00			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V64768	0.00				
In Date:	Close Date:				
03/07/2014	03/14/2014				
<b>Problem</b>	PRIMER PUMP MOTOR	1.00			
<b>Problem</b>	PRIMER PUMP MOTOR	1.00			
<b>Problem</b>	PRIMER PUMP MOTOR	1.50			
<b>Problem</b>	PRIMER PUMP MOTOR	1.50			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V65035	0.00				
In Date:	Close Date:				
03/18/2014	03/28/2014				
<b>Problem</b>	HOSE BED COVER	1.00			
<b>Problem</b>	HOSE BED COVER	1.00			

**10152010**

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V65062	0.00				
In Date:	Close Date:				
03/20/2014	03/28/2014				
<b>Problem</b>	INTAKE SYSTEM	1.00			
<b>Problem</b>	INTAKE SYSTEM	1.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	V65368	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	04/01/2014	Close Date:	04/07/2014				
Problem	ACCESSORIES/TRIM/MOLDINGS			1.00	REDG6S14023 GASKET 6 IN		2.00
Problem	ACCESSORIES/TRIM/MOLDINGS			1.00			

10152010

Workorder:	V65443	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	04/04/2014	Close Date:	04/14/2014				
Problem	ACCESSORIES/TRIM/MOLDINGS			0.25	14151-50SOOGREDHEAD CAP GASKET 5IN		1.00
Problem	ACCESSORIES/TRIM/MOLDINGS			0.25	G5095 IN STORZ GASKET BLACK MAX		1.00

10152010

Workorder:	V65579	Meter Reading:	0.00	Labor Hours	Description	Parts	Quantity
In Date:	04/09/2014	Close Date:	04/14/2014				
Problem	TIRE REPAIR			0.25	516TIRE INFLATOR		1.00
Problem	TIRE REPAIR			0.25			
Problem	TIRE REPAIR			0.25			
Problem	TIRE REPAIR			0.25			

10152010

Workorder:	V65751	Meter Reading:	105,782.00	Labor Hours	Description	Parts	Quantity
In Date:	04/16/2014	Close Date:	04/17/2014				
Problem	ACCESSORIES/TRIM/MOLDINGS			1.00	S693AIR CHUCK		2.00
Problem	ACCESSORIES/TRIM/MOLDINGS			1.00	S777COUPLING NIPPLE		2.00
					S986AIR GAUGE 160 PSI		1.00

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

**10152010**

<b>Workorder:</b>	V65868	<b>Meter Reading:</b>	105,782.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	04/22/2014	<b>Close Date:</b>	04/22/2014				
<b>Problem</b>	AIR LEAK DIAGNOSIS			1.50	FSC17492134NC SW PARK BK SPADE TYPE CONNECTOR		2.00
<b>Problem</b>	AIR LEAK DIAGNOSIS			1.50			

**10152010**

<b>Workorder:</b>	V66094	<b>Meter Reading:</b>	0.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	04/30/2014	<b>Close Date:</b>	05/13/2014				
<b>Problem</b>	AIR HORN			0.50	1094KIT-AIR HORN-GROVER		1.00
<b>Problem</b>	AIR HORN			0.50			

**10152010**

<b>Workorder:</b>	V66399	<b>Meter Reading:</b>	0.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	05/12/2014	<b>Close Date:</b>	05/13/2014				
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS			0.50			
<b>Problem</b>	ACCESSORIES/TRIM/MOLDINGS			0.50			

**10152010**

<b>Workorder:</b>	V66794	<b>Meter Reading:</b>	0.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	05/27/2014	<b>Close Date:</b>	06/11/2014				
<b>Problem</b>	RELACE ALL BELTS			0.50			
<b>Problem</b>	RELACE ALL BELTS			0.50			

**10152010**

<b>Workorder:</b>	V67716	<b>Meter Reading:</b>	123,456.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	07/07/2014	<b>Close Date:</b>	07/07/2014				
<b>Problem</b>	BATTERY OR BATTERY SYSTEM				BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY		4.00
<b>Problem</b>	BATTERY OR BATTERY SYSTEM				HP-31DBATTERY 950CCA HP-31D		4.00

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder: V66982 Meter Reading: 0.00  
In Date: 06/04/2014 Close Date: 07/14/2014

Labor Hours	Description	Parts	Quantity
-------------	-------------	-------	----------

Problem

Problem

10152010

Workorder: V66773 Meter Reading: 0.00  
In Date: 05/27/2014 Close Date: 07/15/2014

Labor Hours	Description	Parts	Quantity
-------------	-------------	-------	----------

Problem

Problem

10152010

Workorder: V67350 Meter Reading: 0.00  
In Date: 06/20/2014 Close Date: 07/15/2014

Labor Hours	Description	Parts	Quantity
-------------	-------------	-------	----------

Problem

522-94-20-01K970 CARB 1.00

Problem

10152010

Workorder: V67950 Meter Reading: 108,788.00  
In Date: 07/16/2014 Close Date: 07/17/2014

Labor Hours	Description	Parts	Quantity
-------------	-------------	-------	----------

Problem AIR LEAK DIAGNOSIS

2.00

5460370530VPS SHIFT KIT 546-0370-53-0 1.00

Problem AIR LEAK DIAGNOSIS

2.00

10152010

Workorder: V68021 Meter Reading: 0.00  
In Date: 07/18/2014 Close Date: 07/22/2014

Labor Hours	Description	Parts	Quantity
-------------	-------------	-------	----------

Problem

1.00

180R002HURST HYD. FLUID QT 1.00

Problem

1.00

353R091USE 353R403 HURST HOSE 16 GREEN 1.00

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

**10152010**

<b>Workorder:</b> V68252	<b>Meter Reading:</b> 0.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b> 07/29/2014	<b>Close Date:</b> 08/05/2014				
<b>Problem</b>		1.00	16957-ZE1-812HONDA FUEL GROMET		1.00
<b>Problem</b>		1.00			

**10152010**

<b>Workorder:</b> V68278	<b>Meter Reading:</b> 0.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b> 07/30/2014	<b>Close Date:</b> 08/05/2014				
<b>Problem</b>		1.50	5269LPVM-5 SM MOUNT		2.00
<b>Problem</b>		1.50	H6054USE CV TYPE SEALED BEAM		1.00

**10152010**

<b>Workorder:</b> V68294	<b>Meter Reading:</b> 0.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b> 08/05/2014	<b>Close Date:</b> 08/07/2014				
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR	1.00	FZ-K190-1MOTOR MOUNT RAM FAN	GF165	4.00
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR	1.00			

**10152010**

<b>Workorder:</b> V67951	<b>Meter Reading:</b> 0.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b> 07/16/2014	<b>Close Date:</b> 08/15/2014				
<b>Problem</b>					
<b>Problem</b>					

**10152010**

<b>Workorder:</b> V68483	<b>Meter Reading:</b> 0.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b> 08/07/2014	<b>Close Date:</b> 08/15/2014				
<b>Problem</b>		1.00			
<b>Problem</b>		1.00			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

**10152010**

<b>Workorder:</b>	V68568	<b>Meter Reading:</b>	109,413.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	08/11/2014	<b>Close Date:</b>	08/21/2014				
<b>Problem</b>	B inspection E17 by OCS				FS1022FILTER FUEL WIX 33422 PS8689 FRAM		1.00
<b>Problem</b>	B inspection E17 by OCS				HPH6349AOIL FILTER 51748		1.00
					R90PFILTER FUEL 33231		1.00

**10152010**

<b>Workorder:</b>	V69190	<b>Meter Reading:</b>	0.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	09/05/2014	<b>Close Date:</b>	09/08/2014				
<b>Problem</b>							
<b>Problem</b>							

**10152010**

<b>Workorder:</b>	V69189	<b>Meter Reading:</b>	109,875.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	09/05/2014	<b>Close Date:</b>	09/09/2014				
<b>Problem</b>	PUMP SYSTEM			0.50	101847ENGINE STATUS CTR		1.00
<b>Problem</b>	PUMP SYSTEM			0.50			

**10152010**

<b>Workorder:</b>	V69199	<b>Meter Reading:</b>	109,964.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	09/06/2014	<b>Close Date:</b>	09/09/2014				
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR			1.00	31-907STARTER GRIP		1.00
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR			1.00			

**10152010**

<b>Workorder:</b>	V69274	<b>Meter Reading:</b>	109,964.00	<b>Labor Hours</b>	<b>Description</b>	<b>Parts</b>	<b>Quantity</b>
<b>In Date:</b>	09/10/2014	<b>Close Date:</b>	09/16/2014				
<b>Problem</b>	A/C,HEATING, & VENTILATION SYSTEM			1.50	ABPN8332229011-3050 SWITCH BLOWER		1.00
<b>Problem</b>	A/C,HEATING, & VENTILATION SYSTEM			1.50			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V69327	109,964.00				
In Date: 09/12/2014	Close Date: 09/17/2014				
<b>Problem</b>	BATTERY CHARGER	0.50			
<b>Problem</b>	BATTERY CHARGER	0.50			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V69329	109,964.00				
In Date: 09/12/2014	Close Date: 09/17/2014				
<b>Problem</b>	TEMPERATURE GAUGE	0.50			
<b>Problem</b>	TEMPERATURE GAUGE	0.50			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V69647	0.00				
In Date: 09/24/2014	Close Date: 10/08/2014				
<b>Problem</b>					
<b>Problem</b>					

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V69898	0.00				
In Date: 10/04/2014	Close Date: 10/22/2014				
<b>Problem</b>	FUEL SYSTEM	1.00	3944694 5 INJECTOR TUBE KIT		1.00
<b>Problem</b>	FUEL SYSTEM	1.00			
<b>Problem</b>	FUEL SYSTEM	1.50			
<b>Problem</b>	FUEL SYSTEM	1.50			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V69993	1,234.00				
In Date: 10/08/2014	Close Date: 10/22/2014				
Problem	FUEL SYSTEM				
Problem	FUEL SYSTEM				

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V69266	1,234.00				
In Date: 09/10/2014	Close Date: 10/29/2014				
Problem	BATTERY CHARGER	0.50			
Problem	BATTERY CHARGER	0.50			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V69650	11,240.00				
In Date: 09/24/2014	Close Date: 10/29/2014				
Problem	PRIMER PUMP MOTOR	1.25			
Problem	PRIMER PUMP MOTOR	1.25			
Problem	PRIMER PUMP MOTOR	0.25			
Problem	PRIMER PUMP MOTOR	0.25			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V70610	110,892.00				
In Date: 10/31/2014	Close Date: 10/31/2014				
Problem	FUEL SYSTEM				
Problem	FUEL SYSTEM				

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V70422	110,711.00				
In Date:	Close Date:				
10/24/2014	11/05/2014				
Problem	HURST POWER UNIT				
Problem	HURST POWER UNIT				

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V70436	110,892.00				
In Date:	Close Date:				
10/25/2014	11/07/2014				
Problem	ELECTRICAL	1.00	800405PURGE VALVE KIT		1.00
Problem	ELECTRICAL	1.00			
Problem	ELECTRICAL	1.50			
Problem	ELECTRICAL	1.50			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V70902	0.00				
In Date:	Close Date:				
11/13/2014	12/02/2014				
Problem	SMALL ENGINE REPAIR, SAW, GENERATOR				0.25
Problem	SMALL ENGINE REPAIR, SAW, GENERATOR				0.25

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V71635	0.00				
In Date:	Close Date:				
12/14/2014	01/02/2015				
Problem					
Problem					

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V70756	0.00				
In Date: 11/06/2014	Close Date: 01/06/2015				
<b>Problem</b>	AIR LEAK DIAGNOSIS	1.00			
<b>Problem</b>	AIR LEAK DIAGNOSIS	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V71978	0.00				
In Date: 01/01/2015	Close Date: 01/07/2015				
<b>Problem</b>					
<b>Problem</b>					

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V72071	112,049.00				
In Date: 01/06/2015	Close Date: 01/09/2015				
<b>Problem</b>	PRIMER PUMP MOTOR	1.00	200-2450-00NC SWITCH OK TO PUMP		2.00
<b>Problem</b>	PRIMER PUMP MOTOR	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V72811	0.00				
In Date: 02/02/2015	Close Date: 02/10/2015				
<b>Problem</b>	LIGHTING	1.00	FCA100-V15LED SCENELIGHT HEAD		1.00
<b>Problem</b>	LIGHTING	1.00			

10152010

Workorder:	Meter Reading:	Labor Hours	Description	Parts	Quantity
V73178	0.00				
In Date: 02/16/2015	Close Date: 02/23/2015				
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR	1.50			
<b>Problem</b>	SMALL ENGINE REPAIR, SAW, GENERATOR	1.50			

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

10152010

Workorder: V73705 Meter Reading: 81,674.00

In Date: 03/06/2015 Close Date: 05/21/2015

Problem	Description	Labor Hours	Parts	Quantity
EXHAUST SYSTEM	04-19999-000EXH PIPE	5.75		1.00
EXHAUST SYSTEM	05-17223-000CAP RADIATOR 10 LB	5.75		1.00
EXHAUST SYSTEM	1094KIT-AIR HORN-GROVER			1.00
EXHAUST SYSTEM	1891BULB			1.00
COOLANT LEAK	357884 IN CLAMP	0.50		2.00
COOLANT LEAK	3818824TURBO NUT			4.00
COOLANT LEAK	39013563901356 EXH.GASKET	0.50		1.00
COOLANT LEAK	3905216VCLAMP TURBO SIDE HORTON			2.00
AXLES,DRIVEN	3911638PLUG OIL DRAIN C	1.25		1.00
AXLES,DRIVEN	39121833286499 HOSE OIL RETURN			1.00
AXLES,DRIVEN	3920773WASHER DRAIN PLUG	1.25		1.00
AXLES,DRIVEN	3922794SEAL O RING			1.00
AXLES,DRIVEN	39374795269779 EXHAUST GASKET C			6.00
PM C INSPECTION PREVENTIVE MAINTENANCE	3944593EXH. MAN. BOLT	10.50		12.00
PM C INSPECTION PREVENTIVE MAINTENANCE	3945252SPACER EXH. MAN.			1.00
PM C INSPECTION PREVENTIVE MAINTENANCE	440-5 VALVE EXT.	10.50		2.00
FIRE PUMP SYSTEM	519007110SLIDE CONTROL 519-0071-10			1.00
FIRE PUMP SYSTEM	52-24WIPER BLADES ANCO 24	2.00		2.00
FIRE PUMP SYSTEM	5264569DRAIN GASKET 3937706			1.00
FIRE PUMP SYSTEM	538-1410-00VALVE SENSING SV HALE	2.00		1.00
FIRE PUMP SYSTEM	538028052VALVE PRIMER PUMP W/HARDWARE			1.00
FIRE PUMP SYSTEM	546126000TPM/QG HALE REPAIR KIT	2.00		1.00
EXHAUST SYSTEM	562008002PM CONTROL 562-0080-02	7.25		1.00
EXHAUST SYSTEM	78R536078R5360M 2PK FILTER AIR COND			1.00
EXHAUST SYSTEM	AMH-1AMH-1 VALVE EXTENSION	7.25		1.00
EXHAUST SYSTEM	CA8193AIR FILTER 46744 WIX			1.00
EXHAUST SYSTEM	FS1022FILTER FUEL WIX 33422 PS8689 FRAM	7.25		1.00
PUMP SYSTEM	H6054BLH6054CVC1 HEADLIGHT EXTRA BRIGHT	2.50		1.00
PUMP SYSTEM	HPH6349AOIL FILTER 51748			1.00
PUMP SYSTEM	R90PFILTER FUEL 33231	2.50		1.00
PUMP SYSTEM	S448GAUGE TIRE TREAD DEPTH			1.00
VALVES		0.75		
VALVES		0.75		
PUMP SYSTEM		0.50		
PUMP SYSTEM		0.50		
LIGHTING		0.25		

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

<b>Problem</b>	LIGHTING	0.25
<b>Problem</b>	WINDSHIELD WIPER	0.25
<b>Problem</b>	WINDSHIELD WIPER	0.25
<b>Problem</b>	HEADLIGHTS	0.25
<b>Problem</b>	HEADLIGHTS	0.25
<b>Problem</b>	PUMP SYSTEM	7.50
<b>Problem</b>	PUMP SYSTEM	7.50
<b>Problem</b>	PUMP SYSTEM	8.50
<b>Problem</b>	PUMP SYSTEM	8.50
<b>Problem</b>	EXHAUST SYSTEM	2.25
<b>Problem</b>	EXHAUST SYSTEM	2.25
<b>Problem</b>	HOSE BED COVER	0.50
<b>Problem</b>	HOSE BED COVER	0.50
<b>Problem</b>	TIRE REPAIR	1.25
<b>Problem</b>	TIRE REPAIR	1.25
<b>Problem</b>	A/C LOW FREON	1.00
<b>Problem</b>	A/C LOW FREON	1.00
<b>Problem</b>	WATER TANK	0.25
<b>Problem</b>	WATER TANK	0.25
<b>Problem</b>	TRANSMISSION	0.75
<b>Problem</b>	TRANSMISSION	0.75

Palm Beach County Fire Rescue  
Discarded Asset Maintenance History for : 10152010  
since 01/01/2021

<b>Problem</b>	HORNS/WARNING DEVICES	0.50
<b>Problem</b>	HORNS/WARNING DEVICES	0.50
<b>Problem</b>	AIR LEAK DIAGNOSIS	0.50
<b>Problem</b>	AIR LEAK DIAGNOSIS	0.50

10152010

**Workorder:** V71812    **Meter Reading:** 0.00    **Labor Hours**    **Description**    **Parts**    **Quantity**  
**In Date:** 12/22/2014    **Close Date:** 06/30/2015

---

**Problem**  
**Problem**

10152010

**Workorder:** V73242    **Meter Reading:** 0.00    **Labor Hours**    **Description**    **Parts**    **Quantity**  
**In Date:** 02/17/2015    **Close Date:** 06/30/2015

---

**Problem**  
**Problem**

10152010

**Workorder:** V73549    **Meter Reading:** 0.00    **Labor Hours**    **Description**    **Parts**    **Quantity**  
**In Date:** 03/02/2015    **Close Date:** 06/30/2015

---

**Problem**  
**Problem**

10152010

**Workorder:** V73752    **Meter Reading:** 99,999.00    **Labor Hours**    **Description**    **Parts**    **Quantity**  
**In Date:** 03/09/2015    **Close Date:** 06/30/2015

---

**Problem**    unit hard starting  
**Problem**    unit hard starting

**412.00**