10182346 2010 GENIE INDUSTRIES GS1930 Scissor Lift, 25Ft.

| | | 1018 | 82346 | 201 | O GENIE INDUST | RIES GS | 51930 Sciss | or Lift, 25Ft. | | | |
|------------------------|---------------------|------------|--------------------|-----|----------------|----------|-----------------------|----------------|---------|----------|------|
| Workorder: Problem: | 1010882 Pre Deli | | Meter: spection | 0 | | | In Date: | 10/04/2010 | Closed: | 10/04/20 | 010 |
| - Pre Delivery | Inspection | on | | | | | | | | | |
| | | Hours : | 2.00 | | Labor: | 120.00 | Parts: | 0.00 | Total: | 120.00 | |
| Workorder: Problem: | 1011089 Transpo | | Meter: eqpt. | 0 | | | In Date: | 10/07/2010 | Closed: | 10/07/20 | 010 |
| - From: fleet | To: Gua | a on H | ooker Hv | vy | | | | | | | |
| | | Hours : | 0.00 | | Labor: | 0.00 | Parts: | 0.00 | Total: | 0.00 | |
| Workorder: Problem: | 1103161 PM Serv | | Meter: | 1 | | | In Date: | 03/23/2011 | Closed: | 04/27/20 | 011 |
| - P.m. | | | | | | Parts Li | ist | | | | Qty |
| - To Bell Glad | le | | | | | Shop St | upplies | | | | 1.00 |
| - Secure hose | es | | | | | 51551 F | Hydraulic Filt | er | | | 1.00 |
| - Shop Suppli | es | | | | | | | | | | |
| | | Hours : | 6.50 | | Labor: | 390.00 | Parts: | 7.54 | Total: | 397.54 | |
| Workorder: Problem: | 1110067 annual | 7 | Meter: | 1 | | | In Date: | 09/20/2011 | Closed: | 10/05/20 | 011 |
| - annual by ke | elly | | | | | | | | | | |
| · | • | Hours : | 0.00 | | Labor: | 0.00 | Parts: | 0.00 | Total: | 0.00 | |
| Workorder: Problem: | 1203167 PM Serv | | Meter: | 6 | | | In Date: | 04/03/2012 | Closed: | 04/17/20 | 012 |
| - pm service | | | | | | Parts Li | ist | | | | Qty |
| - fm to belle g | ılade jail | | | | | Shop St | upplies | | | | 1.00 |
| - Shop Suppli | | | | | | • | ··· Hydraulic Filt | er | | | 1.00 |
| | | | | | | | Brake Clean | | | | 1.00 |
| | | Hours : | 6.00 | | Labor: | 360.00 | Parts: | 9.92 | Total: | 369.92 | |
| Workorder: Problem: | 1301006 annual | 3 | Meter: | 6 | | | In Date: | 01/29/2013 | Closed: | 02/01/20 | 013 |
| - annual by ke | elly | | | | | | | | | | |
| | | Hours : | 0.00 | | Labor: | 0.00 | Parts: | 0.00 | Total: | 0.00 | |
| Workorder: Problem: | 1401950 P.M. |) | Meter: | 6 | | | In Date: | 02/27/2014 | Closed: | | |
| _ | | | | | | Parts Li | ist | | | | Qty |
| | | | | | | Napa H | ydraulic Filtr | | | | 1.00 |
| | | | | | | Aw68 S | erv Truck | | | | 3.00 |
| | | | | | | Brake C | leaner | | | | 1.00 |
| | | | | | | Clean-r- | -carb 20oz | | | | 1.00 |
| | | Hours : | 0.00 | | Labor: | 0.00 | Parts: | 20.91 | Total: | 20.91 | |

| Workorder: Problem: | 1412356 Pm service. | Meter: | 6 | | | In Date: | 12/10/2014 | Closed: | 12/10/2014 |
|------------------------|------------------------|-------------|-------------|--------|----------|----------------|------------|---------|------------|
| - Tow From: \ | Water plant Bell | e Glade | To: Pa shop | | | | | | |
| | Hours : | 0.00 | | Labor: | 0.00 | Parts: | 0.00 | Total: | 0.00 |
| Workorder: Problem: | 1412487 Pm service. | Meter: | 37 | | | In Date: | 12/15/2014 | Closed: | 12/31/2014 |
| - Pm service. | | | | | Parts Li | ist | | | Qty |
| - Batteries fai | led load test. Re | eplace ba | tteries. | | Napa H | ydraulic Filtr | | | 1.00 |
| - Replace bro | ken switches fo | r aux. ligh | nting. | | Battery | | | | 4.00 |
| - Shop Suppli | es | | | | Switch | | | | 2.00 |
| | | | | | Shop Su | upplies | | | 1.00 |
| | Hours : | 3 7.00 | | Labor: | 420.00 | Parts: | 605.38 | Total: | 1,025.38 |
| Workorder: Problem: | 1412965 Transport. | Meter: | 37 | | | In Date: | 12/31/2014 | Closed: | 12/31/2014 |
| - Tow From: F | Pa shop To: 39 | 800 Hook | er Hwy. | | | | | | |
| | Hours : | 0.00 | | Labor: | 0.00 | Parts: | 0.00 | Total: | 0.00 |
| Workorder: Problem: | 1600407 Annual | Meter: | 37 | | | In Date: | 01/12/2016 | Closed: | 03/17/2016 |
| - annual | | | | | | | | | |
| - pm | | | | | | | | | |
| | Hours : | 0.00 | | Labor: | 0.00 | Parts: | 0.00 | Total: | 0.00 |
| Workorder: Problem: | 1612126 Transport | Meter: | 37 | | | In Date: | 11/28/2016 | Closed: | 11/28/2016 |
| - Tow From: E | Bg water plant | To: Pa sh | ор | | | | | | |
| | | 0.00 | • | Labor: | 0.00 | Parts: | 0.00 | Total: | 0.00 |
| Workorder: Problem: | 1612470 Pm service | Meter: | 37 | | | In Date: | 12/06/2016 | Closed: | 12/15/2016 |
| - Pm Service | | | | | Parts Li | ist | | | Qty |
| - Replace Rig | ht Front Corner | Strobe | | | Strobe A | Amber | | | 1.00 |
| - Shop Suppli | | | | | Shop Su | upplies | | | 1.00 |
| | | 5.00 | | Labor: | 300.00 | Parts: | 94.82 | Total: | 394.82 |
| Workorder: Problem: | 1612844 Transport | Meter: | 37 | | | In Date: | 12/15/2016 | Closed: | 12/15/2016 |
| - Tow From: F | Pa shop To: Wa | ater Plant | Bg | | | | | | |
| | • | s 0.00 | J | Labor: | 0.00 | Parts: | 0.00 | Total: | 0.00 |

| Workorder: | 1707373 | Meter: | 37 | | | In Date: | 07/27/2017 | Closed: | 07/27/2017 |
|------------------------|---------------------------------------|-----------------------|--------------------|---------|---|----------------------|------------|---------|------------------------------------|
| | Transport | T. D | | | | | | | |
| - IOW From: E | Bg water plant Hour | 10: Pa sn s 0.00 | ор | Labor: | 0.00 | Parts: | 0.00 | Total: | 0.00 |
| | : | | | Labor. | | | 0.00 | | |
| Workorder: Problem: | 1708436 Pm service. | Meter: | 37 | | | In Date: | 08/28/2017 | Closed: | 08/29/2017 |
| - Pm service. | | | | | Parts L | ist | | | Qty |
| - Repair strob | e light connecti | ion. | | | Napa H | ydraulic Filtr | | | 1.00 |
| - Shop Suppli | es | | | | | lyd Fluid Tar | nk Pahokee | | 1.00 |
| | | | | | Shop S | | | | 1.00 |
| | Hours : | s 4.50 | | Labor: | 270.00 | Parts: | 8.56 | Total: | 278.56 |
| Workorder: Problem: | 1708793 Transport | Meter: | 37 | | | In Date: | 09/06/2017 | Closed: | 09/06/2017 |
| - Tow From: F | Pa shop To: Bo | water pla | ınt | | | | | | |
| | Hours : | s 0.00 | | Labor: | 0.00 | Parts: | 0.00 | Total: | 0.00 |
| Workorder: Problem: | 1709038 Won't move. E | Meter: Error code: | 37 s on display | | | In Date: | 09/20/2017 | Closed: | 10/02/2017 |
| - Fm to Water | plant 2x's. | | | | Parts L | ist | | | Qty |
| | ashing trouble c | odes. Rep | lace shorted | l drive | Contact | or 24v 180a | | | 1.00 |
| contactor. | | | | | Shop S | upplies | | | 1.00 |
| - Shop Suppli | es | | | | Freight | • | | | 1.00 |
| | Hours : | s 4.00 | | Labor: | 240.00 | Parts: | 153.86 | Total: | 393.86 |
| Workorder: Problem: | 1711823 Won't move. | Meter: | 37 | | | In Date: | 12/01/2017 | Closed: | 12/01/2017 |
| - Tow From: \ | Water plant To: | : Pa shop | | | | | | | |
| | | s 0.00 | | Labor: | 0.00 | Parts: | 0.00 | Total: | 0.00 |
| Workorder: Problem: | 1711825 Transport | Meter: | 37 | | | In Date: | 12/01/2017 | Closed: | 12/01/2017 |
| - Tow From: F | Pa shop To: W | ater plant | | | | | | | |
| | Hours : | s 0.00 | | Labor: | 0.00 | Parts: | 0.00 | Total: | 0.00 |
| Workorder: Problem: | 1712475 Won't move | Meter: | 19 | | | In Date: | 12/19/2017 | Closed: | 02/07/2018 |
| • | roded hyd. mot) Hooker Hwy. es | or assy. | | | Parts L Power U Shop S Freight | Jnit Assy upplies | | | Qty 1.00 1.00 1.00 |
| | Hour | s 3.00 | | Labor: | 180.00 | - | 2,286.58 | Total: | 2,466.58 |

| Workorder: Problem: | 1803731 Transport | Meter: | 37 | | | In Date: | 04/10/2018 | Closed: | 04/10/2018 |
|------------------------|---------------------------|-----------------------|--------------|--------|----------|----------------|------------|--------------|------------|
| - Tow From: E | Bg waterplant | To: Pa sho | р | | | | | | |
| | Hou : | rs 0.00 | | Labor: | 0.00 | Parts: | 0.00 | Total: | 0.00 |
| Workorder: Problem: | 1803743 Pm service. | Meter: | 20 | | | In Date: | 04/10/2018 | Closed: | 04/16/2018 |
| - Pm service. | | | | | Parts L | ist | | | Qty |
| - Wash mach | ine. | | | | Shop S | upplies | | | 1.00 |
| - Shop Suppli | ies | | | | | | | | |
| | Hou : | rs 5.00 | | Labor: | 300.00 | Parts: | 2.00 | Total: | 302.00 |
| Workorder: Problem: | 1804389 Transport | Meter: | 37 | | | In Date: | 04/26/2018 | Closed: | 04/26/2018 |
| - Tow From: I | Pa shop To: B | g water pla | ant | | | | | | |
| | Hou : | rs 0.00 | | Labor: | 0.00 | Parts: | 0.00 | Total: | 0.00 |
| Workorder: Problem: | 1810945 annual | Meter: | 37 | | | In Date: | 10/24/2018 | Closed: | 10/29/2018 |
| - annual | | | | | | | | | |
| | Hou | rs 0.00 | | Labor: | 0.00 | Parts: | 0.00 | Total: | 0.00 |
| Workorder: Problem: | 1811124 joystick cable | Meter: /wiring for | 21 lights | | | In Date: | 10/29/2018 | Closed: | 11/30/2018 |
| - replace upp | er control box | cable | | | Parts L | ist | | | Qty |
| - repair flood | light wiring | | | | Battery | | | | 4.00 |
| - to belleglade | e 2xs | | | | Joy Stic | k Coil Core | Kit | | 1.00 |
| - replace batt | eries | | | | Shop S | | 1.00 | | |
| - Shop Suppli | ies | | | | Freight | Charge | | | 1.00 |
| | Hou : | rs 9.00 | | Labor: | 603.00 | Parts: | 833.04 | Total: | 1,436.04 |
| Workorder: Problem: | 1901236 Transport for | Meter: service. | 37 | | | In Date: | 01/31/2019 | Closed: | 01/31/2019 |
| - Tow From: I | Bg water plant | To: Pa sh | ор | | | | | | |
| | Hou : | rs 0.00 | | Labor: | 0.00 | Parts: | 0.00 | Total: | 0.00 |
| Workorder: Problem: | 1901326 Pm service. | Meter: | 37 | | | In Date: | 02/04/2019 | Closed: | 02/06/2019 |
| - Pm service. | | | | | Parts L | ist | | | Qty |
| - Test drive. | | | | | Aw68 H | lyd Fluid Tar | nk Pahokee | | 2.00 |
| - Shop Suppli | ies | | | | | ydraulic Filtr | | | 1.00 |
| | | 4.50 | | 1 . 1 | Shop S | • • | 44.00 | . | 1.00 |
| | Hou | rs 4.50 | | Labor: | 301.50 | Parts: | 11.96 | i otal: | 313.46 |

| Workorder: Problem: | 1901554 Transport | Meter: | 37 | | | In Date: | 02/11/2019 | Closed: | 02/11/2019 | |
|------------------------|---------------------------|-----------------------|---------------|--------|----------------------|----------|------------|---------|------------|--|
| - Tow From: F | Pa shop To: E | g water pla | ınt | | | | | | | |
| | Hou : | ırs 0.00 | | Labor: | 0.00 | Parts: | 0.00 | Total: | 0.00 | |
| Workorder: Problem: | 1910629 Pm service. | Meter: | 37 | | | In Date: | 10/16/2019 | Closed: | 10/17/2019 | |
| - Pm service. | | | | | Parts Li | ist | | | Qty | |
| - Fm to Bg wa | iter plant. | | | | Shop Su | upplies | | | 1.00 | |
| - Shop Suppli | es | | | | | | | | | |
| | Hou | rs 5.00 | | Labor: | 365.00 | Parts: | 4.00 | Total: | 369.00 | |
| Workorder: Problem: | 2000368 Annual inspe | Meter: ction, pm s | 37 ervice. | | | In Date: | 01/13/2020 | Closed: | 04/23/2020 | |
| - Annual inspe | ection | | | | Parts L | ist | | | Qty | |
| - Replace dar | naged safety | decals. | | | Decal Hazard | | | | | |
| - Replace seiz | zed brake mar | nifold and b | leed systen | ٦. | Decal Safety Arm | | | | | |
| - Replaced co | rroded chargi | ng port ass | y. | | Decal Kit 1930 | | | | | |
| - Pm service. | | | | | Manifold Brk Release | | | | | |
| - Fm to Bg wa | iter plant. | | | | Power C | 1.00 | | | | |
| - Shop Suppli | es | | | | Charger | | 1.00 | | | |
| | | | | | Shop St | upplies | | | 1.00 | |
| | | | | | Freight | Charge | | | 1.00 | |
| | | | | | Freight | Charge | | | 1.00 | |
| | Hou | irs 6.50 | | Labor: | 474.50 | Parts: | 982.03 | Total: | 1,456.53 | |
| Workorder: Problem: | 2011430 Transition Pr | Meter: ep Charge | 37 | | | In Date: | 11/16/2020 | Closed: | 11/16/2020 | |
| - Transition P | rep Charge | | | | | | | | | |
| | Hou | rs 2.00 | | Labor: | 146.00 | Parts: | 0.00 | Total: | 146.00 | |
| Workorder: | 2011544 transport turr | Meter: | 37 | | | In Date: | 09/21/2020 | Closed: | 11/18/2020 | |

Labor: 0.00

Parts: 0.00

Total: 0.00

Hours 0.00