10178721 2009 GENIE GS1930 Scissor Lift, 25 Ft. Electric

Workorder: 933958 Meter: In Date: 02/12/2009 Closed: 02/12/2009 Problem: PRE-DELIVERY INSPECTION - Pre-delivery Inspection Labor: 120.00 Hours 2.00 Parts: 0.00 Total: 120.00 Workorder: 934907 Meter: 0 In Date: 03/09/2009 Closed: 03/09/2009 Problem: DONAL MOSS CORPORATION TOW FROM TRANSPORT MANLIFT - Donal Moss Corporation Tow From Transport Manlift To New Water Plant - Tow To Total: 0.00 Hours 0.00 Labor: 0.00 Parts: 0.00 Meter: Workorder: 944613 In Date: 10/15/2009 Closed: 10/21/2009 Problem: pm service - P.m. **Parts List** Qtv 1.00 - Travel to sys. 2 **Shop Supplies** - Shop Supplies 1259 Hydr Filter Lbf Frm P1653a Wix 51259 1.00 Grease Nlgi 2 1.00 Hours 5.00 Labor: 300.00 Parts: 8.15 Total: 308.15 Workorder: 1001530 02/10/2010 Meter: In Date: Closed: 03/15/2010 Problem: annual - kelly - annual by kelly Hours 0.00 Labor: 0.00 Parts: 0.00 Total: 0.00 Workorder: 1005721 Meter: In Date: 06/01/2010 Closed: 06/03/2010 Problem: 9103 **Parts List** - aerial pm service Qty - fm to system 2 **Shop Supplies** 1.00 - Shop Supplies 1259 Hydr Filter Lbf Frm P1653a Wix 51259 1.00 Grease Nlgi 2 1.00 Hours 5.00 Labor: 300.00 Parts: 10.62 Total: 310.62 Workorder: 1013712 Meter: In Date: 12/14/2010 **Closed:** 01/12/2011 Problem: Pm - P.m. **Parts List** Qty - To Sys. 2 **Shop Supplies** 1.00 - Shop Supplies 1259 Hydr Filter Lbf Frm P1653a Wix 51259 1.00 Hours 5.00 Labor: 300.00 Parts: 5.52 Total: 305.52 Workorder: 1100858 Meter: 01/21/2011 Closed: In Date: 02/07/2011 Problem: annual by kelly - Annual by kelly Hours 0.00 Labor: 0.00 Parts: 0.00 Total: 0.00

Workorder: Problem:	1107781 pm by kell	Meter: y	4			In Date:	07/25/2011	Closed:	08/18/2011
- P.m. By Kell	у								
	⊢ :	lours 0.00		Labor:	0.00	Parts:	0.00	Total:	0.00
Workorder: Problem:	1108998 replace lea	Meter: aking hyd. tan	11 k			In Date:	08/25/2011	Closed:	08/25/2011
- replace leak	ing hyd. tar	nk by kelly							
	⊢ :	lours 0.00		Labor:	0.00	Parts:	0.00	Total:	0.00
Workorder: Problem:	1201346 annual by	Meter: kelly	24			In Date:	02/09/2012	Closed:	02/28/2012
- annual by ke	elly								
	⊢ :	lours 0.00		Labor:	0.00	Parts:	0.00	Total:	0.00
Workorder: Problem:	1301060 annual	Meter:	24			In Date:	01/30/2013	Closed:	02/13/2013
- annual by K	elly								
	⊢ :	lours 0.00		Labor:	0.00	Parts:	0.00	Total:	0.00
Workorder: Problem:	1312083 9103	Meter:	25			In Date:	12/03/2013	Closed:	01/17/2014
- pm service					Parts I	_ist			Qty
- fm to systen	n 2					rans Filter			1.00
- replace safe	-	gate and core	d for cont	rol box	Service				4.00
- Shop Suppli	es				Chain (1.00
					Coil Co	ora Supplies			1.00 1.00
	L	lours 9.50		l ahor		Parts:	436 30	Total:	1,006.30
	:	10013 9.50		Labor.	370.00	i arts.	430.30	i Otai.	1,000.30
Workorder: Problem:	1402097	Meter:	25			In Date:	03/04/2014	Closed:	03/05/2014
Flobleili.	Annual								
- Annual by K						= 40.			
	elly	lours 0.00		Labor:	0.00	Parts:		Total:	0.00
	elly F : 1408476		25	Labor:	0.00			Total:	0.00
- Annual by K Workorder:	elly F : 1408476	lours 0.00	25	Labor:	0.00	Parts:	0.00		
- Annual by K Workorder: Problem:	elly F : 1408476	lours 0.00	25	Labor:	Parts I	Parts:	0.00		09/12/2014
- Annual by K Workorder: Problem: - P.m Sys. 2 - Repair broke	elly F : 1408476 pm	Hours 0.00 Meter:	25	Labor:	Parts I	Parts: In Date:	0.00		09/12/2014 Qty 1.00 2.00
- Annual by K Workorder: Problem: - P.m Sys. 2 - Repair broke - Test Run	elly F 1408476 pm en greese fi	Hours 0.00 Meter:	25	Labor:	Parts I Napa H Distilled Wheel	Parts: In Date: List Hydraulic Filtr d Water 1gal Bearing Grea	0.00		09/12/2014 Qty 1.00 2.00 1.00
- Annual by K Workorder: Problem: - P.m Sys. 2 - Repair broke	elly 1408476 pm en greese fi	Hours 0.00 Meter:	25		Parts I Napa H Distilled Wheel	Parts: In Date: Ist Hydraulic Filtr d Water 1gal Bearing Grea	0.00 08/25/2014	Closed:	09/12/2014 Qty 1.00 2.00

Workorder: Problem:	1502432 pm		Meter:	25			In Date:	03/09/2015	Closed:	04/24/2	015
- Annual By K	elly Tract	or									
		Hours :	0.00		Labor:	0.00	Parts:	0.00	Total:	0.00	
Workorder: Problem:	1509176 annual		Meter:	25			In Date:	09/14/2015	Closed:	01/05/2	016
- Annual											
		Hours :	0.00		Labor:	0.00	Parts:	0.00	Total:	0.00	
Workorder: Problem:	1509197 pm		Meter:	32			In Date:	09/14/2015	Closed:	10/01/20	015
- Pm						Parts I	_ist				Qty
- To Sys 2						Napa F	Hydraulic Filti	r			1.00
- Shop Suppli	es					Aw68 H	Hydro Fluid H	Hydr			4.00
						Distille	d Water 1gal				1.00
							Supplies				1.00
		Hours :	5.00		Labor:	300.00	Parts:	17.63	Total:	317.63	
Workorder: Problem:	1603522 pm		Meter:	33			In Date:	04/04/2016	Closed:	04/14/2	016
- Pm						Parts I	_ist				Qty
- To Sys 2						Distille	d Water 1gal				1.00
- Shop Suppli	es					Shop S	Supplies				1.00
		Hours	5.00		Labor:	300.00	Parts:	3.13	Total:	303.13	
Workorder: Problem:	1606619 Dead Ba		Meter:	33			In Date:	06/29/2016	Closed:	07/05/20	016
- replace all 4	batteries.	chec	k chargin	ıg		Parts I	_ist				Qty
- to pinehurst						Battery	,				4.00
- Shop Suppli	es					Shop S	Supplies				1.00
		Hours	4.00		Labor:	240.00	Parts:	575.24	Total:	815.24	
Workorder: Problem:	1610858 pm	•	Meter:	34			In Date:	10/20/2016	Closed:	11/01/2	016
- pm						Parts I	_ist				Qty
- to system 2						Napa H	Hydraulic Filti	r			1.00
- Shop Suppli	es					Aw68 \$	Serv Truck				3.00
						Distille	d Water 1gal				2.00
						Shop S	Supplies				1.00
		Hours	5.00		Labor:	300.00	Parts:	16.69	Total:	316.69	

Workorder: Problem:	1704834 pm		Meter:	36			In Date:	05/15/2017	Closed:	05/23/20)17
- pm						Parts Li	st				Qty
- test run						Slip Plat	e Spray 12	ΟZ			1.00
- to system 2						Macs Cl	nain Cable I	₋ube			1.00
- Shop Suppli	es					Mac Wit	e Lithium G	res			1.00
						Shop Su	upplies				1.00
		Hours	5.50		Labor:	330.00		23.44	Total:	353.44	
Workorder: Problem:	1712231 pm		Meter:	37			In Date:	12/13/2017	Closed:	02/05/20)18
- Pm						Parts Li	st				Qty
- Test Run						Distilled	Water 1gal				1.00
- To Sys 2							ılladium 2 G				1.00
- Shop Suppli	es					Non-chl	or Brake Clr	nr			1.00
onep ouppu						Shop Su	upplies				1.00
		Hours	5.50		Labor:	330.00		12.04	Total:	342.04	
Workorder: Problem:	1712433 annual	3	Meter:	36			In Date:	12/18/2017	Closed:	01/19/20)18
- annual											
		Hours	0.00		Labor:	0.00	Parts:	0.00	Total:	0.00	
Workorder: Problem:	1808105 pm	j	Meter:	37			In Date:	08/07/2018	Closed:	09/13/20)18
- pm						Parts Li	st				Qty
- test run						Shop Su					1.00
- to system 2											
- Shop Suppli	es										
опор оцери		Hours :	5.50		Labor:	330.00	Parts:	2.00	Total:	332.00	
Workorder: Problem:	1900263 annual	}	Meter:	37			In Date:	01/07/2019	Closed:	01/10/20)19
- Annual											
		Hours :	0.00		Labor:	0.00	Parts:	0.00	Total:	0.00	
Workorder: Problem:	1901990 pm)	Meter:	38			In Date:	02/21/2019	Closed:	03/01/20)19
- Pm						Parts Li	st				Qty
- Test run - To Sys. 2						Shop Su	ıpplies				1.00
- Shop Suppli	es										
		Hours :	5.50		Labor:	368.50	Parts:	3.00	Total:	371.50	

Workorder: Problem:	1906575 hyd leak		Meter:	39			In Date:	06/24/2019	Closed:	07/12/2019
- System 2 3x	(S					Parts Lis	st			Qty
- Replaced hy						Hyd Tank				1.00
- Test run						•	dro Fluid H	lvdr		15.00
- Shop Suppli	A S					Shop Sup		yai		1.00
опор оцррп	03					Freight C	-			1.00
		Hours	11.00		Labor:	737.00	•	316.08	Total:	1,053.08
Workorder: Problem:	1908464 PM		Meter:	39			In Date:	08/13/2019	Closed:	09/09/2019
- pm						Parts Lis	st			Qty
- test run						Distilled \	Nater 1gal			1.00
- to system 2						Shop Sup	oplies			1.00
- Shop Suppli	es						•			
		Hours	5.50		Labor:	368.50	Parts:	4.32	Total:	372.82
Workorder:	1910654		Meter:	39			In Date:	10/16/2019	Closed:	10/23/2019
Problem:		•								
- R&r 4 baterr						Parts Lis	st			Qty
- to system 2	2xs					Battery				4.00
- test run						Shop Sup	oplies			1.00
- Shop Suppli	es									
		Hours :	5.50		Labor:	401.50	Parts:	636.94	Total:	1,038.44
Workorder: Problem:	2002045 pm		Meter:	40			In Date:	02/27/2020	Closed:	04/28/2020
- Pm						Parts Lis	st			Qty
- Sys 2							Nater 1gal			2.00
- Test run						Shop Sup	_			1.00
- Shop Suppli	AS					oop our	-роо			
Chop Cappii		Hours	5.50		Labor:	401.50	Parts:	6.58	Total:	408.08
Workorder: Problem:	2004652 aerial ins		Meter:	40			In Date:	05/08/2020	Closed:	05/11/2020
			Meter:	40			In Date:	05/08/2020	Closed:	05/11/2020
Problem:				40	Labor:		In Date: Parts:		Closed:	
Problem:	aerial ins	sp Hours :		40	Labor:	0.00				
Problem: - annual Workorder:	aerial ins	Hours :	0.00		Labor:	0.00	Parts:	0.00	Total:	0.00
Problem: - annual Workorder: Problem: - Preventive M	2011015 pm //aint. Ser	Hours :	0.00		Labor:	0.00 Parts Lis	Parts: In Date:	0.00	Total:	0.00
Problem: - annual Workorder: Problem: - Preventive Notes and from	2011015 pm //aint. Ser	Hours :	0.00		Labor:	0.00	Parts: In Date:	0.00	Total:	0.00 11/16/2020 Qty
Problem: - annual Workorder: Problem: - Preventive Notes and from test run	2011015 pm Maint. Ser sys 2	Hours :	0.00		Labor:	0.00 Parts Lis	Parts: In Date:	0.00	Total:	0.00 11/16/2020 Qty
Problem: - annual Workorder: Problem: - Preventive Notes and from	2011015 pm Maint. Ser sys 2	Hours :	0.00 Meter:			0.00 Parts Lis	Parts: In Date:	0.00	Total:	0.00 11/16/2020 Qty

Workorder: 2102612 Meter: 40 In Date: 03/04/2021 Closed: 03/08/2021

Problem: transport for turn in

- Tow From: 2956 pinehurst dr To: se shop

Hours 0.00 Labor: 0.00 Parts: 0.00 Total: 0.00

Workorder: 2102684 **Meter:** 40 **In Date:** 03/10/2021 **Closed:** 03/10/2021

Problem: Transition Prep Charge

- Transition Prep Charge

Hours 2.00 Labor: 146.00 Parts: 0.00 Total: 146.00

: