



2/2/2022

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10163240

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V2811

In Date: 05/31/2006
Close Date: 06/14/2006

Meter Reading:

Problem?

install radio speakers (were removed to put on another unit) EMS10

Task performed:

Parts ----- Quantity

NO PARTS USED

Workorder: V3446

In Date: 07/13/2006
Close Date: 07/25/2006

Meter Reading:

Problem?

replace charge cooler hose

Task performed:

Parts ----- Quantity

3C34-6C640-ACTURBO HOSE FOR F350 1
65-72BXT65750 BATTERY 2

Workorder: V8368

In Date: 05/22/2007
Close Date: 06/05/2007

Meter Reading:

Problem?

check engine light on, fridge needs moved to driver's side, install holddown straps for several items behind front seats, hard wire fridge EMS2

Task performed:

Parts ----- Quantity

1. installed 5 tie down straps
CYBS24268011CYBS-2426-80-11 STRAP 1
UMVS254411STRAP 46 IN 2

Workorder: V8377

In Date: 05/22/2007
Close Date: 06/05/2007

Meter Reading:

Problem?

UNIT SHUT OFF AT 441 AND BELVEDERE SEMS

Task performed:

Parts ----- Quantity

1. no start. brought back to shop and checked for intermittent no start and stall (swapped out)
NO PARTS USED



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

* TRUCK EMS OR RESCUE CAPTAIN VEHICLE

Workorder: V8344

In Date: 05/21/2007

Meter Reading:

Close Date: 06/11/2007

Problem?

won't start ems10

Task performed:

1. Install new battery, turn on braker for emergency lights, siren & radios. Install lock covers L rear & L center comp

Parts

Quantity

65-72BXT65750 BATTERY

2

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

2

Workorder: V9864

In Date: 08/13/2006

Meter Reading: 325.00

Close Date: 08/13/2007

Problem?

B INSPECTION EMS-10

Task performed:

Parts

Quantity

NO PARTS USED

Workorder: V9357

In Date: 07/16/2007

Meter Reading:

Close Date: 09/11/2007

Problem?

repair on unit found not to be warranty

Task performed:

Repair on unit - Wayne Ackers - NO WARRANTY

Parts

Quantity

NO PARTS USED

Vendor?: WAYNE ACKER



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V10246

In Date: 09/04/2007

Meter Reading:

Close Date: 09/20/2007

Problem?

A inspection and related repairs (ems10)

Task performed:

A-Inspection

1. Rem securithy sys wiring/rem/wiring; also rep emergency lighting & power to cab accessories; also reinstall wiring ; rem @ Ford dealer auto eject
3. L/R compt lock cyl msng;installed new cyl; also instlled wiring for all compt
4. L/S btry tray bolt stripped; R/S missing; rep tray; ordered new parts for btry holders & fuse box cover

Parts

Quantity

5C3Z14A003DAFUSE COVER	1
F6UZ10A682AABATTERY HEAT SHIELD F-350	1
F75Z10718AASPACER FOR BATTERY HOLD DOWN F-350	2
N808480S100BOLT AND WASHER ASY	2

Workorder: V10623

In Date: 09/24/2007

Meter Reading: 700.00

Close Date: 09/27/2007

Problem?

ON CALL BATTERY DEAD EMS 10 AT 19

Task performed:

1. TRAVEL TO STATION 19. CHECKED CHARGING SYSTEM O.K. REPLACED BATTERIES. CHECKED SHORE LINE CHARGER, FOUND ONLY ONE BATTERY GETTING CHARGED. DIAGNOSE PROBLEM FOUND BURNTFUSE HOLDERS. REPLACED ONE AND BOTH FUSES. NEED TO HAVE WIRE AND HOLDER REPLACED. ALSO MISSING FUSE BOX COVER, ALSO NO HIGH IDLE ONSCENE. TRAVEL TO 16 FOR FUEL. FUEL VEHICLE.

Parts

Quantity

65-72BXT65750 BATTERY	2
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	2

Workorder: V10849

In Date: 10/04/2007

Meter Reading: 700.00

Close Date: 10/22/2007

Problem?

A inspection and related repairs (back from 19)

Task performed:

1. a inspection
2. repair open ground in headlight wig wag current

Parts

Quantity

5C3Z14A003DAFUSE COVER	1
980-412173 MIRROR 8 IN	2



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

* TRUCK EMS OR RESCUE CAPTAIN VEHICLE

Workorder: V11213

In Date: 10/23/2007
Close Date: 10/25/2007

Meter Reading: 1,795.00

Problem?

a inspection and repairs asw needed ems 10

Task performed:

1. a inspection

Parts

NO PARTS USED

Quantity

Workorder: V11502

In Date: 11/07/2007
Close Date: 11/15/2007

Meter Reading: 1,795.00

Problem?

dead batterys

Task performed:

1. Jump start on line brought into shop to change.

Parts

NO PARTS USED

Quantity

Workorder: V11702

In Date: 11/20/2007
Close Date: 11/30/2007

Meter Reading: 1,795.00

Problem?

repair wiring to battery charger

Task performed:

1. Batt. charger inop, not working properly and melted wiring @ fuse holders, replaced charger and remote also up graded wiring to handle load.

Parts

0913912CHARGER 2000

Quantity

1

Workorder: V12427

In Date: 01/08/2008
Close Date: 01/08/2008

Meter Reading: 1,795.00

Problem?

ON CALL EMS 3 DEAD BATTERY S

Task performed:

Hard starting; R/R (2) batteries. j

Parts

65-72BXT65750 BATTERY

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

Quantity

2

2



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V9039

In Date: 06/27/2007

Meter Reading:

Close Date: 01/14/2008

Problem?

Tow form Al Packer Ford to Wayne Ackers Ford EMS10

Task performed:

Parts

Quantity

NO PARTS USED

Workorder: V12182

In Date: 12/20/2007

Meter Reading: 90.30

Close Date: 01/16/2008

Problem?

No high idle. Either not equipped (new truck) or not working. EMS-10

Task performed:

Parts

Quantity

1. Not equipped.

NO PARTS USED

Workorder: V12183

In Date: 12/20/2007

Meter Reading: 90.30

Close Date: 01/16/2008

Problem?

Hands-free function on siren inop EMS-10

Task performed:

Parts

Quantity

1. This truck is at shop check with radio shop about installing in new truck.

NO PARTS USED

Workorder: V12365

In Date: 01/04/2008

Meter Reading: 1,795.00

Close Date: 01/24/2008

Problem?

install tic charger ems10

Task performed:

Parts

Quantity

1. Install tic charger wire up, install new refrige and wire up charger.
2. Go to 47.

NO PARTS USED



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

* TRUCK EMS OR RESCUE CAPTAIN VEHICLE

Workorder: V13193

In Date: 02/11/2008
Close Date: 02/20/2008

Meter Reading: 217.50

Problem?

EMS3 Located at station 35. Siren knob for changing sound is loose. Also, hands free operation needs to be installed to be able to switch from horn operation, to siren operation with horn.

Task performed:

1. Replaced siren knob that was falling off

Parts

NO PARTS USED

Quantity

Workorder: V13328

In Date: 02/19/2008
Close Date: 02/21/2008

Meter Reading: 5,284.00

Problem?

LIGHT BAR INOP, EMS 10

Task performed:

- R/R light on side of truck strobe; chk light bar on top; corner light out; need to go to shop to check.
j

Parts

23-12462-130SUPPLIES A/C SANDEN COMPRESSOR BOL'
508RED58EC20RU STROBE-RED SURFACE MOUNT

Quantity

1
1

Workorder: V13556

In Date: 02/27/2008
Close Date: 03/13/2008

Meter Reading:

Problem?

need new wiper blades asap. ems 3 at35

Task performed:

1. Installed new wiper blades

Parts

91-20WIPER BLADE 20 IN
91-22WIPER BLADE

Quantity

2
2

Workorder: V13866

In Date: 03/13/2008
Close Date: 03/14/2008

Meter Reading: 6,742.00

Problem?

B INSPECTION AND REPAIRS AS NEEDED EMS 3

Task performed:

- 1 PERFORM B SERVICE
- 2 REPLACE BELT ON K12 SAW
- 3 SHOP MEETING

Parts

15W40BSYN OIL BULK QTS
3C3Z6731AA57314 NEW 57312 OIL FILTER 6.0 DIESEL
3C3Z9N184CAWIX 33899 FUEL FILTER 6.0 DIESEL
K1200K1200 BELT

Quantity

16
1
1
1



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V13893

In Date: 03/14/2008
Close Date: 04/11/2008

Meter Reading: 326.90

Problem?

please hook up the hands-free function of the siren to the vehicle horn circuit. Truck is in shop for PM today - 3/14/08.

Task performed:

Parts

Quantity

1. will install at b inspection

NO PARTS USED

Workorder: V15012

In Date: 05/12/2008
Close Date: 06/13/2008

Meter Reading: 404.50

Problem?

ELECTRICAL WIRES IN COMPARTMENTS KEEP FALLING DOWN - ADHESIVE STRAPS FAILING TO STAY UP. WIRES HANG ACROSS OPENINGS. ems3

Task performed:

Parts

Quantity

Rep wires in all compartments. j

NO PARTS USED

Workorder: V15747

In Date: 06/14/2008
Close Date: 06/24/2008

Meter Reading:

Problem?

repair flat tire ems 3 callaghan

Task performed:

Parts

Quantity

Repair flat tire EMS3 - Callaghan j

NO PARTS USED

Vendor?: CALLAGHAN

Workorder: V15924

In Date: 06/23/2008
Close Date: 07/02/2008

Meter Reading: 11,627.00

Problem?

replace tires at callaghan ems 3

Task performed:

Parts

Quantity

Replace tire at Callaghan EMS3 j

NO PARTS USED

Vendor?: CALLAGHAN



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V15856

In Date: 06/19/2008

Meter Reading:

Close Date: 07/09/2008

Problem?

The compartment door on the driver's side front compartment is difficult to close. It seems that the hinge somehow was bent, causing the door to "stick". EMS 3 AT 35

Task performed:

Parts

Quantity

1. sprayed WD 40 on door hing and repaired door

NO PARTS USED

Workorder: V15897

In Date: 06/23/2008

Meter Reading:

Close Date: 07/11/2008

Problem?

Left front tire changed yesterday by Callahans. Truck shimmys and pulls to right, may need balancing and alignment. EMS3

Task performed:

Parts

Quantity

Left front tire changed yesterday Callaghan; truck shimmys & pulls to right; may need balancing & alignment - EMS3 Callaghan j

NO PARTS USED

Vendor?: CALLAGHAN

Workorder: V17724

In Date: 09/15/2008

Meter Reading: 15,530.00

Close Date: 09/30/2008

Problem?

B INSPECTION AND REPAIRS AS NEEDED EMS 3

Task performed:

Parts

Quantity

B inspection
replace wiper blades
replace batteries
replace tag light bulb
repair wiring hanging down in right center compartment
replace bulbs in right and left front compartments

1141BULB	2
15W40BSYN OIL BULK QTS	16
194BULB	1
3C3Z6731AA57314 NEW 57312 OIL FILTER 6.0 DIESEL	1
3C3Z9601BAAIR FILTER 42731	1
3C3Z9N184CAWIX 33899 FUEL FILTER 6.0 DIESEL	1
65-72BXT65750 BATTERY	2
91-20WIPER BLADE 20 IN	2
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	2



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V17721

In Date: 09/15/2008

Meter Reading:

Close Date: 10/01/2008

Problem?

Multiple very weak starting episodes - turns over slowly, dragging, before starting. Acts like a weak battery.ems3

Task performed:

Parts

Quantity

1. Change batteries.

NO PARTS USED

(R.T.)

Workorder: V19294

In Date: 11/24/2008

Meter Reading: 17,936.00

Close Date: 11/26/2008

Problem?

CALL EMS 3

Task performed:

Parts

Quantity

No start; no access to Shoreline; jump started & movwed Shoreline to other bay. j

NO PARTS USED

Workorder: V18949

In Date: 11/09/2008

Meter Reading:

Close Date: 12/01/2008

Problem?

Lock on middle cabinet on EMS3 vehicle does not work. Cylinder just spins. AT 35

Task performed:

Parts

Quantity

Rep left brake light that had bad grnd. j

NO PARTS USED

Workorder: V18996

In Date: 11/11/2008

Meter Reading:

Close Date: 12/01/2008

Problem?

left middle compartment lock is broken. This is where we keep the Lifepak and Medical gear and MUST be locked up when we are away from the truck in a public place. R35

Task performed:

Parts

Quantity

Readjusted door lock & tested. j

NO PARTS USED



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V19108

In Date: 11/17/2008

Meter Reading:

Close Date: 12/16/2008

Problem?

Thermal Imager does not take a charge. Contacts cleaned, Light does not light up when placed in charger.EMS 3

Task performed:

Parts

Quantity

Chkd charger; fnd TIC not in charger; reinstalled TIC & tested. j

NO PARTS USED

Workorder: V19708

In Date: 12/12/2008

Meter Reading: 18,813.00

Close Date: 01/13/2009

Problem?

nail in rear tire (Outside agency-Callaghan tire)

Task performed:

Parts

Quantity

Nail in rear tire - Callaghan j

NO PARTS USED

Vendor?: CALLAGHAN

Workorder: V20033

In Date: 12/30/2008

Meter Reading: 938.20

Close Date: 01/27/2009

Problem?

Battery 1 is not charging fully on the plug-in charger ems3

Task performed:

Parts

Quantity

1- repaired bad connection on battery.

NO PARTS USED

Workorder: V20112

In Date: 01/05/2009

Meter Reading: 20,141.00

Close Date: 02/04/2009

Problem?

ON CALL WONT START EMS 3

Task performed:

Parts

Quantity

No start; blown charger fues; replcd furst & holder. j

NO PARTS USED



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V20841

In Date: 02/03/2009
Close Date: 02/24/2009

Meter Reading: 21,687.00

Problem?

remove pelican-install real handlight EMS3

Task performed:

Installed new pelican unit. j

Parts

Quantity

NO PARTS USED

Workorder: V17024

In Date: 08/13/2008
Close Date: 03/02/2009

Meter Reading: 13,772.00

Problem?

REAR FOR-WARN INOP, EMS-3

Task performed:

Parts

Quantity

PSOPD1013USE PD2343 BACK-UP RADAR

1

Workorder: V22715

In Date: 04/21/2009
Close Date: 04/21/2009

Meter Reading: 25,119.00

Problem?

b inspection and repairs as needed ems 3

Task performed:

B INSPECTION DONE AT AL PACKER

Parts

Quantity

NO PARTS USED

Workorder: V22434

In Date: 04/09/2009
Close Date: 05/05/2009

Meter Reading:

Problem?

left front quarter panel strobe out. Right rear tail/blinker out. ems3

Task performed:

1. LED light out; replcd LED light.
2. Rear brake lights inop; rep bad connection at foot swtch. j

Parts

Quantity

NO PARTS USED



2/2/2022

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10163240

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V22473

In Date: 04/11/2009

Meter Reading:

Close Date: 05/05/2009

Problem?

EMS 3 Vehicle, passenger side brake light is out. ems3

Task performed:

- 1. Rear turn signal out; rep brkn wire in rear.
- 2. LED lights out; rep power wire for lights. j

Parts

Quantity

14-7014HGR-1 HELMET HOOK

5

50R03ZCRLIGHT LED RED TIR 6

1

Workorder: V22714

In Date: 04/21/2009

Meter Reading: 25,119.00

Close Date: 05/08/2009

Problem?

b inspection at al packer ems3

Task performed:

B-Inspection - Al Packer j

Parts

Quantity

NO PARTS USED

Vendor?: AL PACKER FORD

Workorder: V22742

In Date: 04/22/2009

Meter Reading: 25,119.00

Close Date: 05/11/2009

Problem?

REPLACE TIRES AT CALLAGHAN EMS 3

Task performed:

Replace tires EMS3 - Callaghan j

Parts

Quantity

NO PARTS USED

Vendor?: CALLAGHAN

Workorder: V23403

In Date: 05/20/2009

Meter Reading: 1,319.70

Close Date: 06/02/2009

Problem?

EMS 3 Vehicle. Battery 1 appears to be not charging when plugged in. It may a connection int the charger because when you touch the charger, the battery lights go up and then back down.

Task performed:

Battery charge inop; rep bad connection. j

Parts

Quantity

NO PARTS USED



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

* TRUCK EMS OR RESCUE CAPTAIN VEHICLE

Workorder: V23520

In Date: 05/25/2009

Meter Reading: 27,874.00

Close Date: 06/02/2009

Problem?

On board battery charger seems to be failing - only getting 2 bars on left, 3-4 on the right side after being plugged in all night. EMS-3

Task performed:

rep bad connection on btry charger. j

Parts

NO PARTS USED

Quantity

Workorder: V24607

In Date: 07/07/2009

Meter Reading: 1,445.30

Close Date: 07/15/2009

Problem?

truck is getting harder to start - requires pumping the accelerator more and more, esp when cold. This started before last PM and was not corrected. Now due for PM again. ems3

Task performed:

Btry dead; replcd btry. j

Parts

65-72BXT65750 BATTERY

BATTERY EPA TAX BATTERY EPA TAX \$1.50 PER BATTERY

Quantity

1

1

Workorder: V24673

In Date: 07/10/2009

Meter Reading: 30,480.00

Close Date: 07/15/2009

Problem?

*

Task performed:

Traced problem to faulty connection at charger in compt; stn also needs pigtail plug replcd. j

Parts

NO PARTS USED

Quantity

Workorder: V24709

In Date: 07/11/2009

Meter Reading: 1,453.80

Close Date: 07/28/2009

Problem?

Windshield Wiper blades need replacement - they just streak and smear. EMS 3

Task performed:

1. Replcd wiperblades & rep brkn washer hose.
2. Charger inop; rewired unit in rear & tested. j

Parts

91-20WIPER BLADE 20 IN

Quantity

2



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V24538

In Date: 07/02/2009 Meter Reading: 29,801.00
Close Date: 07/29/2009

Problem?

BATTERY CHARGER 10-7 EMS 3

Task performed:

Btry charger inop; rep bad connection & rewired unit. j

Parts

Quantity

NO PARTS USED

Workorder: V25568

In Date: 08/17/2009 Meter Reading: 32,184.00
Close Date: 08/17/2009

Problem?

intermittent no start on call ems 3

Task performed:

No start; seems to lose fuel prime; get started & brought to shop; swapped out. j

Parts

Quantity

NO PARTS USED

Workorder: V25620

In Date: 08/18/2009 Meter Reading: 32,184.00
Close Date: 08/20/2009

Problem?

B inspection and repairs EMS3 (work performed at al packer)

Task performed:

Parts

Quantity

NO PARTS USED

Workorder: V25688

In Date: 08/21/2009 Meter Reading: 32,184.00
Close Date: 08/25/2009

Problem?

EMS-3 AT STA-91 IN LAKEWORTH WILL NOT START

Task performed:

1. Make up pigtail weatherpack connector for refrigerator.
2. Get btrys; go to Stn91; chk out EMS3; no start; C/O fuel sys, etc; injection E11 sys; bleed out sys; get started; needs to go back to Ford; just rep; return to shop. j

Parts

Quantity

NO PARTS USED



2/2/2022

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10163240

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V25587

In Date: 08/17/2009 Meter Reading: 32,184.00
Close Date: 09/14/2009

Problem?

repair warranty issue and p.m vehicle al packer

Task performed:

Repair WARRANTY issue and PM vehicle - Al Packer
j

Parts

NO PARTS USED

Quantity

Vendor?: AL PACKER FORD

Workorder: V26384

In Date: 09/21/2009 Meter Reading: 33,661.00
Close Date: 09/29/2009

Problem?

Charging system 10-7 ems 3

Task performed:

Replc alt on EMS 3 with hi-ouput ____; chking btrys;
faulty; replc btrys j

Parts

10V346HO200 AMP ALT 6G GRAY

65-72BXT65750 BATTERY

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

1

2

2

Workorder: V26157

In Date: 09/09/2009 Meter Reading: 1,557.00
Close Date: 09/30/2009

Problem?

Refrigerator in back of unit intermittent. Will be warm and no fan running in back of unit. Possible wiring problem? ems3

Task performed:

C/O unit; fnd plug shorted out in unit; sent to shop to PU
spare. j

Parts

NO PARTS USED

Quantity

Workorder: V26417

In Date: 09/23/2009 Meter Reading: 33,661.00
Close Date: 10/14/2009

Problem?

replace wiper blades.

Task performed:

Replcd wiepr blades. j

Parts

91-22WIPER BLADE

Quantity

4



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V26486

In Date: 09/27/2009
Close Date: 10/14/2009

Meter Reading: 33,661.00

Problem?

Refrigerator on EMs # is not working properly. Connector is positional. Wires seem loose EMS3

Task performed:

Refrigerator inop; rep bad connection. j

Parts

Quantity

NO PARTS USED

Workorder: V25885

In Date: 08/29/2009
Close Date: 11/06/2009

Meter Reading: 32,620.00

Problem?

Left middle compartment lock still broken. This compartment contains high dollar equipment and needs to be able to lock. Move working lock from another compartment if needed. EMS3

Task performed:

1. Rep rear brake lights that were not working.
2. Rep lock on door. j

Parts

Quantity

NO PARTS USED

Workorder: V28432

In Date: 12/17/2009
Close Date: 01/15/2010

Meter Reading: 38,118.00

Problem?

LIGHT BAR 10-7 EMS 3

Task performed:

Rep 40AMP brkr & rewired. j

Parts

Quantity

NO PARTS USED

Workorder: V29257

In Date: 01/19/2010
Close Date: 01/19/2010

Meter Reading: 39,709.00

Problem?

B inspection and repairs EMS3 (performed by-al packer ford)

Task performed:

B inspection and repairs performed by al packer ford

Parts

Quantity

NO PARTS USED



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V29266

In Date: 01/19/2010
Close Date: 02/10/2010

Meter Reading: 39,709.00

Problem?

replace broken 110 volt receptacle cover EMS3

Task performed:

- 1. Replc Kazzmail cvr.
- 2. Replc SCBA bottle brkt. j

Parts

Quantity

091-3YWCOVER KUSSMAUL AUTO EJECT

1

Workorder: V28683

In Date: 12/29/2009
Close Date: 02/22/2010

Meter Reading: 38,118.00

Problem?

shore line receptcle missing spring loaded cover. STA 35 ems captain

Task performed:

- 1. 110 charger inop; fnd bad grnd.
- 2. Wipers inop; replcd fuse & tested. j

Parts

Quantity

NO PARTS USED

Workorder: V29182

In Date: 01/15/2010
Close Date: 02/25/2010

Meter Reading: 39,430.00

Problem?

B inspection and repairs EMS3 (outside agency-al packer ford)

Task performed:

- B-Inspection/repair - Al Packer j

Parts

Quantity

NO PARTS USED

Vendor?: AL PACKER

Workorder: V30124

In Date: 02/22/2010
Close Date: 03/18/2010

Meter Reading: 40,999.00

Problem?

bATTERY DEAD ON CALL EMS 3

Task performed:

- No start; recharged bttrys & tested. j

Parts

Quantity

NO PARTS USED



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V29914

In Date: 02/12/2010
Close Date: 03/19/2010

Meter Reading: 40,999.00

Problem?

Wont start at sta 91 EMS3

Task performed:

Jump started EMS3 that wld not start. j

Parts

Quantity

NO PARTS USED

Workorder: V30986

In Date: 03/23/2010
Close Date: 04/07/2010

Meter Reading: 42,396.00

Problem?

check and repair electrical problem ems3

Task performed:

1. Load test btry & charging sys; fnd charging ok; but (1) btry no good. Replc (1) btry; others ok 842CCA; chk good.
2. Chk on-board charger at Stn9, on EMS-3; all working good; just one btry bad. j

Parts

Quantity

65-72BXT65750 BATTERY

1

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

1

Workorder: V30667

In Date: 03/12/2010
Close Date: 04/21/2010

Meter Reading: 42,210.00

Problem?

SCBA bracket will not hold SCBA. After driving the SCBA is loose in compartment and falls out when door is opened. Needs to be tightened or strap added to hold SCBA in. EMS3

Task performed:

Rep air pack brkt. j

Parts

Quantity

NO PARTS USED

Workorder: V31473

In Date: 04/12/2010
Close Date: 04/27/2010

Meter Reading: 43,807.00

Problem?

Plug for shore line is not working properly. It is difficult to plug in. ems 3

Task performed:

Shoreline plug will not go in & lock; replc cord end; bad, ran over; C/O charger; works ok & fuses good - ok at this time. j

Parts

Quantity

0915520120AUTO EJECT 20 AERO OTL3925

1

9007H9007 BULB ASSY

1

Job is complete; went to Stn & installed new plug on shoreline cable. j



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V31321

In Date: 04/06/2010
Close Date: 05/01/2010

Meter Reading: 43,042.00

Problem?

Vehicle would not start. Used battery charger. Ran vehicle on high idle. Started fine after running on high idle and being plugged in. Should be looked at by mechanic

Task performed:

Chkd & fnd alt was bad; replc unit & tested. j

Parts

NO PARTS USED

Quantity

Workorder: V31356

In Date: 04/08/2010
Close Date: 05/01/2010

Meter Reading: 43,611.00

Problem?

CHARGING SYSTEM 10-7 EMS 3

Task performed:

1. Dead btrys no start; traced out problem; fnd alt NG; replc
2. Chkd btry charger; tested ok. j

Parts

10V346HO200 AMP ALT 6G GRAY

1

Quantity

Workorder: V31710

In Date: 04/22/2010
Close Date: 05/11/2010

Meter Reading: 44,296.00

Problem?

AUTO EJECT 10-7 EMS 3

Task performed:

Rep 110 cord on btry charger. j

Parts

NO PARTS USED

Quantity

Workorder: V31959

In Date: 05/04/2010
Close Date: 06/04/2010

Meter Reading: 44,964.00

Problem?

No tail lights EMS 3

Task performed:

Rep bad grd for rear tail lights. j

Parts

NO PARTS USED

Quantity



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

* TRUCK EMS OR RESCUE CAPTAIN VEHICLE

Workorder: V32293

In Date: 05/19/2010 Meter Reading: 15,570.00
Close Date: 06/09/2010

Problem?

REPAIR BACK UP LTS EMS 3

Task performed:

1. Rep backup lite that was bad bad grd.
2. Adj rear door latch that was bent. j

Parts

NO PARTS USED

Quantity

Workorder: V32586

In Date: 06/02/2010 Meter Reading: 46,323.00
Close Date: 06/28/2010

Problem?

THE REFRIGERATOR FOR MEDICATIONS IS BLOWING VERY HOT AIR. EMS 3

Task performed:

Refrigerator inop; rep fuse & wiring. j

Parts

NO PARTS USED

Quantity

Workorder: V27984

In Date: 11/29/2009 Meter Reading: 1,824.70
Close Date: 07/13/2010

Problem?

EMS 3 VEHICLE. Protective cap for Auto-Eject broken.

Task performed:

Verified job. j

Parts

NO PARTS USED

Quantity

Workorder: V33529

In Date: 07/13/2010 Meter Reading: 47,359.00
Close Date: 07/23/2010

Problem?

check emergency lights and siren, check for ball joint wear L/F EMS 3

Task performed:

Chk all lights /sirens; replc (3) compt lights. j

Parts

NO PARTS USED

Quantity



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V33397

In Date: 07/07/2010 Meter Reading: 47,792.00
Close Date: 07/30/2010

Problem?

Replace all 6 tires (outside agency-TCI Tire)

Task performed:

Parts

Quantity

Stopped at Stn91; tires need replacing - will be coming in to shop for PM today. j

NO PARTS USED

Replc all (6) tires - TCI Tire ja

Vendor?: TCI TIRE

Workorder: V33424

In Date: 07/09/2010 Meter Reading: 48,214.00
Close Date: 08/13/2010

Problem?

B Inspection and repairs (outside agency-al packer ford)

Task performed:

Parts

Quantity

B-Inspection/repairs - Al packer ja

NO PARTS USED

Vendor?: AL PACKER

Workorder: V33634

In Date: 07/19/2010 Meter Reading: 48,254.00
Close Date: 08/13/2010

Problem?

engine running poorly (outside agency-AI packer) EMS 3

Task performed:

Parts

Quantity

Eng running poorly EMS3 - AI packer ja

NO PARTS USED

Vendor?: AL PACKER

Workorder: V33727

In Date: 07/22/2010 Meter Reading: 48,387.00
Close Date: 08/16/2010

Problem?

The TIC will not seat in the charger and the charge light will not come on. The spare battery charges well and that green light does come on. EMS 3

Task performed:

Parts

Quantity

Rep power wire for TIC tested & tested ok. ja

NO PARTS USED



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

* TRUCK EMS OR RESCUE CAPTAIN VEHICLE

Workorder: V33191

In Date: 06/28/2010

Meter Reading: 47,359.00

Close Date: 08/17/2010

Problem?

Left rear strobe is not working. EMS 3

Task performed:

Replcd rear strobelight. ja

Parts

NO PARTS USED

Quantity

Workorder: V34171

In Date: 08/10/2010

Meter Reading: 49,475.00

Close Date: 09/08/2010

Problem?

install seat covers ems 3

Task performed:

installed new seat covers. j

Parts

SSC-3SEAT COVERS

Quantity

1

Workorder: V34398

In Date: 08/20/2010

Meter Reading: 49,936.00

Close Date: 09/08/2010

Problem?

A/C only blow through the defroster vents. Cold air is coming out but it does not cool the vehicle effectively. ems 3

Task performed:

Rem vac pump frm reserve EMS truck & installed on frt line unit. j

Parts

6C3Z2A451AVACUUM PUMP ASSY

Quantity

1

Traced out problem, fnd vac pump NG; sent to shop.

j

Workorder: V34452

In Date: 08/23/2010

Meter Reading: 49,936.00

Close Date: 09/08/2010

Problem?

batteries weak (callout repair)

Task performed:

Btrys weak; replc btrys; chkd output of alt & shore charger. j

Parts

65-72BXT65750 BATTERY

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

Quantity

2

2



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V33935

In Date: 07/31/2010
Close Date: 09/09/2010

Meter Reading: 49,030.00

Problem?

The TIC and the spare battery will not charge. sta35 EMS

Task performed:

Parts

Quantity

- handsfree for siren not hooked up; install relay & wired up siren.
- installed TIC charger. j

NO PARTS USED

Workorder: V34215

In Date: 08/12/2010
Close Date: 09/09/2010

Meter Reading: 49,475.00

Problem?

Wire the siren to the vehicle horn for hands free usage. EMS3

Task performed:

Parts

Quantity

- Rear back-up not working; fnd bad grd for back-up alarm.
- Btry charger inop; fnd no power to 110 plug; reset str brkr. j

NO PARTS USED

Workorder: V34364

In Date: 08/18/2010
Close Date: 09/17/2010

Meter Reading: 49,807.00

Problem?

While washing the truck the antenna attached to the rear window broke off. EMS3

Task performed:

Parts

Quantity

- Fnd antenna not connected; rem base frm window. j

NO PARTS USED

Workorder: V34423

In Date: 08/21/2010
Close Date: 09/17/2010

Meter Reading: 49,936.00

Problem?

The charging system is on one bar and the truck is slow to turn over.

Task performed:

Parts

Quantity

- Chk btry charger & chkd ok. j

NO PARTS USED



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

* TRUCK EMS OR RESCUE CAPTAIN VEHICLE

Workorder: V34830

In Date: 09/08/2010
Close Date: 09/28/2010

Meter Reading: 50,944.00

Problem?

The transmission is not shifting easily. You have to feather the gas to get it to shift. There is no low end torque. ems 3 (outside agency-al packer)

Task performed:

Trans is not shifting easily - Al packer j

Parts

NO PARTS USED

Quantity

Vendor?: AL PACKER

Workorder: V34237

In Date: 08/13/2010
Close Date: 10/20/2010

Meter Reading: 49,610.00

Problem?

The TIC charger has been replaced twice and the TIC and spare battery still don't charge. EMS 3

Task performed:

Chkd charger 7 tested ok; fnd batry not all the way in. j

Parts

NO PARTS USED

Quantity

Workorder: V35388

In Date: 10/04/2010
Close Date: 11/03/2010

Meter Reading: 51,999.00

Problem?

REPAIR FUEL LEAK EMS 3

Task performed:

1. check for fuel leak, found fuel leak at pressure regulator on fuel filter, order part.install pressure regulator and test drive. jab

Parts

3C3Z9T517AGPRESSURE REGULATOR

1

Quantity

Workorder: V36061

In Date: 11/01/2010
Close Date: 11/03/2010

Meter Reading: 51,999.00

Problem?

shoreline innop EMS3 (callout repair)

Task performed:

Travel to stn; Shore line innop; connector brkn; replc 20 AMP connector. j

Parts

5-20PH1PGK4 CONNECTOR 120V 20A FEMALE

1

Quantity



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V35504

In Date: 10/08/2010

Meter Reading: 51,999.00

Close Date: 11/16/2010

Problem?

EMS 3 low power steering

Task performed:

Parts

Quantity

1. check power steering, repair leak and add fluid.
jab

NO PARTS USED

Workorder: V35814

In Date: 10/20/2010

Meter Reading: 52,741.00

Close Date: 12/22/2010

Problem?

The TIC holder needs to be mounted to the truck again. It came off. EMS3

Task performed:

Parts

Quantity

(1) TRAVELED TO BAT3 HQ TO REMOUNT TIC
CHARGER HOLDER ON EMS3 VEHICLE THAT HAD
COME OFF. REINSTALLED CHARGER HOLDER .
J.W.

NO PARTS USED

Workorder: V36145

In Date: 11/03/2010

Meter Reading: 52,741.00

Close Date: 12/22/2010

Problem?

The TIC charger charges the spare battery, but not the TIC EMS3

Task performed:

Parts

Quantity

NO PARTS USED

Workorder: V37196

In Date: 12/16/2010

Meter Reading: 55,236.00

Close Date: 01/11/2011

Problem?

B Inspection and repairs (outside agency-al packer ford)

Task performed:

Parts

Quantity

B-Inspection/repairs - Al packer j

NO PARTS USED

Vendor?: AL PACKER



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V37387

In Date: 12/23/2010
Close Date: 01/11/2011

Meter Reading: 55,236.00

Problem?

The drivers side windshield wiper doesn't make contact with the windshield. It needs to be replaced. EMS 3

Task performed:

- 1. Replc wipers on both sides.
- 2. Adj door latch for rear door. j

Parts

91-20WIPER BLADE 20 IN
91-22WIPER BLADE

Quantity

2
2

Workorder: V37998

In Date: 01/23/2011
Close Date: 01/28/2011

Meter Reading: 56,823.00

Problem?

REFRIG NOT COOL, MECH WAS IN AND REPAIRED ON PHONE CALL. EMS3

Task performed:

- (1) OT.REFRIGERATOR NOT WORKING IN EMS3 VEHICLE. TRAVELED TO ST-35 TO REPAIR EMS3 REFRIGERATOR. FOUND FAULTY POWER TERMINAL ON FUSE BLOCK. MOVED FUSE TO AN OPEN POSITION. J.W.

Parts

NO PARTS USED

Quantity

Workorder: V37901

In Date: 01/19/2011
Close Date: 02/25/2011

Meter Reading: 56,823.00

Problem?

EMS 3 Vehicle. Left rear LED is not working

Task performed:

- Replcd rear LED light that was not working. j

Parts

50R03ZCRLIGHT LED RED TIR 6

Quantity

1

Workorder: V39055

In Date: 03/08/2011
Close Date: 03/24/2011

Meter Reading: 59,360.00

Problem?

Captain 3 vehicle needs a new fuel cap. Drove off with out putting it back on after fueling.

Task performed:

- Dropped off fuel cap. j

Parts

F4TZ9030C FUEL CAP

Quantity

1



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

* TRUCK EMS OR RESCUE CAPTAIN VEHICLE

Workorder: V39332

In Date: 03/21/2011

Meter Reading: 59,360.00

Close Date: 04/05/2011

Problem?

UNIT BROKE DOWN EMS 3

Task performed:

replc btrys. j

Parts

Quantity

0913912CHARGER 2000

1

65-72BXT65750 BATTERY

2

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

2

H3-100WBP1210H3 BULB

1

Workorder: V39797

In Date: 04/08/2011

Meter Reading: 60,191.00

Close Date: 04/08/2011

Problem?

Docking station for MDT needs to be replaced with station that does NOT have a undocking button. MDT has been inadvertently undocked NUMEROUS times due to poor location of button. Please Help!! Gave to Steven Lee.

Task performed:

Parts

Quantity

NO PARTS USED

Workorder: V40041

In Date: 04/21/2011

Meter Reading: 61,401.00

Close Date: 04/26/2011

Problem?

Dead battery. Sta 91.

Task performed:

Travel to stn; shoreline charge inop; fuse holder burnt; replc fuse holder; need a higher AMP rating holder; will order a new one. j

Parts

Quantity

NO PARTS USED

Workorder: V39529

In Date: 03/29/2011

Meter Reading: 60,191.00

Close Date: 05/05/2011

Problem?

noise coming from tires that sounds like cards in spokes, also has a shimmy in the rear end. at sta.

Task performed:

Rep chrome wheel cvrs that were loose. j

Parts

Quantity

NO PARTS USED



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

* TRUCK EMS OR RESCUE CAPTAIN VEHICLE

Workorder: V41369

In Date: 06/15/2011

Meter Reading: 63,847.00

Close Date: 06/30/2011

Problem?

The LED warning light on the rear of the "box" (driver's side on the back) is out. EMS 3

Task performed:

replc led light onr ear of trk. j

Parts

50R03ZCRLIGHT LED RED TIR 6

Quantity

2

Workorder: V40580

In Date: 05/12/2011

Meter Reading: 63,847.00

Close Date: 07/12/2011

Problem?

B Inspection

Task performed:

B-Inspection - Al Packer

Parts

NO PARTS USED

Quantity

Vendor?: AL PACKER

Workorder: V41786

In Date: 07/05/2011

Meter Reading: 63,847.00

Close Date: 07/19/2011

Problem?

Wont start, batteries.

Task performed:

REPLACED BATTERIES AND REPAIRED CONNECTION OON CHARGER AK

Parts

65-72BXT65750 BATTERY

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

Quantity

2

2

Workorder: V42283

In Date: 07/25/2011

Meter Reading: 66,450.00

Close Date: 07/26/2011

Problem?

ON CALL SHORE LINE 10-7 EMS 3

Task performed:

Shoreline inop; cord plug wires loose; rep shoreline wiring. j

Parts

NO PARTS USED

Quantity



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V42124

In Date: 07/19/2011
Close Date: 08/08/2011

Meter Reading: 65,703.00

Problem?

tires need to be checked for tread wear. Federal Q needs to be installed!! Sta 91.

Task performed:

checked tires will monitor

Parts

NO PARTS USED

Quantity

Workorder: V42668

In Date: 08/09/2011
Close Date: 08/25/2011

Meter Reading: 66,843.00

Problem?

Auto-ejector for shore line is not working when starting vehicle, Sta 35.

Task performed:

replaced 110 plug and repaired wires

Parts

0915520120AUTO EJECT 20 AERO OTL3925

Quantity

1

Workorder: V42776

In Date: 08/12/2011
Close Date: 09/12/2011

Meter Reading: 67,178.00

Problem?

Compartment lights not working. Switch cab appears to be functioning, no lights in any compartment working. Truck is not at 35, a station 91. Unable to change FS number. Capt 35

Task performed:

repaired compartment lights

Parts

NO PARTS USED

Quantity

repaired tic charger and tested

Workorder: V42893

In Date: 08/18/2011
Close Date: 09/12/2011

Meter Reading: 67,449.00

Problem?

Replace all tires. callaghan tire.

Task performed:

Replace all tires - Callaghan j

Parts

NO PARTS USED

Quantity

Vendor?: CALLAGHAN



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

* TRUCK EMS OR RESCUE CAPTAIN VEHICLE

Workorder: V43521

In Date: 09/08/2011

Meter Reading: 68,442.00

Close Date: 09/19/2011

Problem?

compartment lights out. Sta 91.

Task performed:

replaced fuse and tested

Parts

NO PARTS USED

Quantity

Workorder: V43764

In Date: 09/19/2011

Meter Reading: 68,805.00

Close Date: 10/14/2011

Problem?

CP3 vehicle will not start. 10163240, sta 35

Task performed:

RECHARGE BATTERIES

Parts

0913912CHARGER 2000

Quantity

1

Workorder: V43785

In Date: 09/20/2011

Meter Reading: 68,940.00

Close Date: 10/14/2011

Problem?

shoreline did not eject.

Task performed:

REPLACED SHORE LINE AUTO EJECT

Parts

NO PARTS USED

Quantity

Workorder: V43938

In Date: 09/27/2011

Meter Reading: 69,108.00

Close Date: 10/14/2011

Problem?

CPT 3 shore charger inop

Task performed:

CHECKED CHARGING SYSTEM AND TESTED OK

Parts

10V346HO200 AMP ALT 6G GRAY

Quantity

1

CALL OUT (REINES) SHORE CHARGER INOP, FOUND BLOWN FUSE AT CHARGER, REPLACED FUSE, CHECK VOLTAGES, ALTERNATOR VOLTAGE LOW, MAY NEED TO EBE REPLACED SOON, SHROE CHARGER OK



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

* TRUCK EMS OR RESCUE CAPTAIN VEHICLE

Workorder: V44435

In Date: 10/17/2011

Meter Reading:

Close Date: 10/21/2011

Problem?

replace wiper blades ems 3

Task performed:

installed wipers and repaired wiper arm

Parts

91-22WIPER BLADE

Quantity

2

Workorder: V44687

In Date: 10/25/2011

Meter Reading: 70,402.00

Close Date: 10/28/2011

Problem?

B INSPECTION AL PACKER EMS 3

Task performed:

- 1. B INSPECTION AL PACKER
- 2. FRONT BRAKES AND CALIPERS
- 3. WIPER BLADES
- 4. Quality Check

Vendor?: AL PACKER

Parts

NO PARTS USED

Quantity

Workorder: V45986

In Date: 12/19/2011

Meter Reading: 72,460.00

Close Date: 12/20/2011

Problem?

No start. Towed to Al Packer

Task performed:

No start. Towed to Al Packer.
Injector control mod faulty.
R&R injector control mod.

Vendor?: AL PACKER

Parts

NO PARTS USED

Quantity

Workorder: V45935

In Date: 12/19/2011

Meter Reading: 72,460.00

Close Date: 01/04/2012

Problem?

no start.

Task performed:

FOUND BAD INJECTORS SWAPED OUT UNIT.

Parts

NO PARTS USED

Quantity



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

* TRUCK EMS OR RESCUE CAPTAIN VEHICLE

Workorder: V46976

In Date: 01/31/2012

Meter Reading: 74,248.00

Close Date: 02/10/2012

Problem?

Repair damage to front pushbar due to accident.

Task performed:

REPAIRED PUSH BAR - BUT WILL NEED TO ORDER NEW ONE.

Parts

3366CBED TRAY LOCK

Quantity

1

Workorder: V46449

In Date: 01/09/2012

Meter Reading: 73,755.00

Close Date: 03/06/2012

Problem?

Siren still honks horn when using hands free device. Ford horn need a switch that will turn off horn when siren power is ON. ems at 91

Task performed:

REPAIRED HORN BUTTON THAT WAS NOT WORKIN

Parts

NO PARTS USED

Quantity

Workorder: V47405

In Date: 02/18/2012

Meter Reading: 75,483.00

Close Date: 03/06/2012

Problem?

Shore line not ejecting from truck. Pigtails need to be replaced.sta 35

Task performed:

INSTALLED NEW AUTO EJECT.

Parts

NO PARTS USED

Quantity

Workorder: V47413

In Date: 02/19/2012

Meter Reading: 75,483.00

Close Date: 03/06/2012

Problem?

The shoreline auto-ejector stopped auto-ejecting the shoreline. It has to be pulled out manually.sta 91

Task performed:

REPAIRED AUTO EJECT.

Parts

0915520120AUTO EJECT 20 AERO OTL3925

Quantity

1



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

* TRUCK EMS OR RESCUE CAPTAIN VEHICLE

Workorder: V44698

In Date: 10/26/2011
Close Date: 03/09/2012

Meter Reading: 69,850.00

Problem?

REPLACE INJECTORS AL PACKER

Task performed:

Parts

Quantity

NO PARTS USED

Workorder: V45856

In Date: 12/13/2011
Close Date: 03/12/2012

Meter Reading:

Problem?

Engine light came on and stayed on during code 3 response. No unusual sounds or vibrations noted. Sta 35

Task performed:

Parts

Quantity

NO PARTS USED

Workorder: V47775

In Date: 03/06/2012
Close Date: 03/13/2012

Meter Reading: 76,016.00

Problem?

THIS TRUCK IS STATIONED AT STATION 91 NOT 35. THE TRUCK WILL NOT START. THERE IS A SMALL CHARGE ON SHO LINE. NO SOUNDS OR NOISES DURING KEY TURNING. OUT OF SERVICE. ems 3

Task performed:

Parts

Quantity

REPLACED BATTERIES AND REPAIRED BATTERY CHARGER.

65-72BXT65750 BATTERY

2

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

2

Workorder: V47991

In Date: 03/15/2012
Close Date: 04/02/2012

Meter Reading: 76,404.00

Problem?

R Rear 911/American flag sticker is faded and cannot be seen. Needs to be replaced. Sta 91

Task performed:

Parts

Quantity

INSTALLED NEW FLAG

NO PARTS USED



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

* TRUCK EMS OR RESCUE CAPTAIN VEHICLE

Workorder: V48215

In Date: 03/27/2012

Meter Reading: 77,122.00

Close Date: 04/16/2012

Problem?

Battery dead today at check out. Charging system with no red lights with shore line plugged in. Shore line plugged moved and red lights appeared then disappeared when plug was let go. Capt 3

Task performed:

REPLACED 110 PLUG AND TESTED.

Parts

NO PARTS USED

Quantity

Workorder: V49177

In Date: 05/08/2012

Meter Reading: 79,000.00

Close Date: 05/14/2012

Problem?

fuel cap missing

Task performed:

DROPPED OFF FUEL CAP.

Parts

F4TZ9030C FUEL CAP

Quantity

1

Workorder: V50248

In Date: 06/19/2012

Meter Reading: 80,480.00

Close Date: 06/21/2012

Problem?

Charging bars on not showing in red. Appears to be not charging, station CB checked with no effect. CAPT 3

Task performed:

FOUND SHORE CHARGER FUSE BROKEN BY LOOSE O2 BOTTLE. REPLACE FUSE. CHECK SHORE CHARGER OUTPUT.

Parts

NO PARTS USED

Quantity

Workorder: V49499

In Date: 05/20/2012

Meter Reading: 79,560.00

Close Date: 07/03/2012

Problem?

BACK UP ALARM NOT WORKING. ALSO THE PIGTAIL ON THE SHORELINE IS SHOWING +

Task performed:

REPLACED BACK-UP ALARM.

Parts

575BACKUP ALARM ECCO 107 DEC

91-20WIPER BLADE 20 IN

Quantity

1

2



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

* TRUCK EMS OR RESCUE CAPTAIN VEHICLE

Workorder: V50042

In Date: 06/11/2012
Close Date: 07/18/2012

Meter Reading: 80,480.00

Problem?

B inspection - Al Packer

Task performed:

B inspection
oil and filter change
rear brake job, calipers, pads, and rototrs

Vendor?: AL PACKER

Parts

Quantity

NO PARTS USED

Workorder: V49701

In Date: 05/29/2012
Close Date: 07/25/2012

Meter Reading: 80,045.00

Problem?

INSTALL ADDITIONAL LIGHTING IN REAR OF UNIT EMS 3

Task performed:

TRUCK AT SHOP WILL INSTALL LIGHTS AT SHOP.

Parts

Quantity

6256RJN6256RJN NUT-OUTER/RIGHT
9006XSLLEADLAMP M2 HI
H1422TSX STUD

2
2
2

Workorder: V51042

In Date: 07/23/2012
Close Date: 07/27/2012

Meter Reading: 82,801.00

Problem?

ON CALL NO POWER EMS 3

Task performed:

CAPTAIN #3 UNIT HAS NO POWER ON ROUTE TO ST 91 10163240 SWAP OUT UNIT RUNNING ROUGH NO RPM SWAP INTO SEMS4 10157002.

Parts

Quantity

NO PARTS USED

Workorder: V51938

In Date: 08/28/2012
Close Date: 09/12/2012

Meter Reading:

Problem?

Dome light not working when doors open. Rheostat worked on some dash lights but not Dome. Some dash lights were out as well
Appears to be a fuse or breaker... CAPT 1

Task performed:

1. TRAVEL TO ST 91 CHK LIGHT BULB OUT ON DOME R&R BULB OK.

Parts

Quantity

NO PARTS USED



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V51219

In Date: 07/30/2012

Meter Reading:

Close Date: 09/14/2012

Problem?

Dome light in cab does not work when door opened. Light does work but only when switch is used. Compartment lights not working switch is "on" position. EMS3

Task performed:

Parts

Quantity

1. FOUND BAD FUSE AND SWITCH NOT SET CORRECTLY.

NO PARTS USED

Workorder: V51377

In Date: 08/05/2012

Meter Reading:

Close Date: 09/17/2012

Problem?

LED on the right side is out of service. CAP3

Task performed:

Parts

Quantity

INSTALLED NEW LIGHTS.

NO PARTS USED

Workorder: V53601

In Date: 11/07/2012

Meter Reading:

87,616.00

Close Date: 11/19/2012

Problem?

repair flat tire

Task performed:

Parts

Quantity

REPAIR FLAT TIRE.

NO PARTS USED

Vendor?: BOULEVARD TIRE CENTE

Workorder: V53364

In Date: 10/29/2012

Meter Reading:

87,274.00

Close Date: 11/28/2012

Problem?

chack batteries capt 3

Task performed:

Parts

Quantity

REPLACED BATTERIES AND TESTED.

5025TERMINAL BOX

1

65-72BXT65750 BATTERY

2

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

2

LED100-Q01COMPARTMENT LED LIGHT

2



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

* TRUCK EMS OR RESCUE CAPTAIN VEHICLE

Workorder: V53730

In Date: 11/13/2012

Meter Reading:

Close Date: 12/07/2012

Problem?

Battery light coming on intermittent. small glove box next to steering column broken and cannot open. Hospital cards inside need to be retrieved. EMS3

Task performed:

Parts

Quantity

REPLACED ALTERNATOR AND ROAD TESTED.

10V346HO200 AMP ALT 6G GRAY

1

Workorder: V53894

In Date: 11/19/2012

Meter Reading:

Close Date: 12/14/2012

Problem?

Charging system inop. It appears the plug in on truck is shorted out. When the shoreline is wiggled it will briefly charge. It appears the side load from the shoreline is affects the way the plug sits in female end CAPT 3

Task performed:

Parts

Quantity

REPAIRED 110 PLUG AND CHARGED, TESTED UNIT AND TESTED OK.

NO PARTS USED

Workorder: V54375

In Date: 12/11/2012

Meter Reading: 89,200.00

Close Date: 12/19/2012

Problem?

REPAIR FLAT

Task performed:

Parts

Quantity

REPAIR FLAT.

NO PARTS USED

Vendor?: BOULEVARD TIRE

Workorder: V53588

In Date: 11/06/2012

Meter Reading: 89,582.00

Close Date: 12/21/2012

Problem?

B inspection

Task performed:

Parts

Quantity

Oil and filter change
b inspeciton
replace wiper blades
replace fuel filter
replace air filter

NO PARTS USED

Vendor?: AL PACKER



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

* TRUCK EMS OR RESCUE CAPTAIN VEHICLE

Workorder: V54665

In Date: 12/27/2012

Meter Reading: 89,532.00

Close Date: 01/02/2013

Problem?

quality check, replace bumper guard

Task performed:

1. CHARGE BATTERIES.
2. Q INSPECTION.
3. CHECK TO SEE IF BRUSH GUARD IN BLDG 3 WOULD FIT.

Parts

Quantity

5C3Z18472FVALVE HEATER CONTROL 05 F350

1

Workorder: V54683

In Date: 12/28/2012

Meter Reading: 89,532.00

Close Date: 01/11/2013

Problem?

replace batteries

Task performed:

REPLACED BATTERIES

Parts

Quantity

65-72BXT65750 BATTERY

2

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

2

Workorder: V54494

In Date: 12/18/2012

Meter Reading: 89,532.00

Close Date: 01/22/2013

Problem?

REPLACE TIRES

Task performed:

REPLACE TIRES.

Parts

Quantity

NO PARTS USED

Vendor?: CALLAGHAN TIRE

Workorder: V55318

In Date: 01/26/2013

Meter Reading:

Close Date: 02/01/2013

Problem?

Washer inop Install tow hooks [removed after brush gaurd replacement]

Task performed:

1. WASHER INOP/ MOTOR BAD/ INSTALLED NEW WASHER PUMP MOTOR.
2. INSTALL TOW HOOKS/ INSTALLED TOW HOOKS.

Parts

Quantity

A2254926000WASHER PUMP W/GROMMET

1



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

* TRUCK EMS OR RESCUE CAPTAIN VEHICLE

Workorder: V55340

In Date: 01/28/2013
Close Date: 02/07/2013

Meter Reading: 89,532.00

Problem?

leaking coolant

Task performed:

LEAKING COOLANT.

Parts

Quantity

NO PARTS USED

Vendor?: AL PACKER FORD

Workorder: V49624

In Date: 05/25/2012
Close Date: 04/08/2013

Meter Reading:

Problem?

Install additional lighting in rear of vehicle for command board. Per OPS Group request.

Task performed:

Parts

Quantity

NO PARTS USED

Workorder: V50997

In Date: 07/19/2012
Close Date: 04/08/2013

Meter Reading:

Problem?

Transmission will not shift. The engine has high RPM and will not shift. Running rough as well. On I-95 difficult to go above 65MPH
Possibly injectors or transmission issues. CAP 3

Task performed:

Parts

Quantity

NO PARTS USED

Workorder: V56998

In Date: 04/12/2013
Close Date: 04/24/2013

Meter Reading: 92,877.00

Problem?

driver side middle compartment and passenger side front compartment locking electrically without input. Unknown how to lock. All
compartment lights inoperative. EMS-3

Task performed:

Parts

Quantity

1. TRAVEL TO ST 91 CHECK OUT COMPARTMENT LIGHTS, FOUND BLOWN FUSE IN BOX FOR DOOR LOCKS REPLACE ALL WIRING HANGING DOWN NEED REPAIRED WILL GO BACK.
2. SECURE WIRING IN BODY COMPARTMENTS.

NO PARTS USED



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

* TRUCK EMS OR RESCUE CAPTAIN VEHICLE

Workorder: V57740

In Date: 05/15/2013

Meter Reading:

Close Date: 05/30/2013

Problem?

Charging system on Cpt3 vehicle shows only 1-2 bars when plugged in. This was after an overnight charge. Vehicle is still starting fine but may be a sign of bad stuff to come.

Task performed:

Parts

Quantity

TRAVEL TO ST 91 CHECK OUT BATTS CHARGING SYSTEM AND 10 V CHARGER.

NO PARTS USED

Workorder: V58179

In Date: 06/03/2013

Meter Reading: 95,500.00

Close Date: 06/03/2013

Problem?

B inspection CAP 3

Task performed:

Parts

Quantity

B inspection
oil and filter change
replace cracked radiator
front brake job
trans flush
replace front and rear shocks
repack wheel bearings
replace front brake calipers

NO PARTS USED

Vendor?: AL PACKER

Workorder: V58541

In Date: 06/19/2013

Meter Reading: 95,580.00

Close Date: 06/24/2013

Problem?

Door not opening Capt 3

Task performed:

Parts

Quantity

OPENED DOOR AND REPAIRED LATCH.

NO PARTS USED



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V59007

In Date: 07/11/2013
Close Date: 07/23/2013

Meter Reading: 96,448.00

Problem?

Flat r/r/o

Task performed:

FLAT/R/R/O

Parts

NO PARTS USED

Quantity

Vendor?: BOULEVARD TIRE CENTE

Workorder: V59223

In Date: 07/20/2013
Close Date: 07/30/2013

Meter Reading: 97,072.00

Problem?

L brake light and L turn signal not working. L reverse light works fine. EMS 3

Task performed:

REPAIRED ON ANOTHER WORK ORDER #.

Parts

NO PARTS USED

Quantity

Workorder: V59269

In Date: 07/22/2013
Close Date: 07/30/2013

Meter Reading: 97,072.00

Problem?

Vehicle will not charge when connected to the shore line. Right tail light out. Capt 3

Task performed:

1. TRAVEL TO ST 91 REPAIR BAD GROUND ON TAIL LIGHT.
2. CHECK OUT CHARGER FUSE OUT REPAIR SOCKET AND R&R FUSE.

Parts

NO PARTS USED

Quantity

Workorder: V59369

In Date: 07/26/2013
Close Date: 07/30/2013

Meter Reading: 97,072.00

Problem?

Shorline charger inop

Task performed:

TRAVEL TO ST 91 CHECK OUT SHORELINE CHARGER R&R CHARGER TLR. HITCH MUST HAVE SHORTED BOX FROM LID BEING SMAHED IN.

Parts

0913912CHARGER 2000

Quantity

1



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

*** TRUCK EMS OR RESCUE CAPTAIN VEHICLE**

Workorder: V60337

In Date: 09/06/2013
Close Date: 09/11/2013

Meter Reading: 99,022.00

Problem?

reinstall lighting on back

Task performed:

INSTALL REAR LIGHTING FRIXTURES AND AUTO EJECT BACK ONTO VEHICLE AFTER STRIPPING REPLACED.

Parts

Quantity

NO PARTS USED

Workorder: V63214

In Date: 01/07/2014
Close Date: 01/23/2014

Meter Reading: 100,158.00

Problem?

Engine Light illuminated on dash.

Task performed:

HOOK UP READER CHECK CODES DIDN'T FIND CODES OR CHECK ENGINE LIGHT ON CHECK FLUIDS OK.

Parts

Quantity

NO PARTS USED

Workorder: V63608

In Date: 01/22/2014
Close Date: 02/03/2014

Meter Reading:

Problem?

Check engine light coming on spare Cp3 truck.

Task performed:

REPAIRED ON ANOTHER WO.

Parts

Quantity

NO PARTS USED

Workorder: V63984

In Date: 02/04/2014
Close Date: 02/04/2014

Meter Reading: 101,375.00

Problem?

B inspection SEMS

Task performed:

B inspection
oil and filter change
replace fuel filter
r&r egr valve
replace marker and compartment bulbs

Parts

Quantity

NO PARTS USED

Vendor?: AL PACKER



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

* TRUCK EMS OR RESCUE CAPTAIN VEHICLE

Workorder: V65521

In Date: 04/07/2014

Meter Reading: 101,757.00

Close Date: 04/09/2014

Problem?

L-Side emergency light dmg

Task performed:

REPLACE LIGHT ON SIDE OR TRUCK, RIP OFF, RETAPE HOLES AND REWIRE LIGHT.

Parts

Quantity

50R03ZCRLIGHT LED RED TIR 6

1

5TSMACMOUNT 500 TIR SER CHROME

1

Workorder: V65881

In Date: 04/22/2014

Meter Reading: 101,757.00

Close Date: 05/01/2014

Problem?

running rough

Task performed:

DRIVE TO STA 39 CHECK UNIT REMOVE AND REPLACE CAB FRONT A/C BLOWER MOTOR TEST FOR OPERATION IS WORKING GOOD NOW.

Parts

Quantity

NO PARTS USED

Vendor?: AL PACKER

Workorder: V67435

In Date: 06/24/2014

Meter Reading:

Close Date: 06/26/2014

Problem?

The AC was blowing warm, the on duty mechanic was here and he fixed it.... EMS 7

Task performed:

TRAVEL TO HEADQUARTERS CLEANED OUT CONDENSER AND CHARGED A/C.

Parts

Quantity

NO PARTS USED

Workorder: V69081

In Date: 09/01/2014

Meter Reading:

Close Date: 09/08/2014

Problem?

Check engine light is on EMS 7

Task performed:

ck, codes and found code for fuel cap,sealed cap ok.

Parts

Quantity

NO PARTS USED



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

* TRUCK EMS OR RESCUE CAPTAIN VEHICLE

Workorder: V70613

In Date: 10/31/2014
Close Date: 10/31/2014

Meter Reading: 105,333.00

Problem?

B-inspection

Task performed:

B-inspection
Replaced glow plugs
Replaced ball joints
Rear brakes and rotors
Rear axle seals
Fuel filter

Vendor?: AL PACKER

Parts

Quantity

NO PARTS USED

Workorder: V70770

In Date: 11/07/2014
Close Date: 11/25/2014

Meter Reading: 104,336.00

Problem?

No start Compartment door inop

Task performed:

1. Check door inoperable. Pull door panel. Repair inoperable latch. Install new swivel bolt on latch. Reinstall latch and rod in door - adjust. Test OK.

Parts

Quantity

NO PARTS USED

Workorder: V70894

In Date: 11/13/2014
Close Date: 12/18/2014

Meter Reading: 105,623.00

Problem?

right rear back up light is out! Vehicle is at station 19. CPT 1 Will repair at shop coming back today

Task performed:

1. Derd in yard-unable to jum start-test battery found both completely send-remove and install (2) new battery-check charging system, full load charging to 139v.

2. Right push bar emergency warning light missing-install new warning light. Left side lense damage-replace lense.

Parts

Quantity

50R03ZCRLIGHT LED RED TIR 6	1
5FLANGEC5FLANGEC FLANGE CHROME	2
65-72BXT65750 BATTERY	2
6819634283068-1963428-30 LENS CLR	1
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	2



2/2/2022

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10163240

* TRUCK EMS OR RESCUE CAPTAIN VEHICLE

Workorder: V72652

In Date: 01/27/2015

Meter Reading: 105,828.00

Close Date: 02/19/2015

Problem?

Drivers seat torn

Task performed:

1. Bring vehicle in shop. Remove driver's seat. Move vehicle back to parking lot.
2. Install driver's seat.

Parts

Quantity

NO PARTS USED

Workorder: V70467

In Date: 10/27/2014

Meter Reading: 104,336.00

Close Date: 06/30/2015

Problem?

Check eng light

Task performed:

Parts

Quantity

NO PARTS USED



Palm Beach County Fire Rescue Fleet Maintenance Asset History

Asset: (10163240) 2005 - FORD F350 Truck Ems Or Rescue Captain Vehicle

10163240

CSHOP-2021-2403

Date Opened: 4-30-2021 Date Finished 5-17-2021 Meter 1 Reading: 139,453

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2021-2422

Date Opened: 5-3-2021 Date Finished 5-4-2021 Meter 1 Reading: 139,383

TASKS PERFORMED

Q PARTS

DIAGNOSE ELECTRICAL
BODY EXTERIOR

2 1AD; BATTERY GROUP 65

Service Requests:

05/01/2021 SERVICE REQUEST / 18: LEAKING / REPAIR
HAS ISSUES STARTING WHEN OFF OF SHORE POWER, NEEDS PM, NEEDS LOCKS REPLACED ON CARGO BOX FOR ALL COMPARTMENTS, TRUCK IS LOCATED AT STATION 34 AND KEY IS IN THE BC DESK.

CSHOP-2021-3897

Comments: **REPAIR COMPARTMENT DOOR LOCKS SO THEY CAN LOCK UP THEIR EXTRICATION EQUIPMENT**

Date Opened: 7-13-2021 Date Finished 10-4-2021 Meter 1 Reading: 139,797

TASKS PERFORMED

Q PARTS

TOWING HITCH
BATTERY

1 BK; TRI BALL REC HITCH
2 1AD; BATTERY GROUP 65

CSHOP-2021-5872

Comments: **COMPARTMENTS NEED NEW LOCKS OR REPAIR**

Date Opened: 10-19-2021 Date Finished 11-19-2021 Meter 1 Reading: 139,797

TASKS PERFORMED

NO PARTS USED

DOOR LOCKS