



10/27/2022

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10155816
E-250 VAN

Workorder: V5318

In Date: 11/08/2006
Close Date: 12/01/2006

Meter Reading: 13,193.00

Problem?
TINT WINDOWS BOSS

Task performed:

Parts

Quantity

1. 60 VEHICLE SENT FOR WINDOW TINT.

NO PARTS USED

Vendor?: 60 MINUTE AUTOTINT

Workorder: V5319

In Date: 11/08/2006
Close Date: 12/01/2006

Meter Reading: 13,193.00

Problem?
*

Task performed:

Parts

Quantity

1. VEHICLE SENT TO 60 MINUTE TO HAVE ALARM
INSTALLED.

NO PARTS USED

Vendor?: 60 MINUTE AUTOTINT

Workorder: V4962

In Date: 10/19/2006
Close Date: 12/14/2006

Meter Reading: 13,193.00

Problem?
DETAIL VEHICLE, BOSS (TIP TOP)

Task performed:

Parts

Quantity

1. UNIT SENT TO AUTO SPA FOR DETAIL.

NO PARTS USED

Vendor?: AUTO SPA

Workorder: V5320

In Date: 11/08/2006
Close Date: 12/19/2006

Meter Reading:

Problem?
LETTER VECHICAL BOSS

Task performed:

Parts

Quantity

1. REMOVAL OF GRAPHICS OFF OF VEHICLE.

NO PARTS USED

Vendor?: GRAPHIC DESIGNS INTE



10/27/2022

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10155816

E-250 VAN

Workorder: V5311

In Date: 11/08/2006

Meter Reading: 13,193.00

Close Date: 02/01/2007

Problem?

INSTALL CAGE IN INVESTIGATIONS VAN

Task performed:

1. Install cage,radio,siren,lights,and shelving in van
2. Install strobe lights.in tail light housing

Parts	Quantity
01046301700S30HACP STROBE CLEAR	3
129883WEATHER GAURD PARTS	1
3085-195-000HORIZ.MOUNT	2
3HZ823HZ82 SWITCH TOGGLE RED	2
4RA003510082RELAY	1
87401RY-30T RELAY 5 PIN 12V	1
87499RY48 RELAY	1
DOSZ-14448-ADOSZ-14448-A JUNCTION	2
FLLED RBVISOR FLATLIGHTER	1
FREIGHTSHIPPING CHARGES	1
KR-CCLCATHODE COMPARTMENT LIGHT	3
LX565ELECTRICAL MANUEL NEW HOLLAND	1
UPS64RXPOWER SUPPLY REPAIRED	1

Workorder: V6938

In Date: 02/26/2007

Meter Reading: 13,421.00

Close Date: 03/30/2007

Problem?

install and mount new equipment (boss)

Task performed:

1. Set up and wire back up camera. Install strobes in taillights. Install shelf unit in back of truck

Parts	Quantity
GUSHC001BKHITCHCAM BACKUP CAMERA	1
HA238BHA238B STROBE BLUE	1
HA238REDSTROBE BULB RED	1
RBKT1WHL MOUNTING BRACKET	2
RSC03ZCRTIR3 CLEAR WHITE	2



10/27/2022

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10155816

E-250 VAN

Workorder: V8170

In Date: 05/09/2007 Meter Reading: 15,507.00
Close Date: 06/11/2007

Problem?

battery dead, overhead lights in rear coming down (boss)

Task performed:

1. Repair overhead light, charge battery, track draw
2. Morning meeting
3. Replace gauge cluster

Parts	Quantity
4C2Z10849AAINSTRUMENT CLUSTER	1
92183LENS AMBER	1
CORECORE CHARGE	1

Workorder: V8499

In Date: 05/30/2007 Meter Reading: 15,507.00
Close Date: 06/21/2007

Problem?

headlight 10-7

Task performed:

1. Assist (E. Brown) with diagnostic on electrical problem
2. Trouble shoot slectrical system, repaired wire connections & fuses at fuse panel
3. Replaced headlight switch & headlight harness connector repaired loose & broken wires trouble shoot no high beams
4. Trouble shoot & repair high beam circuit repaired bad wiring from alarm installation

Parts	Quantity
65-72BXT65750 BATTERY	1
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	1
H6054USE CV TYPE SEALED BEAM	1
S607PIGTAIL	1
YC2213K359BAMULTIFUNCTION SWITCH	1

Workorder: V9040

In Date: 06/27/2007 Meter Reading: 16,201.00
Close Date: 07/03/2007

Problem?

ON CALL FLAT TIRE

Task performed:

Flat tire - plugged tire till morning;

Parts	Quantity
NO PARTS USED	



10/27/2022

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10155816

E-250 VAN

Workorder: V9907

In Date: 08/14/2007

Meter Reading: 17,771.00

Close Date: 09/13/2007

Problem?

rear emergency lights innop (Boss)

Task performed:

chkd fuses; fnd good

Parts

NO PARTS USED

Quantity

Workorder: V10314

In Date: 09/07/2007

Meter Reading: 19,317.00

Close Date: 09/26/2007

Problem?

B inspection, rear emergency lights 10-7,rattle in front while driving (boss)

Task performed:

1. B INSPECTION CHANGE OIL AND FILTER, REPLACE AIR AND FUEL FILTERS. CHECK A/C SYSTEM, REPLACE REAR EMERGENCY LIGHTS.

Parts

CA803946418 AIR FILTER
G801833595 FILTER FUEL WIX
PH2USE 51372 OIL FILTER L/F PH820

Quantity

1
1
1

Workorder: V10377

In Date: 09/11/2007

Meter Reading: 19,317.00

Close Date: 09/28/2007

Problem?

replace tiresat callagan

Task performed:

Replace tires - Callaghan

Parts

NO PARTS USED

Quantity

Vendor?: CALLAGHAN



10/27/2022

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10155816

E-250 VAN

Workorder: V13931

In Date: 03/17/2008

Meter Reading: 25,331.00

Close Date: 03/24/2008

Problem?

b inspection and repairs as needed

Task performed:

1. b inspection
2. mount strobes in rear doors and wire to switch.

Parts	Quantity
15W40BSYN OIL BULK QTS	6
51372OIL FILTER PH2	1
68116171820DASHMASTER LENS BLUE	4
91-20WIPER BLADE 20 IN	2
CA803946418 AIR FILTER	1
DMP2SRCDASH LGT	2
G801833595 FILTER FUEL WIX	1
K060990K060990 BELT	1

Workorder: V13929

In Date: 03/17/2008

Meter Reading: 25,331.00

Close Date: 03/26/2008

Problem?

repair flat callaghan

Task performed:

Repair flat BOSS - Callghan j

Parts	Quantity
NO PARTS USED	

Vendor?: CALLAGHAN

Workorder: V16573

In Date: 07/24/2008

Meter Reading: 29,216.00

Close Date: 07/24/2008

Problem?

B INSPECTION (JIFFY LUBE)

Task performed:

Parts	Quantity
NO PARTS USED	



10/27/2022

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10155816

E-250 VAN

Workorder: V17176

In Date: 08/20/2008
Close Date: 08/22/2008

Meter Reading: 30,208.30

Problem?

REPLACE BATTERY

Task performed:

Chk charging sys; road test btry; fnd btry bad;
rem/install new btry; rechk sys; sys charging. j

Parts

Quantity

65-72BXT65750 BATTERY

1

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

1

Workorder: V21207

In Date: 02/19/2009
Close Date: 02/19/2009

Meter Reading: 36,147.20

Problem?

B INSPECTION BOSS (JIFFY LUBE)

Task performed:

Parts

Quantity

D3TZ13305BLEVER TURN SIGNAL

1

Workorder: V21837

In Date: 03/16/2009
Close Date: 04/13/2009

Meter Reading: 36,338.40

Problem?

replace tires at callaghan

Task performed:

Replace tires at Callaghan j

Parts

Quantity

NO PARTS USED

Vendor?: CALLAGHAN

Workorder: V21693

In Date: 03/10/2009
Close Date: 04/14/2009

Meter Reading: 36,338.40

Problem?

FRONT END ALIGNMENT CALLAGHAN.

Task performed:

Front end alignment - Callaghan j

Parts

Quantity

NO PARTS USED

Vendor?: CALLAGHAN



10/27/2022

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10155816

E-250 VAN

Workorder: V23998

In Date: 06/11/2009

Meter Reading: 40,226.00

Close Date: 06/11/2009

Problem?

B inspection and repairs (jiffy lube 6-11-09)

Task performed:

work performed by jiffy lube 6-11-09

Parts

NO PARTS USED

Quantity

Workorder: V23999

In Date: 06/11/2009

Meter Reading: 40,226.00

Close Date: 06/12/2009

Problem?

B inspection and repairs (outside agency-jiffy lube)

Task performed:

work performed by jiffy lube 6-11-09

Parts

NO PARTS USED

Quantity

Workorder: V25187

In Date: 07/31/2009

Meter Reading: 4,994.60

Close Date: 08/03/2009

Problem?

engine running poorly (boss)

Task performed:

Ran scan; clear codes; replc MAF sensor & air filter;
test drive. j

Parts

7450031MAP SENSOR

CA803946418 AIR FILTER

Quantity

1

1

Workorder: V28474

In Date: 12/18/2009

Meter Reading: 46,224.00

Close Date: 12/18/2009

Problem?

B inspection and repairs (performed by-al packer ford)

Task performed:

B inspection performed by al packer ford

Parts

NO PARTS USED

Quantity



10/27/2022

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10155816

E-250 VAN

Workorder: V28473

In Date: 12/18/2009

Meter Reading: 45,966.40

Close Date: 12/29/2009

Problem?

B inspection and repairs (outside agency-al packer ford)

Task performed:

Parts

Quantity

NO PARTS USED

Vendor?: AL PACKER

Workorder: V30416

In Date: 03/03/2010

Meter Reading: 48,220.70

Close Date: 03/25/2010

Problem?

Dirt coming in back door boss

Task performed:

Parts

Quantity

Install doors weatherstrips on side & rear door & frame.
j

3C2Z15253A10AAWEATHERSTRIP DOOR E250 VAN

1

4C2Z1541654AAWEATHERSTRIP E250 VAN

1

F3UZ1543722AWEATHERSTRIP E350 VAN

1

F3UZ1543723AWEATHERSTRIP E250 VAN

1

F4UZ1525324BWEATHERSTRIP DOOR E250 VAN

1

F5UZ1525325ABWEATHERSTRIP DOOR E250 VAN

1

F5UZ1525325BAWEATHERSTRIP E250 DOOR

1

Workorder: V31755

In Date: 04/23/2010

Meter Reading: 50,255.00

Close Date: 04/23/2010

Problem?

B inspection and repairs (performed by-jiffy lube)

Task performed:

Parts

Quantity

B inspection performed by jiffy lube

NO PARTS USED



10/27/2022

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10155816

E-250 VAN

Workorder: V33699

In Date: 07/21/2010
Close Date: 07/26/2010

Meter Reading: 25,331.00

Problem?
won't start

Task performed:

Chk charging sys; chk for currentdraw; no fault fnd; chk btry via load test; btry bad; rem/install new btry. j

Parts	Quantity
65-72BXT65750 BATTERY	1
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	1

Workorder: V34533

In Date: 08/26/2010
Close Date: 09/15/2010

Meter Reading: 54,503.00

Problem?
B inspection and repairs (outside agency-al packer ford)

Task performed:

B-Inspection/repairs - Al Packer j

Parts	Quantity
NO PARTS USED	

Vendor?: AL PACKER

Workorder: V34813

In Date: 09/08/2010
Close Date: 09/29/2010

Meter Reading: 25,331.00

Problem?
refinish and paint roof per estimate- boss (outside agency-southeast truck)

Task performed:

Refinish/paint roof per estimate BOSS - Southeast Truck j

Parts	Quantity
NO PARTS USED	

Vendor?: SOUTHEAST TRUCK

Workorder: V37962

In Date: 07/21/2010
Close Date: 01/24/2011

Meter Reading: 25,331.00

Problem?
starting problem, rear doors allow dust and dirt in

Task performed:

(1) R&R STARTER ON BOSS VEHICLE. OK.
(2) REAR DOOR ALLOWS DUST AND DIRT IN. ADJUSTED BACK DOOR AND PUT WEATHER STRIPPING ON INSIDE TO HELP SEAL OUT DUST, DIRT, BUGS, SPIDERS, MOSQUITOES, WORMS, & WATER FROM GETTING INTO HER VEHICLE.

Parts	Quantity
SA988STARTER FORD E150	1



10/27/2022

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10155816

E-250 VAN

Workorder: V38026

In Date: 01/24/2011

Meter Reading: 58,212.00

Close Date: 01/31/2011

Problem?

B inspection (outside agency-al packer)

Task performed:

Parts

Quantity

B-Inspection - Al Packer j

NO PARTS USED

Vendor?: AL PACKEER

Workorder: V38098

In Date: 01/27/2011

Meter Reading: 58,163.10

Close Date: 02/11/2011

Problem?

replace all 4 tires (outside agency-TCI Tire)

Task performed:

Parts

Quantity

Replace all (4) tires - TCI j

NO PARTS USED

Vendor?: TCTI

Workorder: V42052

In Date: 07/15/2011

Meter Reading: 62,974.10

Close Date: 07/18/2011

Problem?

Dead battery.

Task performed:

Parts

Quantity

TRAVEL TO HQ AND JUMP START VEHICLE TRAVEL
BACK TO SHOP AK

NO PARTS USED

Workorder: V42023

In Date: 07/14/2011

Meter Reading: 62,974.10

Close Date: 07/19/2011

Problem?

B Inspection @ Al Packer

Task performed:

Parts

Quantity

B Inspection @ Al Packer. Resealed rear cover.

NO PARTS USED

Vendor?: AL PACKER



10/27/2022

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10155816

E-250 VAN

Workorder: V42009

In Date: 07/14/2011

Meter Reading: 62,974.10

Close Date: 07/21/2011

Problem?

REPLACE REAR BUMPER

Task performed:

sent to al packer for repair per e.e. ak (7-21-11)

Parts

Quantity

7C2Z17906GCPREAR BUMPER

1

YC2Z17B807AASTEP PAD UPPER

1

YC2Z17B807AABLOWER STEP PAD

1

Workorder: V42673

In Date: 08/09/2011

Meter Reading: 62,974.10

Close Date: 08/09/2011

Problem?

Install shut off switch

Task performed:

INSTALL ELECTRICAL BATTERY PROTECTOR AND
REPLACED BATTERY

Parts

Quantity

1079606PRIORITY START HAVIS SHIELD

1

65-72BXT65750 BATTERY

1

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

1

Workorder: V46341

In Date: 01/05/2012

Meter Reading: 62,974.10

Close Date: 01/11/2012

Problem?

Dead battery.

Task performed:

1. USE MULE TO JUPSTART VEHICLE IN PARKING
LOT. PARK MULE. DRIVE VEHICLE INTO SHOP
HOOK UP BATTERY CHARGER.

2. VEHICLE HAS 16" LONG CRACK ON R/S OF
WHINDSHIELD. SHOWED AND REPORTED TO
SUPERVISOR.

Parts

Quantity

NO PARTS USED



10/27/2022

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10155816

E-250 VAN

Workorder: V46623

In Date: 01/17/2012

Meter Reading: 62,974.10

Close Date: 01/18/2012

Problem?

remove emr lights and disconnet siren

Task performed:

Parts

Quantity

1. REMOVED ALL EMERGENCY LIGHTS FROM TRUCK. ALSO DISABLED SIRENS AND EMERGENCY LIGHT SWITCHES.

NO PARTS USED

2. REMOVED ALL METAL BINS AND SHELVING FROM BACK OF VAN.

Workorder: V47623

In Date: 02/28/2012

Meter Reading: 65,021.00

Close Date: 03/02/2012

Problem?

check eng lt on

Task performed:

Parts

Quantity

HOOK UP SCAN TOOL READ CODES HAD 2 CODES CHECKED FUEL CAP SEAL AND CORRECT INSTALL. ERASE CODES TO SEE IF THEY CAME BACK.

NO PARTS USED

Workorder: V49880

In Date: 06/01/2012

Meter Reading: 70,736.00

Close Date: 06/04/2012

Problem?

B inspection al packer

Task performed:

Parts

Quantity

B inspection
oil and filter change
repair door locks
replace wiper blades
balance and rotate tires
replace radius arm bushings

NO PARTS USED

Vendor?: AL PACKER



10/27/2022

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10155816

E-250 VAN

Workorder: V52064

In Date: 08/31/2012

Close Date: 08/31/2012

Meter Reading: 77,318.00

Problem?

B inspection

Task performed:

B inspection
oil and filter change
rotate tires
replace fuel filter
replace air cleaner

Vendor?: AL PACKER

Parts

Quantity

NO PARTS USED

Workorder: V56176

In Date: 03/05/2013

Close Date: 04/24/2013

Meter Reading: 85,950.00

Problem?

B-INSPECTION

Task performed:

MULTI POINT INSPECTION
REPAIR REAR CARGO DOOR CONTROL ASSY
REPLACE FRONT BRAKES AND ROTORS

Vendor?: AL PACKER

Parts

Quantity

NO PARTS USED

Workorder: V57376

In Date: 04/26/2013

Close Date: 05/02/2013

Meter Reading: 87,452.00

Problem?

replace tires

Task performed:

REPLACE TIRES.

Vendor?: TIRESOLES

Parts

Quantity

NO PARTS USED



10/27/2022

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10155816
E-250 VAN

Workorder: V60582

In Date: 09/18/2013
Close Date: 09/18/2013

Meter Reading: 91,916.00

Problem?

B-inspection

Task performed:

B-inspection
Inspect brakes and rotate tires
Replaced tag light
Replaced air filter
Replaced wiper blades
Replaced fuel filter

Vendor?: AL PACKER

Parts

Quantity

NO PARTS USED

Workorder: V62778

In Date: 12/17/2013
Close Date: 12/17/2013

Meter Reading: 93,002.00

Problem?

GAUGES NOT WORKING

Task performed:

REPLACE BAD CLUSTER

Vendor?: AL PACKR

Parts

Quantity

NO PARTS USED

Workorder: V65052

In Date: 03/20/2014
Close Date: 03/21/2014

Meter Reading: 94,454.00

Problem?

Check gas cap warning on

Task performed:

REPLACED GAS TANK CAP, ROAD TESTED GAS
CAP LIGHT REMAINED ON. SLIGHT SMELL OF GAS
UNDER TRUCK.

Parts

Quantity

F4TZ9030C FUEL CAP

1



10/27/2022

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10155816

E-250 VAN

Workorder: V65169

In Date: 03/24/2014

Close Date: 03/24/2014

Meter Reading: 95,685.00

Problem?

Check gas cap light on

Task performed:

Raw fuel throughout evap system
Cleaned out fuel, replaced evap components

Vendor?: AL PACKER

Parts

Quantity

NO PARTS USED

Workorder: V65895

In Date: 04/22/2014

Close Date: 04/22/2014

Meter Reading: 96,005.00

Problem?

B-inspection

Task performed:

B-inspection
Repaired missfire coil and plugs
Serviced fuel injectors and throttle body
Replaced fuel filter

Vendor?: AL PACKER

Parts

Quantity

NO PARTS USED

Workorder: V66132

In Date: 05/01/2014

Close Date: 05/01/2014

Meter Reading: 96,005.00

Problem?

Drivers door hits fender

Task performed:

Repaired drivers door seperated seam

Vendor?: AL PACKER

Parts

Quantity

NO PARTS USED

Workorder: V67662

In Date: 07/03/2014

Close Date: 07/03/2014

Meter Reading: 97,487.00

Problem?

A/C inop

Task performed:

Replaced a/c compressor and accumulator

Vendor?: AL PACKER

Parts

Quantity

NO PARTS USED



10/27/2022

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10155816

E-250 VAN

Workorder: V69660

In Date: 09/25/2014

Meter Reading: 99,968.00

Close Date: 09/26/2014

Problem?

battery dead

Task performed:

jump start truck in parking lot bring into shop replaced batts, ck, charging system ok.removed batt, saver from system.

Parts

Quantity

65-72BXT65750 BATTERY

1

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

1

Workorder: V74644

In Date: 04/14/2015

Meter Reading: 106,013.00

Close Date: 04/14/2015

Problem?

outside b inspection

Task performed:

Parts

Quantity

NO PARTS USED

Vendor?: AL PACKER



Palm Beach County Fire Rescue Fleet Maintenance Asset History

Asset: (10155816) 2004 - FORD E250 Cargo Van

10155816

CSHOP-2015-4407

Comments: NO START

Date Opened: 12-9-2015 Date Finished: 12-10-2015 Meter 1 Reading: 112,464

TASKS PERFORMED

Q PARTS

BATTERY

1 BATTERY; BXT65750 BATTERY
1 BATTERY; BATTERY EPA TAX \$1.50 PER BATTERY

CSHOP-2015-4520

Date Opened: 12-16-2015 Date Finished: 12-22-2015 Meter 1 Reading: 112,699

TASKS PERFORMED

NO PARTS USED

CHARGING SYSTEM

VENDOR? AL PACKER

CSHOP-2015-4604

Date Opened: 12-22-2015 Date Finished: 12-22-2015 Meter 1 Reading: 112,709

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2016-30

Comments: REPLACED LEFT FRONT WINDOW REGULATOR

Date Opened: 1-4-2016 Date Finished: 1-4-2016 Meter 1 Reading: 113,031

TASKS PERFORMED

NO PARTS USED

WINDOW REGULATOR

VENDOR? AL PACKER

CSHOP-2016-55

Date Opened: 1-5-2016 Date Finished: 1-5-2016 Meter 1 Reading: 113,031

TASKS PERFORMED

NO PARTS USED

TIRES ALL

VENDOR? DAN CALLAGHAN ENTERPRISES

Asset Work Order History 10155816

CSHOP-2016-74

Comments: PAINT RUSTED BUMPER

Date Opened: 1-7-2016 Date Finished 1-11-2016 Meter 1 Reading: 113,039

TASKS PERFORMED

NO PARTS USED

BUMPER REAR
BUMPER FRONT

CSHOP-2017-267

Comments: B INSPECTION W AIR FILTER, TAG LT, TRANS REPAIR SEE INVOICE

Date Opened: 1-12-2017 Date Finished 1-12-2017 Meter 1 Reading: 115,384

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2017-2962

Date Opened: 5-18-2017 Date Finished 5-18-2017 Meter 1 Reading: 115,436

TASKS PERFORMED

NO PARTS USED

COMMERCIAL WORK - OUTSIDE AGENCY

VENDOR? AL PACKER

CSHOP-2017-5052

Date Opened: 8-28-2017 Date Finished 8-28-2017 Meter 1 Reading: 116,645

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2017-831

Date Opened: 2-9-2017 Date Finished 2-9-2017 Meter 1 Reading: 115,384

TASKS PERFORMED

NO PARTS USED

GLASS

VENDOR? 60 MINUTE AUTO TINT

CSHOP-2017-963

Comments: AUTO SPA VAN DETAIL.

Date Opened: 2-15-2017 Date Finished 2-15-2017 Meter 1 Reading: 115,397

TASKS PERFORMED

NO PARTS USED

REPAIR SHOP EQUIPMENT

VENDOR? TIP TOP CAR WASH

Asset Work Order History 10155816

CSHOP-2018-1500

Date Opened: 3-14-2018 Date Finished 3-14-2018 Meter 1 Reading: 118,331

TASKS PERFORMED

Q PARTS

BATTERY

1 1AD; 65 SERIES BATTERY

Service Requests:

03/13/2018 STARTER / 19: LOOSE / EXCHANGE - NEW

CSHOP-2018-4314

Date Opened: 8-1-2018 Date Finished 8-1-2018 Meter 1 Reading: 119,877

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2018-6882

Comments: **REPLACE OFFICE**

Date Opened: 12-4-2018 Date Finished 12-4-2018 Meter 1 Reading: 120,319

TASKS PERFORMED

Q PARTS

HEADLIGHTS LOW BEAM

2 LMP; LAMP

CSHOP-2019-1681

Date Opened: 4-1-2019 Date Finished 4-4-2019 Meter 1 Reading: 121,620

TASKS PERFORMED

Q PARTS

BATTERY

1 1AD; BATTERY 65 SEVERE DUTY

CSHOP-2019-4492

Date Opened: 8-30-2019 Date Finished 8-30-2019 Meter 1 Reading: 122,120

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2019-6488

Date Opened: 12-16-2019 Date Finished 12-19-2019 Meter 1 Reading: 122,125

TASKS PERFORMED

NO PARTS USED

VENDOR TIRE REPAIR/CHANGE

VENDOR? DAN CALLAGHAN ENTERPRISES

Asset Work Order History 10155816

CSHOP-2020-4093

Date Opened: 8-8-2020 Date Finished 8-20-2020 Meter 1 Reading: 127,270

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2020-4753

Date Opened: 9-12-2020 Date Finished 9-12-2020 Meter 1 Reading: 127,408

TASKS PERFORMED

NO PARTS USED

WIPERS-WASHER

VENDOR? AL PACKER

CSHOP-2021-2285

Date Opened: 4-27-2021 Date Finished 4-27-2021 Meter 1 Reading: 0

TASKS PERFORMED

NO PARTS USED

VENDOR TIRE REPAIR/CHANGE

VENDOR? DAN CALLAGHAN ENTERPRISES

CSHOP-2021-3359

Date Opened: 6-18-2021 Date Finished 6-22-2021 Meter 1 Reading: 132,287

TASKS PERFORMED

Q PARTS

LIGHTING SYSTEM

1 LMP; LAMP

CSHOP-2021-3819

Date Opened: 7-9-2021 Date Finished 7-13-2021 Meter 1 Reading: 133,083

TASKS PERFORMED

Q PARTS

WIPER BLADES
OIL FILTER

2 1AN; WIPER BLADE
1 FIL; NAPAGOLD AIR FILTER
6 NOL; 5W20 SYNTHETIC MOTOR
1 FIL; WIX OIL FILTER

CSHOP-2021-6893

Date Opened: 12-17-2021 Date Finished 2-23-2022 Meter 1 Reading: 0

TASKS PERFORMED

Q PARTS

CAB

1 1FD; DRIVER SIDE MIRROR ASSM
1 1FD; PASSANGER SIDE MIRROR ASSEM

Asset Work Order History 10155816

CSHOP-2021-6999

Date Opened: 12-23-2021 Date Finished 2-23-2022 Meter 1 Reading: 137,611

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2021-911

Date Opened: 2-17-2021 Date Finished 2-23-2021 Meter 1 Reading: 130,080

TASKS PERFORMED

Q PARTS

WIPER BLADES
HVAC SYSTEM

2 1AN; WIPER BLADE
1 1FD; RESERVOIR
2 1FD; CHECK VALVE

SSHOP-2022-459

Date Opened: 7-25-2022 Date Finished 7-25-2022 Meter 1 Reading: 142,023

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER
