



3/28/2024

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10160676

FORD TRUCK B/C VEHICLE

Workorder: V2062

In Date: 03/31/2006
Close Date: 04/07/2006

Meter Reading:

Problem?

B INSPECTION, DC-2

Task performed:

See B Inspection pre-printed form

Parts	Quantity
91-20WIPER BLADE 20 IN	2
CA803946418 AIR FILTER	1
G801833595 FILTER FUEL WIX	1
PH2USE 51372 OIL FILTER L/F PH820	1

Workorder: V1376

In Date: 01/31/2006
Close Date: 04/10/2006

Meter Reading:

Problem?

MOUNT LIGHTING ON DC2

Task performed:

Parts	Quantity
0332002156USE 380830 RELAY 12V 75A RLY5491	1
2560HITCH PIN/CLIP	1
2FC00ZCR4 IN ROUND LED	4
3095-155-0003095-155-000 BOLT CUTTER	1
360HLOBSOLETE FLASHER	1
46793-346793 AMBER MARKER LIGHT	2
5025TERMINAL BOX	2
54-870PL558-60 CIRCUIT BREAKER 60 AMP	1
575BACKUP ALARM ECCO 107 DEC	1
58R-60BATTERY 58R	1
5TSMACMOUNT 500 TIR SER CHROME	8
800-DLGM800-DLGM STROBE LITE	1
87499RY48 RELAY	2
91823SWITCH SWT5499 MED MASTER	2
ABM-1BASE MOUNT ALUMINUM	2
CB-104BOX-CIRCUT BREAK BE22040	1
DOSZ-14448-ADOSZ-14448-A JUNCTION	3
EL37015JUNCTION BLOCK	1
LF18TS-LEDMAP LIGHT LED 18 IN	2
LPVM-7LG MOUNT	2
PSOPD1013USE PD2343 BACK-UP RADAR	1
STPKTWHLEN MOUNTING KIT FOR LIGHTBARS	1
SWT1277EL57755 SWITCH DOOR 2PCS	2



3/28/2024

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160676

FORD TRUCK B/C VEHICLE

Workorder: V2241

In Date: 04/17/2006

Meter Reading:

Close Date: 04/20/2006

Problem?

WATER LEAK FROM ROOF BEHIND LIGHT BAR, D/C-2

Task performed:

Parts

Quantity

NO PARTS USED

Workorder: V1463

In Date: 02/09/2006

Meter Reading:

Close Date: 05/11/2006

Problem?

Prepare for service. Install light bar, siren speakers, warning lights, interior body lighting. See Hines for additional details.

Task performed:

Parts

Quantity

Prepare for service. Install light bar, warning lights, siren speakers, bed area lighting. See Hines for additional information

NO PARTS USED

Workorder: V2547

In Date: 05/09/2006

Meter Reading:

Close Date: 05/26/2006

Problem?

INSTALL FRONT AND REAR SWAY BARS, INSTALL REAR AIR BAGS DC-2

Task performed:

Parts

Quantity

NO PARTS USED

Vendor?: TRUC0001

Workorder: V2301

In Date: 04/19/2006

Meter Reading:

Close Date: 06/05/2006

Problem?

INSTALL CAP WINCH D/C2

Task performed:

Parts

Quantity

26502M8000 100F WINCH

1

54-870PL558-60 CIRCUIT BREAKER 60 AMP

1

603700WINCH MOUNT KIT 3700

1



3/28/2024

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160676

FORD TRUCK B/C VEHICLE

Workorder: V3442

In Date: 07/12/2006

Meter Reading:

Close Date: 07/14/2006

Problem?

snatch block dc2 parts only

Task performed:

PARTS ONLY

Parts

Quantity

8555SNACK BLOCK 5/16 CABLE

1

Workorder: V4323

In Date: 09/07/2006

Meter Reading:

Close Date: 09/11/2006

Problem?

flat tire D/C2 at station 21

Task performed:

Parts

Quantity

NO PARTS USED

Workorder: V4322

In Date: 09/07/2006

Meter Reading:

Close Date: 10/10/2006

Problem?

repair flat tire-order new tires (outside agency-callaghan tire)

Task performed:

1. REPAIR FLAT TIRE-ORDER NEW TIRES (OUTSIDE AGENCY-CALLAGHAN TIRE).

Parts

Quantity

NO PARTS USED

Workorder: V5110

In Date: 10/26/2006

Meter Reading: 17,705.00

Close Date: 10/30/2006

Problem?

INSTALL THERMAL IMAGER DC-2

Task performed:

1. TRAVELED TO STN 45. INSTALLED THERMAL IMAGER FOR DC-2.

Parts

Quantity

NO PARTS USED



3/28/2024

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160676

FORD TRUCK B/C VEHICLE

Workorder: V5003

In Date: 10/21/2006

Meter Reading:

Close Date: 11/02/2006

Problem?

DC2 vehicle. The handle that adjusts the steering wheel position is broken. Does not work and is hanging loose

Task performed:

Parts

Quantity

1. TRAVELED TO STN 28. TOOK DC-2 DASH APART, RECONNECT LATCH AND TEST/ OK. PUT DASH BACK TOGETHER.

NO PARTS USED

Workorder: V5104

In Date: 10/26/2006

Meter Reading: 17,705.00

Close Date: 11/06/2006

Problem?

b inspection and repairs as needed dc2

Task performed:

Parts

Quantity

1. "B" inspection

50R03ZCRLIGHT LED RED TIR 6

1

PH2USE 51372 OIL FILTER L/F PH820

1

Workorder: V5817

In Date: 12/14/2006

Meter Reading:

Close Date: 12/22/2006

Problem?

Order seat covers for DC2 vehicle please

Task performed:

Parts

Quantity

1. Went to station to get year and model of truck ordered parts at Rayside

NO PARTS USED

Workorder: V6143

In Date: 01/08/2007

Meter Reading: 17,705.00

Close Date: 01/11/2007

Problem?

Remove spare tire and bring to shop DC2

Task performed:

Parts

Quantity

1. Drive to station removed spare tire to bring to shop
2. Take spare tire from shop and put back on truck

NO PARTS USED



3/28/2024

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160676

FORD TRUCK B/C VEHICLE

Workorder: V6164

In Date: 01/09/2007
Close Date: 01/23/2007

Meter Reading: 17,705.00

Problem?

tire repair callaghan ent

Task performed:

Parts

Quantity

1. SENT UNIT TO CALLAGHAN TIRE FOR TIRE REPAIR.

NO PARTS USED

Vendor?: CALLAGHAN TIRE

Workorder: V7512

In Date: 04/03/2007
Close Date: 04/06/2007

Meter Reading: 17,705.00

Problem?

headlight out D/C 2

Task performed:

Parts

Quantity

Replaced 10amp fuse

NO PARTS USED

Workorder: V7589

In Date: 04/09/2007
Close Date: 04/11/2007

Meter Reading: 17,705.00

Problem?

REPLACE WIPER BLADES DC2

Task performed:

Parts

Quantity

Replaced wiper blades

91-20WIPER BLADE 20 IN

2

Workorder: V7717

In Date: 04/14/2007
Close Date: 04/17/2007

Meter Reading:

Problem?

Check engine lite on. Engine misses on occasion. ATEC 8 out on Saturday, stated vehicle needs to be checked on Monday.DC2

Task performed:

Parts

Quantity

Checked codes. Did not have correct pin key for truck

NO PARTS USED



3/28/2024

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160676

FORD TRUCK B/C VEHICLE

Workorder: V7738

In Date: 04/16/2007

Meter Reading: 17,705.00

Close Date: 04/26/2007

Problem?

check engine light on (callout) D/C 2

Task performed:

Check battery charging sys & under hood wires/hoses.
Check coolant levels, fuel cap, catalytic conv O2 sensor wires-NPF.
Need codes read.

Parts

NO PARTS USED

Quantity

Workorder: V7769

In Date: 04/17/2007

Meter Reading: 17,705.00

Close Date: 04/30/2007

Problem?

transmission bucks in overdrive (outsided agency-Al packer-warranty) D/C2

Task performed:

Al Packer Ford - trans bucks in overdrive (WARRANTY)

Vendor?: AL PACKER

Parts

NO PARTS USED

Quantity

Workorder: V7843

In Date: 04/20/2007

Meter Reading: 17,705.00

Close Date: 04/30/2007

Problem?

repair fuel system dc 2 al packer ford

Task performed:

Al Packer Ford - repair fuel system

Vendor?: AL PACKER

Parts

NO PARTS USED

Quantity

Workorder: V8157

In Date: 05/08/2007

Meter Reading: 17,705.00

Close Date: 05/14/2007

Problem?

replace damaged fuel tank (outside agency-al packer ford) D/C2

Task performed:

Replaced damaged fuel tank - Al Packer Ford

Vendor?: AL PACKER FORD

Parts

NO PARTS USED

Quantity



3/28/2024

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160676

FORD TRUCK B/C VEHICLE

Workorder: V8199

In Date: 05/10/2007

Meter Reading: 17,705.00

Close Date: 05/22/2007

Problem?

A inspecton (back from ford) D/C2

Task performed:

Duplicate - Just had A-Inspection; gi ve back to DC Shaffner

Parts

Quantity

NO PARTS USED

Workorder: V8461

In Date: 05/29/2007

Meter Reading: 17,705.00

Close Date: 06/05/2007

Problem?

check noise in front end dc2

Task performed:

1. Road test, for front end rattle, found pass side running board loose - Tightened running board and checked drivers side

Parts

Quantity

NO PARTS USED

Workorder: V8233

In Date: 05/14/2007

Meter Reading: 17,705.00

Close Date: 06/06/2007

Problem?

WILL NOT START DC-2

Task performed:

1. On call, drive to Sta, R/R batt, check charging system - OK

Parts

Quantity

65-72BXT65750 BATTERY

1

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

1

Workorder: V8989

In Date: 06/24/2007

Meter Reading:

Close Date: 06/25/2007

Problem?

DC2 will not start.

Task performed:

1. Said wouldn't start- was left on- Charged and tested batt. OK will monitor

Parts

Quantity

NO PARTS USED



3/28/2024

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160676

FORD TRUCK B/C VEHICLE

Workorder: V8892

In Date: 06/18/2007

Meter Reading: 17,705.00

Close Date: 07/02/2007

Problem?

flat repair at hq dc2 callaghan ent

Task performed:

Parts

Quantity

1. flat repair

NO PARTS USED

Vendor?: CALLAGHAN TIRE

Workorder: V9080

In Date: 07/01/2007

Meter Reading:

Close Date: 07/03/2007

Problem?

DC 2 SIREN 10-7.

Task performed:

Parts

Quantity

1. DRIVE TO STATION. INSTALLED FUSE FOR SIREN. STARTED SMOKING. DID NO T HAVE PARTS ON TRUCK. SENT TO RADIO SHOP.

NO PARTS USED

Workorder: V9726

In Date: 08/04/2007

Meter Reading:

Close Date: 08/10/2007

Problem?

Need Right front headlight dc2

Task performed:

Parts

Quantity

Trael to Folsom Fire scene; no headlight on truck; travel to shop for part; no part in parts room; rem hdlight frm veh in yard; trvl to fire scene & w/DC; Trvl to Stn28 & wait for DC; install hdlight; trvl home fuel truck @ Stn16

NO PARTS USED

Workorder: V10634

In Date: 09/24/2007

Meter Reading: 31,677.00

Close Date: 09/28/2007

Problem?

R/SIDE HEADLIGHT INOP, DC-2

Task performed:

Parts

Quantity

1. REPLACE BULB AND FUSES

9008HEAD LAMP

1



3/28/2024

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160676

FORD TRUCK B/C VEHICLE

Workorder: V9775

In Date: 08/08/2007

Meter Reading: 31,677.00

Close Date: 10/04/2007

Problem?

B INSPECTION AND REPAIRS AS NEEDED DC2

Task performed:

- "B" INSPECTION AND ROAD TEST
- DIAGNOSE RIGHT SIDE HEAD LIGHT FAILURE- REPLACE BLOWN FUSE, FOUND FUSE BOX GETTING HOT, DISASSEMBLED FOUND LOOSE FUSE HOLDER, CONNECT FUSE HOLDER, REPLACED BAD WIG-WAG FLASHER
- COOLANT SERVICE
- TRANSMISSION SERVICE
- REPLACE BATTERY
- BACK UP BUZZER INOP- FOUND WIRE CUT, RECONNECT
- DIRECTOR AND TECH MEETING, SWAPP INTO ON-CALL UNIT

Parts

Quantity

360HLOBSOLETE FLASHER	1
58955TRANS FILTER 2007 FORD CROWN VIC	1
65-72BXT65750 BATTERY	1
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	1
CA803946418 AIR FILTER	1
G801833595 FILTER FUEL WIX	1
LOU93100COMPARTMENT VENT RESCUE	1
PH2USE 51372 OIL FILTER L/F PH820	1

Workorder: V7036

In Date: 03/02/2007

Meter Reading: 25,736.00

Close Date: 10/15/2007

Problem?

lube,oil,filter, rotate tires D/C2

Task performed:

- B Inspection
- Replaced front brakes
- Replaced rear brakes

Parts

Quantity

4L3Z2001ADFRONT PADS-MX1083-05 F150	1
51372OIL FILTER PH2	1
65-72BXT65750 BATTERY	1
6L3Z2200CDREAR BRAKES-MX1012-05 F150	1
CA803946418 AIR FILTER	1
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	1

Workorder: V11165

In Date: 10/22/2007

Meter Reading: 32,894.00

Close Date: 10/22/2007

Problem?

replace battery bc2

Task performed:

- r/r battery terminals

Parts

Quantity

65-72BXT65750 BATTERY	1
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	1



3/28/2024

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160676

FORD TRUCK B/C VEHICLE

Workorder: V11182

In Date: 10/23/2007

Meter Reading: 32,894.00

Close Date: 11/13/2007

Problem?

TINT FRONT DOOR WINDOWS BC2

Task performed:

Tint front door windows

Parts

NO PARTS USED

Quantity

Vendor?: 60-MINUTE

Workorder: V6786

In Date: 02/15/2007

Meter Reading: 17,705.00

Close Date: 12/10/2007

Problem?

need seat covers D/C2

Task performed:

Parts

COVSS1339SEAT COVER

FREIGHTSHIPPING CHARGES

Quantity

1

1

Workorder: V12876

In Date: 01/28/2008

Meter Reading:

Close Date: 02/06/2008

Problem?

BC2 headlight on passenger side of vehicle is out.

Task performed:

1. Drive to Station, r/r head lite, test found battery dead, r/r battery, test OK

Parts

65-72BXT65750 BATTERY

9008HEAD LAMP

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

Quantity

1

1

1

Workorder: V13891

In Date: 03/14/2008

Meter Reading: 32,894.00

Close Date: 03/18/2008

Problem?

HEADLIGHT 10-7 BC2

Task performed:

1. Drive to station, take headlight apart, wires burnt.
2. Drive to station, replace connection, tested OK

Parts

9008HEAD LAMP

Quantity

1



3/28/2024

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160676

FORD TRUCK B/C VEHICLE

Workorder: V13582

In Date: 02/28/2008

Meter Reading: 32,894.00

Close Date: 03/21/2008

Problem?

MAKE 2 SPARE KEYS AND PROGRAM THEM BC-2

Task performed:

Parts

Quantity

Make (2) spare keys & program them B C2 - Al Packer
Ford j

NO PARTS USED

Vendor?: AL PACKER FORD

Workorder: V14580

In Date: 04/21/2008

Meter Reading: 32,894.00

Close Date: 05/01/2008

Problem?

B INSPECTION AND REPAIRS AS NEEDED BC 2

Task performed:

Parts

Quantity

1. Test Drive B-Inspection, Oil/Filter, replace air and fuel filter, battery.
2. Fix back up alarm
3. Recharge A/C System
4. Check Electrical System for draw, NPF

15W40BSYN OIL BULK QTS

6

51372OIL FILTER PH2

1

65-72BXT65750 BATTERY

1

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

1

CA803946418 AIR FILTER

1

G801833595 FILTER FUEL WIX

1

Workorder: V15201

In Date: 05/20/2008

Meter Reading: 32,894.00

Close Date: 06/06/2008

Problem?

REPAIR CB RADIO BC2

Task performed:

Parts

Quantity

drive to Stn; fnd (5) fuses in wire two feet long; rem (2);
installed new CB, old one blown; test ok. j

NO PARTS USED

Workorder: V14640

In Date: 04/23/2008

Meter Reading: 32,894.00

Close Date: 06/11/2008

Problem?

replace tires at callaghan bc2

Task performed:

Parts

Quantity

Replace tires BC2 - Callaghan j

NO PARTS USED

Vendor?: CALLAGHAN



3/28/2024

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160676

FORD TRUCK B/C VEHICLE

Workorder: V18679

In Date: 10/29/2008

Meter Reading: 32,894.00

Close Date: 11/03/2008

Problem?

B INSPECTION AND REPAIRS AS NEEDED,INSTALL NEW LIGHTS IN REAR OF VEHICLE, BC-2

Task performed:

1. Test drive "B" inspection; change oil/filter; replc air/fuel filter.
2. Reconnect siren speaker wire.
3. Install (4) core light & wire in truck bed.
4. Installed front/rear brake pads; rotate tires.
5. Replace front/rear rotors. j

Parts

Quantity

15W40BSYN OIL BULK QTS	6
51372OIL FILTER PH2	1
BD126110ROTORS FRONT 05 F150	2
BD126111FRONT ROTOR 05 F150	2
BRPK5795KIT BRAKE 05 F150	1
CA803946418 AIR FILTER	1
G801833595 FILTER FUEL WIX	1
KR-CCLCATHODE COMPARTMENT LIGHT	5
MX1012REAR PADS 05 F-150	1
MX1083FRONT PADS 05 F-150	1

Workorder: V19128

In Date: 11/17/2008

Meter Reading: 32,894.00

Close Date: 11/20/2008

Problem?

check brakes

Task performed:

1. Not stopping well; master cyl. defective; repaired master cyl.
2. Assist with brake repair. j

Parts

Quantity

BRMC36MASTER CYLINDER 05 F150	1
-------------------------------	---

Workorder: V20046

In Date: 12/31/2008

Meter Reading: 32,894.00

Close Date: 01/13/2009

Problem?

gps not working bc 2

Task performed:

- drive to location; replcd fuse; test ok. j

Parts

Quantity

NO PARTS USED



3/28/2024

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160676

FORD TRUCK B/C VEHICLE

Workorder: V20106

In Date: 01/05/2009
Close Date: 02/03/2009

Meter Reading: 32,894.00

Problem?

headlight 10-7 bc2

Task performed:

Drive to Stn; replace headlight; test ok. j

Parts

9008HEAD LAMP

Quantity

1

Workorder: V22610

In Date: 04/17/2009
Close Date: 04/17/2009

Meter Reading: 50,163.00

Problem?

B INSPECTION, B/C 2

Task performed:

Parts

NO PARTS USED

Quantity

Workorder: V22664

In Date: 04/20/2009
Close Date: 05/08/2009

Meter Reading: 32,894.00

Problem?

b inspection and repairs at al packer

Task performed:

B-Inspection/repairs - Al Packer j

Parts

NO PARTS USED

Quantity

Vendor?: AL PACKER FORD

Workorder: V29895

In Date: 02/11/2010
Close Date: 02/11/2010

Meter Reading: 58,511.00

Problem?

b inspection and repairs(performed by-al packer ford)

Task performed:

B inspection and repairs performed by al packer ford

Parts

NO PARTS USED

Quantity



3/28/2024

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10160676

FORD TRUCK B/C VEHICLE

Workorder: V24916

In Date: 07/20/2009
Close Date: 02/16/2010

Meter Reading: 32,894.00

Problem?
b inspect

Task performed:

Not done on this W.O. JW j

Parts

Quantity

NO PARTS USED

Workorder: V29862

In Date: 02/10/2010
Close Date: 03/02/2010

Meter Reading: 32,894.00

Problem?
b inspection and repairs(outside agency-al packer ford)

Task performed:

B-Inspection/repairs - Al Packer j

Parts

Quantity

NO PARTS USED

Vendor?: AL PACKER

Workorder: V29865

In Date: 02/10/2010
Close Date: 03/02/2010

Meter Reading: 32,894.00

Problem?
detail vehicle (outside agency-tip top car wash)

Task performed:

detail vehicle (tip-top) j

Parts

Quantity

NO PARTS USED

Vendor?: TIP-TOP

Workorder: V29866

In Date: 02/10/2010
Close Date: 03/02/2010

Meter Reading: 32,894.00

Problem?
install alarm system (outside agency-60 minute tint)

Task performed:

install alarm system (60 minute tint) j

Parts

Quantity

NO PARTS USED

Vendor?: 60-MINUTE



3/28/2024

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160676

FORD TRUCK B/C VEHICLE

Workorder: V30049

In Date: 02/18/2010
Close Date: 03/18/2010

Meter Reading: 58,511.00

Problem?

check and repair emergency lighting B/C2

Task performed:

Replc LED on left bumper. j

Parts

Quantity

56415CIG. LIGHTER ACCES.

1

9-2669 FLOOR MAT

1

RSR03ZCRLIGHT LED RED TIR3 SERIES

1

Workorder: V31232

In Date: 04/02/2010
Close Date: 03/31/2010

Meter Reading: 32,894.00

Problem?

CREDIT V24916 FROM FEB REPORT NB

Task performed:

Not done on this W.O. JW j

Parts

Quantity

15W40BSYN OIL BULK QTS

-8

51372OIL FILTER PH2

-1

CA803946418 AIR FILTER

-1

G801833595 FILTER FUEL WIX

-1

Workorder: V31054

In Date: 03/26/2010
Close Date: 04/20/2010

Meter Reading: 58,511.00

Problem?

install battery shutdown module B/C2

Task performed:

Install btry shutdown module. j

Parts

Quantity

1079606PRIORITY START HAVIS SHIELD

1

Workorder: V34778

In Date: 09/07/2010
Close Date: 09/28/2010

Meter Reading: 64,637.00

Problem?

B inspection Al packer ford

Task performed:

B-Inspection - Al Packer j

Parts

Quantity

NO PARTS USED

Vendor?: AL PACKER



3/28/2024

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160676

FORD TRUCK B/C VEHICLE

Workorder: V34840

In Date: 09/09/2010
Close Date: 09/28/2010

Meter Reading: 32,894.00

Problem?

replace tires BC2 (outside agency-boulevard tire)

Task performed:

Replc tires BC2 - Boulevard j

Parts

NO PARTS USED

Quantity

Vendor?: BOULEVARD

Workorder: V35157

In Date: 09/24/2010
Close Date: 10/05/2010

Meter Reading: 6,213.10

Problem?

Driveshaft making noise

Task performed:

Test drive, inspect - NPF. j

Parts

NO PARTS USED

Quantity

Workorder: V34782

In Date: 09/07/2010
Close Date: 12/22/2010

Meter Reading: 64,633.00

Problem?

A INSPECTION

Task performed:

1. PU at Stn28.
2. A-Inspection
3. Adj tire pressure.
4. Top off fluids. j

Parts

NO PARTS USED

Quantity

Workorder: V37893

In Date: 01/20/2011
Close Date: 01/24/2011

Meter Reading: 67,503.00

Problem?

battery dead bc2

Task performed:

Won't start - dead btry; replc btry. j

Parts

65-72BXT65750 BATTERY

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

Quantity

1

1



3/28/2024

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10160676

FORD TRUCK B/C VEHICLE

Workorder: V40397

In Date: 05/04/2011

Meter Reading: 71,518.00

Close Date: 05/16/2011

Problem?

B inspection

Task performed:

Parts

Quantity

B-Inspection - Oil Change Svc j

NO PARTS USED

Vendor?: OIL CHANGE SVC

Workorder: V47020

In Date: 02/01/2012

Meter Reading: 79,487.10

Close Date: 03/06/2012

Problem?

keys/locks for topper

Task performed:

Parts

Quantity

ORDERED KEYS FOR TOPPER.

DM602DOOR HANDLE KEY

4

J369DOOR HANDLE KEY

4

Workorder: V48240

In Date: 03/27/2012

Meter Reading: 82,146.10

Close Date: 03/29/2012

Problem?

B inspection - Al Packer

Task performed:

Parts

Quantity

B INSPECTION AL PACKER

NO PARTS USED

REPLACE LAEFT INNER TIE ROD

REPLACE BALL JOINTS

REPLACE SWAY BAR LINKS

ROTATE TIRES

REPLACE WIPER BLADES

REPALCE REAR ROTORS AND PADS

TURN FRONT ROTORS

Vendor?: AL PACKER



3/28/2024

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160676

FORD TRUCK B/C VEHICLE

Workorder: V48181

In Date: 03/26/2012

Meter Reading: 82,146.10

Close Date: 04/03/2012

Problem?

install kusmaul charger and auto eject

Task performed:

1. INSTALLED CHARGER AND AUTO EJECT.
2. INSTALLED BATTERY CHARGER AND AUTO EJECT.
3. CLEANED SHOP.

Parts

Quantity

091-3YWCOVER KUSSMAUL AUTO EJECT

1

0913912CHARGER 2000

1

0915520120AUTO EJECT 20 AERO OTL3925

1

Workorder: V48102

In Date: 03/21/2012

Meter Reading: 81,930.90

Close Date: 04/13/2012

Problem?

REPLACE FRONT TIRES AND ALIGNMENT

Task performed:

REPLACE FRONT TIRES AND ALIGNMENT.

Parts

Quantity

NO PARTS USED

Vendor?: CALLAGHAN TIRE

Workorder: V52396

In Date: 09/14/2012

Meter Reading: 90,205.00

Close Date: 09/19/2012

Problem?

B inspection

Task performed:

B inspection
oil and filter change
rotate tires

Parts

Quantity

NO PARTS USED

Vendor?: AL PACKER

Workorder: V52557

In Date: 09/21/2012

Meter Reading: 90,149.00

Close Date: 10/26/2012

Problem?

replace seat covers

Task performed:

1. REAR EMERGENCY LIGHTS INOP - REPAIRED BAD GROUND.
2. REWIRED BATTERY CHARGER THAT WAS NOT WORKING.

Parts

Quantity

NO PARTS USED



3/28/2024

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10160676

FORD TRUCK B/C VEHICLE

Workorder: V46521

In Date: 01/11/2012
Close Date: 12/07/2012

Meter Reading: 78,863.60

Problem?

B inspection - Al Packer

Task performed:

b inspection
oil and filter change
replace battery
replace front rotors, calipers, and pads
replace fuel filter
install bed slide

Vendor?: AL PACKER

Parts

Quantity

NO PARTS USED

Workorder: V53611

In Date: 09/21/2012
Close Date: 12/14/2012

Meter Reading: 90,149.00

Problem?

replace seat covers

Task performed:

INSTALLED NEW SEAT COVERS.

Parts

Quantity

F367-T91SEAT COVER

1

Workorder: V57280

In Date: 04/26/2013
Close Date: 05/02/2013

Meter Reading: 97,151.40

Problem?

B-inspection [Al Packer]

Task performed:

B INSPECTION AL PACKER
PINION SEAL LEAKING REPLACE SEAL
REPLACE FUEL FILTER
REPLACE U JOINTS
SERVICE THROTTLE BODY
REPLACE SPARK PLUGS AND BOOTS
REPLACE COOLANT TANK
FLUSH COOLING SYSTEM

Vendor?: AL PACKER

Parts

Quantity

NO PARTS USED



3/28/2024

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10160676

FORD TRUCK B/C VEHICLE

Workorder: V57461

In Date: 05/03/2013
Close Date: 05/06/2013

Meter Reading: 97,151.40

Problem?

Rear camper top window wont close and latch

Task performed:

CAMPER WINDOW REMOVE BROKEN LATCH
PIECES AND FABRICATE LATCH LOCKS FROM ALUM.
NSTEAD OF PLASTIC- CUT OUT TO COMFORM TO
CAMPER TOP AND RIVET TO WINDOW FRAME.

Parts

Quantity

NO PARTS USED

Workorder: V60714

In Date: 09/23/2013
Close Date: 09/24/2013

Meter Reading: 100,661.00

Problem?

Check engine light on

Task performed:

CHECK FOR LIGHT ON UNABLE TO COMMUNICATE
WITH ECM. FOUND BLOWN FUSE 25 AMPS
REPLACE FUSE CHECK FOR CODES IS OK NO
CODES TRUCK RUNS GOOD.

Parts

Quantity

NO PARTS USED

Workorder: V62040

In Date: 11/15/2013
Close Date: 11/18/2013

Meter Reading:

Problem?

Remove accreidation decal

Task performed:

REMOVE ACCREDITATION DECALS AND BUFF OUT
SIDES.

Parts

Quantity

NO PARTS USED



3/28/2024

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10160676

FORD TRUCK B/C VEHICLE

Workorder: V65955

In Date: 04/24/2014

Meter Reading: 108,626.00

Close Date: 05/08/2014

Problem?

A-inspection

Task performed:

1. A-INSPECTION.
2. COOLANT LOW- NP LEAK FOUND- TOP OFF COOLANT RESEVOIR.
3. WINDSHEILD FLUID LOW- TOP OFF AND ADD BUG SOLVET.
4. GRILL WARNING LIGHT L/SIDE INOP- REMOVE INSTALL NEW LIGHT.

Parts

Quantity

50R03ZCRLIGHT LED RED TIR 6

1



Palm Beach County Fire Rescue Fleet Maintenance Asset History

Asset: (10160676) 2005 - FORD F150 F150 Spare

10160676

CSHOP-2015-3133

Comments: **B INSPECTION FUEL FILTER AIR FILTER WIPERS**

Date Opened 9-29-2015 Date Finished 12-1-2015 Meter 1 Reading: 109,431

TASKS PERFORMED

Q PARTS

PM SERVICE B LIGHT

1 9IP; 7 TO 4 TRAILER WIRE CONNECTOR

VENDOR? AL PACKER

CSHOP-2016-3947

Date Opened 8-11-2016 Date Finished 8-11-2016 Meter 1 Reading: 111,943

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2016-510

Date Opened 2-1-2016 Date Finished 2-22-2016 Meter 1 Reading: 109,431

TASKS PERFORMED

Q PARTS

TAIL LIGHTS
BATTERY

1 NEWPART; TAIL LAMP F150 L/H
1 BATTERY; BXT65750 BATTERY
1 BATTERY; BATTERY EPA TAX \$1.50 PER BATTERY

CSHOP-2016-5762

Date Opened 12-9-2016 Date Finished 12-9-2016 Meter 1 Reading: 112,165

TASKS PERFORMED

NO PARTS USED

CRANKING SYSTEM

VENDOR? AL PACKER

CSHOP-2017-1101

Date Opened 2-22-2017 Date Finished 2-22-2017 Meter 1 Reading: 112,722

TASKS PERFORMED

Q PARTS

BATTERY

1 1AD; BATTERY

Asset Work Order History 10160676

CSHOP-2017-3220

Date Opened 6-2-2017 Date Finished 6-5-2017 Meter 1 Reading: 112,722

TASKS PERFORMED

NO PARTS USED

TRAVEL TO BE CHARGED TO WORK ORDER
QUALITY CHECK-REPAIRS

CSHOP-2017-3878

Comments: **DEAD BATTERY**

Date Opened 6-30-2017 Date Finished 6-30-2017 Meter 1 Reading: 114,596

TASKS PERFORMED

NO PARTS USED

CRANKING SYSTEM

CSHOP-2017-4523

Date Opened 8-4-2017 Date Finished 8-4-2017 Meter 1 Reading: 114,886

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2017-4592

Date Opened 8-8-2017 Date Finished 8-8-2017 Meter 1 Reading: 114,886

TASKS PERFORMED

NO PARTS USED

TIRE

VENDOR? DAN CALLAGHAN ENTERPRISES

CSHOP-2017-6623

Date Opened 11-16-2017 Date Finished 11-17-2017 Meter 1 Reading: 115,890

TASKS PERFORMED

NO PARTS USED

EMERGENCY EQUIPMENT

CSHOP-2017-827

Date Opened 2-9-2017 Date Finished 2-13-2017 Meter 1 Reading: 112,722

BATTERY CABLE BAD

TASKS PERFORMED

Q PARTS

BATTERY CABLE

1 9IP; BXT65750 BATTERY

Asset Work Order History 10160676

CSHOP-2018-1876

Comments: **ORDER INVERTER FOR RADIO BATTERY CHARGERS**

Date Opened 4-3-2018 Date Finished 4-6-2018 Meter 1 Reading: 0

TASKS PERFORMED

Q PARTS

BATTERY

1 BK; 400 WATT PWR INVERTER

CSHOP-2018-2123

Date Opened 4-16-2018 Date Finished 4-16-2018 Meter 1 Reading: 119,744

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2018-388

Date Opened 1-18-2018 Date Finished 2-26-2018 Meter 1 Reading: 0

TASKS PERFORMED

Q PARTS

BATTERY

1 1AD; BATTERY 65 SEVERE DUTY

CSHOP-2018-5354

Date Opened 9-19-2018 Date Finished 9-19-2018 Meter 1 Reading: 122,291

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2018-5934

Date Opened 10-18-2018 Date Finished 10-18-2018 Meter 1 Reading: 122,291

TASKS PERFORMED

NO PARTS USED

TRAVEL TO BE CHARGED TO WORK ORDER

CSHOP-2019-3359

Date Opened 6-27-2019 Date Finished 6-27-2019 Meter 1 Reading: 125,168

TASKS PERFORMED

NO PARTS USED

TRAVEL TO BE CHARGED TO WORK ORDER

CRANKING SYSTEM

Asset Work Order History 10160676

CSHOP-2019-3940

Date Opened 7-29-2019

Date Finished

8-27-2019

Meter 1 Reading:

125,575

TASKS PERFORMED

Q PARTS

PM SERVICE B LIGHT

2 1FD; ROTOR
-2 1FD; ROTOR
1 1FD; PAD
-1 1FD; PAD
1 FIL; NAPAGOLDAIRFILTER
2 1FD; ROTOR
-2 1FD; ROTOR
7 NOL; NAPA5W20SYNBLENDQT
1 1FD; PAD
-1 1FD; PAD
-1 1FD; ADDIVET
1 1FD; ADDIVET
1 FIL; NAPAGOLD FUEL FILTER
2 1FD; LINK
-3 1FD; GEAROIL
-2 1FD; LINK
3 1FD; GEAROIL
1 FIL; WIX OIL FILTER

CSHOP-2019-3958

Date Opened 7-30-2019

Date Finished

9-30-2019

Meter 1 Reading:

125,587

TASKS PERFORMED

Q PARTS

REPAIR FROM PM - DIFFERENTIALS
SWAY BAR LINKS
REAR BRAKE PADS-SHOES
FRONT BRAKE PADS-SHOES

3 1FD; GEAROIL
1 1FD; ADDIVET
2 1FD; LINK
2 1FD; NUT
1 1FD; PAD
1 1FD; PAD
2 1FD; ROTOR
2 1FD; ROTOR

CSHOP-2019-5140

Date Opened 9-30-2019

Date Finished

10-2-2019

Meter 1 Reading:

125,715

TASKS PERFORMED

Q PARTS

BATTERY

1 1AD; BATTERY GROUP 65

CSHOP-2019-604

Date Opened 1-31-2019

Date Finished

2-14-2019

Meter 1 Reading:

124,323

TASKS PERFORMED

NO PARTS USED

WINDOW REGULATOR

VENDOR? AL PACKER

Asset Work Order History 10160676

CSHOP-2020-2891

Date Opened 6-2-2020 Date Finished 6-2-2020 Meter 1 Reading: 126,778

TASKS PERFORMED

NO PARTS USED

STARTER

CSHOP-2020-4092

Date Opened 8-8-2020 Date Finished 8-26-2020 Meter 1 Reading: 131,089

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2020-5099

Comments: **REPLACE WIPERS**

Date Opened 9-29-2020 Date Finished 10-15-2020 Meter 1 Reading: 0

TASKS PERFORMED

Q PARTS

WIPERS-WASHER

2 1AN; 22 WIPER BLADE
1 BK; BUTANE FUEL

CSHOP-2020-6179

Date Opened 11-25-2020 Date Finished 12-31-2020 Meter 1 Reading: 133,270

TASKS PERFORMED

NO PARTS USED

A INSPECTION
ENGINE AND ACCESSORIES

CSHOP-2021-3812

Date Opened 7-9-2021 Date Finished 7-9-2021 Meter 1 Reading: 137,086

TASKS PERFORMED

Q PARTS

QUALITY CHECK-REPAIRS
BATTERY
DIFFERENTIAL

1 1FD; GEAR OIL
1 1FD; ADDIVET
1 1AD; BATTERY GROUP 65

CSHOP-2021-6602

Date Opened 12-1-2021 Date Finished 12-6-2021 Meter 1 Reading: 139,785

TASKS PERFORMED

Q PARTS

LIGHTING SYSTEM
SUSPENSION

1 1MC; LEFT HEADLIGHT
1 1MC; RIGHT HEADLIGHT
1 9ES; BULB LED HI LO
1 9ES; BULB LED HI LO

Asset Work Order History 10160676

CSHOP-2021-6866

Date Opened 12-15-2021 Date Finished 12-28-2021 Meter 1 Reading: 140,540

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2021-756

Date Opened 2-9-2021 Date Finished 2-9-2021 Meter 1 Reading: 135,066

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2022-113

Comments: **NEW HEADLIGHT BULBS WERE IN STALLED**

Date Opened 1-7-2022 Date Finished 1-21-2022 Meter 1 Reading: 142,170

TASKS PERFORMED

Q PARTS

STABILIZER BAR

2 1FD; STABALIZER BUSHINGS

CSHOP-2022-1370

Date Opened 3-10-2022 Date Finished 3-10-2022 Meter 1 Reading: 144,403

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2022-2541

Date Opened 5-10-2022 Date Finished 5-25-2022 Meter 1 Reading: 149,784

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2022-4538

Comments: **CALLAGHAN TIRE**

Date Opened 8-29-2022 Date Finished 9-9-2022 Meter 1 Reading: 0

TASKS PERFORMED

NO PARTS USED

VENDOR TIRE REPAIR/CHANGE

VENDOR? DAN CALLAGHAN ENTERPRISES

Asset Work Order History 10160676

CSHOP-2022-981

Date Opened 2-18-2022 Date Finished 2-23-2022 Meter 1 Reading: 144,297

TASKS PERFORMED

Q PARTS

BODY EXTERIOR

1 1FD; DRIVER TAIL LIGHT
1 1FD; DRIVER HEADLIGHT
1 1FD; PASSENGER TAIL LIGHT
1 1FD; PASSENGER HEADLIGHT

RADIO-2023-630

Comments: **F150 SPARE: RADIO ISSUES**

Date Opened 5-30-2023 Date Finished 5-30-2023 Meter 1 Reading: 0

TASKS PERFORMED

NO PARTS USED

PAGER-GPS- MDC RELATED

Service Requests:

05/30/2023 RADIO / /
INSTALL MDC MOUNT FOR GREG TABEEK

SSHOP-2023-1

Date Opened 1-3-2023 Date Finished 1-3-2023 Meter 1 Reading: 155,130

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

SSHOP-2023-1565

Date Opened 12-5-2023 Date Finished 12-5-2023 Meter 1 Reading: 159,370

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER