



3/28/2024

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

10180693

F350 UTILITY TRUCK

**Workorder: V27004**

In Date: 10/19/2009  
Close Date: 10/27/2009

Meter Reading: 21,223.00

**Problem?**

B inspection and repairs EMS91

**Task performed:**

- B-Inspection
- 2. R/R (2) fender emergency light lenses.
- 3. inflate all tires to correct pressure.
- 4. Rewire tag lights on rear bumper; lights did not work at all.
- 5. R/R R/S body marker light has no grnd; riveted to body; brill out rivets; grind paint inside compt to provide grnd mount w/screws instead of rivets.
- 6. Rep R/S w/washer nozzle; wldn't clear w/air; had to R/R Rt/left side winshield cowling; R/R nozzle asy & cln out nozzle.
- 7. Hookup btry up to full charge state. j

**Parts**

**Quantity**

15W40BSYN OIL BULK QTS	16
19002YLIGHT MARKER AMBER	1
33243FUEL FILTER WPB	1
46804AIR FILTER	1
51372OIL FILTER PH2	1
6819634283068-1963428-30 LENS CLR	2
6C3Z14300AABATTERY CABLE 2008 FORD F350	1

**Workorder: V27077**

In Date: 10/22/2009  
Close Date: 10/27/2009

Meter Reading: 16,578.00

**Problem?**

B inspection and repairs

**Task performed:**

- B-Inspection
- 2. Jump start veh in P-lot; move veh to bay; hookup btry charger.
- 3. R/R b try; cln posts/term; rep added on wiring at pos batry term; term end brkn; cln all corrosion.
- 4. Rep switch on incident command board in rear of veh
- 5. Adj all tire pressures.
- 6. Rep retaining clip for trans cooler lines below radiator.
- 7. Tried to match switch for rear arrow light; none like this in stock. j

**Parts**

**Quantity**

15W40BSYN OIL BULK QTS	12
51372OIL FILTER PH2	1
65-72BXT65750 BATTERY	1
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	1
CA803946418 AIR FILTER	1
G3850L/F G6367 WIX 33296	1



3/28/2024

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

10180693

**F350 UTILITY TRUCK**

**Workorder: V27680**

In Date: 11/16/2009

Meter Reading: 19,312.00

Close Date: 12/04/2009

**Problem?**

PASSENGER POWER WINDOW INOP SOUTH SHOP SVC TRUCK

**Task performed:**

1. R/S window inop; wires pulled & out at connection; rep wiring & lube both window linkages/tracks.
2. Wash. j

Parts

Quantity

516TIRE INFLATOR  
S777COUPLING NIPPLE

1  
1

**Workorder: V27790**

In Date: 11/19/2009

Meter Reading: 7,763.50

Close Date: 12/21/2009

**Problem?**

install SOP positive battery cable

**Task performed:**

1. Replcd btry cable pos/neg asy - corroded ens; replcd cable asy.
2. L/R strobe inop; pin pulled out of connector; rep connector. j

Parts

Quantity

NO PARTS USED

**Workorder: V32931**

In Date: 06/16/2010

Meter Reading: 24,500.00

Close Date: 06/25/2010

**Problem?**

B inspection and repairs

**Task performed:**

- B-Inspection j

Parts

Quantity

33243FUEL FILTER WPB  
51372OIL FILTER PH2

1  
1



3/28/2024

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

10180693

F350 UTILITY TRUCK

**Workorder: V34467**

In Date: 08/23/2010  
Close Date: 08/25/2010

Meter Reading: 25,419.00

**Problem?**

VEHICLE WILL NOT START, DEAD BATTERY SOUTH SHOP SERVICE TRUCK

**Task performed:**

1.ON 8-25 DRIVE TO STA.-51 INSTALL BATTERY IN VEHICLE CHECK FOR DRAW AND CHARGING EVERYTHING OK, TRAVEL BACK TO SOUTH SHOP..  
2. ON 9/8 THE VEHICLE WAS DEAD AT STA-51 AGAIN AFTER SITTING FOR 4 DAYS, RECHECK FOR DRAW AND CHARGING COULD NOT FIND ANYTHING WRONG

Parts

Quantity

65-72BXT65750 BATTERY	1
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	1

**Workorder: V39060**

In Date: 03/08/2011  
Close Date: 03/09/2011

Meter Reading: 26,765.00

**Problem?**

SET UP VEHICLE FOR SOUTH SHOP SERVICE TRUCK

**Task performed:**

1. SET UP TRUCK FOR SERVICE, INSTALL SHELVES, INSTALL PARTS, WASH VEHICLE..

Parts

Quantity

NO PARTS USED

**Workorder: V40665**

In Date: 05/17/2011  
Close Date: 05/17/2011

Meter Reading: 27,483.00

**Problem?**

vehicle will not start, dead battery, s/shop service truck

**Task performed:**

1. charge battery, test battery tested bad, replace battery, check for draw, and charging all ok..

Parts

Quantity

65-72BXT65750 BATTERY	1
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	1

**Workorder: V41327**

In Date: 06/14/2011  
Close Date: 07/12/2011

Meter Reading: 27,854.00

**Problem?**

B Inspection. Mobile Oil Change Services

**Task performed:**

B-Inspection - Oil Change Services j

Parts

Quantity

NO PARTS USED

Vendor?: OIL CHANGE



3/28/2024

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

10180693

F350 UTILITY TRUCK

**Workorder: V50044**

In Date: 06/11/2012  
Close Date: 06/11/2012

Meter Reading: 29,661.00

**Problem?**

will not start, dead battery

**Task performed:**

1. check battery, will not take a charge, replace battery

**Parts**

**Quantity**

65-72BXT65750 BATTERY

1

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

1

**Workorder: V51339**

In Date: 08/02/2012  
Close Date: 08/16/2012

Meter Reading: 29,661.00

**Problem?**

B inspection

**Task performed:**

B insp.

**Parts**

**Quantity**

33243FUEL FILTER WPB

1

51372OIL FILTER PH2

1

**Workorder: V52274**

In Date: 09/10/2012  
Close Date: 09/11/2012

Meter Reading: 29,661.00

**Problem?**

r/front brake caliber locked up, south shop service truck

**Task performed:**

1. r/front caliber smoking, locked up, remove wheels and install new brake pads and brake calipers, bleed calipers and install wheels, road test ok.

**Parts**

**Quantity**

AC3Z2B120BCALIPER R/H 06 F350

1

AC3Z2B121BCALIPER R/H 06 F350

1

BC3Z2001DBRAKE PADS FRT 06 F350

1

**Workorder: V58343**

In Date: 06/11/2013  
Close Date: 06/12/2013

Meter Reading: 31,053.00

**Problem?**

B inspection,

**Task performed:**

B inspection

**Parts**

**Quantity**

NO PARTS USED



3/28/2024

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

10180693

**F350 UTILITY TRUCK**

**Workorder: V65238**

In Date: 03/26/2014

Close Date: 04/02/2014

Meter Reading: 32,525.00

**Problem?**

B-inspection

**Task performed:**

<u>Parts</u>	<u>Quantity</u>
15-40B15W40 MOTOR OIL NON SYN	7
33243FUEL FILTER WPB	1
51372OIL FILTER PH2	1

**Workorder: V71399**

In Date: 12/04/2014

Close Date: 12/04/2014

Meter Reading: 32,985.00

**Problem?**

B insp. South shop tech 42

**Task performed:**

B insp, replace battery

<u>Parts</u>	<u>Quantity</u>
NO PARTS USED	



# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

Asset: (10180693) 2006 - FORD F350 Utility Truck

10180693

**CSHOP-2015-1427**

Comments: **B-INSPECTION**

Date Opened 6-26-2015

Date Finished

6-26-2015

Meter 1 Reading:

33,864

**TASKS PERFORMED**

**NO PARTS USED**

PM SERVICE B LIGHT

**VENDOR?** AL PACKER

**CSHOP-2016-4359**

Date Opened 9-6-2016

Date Finished

9-16-2016

Meter 1 Reading:

35,182

**TASKS PERFORMED**

**Q PARTS**

BATTERY

1 BATTERY; BXT65750 BATTERY

1 BATTERY; BATTERY EPA TAX \$1.50 PER BATTERY

**CSHOP-2016-4451**

Date Opened 9-13-2016

Date Finished

9-13-2016

Meter 1 Reading:

35,182

**TASKS PERFORMED**

**NO PARTS USED**

PM SERVICE B LIGHT

**VENDOR?** AL PACKER

**CSHOP-2017-2114**

Date Opened 4-11-2017

Date Finished

4-27-2017

Meter 1 Reading:

36,170

**TASKS PERFORMED**

**Q PARTS**

RIGHT SIDE  
HOSES-LINES & FITTINGS

1 9HY; HOSE MADE

**CSHOP-2017-4636**

Date Opened 8-9-2017

Date Finished

8-9-2017

Meter 1 Reading:

36,943

**TASKS PERFORMED**

**NO PARTS USED**

PM SERVICE B LIGHT

**VENDOR?** AL PACKER

**Asset Work Order History 10180693**

**CSHOP-2018-1533**

Date Opened 3-15-2018 Date Finished 3-16-2018 Meter 1 Reading: 38,238

**TASKS PERFORMED**

**Q PARTS**

BATTERY

1 1AD; BATTERY 96  
2 1AD; BATTERY

**CSHOP-2018-1740**

Date Opened 3-27-2018 Date Finished 4-4-2018 Meter 1 Reading: 38,647

**TASKS PERFORMED**

**NO PARTS USED**

PM SERVICE B LIGHT

**CSHOP-2018-3817**

Date Opened 7-6-2018 Date Finished 7-27-2018 Meter 1 Reading: 38,648

**TASKS PERFORMED**

**NO PARTS USED**

CRANKING SYSTEM

**CSHOP-2018-5317**

Date Opened 9-17-2018 Date Finished 9-17-2018 Meter 1 Reading: 38,780

**TASKS PERFORMED**

**NO PARTS USED**

TIRES ALL

**VENDOR?** DAN CALLAGHAN ENTERPRISES

**CSHOP-2019-1996**

Date Opened 5-6-2019 Date Finished 5-6-2019 Meter 1 Reading: 38,981

**TASKS PERFORMED**

**NO PARTS USED**

PM SERVICE B LIGHT

**VENDOR?** AL PACKER

**CSHOP-2019-275**

Comments: **UNIT NOT STARTING**

Date Opened 1-15-2019 Date Finished 1-15-2019 Meter 1 Reading: 38,955

**TASKS PERFORMED**

**Q PARTS**

WIPER BLADES  
BATTERY

2 1AN; WIPER BLADE  
1 1AD; 65 SERIES BATTERY

**Asset Work Order History 10180693**

**CSHOP-2019-2941**

Comments: **BATTERY FOR SOLAR PANEL ON CONFERENCE TRAILER**

Date Opened 6-6-2019 Date Finished 11-14-2019 Meter 1 Reading: 0

**TASKS PERFORMED**

**Q PARTS**

BATTERY

1 1AD; BATTERY

---

**CSHOP-2019-6099**

Date Opened 11-20-2019 Date Finished 1-4-2020 Meter 1 Reading: 0

**TASKS PERFORMED**

**Q PARTS**

HOSE-LINES & FITTINGS

1 9HD; FITTING S

---

**CSHOP-2020-2437**

Date Opened 5-7-2020 Date Finished 5-16-2020 Meter 1 Reading: 39,144

**TASKS PERFORMED**

**NO PARTS USED**

PM SERVICE B LIGHT

**VENDOR?** AL PACKER

---

**CSHOP-2021-2657**

Comments: **DENNIS WILL BRING TO PACKER**

Date Opened 5-13-2021 Date Finished 5-13-2021 Meter 1 Reading: 39,274

**TASKS PERFORMED**

**NO PARTS USED**

PM SERVICE B LIGHT

**VENDOR?** AL PACKER

---

**CSHOP-2022-2089**

Date Opened 4-15-2022 Date Finished 4-15-2022 Meter 1 Reading: 39,788

**TASKS PERFORMED**

**Q PARTS**

QUALITY CHECK-REPAIRS

2 BSH; CLEAR ADVANTAGE WIPER

WIPER BLADES

2 LIT; 4 BACK-UP LAMP

LIGHTING SYSTEM

1 NCB; DEGREASER MULTI PURP

---

**CSHOP-2022-2127**

Date Opened 4-18-2022 Date Finished 4-26-2022 Meter 1 Reading: 39,824

**TASKS PERFORMED**

**NO PARTS USED**

PM SERVICE B LIGHT

**VENDOR?** AL PACKER

---



**Asset Work Order History 10180693**

**CSHOP-2022-5019**

Date Opened 9-16-2022 Date Finished 11-3-2022 Meter 1 Reading: 0

**TASKS PERFORMED**

**Q PARTS**

DIAGNOSE ELECTRICAL

1 1AD; BATTERY GROUP 65

**Service Requests:**

09/15/2022 SERVICE REQUEST / 12: BROKEN / EXCHANGE - NEW  
TYPE PROBLEM INTO DESCRIPTION- NEEDS NEW BATTERY.

**CSHOP-2023-1416**

Date Opened 3-18-2023 Date Finished 5-5-2023 Meter 1 Reading: 40,062

**TASKS PERFORMED**

**Q PARTS**

BODY EXTERIOR

1 BAT; CORE DEPOSIT  
1 9AP; LOCKING T HANDLE  
1 BAT; 3YR WTY BAT  
2 4AH; 34LBS EXTENDED 9 5  
1 BAT; 2YR WTY BAT  
1 NBF; BRAKE FL  
1 BAT; CORE DEPOSIT

**Service Requests:**

03/16/2023 DOOR / 18: LEAKING / REPAIR  
VEHICLE DOORS, LOCK IS BROKEN ON REAR TAIL GATE HATCH. I CAN NOT GAIN ACCESS TO THE EQUIPMENT IN THE  
LOCKED AREA. TRUCK IS LOCATED @ 405 PIKE RD HQ

**CSHOP-2023-2279**

Date Opened 4-28-2023 Date Finished 5-2-2023 Meter 1 Reading: 40,062

**TASKS PERFORMED**

**NO PARTS USED**

PM SERVICE B LIGHT

VENDOR? AL PACKER

**CSHOP-2023-2410**

Comments: **BATTERY**

Date Opened 5-5-2023 Date Finished 5-5-2023 Meter 1 Reading: 40,062

**TASKS PERFORMED**

**Q PARTS**

DIAGNOSE ELECTRICAL

1 1AD; BATTERY GROUP 65

**Service Requests:**

05/04/2023 ENGINE / 18: LEAKING / REPAIR  
ENGINE, Dead battery, 2nd time I've had to jump the truck. Needs new battery.

**Asset Work Order History 10180693**

**CSHOP-2023-3880**

Date Opened 7-21-2023 Date Finished 7-21-2023 Meter 1 Reading: 0

**TASKS PERFORMED**

**Q PARTS**

BATTERY

1 1AD; BATTERY GROUP 65

**Service Requests:**

---

07/19/2023 STARTER / 12: BROKEN / EXCHANGE - NEW  
VEHICLE WILL NOT START- The truck has been having issue starting have had to jump truck several times I took it out on the road to try and charge the battery. May have bad alternator. Also, when filling up the truck with gas it keeps tripping the nozzle and take forever to put gas in the tank acts as if its overflowing.

---

**SSHOP-2023-1290**

Date Opened 10-18-2023 Date Finished 10-18-2023 Meter 1 Reading: 40,156

**TASKS PERFORMED**

**NO PARTS USED**

THROTTLE BODY

**VENDOR?** AL PACKER

---

**SSHOP-2023-992**

Date Opened 8-28-2023 Date Finished 10-10-2023 Meter 1 Reading: 40,140

**TASKS PERFORMED**

**NO PARTS USED**

CHARGING SYSTEM  
DOOR LOCKS

**VENDOR?** AL PACKER

---