

Asset Work Order History



Asset: **5202-P-94** - 2015 - FORD E450 Cutaway
From 6-27-2019 to 6-27-2024

0094-2019-49

Date Finished/Closed: 01/24/2019 14:25 / 12/30/2019 16:17 Meter 1 Reading: 158,794 Meter 1 Life: 158,794

Task:	WAC	Labor	Parts	CML
0713 - WIRING	55	\$52.65	\$49.30	\$0.00

0094-2019-632

Date Finished/Closed: 02/26/2020 16:59 / 02/26/2020 16:59 Meter 1 Reading: 168,540 Meter 1 Life: 168,540

Comments: CHECK OUT FOUND REAR COMPRESSOR NEEDS TO BE REPLACE VEHICLE WAS SWAP OUT WITH 5203 AND WAS BROUGHT BACK TO BASE FOR REPAIR

Task:	WAC	Labor	Parts	CML
50 - ROAD CALL	40	\$215.80	\$0.00	\$0.00

0094-2019-639

Date Finished/Closed: 03/12/2019 08:21 / 01/08/2020 13:10 Meter 1 Reading: 168,655 Meter 1 Life: 168,655

Task:	WAC	Labor	Parts	CML
2112 - COMPRESSOR SEAL	55	\$1,100.45	\$279.73	\$0.00

0094-2019-965

Date Finished/Closed: 04/17/2019 15:38 / 01/08/2020 13:10 Meter 1 Reading: 174,012 Meter 1 Life: 174,012

Task:	WAC	Labor	Parts	CML
2109 - HOSES & PIPING	55	\$1,289.60	\$20.84	\$0.00

0094-2019-1575

Date Finished/Closed: 07/08/2019 22:29 / 07/09/2019 08:49 Meter 1 Reading: 184,724 Meter 1 Life: 184,724

Task:	WAC	Labor	Parts	CML
A - PM SERVICE A CHECK PM-A SERVICE	55	\$196.95	\$140.31	\$0.00

0094-2019-1623

Date Finished/Closed: 07/09/2019 17:11 / 01/08/2020 13:10 Meter 1 Reading: 184,823 Meter 1 Life: 184,823

Task:	WAC	Labor	Parts	CML
1300 - TRANSMISSION	55	\$53.95	\$194.53	\$0.00

Asset Work Order History

0094-2019-1721

Date Finished/Closed: 02/26/2020 17:00 / 02/26/2020 17:00

Meter 1 Reading: 186,633

Meter 1 Life: 186,633

Task:	WAC	Labor	Parts	CML
1300 - TRANSMISSION	55	\$200.20	\$0.00	\$0.00

0094-2019-1834

Date Finished/Closed: 08/17/2019 19:00 / 01/08/2020 13:11

Meter 1 Reading: 190,051

Meter 1 Life: 190,051

Task:	WAC	Labor	Parts	CML
2201 - BLOWER MOTOR	41	\$469.30	\$0.00	\$0.00

0094-2019-1883

Date Finished/Closed: 08/09/2019 21:15 / 08/12/2019 10:46

Meter 1 Reading: 189,236

Meter 1 Life: 189,236

Task:	WAC	Labor	Parts	CML
B - PM SERVICE B	55	\$146.25	\$339.53	\$0.00

0094-2019-1963

Date Finished/Closed: 08/20/2019 15:42 / 01/08/2020 13:11

Meter 1 Reading: 190,561

Meter 1 Life: 190,561

Task:	WAC	Labor	Parts	CML
2104 - AIR CONDITIONING COMPRESSOR	55	\$102.05	\$0.00	\$0.00

0094-2019-2009

Date Finished/Closed: 11/15/2019 13:02 / 01/08/2020 13:11

Meter 1 Reading: 190,728

Meter 1 Life: 190,728

Task:	WAC	Labor	Parts	CML
13 - TRANSMISSION	55	\$414.05	\$0.00	\$0.00

0094-2019-2525

Date Finished/Closed: 02/26/2020 17:01 / 02/26/2020 17:01

Meter 1 Reading: 190,845

Meter 1 Life: 190,845

Task:	WAC	Labor	Parts	CML
2109 - HOSES & PIPING	40	\$6,319.95	\$0.00	\$0.00

0094-2019-2660

Date Finished/Closed: 11/04/2019 17:25 / 01/08/2020 13:12

Meter 1 Reading: 191,215

Meter 1 Life: 191,215

Task:	WAC	Labor	Parts	CML
-------	-----	-------	-------	-----

Asset Work Order History

0094-2019-2735

Date Finished/Closed: 12/10/2019 21:15 / 12/11/2019 11:50

Meter 1 Reading: 194,168

Meter 1 Life: 194,168

Task:	WAC	Labor	Parts	CML
A - PM SERVICE A	55	\$113.75	\$191.61	\$0.00

0094-2020-122

Date Finished/Closed: 01/17/2020 22:20 / 01/23/2020 12:40

Meter 1 Reading: 199,022

Meter 1 Life: 199,022

Task:	WAC	Labor	Parts	CML
A - PM SERVICE A	55	\$113.75	\$18.66	\$0.00

0094-2020-128

Date Finished/Closed: 02/19/2020 15:22 / 02/19/2020 15:22

Meter 1 Reading: 199,933

Meter 1 Life: 199,933

Comments: CHECK OUT FOUND BELT TENSIONER PULLEY DAMAGE CAUSING DRIVE BELT TO ALSO BE DAMAGE TOO DRIVE BELT AND TENSIONER WAS REPLACE WITH NEW ALL OK AT THIS TIME

Task:	WAC	Labor	Parts	CML
0800 - ENGINE	55	\$4,725.50	\$70.38	\$0.00

0094-2020-327

Date Finished/Closed: 02/19/2020 10:09 / 08/04/2020 11:28

Meter 1 Reading: 203,752

Meter 1 Life: 203,752

Task:	WAC	Labor	Parts	CML
1500 - BODY EXTERIOR	41	\$0.00	\$5,205.55	\$0.00

0094-2020-820

Date Finished/Closed: 04/24/2020 21:39 / 05/01/2020 11:39

Meter 1 Reading: 203,894

Meter 1 Life: 203,894

Task:	WAC	Labor	Parts	CML
C - PM SERVICE C	55	\$195.00	\$341.48	\$0.00

0094-2020-825

Date Finished/Closed: 04/23/2020 18:15 / 04/24/2020 13:25

Meter 1 Reading: 203,844

Meter 1 Life: 203,844

Task:	WAC	Labor	Parts	CML
2500 - WHEELCHAIR LIFT	25	\$16.25	\$241.29	\$0.00

0094-2020-891 - ALIGNMENT

Date Finished/Closed: 05/04/2020 19:50 / 05/19/2020 13:04

Meter 1 Reading: 204,596

Meter 1 Life: 204,596

Comments: ALIGNMENT

Task:	WAC	Labor	Parts	CML
0206 - TOE ADJUSTMENT	41	\$45.50	\$0.00	\$0.00

Asset Work Order History

0094-2020-1147

Date Finished/Closed: 08/04/2020 15:56 / 10/23/2020 13:18

Meter 1 Reading: 212,299

Meter 1 Life: 212,299

Task:	WAC	Labor	Parts	CML
1504 - DOOR PROPS	55	\$97.50	\$0.00	\$0.00

0094-2020-1163

Date Finished/Closed: 06/22/2020 20:00 / 06/23/2020 09:12

Meter 1 Reading: 208,630

Meter 1 Life: 208,630

Task:	WAC	Labor	Parts	CML
A - PM SERVICE A	55	\$113.75	\$18.53	\$0.00
2401 - TIRES FRONT	55	\$32.50	\$197.70	\$0.00

0094-2020-1449

Date Finished/Closed: 07/20/2020 16:08 / 09/04/2020 08:38

Meter 1 Reading: 211,200

Meter 1 Life: 211,200

Task:	WAC	Labor	Parts	CML
21 - AIR CONDITIONING	55	\$154.05	\$4.10	\$0.00
REAR AC LEAKING FREON				

0094-2020-1465

Date Finished/Closed: 07/22/2020 09:07 / 10/23/2020 15:40

Meter 1 Reading: 211,204

Meter 1 Life: 211,204

Task:	WAC	Labor	Parts	CML
0806 - ENGINE TUNE UP	55	\$7.80	\$35.96	\$0.00

0094-2020-1681

Date Finished/Closed: 08/13/2020 19:46 / 08/15/2020 14:46

Meter 1 Reading: 213,379

Meter 1 Life: 213,379

Task:	WAC	Labor	Parts	CML
A - PM SERVICE A	55	\$113.75	\$28.80	\$0.00

0094-2020-1872

Date Finished/Closed: 09/04/2020 12:20 / 09/11/2020 16:29

Meter 1 Reading: 215,479

Meter 1 Life: 215,479

Task:	WAC	Labor	Parts	CML
21 - AIR CONDITIONING	55	\$47.45	\$187.51	\$0.00
REAR AC HIGH PRESSURE HOSE CLAMP CONNECTED BEHIND THE COMPRESSOR BLEW OFF AND REAR AC FANS NOT WORKING				

0094-2020-1907

Date Finished/Closed: 09/09/2020 22:38 / 10/23/2020 16:48

Meter 1 Reading: 215,702

Meter 1 Life: 215,702

Task:	WAC	Labor	Parts	CML
1605 - FLOORING	41	\$532.35	\$0.00	\$0.00
FLOOR DAMAGE				

Asset Work Order History

0094-2020-2042

Date Finished/Closed: 09/22/2020 15:00 / 11/02/2020 11:06

Meter 1 Reading: 216,799

Meter 1 Life: 216,799

Task:	WAC	Labor	Parts	CML
2501 - WHEELCHAIR LIFT ELECTRICAL	55	\$130.00	\$249.72	\$0.00

0094-2020-2135

Date Finished/Closed: 10/04/2020 14:45 / 10/05/2020 10:32

Meter 1 Reading: 218,111

Meter 1 Life: 218,111

Task:	WAC	Labor	Parts	CML
B - PM SERVICE B	55	\$113.75	\$24.85	\$0.00

0094-2020-2427

Date Finished/Closed: 11/14/2020 21:50 / 11/16/2020 11:42

Meter 1 Reading: 222,374

Meter 1 Life: 222,374

Task:	WAC	Labor	Parts	CML
1605 - FLOORING	90	\$33.80	\$0.00	\$0.00

0094-2020-2440

Date Finished/Closed: 11/16/2020 19:30 / 11/17/2020 11:08

Meter 1 Reading: 222,849

Meter 1 Life: 222,849

Task:	WAC	Labor	Parts	CML
A - PM SERVICE A	55	\$97.50	\$17.20	\$0.00

0094-2020-2467

Date Finished/Closed: 11/23/2020 13:41 / 11/26/2020 11:26

Meter 1 Reading: 223,373

Meter 1 Life: 223,373

Task:	WAC	Labor	Parts	CML
2104 - AIR CONDITIONING COMPRESSOR REAR AC COMPRESSOR NOT WORKING	55	\$93.60	\$249.70	\$0.00

0094-2020-2468

Date Finished/Closed: 04/16/2021 13:47 / 05/05/2021 13:47

Meter 1 Reading: 223,290

Meter 1 Life: 223,290

Task:	WAC	Labor	Parts	CML
1500 - BODY EXTERIOR	41	\$0.00	\$1,100.00	\$0.00

0094-2020-2498

Date Finished/Closed: 12/03/2020 14:01 / 12/04/2020 13:43

Meter 1 Reading: 224,058

Meter 1 Life: 224,058

Task:	WAC	Labor	Parts	CML
0202 - POWER STEERING GEAR BOX ASSEMBLY	55	\$378.95	\$146.64	\$0.00

Asset Work Order History

0094-2021-24

Date Finished/Closed: 01/05/2021 19:30 / 01/06/2021 10:14

Meter 1 Reading: 227,474

Meter 1 Life: 227,474

Task:	WAC	Labor	Parts	CML
A - PM SERVICE A	55	\$113.75	\$173.86	\$0.00

0094-2021-46

Date Finished/Closed: 01/11/2021 12:30 / 01/11/2021 12:46

Meter 1 Reading: 228,136

Meter 1 Life: 228,136

Task:	WAC	Labor	Parts	CML
1640 - VISOR / SUNSHADE	55	\$16.25	\$53.61	\$0.00

0094-2021-164

Date Finished/Closed: 01/26/2021 23:53 / 01/27/2021 07:23

Meter 1 Reading: 229,923

Meter 1 Life: 229,923

Task:	WAC	Labor	Parts	CML
0437 - BRAKE HYDROBOOST POWER ASSIST UNIT	55	\$120.25	\$259.69	\$0.00

0094-2021-325

Date Finished/Closed: 02/14/2021 16:00 / 02/19/2021 10:36

Meter 1 Reading: 232,430

Meter 1 Life: 232,430

Task:	WAC	Labor	Parts	CML
D - PM SERVICE D	55	\$292.50	\$237.91	\$0.00
2402 - TIRES REAR	55	\$16.25	\$98.01	\$0.00

0094-2021-352

Date Finished/Closed: 02/17/2021 00:02 / 02/19/2021 10:30

Meter 1 Reading: 232,759

Meter 1 Life: 232,759

Task:	WAC	Labor	Parts	CML
65 - SAFETY INSPECTIONS	55	\$32.50	\$324.33	\$0.00

0094-2021-472

Date Finished/Closed: 02/28/2021 17:59 / 03/01/2021 09:07

Meter 1 Reading: 234,328

Meter 1 Life: 234,328

Task:	WAC	Labor	Parts	CML
2401 - TIRES FRONT	55	\$24.05	\$98.01	\$0.00
FRONT LEFT TIRE FLAT				
0808 - ACCESORY DRIVE BELT	55	\$14.30	\$39.28	\$0.00
LOUD NOISE COMING FROM DRIVE BELT				

0094-2021-612

Date Finished/Closed: 03/16/2021 16:17 / 03/19/2021 06:30

Meter 1 Reading: 236,391

Meter 1 Life: 236,391

Task:	WAC	Labor	Parts	CML
2103 - CONDENSOR FAN MOTOR	55	\$102.05	\$191.65	\$0.00
REAR AC NOT COLD				

Asset Work Order History

0094-2021-638

Date Finished/Closed: 04/27/2022 12:38 / 04/27/2022 12:38

Meter 1 Reading: 236,661

Meter 1 Life: 236,661

Comments: CHECK OUT FOUND ALTERNATOR BOLT BROKEN CAUSING ENGINE FUSE TO BE DAMAGE VEHICLE WAS SWITCH OUT WITH 9920 AND WAS TOWED BACK TO BASE

Task:	WAC	Labor	Parts	CML
08 - ENGINE	81	\$37.70	\$0.00	\$0.00
0719 - ALTERNATOR	55	\$4,515.55	\$245.09	\$0.00

0094-2021-650

Date Finished/Closed: 03/22/2021 23:01 / 03/30/2021 10:50

Meter 1 Reading: 236,611

Meter 1 Life: 236,611

Comments: REPLACE 250 AMPS FUSE.

Task:	WAC	Labor	Parts	CML
0741 - FUSE / CIRCUIT BREAKER BOX AREA	55	\$39.65	\$5.99	\$0.00

0094-2021-697

Date Finished/Closed: 03/24/2021 22:00 / 03/25/2021 09:32

Meter 1 Reading: 237,207

Meter 1 Life: 237,207

Task:	WAC	Labor	Parts	CML
A - PM SERVICE A	55	\$97.50	\$17.63	\$0.00

0094-2021-762

Date Finished/Closed: 04/02/2021 15:06 / 04/04/2021 11:08

Meter 1 Reading: 237,809

Meter 1 Life: 237,809

Task:	WAC	Labor	Parts	CML
0806 - ENGINE TUNE UP	55	\$156.00	\$40.02	\$0.00

0094-2021-825

Date Finished/Closed: 04/07/2021 13:27 / 04/07/2021 15:03

Meter 1 Reading: 238,351

Meter 1 Life: 238,351

Task:	WAC	Labor	Parts	CML
0719 - ALTERNATOR	55	\$107.25	\$245.05	\$0.00
ALTERNATOR NOT CHARGING THE BATTERIES				

0094-2021-893

Date Finished/Closed: 04/15/2021 14:55 / 04/16/2021 11:30

Meter 1 Reading: 239,142

Meter 1 Life: 239,142

Task:	WAC	Labor	Parts	CML
2109 - HOSES & PIPING	55	\$137.80	\$0.00	\$0.00
REAR AC HIGH SIDE HOSE LEAKING				
2104 - AIR CONDITIONING COMPRESSOR	55	\$43.55	\$272.94	\$0.00
REAR AC COMPRESSOR NOT WORKING PROPERLY				

Asset Work Order History

0094-2021-1066

Date Finished/Closed: 05/07/2021 19:15 / 05/10/2021 10:11

Meter 1 Reading: 241,624

Meter 1 Life: 241,624

Task:	WAC	Labor	Parts	CML
A - PM SERVICE A	55	\$97.50	\$22.71	\$0.00

0094-2021-1197

Date Finished/Closed: 05/29/2021 21:44 / 06/04/2021 10:36

Meter 1 Reading: 244,502

Meter 1 Life: 244,502

Comments: LIFT DOOR WONT CLOSE.

DEFECTS: BAD LOCKING (BENT RODS) COMPONENTS.

ACTIVITY: (1) STRAIGHTEN RODS AND FIT MISSING COMPONENTS.

Task:	WAC	Labor	Parts	CML
1805 - PASSENGER DOOR REAR	90	\$85.80	\$0.00	\$0.00

0094-2021-1299

Date Finished/Closed: 06/14/2021 20:45 / 06/15/2021 09:57

Meter 1 Reading: 246,307

Meter 1 Life: 246,307

Task:	WAC	Labor	Parts	CML
B - PM SERVICE B	55	\$130.00	\$33.11	\$0.00
2401 - TIRES FRONT	55	\$32.50	\$98.01	\$0.00
2402 - TIRES REAR	55	\$16.25	\$196.02	\$0.00

0094-2021-1341

Date Finished/Closed: 06/21/2021 22:58 / 06/22/2021 11:37

Meter 1 Reading: 246,968

Meter 1 Life: 246,968

Comments: DEPARTURE MV TRANSPORTATION 3;23 PM.

ARRIVED AT LOCATION (WITH BUS# 5712 MIL304,963.) 3;37 PM.

Task:	WAC	Labor	Parts	CML
0714 - BATTERY	90	\$19.50	\$0.00	\$0.00

0094-2021-1342

Date Finished/Closed: 06/21/2021 23:46 / 06/22/2021 11:37

Meter 1 Reading: 246,973

Meter 1 Life: 246,973

Comments: COMPLAINT : VEHICLE HARD TO START AND SHUTTING DOWN ON THE ROAD.

ACTIVITY: 1. CLEAN AND SECURE POSITIVE AND NEGATIVE TERMINALS.

2.CLEAN, LUBE AND SECURE BATTERY TRAY.

Task:	WAC	Labor	Parts	CML
0714 - BATTERY	55	\$50.05	\$173.04	\$0.00

0094-2021-1732

Date Finished/Closed: 08/10/2021 19:00 / 08/11/2021 11:08

Meter 1 Reading: 251,040

Meter 1 Life: 251,040

Task:	WAC	Labor	Parts	CML
A - PM SERVICE A	55	\$81.25	\$24.32	\$0.00

Asset Work Order History

0094-2021-2058

Date Finished/Closed: 09/18/2021 15:15 / 09/29/2021 10:56

Meter 1 Reading: 255,570

Meter 1 Life: 255,570

Task:	WAC	Labor	Parts	CML
A - PM SERVICE A	55	\$81.25	\$119.07	\$0.00

0094-2021-2094

Date Finished/Closed: 04/27/2022 10:19 / 04/27/2022 11:44

Meter 1 Reading: 256,607

Meter 1 Life: 256,607

Task:	WAC	Labor	Parts	CML
2100 - AIR CONDITIONING SYSTEM REAR A/C	55	\$4,538.95	\$125.16	\$0.00

0094-2021-2201

Date Finished/Closed: 10/18/2021 14:58 / 12/21/2021 14:56

Meter 1 Reading: 258,375

Meter 1 Life: 258,375

Task:	WAC	Labor	Parts	CML
2116 - AIR CONDITIONER EVAPORATOR MOTOR FRONT AC BLOWER NOT WORKING	55	\$28.60	\$62.30	\$0.00

0094-2021-2422

Date Finished/Closed: 11/17/2021 13:20 / 11/22/2021 15:31

Meter 1 Reading: 260,570

Meter 1 Life: 260,570

Task:	WAC	Labor	Parts	CML
C - PM SERVICE C	55	\$211.25	\$192.71	\$0.00
2401 - TIRES FRONT	55	\$32.50	\$196.02	\$0.00
2402 - TIRES REAR	55	\$16.25	\$98.01	\$0.00

0094-2022-192

Date Finished/Closed: 01/27/2022 08:01 / 01/28/2022 12:40

Meter 1 Reading: 260,987

Meter 1 Life: 260,987

Task:	WAC	Labor	Parts	CML
0714 - BATTERY	55	\$1,188.20	\$187.20	\$0.00

0094-2022-365

Date Finished/Closed: 02/17/2022 13:46 / 02/17/2022 13:46

Meter 1 Reading: 261,615

Meter 1 Life: 261,615

Task:	WAC	Labor	Parts	CML
15 - BODY AND FRAME	41	\$0.00	\$50.00	\$0.00

Asset Work Order History

0094-2022-737

Date Finished/Closed: 03/30/2022 13:25 / 03/31/2022 09:32

Meter 1 Reading: 262,783

Meter 1 Life: 262,783

Comments: HAZARD LIGHT SWITCH

DEFECTIVE SWITCH

Task:	WAC	Labor	Parts	CML
0708 - HAZARD LIGHTS	90	\$24.70	\$160.43	\$0.00

0094-2022-771

Date Finished/Closed: 04/27/2022 16:07 / 04/28/2022 07:53

Meter 1 Reading: 264,617

Meter 1 Life: 264,617

Task:	WAC	Labor	Parts	CML
50 - ROAD CALL BELT DAMAGE ON ROAD COMPRESSOR LOCK UP	40	\$1.30	\$0.00	\$0.00

0094-2022-940

Date Finished/Closed: 04/27/2022 15:40 / 04/28/2022 15:20

Meter 1 Reading: 264,616

Meter 1 Life: 264,616

Task:	WAC	Labor	Parts	CML
07 - ELECTRICAL FUSE BLOW	41	\$57.85	\$0.00	\$0.00

0094-2022-1007 - CHECK BATTERY`S/CHECK CONDENSOR MOTOR

Date Finished/Closed: 04/28/2022 20:40 / 04/29/2022 07:19

Meter 1 Reading: 264,617

Meter 1 Life: 264,617

Comments: CHECK BATTERY
BATTERY SHOW LOW STATE OF CHARGE.
BATTERY WAS RECHARGED

Task:	WAC	Labor	Parts	CML
0714 - BATTERY	90	\$126.10	\$0.00	\$0.00
2103 - CONDENSOR FAN MOTOR	90	\$139.10	\$0.00	\$0.00

0094-2022-1024

Date Finished/Closed: 04/29/2022 14:58 / 05/02/2022 08:47

Meter 1 Reading: 264,619

Meter 1 Life: 264,619

Task:	WAC	Labor	Parts	CML
2103 - CONDENSOR FAN MOTOR	55	\$81.25	\$15.99	\$0.00

0094-2022-1126

Date Finished/Closed: 05/11/2022 15:47 / 05/12/2022 08:11

Meter 1 Reading: 265,461

Meter 1 Life: 265,461

Comments: CHECK OUT FOUND REAR A/C AS A SMALL LEAK FREON WAS ADDED TO THE SYSTEM WITH SOME DYE TO PIN POINT LEAK OK FOR NOW

Task:	WAC	Labor	Parts	CML
21 - AIR CONDITIONING	40	\$1.30	\$0.00	\$0.00

Asset Work Order History

0094-2022-1164

Date Finished/Closed: 05/06/2022 22:02 / 05/16/2022 09:12

Meter 1 Reading: 265,238

Meter 1 Life: 265,238

Task:	WAC	Labor	Parts	CML
A - PM SERVICE A	55	\$97.50	\$117.37	\$0.00

0094-2022-1385

Date Finished/Closed: 06/13/2022 11:28 / 06/13/2022 15:20

Meter 1 Reading: 266,110

Meter 1 Life: 266,110

Task:	WAC	Labor	Parts	CML
2104 - AIR CONDITIONING COMPRESSOR REAR AC COMPRESSOR INOP	55	\$120.25	\$245.55	\$0.00

0094-2022-1387

Date Finished/Closed: 06/13/2022 14:40 / 06/13/2022 15:20

Meter 1 Reading: 266,110

Meter 1 Life: 266,110

Task:	WAC	Labor	Parts	CML
2116 - AIR CONDITIONER EVAPORATOR MOTOR FRONT AC BLOWER MOTOR NOT WORKING	55	\$65.00	\$64.91	\$0.00

0094-2022-2048

Date Finished/Closed: 08/25/2022 16:43 / 08/26/2022 10:30

Meter 1 Reading: 267,323

Meter 1 Life: 267,323

Task:	WAC	Labor	Parts	CML
2109 - HOSES & PIPING REAR AC LEAKING FREON	55	\$131.95	\$3.96	\$0.00

0094-2022-2164

Date Finished/Closed: 09/08/2022 08:40 / 09/08/2022 10:17

Meter 1 Reading: 267,877

Meter 1 Life: 267,877

Task:	WAC	Labor	Parts	CML
0714 - BATTERY BOTH BATTERIES BAD	55	\$0.42	\$196.56	\$0.00

0094-2022-2692

Date Finished/Closed: 11/06/2022 20:19 / 11/07/2022 08:59

Meter 1 Reading: 268,251

Meter 1 Life: 268,251

Task:	WAC	Labor	Parts	CML
A - PM SERVICE A	55	\$130.00	\$25.56	\$0.00

Asset Work Order History

0094-2023-383

Date Finished/Closed: 02/13/2023 23:41 / 02/14/2023 16:04

Meter 1 Reading: 268,279

Meter 1 Life: 268,279

Comments: ,MISSING FRONT MIRRORS.

REPLACED DRIVER AND PASSENGER MIRRORS.

Task:	WAC	Labor	Parts	CML
1502 - BODY - FRONT	55	\$273.00	\$770.05	\$0.00

5910 N Central Expy May Suite 145

Dallas, TX 75206



Work Order Division (0094)

3301 Electronics May

West Palm Beach, FL 33407

Basic Information

Date and Time in :

Mileage in: 2510.5

Mileage out: 251.040

Vehicle # 08-10-21 Work Class: T Date and Time Finished:
Date: 08-10-21

Notes/Measurements:

Complaints/Defects:

03/14

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable materials and parts. I have followed all MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

ready for service. I have used parts that are from my transportation.

Employee #: 857302 Technician: FERRELL TOLENTINO

Signature

ASE Signature:

ASE Employee #: 604182 ASE Technician: _____



PM DEFECT SHEET



MECHANIC'S SIGNATURE 		PM TYPE OR WORK ORDER #:	DATE: 08-10-21
BUS #: 5202			
DESCRIPTION OF REPAIR NEEDED			
COMPLETED BY		DATE	



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 08-10-21 Vehicle #: 5202

Mileage in: 251039 Mileage out: 251040

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

5910 N Cental Expy Way Suite 145
Dallas, TX 75206



Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

West Palm Beach, FL 33407

Vehicle #:	5202	Repair Reason:	A	Date and Time in:	19:15	Mileage in:	137754
Date:	04/27/17	Work Class:	T	Date and Time Finished:	18:58	Mileage out:	137756

Mileage in: 137754
Mileage out: 137756

Notes/Measurements:

PMIA

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 848154 Technician: Woodson, Edw. E.

Signature: [Signature]

Employee #: 848154 Technician:

Foodson Editor

Signature: _____

responsibility, and

ASE Employee #: 6645 ASE Technician: 6645

ASF Signature:

MECHANIC'S SIGNATURE <i>[Signature]</i>		BUS #: <i>5802</i>	DATE: <i>04/27/18</i>	PM TYPE OR WORK ORDER #: <i>PMIA</i>
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY	DATE COMPLETED	



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 04/27/18 Vehicle #: 5202Mileage in: 137754Mileage out: 137756

P	F	Item Inspected
☒		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		16) No vibrations, pulsations or noises
☒		B) Walk around inspection
☒		1) Body damage (list on separate sheet)
☒		2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
☒		C) Interior inspection
☒		1) Passenger door and steps condition
☒		2) Handrails and stanchions condition
☒		3) Interior and modesty panels condition
☒		4) Flooring condition
☒		5) Interior lighting operation and condition
☒		6) Windows operation and condition
☒		7) Emergency Exits operation & condition
☒		8) Accessory operation & condition (radio, GPS)
☒		9) Passenger seats operation & condition
☒		10) Passenger seat belts operation & condition
☒		11) First aid & body fluid kits complete
☒		12) Triangle reflectors complete/good condition
☒		13) Stop request operation & condition
☒		14) Valid registration, insurance & accident pack
☒		15) Fire extinguisher in good condition & signed
☒		16) Interior decals and signage (incl. electrical)
☒		17) DVI's reviewed, addressed and signed off
☒		18) Interior clean
☒		D) HVAC system inspection
☒		1) Front blower condition and operation

P	F	Item Inspected
☒		2) Rear blower condition and operation
☒		3) Defroster operation
☒		4) Temp gets to 20 deg. F below ambient temp.
☒		5) Evaporator intake air filter condition
☒		6) Front heater condition and operation
☒		7) Rear heater condition and operation
☒		8) A/C compressors and condenser fans
☒		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
☒		Batt 2 volts: load volts: load amps:
☒		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
☒		2) Wire and hose routing and connections
☒		3) Cooling system, hoses, water pump condition
☒		5) Accessory drive belts condition
☒		6) Pulleys and tensioned operation & condition
☒		7) Brake master cylinder and power booster
☒		8) Fan and fan clutch operation and condition
☒		9) Engine oil fluid level and condition
☒		10) Transmission oil level and condition
☒		11) Power steering fluid level and condition
☒		12) Brake fluid level and condition
☒		F) Vehicle rack inspection
☒		1) Steering gear box mount, condition & leaks
☒		2) Steering shaft U joints
☒		3) Steering shaft bearings
☒		4) Steering linkages
☒		5) I beam or control arm movements and rivets
☒		6) Radius arm condition and bushings condition
☒		7) Stabilizer bar condition and bushings condition
☒		8) Ball joints or kingpins
☒		9) Front spring condition and mounting
☒		10) Front shock absorber operation & condition
☒		11) Trans oil cooler & lines routing and leaks
☒		12) Engine oil cooler & lines routing and leaks
☒		13) Heater and A/C hose routing and leaks
☒		14) No engine oil leaks and fluid condition
☒		15) Engine mounts, brackets and bolts
☒		16) Transmission mounts, brackets and bolts
☒		17) No transmission oil leaks and fluid condition
☒		18) Drive shaft condition
☒		19) Universal joints and carrier bearings condition
☒		20) No rear differential leaks
☒		21) Rear differential condition and mounting
☒		22) Frame and cross members
☒		23) Rear shock absorbers
☒		24) Rear springs condition and mounting
☒		25) No fuel leaks
☒		26) Fuel tank condition and mounting
☒		27) No exhaust leaks
☒		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **137354** Mileage out: **137356**



Date: **4/27/18** Vehicle #: **5202**

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 17 /32" L/F: 14 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 10 /32" L/R: 10 /32"
		Shoes R/R: 10 /32" L/R: 10 /32"
		34) Tire and wheel condition and measurements
		R/F: 9 /32" L/F: 9 /32"
		R/R: 3 /32" L/R: 3 /32"
		R/O: 6 /32" L/R: 7 /32"
		35) Lug nuts condition
		Air pressure adjustment F.R. 65 RR. 30
		Wheel torque specs used: 140 ft. lbs.
		9) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	
Lube chassis and suspension	A,B,C,D	
Lube drive shafts and universal joints	A,B,C,D	
Lube doors and hood, locks and hinges	A,B,C,D	
Adjust service and parking brakes	A,B,C,D	
Drain water from separator	A,B,C,D	
Rotate tires (as necessary, caps on rear)	A,B,C,D	
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	


All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: *[Signature]* Date: **04/27/18**
 Supervisor's Signature: *[Signature]* Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 145
Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

CO# 1136

West Palm Beach, FL 33407

Mileage in: 267.50

Mileage out: ~~100~~ 55

Notes/Measurements

PMI 19

[illegible]

Signature:

ASE Signature:

2

MECHANIC'S SIGNATURE		BUS #:	DATE:	PM TYPE OR WORK ORDER #:
			06-29-8	
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY	DATE COMPLETED	
RR in and RR out time need to RR replace 3/32				
replace RR in - RR out time with a Johnny need times 6/32			06-29-18	



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 06-29-18 Vehicle #: 5200-P Mileage in: 142530 Mileage out: 142554

P	F	Item Inspected
☒		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		16) No vibrations, pulsations or noises
☒		B) Walk around inspection
☒		1) Body damage (list on separate sheet)
☒		2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
☒		C) Interior inspection
☒		1) Passenger door and steps condition
☒		2) Handrails and stanchions condition
☒		3) Interior and modesty panels condition
☒		4) Flooring condition
☒		5) Interior lighting operation and condition
☒		6) Windows operation and condition
☒		7) Emergency Exits operation & condition
☒		8) Accessory operation & condition (radio, GPS)
☒		9) Passenger seats operation & condition
☒		10) Passenger seat belts operation & condition
☒		11) First aid & body fluid kits complete
☒		12) Triangle reflectors complete/good condition
☒		13) Stop request operation & condition
☒		14) Valid registration, insurance & accident pack
☒		15) Fire extinguisher in good condition & signed
☒		16) Interior decals and signage (incl. electrical)
☒		17) DVI's reviewed, addressed and signed off
☒		18) Interior clean
☒		D) HVAC system inspection
☒		1) Front blower condition and operation

P	F	Item Inspected
☒		2) Rear blower condition and operation
☒		3) Defroster operation
☒		4) Temp gets to 20 deg. F below ambient temp.
☒		5) Evaporator intake air filter condition
☒		6) Front heater condition and operation
☒		7) Rear heater condition and operation
☒		8) A/C compressors and condenser fans
☒		E) Under hood inspection
☒		1) Batteries & charging sys. (load alt B,C,D serv)
☒		Batt 1 volts: load volts: load amps:
☒		Batt 2 volts: load volts: load amps:
☒		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
☒		2) Wire and hose routing and connections
☒		3) Cooling system, hoses, water pump condition
☒		5) Accessory drive belts condition
☒		6) Pulleys and tensioned operation & condition
☒		7) Brake master cylinder and power booster
☒		8) Fan and fan clutch operation and condition
☒		9) Engine oil fluid level and condition
☒		10) Transmission oil level and condition
☒		11) Power steering fluid level and condition
☒		12) Brake fluid level and condition
☒		F) Vehicle rack inspection
☒		1) Steering gear box mount, condition & leaks
☒		2) Steering shaft U joints
☒		3) Steering shaft bearings
☒		4) Steering linkages
☒		5) I beam or control arm movements and rivets
☒		6) Radius arm condition and bushings condition
☒		7) Stabilizer bar condition and bushings condition
☒		8) Ball joints or kingpins
☒		9) Front spring condition and mounting
☒		10) Front shock absorber operation & condition
☒		11) Trans oil cooler & lines routing and leaks
☒		12) Engine oil cooler & lines routing and leaks
☒		13) Heater and A/C hose routing and leaks
☒		14) No engine oil leaks and fluid condition
☒		15) Engine mounts, brackets and bolts
☒		16) Transmission mounts, brackets and bolts
☒		17) No transmission oil leaks and fluid condition
☒		18) Drive shaft condition
☒		19) Universal joints and carrier bearings condition
☒		20) No rear differential leaks
☒		21) Rear differential condition and mounting
☒		22) Frame and cross members
☒		23) Rear shock absorbers
☒		24) Rear springs condition and mounting
☒		25) No fuel leaks
☒		26) Fuel tank condition and mounting
☒		27) No exhaust leaks
☒		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 06-29-18 Vehicle #: 5208-P Mileage in: 114550 Mileage out: 114554

Circle Service Type: A B C D

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	
Lube chassis and suspension	A,B,C,D	
Lube drive shafts and universal joints	A,B,C,D	
Adjust service and parking brakes	A,B,C,D	
Drain water from separator	A,B,C,D	
Rotate tires (as necessary, caps on rear)	A,B,C,D	
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (8 miles)	A,B,C,D	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date

Supervisor Signature

Date

Notes:

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
34) Tire and wheel condition and measurements		
Shoes R/R: 1/32" L/R: 1/32"		
R/F: 8/32" L/F: 8/32"		
R/R: 3/32" L/R: 3/32"		
R/R: 3/32" L/R: 3/32"		
35) Lug nuts condition		
Air pressure adjustment FR. 30 RR. 30		
Wheel torque specs used: 110 ft. lbs.		
G) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Dallas, TX 75206



West Palm Beach, FL 33407

11-05-18 9:00 Mileage out: 153.428

Notes/Measurements:

Parts Information

Total Parts Cost:

ASE Signature:

[illegible]



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 11-05-18 Vehicle #: 5202-D Mileage in: 152423 Mileage out: 152424

P	F	Item Inspected
☒		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		16) No vibrations, pulsations or noises
☒		B) Walk around inspection
☒		1) Body damage (list on separate sheet)
☒		2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
☒		C) Interior inspection
☒		1) Passenger door and steps condition
☒		2) Handrails and stanchions condition
☒		3) Interior and modesty panels condition
☒		4) Flooring condition
☒		5) Interior lighting operation and condition
☒		6) Windows operation and condition
☒		7) Emergency Exits operation & condition
☒		8) Accessory operation & condition (radio, GPS)
☒		9) Passenger seats operation & condition
☒		10) Passenger seat belts operation & condition
☒		11) First aid & body fluid kits complete
☒		12) Triangle reflectors complete/good condition
☒		13) Stop request operation & condition
☒		14) Valid registration, insurance & accident pack
☒		15) Fire extinguisher in good condition & signed
☒		16) Interior decals and signage (incl. electrical)
☒		17) DVI's reviewed, addressed and signed off
☒		18) Interior clean
☒		D) HVAC system inspection
☒		1) Front blower condition and operation

P	F	Item Inspected
☒		2) Rear blower condition and operation
☒		3) Defroster operation
☒		4) Temp gets to 20 deg. F below ambient temp.
☒		5) Evaporator intake air filter condition
☒		6) Front heater condition and operation
☒		7) Rear heater condition and operation
☒		8) A/C compressors and condenser fans
☒		E) Under hood inspection
☒		1) Batteries & charging sys. (load alt B,C,D serv)
☒		Batt 1 volts: load volts: load amps:
☒		Batt 2 volts: load volts: load amps:
☒		Batt 3 volts: load volts: load amps:
☒		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
☒		Alt. 1 min volt: max volt: max amp:
☒		Alt. 2 min volt: max volt: max amp:
☒		(reference factory service manual for alternator spec)
☒		2) Wire and hose routing and connections
☒		3) Cooling system, hoses, water pump condition
☒		5) Accessory drive belts condition
☒		6) Pulleys and tensioned operation & condition
☒		7) Brake master cylinder and power booster
☒		8) Fan and fan clutch operation and condition
☒		9) Engine oil fluid level and condition
☒		10) Transmission oil level and condition
☒		11) Power steering fluid level and condition
☒		12) Brake fluid level and condition
☒		F) Vehicle rack inspection
☒		1) Steering gear box mount, condition & leaks
☒		2) Steering shaft U joints
☒		3) Steering shaft bearings
☒		4) Steering linkages
☒		5) I beam or control arm movements and rivets
☒		6) Radius arm condition and bushings condition
☒		7) Stabilizer bar condition and bushings condition
☒		8) Ball joints or kingpins
☒		9) Front spring condition and mounting
☒		10) Front shock absorber operation & condition
☒		11) Trans oil cooler & lines routing and leaks
☒		12) Engine oil cooler & lines routing and leaks
☒		13) Heater and A/C hose routing and leaks
☒		14) No engine oil leaks and fluid condition
☒		15) Engine mounts, brackets and bolts
☒		16) Transmission mounts, brackets and bolts
☒		17) No transmission oil leaks and fluid condition
☒		18) Drive shaft condition
☒		19) Universal joints and carrier bearings condition
☒		20) No rear differential leaks
☒		21) Rear differential condition and mounting
☒		22) Frame and cross members
☒		23) Rear shock absorbers
☒		24) Rear springs condition and mounting
☒		25) No fuel leaks
☒		26) Fuel tank condition and mounting
☒		27) No exhaust leaks
☒		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 11-05-18 Vehicle #: 5200-P

Circle Service Type: A B C D

Mileage in: 152423

Mileage out: 152424

Item Inspected	Initial or "N/A" each service performed per PM type
30) Front brake lining condition and mounting	A,B,C,D
31) Front brake lining condition & measurement	A,B,C,D
Pads R/F: 8 / 32"	A,B,C,D
32) Rear brake lining condition and mounting	A,B,C,D
33) Rear brake lining condition & measurement	A,B,C,D
Pads R/R: 8 / 32"	A,B,C,D
Shoes R/R: 8 / 32"	A,B,C,D
34) Tire and wheel condition and measurements	A,B,C,D
R/F: 11 / 32"	A,B,C,D
R/R: 11 / 32"	A,B,C,D
R/R: 3 / 32"	A,B,C,D
R/R: 3 / 32"	A,B,C,D
35) Lug nuts condition	A,B,C,D
Air pressure adjustment FR. 170 RR. 170	A,B,C,D
Wheel torque specs used: 140 ft. lbs.	A,B,C,D
G) Lift inspection	A,B,C,D
1) Lift operation (fully stowed to fully deployed)	A,B,C,D
2) Lift control pendant condition and operation	A,B,C,D
3) Lift restraint belt condition and operation	A,B,C,D
4) Outer roll stop condition and operation	A,B,C,D
5) Inner roll stop condition and operation	A,B,C,D
6) Platform adjustments, condition and mounting	A,B,C,D
7) Stander arm condition and operation	A,B,C,D
8) Proper signage and decals	A,B,C,D
9) Manual backup pump condition and operation	A,B,C,D
10) Lift manual pump handle	A,B,C,D
11) Hydraulic pump condition and operation	A,B,C,D
12) Hydraulic lines and cylinders condition	A,B,C,D
13) Hydraulic fluid level and condition	A,B,C,D
14) Base plate and arms welds & pivot points	A,B,C,D
15) Lift springs and pins condition and operation	A,B,C,D
16) Lift safety switches and adjustments	A,B,C,D
17) Hose and wire routing and connections	A,B,C,D
18) Rollers and pivot point condition & operation	A,B,C,D
19) Lift to vehicle mounting bolts and brackets	A,B,C,D
20) Lift doors condition and operation	A,B,C,D
21) Lift door lights condition and operation	A,B,C,D
22) Lift interlock operation and condition	A,B,C,D
(Lift door open, e-brake down not able to shift)	A,B,C,D
(e-brake off lift door closed no lift power)	A,B,C,D
23) W/C tie downs condition and operation	A,B,C,D
24) Tie down container secure and clean	A,B,C,D
25) Tie down floor mounting brackets secure	A,B,C,D
26) W/C shoulder belt condition and operation	A,B,C,D
27) Lift clean and no sharp edges	A,B,C,D
28) Lift shields secure and in good shape	A,B,C,D
29) Lift moves steady without drifting, jerking, or unusual speeds	A,B,C,D
30) No unusual lift noises	A,B,C,D
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	A,B,C,D
Check, torque or adjust lift base mounting bolts	A,B,C,D

Notes:

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D
Lube chassis and suspension	A,B,C,D
Lube drive shafts and universal joints	A,B,C,D
Lube doors and hood, locks and hinges	A,B,C,D
Adjust service and parking brakes	A,B,C,D
Drain water from separator	A,B,C,D
Rotate tires (as necessary, caps on rear)	A,B,C,D
Change air filter	A,B,C,D
Change fuel filter	A,B,C,D
Clean or change PCV valve	A,B,C,D
Clean or change crank case filter	A,B,C,D
Install new wiper blades	A,B,C,D
Change transmission fluid and filter	A,B,C,D
Service front wheel bearings	A,B,C,D
Drain water from fuel tank	A,B,C,D
Replace accessory drive belts	A,B,C,D
Service and flush cooling system	A,B,C,D
Install new spark plugs & wires	A,B,C,D
Install new dist. cap & rotor	A,B,C,D
Change differential fluid	A,B,C,D
Check Exhaust and EGR system	A,B,C,D
Check and service fuel & evap. System	A,B,C,D
Evac and recharge A/C (add 1 oz. of oil)	A,B,C,D
Post service test drive (5 miles)	A,B,C,D

Technician's Signature: [Signature]

Supervisor Signature: [Signature]

Date: 11-05-18

Date: 11/1/18

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Cenrtal Expy Way Suite 1145
Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

Vehicle #: 5202 Repair Reason: 1

Date and Time in :

18.36

Mileage in: 15780

Date: 12/20/2018 Work Class: I Date and Time Finished:

1945

Mileage out: 157180

Notes/Measurements:

Total Hours Worked:

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe to drive. I will call you if I need any more information.

Employee #: 863725 Technician:

Parvathy, M. V.

Signature

ASE Employee #: 66418 ASE Technician: _____

ASE Signature:

Handwritten signature: *Handwritten signature*



PM DEFECT SHEET



MECHANIC'S SIGNATURE <i>Jeffrey Young</i>		BUS #: 5202	DATE: 12/20/2018	PM TYPE OR WORK ORDER #:
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY	DATE	COMPLETED

	Sprouts + Dings	Coolant tank	Washroom floor tank
			Ramsey M.
			12/20/18
			12/20/2019

[illegible]



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 12/20/18 Vehicle #: 5202

Mileage in: 157186

Mileage out: 157187

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R	X	11) Windshield washer
R		12) Sun visor condition and operation
R	X	13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
R		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition (radio, GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation

P	F	Item Inspected
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
R		1) Batteries & charging sys. (load alt B,C,D serv)
R		Batt 1 volts: <u>12.2</u> load volts: load amps:
R		Batt 2 volts: <u>12.4</u> load volts: load amps:
NA		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
NA		Alt. 1 min volt: max volt: max amp:
NA		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
R		3) Steering shaft bearings
R		4) Steering linkages
R		5) I beam or control arm movements and rivets
R		6) Radius arm condition and bushings condition
R		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
R		18) Drive shaft condition
R		19) Universal joints and carrier bearings condition
R		20) No rear differential leaks
R		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **15780** Mileage out: **15710**



Vehicle #: **5202**

Date: **12/28/18**

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 7 /32" L/F: 7 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 5 /32" L/R: 5 /32"
		Shoes R/R: 5 /32" L/R: 5 /32"
		34) Tire and wheel condition and measurements
		R/F: 8 /32" L/F: 8 /32"
		R/R: 8 /32" L/R: 8 /32"
		R/R: 8 /32" L/R: 8 /32"
		35) Lug nuts condition
		Air pressure adjustment FR. 65 RR. 75
		Wheel torque specs used: 140 ft. lbs.
		(G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C the downs condition and operation
		24) The down container secure and clean
		25) The down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Service Type	Service Performed	Tech's Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	R
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	R
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires (as necessary, caps on rear)	NA
B,C,D	Change air filter	R
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	R
A,B,C,D	Post service test drive (5 miles)	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: **[Signature]** Date: **12/28/18**
 Supervisor Signature: **[Signature]** Date: **12/28/18**

Notes:

5910 N Central Expy Way Suite 1145

3301 Electronics Way
West Palm Beach, FL 33407



3301 Electronics Way

Basic Information

Mileage in: 166305

Mileage out: 166.306

Notes/Measurements:

[illegible]

Signature Robert J. [illegible]

ASE Signature:



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 02/24/19 Vehicle #: 5202Mileage in: 166305 Mileage out: 166306

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R	x	6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
R		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition (radio, GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation

P	F	Item Inspected
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
R		1) Batteries & charging sys. (load alt B,C,D serv)
R		Batt 1 volts: load volts: load amps:
R		Batt 2 volts: load volts: load amps:
R		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
R		3) Steering shaft bearings
R		4) Steering linkages
R		5) I beam or control arm movements and rivets
R		6) Radius arm condition and bushings condition
R		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
R		18) Drive shaft condition
R		19) Universal joints and carrier bearings condition
R		20) No rear differential leaks
R		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting

Mileage out: 26306



Date: 02/24/2019 Vehicle #: _____

5202

P	F	Item Inspected
---	---	----------------

30	Front brake condition and mounting	P
31	Front brake lining condition & measurement	P
	Pads R/F: 5 /32" L/F: 5 /32"	P
32	Rear brake condition and mounting	P
33	Rear brake lining condition & measurement	P
	Pads R/R: 8 /32" L/R: 8 /32"	P
	Shoes R/R: /32" L/R: /32"	M
34	Tire and wheel condition and measurements	
	R/F: 8 /32" L/F: 8 /32"	P
	R/R: 8 /32" L/R: 8 /32"	P
	R/RO: 8 /32" L/RO: 8 /32"	P
35	Lug nuts condition	
	Air pressure adjustment F.R. 65 R.R. 95	P
	Wheel torque specs used: 140 ft. lbs.	P

	(G) Lift inspection	
	1) Lift operation (fully stowed to fully deployed)	
	2) Lift control pendant condition and operation	
	3) Lift restraint belt condition and operation	
	4) Outer roll stop condition and operation	
	5) Inner roll stop condition and operation	
	6) Platform adjustments, condition and mounting	
	7) Standee arm condition and operation	
	8) Proper signage and decals	
	9) Manual backup pump condition and operation	
	10) Lift manual pump handle	
	11) Hydraulic pump condition and operation	
	12) Hydraulic lines and cylinders condition	
	13) Hydraulic fluid level and condition	
	14) Base plate and arms welds & pivot points	
	15) Lift springs and pins condition and operation	
	16) Lift safety switches and adjustments	
	17) Hose and wire routing and connections	
	18) Rollers and pivot point condition & operation	
	19) Lift to vehicle mounting bolts and brackets	
	20) Lift doors condition and operation	
	21) Lift door lights condition and operation	
	22) Lift interlock operation and condition	
	(Lift door open, e-brake down not able to shift)	
	(e-brake off lift door closed no lift power)	
	23) W/C tie downs condition and operation	
	24) Tie down container secure and clean	
	25) Tie down floor mounting brackets secure	
	26) W/C shoulder belt condition and operation	
	27) Lift clean and no sharp edges	
	28) Lift shields secure and in good shape	
	29) Lift moves steady without drifting, jerking, or unusual speeds	
	30) No unusual lift noises	
	Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	
	Check, torque or adjust lift base mounting bolts	

Notes:

Supervisor Signature _____

Technicians Signature

Date _____

Date _____

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Type	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires (as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	
each service performed per PM type		

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished.

5910 N Central Expy Way Suite 145
Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

Mileage in: 170370

Mileage out: 170371

PMI

Notes/Measurements:

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 846181 Technician: Sean T. [Signature] Signature

ASE Signature:

DATE	COMPLETED BY	DESCRIPTION OF REPAIR NEEDED
------	--------------	------------------------------

[illegible]



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C DDate: 03-22-19 Vehicle #: 5137 Mileage in: _____ Mileage out: _____

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
ST		1) Driver carpet
ST		2) Driver seat condition and operation
ST		3) Drivers door operation and condition
ST		4) Drivers seat belt operation and condition
ST		5) Engine starting and ignition system
ST		6) Instrument panel gauges & warning lights
ST		7) Instrument panel lighting & condition
ST		8) Horn operation
ST		9) Steering wheel tight, no excessive play
ST		10) Windshield wipers
ST		11) Windshield washer
ST		12) Sun visor condition and operation
ST		13) Parking brake operation & condition
ST		14) Parking and service brake pedal pads
ST		15) Passenger door operation
ST		16) No vibrations, pulsations or noises
		B) Walk around inspection
ST		1) Body damage (list on separate sheet)
ST		2) Headlights, high & low beam operation
ST		3) Parking lights operation & condition
ST		4) Marker lights operation & condition
ST		5) Directional signals operation & condition
ST		6) Hazard lights operation & condition
ST		7) Clearance lights operation and condition
ST		8) Brake lights operation & condition
ST		9) License plate lamp operation & condition
ST		10) License plates and tags
ST		11) Backup lights and alarms
ST		12) Reflectors and reflective bumper tape
ST		13) Exterior decals and signage
ST		14) Bumpers secure / in good condition
ST		15) Exterior mirrors secure / in good condition
ST		16) Exterior clean
		C) Interior inspection
ST		1) Passenger door and steps condition
ST		2) Handrails and stanchions condition
ST		3) Interior and modesty panels condition
ST		4) Flooring condition
ST		5) Interior lighting operation and condition
ST		6) Windows operation and condition
ST		7) Emergency Exits operation & condition
ST		8) Accessory operation & condition (radio, GPS)
ST		9) Passenger seats operation & condition
ST		10) Passenger seat belts operation & condition
ST		11) First aid & body fluid kits complete
ST		12) Triangle reflectors complete/good condition
ST		13) Stop request operation & condition
ST		14) Valid registration, insurance & accident pack
ST		15) Fire extinguisher in good condition & signed
ST		16) Interior decals and signage (incl. electrical)
ST		17) DVI's reviewed, addressed and signed off
ST		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
ST		2) Rear blower condition and operation
ST		3) Defroster operation
ST		4) Temp gets to 20 deg. F below ambient temp.
ST		5) Evaporator intake air filter condition
ST		6) Front heater condition and operation
ST		7) Rear heater condition and operation
ST		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
ST		2) Wire and hose routing and connections
ST		3) Cooling system, hoses, water pump condition
ST		5) Accessory drive belts condition
ST		6) Pulleys and tensioned operation & condition
ST		7) Brake master cylinder and power booster
ST		8) Fan and fan clutch operation and condition
ST		9) Engine oil fluid level and condition
ST		10) Transmission oil level and condition
ST		11) Power steering fluid level and condition
ST		12) Brake fluid level and condition
		F) Vehicle rack inspection
ST		1) Steering gear box mount, condition & leaks
ST		2) Steering shaft U joints
ST		3) Steering shaft bearings
ST		4) Steering linkages
ST		5) I beam or control arm movements and rivets
ST		6) Radius arm condition and bushings condition
ST		7) Stabilizer bar condition and bushings condition
ST		8) Ball joints or kingpins
ST		9) Front spring condition and mounting
ST		10) Front shock absorber operation & condition
ST		11) Trans oil cooler & lines routing and leaks
ST		12) Engine oil cooler & lines routing and leaks
ST		13) Heater and A/C hose routing and leaks
ST		14) No engine oil leaks and fluid condition
ST		15) Engine mounts, brackets and bolts
ST		16) Transmission mounts, brackets and bolts
ST		17) No transmission oil leaks and fluid condition
ST		18) Drive shaft condition
ST		19) Universal joints and carrier bearings condition
ST		20) No rear differential leaks
ST		21) Rear differential condition and mounting
ST		22) Frame and cross members
ST		23) Rear shock absorbers
ST		24) Rear springs condition and mounting
ST		25) No fuel leaks
ST		26) Fuel tank condition and mounting
ST		27) No exhaust leaks
ST		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **170370** Mileage out: **170371**



Date: **03-22-19** Vehicle #: **5202**

P	F	Item Inspected
51		30) Front brake condition and mounting
51		31) Front brake lining condition & measurement
51		Pads R/F: 7 / 32" L/F: 7 / 32"
51		32) Rear brake condition and mounting
51		33) Rear brake lining condition & measurement
51		Pads R/R: 11 / 32" L/R: 11 / 32"
51		Shoes R/R: 13 / 32" L/R: 13 / 32"
51		34) Tire and wheel condition and measurements
51		R/F: 12 / 32" L/F: 12 / 32"
51		R/R: 9 / 32" L/R: 9 / 32"
51		R/O: 9 / 32" L/O: 9 / 32"
51		35) Lug nuts condition
51		Air pressure adjustment FR. 70 RR. 70
51		Wheel torque specs used: 140 ft. lbs.
51		6) Lift inspection
51		1) Lift operation (fully stowed to fully deployed)
51		2) Lift control pendant condition and operation
51		3) Lift restraint belt condition and operation
51		4) Outer roll stop condition and operation
51		5) Inner roll stop condition and operation
51		6) Platform adjustments, condition and mounting
51		7) Standee arm condition and operation
51		8) Proper signage and decals
51		9) Manual backup pump condition and operation
51		10) Lift manual pump handle
51		11) Hydraulic pump condition and operation
51		12) Hydraulic lines and cylinders condition
51		13) Hydraulic fluid level and condition
51		14) Base plate and arms welds & pivot points
51		15) Lift springs and pins condition and operation
51		16) Lift safety switches and adjustments
51		17) Hose and wire routing and connections
51		18) Rollers and pivot point condition & operation
51		19) Lift to vehicle mounting bolts and brackets
51		20) Lift doors condition and operation
51		21) Lift door lights condition and operation
51		22) Lift interlock operation and condition
51		(Lift door open, e-brake down not able to shift)
51		(e-brake off lift door closed no lift power)
51		23) W/C tie downs condition and operation
51		24) Tie down container secure and clean
51		25) Tie down floor mounting brackets secure
51		26) W/C shoulder belt condition and operation
51		27) Lift clean and no sharp edges
51		28) Lift shields secure and in good shape
51		29) Lift moves steady without drifting, jerking, or unusual speeds
51		30) No unusual lift noises
51		Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube
51		Check, torque or adjust lift base mounting bolts

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Service Performed	Service Type
Change oil and filter	A,B,C,D
Lube chassis and suspension	A,B,C,D
Lube drive shafts and universal joints	A,B,C,D
Lube doors and hood, locks and hinges	A,B,C,D
Adjust service and parking brakes	A,B,C,D
Drain water from separator	A,B,C,D
Rotate tires (as necessary, caps on rear)	A,B,C,D
Change air filter	B,C,D
Change fuel filter	B,C,D
Clean or change PCV valve	B,C,D
Clean or change crank case filter	B,C,D
Install new wiper blades	B,C,D
Change transmission fluid and filter	C,D
Service front wheel bearings	C,D
Drain water from fuel tank	C,D
Replace accessory drive belts	D
Service and flush cooling system	D
Install new spark plugs & wires	D
Install new dist. cap & rotor	D
Change differential fluid	D
Check Exhaust and EGR system	D
Check and service fuel & evap. System	D
Evac and recharge A/C (add 1 oz. of oil)	D
Post service test drive (5 miles)	A,B,C,D

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: **Sean Therman** Date: **03-22-19**
 Supervisor's Signature: **[Signature]** Date: **3/25/19**

Notes:

Dallas, TX 75206



#1251

West Palm Beach, FL 33407

Mileage in: 120 120

Mileage out: 180/25

Notes/Measurements:

PMIA

Labor Information					Parts Information					
Task	WAC	Repair Description/Comments	Hours		Task	WAC	Part Number	Description	Qty	Cost
A	58	PMIA			A	55	3W20	engine oil	1	
					A	55	LF 3681	oil filter	1	
					A	55	4113	headlight bulb	1	
04	55	brake inspection								
Total Hours Worked:					Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Signature _____

ASE Signature: 

[illegible]



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C DDate: 03/29/19 Vehicle #: 5202 Mileage in: 170124 Mileage out: 170125

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		16) No vibrations, pulsations or noises
		B) Walk around inspection
☒		1) Body damage (list on separate sheet)
☒	☒	2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
		C) Interior inspection
☒		1) Passenger door and steps condition
☒		2) Handrails and stanchions condition
☒		3) Interior and modesty panels condition
☒		4) Flooring condition
☒		5) Interior lighting operation and condition
☒		6) Windows operation and condition
☒		7) Emergency Exits operation & condition
☒		8) Accessory operation & condition (radio, GPS)
☒		9) Passenger seats operation & condition
☒		10) Passenger seat belts operation & condition
☒		11) First aid & body fluid kits complete
☒		12) Triangle reflectors complete/good condition
☒		13) Stop request operation & condition
☒		14) Valid registration, insurance & accident pack
☒		15) Fire extinguisher in good condition & signed
☒		16) Interior decals and signage (incl. electrical)
☒		17) DVI's reviewed, addressed and signed off
☒		18) Interior clean
		D) HVAC system inspection
☒		1) Front blower condition and operation

P	F	Item Inspected
☒		2) Rear blower condition and operation
☒		3) Defroster operation
☒		4) Temp gets to 20 deg. F below ambient temp.
☒		5) Evaporator intake air filter condition
☒		6) Front heater condition and operation
☒		7) Rear heater condition and operation
☒		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
☒		2) Wire and hose routing and connections
☒		3) Cooling system, hoses, water pump condition
☒		5) Accessory drive belts condition
☒		6) Pulleys and tensioned operation & condition
☒		7) Brake master cylinder and power booster
☒		8) Fan and fan clutch operation and condition
☒		9) Engine oil fluid level and condition
☒		10) Transmission oil level and condition
☒		11) Power steering fluid level and condition
☒		12) Brake fluid level and condition
		F) Vehicle rack inspection
☒		1) Steering gear box mount, condition & leaks
☒		2) Steering shaft U joints
☒		3) Steering shaft bearings
☒		4) Steering linkages
☒		5) I beam or control arm movements and rivets
☒		6) Radius arm condition and bushings condition
☒		7) Stabilizer bar condition and bushings condition
☒		8) Ball joints or kingpins
☒		9) Front spring condition and mounting
☒		10) Front shock absorber operation & condition
☒		11) Trans oil cooler & lines routing and leaks
☒		12) Engine oil cooler & lines routing and leaks
☒		13) Heater and A/C hose routing and leaks
☒		14) No engine oil leaks and fluid condition
☒		15) Engine mounts, brackets and bolts
☒		16) Transmission mounts, brackets and bolts
☒		17) No transmission oil leaks and fluid condition
☒		18) Drive shaft condition
☒		19) Universal joints and carrier bearings condition
☒		20) No rear differential leaks
☒		21) Rear differential condition and mounting
☒		22) Frame and cross members
☒		23) Rear shock absorbers
☒		24) Rear springs condition and mounting
☒		25) No fuel leaks
☒		26) Fuel tank condition and mounting
☒		27) No exhaust leaks
☒		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **130124** Mileage out: **130125**



Date:

Vehicle #: **5202**

Service Performed	Techs Initials
Change oil and filter	F
Lube chassis and suspension	F
Lube drive shafts and universal joints	F
Lube doors and hood, locks and hinges	F
Adjust service and parking brakes	F
Drain water from separator	F
Rotate tires (as necessary, caps on rear)	F
Change air filter	F
Change fuel filter	F
Clean or change PCV valve	F
Clean or change crank case filter	F
Install new wiper blades	F
Change transmission fluid and filter	F
Service front wheel bearings	F
Drain water from fuel tank	F
Replace accessory drive belts	F
Service and flush cooling system	F
Install new spark plugs & wires	F
Install new dist cap & rotor	F
Change differential fluid	F
Check Exhaust and EGR system	F
Check and service fuel & evaporator system	F
Evac and recharge A/C (add 1 oz. of oil)	F
Post service test drive (5 miles)	F

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date: **05/09/19**

Supervisor Signature

Date: **6/13/19**

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Item Inspected	P	F
30) Front brake condition and mounting	F	
31) Front brake lining condition & measurement	F	
Pads R/F: 6 /32" L/F: 6 /32"	F	
32) Rear brake condition and mounting	F	
33) Rear brake lining condition & measurement	F	
Pads R/R: 10 /32" L/R: 10 /32"	F	
34) Tire and wheel condition and measurements	F	
Shoes R/R: 10 /32" L/R: 10 /32"	F	
35) Lug nuts condition	F	
R/R: 5 /32" L/R: 8 /32"	F	
R/R: 9 /32" L/R: 8 /32"	F	
R/F: 10 /32" L/F: 10 /32"	F	
(G) Lift inspection	F	
1) Lift operation (fully stowed to fully deployed)	F	
2) Lift control pendant condition and operation	F	
3) Lift restraint belt condition and operation	F	
4) Outer roll stop condition and operation	F	
5) Inner roll stop condition and operation	F	
6) Platform adjustments, condition and mounting	F	
7) Standee arm condition and operation	F	
8) Proper signage and decals	F	
9) Manual backup pump condition and operation	F	
10) Lift manual pump handle	F	
11) Hydraulic pump condition and operation	F	
12) Hydraulic lines and cylinders condition	F	
13) Hydraulic fluid level and condition	F	
14) Base plate and arms welds & pivot points	F	
15) Lift springs and pins condition and operation	F	
16) Lift safety switches and adjustments	F	
17) Hose and wire routing and connections	F	
18) Rollers and pivot point condition & operation	F	
19) Lift to vehicle mounting bolts and brackets	F	
20) Lift doors condition and operation	F	
21) Lift door lights condition and operation	F	
22) Lift interlock operation and condition	F	
(Lift door open, e-brake down not able to shift)	F	
(e-brake off lift door closed no lift power)	F	
23) W/C tie downs condition and operation	F	
24) Tie down container secure and clean	F	
25) Tie down floor mounting brackets secure	F	
26) W/C shoulder belt condition and operation	F	
27) Lift clean and no sharp edges	F	
28) Lift shields secure and in good shape	F	
29) Lift moves steady without drifting, jerking, or unusual speeds	F	
30) No unusual lift noises	F	
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	F	
Check, torque or adjust lift base mounting bolts	F	

#1575

3301 Electronics Way
West Palm Beach, FL 33407

Complaints/Defects:	Notes/Measurements:
	

[illegible]

ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies. I have followed all MV Transportation, Inc. approved trade practices and assure that the vehicle is safe, dependable and ready for service.

Employee # 846181 Technician: Yoon

ASE Employee #:

ASE Technician:

ASE Signature: _____



PM DEFECT SHEET



Jean Thermidor
MECHANIC'S SIGNATURE

BUS #: 6902

DATE: 07-8-19

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

① check vehicle replace
new, starter all OK

JEFF

07-8-19

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Mileage in: 184719 Mileage out: 184720



Date: 02-18-19 Vehicle #: 5200

P	F	Item Inspected	P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)			C) Interior inspection
		1) Driver carpet			1) Passenger door and steps condition
		2) Driver seat condition and operation			2) Handrails and stanchions condition
		3) Drivers door operation and condition			3) Interior and modesty panels condition
		4) Drivers seat belt operation and condition			4) Flooring condition
		5) Engine starting and ignition system			5) Interior lighting operation and condition
		6) Instrument panel gauges & warning lights			6) Windows operation and condition
		7) Instrument panel lighting & condition			7) Emergency Exits operation & condition
		8) Horn operation			8) Accessory operation & condition (radio, GPS)
		9) Steering wheel tight, no excessive play			9) Passenger seats operation & condition
		10) Windshield wipers			10) Passenger seat belts operation & condition
		11) Windshield washer			11) First aid & body fluid kits complete
		12) Sun visor condition and operation			12) Triangle reflectors complete/good condition
		13) Parking brake operation & condition			13) Stop request operation & condition
		14) Parking and service brake pedal pads			14) Valid registration, insurance & accident pack
		15) Passenger door operation			15) Fire extinguisher in good condition & signed
		16) No vibrations, pulsations or noises			16) Interior decals and signage (incl. electrical)
		B) Walk around inspection			17) DVI's reviewed, addressed and signed off
		1) Body damage (list on separate sheet)			18) Interior clean
		2) Headlights, high & low beam operation			D) HVAC system inspection
		3) Parking lights operation & condition			1) Front blower condition and operation
		4) Marker lights operation & condition			2) Rear blower condition and operation
		5) Directional signals operation & condition			3) Defroster operation
		6) Hazard lights operation & condition			4) Temp gets to 20 deg. F below ambient temp.
		7) Clearance lights operation and condition			5) Evaporator intake air filter condition
		8) Brake lights operation & condition			6) Front heater condition and operation
		9) License plate lamp operation & condition			7) Rear heater condition and operation
		10) License plates and tags			8) A/C compressors and condenser fans
		11) Backup lights and alarms			E) Under hood inspection
		12) Reflectors and reflective bumper tape			1) Batteries & charging sys. (load alt B,C,D serv)
		13) Exterior decals and signage			Batt 1 volts: load amps:
		14) Bumpers secure / in good condition			Batt 2 volts: load amps:
		15) Exterior mirrors secure / in good condition			Batt 3 volts: load amps:
		16) Exterior clean			(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		F) Vehicle rack inspection			Alt. 1 min volt: max amp:
		1) Steering gear box mount, condition & leaks			Alt. 2 min volt: max amp:
		2) Steering shaft U joints			(reference factory service manual for alternator spec)
		3) Steering shaft bearings			2) Wire and hose routing and connections
		4) Steering linkages			3) Cooling system, hoses, water pump condition
		5) I beam or control arm movements and rivets			5) Accessory drive belts condition
		6) Radius arm condition and bushings condition			6) Pulleys and tensioned operation & condition
		7) Stabilizer bar condition and bushings condition			7) Brake master cylinder and power booster
		8) Ball joints or kingpins			8) Fan and fan clutch operation and condition
		9) Front spring condition and mounting			9) Engine oil fluid level and condition
		10) Front shock absorber operation & condition			10) Transmission oil level and condition
		11) Trans oil cooler & lines routing and leaks			11) Power steering fluid level and condition
		12) Engine oil cooler & lines routing and leaks			12) Brake fluid level and condition
		13) Heater and A/C hose routing and leaks			F) Vehicle rack inspection
		14) No engine oil leaks and fluid condition			1) Steering gear box mount, condition & leaks
		15) Engine mounts, brackets and bolts			2) Steering shaft U joints
		16) Transmission mounts, brackets and bolts			3) Steering shaft bearings
		17) No transmission oil leaks and fluid condition			4) Steering linkages
		18) Drive shaft condition			5) I beam or control arm movements and rivets
		19) Universal joints and carrier bearings condition			6) Radius arm condition and bushings condition
		20) No rear differential leaks			7) Stabilizer bar condition and bushings condition
		21) Rear differential condition and mounting			8) Ball joints or kingpins
		22) Frame and cross members			9) Front spring condition and mounting
		23) Rear shock absorbers			10) Front shock absorber operation & condition
		24) Rear springs condition and mounting			11) Trans oil cooler & lines routing and leaks
		25) No fuel leaks			12) Engine oil cooler & lines routing and leaks
		26) Fuel tank condition and mounting			13) Heater and A/C hose routing and leaks
		27) No exhaust leaks			14) No engine oil leaks and fluid condition
		28) Exhaust system condition and mounting			15) Engine mounts, brackets and bolts



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 07-8-19 Vehicle #: 5202Mileage in: 184719Mileage out: 184720

P	F	Item Inspected
2		30) Front brake condition and mounting
3		31) Front brake lining condition & measurement
3		Pads R/F: <u>5</u> /32" L/F: <u>5</u> /32"
3		32) Rear brake condition and mounting
3		33) Rear brake lining condition & measurement
3		Pads R/R: <u>8</u> /32" L/R: <u>8</u> /32"
3		Shoes R/R: /32" L/R: /32"
3		34) Tire and wheel condition and measurements
3		R/F: <u>10</u> /32" L/F: <u>10</u> /32"
3		R/R: <u>5</u> /32" L/R: <u>8</u> /32"
3		R/RO: <u>7</u> /32" L/RO: <u>8</u> /32"
3		35) Lug nuts condition
3		Air pressure adjustment FR. <u>70</u> RR. <u>70</u>
3		Wheel torque specs used: <u>140</u> ft. lbs.
3		G) Lift Inspection
3		1) Lift operation (fully stowed to fully deployed)
3		2) Lift control pendant condition and operation
3		3) Lift restraint belt condition and operation
3		4) Outer roll stop condition and operation
3		5) Inner roll stop condition and operation
3		6) Platform adjustments, condition and mounting
3		7) Standee arm condition and operation
3		8) Proper signage and decals
3		9) Manual backup pump condition and operation
3		10) Lift manual pump handle
3		11) Hydraulic pump condition and operation
3		12) Hydraulic lines and cylinders condition
3		13) Hydraulic fluid level and condition
3		14) Base plate and arms welds & pivot points
3		15) Lift springs and pins condition and operation
3		16) Lift safety switches and adjustments
3		17) Hose and wire routing and connections
3		18) Rollers and pivot point condition & operation
3		19) Lift to vehicle mounting bolts and brackets
3		20) Lift doors condition and operation
3		21) Lift door lights condition and operation
3		22) Lift interlock operation and condition
3		(lift door open, e-brake down not able to shift)
3		(e-brake off lift door closed no lift power)
3		23) W/C tie downs condition and operation
3		24) Tie down container secure and clean
3		25) Tie down floor mounting brackets secure
3		26) W/C shoulder belt condition and operation
3		27) Lift clean and no sharp edges
3		28) Lift shields secure and in good shape
3		29) Lift moves steady without drifting, jerking, or unusual speeds
3		30) No unusual lift noises
3		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
3		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Jean Thermidor 07-8-19
Technicians Signature Date

Supervisor Signature Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrial Expy Way Suite 1145
Dallas, TX 75206

MV Transportation
5910 N Cenrial Expy Way Suite 1145
Dallas, TX 75206



York Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5202 Repair Reason: A Date and Time in: _____
Date: 12/10/19 Work Class: I Date and Time Finished: _____

Mileage in: 194167
Mileage out: 194168

Complaints/Defects:

Notes/Measurements:

Labor Information			
Task	WAC	Repair Description/Comments	Hours
A	58	PUNE A	
A	04	BLAKE INSPECTION	
Total Hours Worked:			

[illegible]

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725 Technician: Rowley Nursery

Signature Robert M. Murphy

ASE Employee #: _____ ASE Technician: _____

ASE Signature: _____



PM DEFECT SHEET



BUS #: 5202

DATE:

12/10/19

PM TYPE OR WORK ORDER #: A

Rooney Murray
MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

MINOR scratches + DINGS

BATTERIES TEST UNDER 12V (2)

Rooney Murray

ONE NEGATIVE BATTERY TERMINAL BROKEN

Rooney Murray

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Mileage out: 194168

Vehicle #: 5202

Date: 12/10/19



P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 12/10/19 Vehicle #: 5202Mileage in: 194167 Mileage out: 194168

P	F	Item Inspected
<u>Q</u>		30) Front brake condition and mounting
<u>R</u>		31) Front brake lining condition & measurement
<u>R</u>		Pads R/F: <u>9</u> /32" L/F: <u>9</u> /32"
<u>R</u>		32) Rear brake condition and mounting
<u>R</u>		33) Rear brake lining condition & measurement
<u>R</u>		Pads R/R: <u>6</u> /32" L/R: <u>6</u> /32"
<u>N/A</u>		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
<u>R</u>		R/F: <u>8</u> /32" L/F: <u>8</u> /32"
<u>R</u>		R/R: <u>7</u> /32" L/R: <u>7</u> /32"
<u>R</u>		R/RO: <u>7</u> /32" L/RO: <u>7</u> /32"
<u>I</u>		35) Lug nuts condition
<u>R</u>		Air pressure adjustment FR. <u>65</u> RR. <u>75</u>
<u>R</u>		Wheel torque specs used: <u>140</u> ft. lbs.
		G) Lift inspection
<u>R</u>		1) Lift operation (fully stowed to fully deployed)
<u>R</u>		2) Lift control pendant condition and operation
<u>R</u>		3) Lift restraint belt condition and operation
<u>R</u>		4) Outer roll stop condition and operation
<u>R</u>		5) Inner roll stop condition and operation
<u>R</u>		6) Platform adjustments, condition and mounting
<u>R</u>		7) Standee arm condition and operation
<u>R</u>		8) Proper signage and decals
<u>R</u>		9) Manual backup pump condition and operation
<u>R</u>		10) Lift manual pump handle
<u>R</u>		11) Hydraulic pump condition and operation
<u>R</u>		12) Hydraulic lines and cylinders condition
<u>R</u>		13) Hydraulic fluid level and condition
<u>R</u>		14) Base plate and arms welds & pivot points
<u>R</u>		15) Lift springs and pins condition and operation
<u>R</u>		16) Lift safety switches and adjustments
<u>R</u>		17) Hose and wire routing and connections
<u>R</u>		18) Rollers and pivot point condition & operation
<u>R</u>		19) Lift to vehicle mounting bolts and brackets
<u>R</u>		20) Lift doors condition and operation
<u>R</u>		21) Lift door lights condition and operation
<u>R</u>		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
<u>R</u>		23) W/C tie downs condition and operation
<u>R</u>		24) Tie down container secure and clean
<u>R</u>		25) Tie down floor mounting brackets secure
<u>R</u>		26) W/C shoulder belt condition and operation
<u>R</u>		27) Lift clean and no sharp edges
<u>R</u>		28) Lift shields secure and in good shape
<u>R</u>		29) Lift moves steady without drifting, jerking, or unusual speeds
<u>R</u>		30) No unusual lift noises
<u>R</u>		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
<u>R</u>		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	<u>R</u>
A,B,C,D	Lube chassis and suspension	<u>R</u>
A,B,C,D	Lube drive shafts and universal joints	<u>N/A</u>
A,B,C,D	Lube doors and hood, locks and hinges	<u>R</u>
A,B,C,D	Adjust service and parking brakes	<u>R</u>
A,B,C,D	Drain water from separator	<u>N/A</u>
A,B,C,D	Rotate tires(as necessary, caps on rear)	<u>R</u>
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	<u>R</u>
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.


Technician's Signature [Signature]Date 12/10/19

Supervisor Signature _____

Date _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5202 Repair Reason: I Date and Time in: 01/17/2020, 8:30 PM Mileage in: 199,021
Date: 01/17/2020 Work Class: A Date and Time Finished: 01/17/2020, 10:20 PM Mileage out: 199,022

Complaints/Defects:

Notes/Measurements:

[illegible]

Parts Information					
Task	WAC	Part Number	Description	Qty	Cost
A		VV1700	ENGINE OIL	7	
A		LF3681	ENG.OIL FILTER	1	
					Total Parts Cost:

Total Hours Worked:

Total Parts Cost:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 662802

Technician: Hopeton Haye

Signature

1. 10. 10. 10. 10.

ASE Employee #:

ASE Technician:

ASE Signature:



PM DEFECT SHEET



H. M. Long
MECHANIC'S SIGNATURE

BUS #: 5202

DATE:

01/17/2020

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

* HYDRO BOOST LEAK ON ARRIVAL

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Mileage in: 199,021 Mileage out: 199,022



Date: 04/14/2020 Vehicle #: 5202

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
H		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
H		C) Interior inspection
		16) Exterior clean
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
H		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C DDate: 01/17/2020 Vehicle #: 5202Mileage in: 199,021Mileage out: 199,022

P	F	Item Inspected
H		30) Front brake condition and mounting
H		31) Front brake lining condition & measurement
H		Pads R/F: <u>12/32"</u> L/F: <u>12/32"</u>
H		32) Rear brake condition and mounting
H		33) Rear brake lining condition & measurement
H		Pads R/R: <u>8/32"</u> L/R: <u>8/32"</u>
N/A		Shoes R/R: <u>1/32"</u> L/R: <u>1/32"</u>
H		34) Tire and wheel condition and measurements
H		R/F: <u>12/32"</u> L/F: <u>12/32"</u>
H		R/RI: <u>5/32"</u> L/RI: <u>5/32"</u>
H		R/RO: <u>12/32"</u> L/RO: <u>11/32"</u>
H		35) Lug nuts condition
H		Air pressure adjustment FR. <u>60</u> RR. <u>65</u>
H		Wheel torque specs used: <u>140</u> ft. lbs.
		G) Lift inspection
H		1) Lift operation (fully stowed to fully deployed)
H		2) Lift control pendant condition and operation
H		3) Lift restraint belt condition and operation
H		4) Outer roll stop condition and operation
H		5) Inner roll stop condition and operation
H		6) Platform adjustments, condition and mounting
H		7) Standee arm condition and operation
H		8) Proper signage and decals
H		9) Manual backup pump condition and operation
H		10) Lift manual pump handle
H		11) Hydraulic pump condition and operation
H		12) Hydraulic lines and cylinders condition
H		13) Hydraulic fluid level and condition
H		14) Base plate and arms welds & pivot points
H		15) Lift springs and pins condition and operation
H		16) Lift safety switches and adjustments
H		17) Hose and wire routing and connections
H		18) Rollers and pivot point condition & operation
H		19) Lift to vehicle mounting bolts and brackets
H		20) Lift doors condition and operation
H		21) Lift door lights condition and operation
H		22) Lift interlock operation and condition
H		(lift door open, e-brake down not able to shift)
H		(e-brake off lift door closed no lift power)
H		23) W/C tie downs condition and operation
H		24) Tie down container secure and clean
H		25) Tie down floor mounting brackets secure
H		26) W/C shoulder belt condition and operation
H		27) Lift clean and no sharp edges
H		28) Lift shields secure and in good shape
H		29) Lift moves steady without drifting, jerking, or unusual speeds
H		30) No unusual lift noises
H		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
H		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	H
A,B,C,D	Lube chassis and suspension	OK
A,B,C,D	Lube drive shafts and universal joints	OK
A,B,C,D	Lube doors and hood, locks and hinges	H
A,B,C,D	Adjust service and parking brakes	H
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	H
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	H
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature

Date 01/17/2020

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5202 Repair Reason: A Date and Time in: _____ Mileage in: 208629
Date: 6/23/20 Work Class: L Date and Time Finished: _____ Mileage out: 208630

Complaints/Defects:

PMI A

Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours
		<u>PMI A</u>	
		<u>Brake Inspection</u>	
Total Hours Worked:			

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
<u>A</u>	<u>SS</u>	<u>W1700</u>	<u>Engine Oil</u>	<u>25</u>	
<u>A</u>	<u>SS</u>	<u>LF3681</u>	<u>Oil Filter</u>	<u>1</u>	
<u>A</u>	<u>SS</u>	<u>2020694</u>	<u>Tires</u>	<u>2</u>	
Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.


Employee #: 849102 Technician: Joe Hall

Signature

ASE Employee #: 604182 ASE Technician:

ASE Signature:

PM DEFECT SHEET



MECHANIC'S SIGNATURE

BUS # : 5202
DATE: 6/22/20
PM TYPE OR WORK ORDER #:

DATE COMPLETED
COMPLETED BY

DESCRIPTION OF REPAIR NEEDED

Stabilizer bushings on driver side damage

Recharge rear A/C

Replaced two front tires

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 208629

Mileage out: 208630



Date: 6/22/20 Vehicle #: 5262

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation
P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 6/22/20 Vehicle #: 5202

Circle Service Type: A B C D Mileage in: 20825 Mileage out: 20863

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 8 /32" L/F: 8 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 12 /32" L/R: 12 /32"
		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
		R/F: 4 /32" L/F: 7 /32"
		R/R: 8 /32" L/R: 8 /32"
		R/O: 8 /32" L/R: 7 /32"
		35) Lug nuts condition
		Air pressure adjustment FR. 65 RR 70
		Wheel torque specs used: 140 ft. lbs.
		(G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C the downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Service Type	Service Performed	Tech's Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires (as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Supervisor Signature

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MY Transportation
5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094.)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5202 Repair Reason: 0 Date and Time In: _____
Date: 08/13/30 Work Class: 7 Date and Time Finished: _____
Mileage in: 213378 Mileage out: 213379

Complaints/Defects:

PT-10

Notes/Measurements:

Labor Information			
Task	WAC	Repair Description/Comments	Hours
A	58	PMID	
04	55	brake inspection	
Total Hours Worked:			

[illegible]

I have performed the repair's according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 263184 Technician:

woodson Feuille

Signature

Sheldon

ASE Employee #: 604182 ASE Technician:

ASE Signature:

MECHANIC'S SIGNATURE 		BUS # : 5202		DATE: 08/13/20	
PM TYPE OR WORK ORDER #:		JMD			
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY		DATE	
		COMPLETED			

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Mileage in: **21332** Mileage out: **21335**



Date: **08/13/00** Vehicle #: **5202**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior Inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(Battery min. loaded volts 9.6V, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage out: **213328**

Mileage in: **213378**



Vehicle #: **5202**

Date: **08/13/20**

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 7 /32" L/F: 7 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 10 /32" L/R: 10 /32"
		Shoes R/R: 10 /32" L/R: 10 /32"
		34) Tire and wheel condition and measurements
		R/F: 9 /32" L/F: 9 /32"
		R/R: 10 /32" L/R: 10 /32"
		R/O: 10 /32" L/R: 10 /32"
		35) Lug nuts condition
		Air pressure adjustment FR. 65 RR. 20
		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C the downs condition and operation
		24) The down container secure and clean
		25) The down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking,
		or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages
		and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	
Lube chassis and suspension	A,B,C,D	
Lube drive shafts and universal joints	A,B,C,D	
Lube doors and hood, locks and hinges	A,B,C,D	
Adjust service and parking brakes	A,B,C,D	
Drain water from separator	A,B,C,D	
Rotate tires (as necessary, caps on rear)	A,B,C,D	
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: *[Signature]*

Date: **08/13/20**

Supervisor Signature: _____

Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

3301 Electronics Way
West Palm Beach, FL 33407

Vehicle #: 5202 Repair Reason: A Date and Time in: 11-16-2020 Mileage in: 222848
Date: 11-16-20 Work Class: 5 Date and Time Finished: Mileage out: 222849

514

Notes/Measurements:

[illegible][illegible]

Total Hours Worked:

Total Parts Cost:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Signature _____


gebühren fünfzig

ASE Employee #: 604182 ASE Technician: [redacted]

ASE Signature:



PM DEFECT SHEET



MECHANIC'S SIGNATURE		DATE: 11-16-2020	
BUS #: 5202		PM TYPE OR WORK ORDER #:	
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY	DATE
COMPLETED		COMPLETED	DATE

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **222848**

Mileage out: **222849**



Date: **10-16-20** Vehicle #: **5202**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **222848** Mileage out: **222849**



Date: **11-16-2020** Vehicle #: **5402**

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 6 /32" L/F: 6 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 7 /32" L/R: 7 /32"
		Shoes R/R: 7 /32" L/R: 7 /32"
		34) Tire and wheel condition and measurements
		R/F: 7 /32" L/F: 9 /32"
		R/R: 7 /32" L/R: 7 /32"
		R/RO: 7 /32" L/RO: 7 /32"
		35) Lug nuts condition
		Air pressure adjustment FRCS RR. 45
		Wheel torque specs used: 140 ft. lbs.
		g) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Stands arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Service Type	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	MIA
A,B,C,D	Lube doors and hood, locks and hinges	MIA
A,B,C,D	Adjust service and parking brakes	F
A,B,C,D	Drain water from separator	F
A,B,C,D	Rotate tires (as necessary, caps on rear)	F
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	F
A,B,C,D	Post service test drive (5 miles)	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: **[Signature]**

Date: **11-16-2020**

Supervisor Signature: _____

Date: _____

Notes: _____

Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5202 Repair Reason: I Date and Time in: 01/5/21 Mileage in: 227,473
Date: 01/05/21 Work Class: A Date and Time Finished: 01/5/21 Mileage out: 227,474

Complaints/Defects:

Notes/Measurements:

[illegible][illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation Inc. policies.

Employee #: 662802 Technician: HOPETON
Signature A. D. JAN

ASE Employee #: 604182 ASE Technician:

ASE Signature:

MECHANIC'S SIGNATURE J. W. Fry		BUS #: 5202	DATE: 01/05/21	PM TYPE OR WORK ORDER #: A
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY	DATE	COMPLETED

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: 229473 Mileage out: 229474



Date: 01/05/21 Vehicle #: 5202

P	F	Item Inspected	P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)			2) Rear blower condition and operation
		1) Driver carpet			3) Defroster operation
		2) Driver seat condition and operation			4) Temp gets to 20 deg. F below ambient temp.
		3) Drivers door operation and condition			5) Evaporator intake air filter condition
		4) Drivers seat belt operation and condition			6) Front heater condition and operation
		5) Engine starting and ignition system			7) Rear heater condition and operation
		6) Instrument panel gauges & warning lights			8) A/C compressors and condenser fans
		7) Instrument panel lighting & condition			E) Under hood inspection
		8) Horn operation			1) Batteries & charging sys. (load alt B,C,D serv)
		9) Steering wheel tight, no excessive play			Batt 1 volts: load amps:
		10) Windshield wipers			Batt 2 volts: load amps:
		11) Windshield washer			Batt 3 volts: load amps:
		12) Sun visor condition and operation			(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		13) Parking brake operation & condition			Alt. 1 min volt: max amp:
		14) Parking and service brake pedal pads			Alt. 2 min volt: max amp:
		15) Passenger door operation			(reference factory service manual for alternator spec)
		16) No vibrations, pulsations or noises			2) Wire and hose routing and connections
		B) Walk around inspection			3) Cooling system, hoses, water pump condition
		1) Body damage (list on separate sheet)			5) Accessory drive belts condition
		2) Headlights, high & low beam operation			6) Pulleys and tensioned operation & condition
		3) Parking lights operation & condition			7) Brake master cylinder and power booster
		4) Marker lights operation & condition			8) Fan and fan clutch operation and condition
		5) Directional signals operation & condition			9) Engine oil fluid level and condition
		6) Hazard lights operation & condition			10) Transmission oil level and condition
		7) Clearance lights operation and condition			11) Power steering fluid level and condition
		8) Brake lights operation & condition			F) Vehicle rack inspection
		9) License plate lamp operation & condition			1) Steering gear box mount, condition & leaks
		10) License plates and tags			2) Steering shaft U joints
		11) Backup lights and alarms			3) Steering shaft bearings
		12) Reflectors and reflective bumper tape			4) Steering linkages
		13) Exterior decals and signage			5) I beam or control arm movements and rivets
		14) Bumpers secure / in good condition			6) Radius arm condition and bushings condition
		15) Exterior mirrors secure / in good condition			7) Stabilizer bar condition and bushings condition
		16) Exterior clean			C) Interior inspection
		1) Passenger door and steps condition			8) Ball joints or kingpins
		2) Handrails and stanchions condition			9) Front spring condition and mounting
		3) Interior and modesty panels condition			10) Front shock absorber operation & condition
		4) Flooring condition			11) Trans oil cooler & lines routing and leaks
		5) Interior lighting operation and condition			12) Engine oil cooler & lines routing and leaks
		6) Windows operation and condition			13) Heater and A/C hose routing and leaks
		7) Emergency Exits operation & condition			14) No engine oil leaks and fluid condition
		8) Accessory operation & condition (radio, GPS)			15) Engine mounts, brackets and bolts
		9) Passenger seats operation & condition			16) Transmission mounts, brackets and bolts
		10) Passenger seat belts operation & condition			17) No transmission oil leaks and fluid condition
		11) First aid & body fluid kits complete			18) Drive shaft condition
		12) Triangle reflectors complete/good condition			19) Universal joints and carrier bearings condition
		13) Stop request operation & condition			20) No rear differential leaks
		14) Valid registration, insurance & accident pack			21) Rear differential condition and mounting
		15) Fire extinguisher in good condition & signed			22) Frame and cross members
		16) Interior decals and signage (incl. electrical)			23) Rear shock absorbers
		17) DVI's reviewed, addressed and signed off			24) Rear springs condition and mounting
		18) Interior clean			25) No fuel leaks
		D) HVAC system inspection			26) Fuel tank condition and mounting
		1) Front blower condition and operation			27) No exhaust leaks
					28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Mileage in: 227,473 Mileage out: 227,474



Date: 01/05/21 Vehicle #: 5202

Service Type	Service Performed	Tech's Initials
A,B,C,D	Change oil and filter	H
A,B,C,D	Lube chassis and suspension	N/A
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	H
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires (as necessary, caps on rear)	H
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evapor. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	H

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement	X	
Pads R/F: 3/32" L/F: 3/32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 5/32" L/R: 5/32"		
34) Tire and wheel condition and measurements		
R/F: 4/32" L/F: 4/32"		
R/R: 6/32" L/R: 6/32"		
R/R: 5/32" L/R: 5/32"		
Shoes R/R: 1/32" L/R: 1/32"		
35) Lug nuts condition		
R/R: 5/32" L/R: 5/32"		
Air pressure adjustment FR: 45 RR: 80		
Wheel torque specs used: 140 ft. lbs.		
36) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking,		
or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages		
and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date: 01/05/21

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Vehicle #: 5202 Repair Reason: I Date and Time in: 03/24/21

Mileage in: 237, 198

Date: 03/24/21 Work Class: A Date and Time Finished: 03/24/21

Mileage out: 237.207

Notes/Measurements:

Labor Information			
Task	WAC	Repair Description/Comments	Hours
A		PMT	
Total Hours Worked:			

Parts Information					
Task	WAC	Part Number	Description	Qty	Cost
A	SS	V 5WZ0	ENG. OIL	7	
A	SS	LC 3681	ENCL. OIL FCT.	1	
Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 662802 Technician: HOBERTON HAYES

Signature H. O. Jm -

ASE Employee #: 604182 ASE Technician:

ASE Signature:



PM DEFECT SHEET



H. P. Han
MECHANIC'S SIGNATURE

BUS #: 5202

DATE:

03/24/21

PM TYPE OR WORK ORDER #: A

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

* HEADLIGHT HOUSING BROKEN. PART IS ORDERED
* MUFFLER - VEHICLE WAS DRIVE TESTED FOR
9 MILES BY SUPERVISOR. VEHICLE IS
SAFE TO DRIVE. IT WILL BE SCHEDULED TO
BE CORRECTED TOMORROW.



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 03/24/21 Vehicle #: 5202

Mileage in: 237,198 Mileage out: 237,207

P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)
H		1) Driver carpet
H		2) Driver seat condition and operation
H		3) Drivers door operation and condition
H		4) Drivers seat belt operation and condition
H		5) Engine starting and ignition system
H		6) Instrument panel gauges & warning lights
H		7) Instrument panel lighting & condition
H		8) Horn operation
H		9) Steering wheel tight, no excessive play
H		10) Windshield wipers
H		11) Windshield washer
H		12) Sun visor condition and operation
H		13) Parking brake operation & condition
H		14) Parking and service brake pedal pads
H		15) Passenger door operation
H		16) No vibrations, pulsations or noises
/		B) Walk around inspection
H		1) Body damage (list on separate sheet)
H		2) Headlights, high & low beam operation
H		3) Parking lights operation & condition
H		4) Marker lights operation & condition
H		5) Directional signals operation & condition
H		6) Hazard lights operation & condition
H		7) Clearance lights operation and condition
H		8) Brake lights operation & condition
H		9) License plate lamp operation & condition
H		10) License plates and tags
H		11) Backup lights and alarms
H		12) Reflectors and reflective bumper tape
H		13) Exterior decals and signage
H		14) Bumpers secure / in good condition
H		15) Exterior mirrors secure / in good condition
H		16) Exterior clean
/		C) Interior inspection
H		1) Passenger door and steps condition
H		2) Handrails and stanchions condition
H		3) Interior and modesty panels condition
H		4) Flooring condition
H		5) Interior lighting operation and condition
H		6) Windows operation and condition
H		7) Emergency Exits operation & condition
H		8) Accessory operation & condition (radio, GPS)
H		9) Passenger seats operation & condition
H		10) Passenger seat belts operation & condition
H		11) First aid & body fluid kits complete
H		12) Triangle reflectors complete/good condition
H		13) Stop request operation & condition
H		14) Valid registration, insurance & accident pack
H		15) Fire extinguisher in good condition & signed
H		16) Interior decals and signage (incl. electrical)
H		17) DVI's reviewed, addressed and signed off
H		18) Interior clean
/		D) HVAC system inspection
H		1) Front blower condition and operation

P	F	Item Inspected
H		2) Rear blower condition and operation
H		3) Defroster operation
H		4) Temp gets to 20 deg. F below ambient temp.
H		5) Evaporator intake air filter condition
H		6) Front heater condition and operation
H		7) Rear heater condition and operation
H		8) A/C compressors and condenser fans
/		E) Under hood inspection
/		1) Batteries & charging sys. (load alt B,C,D serv)
H		Batt 1 volts: load volts: load amps:
H		Batt 2 volts: load volts: load amps:
/		Batt 3 volts: load volts: load amps:
/		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
H		Alt. 1 min volt: max volt: max amp:
/		Alt. 2 min volt: max volt: max amp:
/		(reference factory service manual for alternator spec)
H		2) Wire and hose routing and connections
H		3) Cooling system, hoses, water pump condition
H		5) Accessory drive belts condition
H		6) Pulleys and tensioned operation & condition
H		7) Brake master cylinder and power booster
H		8) Fan and fan clutch operation and condition
H		9) Engine oil fluid level and condition
H		10) Transmission oil level and condition
H		11) Power steering fluid level and condition
H		12) Brake fluid level and condition
/		F) Vehicle rack inspection
H		1) Steering gear box mount, condition & leaks
H		2) Steering shaft U joints
H		3) Steering shaft bearings
H		4) Steering linkages
H		5) I beam or control arm movements and rivets
H		6) Radius arm condition and bushings condition
H		7) Stabilizer bar condition and bushings condition
H		8) Ball joints or kingpins
H		9) Front spring condition and mounting
H		10) Front shock absorber operation & condition
H		11) Trans oil cooler & lines routing and leaks
H		12) Engine oil cooler & lines routing and leaks
H		13) Heater and A/C hose routing and leaks
H		14) No engine oil leaks and fluid condition
H		15) Engine mounts, brackets and bolts
H		16) Transmission mounts, brackets and bolts
H		17) No transmission oil leaks and fluid condition
H		18) Drive shaft condition
H		19) Universal joints and carrier bearings condition
H		20) No rear differential leaks
H		21) Rear differential condition and mounting
H		22) Frame and cross members
H		23) Rear shock absorbers
H		24) Rear springs condition and mounting
H		25) No fuel leaks
H		26) Fuel tank condition and mounting
H		27) No exhaust leaks
H		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 03/24/21 Vehicle #: 5202

Mileage in: 237,198

Mileage out: 237,207

P	Item Inspected	ServType	Service Performed	Techs Initials
/	30) Front brake condition and mounting	A,B,C,D	Change oil and filter	H
/	31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	N/A
H	Pads R/F: 9/32" L/F: 9/32"	A,B,C,D	Lube drive shafts and universal joints	N/A
/	32) Rear brake condition and mounting	A,B,C,D	Lube doors and hood, locks and hinges	H
/	33) Rear brake lining condition & measurement	A,B,C,D	Adjust service and parking brakes	N/A
H	Pads R/R: 8/32" L/R: 8/32"	A,B,C,D	Drain water from separator	N/A
N/A	Shoes R/R: 1/32" L/R: 1/32"	A,B,C,D	Rotate tires(as necessary, caps on rear)	N/A
/	34) Tire and wheel condition and measurements	B,C,D	Change air filter	
H	R/F: 9/32" L/F: 9/32"	B,C,D	Change fuel filter	
H	R/R: 5/32" L/R: 4/32"	B,C,D	Clean or change PCV valve	
H	R/O: 7/32" L/O: 7/32"	B,C,D	Clean or change crank case filter	
/	35) Lug nuts condition	B,C,D	Install new wiper blades	
H	Air pressure adjustment FR. 75 RR. 80	C,D	Change transmission fluid and filter	
H	Wheel torque specs used: 140 ft. lbs.	C,D	Service front wheel bearings	
/	G) Lift inspection	C,D	Drain water from fuel tank	
H	1) Lift operation (fully stowed to fully deployed)	D	Replace accessory drive belts	
H	2) Lift control pendant condition and operation	D	Service and flush cooling system	
H	3) Lift restraint belt condition and operation	D	Install new spark plugs & wires	
H	4) Outer roll stop condition and operation	D	Install new dist. cap & rotor	
H	5) Inner roll stop condition and operation	D	Change differential fluid	
H	6) Platform adjustments, condition and mounting	D	Check Exhaust and EGR system	
H	7) Standee arm condition and operation	D	Check and service fuel & evap. System	
H	8) Proper signage and decals	D	Evac and recharge A/C (add 1 oz. of oil)	
H	9) Manual backup pump condition and operation	A,B,C,D	Post service test drive (5 miles)	H
H	10) Lift manual pump handle			
H	11) Hydraulic pump condition and operation			
H	12) Hydraulic lines and cylinders condition			
H	13) Hydraulic fluid level and condition			
H	14) Base plate and arms welds & pivot points			
H	15) Lift springs and pins condition and operation			
H	16) Lift safety switches and adjustments			
H	17) Hose and wire routing and connections			
H	18) Rollers and pivot point condition & operation			
H	19) Lift to vehicle mounting bolts and brackets			
H	20) Lift doors condition and operation			
H	21) Lift door lights condition and operation			
H	22) Lift interlock operation and condition			
/	(lift door open, e-brake down not able to shift)			
/	(e-brake off lift door closed no lift power)			
H	23) W/C tie downs condition and operation			
H	24) Tie down container secure and clean			
H	25) Tie down floor mounting brackets secure			
H	26) W/C shoulder belt condition and operation			
H	27) Lift clean and no sharp edges			
H	28) Lift shields secure and in good shape			
H	29) Lift moves steady without drifting, jerking, or unusual speeds			
/	30) No unusual lift noises			
H	Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube			
/	Check, torque or adjust lift base mounting bolts			

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Work Order Division (0094)

Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

Mileage in: 241623

Mileage out: 241.024

Notes/Measurements:

PMIA

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
A	58	FINEA		A	55	SW20	RAPING OIL	4	
				A	55	LF 3681	9 DOL #1/W	1	
				A	55	F7376230-BL	oil drain plug	1	
04	55	broke inspection							
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

... ..

ASE Signature:



PM DEFECT SHEET



BUS #: 5202

DATE:

05/07/21

PM TYPE OR WORK ORDER #:

PMIA

MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

Replace Oil drain plug

[Signature]

05/07/21



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **(A)** B C D

Date: 06/07/21 Vehicle #: 5202

Mileage in: 241623

Mileage out: 241624

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 05/07/21 Vehicle #: 5202Mileage in: 241623Mileage out: 241624

P	F	Item Inspected
<u>F</u>		30) Front brake condition and mounting
<u>F</u>		31) Front brake lining condition & measurement
<u>F</u>		Pads R/F: <u>9</u> /32" L/F: <u>9</u> /32"
<u>F</u>		32) Rear brake condition and mounting
<u>F</u>		33) Rear brake lining condition & measurement
<u>F</u>		Pads R/R: <u>10</u> /32" L/R: <u>10</u> /32"
<u>N/A</u>		Shoes R/R: /32" L/R: /32"
<u>F</u>		34) Tire and wheel condition and measurements
<u>F</u>		R/F: <u>8</u> /32" L/F: <u>8</u> /32"
<u>F</u>		R/R: <u>8</u> /32" L/R: <u>8</u> /32"
<u>F</u>		R/O: <u>8</u> /32" L/O: <u>8</u> /32"
<u>F</u>		35) Lug nuts condition
<u>F</u>		Air pressure adjustment FR. <u>65</u> RR. <u>70</u>
<u>F</u>		Wheel torque specs used: <u>140</u> ft. lbs.
<u>F</u>		G) Lift Inspection
<u>F</u>		1) Lift operation (fully stowed to fully deployed)
<u>F</u>		2) Lift control pendant condition and operation
<u>F</u>		3) Lift restraint belt condition and operation
<u>F</u>		4) Outer roll stop condition and operation
<u>F</u>		5) Inner roll stop condition and operation
<u>F</u>		6) Platform adjustments, condition and mounting
<u>F</u>		7) Standee arm condition and operation
<u>F</u>		8) Proper signage and decals
<u>F</u>		9) Manual backup pump condition and operation
<u>F</u>		10) Lift manual pump handle
<u>F</u>		11) Hydraulic pump condition and operation
<u>F</u>		12) Hydraulic lines and cylinders condition
<u>F</u>		13) Hydraulic fluid level and condition
<u>F</u>		14) Base plate and arms welds & pivot points
<u>F</u>		15) Lift springs and pins condition and operation
<u>F</u>		16) Lift safety switches and adjustments
<u>F</u>		17) Hose and wire routing and connections
<u>F</u>		18) Rollers and pivot point condition & operation
<u>F</u>		19) Lift to vehicle mounting bolts and brackets
<u>F</u>		20) Lift doors condition and operation
<u>F</u>		21) Lift door lights condition and operation
<u>F</u>		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
<u>F</u>		23) W/C tie downs condition and operation
<u>F</u>		24) Tie down container secure and clean
<u>F</u>		25) Tie down floor mounting brackets secure
<u>F</u>		26) W/C shoulder belt condition and operation
<u>F</u>		27) Lift clean and no sharp edges
<u>F</u>		28) Lift shields secure and in good shape
<u>F</u>		29) Lift moves steady without drifting, jerking, or unusual speeds
<u>F</u>		30) No unusual lift noises
<u>F</u>		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
<u>F</u>		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	<u>F</u>
A,B,C,D	Lube chassis and suspension	<u>F</u>
A,B,C,D	Lube drive shafts and universal joints	<u>N/A</u>
A,B,C,D	Lube doors and hood, locks and hinges	<u>F</u>
A,B,C,D	Adjust service and parking brakes	<u>N/A</u>
A,B,C,D	Drain water from separator	<u>N/A</u>
A,B,C,D	Rotate tires(as necessary, caps on rear)	<u>F</u>
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	<u>F</u>
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe/linings must be measured from the rivets.

Technician's Signature [Signature]Date 05/07/21

Supervisor Signature _____

Date _____

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Vehicle #: 5202 Repair Reason: A Date and Time in: _____
Date: 9/17/21 Work Class: I Date and Time Finished: _____

Mileage in: 255549
Mileage out: 255570

PMID

Notes/Measurements:

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
A 58		P MTR		A 55		SW 20	engine oil	7	
				A 55		LF-3681	oil filter	1	
				A 55		2001831	filter	1	
Ou 55		brake inspection							
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 848194 Technician: _____

Gadsden Flewrier

Signature

Prakash

ASE Employee #: 604182 ASE Technician: _____

ASE Signature:

MECHANIC'S SIGNATURE 		BUS #:	5202	DATE:	9/18/91	PM TYPE OR WORK ORDER #:	PMIA
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY					
		DATE					
COMPLETED		COMPLETED					



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 9/18/21Vehicle #: 5202Mileage in: 255509Mileage out: 255570

P	F	Item Inspected
☒		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and Ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		16) No vibrations, pulsations or noises
☒		B) Walk around inspection
☒		1) Body damage (list on separate sheet)
☒		2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
☒		C) Interior inspection
☒		1) Passenger door and steps condition
☒		2) Handrails and stanchions condition
☒		3) Interior and modesty panels condition
☒		4) Flooring condition
☒		5) Interior lighting operation and condition
☒		6) Windows operation and condition
☒		7) Emergency Exits operation & condition
☒		8) Accessory operation & condition (radio, GPS)
☒		9) Passenger seats operation & condition
☒		10) Passenger seat belts operation & condition
☒		11) First aid & body fluid kits complete
☒		12) Triangle reflectors complete/good condition
☒		13) Stop request operation & condition
☒		14) Valid registration, insurance & accident pack
☒		15) Fire extinguisher in good condition & signed
☒		16) Interior decals and signage (incl. electrical)
☒		17) DVI's reviewed, addressed and signed off
☒		18) Interior clean
☒		D) HVAC system inspection
☒		1) Front blower condition and operation

P	F	Item Inspected
☒		2) Rear blower condition and operation
☒		3) Defroster operation
☒		4) Temp gets to 20 deg. F below ambient temp.
☒		5) Evaporator intake air filter condition
☒		6) Front heater condition and operation
☒		7) Rear heater condition and operation
☒		8) A/C compressors and condenser fans
☒		E) Under hood inspection
☒		1) Batteries & charging sys. (load alt B,C,D serv)
☒		Batt 1 volts: load volts: load amps:
☒		Batt 2 volts: load volts: load amps:
☒		Batt 3 volts: load volts: load amps:
☒		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
☒		Alt. 1 min volt: max volt: max amp:
☒		Alt. 2 min volt: max volt: max amp:
☒		(reference factory service manual for alternator spec)
☒		2) Wire and hose routing and connections
☒		3) Cooling system, hoses, water pump condition
☒		5) Accessory drive belts condition
☒		6) Pulleys and tensioned operation & condition
☒		7) Brake master cylinder and power booster
☒		8) Fan and fan clutch operation and condition
☒		9) Engine oil fluid level and condition
☒		10) Transmission oil level and condition
☒		11) Power steering fluid level and condition
☒		12) Brake fluid level and condition
☒		F) Vehicle rack inspection
☒		1) Steering gear box mount, condition & leaks
☒		2) Steering shaft U joints
☒		3) Steering shaft bearings
☒		4) Steering linkages
☒		5) I beam or control arm movements and rivets
☒		6) Radius arm condition and bushings condition
☒		7) Stabilizer bar condition and bushings condition
☒		8) Ball joints or kingpins
☒		9) Front spring condition and mounting
☒		10) Front shock absorber operation & condition
☒		11) Trans oil cooler & lines routing and leaks
☒		12) Engine oil cooler & lines routing and leaks
☒		13) Heater and A/C hose routing and leaks
☒		14) No engine oil leaks and fluid condition
☒		15) Engine mounts, brackets and bolts
☒		16) Transmission mounts, brackets and bolts
☒		17) No transmission oil leaks and fluid condition
☒		18) Drive shaft condition
☒		19) Universal joints and carrier bearings condition
☒		20) No rear differential leaks
☒		21) Rear differential condition and mounting
☒		22) Frame and cross members
☒		23) Rear shock absorbers
☒		24) Rear springs condition and mounting
☒		25) No fuel leaks
☒		26) Fuel tank condition and mounting
☒		27) No exhaust leaks
☒		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**
 Mileage In: **35550**
 Mileage Out: **35570**



Date: **9/18/21** Vehicle #: **5202**

Service Type	Service Performed	Tech's Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	F
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	F
A,B,C,D	Drain water from separator	F
A,B,C,D	Rotate tires (as necessary, caps on rear)	F
B,C,D	Change air filter	F
B,C,D	Change fuel filter	F
B,C,D	Clean or change PCV valve	F
B,C,D	Clean or change crank case filter	F
B,C,D	Install new wiper blades	F
C,D	Change transmission fluid and filter	F
C,D	Service front wheel bearings	F
C,D	Drain water from fuel tank	F
D	Replace accessory drive belts	F
D	Service and flush cooling system	F
D	Install new spark plugs & wires	F
D	Install new dist. cap & rotor	F
D	Change differential fluid	F
D	Check Exhaust and EGR system	F
D	Check and service fuel & evap. System	F
D	Evac and recharge A/C (add 1 oz. of oil)	F
A,B,C,D	Post service test drive (5 miles)	F

Technician's Signature: *[Signature]* Date: **9/18/21**

Supervisor Signature: _____ Date: _____

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Item Inspected	P	F
30) Front brake condition and mounting	F	
31) Front brake lining condition & measurement	F	
Pads R/F: 8 /32" L/F: 8 /32"	F	
32) Rear brake condition and mounting	F	
33) Rear brake lining condition & measurement	F	
Pads R/R: 9 /32" L/R: 9 /32"	F	
34) Tire and wheel condition and measurements	F	
Shoes R/R: 9 /32" L/R: 9 /32"	F	
R/F: 8 /32" L/F: 8 /32"	F	
R/R: 8 /32" L/R: 8 /32"	F	
R/R: 8 /32" L/R: 8 /32"	F	
35) Lug nuts condition	F	
Air pressure adjustment FR. 65 RR. 70 ft. lbs.	F	
Wheel torque specs used:	F	
G) Lift inspection	F	
1) Lift operation (fully stowed to fully deployed)	F	
2) Lift control pendant condition and operation	F	
3) Lift restraint belt condition and operation	F	
4) Outer roll stop condition and operation	F	
5) Inner roll stop condition and operation	F	
6) Platform adjustments, condition and mounting	F	
7) Standee arm condition and operation	F	
8) Proper signage and decals	F	
9) Manual backup pump condition and operation	F	
10) Lift manual pump handle	F	
11) Hydraulic pump condition and operation	F	
12) Hydraulic lines and cylinders condition	F	
13) Hydraulic fluid level and condition	F	
14) Base plate and arms welds & pivot points	F	
15) Lift springs and pins condition and operation	F	
16) Lift safety switches and adjustments	F	
17) Hose and wire routing and connections	F	
18) Rollers and pivot point condition & operation	F	
19) Lift to vehicle mounting bolts and brackets	F	
20) Lift doors condition and operation	F	
21) Lift door lights condition and operation	F	
22) Lift interlock operation and condition	F	
(Lift door open, e-brake down not able to shift)	F	
(e-brake off lift door closed no lift power)	F	
23) W/C tie downs condition and operation	F	
24) Tie down container secure and clean	F	
25) Tie down floor mounting brackets secure	F	
26) W/C shoulder belt condition and operation	F	
27) Lift clean and no sharp edges	F	
28) Lift shields secure and in good shape	F	
29) Lift moves steady without drifting, jerking, or unusual speeds	F	
30) No unusual lift noises	F	
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	F	
Check, torque or adjust lift base mounting bolts	F	

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Vehicle #: 5202 Repair Reason: A Date and Time in: _____
Date: 05/06/22 Work Class: E Date and Time Finished: _____
Mileage in: 205237
Mileage out: 265238

Notes/Measurements:


Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
A	58	PMIA		A	35	\$W 20	open pit	2	
				A	35		off oil filter	1	
				A	55	BRD 13	front brake	1	
				A	55	8223-7E385-4	shift cable	1	
04	55	brake inspection							
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices, and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.


Employee #: 848194 Technician: Woodson Frazier Signature: [Signature]

ASE Employee #: 604182 ASE Technician: _____ ASE Signature: _____

ASE Signature: _____



PM DEFECT SHEET



MECHANIC'S SIGNATURE 		BUS # : 5202		DATE: 05/06/00		PM TYPE OR WORK ORDER # : PM2A	
DATE		COMPLETED BY		DESCRIPTION OF REPAIR NEEDED			
COMPLETED							

	05/06/00	Jung	Replace front brake pads	
	05/06/00	Jung	Replace shifter cable	



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C DDate: **05/06/22** Vehicle #: **5202**Mileage in: **265232** Mileage out: **265238**

P	F	Item Inspected	P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)			2) Rear blower condition and operation
F		1) Driver carpet	F		3) Defroster operation
F		2) Driver seat condition and operation	F		4) Temp gets to 20 deg. F below ambient temp.
F		3) Drivers door operation and condition	F		5) Evaporator intake air filter condition
F		4) Drivers seat belt operation and condition	F		6) Front heater condition and operation
F		5) Engine starting and Ignition system	F		7) Rear heater condition and operation
F		6) Instrument panel gauges & warning lights	F		8) A/C compressors and condenser fans
F		7) Instrument panel lighting & condition			E) Under hood inspection
F		8) Horn operation			1) Batteries & charging sys. (load alt B,C,D serv)
F		9) Steering wheel tight, no excessive play			Batt 1 volts: load volts: load amps:
F		10) Windshield wipers			Batt 2 volts: load volts: load amps:
F		11) Windshield washer			Batt 3 volts: load volts: load amps:
F		12) Sun visor condition and operation			(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
F		13) Parking brake operation & condition			Alt. 1 min volt: max volt: max amp:
F		14) Parking and service brake pedal pads			Alt. 2 min volt: max volt: max amp:
F		15) Passenger door operation			(reference factory service manual for alternator spec)
F		16) No vibrations, pulsations or noises	F		2) Wire and hose routing and connections
		B) Walk around inspection	F		3) Cooling system, hoses, water pump condition
F		1) Body damage (list on separate sheet)	F		5) Accessory drive belts condition
F		2) Headlights, high & low beam operation	F		6) Pulleys and tensioned operation & condition
F		3) Parking lights operation & condition	F		7) Brake master cylinder and power booster
F		4) Marker lights operation & condition	F		8) Fan and fan clutch operation and condition
F		5) Directional signals operation & condition	F		9) Engine oil fluid level and condition
F		6) Hazard lights operation & condition	F		10) Transmission oil level and condition
F		7) Clearance lights operation and condition	F		11) Power steering fluid level and condition
F		8) Brake lights operation & condition	F		12) Brake fluid level and condition
F		9) License plate lamp operation & condition			F) Vehicle rack inspection
F		10) License plates and tags	F		1) Steering gear box mount, condition & leaks
F		11) Backup lights and alarms	F		2) Steering shaft U joints
F		12) Reflectors and reflective bumper tape	F		3) Steering shaft bearings
F		13) Exterior decals and signage	F		4) Steering linkages
F		14) Bumpers secure / in good condition	F		5) I beam or control arm movements and rivets
F		15) Exterior mirrors secure / in good condition	F		6) Radius arm condition and bushings condition
F		16) Exterior clean	F		7) Stabilizer bar condition and bushings condition
		C) Interior inspection	F		8) Ball joints or kingpins
F		1) Passenger door and steps condition	F		9) Front spring condition and mounting
F		2) Handrails and stanchions condition	F		10) Front shock absorber operation & condition
F		3) Interior and modesty panels condition	F		11) Trans oil cooler & lines routing and leaks
F		4) Flooring condition	F		12) Engine oil cooler & lines routing and leaks
F		5) Interior lighting operation and condition	F		13) Heater and A/C hose routing and leaks
F		6) Windows operation and condition	F		14) No engine oil leaks and fluid condition
F		7) Emergency Exits operation & condition	F		15) Engine mounts, brackets and bolts
F		8) Accessory operation & condition (radio, GPS)	F		16) Transmission mounts, brackets and bolts
F		9) Passenger seats operation & condition	F		17) No transmission oil leaks and fluid condition
F		10) Passenger seat belts operation & condition	F		18) Drive shaft condition
F		11) First aid & body fluid kits complete	F		19) Universal joints and carrier bearings condition
F		12) Triangle reflectors complete/good condition	F		20) No rear differential leaks
F		13) Stop request operation & condition	F		21) Rear differential condition and mounting
F		14) Valid registration, insurance & accident pack	F		22) Frame and cross members
F		15) Fire extinguisher in good condition & signed	F		23) Rear shock absorbers
F		16) Interior decals and signage (incl. electrical)	F		24) Rear springs condition and mounting
F		17) DVI's reviewed, addressed and signed off	F		25) No fuel leaks
F		18) Interior clean	F		26) Fuel tank condition and mounting
		D) HVAC system inspection	F		27) No exhaust leaks
F		1) Front blower condition and operation	F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage In: 265237

Mileage out: 265238



Date: 05/06/02 Vehicle #: 3202

Item Inspected	Initial or "N/A" each service performed per PM type
30) Front brake condition and mounting	A,B,C,D
31) Front brake lining condition & measurement	A,B,C,D
32) Rear brake lining condition & measurement	A,B,C,D
33) Rear brake lining condition & measurement	A,B,C,D
Pads R/R: 10/32" L/R: 10/32"	A,B,C,D
Shoes R/R: 10/32" L/R: 10/32"	A,B,C,D
34) Tire and wheel condition and measurements	A,B,C,D
R/F: 8/32" L/F: 8/32"	A,B,C,D
R/R: 8/32" L/R: 8/32"	A,B,C,D
R/R: 8/32" L/R: 8/32"	A,B,C,D
35) Lug nuts condition	A,B,C,D
Wheel torque specs used: 140 ft. lbs.	A,B,C,D
Air pressure adjustment FR. 65 RR. 70	A,B,C,D
1) Lift inspection	A,B,C,D
2) Lift control pendant condition and operation	A,B,C,D
3) Lift restraint belt condition and operation	A,B,C,D
4) Outer roll stop condition and operation	A,B,C,D
5) Inner roll stop condition and operation	A,B,C,D
6) Platform adjustments, condition and mounting	A,B,C,D
7) Standee arm condition and operation	A,B,C,D
8) Proper signage and decals	A,B,C,D
9) Manual backup pump condition and operation	A,B,C,D
10) Lift manual pump handle	A,B,C,D
11) Hydraulic pump condition and operation	A,B,C,D
12) Hydraulic lines and cylinders condition	A,B,C,D
13) Hydraulic fluid level and condition	A,B,C,D
14) Base plate and arms welds & pivot points	A,B,C,D
15) Lift springs and pins condition and operation	A,B,C,D
16) Lift safety switches and adjustments	A,B,C,D
17) Hose and wire routing and connections	A,B,C,D
18) Rollers and pivot point condition & operation	A,B,C,D
19) Lift to vehicle mounting bolts and brackets	A,B,C,D
20) Lift doors condition and operation	A,B,C,D
21) Lift door lights condition and operation	A,B,C,D
22) Lift interlock operation and condition	A,B,C,D
(Lift door open, e-brake down not able to shift)	A,B,C,D
(e-brake off lift door closed no lift power)	A,B,C,D
23) W/C tie downs condition and operation	A,B,C,D
24) Tie down container secure and clean	A,B,C,D
25) Tie down floor mounting brackets secure	A,B,C,D
26) W/C shoulder belt condition and operation	A,B,C,D
27) Lift clean and no sharp edges	A,B,C,D
28) Lift shields secure and in good shape	A,B,C,D
29) Lift moves steady without drifting, jerking, or unusual speeds	A,B,C,D
30) No unusual lift noises	A,B,C,D
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	A,B,C,D
Check, torque or adjust lift base mounting bolts	A,B,C,D

Technician's Signature

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Service Performed	Service Type
Change oil and filter	A,B,C,D
Lube chassis and suspension	A,B,C,D
Lube drive shafts and universal joints	A,B,C,D
Lube doors and hood, locks and hinges	A,B,C,D
Adjust service and parking brakes	A,B,C,D
Drain water from separator	A,B,C,D
Rotate tires (as necessary, caps on rear)	A,B,C,D
Change air filter	B,C,D
Change fuel filter	B,C,D
Clean or change PCV valve	B,C,D
Clean or change crank case filter	B,C,D
Install new wiper blades	B,C,D
Change transmission fluid and filter	C,D
Service front wheel bearings	C,D
Drain water from fuel tank	C,D
Replace accessory drive belts	D
Service and flush cooling system	D
Install new spark plugs & wires	D
Install new dist. cap & rotor	D
Change differential fluid	D
Check Exhaust and EGR system	D
Check and service fuel & evap. System	D
Evac and recharge A/C (add 1 oz. of oil)	D
Post service test drive (5 miles)	A,B,C,D

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

5910 N Central Expy Suite 145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Vehicle # 6202 Repair Reason: A Date and Time in: 18:25 PM Mileage in: 668200
Date: 11-06-77 Work Class: I Date and Time Finished: 20:19 PM Mileage out: 668251

Notes/Measurements:

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 67492 Technician: GIRBUD JETHU Signature: [Signature]

ASE Employee #: 6041822 ASE Technician: _____ ASE Signature: _____

MECHANIC'S SIGNATURE <i>GIRARD Jema</i>		BUS #: <i>5202</i>		DATE: <i>11-06-22</i>	
PM TYPE OR WORK ORDER #:					
DATE		COMPLETED BY		COMPLETED	
DESCRIPTION OF REPAIR NEEDED					



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 11-06-22 Vehicle #: 5202Mileage in: 268250Mileage out: 268251

P	F	Item Inspected
☒		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		16) No vibrations, pulsations or noises
☒		B) Walk around inspection
☒		1) Body damage (list on separate sheet)
☒		2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
☒		C) Interior inspection
☒		1) Passenger door and steps condition
☒		2) Handrails and stanchions condition
☒		3) Interior and modesty panels condition
☒		4) Flooring condition
☒		5) Interior lighting operation and condition
☒		6) Windows operation and condition
☒		7) Emergency Exits operation & condition
☒		8) Accessory operation & condition (radio, GPS)
☒		9) Passenger seats operation & condition
☒		10) Passenger seat belts operation & condition
☒		11) First aid & body fluid kits complete
☒		12) Triangle reflectors complete/good condition
☒		13) Stop request operation & condition
☒		14) Valid registration, insurance & accident pack
☒		15) Fire extinguisher in good condition & signed
☒		16) Interior decals and signage (incl. electrical)
☒		17) DVI's reviewed, addressed and signed off
☒		18) Interior clean
☒		D) HVAC system inspection
☒		1) Front blower condition and operation

P	F	Item Inspected
☒		2) Rear blower condition and operation
☒		3) Defroster operation
☒		4) Temp gets to 20 deg. F below ambient temp.
☒		5) Evaporator intake air filter condition
☒		6) Front heater condition and operation
☒		7) Rear heater condition and operation
☒		8) A/C compressors and condenser fans
☒		E) Under hood inspection
☒		1) Batteries & charging sys. (load alt B,C,D serv)
☒		Batt 1 volts: load volts: load amps:
☒		Batt 2 volts: load volts: load amps:
☒		Batt 3 volts: load volts: load amps:
☒		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
☒		Alt. 1 min volt: max volt: max amp:
☒		Alt. 2 min volt: max volt: max amp:
☒		(reference factory service manual for alternator spec)
☒		2) Wire and hose routing and connections
☒		3) Cooling system, hoses, water pump condition
☒		5) Accessory drive belts condition
☒		6) Pulleys and tensioned operation & condition
☒		7) Brake master cylinder and power booster
☒		8) Fan and fan clutch operation and condition
☒		9) Engine oil fluid level and condition
☒		10) Transmission oil level and condition
☒		11) Power steering fluid level and condition
☒		12) Brake fluid level and condition
☒		F) Vehicle rack inspection
☒		1) Steering gear box mount, condition & leaks
☒		2) Steering shaft U joints
☒		3) Steering shaft bearings
☒		4) Steering linkages
☒		5) I beam or control arm movements and rivets
☒		6) Radius arm condition and bushings condition
☒		7) Stabilizer bar condition and bushings condition
☒		8) Ball joints or kingpins
☒		9) Front spring condition and mounting
☒		10) Front shock absorber operation & condition
☒		11) Trans oil cooler & lines routing and leaks
☒		12) Engine oil cooler & lines routing and leaks
☒		13) Heater and A/C hose routing and leaks
☒		14) No engine oil leaks and fluid condition
☒		15) Engine mounts, brackets and bolts
☒		16) Transmission mounts, brackets and bolts
☒		17) No transmission oil leaks and fluid condition
☒		18) Drive shaft condition
☒		19) Universal joints and carrier bearings condition
☒		20) No rear differential leaks
☒		21) Rear differential condition and mounting
☒		22) Frame and cross members
☒		23) Rear shock absorbers
☒		24) Rear springs condition and mounting
☒		25) No fuel leaks
☒		26) Fuel tank condition and mounting
☒		27) No exhaust leaks
☒		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **268250** Mileage out: **268251**



Date: **11-06-22** Vehicle #: **5202**

Service Performed	Technician Initials
Change oil and filter	GT
Lube chassis and suspension	GT
Lube drive shafts and universal joints	GT
Lube doors and hood, locks and hinges	GT
Adjust service and parking brakes	GT
Drain water from separator	GT
Rotate tires (as necessary, caps on rear)	GT
Change air filter	GT
Change fuel filter	GT
Change or change PCV valve	GT
Clean or change crank case filter	GT
Install new wiper blades	GT
Change transmission fluid and filter	GT
Service front wheel bearings	GT
Drain water from fuel tank	GT
Replace accessory drive belts	GT
Service and flush cooling system	GT
Install new spark plugs & wires	GT
Install new dist. cap & rotor	GT
Change differential fluid	GT
Check Exhaust and EGR system	GT
Check and service fuel & evap. System	GT
Evac and recharge A/C (add 1 oz. of oil)	GT
Post service test drive (5 miles)	GT
Initial or "N/A" each service performed per PM type	
A,B,C,D	

Item Inspected	P	F
30) Front brake condition and mounting	☒	☒
31) Front brake lining condition & measurement	☒	☒
Pads R/F: 12/32" L/F: 12/32"	☒	☒
32) Rear brake condition and mounting	☒	☒
33) Rear brake lining condition & measurement	☒	☒
Pads R/R: 12/32" L/R: 12/32"	☒	☒
34) Tire and wheel condition and measurements	☒	☒
Shoes R/R: 1/32" L/R: 1/32"	☒	☒
R/F: 9/32" L/F: 9/32"	☒	☒
R/R: 10/32" L/R: 9/32"	☒	☒
R/R: 7/32" L/R: 11/32"	☒	☒
Air pressure adjustment FR. 70 RR. 70	☒	☒
Wheel torque specs used: 140 ft. lbs.	☒	☒
G) Lift inspection	☒	☒
1) Lift operation (fully stowed to fully deployed)	☒	☒
2) Lift control pendant condition and operation	☒	☒
3) Lift restraint belt condition and operation	☒	☒
4) Outer roll stop condition and operation	☒	☒
5) Inner roll stop condition and operation	☒	☒
6) Platform adjustments, condition and mounting	☒	☒
7) Standee arm condition and operation	☒	☒
8) Proper signage and decals	☒	☒
9) Manual backup pump condition and operation	☒	☒
10) Lift manual pump handle	☒	☒
11) Hydraulic pump condition and operation	☒	☒
12) Hydraulic lines and cylinders condition	☒	☒
13) Hydraulic fluid level and condition	☒	☒
14) Base plate and arms welds & pivot points	☒	☒
15) Lift springs and pins condition and operation	☒	☒
16) Lift safety switches and adjustments	☒	☒
17) Hose and wire routing and connections	☒	☒
18) Rollers and pivot point condition & operation	☒	☒
19) Lift to vehicle mounting bolts and brackets	☒	☒
20) Lift doors condition and operation	☒	☒
21) Lift door lights condition and operation	☒	☒
22) Lift interlock operation and condition	☒	☒
(Lift door open, e-brake down not able to shift)	☒	☒
(e-brake off lift door closed no lift power)	☒	☒
23) W/C the downs condition and operation	☒	☒
24) Tie down container secure and clean	☒	☒
25) Tie down floor mounting brackets secure	☒	☒
26) W/C shoulder belt condition and operation	☒	☒
27) Lift clean and no sharp edges	☒	☒
28) Lift shields secure and in good shape	☒	☒
29) Lift moves steady without drifting, jerking, or unusual speeds	☒	☒
30) No unusual lift noises	☒	☒
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	☒	☒
Check, torque or adjust lift base mounting bolts	☒	☒

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Notes:

Supervisor Signature

Date

Technician Signature

Date

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5202 Repair Reason: B Date and Time in: 189235
Date: 08/09/2019 Work Class: I Date and Time Finished: 189236

Complaints/Defects:

Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours
B 58		PM I. B	
B 04		Brake Inspection	
Total Hours Worked:			

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
B	55	NV1700	ENGINE OIL	7	
B	55	LF3681	OIL FILTER	1	
B	55	AF25590	AIR FILTER	1	
B	55	WIN2001 PF	WIPER BLADE	2	
B	55	2001831	TIRE	2	
B	55	BRBC 7	CALIPER BRACKET	1	
B	55	BRSD 1328B	FRONT BRAKE PAD	1	
Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725

Technician: RODNEY MURRAY

Signature: Rodney Murray

ASE Employee #: _____

ASE Technician: _____

ASE Signature: _____



Prohney H. H. H.
MECHANIC'S SIGNATURE

BUS #: 5202

DATE:

08/09/2019

PM TYPE OR WORK ORDER #:

[illegible]

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 189235 Mileage out: 189236



Date: 08/09/2019 Vehicle #: 5202

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 08/09/2019 Vehicle #: 5202

Mileage in: 189235

Mileage out: 189236

P	F	Item Inspected
R	X	30) Front brake condition and mounting
R	X	31) Front brake lining condition & measurement
R	X	Pads R/F: <u>1</u> /32" L/F: <u>1</u> /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R		Pads R/R: <u>7</u> /32" L/R: <u>7</u> /32"
NA		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
R		R/F: <u>6</u> /32" L/F: <u>7</u> /32"
R	X	R/R: <u>2</u> /32" L/R: <u>6</u> /32"
R	X	R/O: <u>2</u> /32" L/O: <u>6</u> /32"
		35) Lug nuts condition
R		Air pressure adjustment FR. <u>65 RR. 75</u>
R		Wheel torque specs used: <u>140</u> ft. lbs.
		G) Lift Inspection
R		1) Lift operation (fully stowed to fully deployed)
R		2) Lift control pendant condition and operation
R		3) Lift restraint belt condition and operation
R		4) Outer roll stop condition and operation
R		5) Inner roll stop condition and operation
R		6) Platform adjustments, condition and mounting
R		7) Standee arm condition and operation
R		8) Proper signage and decals
R		9) Manual backup pump condition and operation
R		10) Lift manual pump handle
R		11) Hydraulic pump condition and operation
R		12) Hydraulic lines and cylinders condition
R		13) Hydraulic fluid level and condition
R		14) Base plate and arms welds & pivot points
R		15) Lift springs and pins condition and operation
R		16) Lift safety switches and adjustments
R		17) Hose and wire routing and connections
R		18) Rollers and pivot point condition & operation
R		19) Lift to vehicle mounting bolts and brackets
R		20) Lift doors condition and operation
R		21) Lift door lights condition and operation
R		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking, or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
R		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	R
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	R
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	R
B,C,D	Change air filter	R
B,C,D	Change fuel filter	NA
B,C,D	Clean or change PCV valve	NA
B,C,D	Clean or change crank case filter	NA
B,C,D	Install new wiper blades	R
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	R

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

08/09/2019
Date


Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #:	5202	Repair Reason:	B
Date:	01/25/19	Work Class:	T Date

Repair Reason: B
Work Class: T Date

3 Date and Time in :
Date and Time Finished:

19.00
21.00

Mileage in: 161843
Mileage out: 161845

Mileage out: 141845

Complaints/Defects

Notes/Measurements

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725 Technician: Reem Al-Husseini Signature: [Signature]

ASE Employee #: 684182 ASE Technician:

ASE Signature: _____

MECHANIC'S SIGNATURE		BUS #: 5202 DATE: 01/25/2019		PM TYPE OR WORK ORDER #:
----------------------	--	---------------------------------	--	--------------------------

DATE	COMPLETED BY	DESCRIPTION OF REPAIR NEEDED
------	--------------	------------------------------

[illegible]



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 01/25/19 Vehicle #: 5202 Mileage in: 161843 Mileage out: 161845

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
R		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition (radio, GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation

P	F	Item Inspected
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
R		1) Batteries & charging sys. (load alt B,C,D serv)
R		Batt 1 volts: load volts: load amps:
R		Batt 2 volts: load volts: load amps:
R		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
R		3) Steering shaft bearings
R		4) Steering linkages
R		5) I beam or control arm movements and rivets
R		6) Radius arm condition and bushings condition
R		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
R		18) Drive shaft condition
R		19) Universal joints and carrier bearings condition
R		20) No rear differential leaks
R		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D
Mileage in: 141843 Mileage out: 141845



Date: 01/25/19 Vehicle #: 5202

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 7/32" L/F: 7/32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 2/32" L/R: 2/32"
		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
		R/F: 8/32" L/F: 8/32"
		R/R: 8/32" L/R: 8/32"
		35) Lug nuts condition
		Air pressure adjustment F.R. 65 R.R. 45
		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Service Performed	Technician's Signature	Supervisor Signature	Date
A,B,C,D Change oil and filter			
A,B,C,D Lube chassis and suspension			
A,B,C,D Lube drive shafts and universal joints			
A,B,C,D Lube doors and hood, locks and hinges			
A,B,C,D Adjust service and parking brakes			
A,B,C,D Drain water from separator			
A,B,C,D Rotate tires (as necessary, caps on rear)			
B,C,D Change air filter			
B,C,D Change fuel filter			
B,C,D Clean or change PCV valve			
B,C,D Clean or change crank case filter			
B,C,D Install new wiper blades			
C,D Change transmission fluid and filter			
C,D Service front wheel bearings			
C,D Drain water from fuel tank			
D Replace accessory drive belts			
D Service and flush cooling system			
D Install new spark plugs & wires			
D Install new dist. cap & rotor			
D Change differential fluid			
D Check Exhaust and EGR system			
D Check and service fuel & evap. System			
D Evac and recharge A/C (add 1 oz. of oil)			
A,B,C,D Post service test drive (5 miles)			

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: [Signature]
Supervisor Signature: [Signature]
Date: 01/25/19
Date: 01/25/19

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Cenrtal Expy Way Suite 1145
Dallas, TX 75206

West Palm Beach, FL 33407

Basic Information

Complaints/Defects:

Total Hours Worked:

Total Hours Worked:		Total Parts Cost:	
I have performed the repairs according to MY Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MY Transportation, Inc. sources.			

Employee #: 849107 Technician: _____

Signature

ASE Employee #: 604182 ASE Technician:

ASE Signature:

Scratch & dent on left side


DESCRIPTION OF REPAIR NEEDED

MECHANIC'S SIGNATURE

COMPLETED BY
DATE COMPLETED

BUS #:
DATE:
PM TYPE OR WORK ORDER #:

PM DEFECT SHEET



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 218110 Mileage out: 218111



Date: 10/4/20 Vehicle #: 5202

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Floor condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 818110

Mileage out: 818111



Vehicle #: 52002

Date: 10/4/20

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 8/32" L/F: 6/32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 8/32" L/R: 8/32"
		34) Tire and wheel condition and measurements
		Shoes R/R: 8/32" L/R: 8/32"
		R/F: 8/32" L/F: 8/32"
		R/R: 8/32" L/R: 8/32"
		R/R: 8/32" L/R: 8/32"
		35) Lug nuts condition
		Air pressure adjustment FR. 65 R.R. 70-75
		Wheel torque specs used: 140 ft. lbs.
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Type	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires (as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. system	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Technician's Signature

Date: 10/4/20

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 145
Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

Vehicle #: 5202 Repair Reason: I Date and Time in: 06/14/21 Mileage in: 246,306
Date: 06/14/21 Work Class: A Date and Time Finished: 06/14/21 Mileage out: 246,307

Notes/Measurements:

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.


Employee #: 662802 Technician: Operator taye Signature: J. D. Harg

ASE Employee #: 604182 ASE Technician: _____ ASE Signature: _____

ASE Signature:

DESCRIPTION OF REPAIR NEEDED		COMPLETED BY	DATE
* REPLACE PASSENGER HEADLIGHT BULB	HMH	06/14/21	
* FIT TIRES TO FRONT OF VEHICLE	HMH		
* Rotate front to the rear	HMH	06/14/21	
* FIT TIRE (NEW) TO RIGHT REAR	HMH	06/14/21	
* INSTALL STABILIZER (DRIVERS SIDE)	HMH	06/14/21	
* BATTERY CASE BROKEN	HMH	06/14/21	
* Secure BATTERY CASE	HMH	06/14/21	
* Secure HEADLIGHT HOUSING	HMH	06/14/21	
* TOUGH ALL WHEELS	HMH	06/14/21	

MECHANIC'S SIGNATURE		BUS #: 5202	DATE: 06/14/21
PM TYPE OR WORK ORDER #: A			



PM DEFECT SHEET





Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 06/14/21 Vehicle #: 5202

Mileage in: 246,306 Mileage out: 246,307

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
H		1) Driver carpet
H		2) Driver seat condition and operation
H		3) Drivers door operation and condition
H		4) Drivers seat belt operation and condition
H		5) Engine starting and Ignition system
H		6) Instrument panel gauges & warning lights
H		7) Instrument panel lighting & condition
H		8) Horn operation
H		9) Steering wheel tight, no excessive play
H		10) Windshield wipers
H		11) Windshield washer
H		12) Sun visor condition and operation
H		13) Parking brake operation & condition
H		14) Parking and service brake pedal pads
H		15) Passenger door operation
H		16) No vibrations, pulsations or noises
		B) Walk around inspection
H		1) Body damage (list on separate sheet)
	X	2) Headlights, high & low beam operation
H		3) Parking lights operation & condition
H		4) Marker lights operation & condition
H		5) Directional signals operation & condition
H		6) Hazard lights operation & condition
H		7) Clearance lights operation and condition
H		8) Brake lights operation & condition
H		9) License plate lamp operation & condition
H		10) License plates and tags
H		11) Backup lights and alarms
H		12) Reflectors and reflective bumper tape
H		13) Exterior decals and signage
H		14) Bumpers secure / in good condition
H		15) Exterior mirrors secure / in good condition
	X	16) Exterior clean
		C) Interior inspection
H		1) Passenger door and steps condition
H		2) Handrails and stanchions condition
H		3) Interior and modesty panels condition
H		4) Flooring condition
H		5) Interior lighting operation and condition
H		6) Windows operation and condition
H		7) Emergency Exits operation & condition
H		8) Accessory operation & condition (radio, GPS)
H		9) Passenger seats operation & condition
H		10) Passenger seat belts operation & condition
H		11) First aid & body fluid kits complete
H		12) Triangle reflectors complete/good condition
H		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
H		15) Fire extinguisher in good condition & signed
H		16) Interior decals and signage (incl. electrical)
H		17) DVI's reviewed, addressed and signed off
	X	18) Interior clean
		D) HVAC system inspection
H		1) Front blower condition and operation

P	F	Item Inspected
H		2) Rear blower condition and operation
H		3) Defroster operation
H		4) Temp gets to 20 deg. F below ambient temp.
H		5) Evaporator intake air filter condition
H		6) Front heater condition and operation
H		7) Rear heater condition and operation
H		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
H		Batt 1 volts: load volts: load amps:
H		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
H		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
H		2) Wire and hose routing and connections
H		3) Cooling system, hoses, water pump condition
H		5) Accessory drive belts condition
H		6) Pulleys and tensioned operation & condition
H		7) Brake master cylinder and power booster
H		8) Fan and fan clutch operation and condition
H		9) Engine oil fluid level and condition
H		10) Transmission oil level and condition
H		11) Power steering fluid level and condition
H		12) Brake fluid level and condition
		F) Vehicle rack inspection
H		1) Steering gear box mount, condition & leaks
H		2) Steering shaft U joints
H		3) Steering shaft bearings
H		4) Steering linkages
H		5) I beam or control arm movements and rivets
H		6) Radius arm condition and bushings condition
	X	7) Stabilizer bar condition and bushings condition
H		8) Ball joints or kingpins
H		9) Front spring condition and mounting
H		10) Front shock absorber operation & condition
H		11) Trans oil cooler & lines routing and leaks
H		12) Engine oil cooler & lines routing and leaks
H		13) Heater and A/C hose routing and leaks
H		14) No engine oil leaks and fluid condition
H		15) Engine mounts, brackets and bolts
H		16) Transmission mounts, brackets and bolts
H		17) No transmission oil leaks and fluid condition
H		18) Drive shaft condition
H		19) Universal joints and carrier bearings condition
H		20) No rear differential leaks
H		21) Rear differential condition and mounting
H		22) Frame and cross members
H		23) Rear shock absorbers
H		24) Rear springs condition and mounting
H		25) No fuel leaks
H		26) Fuel tank condition and mounting
H		27) No exhaust leaks
H		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **(A) (B) (C) (D)**

Mileage in: **246,306** Mileage out: **246,307**



Date: **06/14/21** Vehicle #: **5202**

Item Inspected	Item Inspected	Item Inspected
30) Front brake condition and mounting	30) Front brake condition and mounting	30) Front brake condition and mounting
31) Front brake lining condition & measurement	31) Front brake lining condition & measurement	31) Front brake lining condition & measurement
Pads R/F: 6/32" L/F: 6/32"	Pads R/F: 6/32" L/F: 6/32"	Pads R/F: 6/32" L/F: 6/32"
32) Rear brake condition and mounting	32) Rear brake condition and mounting	32) Rear brake condition and mounting
33) Rear brake lining condition & measurement	33) Rear brake lining condition & measurement	33) Rear brake lining condition & measurement
Pads R/R: 8/32" L/R: 8/32"	Pads R/R: 8/32" L/R: 8/32"	Pads R/R: 8/32" L/R: 8/32"
34) Tire and wheel condition and measurements	34) Tire and wheel condition and measurements	34) Tire and wheel condition and measurements
R/F: 4/32" L/F: 4/32"	R/F: 4/32" L/F: 4/32"	R/F: 4/32" L/F: 4/32"
R/R: 6/32" L/R: 6/32"	R/R: 6/32" L/R: 6/32"	R/R: 6/32" L/R: 6/32"
R/O: 1/32" L/R/O: 2/32"	R/O: 1/32" L/R/O: 2/32"	R/O: 1/32" L/R/O: 2/32"
35) Lug nuts condition	35) Lug nuts condition	35) Lug nuts condition
Air pressure adjustment FR. 75 RR. 80	Air pressure adjustment FR. 75 RR. 80	Air pressure adjustment FR. 75 RR. 80
Wheel torque specs used: 140 ft. lbs.	Wheel torque specs used: 140 ft. lbs.	Wheel torque specs used: 140 ft. lbs.
1) Lift inspection	1) Lift inspection	1) Lift inspection
2) Lift control pendant condition and operation	2) Lift control pendant condition and operation	2) Lift control pendant condition and operation
3) Lift restraint belt condition and operation	3) Lift restraint belt condition and operation	3) Lift restraint belt condition and operation
4) Outer roll stop condition and operation	4) Outer roll stop condition and operation	4) Outer roll stop condition and operation
5) Inner roll stop condition and operation	5) Inner roll stop condition and operation	5) Inner roll stop condition and operation
6) Platform adjustments, condition and mounting	6) Platform adjustments, condition and mounting	6) Platform adjustments, condition and mounting
7) Stander arm condition and operation	7) Stander arm condition and operation	7) Stander arm condition and operation
8) Proper signage and decals	8) Proper signage and decals	8) Proper signage and decals
9) Manual backup pump condition and operation	9) Manual backup pump condition and operation	9) Manual backup pump condition and operation
10) Lift manual pump handle	10) Lift manual pump handle	10) Lift manual pump handle
11) Hydraulic pump condition and operation	11) Hydraulic pump condition and operation	11) Hydraulic pump condition and operation
12) Hydraulic lines and cylinders condition	12) Hydraulic lines and cylinders condition	12) Hydraulic lines and cylinders condition
13) Hydraulic fluid level and condition	13) Hydraulic fluid level and condition	13) Hydraulic fluid level and condition
14) Base plate and arms welds & pivot points	14) Base plate and arms welds & pivot points	14) Base plate and arms welds & pivot points
15) Lift springs and pins condition and operation	15) Lift springs and pins condition and operation	15) Lift springs and pins condition and operation
16) Lift safety switches and adjustments	16) Lift safety switches and adjustments	16) Lift safety switches and adjustments
17) Hose and wire routing and connections	17) Hose and wire routing and connections	17) Hose and wire routing and connections
18) Rollers and pivot point condition & operation	18) Rollers and pivot point condition & operation	18) Rollers and pivot point condition & operation
19) Lift to vehicle mounting bolts and brackets	19) Lift to vehicle mounting bolts and brackets	19) Lift to vehicle mounting bolts and brackets
20) Lift doors condition and operation	20) Lift doors condition and operation	20) Lift doors condition and operation
21) Lift door lights condition and operation	21) Lift door lights condition and operation	21) Lift door lights condition and operation
22) Lift interlock operation and condition	22) Lift interlock operation and condition	22) Lift interlock operation and condition
(Lift door open, e-brake down not able to shift)	(Lift door open, e-brake down not able to shift)	(Lift door open, e-brake down not able to shift)
(e-brake off lift door closed no lift power)	(e-brake off lift door closed no lift power)	(e-brake off lift door closed no lift power)
23) W/C the downs condition and operation	23) W/C the downs condition and operation	23) W/C the downs condition and operation
24) Tie down container secure and clean	24) Tie down container secure and clean	24) Tie down container secure and clean
25) Tie down floor mounting brackets secure	25) Tie down floor mounting brackets secure	25) Tie down floor mounting brackets secure
26) W/C shoulder belt condition and operation	26) W/C shoulder belt condition and operation	26) W/C shoulder belt condition and operation
27) Lift clean and no sharp edges	27) Lift clean and no sharp edges	27) Lift clean and no sharp edges
28) Lift shields secure and in good shape	28) Lift shields secure and in good shape	28) Lift shields secure and in good shape
29) Lift moves steady without drifting, jerking,	29) Lift moves steady without drifting, jerking,	29) Lift moves steady without drifting, jerking,
or unusual speeds	or unusual speeds	or unusual speeds
30) No unusual lift noises	30) No unusual lift noises	30) No unusual lift noises
Lube all lift pivot points, barriers, rollers, linkages	Lube all lift pivot points, barriers, rollers, linkages	Lube all lift pivot points, barriers, rollers, linkages
and bearings cleaning off all excess lube	and bearings cleaning off all excess lube	and bearings cleaning off all excess lube
Check, torque or adjust lift base mounting bolts	Check, torque or adjust lift base mounting bolts	Check, torque or adjust lift base mounting bolts

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Service Performed	Service Performed	Service Performed
A,B,C,D Change oil and filter	A,B,C,D Change oil and filter	A,B,C,D Change oil and filter
A,B,C,D Lube chassis and suspension	A,B,C,D Lube chassis and suspension	A,B,C,D Lube chassis and suspension
A,B,C,D Lube drive shafts and universal joints	A,B,C,D Lube drive shafts and universal joints	A,B,C,D Lube drive shafts and universal joints
A,B,C,D Lube doors and hood, locks and hinges	A,B,C,D Lube doors and hood, locks and hinges	A,B,C,D Lube doors and hood, locks and hinges
A,B,C,D Adjust service and parking brakes	A,B,C,D Adjust service and parking brakes	A,B,C,D Adjust service and parking brakes
A,B,C,D Drain water from separator	A,B,C,D Drain water from separator	A,B,C,D Drain water from separator
A,B,C,D Rotate tires (as necessary, caps on rear)	A,B,C,D Rotate tires (as necessary, caps on rear)	A,B,C,D Rotate tires (as necessary, caps on rear)
B,C,D Change air filter	B,C,D Change air filter	B,C,D Change air filter
B,C,D Change fuel filter	B,C,D Change fuel filter	B,C,D Change fuel filter
B,C,D Clean or change PCV valve	B,C,D Clean or change PCV valve	B,C,D Clean or change PCV valve
B,C,D Clean or change crank case filter	B,C,D Clean or change crank case filter	B,C,D Clean or change crank case filter
B,C,D Install new wiper blades	B,C,D Install new wiper blades	B,C,D Install new wiper blades
C,D Change transmission fluid and filter	C,D Change transmission fluid and filter	C,D Change transmission fluid and filter
C,D Service front wheel bearings	C,D Service front wheel bearings	C,D Service front wheel bearings
C,D Drain water from fuel tank	C,D Drain water from fuel tank	C,D Drain water from fuel tank
D Replace accessory drive belts	D Replace accessory drive belts	D Replace accessory drive belts
D Service and flush cooling system	D Service and flush cooling system	D Service and flush cooling system
D Install new spark plugs & wires	D Install new spark plugs & wires	D Install new spark plugs & wires
D Install new dist. cap & rotor	D Install new dist. cap & rotor	D Install new dist. cap & rotor
D Change differential fluid	D Change differential fluid	D Change differential fluid
D Check Exhaust and EGR system	D Check Exhaust and EGR system	D Check Exhaust and EGR system
D Check and service fuel & evap. System	D Check and service fuel & evap. System	D Check and service fuel & evap. System
D Evac and recharge A/C (add 1 oz. of oil)	D Evac and recharge A/C (add 1 oz. of oil)	D Evac and recharge A/C (add 1 oz. of oil)
A,B,C,D Post service test drive (5 miles)	A,B,C,D Post service test drive (5 miles)	A,B,C,D Post service test drive (5 miles)

Technicians Signature: **J. J. [Signature]** Date: **06/14/21**

Supervisor Signature: _____ Date: _____

Notes:

MV Transportation

2711 North Haskell Ave. Suite 1500 LB-2
Dallas, TX 75204



WPB 94
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5202 Repair Reason: C Date and Time in: 19:00 Mileage in: 147454
 Date: 09/24/18 Work Class: _____ Date and Time Finished: 20:45 Mileage out: 147456
 Complaints/Defects: _____ Notes/Measurements: _____

PM I (C)

Labor Information

Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
C	58	PM I (C)		C	55	5W20	Oil Engine 2.0		
				C	55	LF3681	Oil Filter	1	
				C	55	AF25590	Air Filter	1	
				C	55	WU-2001-PF	Luber Blade Front		
				C	55	FT 180	Transmission Filter 1		
				C	55	Micron LV	Trans Fluid 10		
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 846181 Technician: Jean Theriault Signature: _____

ASE Employee #: 60454 ASE Technician: _____ ASE Signature: _____

MTV Transportation Inc.

MECHANIC'S SIGNATURE _____		BUS #:	DATE:
PM TYPE OR WORK ORDER #:			

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
------------------------------	--------------	----------------



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B **C** DDate: 09/24/18 Vehicle #: 5202 Mileage in: 147454 Mileage out: 147456

P	F	Item Inspected
J		30) Front brake condition and mounting
J		31) Front brake lining condition & measurement
J		Pads R/F: <u>8</u> /32" L/F: <u>8</u> /32"
J		32) Rear brake condition and mounting
J		33) Rear brake lining condition & measurement
J		Pads R/R: <u>6</u> /32" L/R: <u>6</u> /32"
J		Shoes R/R: <u>1</u> /32" L/R: <u>1</u> /32"
J		34) Tire and wheel condition and measurements
J		R/F: <u>11</u> /32" L/F: <u>11</u> /32"
J		R/R: <u>4</u> /32" L/R: <u>3</u> /32"
J		R/O: <u>11</u> /32" L/O: <u>5</u> /32"
J		35) Lug nuts condition
J		Air pressure adjustment FR. RR.
J		Wheel torque specs used: ft. lbs.
J		G) Lift Inspection
J		1) Lift operation (fully stowed to fully deployed)
J		2) Lift control pendant condition and operation
J		3) Lift restraint belt condition and operation
J		4) Outer roll stop condition and operation
J		5) Inner roll stop condition and operation
J		6) Platform adjustments, condition and mounting
J		7) Standee arm condition and operation
J		8) Proper signage and decals
J		9) Manual backup pump condition and operation
J		10) Lift manual pump handle
J		11) Hydraulic pump condition and operation
J		12) Hydraulic lines and cylinders condition
J		13) Hydraulic fluid level and condition
J		14) Base plate and arms welds & pivot points
J		15) Lift springs and pins condition and operation
J		16) Lift safety switches and adjustments
J		17) Hose and wire routing and connections
J		18) Rollers and pivot point condition & operation
J		19) Lift to vehicle mounting bolts and brackets
J		20) Lift doors condition and operation
J		21) Lift door lights condition and operation
J		22) Lift interlock operation and condition
J		(lift door open, e-brake down not able to shift)
J		(e-brake off lift door closed no lift power)
J		23) W/C tie downs condition and operation
J		24) Tie down container secure and clean
J		25) Tie down floor mounting brackets secure
J		26) W/C shoulder belt condition and operation
J		27) Lift clean and no sharp edges
J		28) Lift shields secure and in good shape
J		29) Lift moves steady without drifting, jerking, or unusual speeds
J		30) No unusual lift noises
J		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
J		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	J
A,B,C,D	Lube chassis and suspension	J
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	J
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	J
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	J
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **147454** Mileage out: **147456**



Date: **09/24/18** Vehicle #: **5202**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094.)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5202 Repair Reason: _____

Vehicle # 2606 Repair Reason: C Date and Time in: 7/1/77
Date: 7/1/77 Work: 1

Date: 4/20/20 Work Class: W Date and Time Finished: _____

Mileage in: 20,384.2

Mileage out: 20389L

Complaints/Defects;

CHIT

Notes/Measurements:

[illegible]

Total Hours Worked:

Total Hours Worked:

ready for service, I have used parts that are from MY Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and


Employee #: DST502 Technician:

TEVGEN FULTZNER

Signature

ASE Signature:

PM DEFECT SHEET



DATE: 4/24/20		BUS #: 5202		MECHANIC'S SIGNATURE
DATE: 4/24/20		PM TYPE OR WORK ORDER #:		
DATE COMPLETED	COMPLETED BY	DESCRIPTION OF REPAIR NEEDED		

Rear Brakes replaced and
two tires

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: **A B C D**

Mileage in: **203892** Mileage out: **203894**

Vehicle #: **5202**

Date: **4/24/20**

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D** Mileage in: **2,038** Mileage out: **2,038**



Date: **4/24/20** Vehicle #: **5202**

P	F	Item Inspected	Service Type
		30) Front brake condition and mounting	A,B,C,D
		31) Front brake lining condition & measurement	A,B,C,D
		Pads R/F: 8 L/F: 8 /32"	A,B,C,D
		32) Rear brake condition and mounting	A,B,C,D
		33) Rear brake lining condition & measurement	A,B,C,D
		Pads R/R: 3 L/R: 3 /32"	A,B,C,D
		Shoes R/R: 3 L/R: 3 /32"	A,B,C,D
		34) Tire and wheel condition and measurements	A,B,C,D
		R/F: 9 L/F: 9 /32"	B,C,D
		R/R: 9 L/R: 9 /32"	B,C,D
		R/RO: 9 L/RO: 9 /32"	B,C,D
		35) Lug nuts condition	B,C,D
		Air pressure adjustment FR. 65 RR. 45 -	B,C,D
		Wheel torque specs used: 140 ft. lbs.	B,C,D
		9) Lift inspection	C,D
		1) Lift operation (fully stowed to fully deployed)	D
		2) Lift control pendant condition and operation	D
		3) Lift restraint belt condition and operation	D
		4) Outer roll stop condition and operation	D
		5) Inner roll stop condition and operation	D
		6) Platform adjustments, condition and mounting	D
		7) Standee arm condition and operation	D
		8) Proper signage and decals	D
		9) Manual backup pump condition and operation	D
		10) Lift manual pump handle	D
		11) Hydraulic pump condition and operation	D
		12) Hydraulic lines and cylinders condition	D
		13) Hydraulic fluid level and condition	D
		14) Base plate and arms welds & pivot points	D
		15) Lift springs and pins condition and operation	D
		16) Lift safety switches and adjustments	D
		17) Hose and wire routing and connections	D
		18) Rollers and pivot point condition & operation	D
		19) Lift to vehicle mounting bolts and brackets	D
		20) Lift doors condition and operation	D
		21) Lift door lights condition and operation	D
		22) Lift interlock operation and condition	D
		(Lift door open, e-brake down not able to shift)	D
		(e-brake off lift door closed no lift power)	D
		23) W/C tie downs condition and operation	D
		24) Tie down container secure and clean	D
		25) Tie down floor mounting brackets secure	D
		26) W/C shoulder belt condition and operation	D
		27) Lift clean and no sharp edges	D
		28) Lift shields secure and in good shape	D
		29) Lift moves steady without drifting, jerking, or unusual speeds	D
		30) No unusual lift noises	D
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	D
		Check, torque or adjust lift base mounting bolts	D

Service Performed	Service Type
Change oil and filter	A,B,C,D
Lube chassis and suspension	A,B,C,D
Lube drive shafts and universal joints	A,B,C,D
Lube doors and hood, locks and hinges	A,B,C,D
Adjust service and parking brakes	A,B,C,D
Drain water from separator	A,B,C,D
Rotate tires (as necessary, caps on rear)	A,B,C,D
Change air filter	B,C,D
Change fuel filter	B,C,D
Clean or change PCV valve	B,C,D
Clean or change crank case filter	B,C,D
Install new wiper blades	B,C,D
Change transmission fluid and filter	C,D
Service front wheel bearings	C,D
Drain water from fuel tank	C,D
Replace accessory drive belts	D
Service and flush cooling system	D
Install new spark plugs & wires	D
Install new dist. cap & rotor	D
Change differential fluid	D
Check Exhaust and EGR system	D
Check and service fuel & evap. System	D
Evac and recharge A/C (add 1 oz. of oil)	D
Post service test drive (5 miles)	A,B,C,D

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: *[Signature]* Date: **4/24/20**

Supervisor Signature: _____ Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5802 Repair Reason: PMO Date and Time in: 9:30 Mileage in: 260565
Date: 11-17-21 Work Class: _____ Date and Time Finished: 13:20 Mileage out: 260570

Complaints/Defects:

Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours
		Engine oil	
		oil filter	
		Air filter	
		wiper blades	
		transmission oil	
		trans filter	
		rear brake pads	
		two front tires	
		one rear tire	
Total Hours Worked:			

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
	SS	VV170C	oil	1	
	SS	1F3681	oil filter	1	
	SS	AF-25590	Air filter	1	
	SS	W2-20020F	wipers	2	
	SS	XT10DLV	trans oil	100	
	SS	FT-180	trans filter	1	
	SS	BRF-1330	Brake Pads	1	
	SS	0027100	tires	3	
Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 668335 Technician: John Chavez

Signature

ASE Employee #: 604182 ASE Technician:

ASE Signature:

Needs front brakes


DESCRIPTION OF REPAIR NEEDED
COMPLETED BY
DATE

MECHANIC'S SIGNATURE

PM TYPE OR WORK ORDER #:

BUS #: 5202
DATE: 11-17-21

PM DEFECT SHEET





Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C **(D)**Date: 11-17-21 Vehicle #: 5202Mileage in: 260565 Mileage out: 260570

P	F	Item Inspected	P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)			2) Rear blower condition and operation
		1) Driver carpet			3) Defroster operation
		2) Driver seat condition and operation			4) Temp gets to 20 deg. F below ambient temp.
		3) Drivers door operation and condition			5) Evaporator intake air filter condition
		4) Drivers seat belt operation and condition			6) Front heater condition and operation
		5) Engine starting and ignition system			7) Rear heater condition and operation
		6) Instrument panel gauges & warning lights			8) A/C compressors and condenser fans
		7) Instrument panel lighting & condition			E) Under hood inspection
		8) Horn operation			1) Batteries & charging sys. (load alt B,C,D serv)
		9) Steering wheel tight, no excessive play			Batt 1 volts: <u>12</u> load volts: <u>12.6</u> load amps: <u>350</u>
		10) Windshield wipers			Batt 2 volts: <u>12</u> load volts: <u>12.6</u> load amps: <u>250</u>
		11) Windshield washer			Batt 3 volts: load volts: load amps:
		12) Sun visor condition and operation			(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		13) Parking brake operation & condition			Alt. 1 min volt: <u>14</u> max volt: <u>14</u> max amp: <u>350</u>
		14) Parking and service brake pedal pads			Alt. 2 min volt: max volt: max amp:
		15) Passenger door operation			(reference factory service manual for alternator spec)
		16) No vibrations, pulsations or noises			2) Wire and hose routing and connections
		B) Walk around inspection			3) Cooling system, hoses, water pump condition
		1) Body damage (list on separate sheet)			5) Accessory drive belts condition
		2) Headlights, high & low beam operation			6) Pulleys and tensioned operation & condition
		3) Parking lights operation & condition			7) Brake master cylinder and power booster
		4) Marker lights operation & condition			8) Fan and fan clutch operation and condition
		5) Directional signals operation & condition			9) Engine oil fluid level and condition
		6) Hazard lights operation & condition			10) Transmission oil level and condition
		7) Clearance lights operation and condition			11) Power steering fluid level and condition
		8) Brake lights operation & condition			12) Brake fluid level and condition
		9) License plate lamp operation & condition			F) Vehicle rack inspection
		10) License plates and tags			1) Steering gear box mount, condition & leaks
		11) Backup lights and alarms			2) Steering shaft U joints
		12) Reflectors and reflective bumper tape			3) Steering shaft bearings
		13) Exterior decals and signage			4) Steering linkages
		14) Bumpers secure / in good condition			5) I beam or control arm movements and rivets
		15) Exterior mirrors secure / in good condition			6) Radius arm condition and bushings condition
		16) Exterior clean			7) Stabilizer bar condition and bushings condition
		C) Interior inspection			8) Ball joints or kingpins
		1) Passenger door and steps condition			9) Front spring condition and mounting
		2) Handrails and stanchions condition			10) Front shock absorber operation & condition
		3) Interior and modesty panels condition			11) Trans oil cooler & lines routing and leaks
		4) Flooring condition			12) Engine oil cooler & lines routing and leaks
		5) Interior lighting operation and condition			13) Heater and A/C hose routing and leaks
		6) Windows operation and condition			14) No engine oil leaks and fluid condition
		7) Emergency Exits operation & condition			15) Engine mounts, brackets and bolts
		8) Accessory operation & condition (radio, GPS)			16) Transmission mounts, brackets and bolts
		9) Passenger seats operation & condition			17) No transmission oil leaks and fluid condition
		10) Passenger seat belts operation & condition			18) Drive shaft condition
		11) First aid & body fluid kits complete			19) Universal joints and carrier bearings condition
		12) Triangle reflectors complete/good condition			20) No rear differential leaks
		13) Stop request operation & condition			21) Rear differential condition and mounting
		14) Valid registration, insurance & accident pack			22) Frame and cross members
		15) Fire extinguisher in good condition & signed			23) Rear shock absorbers
		16) Interior decals and signage (incl. electrical)			24) Rear springs condition and mounting
		17) DVI's reviewed, addressed and signed off			25) No fuel leaks
		18) Interior clean			26) Fuel tank condition and mounting
		D) HVAC system inspection			27) No exhaust leaks
		1) Front blower condition and operation			28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C **D**

Mileage in: **200570** Mileage out: **200570**



Date: **11-17-21** Vehicle #: **5202**

Item Inspected	Technician Signature	Supervisor Signature	Date
30) Front brake condition and mounting			
31) Front brake lining condition & measurement			
Pads R/F: 4/32" L/F: 3/32"			
32) Rear brake condition and mounting			
33) Rear brake lining condition & measurement			
Pads R/R: 10/32" L/R: 10/32"			
Shoes R/R: 10/32" L/R: 10/32"			
34) Tire and wheel condition and measurements			
R/F: 12/32" L/F: 12/32"			
R/R: 10/32" L/R: 8/32"			
R/RO: 6/32" L/RO: new/32"			
35) Lug nuts condition			
Air pressure adjustment FR. 65 RR. 65			
Wheel torque specs used: 140 ft. lbs.			
30) Lift inspection			
1) Lift operation (fully stowed to fully deployed)			
2) Lift control pendant condition and operation			
3) Lift restraint belt condition and operation			
4) Outer roll stop condition and operation			
5) Inner roll stop condition and operation			
6) Platform adjustments, condition and mounting			
7) Stander arm condition and operation			
8) Proper signage and decals			
9) Manual backup pump condition and operation			
10) Lift manual pump handle			
11) Hydraulic pump condition and operation			
12) Hydraulic lines and cylinders condition			
13) Hydraulic fluid level and condition			
14) Base plate and arms welds & pivot points			
15) Lift springs and pins condition and operation			
16) Lift safety switches and adjustments			
17) Hose and wire routing and connections			
18) Rollers and pivot point condition & operation			
19) Lift to vehicle mounting bolts and brackets			
20) Lift doors condition and operation			
21) Lift door lights condition and operation			
22) Lift interlock operation and condition			
(Lift door open, e-brake down not able to shift)			
(e-brake off lift door closed no lift power)			
23) W/C tie downs condition and operation			
24) Tie down container secure and clean			
25) Tie down floor mounting brackets secure			
26) W/C shoulder belt condition and operation			
27) Lift clean and no sharp edges			
28) Lift shields secure and in good shape			
29) Lift moves steady without drifting, jerking, or unusual speeds			
30) No unusual lift noises			
Lube all lift pivot points, rollers, linkages and bearings cleaning off all excess lube			
Check, torque or adjust lift base mounting bolts			

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Type	Service Performed	Technician Initials
A,B,C,D	Change oil and filter	SC
A,B,C,D	Lube chassis and suspension	SC
A,B,C,D	Lube drive shafts and universal joints	SC
A,B,C,D	Lube doors and hood, locks and hinges	SC
A,B,C,D	Adjust service and parking brakes	SC
A,B,C,D	Drain water from separator	SC
A,B,C,D	Rotate tires (as necessary, caps on rear)	SC
B,C,D	Change air filter	SC
B,C,D	Change fuel filter	SC
B,C,D	Clean or change PCV valve	SC
B,C,D	Clean or change crank case filter	SC
B,C,D	Install new wiper blades	SC
C,D	Change transmission fluid and filter	SC
C,D	Service front wheel bearings	SC
C,D	Drain water from fuel tank	SC
D	Replace accessory drive belts	SC
D	Service and flush cooling system	SC
D	Install new spark plugs & wires	SC
D	Install new dist cap & rotor	SC
D	Change differential fluid	SC
D	Check Exhaust and EGR system	SC
D	Check and service fuel & evap. System	SC
D	Evac and recharge A/C (add 1 oz. of oil)	SC
A,B,C,D	Post service test drive (5 miles)	SC

Notes: _____
 Supervisor Signature _____ Date _____
 Technician Signature _____ Date **11-17-21**

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



#1012 Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5202 Repair Reason: D Date and Time in: 1 Mileage in: 174966
Date: 04-22-19 Work Class: E Date and Time Finished: _____ Mileage out: 174966

Complaints/Defects:

Notes/Measurements:

P M I

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
D	55	P M I D		D	55	VV1700	oil engine	7.5	
				D	55	LF3681	oil filter	1	
				D	55	AF 25590	Air Filter	1	
				D	55	FT-180	Trans Filter	1	
				D	55	XT10DLV	Trans oil	10	
				D	55	WW2001PF	Wiper blades	2	
				D	55	80W90	DIFF oil	4	
				D	55	SP521	Spark plugs	10	
						Q008	Headlight	1	
04	55	brake inspection							
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 846181 Technician: Leon Thermidor Signature: Leon Thermidor

ASE Employee #: 604181 ASE Technician: Leon Thermidor ASE Signature: Leon Thermidor

MECHANIC'S SIGNATURE

BUS #: 5202

DATE:

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

COMPLETED

DATE _____

(1) check vehicle the damage to the left side.



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C **D**

Date: 04-22-19 Vehicle #: 5202

Mileage in: 174965

Mileage out: 174966

P	F	Item Inspected	P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)			2) Rear blower condition and operation
		1) Driver carpet			3) Defroster operation
		2) Driver seat condition and operation			4) Temp gets to 20 deg. F below ambient temp.
		3) Drivers door operation and condition			5) Evaporator intake air filter condition
		4) Drivers seat belt operation and condition			6) Front heater condition and operation
		5) Engine starting and ignition system			7) Rear heater condition and operation
		6) Instrument panel gauges & warning lights			8) A/C compressors and condenser fans
		7) Instrument panel lighting & condition			E) Under hood inspection
		8) Horn operation			1) Batteries & charging sys. (load alt B,C,D serv)
		9) Steering wheel tight, no excessive play			Batt 1 volts: load volts: load amps:
		10) Windshield wipers			Batt 2 volts: load volts: load amps:
		11) Windshield washer			Batt 3 volts: load volts: load amps:
		12) Sun visor condition and operation			(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		13) Parking brake operation & condition			Alt. 1 min volt: max volt: max amp:
		14) Parking and service brake pedal pads			Alt. 2 min volt: max volt: max amp:
		15) Passenger door operation			(reference factory service manual for alternator spec)
		16) No vibrations, pulsations or noises			2) Wire and hose routing and connections
		B) Walk around inspection			3) Cooling system, hoses, water pump condition
		1) Body damage (list on separate sheet)			5) Accessory drive belts condition
		2) Headlights, high & low beam operation			6) Pulleys and tensioned operation & condition
		3) Parking lights operation & condition			7) Brake master cylinder and power booster
		4) Marker lights operation & condition			8) Fan and fan clutch operation and condition
		5) Directional signals operation & condition			9) Engine oil fluid level and condition
		6) Hazard lights operation & condition			10) Transmission oil level and condition
		7) Clearance lights operation and condition			11) Power steering fluid level and condition
		8) Brake lights operation & condition			12) Brake fluid level and condition
		9) License plate lamp operation & condition			F) Vehicle rack inspection
		10) License plates and tags			1) Steering gear box mount, condition & leaks
		11) Backup lights and alarms			2) Steering shaft U joints
		12) Reflectors and reflective bumper tape			3) Steering shaft bearings
		13) Exterior decals and signage			4) Steering linkages
		14) Bumpers secure / in good condition			5) I beam or control arm movements and rivets
		15) Exterior mirrors secure / in good condition			6) Radius arm condition and bushings condition
		16) Exterior clean			7) Stabilizer bar condition and bushings condition
		C) Interior inspection			8) Ball joints or kingpins
		1) Passenger door and steps condition			9) Front spring condition and mounting
		2) Handrails and stanchions condition			10) Front shock absorber operation & condition
		3) Interior and modesty panels condition			11) Trans oil cooler & lines routing and leaks
		4) Flooring condition			12) Engine oil cooler & lines routing and leaks
		5) Interior lighting operation and condition			13) Heater and A/C hose routing and leaks
		6) Windows operation and condition			14) No engine oil leaks and fluid condition
		7) Emergency Exits operation & condition			15) Engine mounts, brackets and bolts
		8) Accessory operation & condition (radio, GPS)			16) Transmission mounts, brackets and bolts
		9) Passenger seats operation & condition			17) No transmission oil leaks and fluid condition
		10) Passenger seat belts operation & condition			18) Drive shaft condition
		11) First aid & body fluid kits complete			19) Universal joints and carrier bearings condition
		12) Triangle reflectors complete/good condition			20) No rear differential leaks
		13) Stop request operation & condition			21) Rear differential condition and mounting
		14) Valid registration, insurance & accident pack			22) Frame and cross members
		15) Fire extinguisher in good condition & signed			23) Rear shock absorbers
		16) Interior decals and signage (incl. electrical)			24) Rear springs condition and mounting
		17) DVI's reviewed, addressed and signed off			25) No fuel leaks
		18) Interior clean			26) Fuel tank condition and mounting
		D) HVAC system inspection			27) No exhaust leaks
		1) Front blower condition and operation			28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C **D**

Mileage in: **174965** Mileage out: **174966**



Date: **04-22-19** Vehicle #: **5202**

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 10 /32" L/F: 10 /32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 10 /32" L/R: 10 /32"		
34) Tire and wheel condition and measurements		
Shoes R/R: /32" L/R: /32"		
35) Lug nuts condition		
R/R: 8 /32" L/R: 8 /32"		
R/R: 8 /32" L/R: 8 /32"		
R/F: 9 /32" L/F: 9 /32"		
Air pressure adjustment F.R. 70 R.R. 70 ft. lbs.		
Wheel torque specs used:		
(g) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Service Performed	Service Type	Technician Initials
Change oil and filter	A,B,C,D	
Lube chassis and suspension	A,B,C,D	
Lube drive shafts and universal joints	A,B,C,D	
Lube doors and hood, locks and hinges	A,B,C,D	
Adjust service and parking brakes	A,B,C,D	
Drain water from separator	A,B,C,D	
Rotate tires (as necessary, caps on rear)	A,B,C,D	
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature


Supervisor's Signature

Date

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Vehicle #: 5202 Repair Reason: D Date and Time in: 2/13/21 20:01 Mileage in: 232428
Date: 2/13/21 Work Class: 1 Date and Time Finished: 2/14/21 - 13^{PM} 10^{PM} Mileage out: 232430

ADAM

Notes/Measurements:

[illegible]

Parts Information					
Task	WAC	Part Number	Description	Qty	Cost
D	55	VV1700	ENGINE OIL	1	
D	55	LF 3681	OIL FILTER	1	
D	55	AF 25590	AIR FILTER	1	
B	55	WW 2001 PF	WIPE BLADE	2	
D	55	FT 180	TRANS PICTER	1	
D	55	XTIODLY	TRANS FLUID	10	
D	55	VV 822	DIFF FLUID	4	
D	55	QO2760	TIRE	1	
D	55	BRSD 1330 B	REAR BRAKE PAD	1	
D	55	38001	PULLEY	1	
D	55		PULLY	1	
					Total Parts Cost:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation Inc. policies.

Employee #:

Technician:

Signature

ASE Employee #: 604/82ASE Technician:

ASE Signature:

MECHANIC'S SIGNATURE <i>[Signature]</i>		DESCRIPTION OF REPAIR NEEDED	
BUS # 5202	DATE: 8/23/21	PM TYPE OR WORK ORDER #: D	DATE
		COMPLETED BY	COMPLETED

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C **D**

Mileage in: **232428** Mileage out: **282430**



Date: **2/13/21** Vehicle #: **5202**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 232428 Mileage out: 230430



P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
R		Pads R/F: 9/32" L/F: 9/32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R	X	Pads R/R: 3/32" L/R: 3/32"
R		Shoes R/R: 3/8" L/R: 3/8"
R		34) Tire and wheel condition and measurements
R		R/F: 8/32" L/F: 8/32"
R		R/R: 5/32" L/R: 5/32"
R		R/R: 3/32" L/R: 3/32"
R		35) Lug nuts condition
R		Air pressure adjustment F.R. 65 R.R. 75
R		Wheel torque specs used: 140 ft. lbs.
R		G) Lift inspection
R		1) Lift operation (fully stowed to fully deployed)
R		2) Lift control pendant condition and operation
R		3) Lift restraint belt condition and operation
R		4) Outer roll stop condition and operation
R		5) Inner roll stop condition and operation
R		6) Platform adjustments, condition and mounting
R		7) Standee arm condition and operation
R		8) Proper signage and decals
R		9) Manual backup pump condition and operation
R		10) Lift manual pump handle
R		11) Hydraulic pump condition and operation
R		12) Hydraulic lines and cylinders condition
R		13) Hydraulic fluid level and condition
R		14) Base plate and arms welds & pivot points
R		15) Lift springs and pins condition and operation
R		16) Lift safety switches and adjustments
R		17) Hose and wire routing and connections
R		18) Rollers and pivot point condition & operation
R		19) Lift to vehicle mounting bolts and brackets
R		20) Lift doors condition and operation
R		21) Lift door lights condition and operation
R		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
R		23) W/C the downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking, or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
R		Check, torque or adjust lift base mounting bolts

Service Type	Service Performed	Tech's Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	R
A,B,C,D	Lube drive shafts and universal joints	MA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	R
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires (as necessary, caps on rear)	R
B,C,D	Change fuel filter	R
B,C,D	Clean or change PCV valve	MA
B,C,D	Clean or change crank case filter	MA
B,C,D	Install new wiper blades	MA
C,D	Change transmission fluid and filter	R
C,D	Service front wheel bearings	R
C,D	Drain water from fuel tank	MA
D	Replace accessory drive belts	R
D	Service and flush cooling system	R
D	Install new spark plugs & wires	R
D	Install new dist. cap & rotor	R
D	Change differential fluid	R
D	Check Exhaust and EGR system	MA
D	Check and service fuel & evap. system	R
D	Evac and recharge A/C (add 1 oz. of oil)	R
A,B,C,D	Post service test drive (5 miles)	R

Supervisor Signature _____ Date _____

Technician's Signature _____ Date 2/13/21

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Vehicle Processing Checklist

Form FAMO 2-010

Date Conducted: ____/____/____
 Conducted By: ____
 Phone Number: (____) _____

Inspection Date/Time: ____
 Location: ____

Vehicle Year/Make/Model ►

General Information

VIN: ____
 Asset No: ____
 Odometer: ____
 Engine: ____ 4 cyl ____ 6 cyl ____ 8 cyl ____ Other
 Engine Displacement: ____ Liter ____ CID ____ HP
 Fuel Type: ____ Diesel ____ CNG ____ Other

General Condition (circle one in each category)

Exterior	Bad	2	3	4	Excllnt
Interior	Bad	2	3	4	Excllnt
Tires	Bad	2	3	4	Excllnt
Glass	Bad	2	3	4	Excllnt
Mechanical	DNR		Runs		Other

(describe "Other")

Options & Equipment (Veach box that applies)

☐	A/C
☐	P/S
☐	P/B
☐	P/W
☐	A/T
☐	Manual Transmission (____ forward speeds)
☐	AM/FM Radio
☐	CD Player
☐	Cruise Control
☐	Airbags (circle one) 1 2 3 4
☐	Performance Package: _____

☐	ABS
☐	4x4
☐	Power Door Locks
☐	Power Seats
☐	Sunroof
☐	Tilt Steering
☐	Tinted Windows
☐	_____
☐	_____
☐	_____
☐	Air Brakes
☐	Boom/Bucket
☐	Crane
☐	Dump Bed _____
☐	Tank Bed _____
☐	Lightbar/beacon
☐	Power Liftgate
☐	Tool Box
☐	Trailer Hitch
☐	Utility Bed
☐	Winch

Key

4X4	4-Wheel Drive	CID	Cubic Inch Displacement	P/B	Power Brakes
ABS	Antilock Braking System	CNG	Compressed Natural Gas	P/S	Power Steering
A/C	Air Conditioner	DNR	Does Not Run	P/W	Power Windows
A/T	Automatic Transmission	HP	Horsepower	VIN	Vehicle Identification Number

In order to show your vehicles and equipment at their best, use the following chart and descriptions as a guide for preferred camera angles, lighting conditions, and background.

- 1) Take the photos with a high-resolution digital camera (a minimum of 3 mega pixels is recommended).
- 2) Take the photo in an area that is well lit, but not in a glare, and position yourself so that the sun or artificial light source does not cast your shadow into the picture.
- 3) Make sure the vehicle is washed and all logo decals have been removed with automotive adhesive remover (3M or similar). If primer must be used, select a primer color that closely matches the vehicle. If possible, pressure wash off-road equipment to remove grease and caked mud caught in treads, tracks and body panels. Make sure that truck beds are free of accumulated trash.
- 4) Select an area with a neutral background; avoid clutter showing up behind the vehicle. Shrubbery generally makes a good backdrop.
- 5) The preferred camera locations for common vehicles are the right or left front corners of the vehicle, at approximately a 40 degree angle from straight-on, standing 8-10 feet back from the vehicle, and holding the camera at just above rooftop level (except for very tall equipment). By pointing the camera about one-third of the distance down the right or left side of the vehicle, the entire vehicle should be in the photo frame. Under these conditions, the vehicle will be well displayed and you will avoid "fish-eye" distortions of shooting directly at the leading edge (the front edge of the front fender).

L. Front

R. Front

