

Asset Work Order History



Asset: **5305-P-94** - 2015 - FORD E450 Cutaway
From 6-27-2019 to 6-27-2024

0094-2019-630

Date Finished/Closed: 03/12/2019 16:28 / 07/22/2019 09:27 Meter 1 Reading: 183,986 Meter 1 Life: 183,986

Task:	WAC	Labor	Parts	CML
2100 - AIR CONDITIONING SYSTEM	41	\$137.80	\$0.00	\$0.00

0094-2019-878

Date Finished/Closed: 04/07/2019 15:04 / 07/22/2019 16:09 Meter 1 Reading: 187,764 Meter 1 Life: 187,764

Task:	WAC	Labor	Parts	CML
0206 - TOE ADJUSTMENT	41	\$53.30	\$0.00	\$0.00

0094-2019-1402

Date Finished/Closed: 06/13/2019 13:35 / 07/22/2019 16:10 Meter 1 Reading: 196,453 Meter 1 Life: 196,453

Task:	WAC	Labor	Parts	CML
2103 - CONDENSOR FAN MOTOR	55	\$11.70	\$30.91	\$0.00

0094-2019-1690

Date Finished/Closed: 07/18/2019 23:00 / 07/22/2019 16:11 Meter 1 Reading: 201,014 Meter 1 Life: 201,014

Task:	WAC	Labor	Parts	CML
A - PM SERVICE A	55	\$97.50	\$57.59	\$0.00

0094-2019-1727

Date Finished/Closed: 07/23/2019 23:31 / 01/08/2020 11:31 Meter 1 Reading: 201,645 Meter 1 Life: 201,645

Task:	WAC	Labor	Parts	CML
2400 - TIRES	55	\$170.95	\$593.10	\$0.00

0094-2019-1743

Date Finished/Closed: 07/24/2019 16:43 / 01/08/2020 11:31 Meter 1 Reading: 201,645 Meter 1 Life: 201,645

Task:	WAC	Labor	Parts	CML
0714 - BATTERY	55	\$9.75	\$179.54	\$0.00
0719 - ALTERNATOR	55	\$1.95	\$205.22	\$0.00

Asset Work Order History

0094-2019-1983

Date Finished/Closed: 08/22/2019 00:05 / 08/23/2019 10:30

Meter 1 Reading: 205,606

Meter 1 Life: 205,606

Task:	WAC	Labor	Parts	CML
A - PM SERVICE A	55	\$113.75	\$49.33	\$0.00

0094-2019-2142

Date Finished/Closed: 09/13/2019 10:57 / 09/13/2019 11:27

Meter 1 Reading: 208,603

Meter 1 Life: 208,603

Task:	WAC	Labor	Parts	CML
0700 - ELECTRICAL	55	\$97.50	\$0.00	\$0.00
0719 - ALTERNATOR	55	\$0.00	\$205.22	\$0.00

0094-2019-2214

Date Finished/Closed: 09/25/2019 00:00 / 09/25/2019 08:37

Meter 1 Reading: 210,223

Meter 1 Life: 210,223

Task:	WAC	Labor	Parts	CML
D - PM SERVICE D	55	\$292.50	\$173.06	\$0.00

0094-2019-2270

Date Finished/Closed: 10/02/2019 21:09 / 01/08/2020 11:32

Meter 1 Reading: 211,371

Meter 1 Life: 211,371

Task:	WAC	Labor	Parts	CML
0413 - POWER BOOSTER UNIT	55	\$148.20	\$158.36	\$0.00

0094-2019-2345

Date Finished/Closed: 12/30/2019 17:27 / 01/08/2020 11:32

Meter 1 Reading: 212,932

Meter 1 Life: 212,932

Task:	WAC	Labor	Parts	CML
0728 - HEADLIGHTS	55	\$40.95	\$22.56	\$0.00
RIGHT SIDE HEAD LAMP				
2100 - AIR CONDITIONING SYSTEM	55	\$282.75	\$15.75	\$0.00
FRONT A/C BLOWING HOT				
1202 - FUEL PUMP	45	\$91.00	\$0.00	\$0.00
FUEL PUMP NOT WORKING				
07 - ELECTRICAL	55	\$0.00	\$16.18	\$0.00
HEAD LAMP NOT WORKING				

0094-2019-2468

Date Finished/Closed: 10/30/2019 19:54 / 10/31/2019 09:13

Meter 1 Reading: 214,747

Meter 1 Life: 214,747

Task:	WAC	Labor	Parts	CML
A - PM SERVICE A	58	\$113.75	\$32.91	\$0.00

Asset Work Order History

0094-2019-2703

Date Finished/Closed: 12/05/2019 22:45 / 12/06/2019 09:59

Meter 1 Reading: 219,390

Meter 1 Life: 219,390

Task:	WAC	Labor	Parts	CML
A - PM SERVICE A	55	\$113.75	\$60.12	\$0.00
2401 - TIRES FRONT	55	\$0.00	\$197.70	\$0.00

0094-2019-2708

Date Finished/Closed: 12/06/2019 12:55 / 12/31/2019 07:42

Meter 1 Reading: 219,390

Meter 1 Life: 219,390

Task:	WAC	Labor	Parts	CML
0431 - BRAKE CALIPER LEFT FRONT	55	\$42.25	\$77.57	\$0.00

0094-2020-70

Date Finished/Closed: 01/14/2020 21:00 / 01/15/2020 16:33

Meter 1 Reading: 224,055

Meter 1 Life: 224,055

Task:	WAC	Labor	Parts	CML
B - PM SERVICE B	55	\$130.00	\$41.69	\$0.00

0094-2020-294

Date Finished/Closed: 02/26/2020 12:09 / 02/26/2020 15:27

Meter 1 Reading: 228,751

Meter 1 Life: 228,751

Task:	WAC	Labor	Parts	CML
13 - TRANSMISSION	55	\$9,362.60	\$128.65	\$0.00

0094-2020-412

Date Finished/Closed: 02/25/2020 23:45 / 02/26/2020 09:06

Meter 1 Reading: 228,751

Meter 1 Life: 228,751

Task:	WAC	Labor	Parts	CML
A - PM SERVICE A	55	\$113.75	\$21.16	\$0.00

0094-2020-740

Date Finished/Closed: 04/10/2020 23:25 / 04/13/2020 10:54

Meter 1 Reading: 233,149

Meter 1 Life: 233,149

Task:	WAC	Labor	Parts	CML
A - PM SERVICE A	55	\$113.75	\$64.07	\$0.00
2401 - TIRES FRONT	55	\$32.50	\$197.71	\$0.00
2402 - TIRES REAR	55	\$65.00	\$395.41	\$0.00

0094-2020-914

Date Finished/Closed: 05/07/2020 22:59 / 05/19/2020 12:46

Meter 1 Reading: 234,995

Meter 1 Life: 234,995

Task:	WAC	Labor	Parts	CML
0602 - FAN DRIVE AND VALVE	55	\$203.45	\$57.72	\$0.00

Asset Work Order History

0094-2020-1070

Date Finished/Closed: 06/10/2020 21:03 / 06/11/2020 09:03

Meter 1 Reading: 237,772

Meter 1 Life: 237,772

Task:	WAC	Labor	Parts	CML
C - PM SERVICE C	55	\$195.00	\$123.05	\$0.00

0094-2020-1091

Date Finished/Closed: 06/01/2020 16:27 / 06/12/2020 16:23

Meter 1 Reading: 236,800

Meter 1 Life: 236,800

Task:	WAC	Labor	Parts	CML
1700 - GLAZING	55	\$5.20	\$31.75	\$0.00

0094-2020-1092

Date Finished/Closed: 06/03/2020 09:55 / 06/12/2020 16:25

Meter 1 Reading: 236,950

Meter 1 Life: 236,950

Task:	WAC	Labor	Parts	CML
2415 - WHEELS	55	\$32.50	\$52.00	\$0.00

0094-2020-1187

Date Finished/Closed: 05/27/2020 11:30 / 05/28/2020 08:45

Meter 1 Reading: 236,480

Meter 1 Life: 236,480

Task:	WAC	Labor	Parts	CML
06 - COOLING SYSTEM	55	\$113.75	\$415.39	\$0.00
07 - ELECTRICAL	55	\$16.25	\$173.04	\$0.00

0094-2020-1491

Date Finished/Closed: 08/13/2020 16:24 / 10/23/2020 15:43

Meter 1 Reading: 241,513

Meter 1 Life: 241,513

Task:	WAC	Labor	Parts	CML
1228 - CNG TANKS	41	\$0.00	\$0.00	\$0.00

0094-2020-1596

Date Finished/Closed: 08/04/2020 18:30 / 08/06/2020 11:24

Meter 1 Reading: 242,365

Meter 1 Life: 242,365

Task:	WAC	Labor	Parts	CML
A - PM SERVICE A	55	\$97.50	\$31.94	\$0.00

0094-2020-1659

Date Finished/Closed: 08/13/2020 16:19 / 10/23/2020 16:08

Meter 1 Reading: 242,966

Meter 1 Life: 242,966

Task:	WAC	Labor	Parts	CML
08 - ENGINE	55	\$286.00	\$0.00	\$0.00

Asset Work Order History

0094-2020-1709

Date Finished/Closed: 08/18/2020 10:51 / 10/03/2020 13:25

Meter 1 Reading: 243,280

Meter 1 Life: 243,280

Task:	WAC	Labor	Parts	CML
1202 - FUEL PUMP	55	\$144.30	\$414.31	\$0.00

0094-2020-1833

Date Finished/Closed: 08/31/2020 16:12 / 10/03/2020 13:26

Meter 1 Reading: 244,213

Meter 1 Life: 244,213

Task:	WAC	Labor	Parts	CML
2100 - AIR CONDITIONING SYSTEM REAR AC HIGH PRESSURE HOSE LEAKING	55	\$178.75	\$16.47	\$0.00

0094-2020-2136

Date Finished/Closed: 10/02/2020 21:27 / 10/03/2020 13:37

Meter 1 Reading: 247,057

Meter 1 Life: 247,057

Task:	WAC	Labor	Parts	CML
A - PM SERVICE A	55	\$113.75	\$279.91	\$0.00

0094-2020-2459

Date Finished/Closed: 11/20/2020 20:42 / 11/23/2020 12:37

Meter 1 Reading: 251,157

Meter 1 Life: 251,157

Comments: REPLACE NUMBER (CYL.) 1 IGNITION COIL (COIL OVER PLUG) PART NUMBER ..DG-508 1X.
REPLACE BATTERY
REPLACE SWIVEL HANGER QTY. 2 PART # 17175

Task:	WAC	Labor	Parts	CML
0714 - BATTERY	55	\$49.40	\$173.04	\$0.00
0700 - ELECTRICAL	55	\$68.25	\$35.86	\$0.00
1004 - EXHAUST HANGER	55	\$34.45	\$12.20	\$0.00

0094-2020-2494

Date Finished/Closed: 11/24/2020 20:30 / 11/25/2020 12:59

Meter 1 Reading: 251,719

Meter 1 Life: 251,719

Task:	WAC	Labor	Parts	CML
B - PM SERVICE B	55	\$130.00	\$64.73	\$0.00

0094-2020-2687

Date Finished/Closed: 01/15/2021 10:10 / 01/15/2021 10:10

Meter 1 Reading: 253,393

Meter 1 Life: 253,393

Task:	WAC	Labor	Parts	CML
1500 - BODY EXTERIOR	41	\$0.00	\$915.00	\$0.00

Asset Work Order History

0094-2021-10

Date Finished/Closed: 01/05/2021 08:51 / 01/08/2021 11:30

Meter 1 Reading: 253,883

Meter 1 Life: 253,883

Task:	WAC	Labor	Parts	CML
0719 - ALTERNATOR	55	\$233.35	\$322.55	\$0.00

0094-2021-190

Date Finished/Closed: 01/28/2021 21:46 / 01/29/2021 10:37

Meter 1 Reading: 256,388

Meter 1 Life: 256,388

Task:	WAC	Labor	Parts	CML
A - PM SERVICE A	55	\$97.50	\$17.56	\$0.00

0094-2021-195

Date Finished/Closed: 01/30/2021 00:04 / 02/01/2021 13:34

Meter 1 Reading: 256,487

Meter 1 Life: 256,487

Task:	WAC	Labor	Parts	CML
0203 - POWER STEERING LINES	41	\$287.30	\$57.33	\$0.00

0094-2021-270

Date Finished/Closed: 02/16/2021 17:05 / 02/16/2021 17:06

Meter 1 Reading: 257,377

Meter 1 Life: 257,377

Comments: MADE BY ERROR

Task:	WAC	Labor	Parts	CML
06 - COOLING SYSTEM	90	\$2,822.95	\$0.00	\$0.00

0094-2021-283

Date Finished/Closed: 02/16/2021 15:51 / 02/16/2021 17:06

Meter 1 Reading: 257,377

Meter 1 Life: 257,377

Task:	WAC	Labor	Parts	CML
65 - SAFETY INSPECTIONS	55	\$117.00	\$200.03	\$0.00

0094-2021-306

Date Finished/Closed: 02/12/2021 09:06 / 02/12/2021 09:09

Meter 1 Reading: 256,984

Meter 1 Life: 256,984

Task:	WAC	Labor	Parts	CML
1003 - CATALYTIC CONVERTOR	55	\$141.70	\$722.41	\$0.00

0094-2021-632

Date Finished/Closed: 03/16/2021 21:45 / 03/19/2021 15:34

Meter 1 Reading: 261,381

Meter 1 Life: 261,381

Task:	WAC	Labor	Parts	CML
A - PM SERVICE A	55	\$97.50	\$25.72	\$0.00
2401 - TIRES FRONT	55	\$32.50	\$196.02	\$0.00

Asset Work Order History

0094-2021-872

Date Finished/Closed: 04/13/2021 10:07 / 04/13/2021 16:53

Meter 1 Reading: 264,785

Meter 1 Life: 264,785

Task:	WAC	Labor	Parts	CML
2100 - AIR CONDITIONING SYSTEM INSPECTED AC SYSTEMS FRONT AND REAR	58	\$4.55	\$0.00	\$0.00

0094-2021-985

Date Finished/Closed: 04/25/2021 17:05 / 04/27/2021 11:05

Meter 1 Reading: 266,376

Meter 1 Life: 266,376

Task:	WAC	Labor	Parts	CML
D - PM SERVICE D	55	\$260.00	\$277.55	\$0.00

0094-2021-1246

Date Finished/Closed: 06/04/2021 15:11 / 06/06/2021 13:42

Meter 1 Reading: 270,772

Meter 1 Life: 270,772

Task:	WAC	Labor	Parts	CML
A - PM SERVICE A	55	\$113.75	\$116.67	\$0.00

0094-2021-1256

Date Finished/Closed: 06/08/2021 09:35 / 06/08/2021 11:25

Meter 1 Reading: 270,772

Meter 1 Life: 270,772

Task:	WAC	Labor	Parts	CML
2104 - AIR CONDITIONING COMPRESSOR REAR AC COMPRESSOR NOT WORKING PROPERLY	55	\$63.70	\$249.53	\$0.00

0094-2021-1278

Date Finished/Closed: 06/22/2021 15:34 / 06/22/2021 16:50

Meter 1 Reading: 270,918

Meter 1 Life: 270,918

Task:	WAC	Labor	Parts	CML
0800 - ENGINE	55	\$19,923.80	\$41.41	\$0.00

0094-2021-1707

Date Finished/Closed: 08/06/2021 23:00 / 08/09/2021 13:08

Meter 1 Reading: 275,657

Meter 1 Life: 275,657

Task:	WAC	Labor	Parts	CML
A - PM SERVICE A	55	\$81.25	\$21.05	\$0.00
2402 - TIRES REAR	55	\$16.25	\$98.01	\$0.00

Asset Work Order History

0094-2021-1714

Date Finished/Closed: 08/09/2021 21:09 / 08/10/2021 08:40

Meter 1 Reading: 275,777

Meter 1 Life: 275,777

Comments:

LOWER RADIATOR HOSE LEAK.

Task:	WAC	Labor	Parts	CML
0616 - RADIATOR HOSES	55	\$266.50	\$76.44	\$0.00

0094-2021-1812

Date Finished/Closed: 08/16/2021 12:00 / 08/23/2021 16:11

Meter 1 Reading: 275,778

Meter 1 Life: 275,778

Task:	WAC	Labor	Parts	CML
0200 - STEERING SYSTEM	55	\$195.00	\$53.01	\$0.00

0094-2021-1895

Date Finished/Closed: 09/03/2021 16:19 / 09/03/2021 16:24

Meter 1 Reading: 277,819

Meter 1 Life: 277,819

Task:	WAC	Labor	Parts	CML
0700 - ELECTRICAL	55	\$146.25	\$200.20	\$0.00

0094-2021-1981

Date Finished/Closed: 09/17/2021 20:45 / 09/22/2021 09:51

Meter 1 Reading: 279,413

Meter 1 Life: 279,413

Task:	WAC	Labor	Parts	CML
0800 - ENGINE	55	\$264.55	\$135.64	\$0.00

0094-2021-2027

Date Finished/Closed: 09/28/2021 14:08 / 09/29/2021 15:57

Meter 1 Reading: 279,996

Meter 1 Life: 279,996

Task:	WAC	Labor	Parts	CML
0404 - FRONT BRAKE JOB	90	\$388.05	\$0.00	\$0.00
0407 - REAR BRAKE JOB	55	\$201.50	\$0.00	\$0.00

0094-2021-2048

Date Finished/Closed: 09/27/2021 16:00 / 09/28/2021 10:53

Meter 1 Reading: 280,340

Meter 1 Life: 280,340

Task:	WAC	Labor	Parts	CML
B - PM SERVICE B	55	\$260.00	\$435.59	\$0.00

0094-2021-2083

Date Finished/Closed: 10/03/2021 19:25 / 10/04/2021 11:55

Meter 1 Reading: 280,832

Meter 1 Life: 280,832

Task:	WAC	Labor	Parts	CML
0740 - ELECTRICAL WIRING	55	\$98.80	\$94.52	\$0.00
ALTERNATOR WIRING HARNESS BROKEN				

Asset Work Order History

0094-2021-2184

Date Finished/Closed: 10/14/2021 13:33 / 12/21/2021 14:42

Meter 1 Reading: 282,422

Meter 1 Life: 282,422

Comments: CHECK OUT FOUND FRONT A/C BLOWER MOTOR NOT WORKING REPLACE BLOWER MOTOR PLUS BLOWER WHEEL ALL OK AT THIS TIME

Task:	WAC	Labor	Parts	CML
06 - COOLING SYSTEM	55	\$6.50	\$62.30	\$0.00

0094-2021-2304

Date Finished/Closed: 11/01/2021 14:20 / 11/03/2021 12:56

Meter 1 Reading: 284,962

Meter 1 Life: 284,962

Task:	WAC	Labor	Parts	CML
A - PM SERVICE A	55	\$130.00	\$18.53	\$0.00
08 - ENGINE	55	\$0.00	\$12.45	\$0.00
24 - TIRES	55	\$0.00	\$196.02	\$0.00

0094-2021-2443 - NO START FUEL PUMP NEED REPLACING

Date Finished/Closed: 11/29/2021 15:36 / 12/21/2021 16:10

Meter 1 Reading: 284,962

Meter 1 Life: 284,962

Comments: NO START FUEL PUMP NEED REPLACING

Task:	WAC	Labor	Parts	CML
1206 - FUEL SENDER OR SENDING UNIT NO START	55	\$9,358.70	\$414.31	\$0.00

0094-2022-59

Date Finished/Closed: 01/11/2022 23:56 / 01/12/2022 16:15

Meter 1 Reading: 285,777

Meter 1 Life: 285,777

Task:	WAC	Labor	Parts	CML
0203 - POWER STEERING LINES	55	\$105.95	\$35.91	\$0.00

0094-2022-368

Date Finished/Closed: 02/17/2022 13:47 / 02/17/2022 13:47

Meter 1 Reading: 286,604

Meter 1 Life: 286,604

Task:	WAC	Labor	Parts	CML
15 - BODY AND FRAME	41	\$0.00	\$150.00	\$0.00

0094-2022-594

Date Finished/Closed: 03/14/2022 12:59 / 03/18/2022 13:50

Meter 1 Reading: 286,608

Meter 1 Life: 286,608

Task:	WAC	Labor	Parts	CML
0714 - BATTERY	55	\$11.05	\$187.20	\$0.00

0094-2022-1001

Date Finished/Closed: 04/27/2022 18:31 / 04/28/2022 16:00

Meter 1 Reading: 288,055

Meter 1 Life: 288,055

Task:	WAC	Labor	Parts	CML
A - PM SERVICE A	55	\$97.50	\$28.82	\$0.00

Asset Work Order History

0094-2022-1776

Date Finished/Closed: 07/27/2022 13:21 / 08/01/2022 17:09

Meter 1 Reading: 288,291

Meter 1 Life: 288,291

Task:	WAC	Labor	Parts	CML
0608 - WATER PUMP WATER PUMP LEAKING	55	\$1.70	\$83.70	\$0.00

0094-2022-1867

Date Finished/Closed: 08/08/2022 10:14 / 08/09/2022 13:03

Meter 1 Reading: 288,313

Meter 1 Life: 288,313

Task:	WAC	Labor	Parts	CML
0604 - HOSES & CLAMPS AND LINES	55	\$58.50	\$15.67	\$0.00

0094-2022-1877

Date Finished/Closed: 08/08/2022 18:09 / 08/09/2022 13:02

Meter 1 Reading: 288,313

Meter 1 Life: 288,313

Task:	WAC	Labor	Parts	CML
2402 - TIRES REAR	55	\$11.05	\$105.83	\$0.00

0094-2022-2000

Date Finished/Closed: 08/19/2022 12:24 / 08/19/2022 12:56

Meter 1 Reading: 288,814

Meter 1 Life: 288,814

Task:	WAC	Labor	Parts	CML
2109 - HOSES & PIPING REAR AC HIGH SIDE HOSE LEAKING FREON	55	\$131.95	\$0.00	\$0.00

0094-2022-2036

Date Finished/Closed: 08/24/2022 16:00 / 08/24/2022 16:54

Meter 1 Reading: 288,999

Meter 1 Life: 288,999

Task:	WAC	Labor	Parts	CML
0700 - ELECTRICAL	55	\$130.00	\$63.56	\$0.00

0094-2022-2575

Date Finished/Closed: 10/21/2022 19:43 / 10/23/2022 08:35

Meter 1 Reading: 292,350

Meter 1 Life: 292,350

Task:	WAC	Labor	Parts	CML
C - PM SERVICE C	55	\$162.50	\$118.30	\$0.00

0094-2022-2651

Date Finished/Closed: 11/02/2022 12:48 / 11/02/2022 12:48

Meter 1 Reading: 292,692

Meter 1 Life: 292,692

Task:	WAC	Labor	Parts	CML
1204 - FUEL TANK	40	\$97.50	\$0.00	\$0.00

Asset Work Order History

0094-2022-2652 - ENGINE MISFIRING

Date Finished/Closed: 11/02/2022 20:34 / 11/11/2022 14:30

Meter 1 Reading: 292,692

Meter 1 Life: 292,692

Comments: ENGINE MISFIRING. ENGINE SHUTTING DOWN. HARD TO START.

VEHICLE WAS SCANNED

Task:	WAC	Labor	Parts	CML
0800 - ENGINE	90	\$17.85	\$9.64	\$0.00
0714 - BATTERY	55	\$0.00	\$196.56	\$0.00

0094-2022-2895 - REAR AC NOT WORKING

Date Finished/Closed: 12/01/2022 13:26 / 12/02/2022 13:30

Meter 1 Reading: 293,877

Meter 1 Life: 293,877

Comments: REAR AC NOT WORKING

Task:	WAC	Labor	Parts	CML
2100 - AIR CONDITIONING SYSTEM	41	\$274.95	\$0.00	\$0.00
REAR A/C NOT WORKING				

0094-2023-1114

Date Finished/Closed: 04/22/2023 19:35 / 04/24/2023 09:57

Meter 1 Reading: 294,295

Meter 1 Life: 294,295

Task:	WAC	Labor	Parts	CML
A - PM SERVICE A	55	\$162.50	\$25.94	\$0.00

0094-2023-1380

Date Finished/Closed: 05/19/2023 15:16 / 05/21/2023 09:28

Meter 1 Reading: 295,997

Meter 1 Life: 295,997

Task:	WAC	Labor	Parts	CML
2104 - AIR CONDITIONING COMPRESSOR	55	\$117.00	\$245.55	\$0.00
FRONT AC COMPRESSOR INOP				

0094-2023-1441

Date Finished/Closed: 05/26/2023 16:02 / 05/26/2023 16:02

Meter 1 Reading: 296,505

Meter 1 Life: 296,505

Comments: CHECK OUT FOUND VEHICLE RAN DEAD DUE TO FAULTY ALTERNATOR TWO BATTERY WAS REPLACE TO MAKE IT BACK TO THE BASE FOR ALTERNATOR TO BE REPLACE

Task:	WAC	Labor	Parts	CML
0702 - CHARGING SYSTEM	55	\$7.80	\$233.70	\$0.00

0094-2023-1449 - ROAD CALL

Date Finished/Closed: 05/26/2023 09:17 / 05/26/2023 11:50

Meter 1 Reading: 296,453

Meter 1 Life: 296,453

Comments: ROAD CALL

Task:	WAC	Labor	Parts	CML
50 - ROAD CALL	59	\$4.55	\$0.00	\$0.00
NO START,				

Asset Work Order History

0094-2023-1874

Date Finished/Closed: 07/06/2023 00:12 / 07/06/2023 09:31

Meter 1 Reading: 299,121

Meter 1 Life: 299,121

Task:	WAC	Labor	Parts	CML
A - PM SERVICE A	55	\$78.00	\$24.34	\$0.00

0094-2023-1927

Date Finished/Closed: 07/06/2023 19:14 / 07/07/2023 09:57

Meter 1 Reading: 299,238

Meter 1 Life: 299,238

Comments: VEHICLE RAN OUT OF PROPANE

Task:	WAC	Labor	Parts	CML
50 - ROAD CALL	41	\$79.95	\$0.00	\$0.00

0094-2023-1994

Date Finished/Closed: 07/13/2023 00:58 / 07/13/2023 16:27

Meter 1 Reading: 299,834

Meter 1 Life: 299,834

Comments: REAR A/C ISSUE

Task:	WAC	Labor	Parts	CML
2104 - AIR CONDITIONING COMPRESSOR	55	\$151.45	\$272.72	\$0.00

0094-2023-2407

Date Finished/Closed: 08/16/2023 23:56 / 08/17/2023 08:23

Meter 1 Reading: 302,896

Meter 1 Life: 302,896

Task:	WAC	Labor	Parts	CML
0702 - CHARGING SYSTEM	55	\$157.30	\$252.70	\$0.00

0094-2023-2502

Date Finished/Closed: 08/25/2023 00:07 / 08/25/2023 16:27

Meter 1 Reading: 303,766

Meter 1 Life: 303,766

Task:	WAC	Labor	Parts	CML
B - PM SERVICE B	55	\$149.50	\$63.58	\$0.00

0094-2023-2653

Date Finished/Closed: 09/14/2023 09:34 / 09/14/2023 09:34

Meter 1 Reading: 305,214

Meter 1 Life: 305,214

Task:	WAC	Labor	Parts	CML
0616 - RADIATOR HOSES	40	\$0.00	\$0.00	\$0.00

0094-2023-2696 - BREAK DOWN

Date Finished/Closed: 09/14/2023 14:54 / 09/14/2023 16:23

Meter 1 Reading: 305,214

Meter 1 Life: 305,214

Comments: BREAK DOWN
ALTERNATOR/COMPRESSOR BRACKET BROKEN

Task:	WAC	Labor	Parts	CML
0719 - ALTERNATOR	55	\$120.25	\$735.50	\$0.00

Asset Work Order History

0094-2023-2786

Date Finished/Closed: 09/21/2023 12:01 / 09/21/2023 12:37

Meter 1 Reading: 305,374

Meter 1 Life: 305,374

Comments: CHECK OUT FOUND WINDSHIELD WIPER BLADES NOT WORKING DUE TO A MECHANICAL FAILURE IN THE WIPER ARM REMOVE AND REPLACE WINDSHIELD ARM AND PIVOT SHAFT ASSEMBLY

Task:	WAC	Labor	Parts	CML
1706 - WINDSHIELD WIPER CONTROL	55	\$13.00	\$65.01	\$0.00

0094-2023-2848

Date Finished/Closed: 09/26/2023 14:41 / 09/27/2023 09:57

Meter 1 Reading: 305,782

Meter 1 Life: 305,782

Comments: CHECKED OUT FOUND COULD NOT DUPLICATE THE PROBLEM AT THIS TIME PER DRIVER VEHICLE SHUT OFF WHILE DRIVING RAN OUT OF FUEL. FUEL TRUCK WAS DISPATCHED TO DRIVERS LOCATION VEHICLE WOULD NOT START. MAINTENANCE ARRIVE VEHICLE CRANK RIGHT UP DRIVER RETURN TO BASE TO SWITCH VEHICLES.

Task:	WAC	Labor	Parts	CML
12 - FUEL SYSTEM	93	\$261.95	\$0.00	\$0.00

0094-2023-3269

Date Finished/Closed: 11/15/2023 13:59 / 11/15/2023 13:59

Meter 1 Reading: 306,083

Meter 1 Life: 306,083

Comments: NOISE AT DRIVE PULLEYS

CHECK PULLEYS TO IDENTIFY NOISE

Task:	WAC	Labor	Parts	CML
0823 - INTAKE MANIFOLD GASKET	41	\$1,868.10	\$270.45	\$0.00
ENGINE MISFIRING WITH COOLANT GOING INTO INTAKE MANIFOLD				
0714 - BATTERY	41	\$0.42	\$0.00	\$0.00
BATTERY TRAY BROKEN				
0808 - ACCESSORY DRIVE BELT	55	\$152.75	\$0.00	\$0.00
2100 - AIR CONDITIONING SYSTEM	41	\$0.00	\$259.62	\$0.00
HOSE LEAKING				
2109 - HOSES & PIPING	41	\$455.00	\$0.00	\$0.00
HOSE LEAKING				

0094-2023-3566

Date Finished/Closed: 12/01/2023 15:18 / 12/13/2023 15:18

Meter 1 Reading: 306,083

Meter 1 Life: 306,083

Comments: VEHICLE BEING PREP TO RETURN TO REVENUE.

Task:	WAC	Labor	Parts	CML
0100 - FRONT SUSPENSION	55	\$520.00	\$0.00	\$0.00
0605 - RADIATOR	55	\$5.20	\$614.60	\$0.00
RADIATOR LEAKING				
25 - WHEELCHAIR LIFT	55	\$1.95	\$75.49	\$0.00
LIFT LEAKING				

0094-2023-3706

Date Finished/Closed: 12/13/2023 09:09 / 12/13/2023 13:40

Meter 1 Reading: 306,087

Meter 1 Life: 306,087

Task:	WAC	Labor	Parts	CML
1300 - TRANSMISSION	40	\$111.80	\$0.00	\$0.00

Asset Work Order History

0094-2023-3922 - COOLANT LEAK

Date Finished/Closed: 12/14/2023 10:34 / 12/14/2023 14:22

Meter 1 Reading: 306,087

Meter 1 Life: 306,087

Comments: COOLANT LEAK

Task:	WAC	Labor	Parts	CML
0604 - HOSES, CLAMPS AND LINES COOLANT LEAK	55	\$35.75	\$159.17	\$0.00

Work Order Detail

0094-2022-1008



Asset ID:	9909-94 2019 FORD TRAS CUTAWAY	Job Status:	CLOSED
Repair Location:	0094 - WEST PALM BEACH 94	PM Service:	A - PM SERVICE A
Work Order ID:	0094-2022-1008	Service Status:	OS - OUT OF SERVICE
Job Type:	PM	Projected Completion Date:	04/29/2022 08:42
PM Scheduled:	10/09/2022	Priority:	3 - NORMAL PRIORITY
WO Meter 1:	105140 MILES (NO EQ UPD)		
Next PM Due Date:	10/28/2022		

Non Service Request Tasks

Task: A - Pm Service A					Warranty: NO	
WAC: 55 - EXCHANGE WITH NEW		Reason: -				
Work Class: 1 - SCHEDULED		Comments:				
Labor					Labor Hrs	Cost
04/28/2022 00:00 Emp: 668335 - John Charles					1.50	112.50
Parts		Qty Issued	Iss Price	Tax & Markup	Total Cost	
BR-1774-0 - BRAKES; KIT FRONT DISC BRAKE PAD		1.00	37.99	12.54	50.53	
Removed Serial #:		Serial #:				
FL-500-SB12-0 - KEYWORD; OIL FILTER (MV1)		1.00	3.71	1.22	4.93	
Removed Serial #:		Serial #:				
VV1790-0 - LUBRICANT; VALVOLINE FULL SYNTHETIC 5W-30		6.00	3.62	7.15	28.85	
Removed Serial #:		Serial #:				

Overhead

Small Parts - Labor: 0.00	Tools: 0.00	Total Overhead Costs: 0.00
Small Parts - Parts: 0.00	Overhead Costs: 0.00	

Comments:

A - PM SERVICE A

Internal Parts Cost:	\$84.31
Internal Labor Cost:	\$112.50
Commercial Parts Cost:	\$0.00
Commercial Labor Cost:	\$0.00
Commercial Misc Cost:	\$0.00
Commercial Tax & Markup:	\$0.00
Equipment Usage Costs:	\$0.00
Overhead Costs:	\$0.00

Internal Total:	\$196.81
Commercial Total:	0.00
Work Order Total:	\$196.81





Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 9-28-22 Vehicle #: 9909

Mileage in: 105135 Mileage out: 105140

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: <u>12</u> load volts: <u>12.6</u> load amps: <u>250</u>
		Batt 2 volts: <u>12</u> load volts: <u>12.6</u> load amps: <u>200</u>
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: <u>14</u> max volt: <u>14</u> max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **105135** Mileage out: **105140**

Service Performed	Service Type	Tech's Initials
Change oil and filter	A,B,C,D	2
Lube chassis and suspension	A,B,C,D	2
Lube drive shafts and universal joints	A,B,C,D	2
Lube doors and hood, locks and hinges	A,B,C,D	2
Adjust service and parking brakes	A,B,C,D	2
Drain water from separator	A,B,C,D	2
Rotate tires (as necessary, caps on rear)	A,B,C,D	2
Change air filter	B,C,D	2
Change fuel filter	B,C,D	2
Clean or change PCV valve	B,C,D	2
Clean or change crank case filter	B,C,D	2
Install new wiper blades	B,C,D	2
Change transmission fluid and filter	C,D	2
Service front wheel bearings	C,D	2
Drain water from fuel tank	C,D	2
Replace accessory drive belts	D	2
Service and flush cooling system	D	2
Install new spark plugs & wires	D	2
Install new dist. cap & rotor	D	2
Change differential fluid	D	2
Check Exhaust and EGR system	D	2
Check and service fuel & evap. System	D	2
Evac and recharge A/C (add 1 oz. of oil)	D	2
Post service test drive (5 miles)	A,B,C,D	2

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair. With all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Tech's Signature

Date

Supervisor Signature

Date

Notes:

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: new/132" L/F: 12.1/132"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 132" L/R: 132"		
Shoes R/R: 132" L/R: 132"		
34) Tire and wheel condition and measurements		
R/F: 2/32" L/F: 2/32"		
R/R: 8/32" L/R: 8/32"		
R/O: 5/32" L/R: 5/32"		
35) Lug nuts condition		
Air pressure adjustment FR. 65 RR. 65		
Wheel torque specs used: 140 ft. lbs.		
G) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Vehicle #: 5305 Repair Reason: _____

Date and Time in : 05.02.18 10:30 Mileage in: 145531

Date: 05.22.18 Work Class: I Date and Time Finished: 05.22.18 10:15 Mileage out: 145533

Notes/Measurements

Part A

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 815132 Technician:

Thomas Edison

Signature:

ASE Employee #: 604182 ASE Technician:

ASE Signature:

Signature: _____

MECHANIC'S SIGNATURE		BUS #:	5305	DATE:	05-02-18	PM TYPE OR WORK ORDER #:	
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY					
DATE		COMPLETED					

[illegible]



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C DDate: 05-22-18 Vehicle #: 5305-D Mileage in: 115531 Mileage out: 115533

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
2		1) Driver carpet
2		2) Driver seat condition and operation
2		3) Drivers door operation and condition
2		4) Drivers seat belt operation and condition
2		5) Engine starting and ignition system
2		6) Instrument panel gauges & warning lights
2		7) Instrument panel lighting & condition
2		8) Horn operation
2		9) Steering wheel tight, no excessive play
2		10) Windshield wipers
2		11) Windshield washer
2		12) Sun visor condition and operation
2		13) Parking brake operation & condition
2		14) Parking and service brake pedal pads
2		15) Passenger door operation
2		16) No vibrations, pulsations or noises
		B) Walk around inspection
2		1) Body damage (list on separate sheet)
2		2) Headlights, high & low beam operation
2		3) Parking lights operation & condition
2		4) Marker lights operation & condition
2		5) Directional signals operation & condition
2		6) Hazard lights operation & condition
2		7) Clearance lights operation and condition
2		8) Brake lights operation & condition
2		9) License plate lamp operation & condition
2		10) License plates and tags
2		11) Backup lights and alarms
2		12) Reflectors and reflective bumper tape
2		13) Exterior decals and signage
2		14) Bumpers secure / in good condition
2		15) Exterior mirrors secure / in good condition
2		16) Exterior clean
		C) Interior inspection
2		1) Passenger door and steps condition
2		2) Handrails and stanchions condition
2		3) Interior and modesty panels condition
2		4) Flooring condition
2		5) Interior lighting operation and condition
2		6) Windows operation and condition
2		7) Emergency Exits operation & condition
2		8) Accessory operation & condition (radio, GPS)
2		9) Passenger seats operation & condition
2		10) Passenger seat belts operation & condition
2		11) First aid & body fluid kits complete
2		12) Triangle reflectors complete/good condition
2		13) Stop request operation & condition
2		14) Valid registration, insurance & accident pack
2		15) Fire extinguisher in good condition & signed
2		16) Interior decals and signage (incl. electrical)
2		17) DVI's reviewed, addressed and signed off
2		18) Interior clean
		D) HVAC system inspection
2		1) Front blower condition and operation

P	F	Item Inspected
2		2) Rear blower condition and operation
2		3) Defroster operation
2		4) Temp gets to 20 deg. F below ambient temp.
2		5) Evaporator intake air filter condition
2		6) Front heater condition and operation
2		7) Rear heater condition and operation
2		8) A/C compressors and condenser fans
		E) Under hood inspection
2		1) Batteries & charging sys. (load alt B,C,D serv)
2		Batt 1 volts: load volts: load amps:
2		Batt 2 volts: load volts: load amps:
2		Batt 3 volts: load volts: load amps:
2		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
2		Alt. 1 min volt: max volt: max amp:
2		Alt. 2 min volt: max volt: max amp:
2		(reference factory service manual for alternator spec)
2		2) Wire and hose routing and connections
2		3) Cooling system, hoses, water pump condition
2		5) Accessory drive belts condition
2		6) Pulleys and tensioned operation & condition
2		7) Brake master cylinder and power booster
2		8) Fan and fan clutch operation and condition
2		9) Engine oil fluid level and condition
2		10) Transmission oil level and condition
2		11) Power steering fluid level and condition
2		12) Brake fluid level and condition
		F) Vehicle rack inspection
2		1) Steering gear box mount, condition & leaks
2		2) Steering shaft U joints
2		3) Steering shaft bearings
2		4) Steering linkages
2		5) I beam or control arm movements and rivets
2		6) Radius arm condition and bushings condition
2		7) Stabilizer bar condition and bushings condition
2		8) Ball joints or kingpins
2		9) Front spring condition and mounting
2		10) Front shock absorber operation & condition
2		11) Trans oil cooler & lines routing and leaks
2		12) Engine oil cooler & lines routing and leaks
2		13) Heater and A/C hose routing and leaks
2		14) No engine oil leaks and fluid condition
2		15) Engine mounts, brackets and bolts
2		16) Transmission mounts, brackets and bolts
2		17) No transmission oil leaks and fluid condition
2		18) Drive shaft condition
2		19) Universal joints and carrier bearings condition
2		20) No rear differential leaks
2		21) Rear differential condition and mounting
2		22) Frame and cross members
2		23) Rear shock absorbers
2		24) Rear springs condition and mounting
2		25) No fuel leaks
2		26) Fuel tank condition and mounting
2		27) No exhaust leaks
2		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Date: **05-22-18** Vehicle #: **5305-P** Mileage In: **145531** Mileage Out: **145533**



P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 10 / 32" L/R: 10 / 32"
		Shoes R/R: 10 / 32" L/R: 10 / 32"
		34) Tire and wheel condition and measurements
		R/F: 3 / 32" L/F: 3 / 32"
		R/R: 6 / 32" L/R: 6 / 32"
		R/RO: 6 / 32" L/RO: 6 / 32"
		35) Lug nuts condition
		Air pressure adjustment FR. 65 R.R. 70
		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Service Type	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires (as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date


Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way

West Palm Beach, FL 33407

Basic Information

Vehicle #: 5305 Repair Reason: A Date and Time in: 20:55 Mileage in: 150250
Date: 06/27/18 Work Class: T Date and Time Finished: 23:18 Mileage out: 150253

Complaints/Defects:

PMIA

Notes/Measurements

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 848194 Technician: HOOPER TURNER Signature: [Signature]

ASE Employee #: 604184 ASE Technician: [Signature] ASE Signature: [Signature]



PM DEFECT SHEET



MECHANIC'S SIGNATURE 		BUS #:	5305	DATE:	06/27/12	PM TYPE OR WORK ORDER #:	PM518
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY		DATE COMPLETED			

06/07/18	Replace Rear Right side bumper	James
----------	--------------------------------	-------



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C DDate: 06/27/12 Vehicle #: 5305 Mileage in: 150250 Mileage out: 150253

P	F	Item Inspected
☒		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		16) No vibrations, pulsations or noises
☒		B) Walk around inspection
☒		1) Body damage (list on separate sheet)
☒		2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
☒		C) Interior inspection
☒		1) Passenger door and steps condition
☒		2) Handrails and stanchions condition
☒		3) Interior and modesty panels condition
☒		4) Flooring condition
☒		5) Interior lighting operation and condition
☒		6) Windows operation and condition
☒		7) Emergency Exits operation & condition
☒		8) Accessory operation & condition (radio, GPS)
☒		9) Passenger seats operation & condition
☒		10) Passenger seat belts operation & condition
☒		11) First aid & body fluid kits complete
☒		12) Triangle reflectors complete/good condition
☒		13) Stop request operation & condition
☒		14) Valid registration, insurance & accident pack
☒		15) Fire extinguisher in good condition & signed
☒		16) Interior decals and signage (incl. electrical)
☒		17) DVI's reviewed, addressed and signed off
☒		18) Interior clean
☒		D) HVAC system inspection
☒		1) Front blower condition and operation

P	F	Item Inspected
☒		2) Rear blower condition and operation
☒		3) Defroster operation
☒		4) Temp gets to 20 deg. F below ambient temp.
☒		5) Evaporator intake air filter condition
☒		6) Front heater condition and operation
☒		7) Rear heater condition and operation
☒		8) A/C compressors and condenser fans
☒		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
☒		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
☒		2) Wire and hose routing and connections
☒		3) Cooling system, hoses, water pump condition
☒		5) Accessory drive belts condition
☒		6) Pulleys and tensioned operation & condition
☒		7) Brake master cylinder and power booster
☒		8) Fan and fan clutch operation and condition
☒		9) Engine oil fluid level and condition
☒		10) Transmission oil level and condition
☒		11) Power steering fluid level and condition
☒		12) Brake fluid level and condition
☒		F) Vehicle rack inspection
☒		1) Steering gear box mount, condition & leaks
☒		2) Steering shaft U joints
☒		3) Steering shaft bearings
☒		4) Steering linkages
☒		5) I beam or control arm movements and rivets
☒		6) Radius arm condition and bushings condition
☒		7) Stabilizer bar condition and bushings condition
☒		8) Ball joints or kingpins
☒		9) Front spring condition and mounting
☒		10) Front shock absorber operation & condition
☒		11) Trans oil cooler & lines routing and leaks
☒		12) Engine oil cooler & lines routing and leaks
☒		13) Heater and A/C hose routing and leaks
☒		14) No engine oil leaks and fluid condition
☒		15) Engine mounts, brackets and bolts
☒		16) Transmission mounts, brackets and bolts
☒		17) No transmission oil leaks and fluid condition
☒		18) Drive shaft condition
☒		19) Universal joints and carrier bearings condition
☒		20) No rear differential leaks
☒		21) Rear differential condition and mounting
☒		22) Frame and cross members
☒		23) Rear shock absorbers
☒		24) Rear springs condition and mounting
☒		25) No fuel leaks
☒		26) Fuel tank condition and mounting
☒		27) No exhaust leaks
☒		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** **B** **C** **D**

Mileage in: **150250** Mileage out: **150253**

Date: **06/27/18** Vehicle #: **5305**



P	F	Item Inspected
		30 Front brake condition and mounting
		31 Front brake lining condition & measurement
		Pads R/F: 11 / 32 L/F: 11 / 32
		32 Rear brake condition and mounting
		33 Rear brake lining condition & measurement
		Pads R/R: 11 / 32 L/R: 11 / 32
		Shoes R/R: 11 / 32 L/R: 11 / 32
		34 Tire and wheel condition and measurements
		R/F: 6 / 32 L/F: 6 / 32
		R/R: 6 / 32 L/R: 6 / 32
		R/O: 6 / 32 L/O: 6 / 32
		35 Lug nuts condition
		Air pressure adjustment F.R. 65 RR. 30
		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Service Type	Service Performed	Tech's Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	F
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	F
A,B,C,D	Drain water from separator	F
A,B,C,D	Rotate tires (as necessary, caps on rear)	F
B,C,D	Change air filter	F
B,C,D	Change fuel filter	F
B,C,D	Clean or change PCV valve	F
B,C,D	Clean or change crank case filter	F
B,C,D	Install new wiper blades	F
C,D	Change transmission fluid and filter	F
C,D	Service front wheel bearings	F
C,D	Drain water from fuel tank	F
D	Replace accessory drive belts	F
D	Service and flush cooling system	F
D	Install new spark plugs & wires	F
D	Install new dist. cap & rotor	F
D	Change differential fluid	F
D	Check Exhaust and EGR system	F
D	Check and service fuel & evap. System	F
D	Evac and recharge A/C (add 1 oz. of oil)	F
A,B,C,D	Post service test drive (5 miles)	F

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: *[Signature]*

Supervisor Signature: *[Signature]*

Notes:

Date: **06/27/18**
Date: **6/28/18**

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



3301 Electronics Wav

West Palm Beach, FL 33407

Basic Information

Vehicle #: 5305-0 Repair Reason:

Date and Time in : 20.01.18 8:00

Mileage in: 159.305

Date: 09.01.18 Work Class: I Date and Time Finished: 12:00

09.01.18 11:30 Mileage out: 15930x

Mileage out: 159.398

Complaints/Defects:

Notes/Measurements:

PMZB

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 845132 Technician: Raymond A. Williams Signature: [Signature]

Local Taxes Cost: \$0.00

Employee #: 845132 Technician:

Economy & Education

Signature

ASE Employee #: 60412 ASE Technician: _____

A hand-drawn diagram of a flower cross-section. It shows a central ovary with two locules, a long style, and a bifid stigma. The diagram is labeled with 'Ovary', 'Style', and 'Stigma'.

ASE Signature:

2

81.10.60



DATE _____
COMPLETED _____

81-10-60



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C DDate: **09.01.18** Vehicle #: **5305-A**Mileage in: **159395**Mileage out: **159396**

P	F	Item Inspected
☒		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		16) No vibrations, pulsations or noises
☒		B) Walk around inspection
☒		1) Body damage (list on separate sheet)
☒		2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
☒		C) Interior inspection
☒		1) Passenger door and steps condition
☒		2) Handrails and stanchions condition
☒		3) Interior and modesty panels condition
☒		4) Flooring condition
☒		5) Interior lighting operation and condition
☒		6) Windows operation and condition
☒		7) Emergency Exits operation & condition
☒		8) Accessory operation & condition (radio, GPS)
☒		9) Passenger seats operation & condition
☒		10) Passenger seat belts operation & condition
☒		11) First aid & body fluid kits complete
☒		12) Triangle reflectors complete/good condition
☒		13) Stop request operation & condition
☒		14) Valid registration, insurance & accident pack
☒		15) Fire extinguisher in good condition & signed
☒		16) Interior decals and signage (incl. electrical)
☒		17) DVI's reviewed, addressed and signed off
☒		18) Interior clean
☒		D) HVAC system inspection
☒		1) Front blower condition and operation

P	F	Item Inspected
☒		2) Rear blower condition and operation
☒		3) Defroster operation
☒		4) Temp gets to 20 deg. F below ambient temp.
☒		5) Evaporator intake air filter condition
☒		6) Front heater condition and operation
☒		7) Rear heater condition and operation
☒		8) A/C compressors and condenser fans
☒		E) Under hood inspection
☒		1) Batteries & charging sys. (load alt B,C,D serv)
☒		Batt 1 volts: load volts: load amps:
☒		Batt 2 volts: load volts: load amps:
☒		Batt 3 volts: load volts: load amps:
☒		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
☒		Alt. 1 min volt: max volt: max amp:
☒		Alt. 2 min volt: max volt: max amp:
☒		(reference factory service manual for alternator spec)
☒		2) Wire and hose routing and connections
☒		3) Cooling system, hoses, water pump condition
☒		5) Accessory drive belts condition
☒		6) Pulleys and tensioned operation & condition
☒		7) Brake master cylinder and power booster
☒		8) Fan and fan clutch operation and condition
☒		9) Engine oil fluid level and condition
☒		10) Transmission oil level and condition
☒		11) Power steering fluid level and condition
☒		12) Brake fluid level and condition
☒		F) Vehicle rack inspection
☒		1) Steering gear box mount, condition & leaks
☒		2) Steering shaft U joints
☒		3) Steering shaft bearings
☒		4) Steering linkages
☒		5) I beam or control arm movements and rivets
☒		6) Radius arm condition and bushings condition
☒		7) Stabilizer bar condition and bushings condition
☒		8) Ball joints or kingpins
☒		9) Front spring condition and mounting
☒		10) Front shock absorber operation & condition
☒		11) Trans oil cooler & lines routing and leaks
☒		12) Engine oil cooler & lines routing and leaks
☒		13) Heater and A/C hose routing and leaks
☒		14) No engine oil leaks and fluid condition
☒		15) Engine mounts, brackets and bolts
☒		16) Transmission mounts, brackets and bolts
☒		17) No transmission oil leaks and fluid condition
☒		18) Drive shaft condition
☒		19) Universal joints and carrier bearings condition
☒		20) No rear differential leaks
☒		21) Rear differential condition and mounting
☒		22) Frame and cross members
☒		23) Rear shock absorbers
☒		24) Rear springs condition and mounting
☒		25) No fuel leaks
☒		26) Fuel tank condition and mounting
☒		27) No exhaust leaks
☒		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **159395** Mileage out: **159396**



5305

Date: **09.01.18** Vehicle #: **5305**

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 6 /32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 8 /32" L/R: 8 /32"		
Shoes R/R: 1 /32" L/R: 1 /32"		
34) Tire and wheel condition and measurements		
R/F: 6 /32" L/F: 6 /32"		
R/R: 5 /32" L/R: 5 /32"		
R/R: 5 /32" L/R: 5 /32"		
35) Lug nuts condition		
Air pressure adjustment F.R. 40 R.R. 40 ft. lbs.		
Wheel torque specs used: 140 ft. lbs.		
G) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump, handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down, not able to shift)		
(e-brake off lift door closed, no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A, B, C, D	
Lube chassis and suspension	A, B, C, D	
Lube drive shafts and universal joints	A, B, C, D	
Lube doors and hood, locks and hinges	A, B, C, D	
Adjust service and parking brakes	A, B, C, D	
Drain water from separator	A, B, C, D	
Rotate tires (as necessary, caps on rear)	A, B, C, D	
Change air filter	B, C, D	
Change fuel filter	B, C, D	
Clean or change PCV valve	B, C, D	
Clean or change crank case filter	B, C, D	
Install new wiper blades	B, C, D	
Change transmission fluid and filter	C, D	
Service front wheel bearings	C, D	
Drain water from fuel tank	C, D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evaporator system	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A, B, C, D	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature _____

Date **09.01.18**

Supervisor Signature _____

Date **9/14/18**

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Dallas, TX 75206



West Palm Beach, FL 33407

Mileage in: 164090

Mileage out: 16405

Notes/Measurements:

[illegible]

[illegible]



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C DDate: 10/06/18 Vehicle #: 5305Mileage in: 164090Mileage out: 164105

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
R		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition (radio, GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation

P	F	Item Inspected
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
R		3) Steering shaft bearings
R		4) Steering linkages
R		5) I beam or control arm movements and rivets
R		6) Radius arm condition and bushings condition
R		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
R		18) Drive shaft condition
R		19) Universal joints and carrier bearings condition
R		20) No rear differential leaks
R		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D** Mileage in: **16405** Mileage out: **16415**

Date: **10/6/05** Vehicle #: **5305**



P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 6 /32" L/F: C /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 8 /32" L/R: 7 /32"
		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
		R/F: 8 /32" L/F: 8 /32"
		R/R: 8 /32" L/R: 8 /32"
		R/RO: 8 /32" L/RO: 8 /32"
		35) Lug nuts condition
		Air pressure adjustment FR. 65 R.R. 85
		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Service Type	Service Performed	Tech's Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires (as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Change or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Clean or change wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evapor. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: *[Signature]* Date: **10/06/2008**
 Supervisor's Signature: *[Signature]* Date: **10/6/08**

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy May Suite 1145

3301 Electronics Way
West Palm Beach, FL 33407



Vehicle #: 5305 Repair Reason: _____

Date and Time in : 12.02.2018 11:00

Mileage in: 108721

Date: 2/20/17 Work Class: F Date and Time Finished:

18.10.08 16:30

Mileage out: 173722

PMIA

Notes/Measurements:

Total Hours Worked:

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and

Employee #: 842194 Technician: _____

Foodson Fevri

Signature

ASE Employee #: 604182 ASE Technician: _____

ASE Signature:

Handwritten signature: *Handwritten signature*

Signature: _____



PM DEFECT SHEET



MECHANIC'S SIGNATURE <i>Jim Jones</i>		BUS #: <i>5305</i>	DATE: <i>12/20/13</i>	PM TYPE OR WORK ORDER #:
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY	DATE	COMPLETED



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 12/20/12 Vehicle #: 5305 Mileage in: 173721 Mileage out: 173722

P	F	Item Inspected
☒		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		16) No vibrations, pulsations or noises
☒		B) Walk around inspection
☒		1) Body damage (list on separate sheet)
☒		2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
☒		C) Interior inspection
☒		1) Passenger door and steps condition
☒		2) Handrails and stanchions condition
☒		3) Interior and modesty panels condition
☒		4) Flooring condition
☒		5) Interior lighting operation and condition
☒		6) Windows operation and condition
☒		7) Emergency Exits operation & condition
☒		8) Accessory operation & condition (radio, GPS)
☒		9) Passenger seats operation & condition
☒		10) Passenger seat belts operation & condition
☒		11) First aid & body fluid kits complete
☒		12) Triangle reflectors complete/good condition
☒		13) Stop request operation & condition
☒		14) Valid registration, insurance & accident pack
☒		15) Fire extinguisher in good condition & signed
☒		16) Interior decals and signage (incl. electrical)
☒		17) DVI's reviewed, addressed and signed off
☒		18) Interior clean
☒		D) HVAC system inspection
☒		1) Front blower condition and operation

P	F	Item Inspected
☒		2) Rear blower condition and operation
☒		3) Defroster operation
☒		4) Temp gets to 20 deg. F below ambient temp.
☒		5) Evaporator intake air filter condition
☒		6) Front heater condition and operation
☒		7) Rear heater condition and operation
☒		8) A/C compressors and condenser fans
☒		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
☒		2) Wire and hose routing and connections
☒		3) Cooling system, hoses, water pump condition
☒		5) Accessory drive belts condition
☒		6) Pulleys and tensioned operation & condition
☒		7) Brake master cylinder and power booster
☒		8) Fan and fan clutch operation and condition
☒		9) Engine oil fluid level and condition
☒		10) Transmission oil level and condition
☒		11) Power steering fluid level and condition
☒		12) Brake fluid level and condition
☒		F) Vehicle rack inspection
☒		1) Steering gear box mount, condition & leaks
☒		2) Steering shaft U joints
☒		3) Steering shaft bearings
☒		4) Steering linkages
☒		5) I beam or control arm movements and rivets
☒		6) Radius arm condition and bushings condition
☒		7) Stabilizer bar condition and bushings condition
☒		8) Ball joints or kingpins
☒		9) Front spring condition and mounting
☒		10) Front shock absorber operation & condition
☒		11) Trans oil cooler & lines routing and leaks
☒		12) Engine oil cooler & lines routing and leaks
☒		13) Heater and A/C hose routing and leaks
☒		14) No engine oil leaks and fluid condition
☒		15) Engine mounts, brackets and bolts
☒		16) Transmission mounts, brackets and bolts
☒		17) No transmission oil leaks and fluid condition
☒		18) Drive shaft condition
☒		19) Universal joints and carrier bearings condition
☒		20) No rear differential leaks
☒		21) Rear differential condition and mounting
☒		22) Frame and cross members
☒		23) Rear shock absorbers
☒		24) Rear springs condition and mounting
☒		25) No fuel leaks
☒		26) Fuel tank condition and mounting
☒		27) No exhaust leaks
☒		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **11372**

Mileage out: **11372**



Vehicle #: **5305**

Date: **12/20/12**

Service Performed	ServType
Change oil and filter	A,B,C,D
Lube chassis and suspension	A,B,C,D
Lube drive shafts and universal joints	A,B,C,D
Lube doors and hood, locks and hinges	A,B,C,D
Adjust service and parking brakes	A,B,C,D
Drain water from separator	A,B,C,D
Rotate tires (as necessary, caps on rear)	A,B,C,D
Change air filter	B,C,D
Change fuel filter	B,C,D
Clean or change PCV valve	B,C,D
Clean or change crank case filter	B,C,D
Install new wiper blades	B,C,D
Change transmission fluid and filter	C,D
Service front wheel bearings	C,D
Drain water from fuel tank	C,D
Replace accessory drive belts	D
Service and flush cooling system	D
Install new spark plugs & wires	D
Install new dist. cap & rotor	D
Change differential fluid	D
Check Exhaust and EGR system	D
Check and service fuel & evap. System	D
Evac and recharge A/C (add 1 oz. of oil)	A,B,C,D
Post service test drive (5 miles)	A,B,C,D

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Supervisor Signature

Notes:

Date

Date

Item Inspected	P	F
30) Front brake condition and mounting	F	
31) Front brake lining condition & measurement	F	
Pads R/F: 5 /32" L/F: 5 /32"	F	
32) Rear brake condition and mounting	F	
33) Rear brake lining condition & measurement	F	
Pads R/R: 7 /32" L/R: 7 /32"	F	
Shoes R/R: 7 /32" L/R: 7 /32"	F	
34) Tire and wheel condition and measurements	F	
R/F: 9 /32" L/F: 9 /32"	F	
R/R: 10 /32" L/R: 10 /32"	F	
R/RO: 10 /32" L/RO: 10 /32"	F	
35) Lug nuts condition	F	
Air pressure adjustment FR. 65 RR. 70	F	
Wheel torque specs used: 140 ft. lbs.	F	
G) Lift inspection	F	
1) Lift operation (fully stowed to fully deployed)	F	
2) Lift control pendant condition and operation	F	
3) Lift restraint belt condition and operation	F	
4) Outer roll stop condition and operation	F	
5) Inner roll stop condition and operation	F	
6) Platform adjustments, condition and mounting	F	
7) Stander arm condition and operation	F	
8) Proper signage and decals	F	
9) Manual backup pump condition and operation	F	
10) Lift manual pump handle	F	
11) Hydraulic pump condition and operation	F	
12) Hydraulic lines and cylinders condition	F	
13) Hydraulic fluid level and condition	F	
14) Base plate and arms welds & pivot points	F	
15) Lift springs and pins condition and operation	F	
16) Lift safety switches and adjustments	F	
17) Hose and wire routing and connections	F	
18) Rollers and pivot point condition & operation	F	
19) Lift to vehicle mounting bolts and brackets	F	
20) Lift doors condition and operation	F	
21) Lift door lights condition and operation	F	
22) Lift interlock operation and condition	F	
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation	F	
24) Tie down container secure and clean	F	
25) Tie down floor mounting brackets secure	F	
26) W/C shoulder belt condition and operation	F	
27) Lift clean and no sharp edges	F	
28) Lift shields secure and in good shape	F	
29) Lift moves steady without drifting, jerking,	F	
or unusual speeds	F	
30) No unusual lift noises	F	
Lube all lift pivot points, barriers, linkages	F	
and bearings cleaning off all excess lube	F	
Check, torque or adjust lift base mounting bolts	F	

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

Vehicle #: 5365 Repair Reason: A

Vehicle #:	5365	Repair Reason:	A	Date and Time in :
Date:	01/18/2019	Work Class:	F	Date and Time Finished:

18:00
19:30

Mileage in: 177202
Mileage out: 177207

Mileage out: 177207

Complaints/Defects

Notes/Measurements

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies. Employee #: <u>863725</u> Technician: <u>Reynold M. ...</u> Signature: <u>[Signature]</u>	Total Parts Cost:
---	-------------------

ASE Employee #: 604182 ASE Technician:

ASE Signature:

2 June

MECHANIC'S SIGNATURE		BUS #:		DATE:		PM TYPE OR WORK ORDER #:	
[Signature]		5905		01/18/2019			
DESCRIPTION OF REPAIR NEEDED				COMPLETED BY		DATE	



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 07/18/19 Vehicle #: 5305

Mileage in: 177202 Mileage out: 177207

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
R		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition (radio, GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation

P	F	Item Inspected
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
R		1) Batteries & charging sys. (load alt B,C,D serv)
R		Batt 1 volts: load volts: load amps:
R		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
R		3) Steering shaft bearings
R		4) Steering linkages
R		5) I beam or control arm movements and rivets
R		6) Radius arm condition and bushings condition
R		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
R		18) Drive shaft condition
R		19) Universal joints and carrier bearings condition
R		20) No rear differential leaks
R		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **177202** Mileage out: **177207**



Date: **01/18/2019** Vehicle #: **5305**

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
R		Pads R/F: 5 /32" L/F: 5 /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R		Pads R/R: 8 /32" L/R: 8 /32"
NA		Shoes R/R: 8 /32" L/R: 8 /32"
R		34) Tire and wheel condition and measurements
R		R/F: 7 /32" L/F: 7 /32"
R		R/R: 8 /32" L/R: 8 /32"
R		R/RO: 8 /32" L/RO: 8 /32"
R		35) Lug nuts condition
R		Air pressure adjustment FR. 85 RR. 75
R		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
R		1) Lift operation (fully stowed to fully deployed)
R		2) Lift control pendant condition and operation
R		3) Lift restraint belt condition and operation
R		4) Outer roll stop condition and operation
R		5) Inner roll stop condition and operation
R		6) Platform adjustments, condition and mounting
R		7) Standee arm condition and operation
R		8) Proper signage and decals
R		9) Manual backup pump condition and operation
R		10) Lift manual pump handle
R		11) Hydraulic pump condition and operation
R		12) Hydraulic lines and cylinders condition
R		13) Hydraulic fluid level and condition
R		14) Base plate and arms welds & pivot points
R		15) Lift springs and pins condition and operation
R		16) Lift safety switches and adjustments
R		17) Hose and wire routing and connections
R		18) Rollers and pivot point condition & operation
R		19) Lift to vehicle mounting bolts and brackets
R		20) Lift doors condition and operation
R		21) Lift door lights condition and operation
R		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking, or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
R		Check, torque or adjust lift base mounting bolts

Service Performed	Service Type	Tech's Initials
Change oil and filter	A,B,C,D	R
Lube chassis and suspension	A,B,C,D	R
Lube drive shafts and universal joints	A,B,C,D	NA
Lube doors and hood, locks and hinges	A,B,C,D	NA
Adjust service and parking brakes	A,B,C,D	R
Drain water from separator	A,B,C,D	NA
Rotate tires (as necessary, caps on rear)	A,B,C,D	R
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	A,B,C,D	R
Post service test drive (5 miles)	A,B,C,D	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Supervisor Signature

Date

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 1145

Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Mileage in: 186607

Mileage out: 186608

Complaints/Defects:

PMIA

Notes/Measurements:

[illegible]

03/05/19	Jungwirth	Replace front brake pads
03/05/19	Jungwirth	Replace rear brake pads
03/05/19	Jungwirth	Re/bale tires



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 03/29/19 Vehicle #: 5305 Mileage in: 176607 Mileage out: 176608

P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
/		B) Walk around inspection
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
/		C) Interior inspection
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition (radio, GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
/		D) HVAC system inspection
F		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
/		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
/		F) Vehicle rack inspection
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
F		18) Drive shaft condition
F		19) Universal joints and carrier bearings condition
F		20) No rear differential leaks
F		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: 186607 Mileage out: 186608



Date: 03/28/18 Vehicle #: 5305

Service Performed	Technician Initials
Change oil and filter	F
Lube chassis and suspension	F
Lube drive shafts and universal joints	F
Lube doors and hood, locks and hinges	F
Adjust service and parking brakes	F
Drain water from separator	F
Rotate tires (as necessary, caps on rear)	F
Change air filter	F
Change fuel filter	F
B,C,D	F
Clean or change PCV valve	F
B,C,D	F
Clean or change crank case filter	F
B,C,D	F
Install new wiper blades	F
C,D	F
Change transmission fluid and filter	F
C,D	F
Service front wheel bearings	F
C,D	F
Drain water from fuel tank	F
C,D	F
Replace accessory drive belts	F
D	F
Service and flush cooling system	F
D	F
Install new spark plugs & wires	F
D	F
Install new dist. cap & rotor	F
D	F
Change differential fluid	F
D	F
Check Exhaust and EGR system	F
D	F
Check and service fuel & evap. System	F
D	F
Evac and recharge A/C (add 1 oz. of oil)	F
D	F
Post service test drive (5 miles)	F
A,B,C,D	F

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician Signature

Supervisor Signature

Notes:

Date: 03/28/18

Date: 4/1/18

Item Inspected	P	F
30) Front brake condition and mounting	F	
31) Front brake lining condition & measurement	F	
Pads R/F: 3/32" L/F: 3/32"	F	
32) Rear brake condition and mounting	F	
33) Rear brake lining condition & measurement	F	
Pads R/R: 3/32" L/R: 3/32"	F	
34) Tire and wheel condition and measurements	F	
Shoes R/R: 3/32" L/R: 3/32"	F	
R/R: 10/32" L/R: 10/32"	F	
R/R: 10/32" L/R: 10/32"	F	
R/R: 10/32" L/R: 10/32"	F	
35) Lug nuts condition	F	
Air pressure adjustment FR. 65 RR. 70	F	
Wheel torque specs used: 110 ft. lbs.	F	
G) Lift inspection	F	
1) Lift operation (fully stowed to fully deployed)	F	
2) Lift control pendant condition and operation	F	
3) Lift restraint belt condition and operation	F	
4) Outer roll stop condition and operation	F	
5) Inner roll stop condition and operation	F	
6) Platform adjustments, condition and mounting	F	
7) Standee arm condition and operation	F	
8) Proper signage and decals	F	
9) Manual backup pump condition and operation	F	
10) Lift manual pump handle	F	
11) Hydraulic pump condition and operation	F	
12) Hydraulic lines and cylinders condition	F	
13) Hydraulic fluid level and condition	F	
14) Base plate and arms welds & pivot points	F	
15) Lift springs and pins condition and operation	F	
16) Lift safety switches and adjustments	F	
17) Hose and wire routing and connections	F	
18) Rollers and pivot point condition & operation	F	
19) Lift to vehicle mounting bolts and brackets	F	
20) Lift doors condition and operation	F	
21) Lift door lights condition and operation	F	
22) Lift interlock operation and condition	F	
(Lift door open, e-brake down not able to shift)	F	
(e-brake off lift door closed no lift power)	F	
23) W/C tie downs condition and operation	F	
24) Tie down container secure and clean	F	
25) Tie down floor mounting brackets secure	F	
26) W/C shoulder belt condition and operation	F	
27) Lift clean and no sharp edges	F	
28) Lift shields secure and in good shape	F	
29) Lift moves steady without drifting, jerking, or unusual speeds	F	
30) No unusual lift noises	F	
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	F	
Check, torque or adjust lift base mounting bolts	F	

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Cenrtal Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

02411#

Basic Information

Vehicle #: 5305 Repair Reason: A Date and Time in: 17:30 Mileage in: 191575
Date: 05/08/2015 Work Class: 1 Date and Time Finished: 18:20 Mileage out: 191576

Complaints/Defects:

Notes/Measurements:

<i>Labor Information</i>			<i>Hours</i>
<i>Task</i>	<i>WAC</i>	<i>Repair Description/Comments</i>	<i>Hours</i>
A	58	PMT A	
A	04	BRAKE INSPECTION	
			Total Hours Worked:

[illegible]

Total Hours Worked:

Total Parts Cost:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725 Technician: Rosney Mueang

Signature

ASE Employee #: 60415 ASE Technician: [Signature]

ASE Signature:



PM DEFECT SHEET



Robert Murphy
MECHANIC'S SIGNATURE

BUS #: 5305

DATE: 05/08/2019

PM TYPE OR WORK ORDER #: A

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

MINOR scratches & dings

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage out: **191576**

Mileage in: **191575**

5365

Vehicle #:

Date: **05/08/2019**



P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
R		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition (radio, GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation

P	F	Item Inspected
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
R		1) Batteries & charging sys. (load alt B,C,D serv)
R		Batt 1 volts: load amps:
R		Batt 2 volts: load amps:
R		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
R		3) Steering shaft bearings
R		4) Steering linkages
R		5) I beam or control arm movements and rivets
R		6) Radius arm condition and bushings condition
R		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
R		18) Drive shaft condition
R		19) Universal joints and carrier bearings condition
R		20) No rear differential leaks
R		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 05/08/2019 Vehicle #: 5305

Mileage in: 191575 Mileage out: 191576

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
R		Pads R/F: <u>8</u> /32" L/F: <u>8</u> /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R		Pads R/R: <u>8</u> /32" L/R: <u>8</u> /32"
NA		Shoes R/R: <u>1</u> /32" L/R: <u>1</u> /32"
		34) Tire and wheel condition and measurements
R		R/F: <u>8</u> /32" L/F: <u>6</u> /32"
R		R/R: <u>5</u> /32" L/R: <u>5</u> /32"
R		R/O: <u>5</u> /32" L/O: <u>7</u> /32"
		35) Lug nuts condition
R		Air pressure adjustment FR. <u>65</u> RR. <u>75</u>
R		Wheel torque specs used: <u>140</u> ft. lbs.
		G) Lift inspection
R		1) Lift operation (fully stowed to fully deployed)
R		2) Lift control pendant condition and operation
R		3) Lift restraint belt condition and operation
R		4) Outer roll stop condition and operation
R		5) Inner roll stop condition and operation
R		6) Platform adjustments, condition and mounting
R		7) Standee arm condition and operation
R		8) Proper signage and decals
R		9) Manual backup pump condition and operation
R		10) Lift manual pump handle
R		11) Hydraulic pump condition and operation
R		12) Hydraulic lines and cylinders condition
R		13) Hydraulic fluid level and condition
R		14) Base plate and arms welds & pivot points
R		15) Lift springs and pins condition and operation
R		16) Lift safety switches and adjustments
R		17) Hose and wire routing and connections
R		18) Rollers and pivot point condition & operation
R		19) Lift to vehicle mounting bolts and brackets
R		20) Lift doors condition and operation
R		21) Lift door lights condition and operation
R		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking,
		or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages
		and bearings cleaning off all excess lube
R		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	R
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	X
A,B,C,D	Adjust service and parking brakes	R
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	R
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	R

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: [Signature] Date: 05/08/2019

Supervisor Signature: [Signature] Date: 5/8/19

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Central Expy Way Suite 1145
Dallas, TX 75206



#109 Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5305 Repair Reason: A Date and Time in: 24:30 Mileage in: 201013
 Date: 07/10/2019 Work Class: Date and Time Finished: Mileage out: 201014

Complaints/Defects:

Notes/Measurements:

[illegible][illegible]

Total Hours Worked:

Total Parts Cost:

Total Hours Worked: _____
I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 803725 Technician: Roney M. A. H.

Signature 

ASE Employee #: _____ ASE Technician: _____

ASE Signature: _____



PM DEFECT SHEET



[Signature]

MECHANIC'S SIGNATURE

BUS #: 5305

DATE: 07/18/2019

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

Minor ~~and~~ Nics & Strakes

Acc Drive Belt Very Bad Cracked

07/18/2019

Tire 2/32 measurement (5)



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 07/18/2019 Vehicle #: 5305 Mileage in: 201013 Mileage out: 201014

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Passenger door operation
		15) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 07/18/19 Vehicle #: 5305Mileage in: 201013Mileage out: 201014

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
R		Pads R/F: <u>6</u> /32" L/F: <u>6</u> /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R		Pads R/R: <u>6</u> /32" L/R: <u>6</u> /32"
<u>N/A</u>		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
	X	R/F: <u>2</u> /32" L/F: <u>4</u> /32"
	X	R/R: <u>2</u> /32" L/R: <u>2</u> /32"
	X	R/O: <u>2</u> /32" L/O: <u>2</u> /32"
		35) Lug nuts condition
		Air pressure adjustment FR. RR.
		Wheel torque specs used: ft. lbs.
		G) Lift inspection
R		1) Lift operation (fully stowed to fully deployed)
R		2) Lift control pendant condition and operation
R		3) Lift restraint belt condition and operation
R		4) Outer roll stop condition and operation
R		5) Inner roll stop condition and operation
R		6) Platform adjustments, condition and mounting
R		7) Standee arm condition and operation
R		8) Proper signage and decals
R		9) Manual backup pump condition and operation
R		10) Lift manual pump handle
R		11) Hydraulic pump condition and operation
R		12) Hydraulic lines and cylinders condition
R		13) Hydraulic fluid level and condition
R		14) Base plate and arms welds & pivot points
R		15) Lift springs and pins condition and operation
R		16) Lift safety switches and adjustments
R		17) Hose and wire routing and connections
R		18) Rollers and pivot point condition & operation
R		19) Lift to vehicle mounting bolts and brackets
R		20) Lift doors condition and operation
R		21) Lift door lights condition and operation
R		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking,
		or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages
		and bearings cleaning off all excess lube
R		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	R
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	R
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires (as necessary, caps on rear)	NA
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Robert M. [Signature]
Technician's Signature

7/18/19
Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Cenrtal Expy Way Suite 145
Dallas, TX 75206



#1983 Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5305 Repair Reason:

A Date and Time in : Answer 1

Mileage in: 205604

Date: 8/21/2019 Work Class: Date and Time Finished: Mileage out: 205607

Complaints/Defects:

Notes/Measurements:

[illegible][illegible]

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation. Inc. approved vendors and have followed all MV Transportation's policies.

Employee #: 863725 Technician: Rooney Murray

Signature

ASE Employee #: _____ ASE Technician: _____

ASE Signature: _____



PM DEFECT SHEET



Rooney Murray
MECHANIC'S SIGNATURE

BUS #: 5305

DATE: 08/28/2019

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

Minor Stitches

Headlight Bulb

Rooney Murray 08/21/2019

Headlight Pigtail

Rooney Murray 08/21/2019



Date: 08/21/2015 Vehicle #: 5305

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 20566

Mileage out: 20567

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C DDate: **08/21/2019** Vehicle #: **5305** Mileage in: **205606** Mileage out: **205607**

P	F	Item Inspected	ServType	Service Performed	Techs Initials
R		30) Front brake condition and mounting	A,B,C,D	Change oil and filter	R
R		31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	R
R		Pads R/F: 8 /32" L/F: 8 /32"	A,B,C,D	Lube drive shafts and universal joints	NA
R		32) Rear brake condition and mounting	A,B,C,D	Lube doors and hood, locks and hinges	R
R		33) Rear brake lining condition & measurement	A,B,C,D	Adjust service and parking brakes	R
R		Pads R/R: 8 /32" L/R: 8 /32"	A,B,C,D	Drain water from separator	NA
NA		Shoes R/R: 8 /32" L/R: 8 /32"	A,B,C,D	Rotate tires(as necessary, caps on rear)	A
		34) Tire and wheel condition and measurements	B,C,D	Change air filter	
R		R/F: 7 /32" L/F: 7 /32"	B,C,D	Change fuel filter	
R		R/R: 6 /32" L/R: 5 /32"	B,C,D	Clean or change PCV valve	
R		R/RO: 5 /32" L/RO: 5 /32"	B,C,D	Clean or change crank case filter	
		35) Lug nuts condition	B,C,D	Install new wiper blades	
R		Air pressure adjustment FR. 65RR. 75	C,D	Change transmission fluid and filter	
R		Wheel torque specs used: 140 ft. lbs.	C,D	Service front wheel bearings	
		G) Lift inspection	C,D	Drain water from fuel tank	
R		1) Lift operation (fully stowed to fully deployed)	D	Replace accessory drive belts	
R		2) Lift control pendant condition and operation	D	Service and flush cooling system	
R		3) Lift restraint belt condition and operation	D	Install new spark plugs & wires	
R		4) Outer roll stop condition and operation	D	Install new dist. cap & rotor	
R		5) Inner roll stop condition and operation	D	Change differential fluid	
R		6) Platform adjustments, condition and mounting	D	Check Exhaust and EGR system	
R		7) Standee arm condition and operation	D	Check and service fuel & evap. System	
R		8) Proper signage and decals	D	Evac and recharge A/C (add 1 oz. of oil)	
R		9) Manual backup pump condition and operation	A,B,C,D	Post service test drive (5 miles)	R
R		10) Lift manual pump handle	Initial or "N/A" each service performed per PM type		
R		11) Hydraulic pump condition and operation	All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets. <i>[Signature]</i> 08/21/2019 Technicians Signature Date		
R		12) Hydraulic lines and cylinders condition			
R		13) Hydraulic fluid level and condition			
R		14) Base plate and arms welds & pivot points			
R		15) Lift springs and pins condition and operation			
R		16) Lift safety switches and adjustments			
R		17) Hose and wire routing and connections			
R		18) Rollers and pivot point condition & operation			
R		19) Lift to vehicle mounting bolts and brackets			
R		20) Lift doors condition and operation			
R		21) Lift door lights condition and operation	Supervisor Signature Date Notes:		
R		22) Lift interlock operation and condition			
		(lift door open, e-brake down not able to shift)			
		(e-brake off lift door closed no lift power)			
R		23) W/C tie downs condition and operation			
R		24) Tie down container secure and clean			
R		25) Tie down floor mounting brackets secure			
R		26) W/C shoulder belt condition and operation			
R		27) Lift clean and no sharp edges			
R		28) Lift shields secure and in good shape			
R		29) Lift moves steady without drifting, jerking, or unusual speeds			
R		30) No unusual lift noises			
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube			
R		Check, torque or adjust lift base mounting bolts			

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Central Expy Way Suite 1145
Dallas, TX 75206



#2408 **Work Order Division (0094)**
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5305 Repair Reason: A Date and Time in: 10-30-2019 Mileage in: 214746
Date: 10-30-19 Work Class: T Date and Time Finished: Mileage out: 214747

Complaints/Defects: PMIA

Notes/Measurements:

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
A	55	PMIA		A	55	5W220	ENGINE OIL	1	
				A	55	FI-3681	OIL FILTER	1	
				A	55	20020017	WHEEL BLADE	2	

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 857302 Technician: FORNIA PAT WEA Signature: [Signature]
ASE Employee #: ASE Technician: ASE Signature:



PM DEFECT SHEET



BUS #: 5305

DATE: 10-30-2019

PM TYPE OR WORK ORDER #:

MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

Preventive Maintenance Inspection and Service Checklist



Date: 10-30-19 Vehicle #: 5305

Circle Service Type: (A) B C D

Mileage in: 21446

Mileage out: 21447

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 10-30-19 Vehicle #: 5305

Mileage in: 214742

Mileage out: 214747

P	F	Item Inspected	ServType	Service Performed	Techs Initials
		30) Front brake condition and mounting	A,B,C,D	Change oil and filter	
		31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	
#		Pads R/F: 6 /32" L/F: 6 /32"	A,B,C,D	Lube drive shafts and universal joints	
		32) Rear brake condition and mounting	A,B,C,D	Lube doors and hood, locks and hinges	
		33) Rear brake lining condition & measurement	A,B,C,D	Adjust service and parking brakes	
#		Pads R/R: 8 /32" L/R: 8 /32"	A,B,C,D	Drain water from separator	
		Shoes R/R: /32" L/R: /32"	A,B,C,D	Rotate tires(as necessary, caps on rear)	
		34) Tire and wheel condition and measurements	B,C,D	Change air filter	
		R/F: 9 /32" L/F: 9 /32"	B,C,D	Change fuel filter	
		R/R: 8 /32" L/R: 8 /32"	B,C,D	Clean or change PCV valve	
		R/RO: 7 /32" L/RO: 6 /32"	B,C,D	Clean or change crank case filter	
		35) Lug nuts condition	B,C,D	Install new wiper blades	
		Air pressure adjustment FR. RR.	C,D	Change transmission fluid and filter	
		Wheel torque specs used: ft. lbs.	C,D	Service front wheel bearings	
		G) Lift inspection	C,D	Drain water from fuel tank	
		1) Lift operation (fully stowed to fully deployed)	D	Replace accessory drive belts	
		2) Lift control pendant condition and operation	D	Service and flush cooling system	
		3) Lift restraint belt condition and operation	D	Install new spark plugs & wires	
		4) Outer roll stop condition and operation	D	Install new dist. cap & rotor	
		5) Inner roll stop condition and operation	D	Change differential fluid	
		6) Platform adjustments, condition and mounting	D	Check Exhaust and EGR system	
		7) Standee arm condition and operation	D	Check and service fuel & evap. System	
		8) Proper signage and decals	D	Evac and recharge A/C (add 1 oz. of oil)	
		9) Manual backup pump condition and operation	A,B,C,D	Post service test drive (5 miles)	
		10) Lift manual pump handle			
		11) Hydraulic pump condition and operation			
		12) Hydraulic lines and cylinders condition			
		13) Hydraulic fluid level and condition			
		14) Base plate and arms welds & pivot points			
		15) Lift springs and pins condition and operation			
		16) Lift safety switches and adjustments			
		17) Hose and wire routing and connections			
		18) Rollers and pivot point condition & operation			
		19) Lift to vehicle mounting bolts and brackets			
		20) Lift doors condition and operation			
		21) Lift door lights condition and operation			
		22) Lift interlock operation and condition			
		(lift door open, e-brake down not able to shift)			
		(e-brake off lift door closed no lift power)			
		23) W/C tie downs condition and operation			
		24) Tie down container secure and clean			
		25) Tie down floor mounting brackets secure			
		26) W/C shoulder belt condition and operation			
		27) Lift clean and no sharp edges			
		28) Lift shields secure and in good shape			
		29) Lift moves steady without drifting, jerking, or unusual speeds			
		30) No unusual lift noises			
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube			
		Check, torque or adjust lift base mounting bolts			

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Cenrtal Expy Way Suite 1145
Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

Vehicle #: 5305 Repair Reason: A Date and Time in: 12-05-2019 Mileage in: 219389
Date: 12-05-19 Work Class: I Date and Time Finished: Mileage out: 219390

PMIA

Notes/Measurements:

[illegible][illegible]

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation Inc. approved vendors and have followed all MV Transportation Inc. instructions.

Employee #: 8-7207 Technician: T-103

Signature

ASE Employee #: _____ ASE Technician: _____

ASE Signature:



PM DEFECT SHEET



MECHANIC'S SIGNATURE

BUS #: 5305

DATE:

12-05-2019

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

REPLACE two front tire And front
BRAKE.

this vehicle need to replace
CABLE SHIFTER REPLACE AND
FRONT CALIPER. LEFT FRONT LEAKING

Completed

12-05-19

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **219389** Mileage out: **219390**



Date: **12-05-11** Vehicle #: **5305**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps: Batt 2 volts: load amps: Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp: Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 12-05-19 Vehicle #: 5305 Mileage in: 219389 Mileage out: 219390

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
	F	Pads R/F: 3 /32" L/F: 3 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
F		Pads R/R: 8 /32" L/R: 8 /32"
		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
	F	R/F: 3 /32" L/F: 3 /32"
F		R/R: 2 /32" L/R: 8 /32"
F		R/RO: 2 /32" L/RO: 2 /32"
		35) Lug nuts condition
		Air pressure adjustment FR. RR.
		Wheel torque specs used: ft. lbs.
/		G) Lift inspection
F		1) Lift operation (fully stowed to fully deployed)
F		2) Lift control pendant condition and operation
F		3) Lift restraint belt condition and operation
F		4) Outer roll stop condition and operation
F		5) Inner roll stop condition and operation
F		6) Platform adjustments, condition and mounting
F		7) Standee arm condition and operation
F		8) Proper signage and decals
F		9) Manual backup pump condition and operation
F		10) Lift manual pump handle
F		11) Hydraulic pump condition and operation
F		12) Hydraulic lines and cylinders condition
F		13) Hydraulic fluid level and condition
F		14) Base plate and arms welds & pivot points
F		15) Lift springs and pins condition and operation
F		16) Lift safety switches and adjustments
F		17) Hose and wire routing and connections
F		18) Rollers and pivot point condition & operation
F		19) Lift to vehicle mounting bolts and brackets
F		20) Lift doors condition and operation
F		21) Lift door lights condition and operation
F		22) Lift interlock operation and condition
F		(lift door open, e-brake down not able to shift)
F		(e-brake off lift door closed no lift power)
F		23) W/C tie downs condition and operation
F		24) Tie down container secure and clean
F		25) Tie down floor mounting brackets secure
F		26) W/C shoulder belt condition and operation
F		27) Lift clean and no sharp edges
F		28) Lift shields secure and in good shape
F		29) Lift moves steady without drifting, jerking, or unusual speeds
F		30) No unusual lift noises
F		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
F		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	NA
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	F
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	F
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Work Order Division (0094)

5910 N Cenrtal Expy Way Suite 1145

3301 Electronics Way
West Palm Beach, FL 33407



Basic Information

Vehicle #: 5305 Repair Reason: A Date and Time in: _____

Mileage in: 668120

Date: 02/25/2010 Work Class: I Date and Time Finished:

Mileage out: 22875

Complaints/Defects:

Notes/Measurements:

PMI A

[illegible][illegible]

Total Hours Worked:

Total Parts Cost:

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

ready for service. I have used parts that are from my 1967 Pontiac.

Employee #: 863725 Technician: Rooney Mueeny

Signature _____

ASE Employee #: 604182 ASE Technician:

ASE Signature:



PM DEFECT SHEET



Rooney Miley
MECHANIC'S SIGNATURE

BUS #: 5305

DATE:

02/25/2020

PM TYPE OR WORK ORDER #: A

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE

COMPLETED

MINOR scratches + dings

EXHAUST HANGER BROKEN

ROONEY MILEY

02/25/2020

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **228750** Mileage out: **228751**



Date: **02/25/2020** Vehicle #: **5305**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
R		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition (radio, GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation

P	F	Item Inspected
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
R		1) Batteries & charging sys. (load alt B,C,D serv)
R		Batt 1 volts: load amps:
R		Batt 2 volts: load amps:
R		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
R		3) Steering shaft bearings
R		4) Steering linkages
R		5) I beam or control arm movements and rivets
R		6) Radius arm condition and bushings condition
R		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
R		18) Drive shaft condition
R		19) Universal joints and carrier bearings condition
R		20) No rear differential leaks
R		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 02/25/2020 Vehicle #: 5305Mileage in: 228750Mileage out: 228751

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
R		Pads R/F: <u>9</u> /32" L/F: <u>9</u> /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R		Pads R/R: <u>6</u> /32" L/R: <u>6</u> /32"
NA		Shoes R/R: <u>1</u> /32" L/R: <u>1</u> /32"
R		34) Tire and wheel condition and measurements
R		R/F: <u>7</u> /32" L/F: <u>7</u> /32"
R		R/RI: <u>6</u> /32" L/RI: <u>6</u> /32"
R		R/RO: <u>6</u> /32" L/RO: <u>6</u> /32"
		35) Lug nuts condition
R		Air pressure adjustment FR. <u>65</u> RR. <u>75</u>
R		Wheel torque specs used: <u>140</u> ft. lbs.
		G) Lift inspection
R		1) Lift operation (fully stowed to fully deployed)
R		2) Lift control pendant condition and operation
R		3) Lift restraint belt condition and operation
R		4) Outer roll stop condition and operation
R		5) Inner roll stop condition and operation
R		6) Platform adjustments, condition and mounting
R		7) Standee arm condition and operation
R		8) Proper signage and decals
R		9) Manual backup pump condition and operation
R		10) Lift manual pump handle
R		11) Hydraulic pump condition and operation
R		12) Hydraulic lines and cylinders condition
R		13) Hydraulic fluid level and condition
R		14) Base plate and arms welds & pivot points
R		15) Lift springs and pins condition and operation
R		16) Lift safety switches and adjustments
R		17) Hose and wire routing and connections
R		18) Rollers and pivot point condition & operation
R		19) Lift to vehicle mounting bolts and brackets
R		20) Lift doors condition and operation
R		21) Lift door lights condition and operation
R		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking, or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
R		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	R
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	R
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	R
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	R

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Dallas, TX 75206



West Palm Beach, FL 33407

Basic Information

Vehicle #: 5305 Repair Reason: A Date and Time in: 8:15 Mileage in: 233148
Date: 4-10-20 Work Class: T Date and Time Finished: 11:25 Mileage out: 233149

Complaints/Defects:

2025

Notes/Measurements:

Labor Information

[illegible]

Total Hours Worked:

Parts Information

[illegible]

Total Parts Cost:



I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 5201 Technician: LEWIS Signature: [Signature]

ASE Employee #: 604182 ASE Technician:

ASE Signature:

PM DEFECT SHEET



MECHANIC'S SIGNATURE

[Signature]

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

PM TYPE OR WORK ORDER #:

BUS #: 5305

DATE:

04-10-2020

6 WHEEL HINES 2/11/00. front 14 and rear 14 and rear brakes.

04-10-20

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **233148** Mileage out: **233149**



Date: **04-16-20** Vehicle #: **5205**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D Mileage in: 233148 Mileage out: 233149

Date: 04-10-10 Vehicle #: 5305



P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 8 L/F: 8
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 3 L/R: 3
		Shoes R/R: L/R: 3
		34) Tire and wheel condition and measurements
		R/F: 3 L/F: 3
		R/R: 4 L/R: 4
		R/R: 3 L/R: 3
		35) Lug nuts condition
		Air pressure adjustment FR: 65 RR: 45
		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Service Type	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	


Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: [Signature]
Date: 04-10-2020

Supervisor Signature: [Signature]
Date: [Blank]

Notes: [Blank]



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5345 Repair Reason: A Date and Time in: Mileage in: 242364
Date: 08/04/2020 Work Class: I Date and Time Finished: Mileage out: 242365

Complaints/Defects:

Notes/Measurements:

[illegible][illegible]

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies and notices.

Employee #: 863725 Technician: Rowen Mullen

Signature Mr. Gary M. Murray

ASE Employee #: 604/82-ASE Technician:

ASE Signature:

MECHANIC'S SIGNATURE 		BUS # : 5305		DATE: 08/04/2020	
PM TYPE OR WORK ORDER #:					
DATE		COMPLETED BY		COMPLETED	
DESCRIPTION OF REPAIR NEEDED					

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Mileage in: **242344** Mileage out: **242365**



Date: **08/04/20** Vehicle #: **5305**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage In: **24284** Mileage Out: **24285**



Date: **02/04/20** Vehicle #: **5365**

P	F	Item Inspected
		30 Front brake condition and mounting
		31 Front brake lining condition & measurement
		Pads R/F: 8 / 32" L/F: 8 / 32"
		32 Rear brake condition and mounting
		33 Rear brake lining condition & measurement
		Pads R/R: 6 / 32" L/R: 6 / 32"
		Shoes R/R: / 32" L/R: / 32"
		34 Tire and wheel condition and measurements
		R/F: 8 / 32" L/F: 8 / 32"
		R/R: 8 / 32" L/R: 8 / 32"
		R/RO: 8 / 32" L/RO: 8 / 32"
		35 Lug nuts condition
		Air pressure adjustment FR. 65RR.45 - 140 ft. lbs.
		Wheel torque specs used:
		(G) Lift inspection
		1 Lift operation (fully stowed to fully deployed)
		2 Lift control pendant condition and operation
		3 Lift restraint belt condition and operation
		4 Outer roll stop condition and operation
		5 Inner roll stop condition and operation
		6 Platform adjustments, condition and mounting
		7 Staircase arm condition and operation
		8 Proper signage and decals
		9 Manual backup pump condition and operation
		10 Lift manual pump handle
		11 Hydraulic pump condition and operation
		12 Hydraulic lines and cylinders condition
		13 Hydraulic fluid level and condition
		14 Base plate and arms welds & pivot points
		15 Lift springs and pins condition and operation
		16 Lift safety switches and adjustments
		17 Hose and wire routing and connections
		18 Rollers and pivot point condition & operation
		19 Lift to vehicle mounting bolts and brackets
		20 Lift doors condition and operation
		21 Lift door lights condition and operation
		22 Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23 W/C tie downs condition and operation
		24 Tie down container secure and clean
		25 Tie down floor mounting brackets secure
		26 W/C shoulder belt condition and operation
		27 Lift clean and no sharp edges
		28 Lift shields secure and in good shape
		29 Lift moves steady without drifting, jerking, or unusual speeds
		30 No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Notes:

Supervisor Signature _____ Date _____

Technician Signature *Anthony Murray* Date *02/04/2020*

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	Service Type
Change oil and filter	A,B,C,D
Lube chassis and suspension	A,B,C,D
Lube drive shafts and universal joints	A,B,C,D
Lube doors and hood, locks and hinges	A,B,C,D
Adjust service and parking brakes	A,B,C,D
Drain water from separator	A,B,C,D
Rotate tires (as necessary, caps on rear)	A,B,C,D
Change air filter	B,C,D
Change fuel filter	B,C,D
Clean or change PCV valve	B,C,D
Clean or change crank case filter	B,C,D
Install new wiper blades	B,C,D
Change transmission fluid and filter	C,D
Service front wheel bearings	C,D
Drain water from fuel tank	C,D
Replace accessory drive belts	D
Service and flush cooling system	D
Install new spark plugs & wires	D
Install new dist. cap & rotor	D
Change differential fluid	D
Check Exhaust and EGR system	D
Check and service fuel & evap. System	D
Evac and recharge A/C (add 1 oz. of oil)	D
Post service test drive (5 miles)	A,B,C,D

Initial or "N/A" each service performed per PM type

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5305 Repair Reason: A Date and Time in: 10-02-2020 Mileage in: 247056
Date: 10-02-20 Work Class: I Date and Time Finished: Mileage out: 247057

Complaints/Defects:

21/11/20

Notes/Measurements:

Labor Information						Parts Information			
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
A	58	GME A.		A	55	50W20	ENGINE OIL	6.5	
				A	55	LF3681	OIL FILTER	1	
				A	55	0W20017F.	WATER PUMP	2	
				A	55	SASD-1329	BEAR BLADE	1	
				A	55	SASD-13-28	PART SHAKE	1	
				A	55	801831	FLOOR TIE	1	
				A	55	8C22*2B29	C SUPPORT	1	
			Total Hours Worked:	Total Parts Cost:					


I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 857302 Technician: JEFFREY M. LUTZEN Signature: [Signature]

ASE Employee #: 604182 ASE Technician:

ASE Signature:

PM DEFECT SHEET



MECHANIC'S SIGNATURE
[Signature]

BUS #: 6305
DATE: 10-02-2020
PM TYPE OR WORK ORDER #:

DATE	COMPLETED BY	DESCRIPTION OF REPAIR NEEDED
10-01-2020	<i>[Signature]</i>	Replace front Baskets and Rear Baskets. This vehicle need left front Basket. Calliper to replace.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A) B C D**

Mileage in: **247058** Mileage out: **247057**



Date: **10-02-20** Vehicle #: **5305**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation
P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 10-02-20 Vehicle #: 5305

Circle Service Type: A B C D Mileage In: 247056 Mileage Out: 247057

Item Inspected	Service Performed	Initial or "N/A" each service performed per PM type
30) Front brake condition and mounting	A,B,C,D	Change oil and filter
31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension
32) Rear brake condition and mounting	A,B,C,D	Lube drive shafts and universal joints
33) Rear brake lining condition & measurement	A,B,C,D	Lube doors and hood, locks and hinges
Pads R/R: 3 /32" L/R: 3 /32"	A,B,C,D	Adjust service and parking brakes
Shoes R/R: 3 /32" L/R: 3 /32"	A,B,C,D	Drain water from separator
34) Tire and wheel condition and measurements	A,B,C,D	Rotate tires (as necessary, caps on rear)
R/F: 3 /32" L/F: 3 /32"	B,C,D	Change air filter
R/R: 9 /32" L/R: 8 /32"	B,C,D	Change fuel filter
R/R: 7 /32" L/R: 8 /32"	B,C,D	Clean or change PCV valve
35) Lug nuts condition	B,C,D	Clean or change crank case filter
Air pressure adjustment FR. 65 RR. 45	C,D	Install new wiper blades
Wheel torque specs used: 140 ft. lbs.	C,D	Change transmission fluid and filter
(G) Lift inspection	C,D	Service front wheel bearings
1) Lift operation (fully stowed to fully deployed)	D	Drain water from fuel tank
2) Lift control: pendant condition and operation	D	Replace accessory drive belts
3) Lift restraint belt condition and operation	D	Service and flush cooling system
4) Outer roll stop condition and operation	D	Install new spark plugs & wires
5) Inner roll stop condition and operation	D	Install new dist. cap & rotor
6) Platform adjustments, condition and mounting	D	Change differential fluid
7) Stander arm condition and operation	D	Check Exhaust and EGR system
8) Proper signage and decals	D	Check and service fuel & evap. System
9) Manual backup pump condition and operation	D	Evac and recharge A/C (add 1 oz. of oil)
10) Lift manual pump handle	A,B,C,D	Post service test drive (5 miles)
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Notes: Supervisor Signature _____ Date _____

Technician Signature _____ Date 10-02-2020

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.



Work Order Division (0094)

5910 N Cenrtal Expy Way Suite 1145
Dallas, TX 75206

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 15305 Repair Reason: I Date and Time In: _____ Mileage in: 241 379
Date: 3/10/21 Work Class: A Date and Time Finished: _____ Mileage out: 241 381

Complaints/Defects:

Notes/Measurements:

Labor Information

[illegible]

Part's Information


[illegible]

I have performed the repair according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 668802 Technician: Robison
Signature: J. D. J.

ASE Employee #: 604182 ASE Technician:

ASE Signature:

MECHANIC'S SIGNATURE 		BUS #: 5305 DATE:	PM TYPE OR WORK ORDER #: A
DATE	COMPLETED	DESCRIPTION OF REPAIR NEEDED	
	COMPLETED BY	* Right front PARKING LIGHT OUT. HNH	

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Mileage in: 241,379 Mileage out: 241,381



Date: 03/14/21 Vehicle #: 5305

P	F	Item Inspected
☒		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		B) Walk around inspection
☒		16) No vibrations, pulsations or noises
☒		1) Body damage (list on separate sheet)
☒		2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
☒		C) Interior inspection
☒		1) Passenger door and steps condition
☒		2) Handrails and stanchions condition
☒		3) Interior and modesty panels condition
☒		4) Flooring condition
☒		5) Interior lighting operation and condition
☒		6) Windows operation and condition
☒		7) Emergency Exits operation & condition
☒		8) Accessory operation & condition (radio, GPS)
☒		9) Passenger seats operation & condition
☒		10) Passenger seat belts operation & condition
☒		11) First aid & body fluid kits complete
☒		12) Triangle reflectors complete/good condition
☒		13) Stop request operation & condition
☒		14) Valid registration, insurance & accident pack
☒		15) Fire extinguisher in good condition & signed
☒		16) Interior decals and signage (incl. electrical)
☒		17) DVI's reviewed, addressed and signed off
☒		18) Interior clean
☒		D) HVAC system inspection
☒		1) Front blower condition and operation

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Mileage In: 241,379 Mileage Out: 241,381



Date: 03/10/21 Vehicle #: 5305

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 6/32" L/R: 6/32"
		Shoes R/R: 13/32" L/R: 13/32"
		34) Tire and wheel condition and measurements
		R/F: 13/32" L/F: 13/32"
		R/R: 8/32" L/R: 8/32"
		R/R: 5/32" L/R: 6/32"
		35) Lug nuts condition
		Air pressure adjustment FR: 35 RR: 30
		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C the downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Service Type	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	H
A,B,C,D	Lube chassis and suspension	N/A
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	N/A
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires (as necessary, caps on rear)	N/A
B,C,D	Change air filter	H
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evapor. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	H

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Vehicle #: 5305 Repair Reason: pm Date and Time in: 270767 Mileage in: 270767
Date: 1-4-21 Work Class: pm Date and Time Finished: Mileage out: 270772

Notes/Measurements:

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices with respect to workmanship and have followed all MV Transportation, Inc. policies.

ready for service. I have used parts that are from an MV Transportation, Inc. approved vendors and have given you the name of the vendor.

Employee #: 668335 Technician: John Crisley Signature: [Signature]

ASE Employee #: 604182 ASE Technician: _____ ASE signature: _____

Needs no ride replacement
oil leaks



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 6-4-21 Vehicle #: 5305

Mileage in: 270767 Mileage out: 270762

P	F	Item Inspected	P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)			2) Rear blower condition and operation
		1) Driver carpet			3) Defroster operation
		2) Driver seat condition and operation			4) Temp gets to 20 deg. F below ambient temp.
		3) Drivers door operation and condition			5) Evaporator intake air filter condition
		4) Drivers seat belt operation and condition			6) Front heater condition and operation
		5) Engine starting and ignition system			7) Rear heater condition and operation
		6) Instrument panel gauges & warning lights			8) A/C compressors and condenser fans
		7) Instrument panel lighting & condition			E) Under hood inspection
		8) Horn operation			1) Batteries & charging sys. (load alt B,C,D serv)
		9) Steering wheel tight, no excessive play			Batt 1 volts: <u>12</u> load volts: <u>12.4</u> load amps: <u>780</u>
		10) Windshield wipers			Batt 2 volts: <u>12</u> load volts: <u>12.4</u> load amps: <u>750</u>
		11) Windshield washer			Batt 3 volts: load volts: load amps:
		12) Sun visor condition and operation			(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		13) Parking brake operation & condition			Alt. 1 min volt: max volt: max amp:
		14) Parking and service brake pedal pads			Alt. 2 min volt: max volt: max amp:
		15) Passenger door operation			(reference factory service manual for alternator spec)
		16) No vibrations, pulsations or noises			2) Wire and hose routing and connections
		B) Walk around inspection			3) Cooling system, hoses, water pump condition
		1) Body damage (list on separate sheet)			5) Accessory drive belts condition
		2) Headlights, high & low beam operation			6) Pulleys and tensioned operation & condition
		3) Parking lights operation & condition			7) Brake master cylinder and power booster
		4) Marker lights operation & condition			8) Fan and fan clutch operation and condition
		5) Directional signals operation & condition			9) Engine oil fluid level and condition
		6) Hazard lights operation & condition			10) Transmission oil level and condition
		7) Clearance lights operation and condition			11) Power steering fluid level and condition
		8) Brake lights operation & condition			12) Brake fluid level and condition
		9) License plate lamp operation & condition			F) Vehicle rack inspection
		10) License plates and tags			1) Steering gear box mount, condition & leaks
		11) Backup lights and alarms			2) Steering shaft U joints
		12) Reflectors and reflective bumper tape			3) Steering shaft bearings
		13) Exterior decals and signage			4) Steering linkages
		14) Bumpers secure / in good condition			5) I beam or control arm movements and rivets
		15) Exterior mirrors secure / in good condition			6) Radius arm condition and bushings condition
		16) Exterior clean			7) Stabilizer bar condition and bushings condition
		C) Interior inspection			8) Ball joints or kingpins
		1) Passenger door and steps condition			9) Front spring condition and mounting
		2) Handrails and stanchions condition			10) Front shock absorber operation & condition
		3) Interior and modesty panels condition			11) Trans oil cooler & lines routing and leaks
		4) Flooring condition			12) Engine oil cooler & lines routing and leaks
		5) Interior lighting operation and condition			13) Heater and A/C hose routing and leaks
		6) Windows operation and condition			14) No engine oil leaks and fluid condition
		7) Emergency Exits operation & condition			15) Engine mounts, brackets and bolts
		8) Accessory operation & condition (radio, GPS)			16) Transmission mounts, brackets and bolts
		9) Passenger seats operation & condition			17) No transmission oil leaks and fluid condition
		10) Passenger seat belts operation & condition			18) Drive shaft condition
		11) First aid & body fluid kits complete			19) Universal joints and carrier bearings condition
		12) Triangle reflectors complete/good condition			20) No rear differential leaks
		13) Stop request operation & condition			21) Rear differential condition and mounting
		14) Valid registration, insurance & accident pack			22) Frame and cross members
		15) Fire extinguisher in good condition & signed			23) Rear shock absorbers
		16) Interior decals and signage (incl. electrical)			24) Rear springs condition and mounting
		17) DVI's reviewed, addressed and signed off			25) No fuel leaks
		18) Interior clean			26) Fuel tank condition and mounting
		D) HVAC system inspection			27) No exhaust leaks
		1) Front blower condition and operation			28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 6-4-21 Vehicle #: 5305

Mileage in: 27000

Circle Service Type: (A) B C D

Mileage out: 27078

Item Inspected	Initial	Final
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 8/32" L/F: 8/32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 7/32" L/R: 7/32"		
Shoes R/R: 1/32" L/R: 1/32"		
34) Tire and wheel condition and measurements		
R/F: 9/32" L/F: 9/32"		
R/R: 6/32" L/R: 6/32"		
R/RO: 9/32" L/RO: 9/32" new		
35) Lug nuts condition		
Air pressure adjustment FR. 65 RR. 65		
Wheel torque specs used: 140 ft. lbs.		
36) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Stander arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Notes:

Supervisor Signature _____ Date _____

Technician Signature _____ Date 6-4-21

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	
Lube chassis and suspension	A,B,C,D	
Lube drive shafts and universal joints	A,B,C,D	
Lube doors and hood, locks and hinges	A,B,C,D	
Adjust service and parking brakes	A,B,C,D	
Drain water from separator	A,B,C,D	
Rotate tires (as necessary, caps on rear)	A,B,C,D	
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	X

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #:	5305	Repair Reason:	I	Date and Time in:	08/06/21	9:30 PM	Mileage in:	275,656
Date:	08/06/21	Work Class:	A	Date and Time Finished:	08/06/21		Mileage out:	275,657

Notes/Measurements:

[illegible]

I have performed the repairs according to MV Transportation, Inc. Standardized working procedures ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 662802 Technician: Robert Hays Signature: R.H. Hays

ASE Employee #: 604182 ASE Technician: _____ ASE Signature: _____



PM DEFECT SHEET



MECHANIC'S SIGNATURE <i>J. D. Henry</i>		BUS #: 5305 DATE: 08/06/21	PM TYPE OR WORK ORDER #: A
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY	DATE COMPLETED

* Lower Radiator. Has Defective * Item has been ordered. * Exhaust Pipe Broken. * Replace Right/Rear Inner Tie * Inflate and Torque ALL wheels 4NH.	08/06/21
---	----------



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 08/06/21 Vehicle #: 5305

Mileage in: 275,656 Mileage out: 275,057

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
H		1) Driver carpet
H		2) Driver seat condition and operation
H		3) Drivers door operation and condition
H		4) Drivers seat belt operation and condition
H		5) Engine starting and ignition system
H		6) Instrument panel gauges & warning lights
H		7) Instrument panel lighting & condition
H		8) Horn operation
H		9) Steering wheel tight, no excessive play
H		10) Windshield wipers
H		11) Windshield washer
H		12) Sun visor condition and operation
H		13) Parking brake operation & condition
H		14) Parking and service brake pedal pads
H		15) Passenger door operation
H		16) No vibrations, pulsations or noises
		B) Walk around inspection
H		1) Body damage (list on separate sheet)
H		2) Headlights, high & low beam operation
H		3) Parking lights operation & condition
H		4) Marker lights operation & condition
H		5) Directional signals operation & condition
H		6) Hazard lights operation & condition
H		7) Clearance lights operation and condition
H		8) Brake lights operation & condition
H		9) License plate lamp operation & condition
H		10) License plates and tags
H		11) Backup lights and alarms
H		12) Reflectors and reflective bumper tape
H		13) Exterior decals and signage
H		14) Bumpers secure / in good condition
H		15) Exterior mirrors secure / in good condition
X		16) Exterior clean
		C) Interior inspection
H		1) Passenger door and steps condition
H		2) Handrails and stanchions condition
H		3) Interior and modesty panels condition
H		4) Flooring condition
H		5) Interior lighting operation and condition
H		6) Windows operation and condition
H		7) Emergency Exits operation & condition
H		8) Accessory operation & condition (radio, GPS)
H		9) Passenger seats operation & condition
H		10) Passenger seat belts operation & condition
H		11) First aid & body fluid kits complete
H		12) Triangle reflectors complete/good condition
H		13) Stop request operation & condition
H		14) Valid registration, insurance & accident pack
H		15) Fire extinguisher in good condition & signed
H		16) Interior decals and signage (incl. electrical)
X		17) DVI's reviewed, addressed and signed off
X		18) Interior clean
		D) HVAC system inspection
H		1) Front blower condition and operation

P	F	Item Inspected
H		2) Rear blower condition and operation
H		3) Defroster operation
H		4) Temp gets to 20 deg. F below ambient temp.
H		5) Evaporator intake air filter condition
H		6) Front heater condition and operation
H		7) Rear heater condition and operation
H		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
H		Batt 1 volts: load volts: load amps:
H		Batt 2 volts: load volts: load amps:
H		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
H		Alt. 1 min volt: max volt: max amp:
H		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
H		2) Wire and hose routing and connections
X		3) Cooling system, hoses, water pump condition
H		5) Accessory drive belts condition
H		6) Pulleys and tensioned operation & condition
H		7) Brake master cylinder and power booster
H		8) Fan and fan clutch operation and condition
H		9) Engine oil fluid level and condition
H		10) Transmission oil level and condition
H		11) Power steering fluid level and condition
H		12) Brake fluid level and condition
		F) Vehicle rack inspection
H		1) Steering gear box mount, condition & leaks
H		2) Steering shaft U joints
H		3) Steering shaft bearings
H		4) Steering linkages
H		5) I beam or control arm movements and rivets
H		6) Radius arm condition and bushings condition
H		7) Stabilizer bar condition and bushings condition
H		8) Ball joints or kingpins
H		9) Front spring condition and mounting
H		10) Front shock absorber operation & condition
H		11) Trans oil cooler & lines routing and leaks
H		12) Engine oil cooler & lines routing and leaks
H		13) Heater and A/C hose routing and leaks
H		14) No engine oil leaks and fluid condition
H		15) Engine mounts, brackets and bolts
H		16) Transmission mounts, brackets and bolts
H		17) No transmission oil leaks and fluid condition
H		18) Drive shaft condition
H		19) Universal joints and carrier bearings condition
H		20) No rear differential leaks
H		21) Rear differential condition and mounting
H		22) Frame and cross members
H		23) Rear shock absorbers
H		24) Rear springs condition and mounting
H		25) No fuel leaks
H		26) Fuel tank condition and mounting
X		27) No exhaust leaks
X		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **235,657** Mileage out: **275,657**

Date: **08/06/24** Vehicle #: **5305**

P	F	Item Inspected	Initial or "N/A" each service performed per PM type
		30) Front brake condition and mounting	A,B,C,D
		31) Front brake lining condition & measurement	A,B,C,D
		32) Rear brake condition and mounting	A,B,C,D
		33) Rear brake lining condition & measurement	A,B,C,D
		Pads R/R: 6/32" L/R: 6/32"	A,B,C,D
		Shoes R/R: 6/32" L/R: 6/32"	A,B,C,D
		34) Tire and wheel condition and measurements	A,B,C,D
		R/F: 9/32" L/F: 9/32"	A,B,C,D
		R/R: 12/32" L/R: 9/32"	A,B,C,D
		R/RO: 10/32" L/RO: 7/32"	A,B,C,D
		35) Lug nuts condition	A,B,C,D
		Air pressure adjustment FR. 75 RR. 80	A,B,C,D
		Wheel torque specs used: 140 ft. lbs.	A,B,C,D
		G) Lift inspection	A,B,C,D
		1) Lift operation (fully stowed to fully deployed)	A,B,C,D
		2) Lift control pendant condition and operation	A,B,C,D
		3) Lift restraint belt condition and operation	A,B,C,D
		4) Outer roll stop condition and operation	A,B,C,D
		5) Inner roll stop condition and operation	A,B,C,D
		6) Platform adjustments, condition and mounting	A,B,C,D
		7) Standee arm condition and operation	A,B,C,D
		8) Proper signage and decals	A,B,C,D
		9) Manual backup pump condition and operation	A,B,C,D
		10) Lift manual pump handle	A,B,C,D
		11) Hydraulic pump condition and operation	A,B,C,D
		12) Hydraulic lines and cylinders condition	A,B,C,D
		13) Hydraulic fluid level and condition	A,B,C,D
		14) Base plate and arms welds & pivot points	A,B,C,D
		15) Lift springs and pins condition and operation	A,B,C,D
		16) Lift safety switches and adjustments	A,B,C,D
		17) Hose and wire routing and connections	A,B,C,D
		18) Rollers and pivot point condition & operation	A,B,C,D
		19) Lift to vehicle mounting bolts and brackets	A,B,C,D
		20) Lift doors condition and operation	A,B,C,D
		21) Lift door lights condition and operation	A,B,C,D
		22) Lift interlock operation and condition	A,B,C,D
		(Lift door open, e-brake down not able to shift)	A,B,C,D
		(e-brake off lift door closed no lift power)	A,B,C,D
		23) W/C tie downs condition and operation	A,B,C,D
		24) Tie down container secure and clean	A,B,C,D
		25) Tie down floor mounting brackets secure	A,B,C,D
		26) W/C shoulder belt condition and operation	A,B,C,D
		27) Lift clean and no sharp edges	A,B,C,D
		28) Lift shields secure and in good shape	A,B,C,D
		29) Lift moves steady without drifting, jerking, or unusual speeds	A,B,C,D
		30) No unusual lift noises	A,B,C,D
		Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube	A,B,C,D
		Check, torque or adjust lift base mounting bolts	A,B,C,D

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Service Type	Service Performed	Technicians Signature	Supervisor Signature	Date
A,B,C,D	Change oil and filter			
A,B,C,D	Lube chassis and suspension			
A,B,C,D	Lube drive shafts and universal joints			
A,B,C,D	Lube doors and hood, locks and hinges			
A,B,C,D	Adjust service and parking brakes			
A,B,C,D	Drain water from separator			
A,B,C,D	Rotate tires (as necessary, caps on rear)			
B,C,D	Change air filter			
B,C,D	Change fuel filter			
B,C,D	Clean or change PCV valve			
B,C,D	Clean or change crank case filter			
B,C,D	Install new wiper blades			
C,D	Change transmission fluid and filter			
C,D	Service front wheel bearings			
C,D	Drain water from fuel tank			
D	Replace accessory drive belts			
D	Service and flush cooling system			
D	Install new spark plugs & wires			
D	Install new dist. cap & rotor			
D	Change differential fluid			
D	Check Exhaust and EGR system			
D	Check and service fuel & evap. System			
D	Evac and recharge A/C (add 1 oz. of oil)			
A,B,C,D	Post service test drive (5 miles)			

Notes: _____

Technicians Signature: _____ Date: **08/06/24**

Supervisor Signature: _____ Date: _____

5910 N Central Expy May Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

West Palm Beach, FL 33407

for

Basic Information

Vehicle #: 5305 Repair Reason: PMF Date and Time in: ~~28 Feb~~ 14:00
Date: 11-1-21 Work Class: Date and Time Finished: 14:20 Mileage out: 284962

Mileage in: 2849.58.
Mileage out: 2849.62

Complaints/Defects:

Notes/Measurements:

[illegible]

Total Hours Worked:	
I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and	
I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and	
I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and	
I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and	
I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and	
I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and	
I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and	
I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and	
I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and	
I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and	
I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and	

Employee #: 668335 Technician: John Charles

Signature

ASE Employee #: 604182 ASE Technician: _____

ASE Signature:

MECHANIC'S SIGNATURE		DATE: 11-1-81	
BUS #: 5305		PM TYPE OR WORK ORDER #:	
DATE		11-1-81	
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY	
DATE		COMPLETED	



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 11-1-21 Vehicle #: 5305Mileage in: 284955Mileage out: 284962

P	F	Item Inspected	P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)			2) Rear blower condition and operation
☒		1) Driver carpet	☒		3) Defroster operation
☒		2) Driver seat condition and operation	☒		4) Temp gets to 20 deg. F below ambient temp.
☒		3) Drivers door operation and condition	☒		5) Evaporator intake air filter condition
☒		4) Drivers seat belt operation and condition	☒		6) Front heater condition and operation
☒		5) Engine starting and Ignition system	☒		7) Rear heater condition and operation
☒		6) Instrument panel gauges & warning lights	☒		8) A/C compressors and condenser fans
☒		7) Instrument panel lighting & condition			E) Under hood inspection
☒		8) Horn operation	☒		1) Batteries & charging sys. (load alt B,C,D serv)
☒		9) Steering wheel tight, no excessive play	☒		Batt 1 volts: <u>12</u> load volts: <u>12.6</u> load amps: <u>250</u>
☒		10) Windshield wipers	☒		Batt 2 volts: <u>12</u> load volts: <u>12.6</u> load amps: <u>250</u>
☒		11) Windshield washer			Batt 3 volts: load volts: load amps:
☒		12) Sun visor condition and operation	☒		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
☒		13) Parking brake operation & condition	☒		Alt. 1 min volt: <u>14</u> max volt: <u>14.1</u> max amp: <u>250</u>
☒		14) Parking and service brake pedal pads			Alt. 2 min volt: max volt: max amp:
☒		15) Passenger door operation	☒		(reference factory service manual for alternator spec)
☒		16) No vibrations, pulsations or noises	☒		2) Wire and hose routing and connections
		B) Walk around inspection	☒		3) Cooling system, hoses, water pump condition
☒		1) Body damage (list on separate sheet)	☒		5) Accessory drive belts condition
☒		2) Headlights, high & low beam operation	☒		6) Pulleys and tensioned operation & condition
☒		3) Parking lights operation & condition	☒		7) Brake master cylinder and power booster
☒		4) Marker lights operation & condition	☒		8) Fan and fan clutch operation and condition
☒		5) Directional signals operation & condition	☒		9) Engine oil fluid level and condition
☒		6) Hazard lights operation & condition	☒		10) Transmission oil level and condition
☒		7) Clearance lights operation and condition	☒		11) Power steering fluid level and condition
☒		8) Brake lights operation & condition	☒		12) Brake fluid level and condition
☒		9) License plate lamp operation & condition			F) Vehicle rack inspection
☒		10) License plates and tags	☒		1) Steering gear box mount, condition & leaks
☒		11) Backup lights and alarms	☒		2) Steering shaft U joints
☒		12) Reflectors and reflective bumper tape	☒		3) Steering shaft bearings
☒		13) Exterior decals and signage	☒		4) Steering linkages
☒		14) Bumpers secure / in good condition	☒		5) I beam or control arm movements and rivets
☒		15) Exterior mirrors secure / in good condition	☒		6) Radius arm condition and bushings condition
☒		16) Exterior clean	☒		7) Stabilizer bar condition and bushings condition
		C) Interior inspection	☒		8) Ball joints or kingpins
☒		1) Passenger door and steps condition	☒		9) Front spring condition and mounting
☒		2) Handrails and stanchions condition	☒		10) Front shock absorber operation & condition
☒		3) Interior and modesty panels condition	☒		11) Trans oil cooler & lines routing and leaks
☒		4) Flooring condition	☒		12) Engine oil cooler & lines routing and leaks
☒		5) Interior lighting operation and condition	☒		13) Heater and A/C hose routing and leaks
☒		6) Windows operation and condition	☒		14) No engine oil leaks and fluid condition
☒		7) Emergency Exits operation & condition	☒		15) Engine mounts, brackets and bolts
☒		8) Accessory operation & condition (radio, GPS)	☒		16) Transmission mounts, brackets and bolts
☒		9) Passenger seats operation & condition	☒		17) No transmission oil leaks and fluid condition
☒		10) Passenger seat belts operation & condition	☒		18) Drive shaft condition
☒		11) First aid & body fluid kits complete	☒		19) Universal joints and carrier bearings condition
☒		12) Triangle reflectors complete/good condition	☒		20) No rear differential leaks
☒		13) Stop request operation & condition	☒		21) Rear differential condition and mounting
☒		14) Valid registration, insurance & accident pack	☒		22) Frame and cross members
☒		15) Fire extinguisher in good condition & signed	☒		23) Rear shock absorbers
☒		16) Interior decals and signage (incl. electrical)	☒		24) Rear springs condition and mounting
☒		17) DVI's reviewed, addressed and signed off	☒		25) No fuel leaks
☒		18) Interior clean	☒		26) Fuel tank condition and mounting
		D) HVAC system inspection	☒		27) No exhaust leaks
☒		1) Front blower condition and operation	☒		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **284958** Mileage out: **284962**

Item Inspected	Service Type	Service Performed	Tech's Initials
30) Front brake condition and mounting	A,B,C,D	Change oil and filter	2
31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	2
32) Rear brake condition and mounting	A,B,C,D	Lube drive shafts and universal joints	2
33) Rear brake lining condition & measurement	A,B,C,D	Lube doors and hood, locks and hinges	2
Pads R/R: /32" L/R: /32"	A,B,C,D	Adjust service and parking brakes	2
Shoes R/R: /32" L/R: /32"	A,B,C,D	Drain water from separator	2
34) Tire and wheel condition and measurements	A,B,C,D	Rotate tires (as necessary, caps on rear)	2
R/F: 10/32" L/F: 10/32"	B,C,D	Change fuel filter	2
R/R: 8/32" L/R: 12W32"	B,C,D	Change fuel filter	2
R/R: 12W32" L/R: 10/32"	B,C,D	Clean or change PCV valve	2
35) Lug nuts condition	B,C,D	Clean or change crank case filter	2
Wheel torque adjustment FR. RR. ft. lbs.	B,C,D	Install new wiper blades	2
g) Lift inspection	C,D	Change transmission fluid and filter	2
1) Lift operation (fully stowed to fully deployed)	C,D	Service front wheel bearings	2
2) Lift control pendant condition and operation	C,D	Drain water from fuel tank	2
3) Lift restraint belt condition and operation	C,D	Replace accessory drive belts	2
4) Outer roll stop condition and operation	D	Service and flush cooling system	2
5) Inner roll stop condition and operation	D	Install new spark plugs & wires	2
6) Platform adjustments, condition and mounting	D	Install new dist. cap & rotor	2
7) Standee arm condition and operation	D	Change differential fluid	2
8) Proper signage and decals	D	Check Exhaust and EGR system	2
9) Manual backup pump condition and operation	D	Check and service fuel & evap. System	2
10) Lift manual pump handle	A,B,C,D	Evac and recharge A/C (add 1 oz. of oil)	2
11) Hydraulic pump condition and operation	A,B,C,D	Post service test drive (5 miles)	2
12) Hydraulic lines and cylinders condition	A,B,C,D	Initial or "N/A" each service performed per PM type	2
13) Hydraulic fluid level and condition	A,B,C,D		
14) Base plate and arms welds & pivot points	A,B,C,D		
15) Lift springs and pins condition and operation	A,B,C,D		
16) Lift safety switches and adjustments	A,B,C,D		
17) Hose and wire routing and connections	A,B,C,D		
18) Rollers and pivot point condition & operation	A,B,C,D		
19) Lift to vehicle mounting bolts and brackets	A,B,C,D		
20) Lift doors condition and operation	A,B,C,D		
21) Lift door lights condition and operation	A,B,C,D		
22) Lift interlock operation and condition	A,B,C,D		
(Lift door open, e-brake down not able to shift)	A,B,C,D		
(e-brake off lift door closed no lift power)	A,B,C,D		
23) W/C tie downs condition and operation	A,B,C,D		
24) Tie down container secure and clean	A,B,C,D		
25) Tie down floor mounting brackets secure	A,B,C,D		
26) W/C shoulder belt condition and operation	A,B,C,D		
27) Lift clean and no sharp edges	A,B,C,D		
28) Lift shields secure and in good shape	A,B,C,D		
29) Lift moves steady without drifting, jerking, or unusual speeds	A,B,C,D		
30) No unusual lift noises	A,B,C,D		
Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube	A,B,C,D		
Check, torque or adjust lift base mounting bolts	A,B,C,D		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Work Order Detail

0094-2022-1001



Asset ID:	5305-P-94 2015 FORD E450 CUTAWAY		
Repair Location:	0094 - WEST PALM BEACH 94		
Work Order ID:	0094-2022-1001	Job Status:	CLOSED
Job Type:	PM	PM Service:	A - PM SERVICE A
PM Scheduled:	05/01/2022	Service Status:	OS - OUT OF SERVICE
WO Meter 1:	288055 MILES	Projected Completion Date:	04/28/2022 16:00
Next PM Due Date:	10/28/2022	Priority:	3 - NORMAL PRIORITY

Non Service Request Tasks

Task: A - Pm Service A				Warranty: NO	
WAC: 55 - EXCHANGE WITH NEW		Reason: -			
Work Class: 1 - SCHEDULED		Comments:			
Labor				Labor Hrs	Cost
04/27/2022 00:00	Emp: 845132 - Jymmy Alisme			1.50	97.50
Parts		Qty Issued	Iss Price	Tax & Markup	Total Cost
FL-820S-0 - FILTER; ENGINE OIL FILTER		1.00	3.51	0.00	3.51
Removed Serial #:		Serial #:			
VV1790-0 - LUBRICANT; VALVOLINE FULL SYNTHETIC 5W-30		7.00	3.62	0.00	25.31
Removed Serial #:		Serial #:			

Overhead

Small Parts - Labor: **0.00**
 Small Parts - Parts: **0.00**

Tools: **0.00**
 Overhead Costs: **0.00**

Total Overhead Costs: **0.00**

Comments:

Internal Parts Cost:	\$28.82
Internal Labor Cost:	\$97.50
Commercial Parts Cost:	\$0.00
Commercial Labor Cost:	\$0.00
Commercial Misc Cost:	\$0.00
Commercial Tax & Markup:	\$0.00
Equipment Usage Costs:	\$0.00
Overhead Costs:	\$0.00

Internal Total:	\$126.32
Commercial Total:	0.00
Work Order Total:	\$126.32



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 04/27/22 Vehicle #: 5305-P Mileage in: 288054 Mileage out: 288055

P	F	Item Inspected
☒		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		16) No vibrations, pulsations or noises
☒		B) Walk around inspection
☒		1) Body damage (list on separate sheet)
☒		2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
☒		C) Interior inspection
☒		1) Passenger door and steps condition
☒		2) Handrails and stanchions condition
☒		3) Interior and modesty panels condition
☒		4) Flooring condition
☒		5) Interior lighting operation and condition
☒		6) Windows operation and condition
☒		7) Emergency Exits operation & condition
☒		8) Accessory operation & condition (radio, GPS)
☒		9) Passenger seats operation & condition
☒		10) Passenger seat belts operation & condition
☒		11) First aid & body fluid kits complete
☒		12) Triangle reflectors complete/good condition
☒		13) Stop request operation & condition
☒		14) Valid registration, insurance & accident pack
☒		15) Fire extinguisher in good condition & signed
☒		16) Interior decals and signage (incl. electrical)
☒		17) DVI's reviewed, addressed and signed off
☒		18) Interior clean
☒		D) HVAC system inspection
☒		1) Front blower condition and operation

P	F	Item Inspected
☒		2) Rear blower condition and operation
☒		3) Defroster operation
☒		4) Temp gets to 20 deg. F below ambient temp.
☒		5) Evaporator intake air filter condition
☒		6) Front heater condition and operation
☒		7) Rear heater condition and operation
☒		8) A/C compressors and condenser fans
☒		E) Under hood inspection
☒		1) Batteries & charging sys. (load alt B,C,D serv)
☒		Batt 1 volts: load volts: load amps:
☒		Batt 2 volts: load volts: load amps:
☒		Batt 3 volts: load volts: load amps:
☒		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
☒		Alt. 1 min volt: max volt: max amp:
☒		Alt. 2 min volt: max volt: max amp:
☒		(reference factory service manual for alternator spec)
☒		2) Wire and hose routing and connections
☒		3) Cooling system, hoses, water pump condition
☒		5) Accessory drive belts condition
☒		6) Pulleys and tensioned operation & condition
☒		7) Brake master cylinder and power booster
☒		8) Fan and fan clutch operation and condition
☒		9) Engine oil fluid level and condition
☒		10) Transmission oil level and condition
☒		11) Power steering fluid level and condition
☒		12) Brake fluid level and condition
☒		F) Vehicle rack inspection
☒		1) Steering gear box mount, condition & leaks
☒		2) Steering shaft U joints
☒		3) Steering shaft bearings
☒		4) Steering linkages
☒		5) I beam or control arm movements and rivets
☒		6) Radius arm condition and bushings condition
☒		7) Stabilizer bar condition and bushings condition
☒		8) Ball joints or kingpins
☒		9) Front spring condition and mounting
☒		10) Front shock absorber operation & condition
☒		11) Trans oil cooler & lines routing and leaks
☒		12) Engine oil cooler & lines routing and leaks
☒		13) Heater and A/C hose routing and leaks
☒		14) No engine oil leaks and fluid condition
☒		15) Engine mounts, brackets and bolts
☒		16) Transmission mounts, brackets and bolts
☒		17) No transmission oil leaks and fluid condition
☒		18) Drive shaft condition
☒		19) Universal joints and carrier bearings condition
☒		20) No rear differential leaks
☒		21) Rear differential condition and mounting
☒		22) Frame and cross members
☒		23) Rear shock absorbers
☒		24) Rear springs condition and mounting
☒		25) No fuel leaks
☒		26) Fuel tank condition and mounting
☒		27) No exhaust leaks
☒		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D Mileage in: 288054 Mileage out: 288055



P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: <u>8/32"</u> L/F: <u>8/32"</u>
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: <u>8/32"</u> L/R: <u>8/32"</u>
		Shoes R/R: <u>8/32"</u> L/R: <u>8/32"</u>
		34) Tire and wheel condition and measurements
		R/F: <u>17/32"</u> L/F: <u>7/32"</u>
		R/R: <u>8/32"</u> L/R: <u>8/32"</u>
		R/R: <u>8/32"</u> L/R: <u>8/32"</u>
		35) Lug nuts condition
		Air pressure adjustment FR. RR. <u>35</u> ft. lbs.
		Wheel torque specs used:
		(g) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Service Type	Service Performed	Tech's Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires (as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (8 miles)	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: [Signature] Date: 04/27/22
Supervisor Signature: _____ Date: _____

Notes:

5910 N Central Expy Way Suite 145
Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

Mileage in: 294284

Mileage out: 29 to 295

Amalia

Notes/Measurements:

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines and have followed all MV Transportation, Inc. policies.
ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 88201 Technician: Fernan Martinez Signature: [Signature]

ASE Employee #: 604182 ASE Technician: _____ ASE Signature: _____

ASE Signature:



[illegible]



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 04-22-23 Vehicle #: 5305

Mileage in:

294294

Mileage out:

294295

P	F	Item Inspected	P	F	Item Inspected
P	R	A) Vehicle drive in inspection (5 miles)	P	R	2) Rear blower condition and operation
P	R	1) Driver carpet	P	R	3) Defroster operation
P	R	2) Driver seat condition and operation	P	R	4) Temp gets to 20 deg. F below ambient temp.
P	R	3) Drivers door operation and condition	P	R	5) Evaporator intake air filter condition
P	R	4) Drivers seat belt operation and condition	P	R	6) Front heater condition and operation
P	R	5) Engine starting and ignition system	P	R	7) Rear heater condition and operation
P	R	6) Instrument panel gauges & warning lights	P	R	8) A/C compressors and condenser fans
P	R	7) Instrument panel lighting & condition	P	R	E) Under hood inspection
P	R	8) Horn operation	P	R	1) Batteries & charging sys. (load alt B,C,D serv)
P	R	9) Steering wheel tight, no excessive play	P	R	Batt 1 volts: load volts: load amps:
P	R	10) Windshield wipers	P	R	Batt 2 volts: load volts: load amps:
P	R	11) Windshield washer	P	R	Batt 3 volts: load volts: load amps:
P	R	12) Sun visor condition and operation	P	R	(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
P	R	13) Parking brake operation & condition	P	R	Alt. 1 min volt: max volt: max amp:
P	R	14) Parking and service brake pedal pads	P	R	Alt. 2 min volt: max volt: max amp:
P	R	15) Passenger door operation	P	R	(reference factory service manual for alternator spec)
P	R	16) No vibrations, pulsations or noises	P	R	2) Wire and hose routing and connections
P	R	B) Walk around inspection	P	R	3) Cooling system, hoses, water pump condition
P	R	1) Body damage (list on separate sheet)	P	R	5) Accessory drive belts condition
P	R	2) Headlights, high & low beam operation	P	R	6) Pulleys and tensioned operation & condition
P	R	3) Parking lights operation & condition	P	R	7) Brake master cylinder and power booster
P	R	4) Marker lights operation & condition	P	R	8) Fan and fan clutch operation and condition
P	R	5) Directional signals operation & condition	P	R	9) Engine oil fluid level and condition
P	R	6) Hazard lights operation & condition	P	R	10) Transmission oil level and condition
P	R	7) Clearance lights operation and condition	P	R	11) Power steering fluid level and condition
P	R	8) Brake lights operation & condition	P	R	12) Brake fluid level and condition
P	R	9) License plate lamp operation & condition	P	R	F) Vehicle rack inspection
P	R	10) License plates and tags	P	R	1) Steering gear box mount, condition & leaks
P	R	11) Backup lights and alarms	P	R	2) Steering shaft U joints
P	R	12) Reflectors and reflective bumper tape	P	R	3) Steering shaft bearings
P	R	13) Exterior decals and signage	P	R	4) Steering linkages
P	R	14) Bumpers secure / in good condition	P	R	5) I beam or control arm movements and rivets
P	R	15) Exterior mirrors secure / in good condition	P	R	6) Radius arm condition and bushings condition
P	R	16) Exterior clean	P	R	7) Stabilizer bar condition and bushings condition
P	R	C) Interior Inspection	P	R	8) Ball joints or kingpins
P	R	1) Passenger door and steps condition	P	R	9) Front spring condition and mounting
P	R	2) Handrails and stanchions condition	P	R	10) Front shock absorber operation & condition
P	R	3) Interior and modesty panels condition	P	R	11) Trans oil cooler & lines routing and leaks
P	R	4) Flooring condition	P	R	12) Engine oil cooler & lines routing and leaks
P	R	5) Interior lighting operation and condition	P	R	13) Heater and A/C hose routing and leaks
P	R	6) Windows operation and condition	P	R	14) No engine oil leaks and fluid condition
P	R	7) Emergency Exits operation & condition	P	R	15) Engine mounts, brackets and bolts
P	R	8) Accessory operation & condition (radio, GPS)	P	R	16) Transmission mounts, brackets and bolts
P	R	9) Passenger seats operation & condition	P	R	17) No transmission oil leaks and fluid condition
P	R	10) Passenger seat belts operation & condition	P	R	18) Drive shaft condition
P	R	11) First aid & body fluid kits complete	P	R	19) Universal joints and carrier bearings condition
P	R	12) Triangle reflectors complete/good condition	P	R	20) No rear differential leaks
P	R	13) Stop request operation & condition	P	R	21) Rear differential condition and mounting
P	R	14) Valid registration, insurance & accident pack	P	R	22) Frame and cross members
P	R	15) Fire extinguisher in good condition & signed	P	R	23) Rear shock absorbers
P	R	16) Interior decals and signage (incl. electrical)	P	R	24) Rear springs condition and mounting
P	R	17) DVI's reviewed, addressed and signed off	P	R	25) No fuel leaks
P	R	18) Interior clean	P	R	26) Fuel tank condition and mounting
P	R	D) HVAC system inspection	P	R	27) No exhaust leaks
P	R	1) Front blower condition and operation	P	R	28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**
 Mileage in: **29429**
 Mileage out: **294296**



Date: **04-11-23** Vehicle #: **5305**

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 6 /32" L/R: 6 /32"
		Shoes R/R: 6 /32" L/R: 6 /32"
		34) Tire and wheel condition and measurements
		R/F: 7 /32" L/F: 7 /32"
		R/R: 10 /32" L/R: 10 /32"
		R/R: 11 /32" L/R: 11 /32"
		35) Lug nuts condition
		Air pressure adjustment FR. 65 RR. 70
		Wheel torque specs used: 140 ft. lbs.
		9) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Stander arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C the downs condition and operation
		24) The down container secure and clean
		25) The down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Service Performed	Service Type	Initials
Change oil and filter	A,B,C,D	
Lube chassis and suspension	A,B,C,D	
Lube drive shafts and universal joints	A,B,C,D	
Lube doors and hood, locks and hinges	A,B,C,D	
Adjust service and parking brakes	A,B,C,D	
Drain water from separator	A,B,C,D	
Rotate tires (as necessary, caps on rear)	A,B,C,D	
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: **[Signature]** Date: **04-11-23**
 Supervisor Signature: _____ Date: _____

Notes:

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5305 Repair Reason: A Date and Time in: _____
Date: 07/06/23 Work Class: _____ Date and Time Finished: _____

Mileage in: 249129
Mileage out: 249122

Complaints/Defects:

Notes/Measurements:

PMIA

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
A	58	puca		A	55	WV 1550	engine oil	7	
				A	55	FL 820	oil filter	1	
04	55	brake inspection							
Total Hours Worked:				Total Parts Cost:					

vehicle and/or equipment. The undersigned hereby certifies that the vehicle is safe, dependable and

I have performed the repairs according to MV Transportation, Inc. guidelines, using appropriate time frames and parts. I have approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 848194 Technician: _____

Foodsm

Feiner

Signature

[Signature]

ASE Employee #: 2000113 ASE Technician: _____

Brian finds

ASE Signature:

[Signature]

[illegible]



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C DDate: 07/06/23 Vehicle #: 5305Mileage in: 299121 Mileage out: 299122

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
		B) Walk around inspection
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
		C) Interior inspection
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition (radio, GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
		D) HVAC system inspection
F		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
		F) Vehicle rack inspection
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
F		18) Drive shaft condition
F		19) Universal joints and carrier bearings condition
F		20) No rear differential leaks
F		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **(A) B C D**

Mileage in: **29912** Mileage out: **299122**



Date: **02/06/03** Vehicle #: **5305**

Item Inspected	Service Type	Service Performed	Techs Initials
30) Front brake condition and mounting	A,B,C,D	Change oil and filter	F
31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	F
32) Rear brake condition and mounting	A,B,C,D	Lube drive shafts and universal joints	F
33) Rear brake lining condition & measurement	A,B,C,D	Lube doors and hood, locks and hinges	F
Pads R/R: 7 /32" L/R: 7 /32"	A,B,C,D	Adjust service and parking brakes	F
Shoes R/R: 7 /32" L/R: 7 /32"	A,B,C,D	Drain water from separator	F
34) Tire and wheel condition and measurements	A,B,C,D	Rotate tires (as necessary, caps on rear)	F
R/F: 8 /32" L/F: 8 /32"	B,C,D	Change air filter	F
R/R: 10 /32" L/R: 10 /32"	B,C,D	Change fuel filter	F
R/R: 10 /32" L/R: 10 /32"	B,C,D	Clean or change PCV valve	F
35) Lug nuts condition	B,C,D	Clean or change crank case filter	F
Air pressure adjustment F.R. 65 R.R. 70 ft. lbs.	B,C,D	Install new wiper blades	F
Wheel torque specs used: 140 ft. lbs.	C,D	Change transmission fluid and filter	F
1) Lift operation (fully stowed to fully deployed)	C,D	Service front wheel bearings	F
2) Lift control pendant condition and operation	C,D	Drain water from fuel tank	F
3) Lift restraint belt condition and operation	D	Replace accessory drive belts	F
4) Outer roll stop condition and operation	D	Service and flush cooling system	F
5) Inner roll stop condition and operation	D	Install new spark plugs & wires	F
6) Platform adjustments, condition and mounting	D	Install new dist. cap & rotor	F
7) Standee arm condition and operation	D	Change differential fluid	F
8) Proper signage and decals	D	Check Exhaust and EGR system	F
9) Manual backup pump condition and operation	D	Check and service fuel & evapor. System	F
10) Lift manual pump handle	D	Evac and recharge A/C (add 1 oz. of oil)	F
11) Hydraulic pump condition and operation	A,B,C,D	Post service test drive (5 miles)	F
12) Hydraulic lines and cylinders condition			
13) Hydraulic fluid level and condition			
14) Base plate and arms welds & pivot points			
15) Lift springs and pins condition and operation			
16) Lift safety switches and adjustments			
17) Hose and wire routing and connections			
18) Rollers and pivot point condition & operation			
19) Lift to vehicle mounting bolts and brackets			
20) Lift doors condition and operation			
21) Lift door lights condition and operation			
22) Lift interlock operation and condition			
(Lift door open, e-brake down not able to shift)			
23) W/C tie downs condition and operation			
24) Tie down container secure and clean			
25) Tie down floor mounting brackets secure			
26) W/C shoulder belt condition and operation			
27) Lift clean and no sharp edges			
28) Lift shields secure and in good shape			
29) Lift moves steady without drifting, jerking, or unusual speeds			
30) No unusual lift noises			
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube			
Check, torque or adjust lift base mounting bolts			

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Notes:

Supervisor Signature

Technician Signature

Date

Date

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair, with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Type	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	F
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	F
A,B,C,D	Drain water from separator	F
A,B,C,D	Rotate tires (as necessary, caps on rear)	F
B,C,D	Change air filter	F
B,C,D	Change fuel filter	F
B,C,D	Clean or change PCV valve	F
B,C,D	Clean or change crank case filter	F
B,C,D	Install new wiper blades	F
C,D	Change transmission fluid and filter	F
C,D	Service front wheel bearings	F
C,D	Drain water from fuel tank	F
D	Replace accessory drive belts	F
D	Service and flush cooling system	F
D	Install new spark plugs & wires	F
D	Install new dist. cap & rotor	F
D	Change differential fluid	F
D	Check Exhaust and EGR system	F
D	Check and service fuel & evapor. System	F
D	Evac and recharge A/C (add 1 oz. of oil)	F
A,B,C,D	Post service test drive (5 miles)	F

MV Transportation
5910 N Central Expy Way, Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5305	Repair Reason: A	Date and Time In: 01-28-21	Mileage in: 256387
Date: 01-28-21	Work Class: T	Date and Time Finished:	Mileage out: 256388

Complaints/Defects:

25

Notes/Measurements:

[illegible]

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 85302 Technician: *EXPIRED* Signature: *John Brown*

3

ASE Signature:

ASE Employee #: 604182 ASE Technician:

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **(A) B C D**

Mileage out: **256388**

Mileage in: **256387**



0305

Date: **01-28-21** Vehicle #: **0305**

P	F	Item Inspected	P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)			2) Driver seat condition and operation
		1) Driver carpet			3) Drivers door operation and condition
		4) Drivers seat belt operation and condition			5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights			7) Instrument panel lighting & condition
		8) Horn operation			9) Steering wheel tight, no excessive play
		10) Windshield wipers			11) Windshield washer
		12) Sun visor condition and operation			13) Parking brake operation & condition
		14) Parking and service brake pedal pads			15) Passenger door operation
		16) No vibrations, pulsations or noises			B) Walk around inspection
		1) Body damage (list on separate sheet)			2) Headlights, high & low beam operation
		3) Parking lights operation & condition			4) Marker lights operation & condition
		5) Directional signals operation & condition			6) Hazard lights operation & condition
		7) Clearance lights operation and condition			8) Brake lights operation & condition
		9) License plate lamp operation & condition			10) License plates and tags
		11) Backup lights and alarms			12) Reflectors and reflective bumper tape
		13) Exterior decals and signage			14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition			16) Exterior clean
		C) Interior inspection			1) Passenger door and steps condition
		2) Handrails and stanchions condition			3) Interior and modesty panels condition
		4) Flooring condition			5) Interior lighting operation and condition
		6) Windows operation and condition			7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)			9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition			11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition			13) Stop request operation & condition
		14) Valid registration, insurance & accident pack			15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)			17) DVI's reviewed, addressed and signed off
		18) Interior clean			D) HVAC system inspection
		1) Front blower condition and operation			2) Rear blower condition and operation
		3) Defroster operation			4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition			6) Front heater condition and operation
		7) Rear heater condition and operation			8) A/C compressors and condenser fans
		E) Under hood inspection			1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:			Batt 2 volts: load amps:
		Batt 3 volts: load amps:			(battery min. loaded volts 9.0v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:			Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)			2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition			5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition			7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition			9) Engine oil fluid level and condition
		10) Transmission oil level and condition			11) Power steering fluid level and condition
		12) Brake fluid level and condition			F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks			2) Steering shaft U joints
		3) Steering shaft bearings			4) Steering linkages
		5) I beam or control arm movements and rivets			6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition			8) Ball joints or kingpins
		9) Front spring condition and mounting			10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks			12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks			14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts			16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition			18) Drive shaft condition
		19) Universal joints and carrier bearings condition			20) No rear differential leaks
		21) Rear differential condition and mounting			22) Frame and cross members
		23) Rear shock absorbers			24) Rear springs condition and mounting
		25) No fuel leaks			26) Fuel tank condition and mounting
		27) No exhaust leaks			28) Exhaust system condition and mounting

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

P F

Dallas, TX 75206



#2012
Wor

Work Order Division (0094)

3301 Electronics Wav

West Palm Beach, FL 33407

Basic Information

Vehicle #: 5305 Repair Reason: 3

Basic Information

Date and Time in : 00:12

Date: 11/15/18 Work Class: 7

Work Class: 7

Date and Time Finished: _____

22:24

Mileage in: 168822

Mileage out: 168 828

Complaints/Defects:

FMB

Notes/Measurements:

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
B	58	PMIB		B	55	3W 20	engine oil	7	
				B	55	LF 3681	oil filter	1	
				B	55	F7576730-134	oil drain plug	1	
				B	55	AF285590	air filter	1	
				B	55	WW 2001PF	wiper blade	2	
04	55	brake inspection							
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 808194 Technician: *Tracy*

Signature: *[Signature]*

Total Parts Cost: *1*

Employee #: 848194 Technician:

Foodcor, Inc. approved ver-

Signature

100

ASE Employee #: 600182 ASE Technician:

Accepted

MECHANIC'S SIGNATURE <i>[Signature]</i>		DESCRIPTION OF REPAIR NEEDED	
BUS #:	5305	COMPLETED BY	
DATE:	11/15/18	DATE	
PM TYPE OR WORK ORDER #:		COMPLETED	



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 11/15/18 Vehicle #: 5305Mileage in: 168827 Mileage out: 168828

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
		B) Walk around inspection
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
		C) Interior inspection
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition (radio, GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
		D) HVAC system inspection
F		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
		F) Vehicle rack inspection
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
F		18) Drive shaft condition
F		19) Universal joints and carrier bearings condition
F		20) No rear differential leaks
F		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **168828** Mileage out: **168828**



Vehicle #: **5305**

Date: **11/15/18**

Service Performed	Technician Initials
A,B,C,D Change oil and filter	F
A,B,C,D Lube chassis and suspension	F
A,B,C,D Lube drive shafts and universal joints	F
A,B,C,D Lube doors and hood, locks and hinges	F
A,B,C,D Adjust service and parking brakes	F
A,B,C,D Drain water from separator	F
A,B,C,D Rotate tires (as necessary, caps on rear)	F
B,C,D Change air filter	F
B,C,D Change fuel filter	F
B,C,D Clean or change PCV valve	F
B,C,D Clean or change crank case filter	F
B,C,D Install new wiper blades	F
C,D Change transmission fluid and filter	F
C,D Service front wheel bearings	F
C,D Drain water from fuel tank	F
D Replace accessory drive belts	F
D Service and flush cooling system	F
D Install new spark plugs & wires	F
D Install new dist. cap & rotor	F
D Change differential fluid	F
D Check Exhaust and EGR system	F
D Check and service fuel & evap. System	F
D Evac and recharge A/C (add 1 oz. of oil)	F
A,B,C,D Post service test drive (5 miles)	F

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician Signature

Supervisor Signature

Date

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Item Inspected	P	F
30) Front brake condition and mounting	F	
31) Front brake lining condition & measurement	F	
Pads R/F: 7 / 32" L/F: 7 / 32"	F	
32) Rear brake condition and mounting	F	
33) Rear brake lining condition & measurement	F	
Pads R/R: 10 / 32" L/R: 10 / 32"	F	
34) Tire and wheel condition and measurements	F	
Shoes R/R: 10 / 32" L/R: 10 / 32"	F	
R/F: 10 / 32" L/F: 10 / 32"	F	
R/R: 10 / 32" L/R: 10 / 32"	F	
35) Lug nuts condition	F	
Air pressure adjustment FR. 65 RR. 70	F	
Wheel torque specs used: 140 ft. lbs.	F	
G) Lift inspection	F	
1) Lift operation (fully stowed to fully deployed)	F	
2) Lift control pendant condition and operation	F	
3) Lift restraint belt condition and operation	F	
4) Outer roll stop condition and operation	F	
5) Inner roll stop condition and operation	F	
6) Platform adjustments, condition and mounting	F	
7) Stander arm condition and operation	F	
8) Proper signage and decals	F	
9) Manual backup pump condition and operation	F	
10) Lift manual pump handle	F	
11) Hydraulic pump condition and operation	F	
12) Hydraulic lines and cylinders condition	F	
13) Hydraulic fluid level and condition	F	
14) Base plate and arms welds & pivot points	F	
15) Lift springs and pins condition and operation	F	
16) Lift safety switches and adjustments	F	
17) Hose and wire routing and connections	F	
18) Rollers and pivot point condition & operation	F	
19) Lift to vehicle mounting bolts and brackets	F	
20) Lift doors condition and operation	F	
21) Lift door lights condition and operation	F	
22) Lift interlock operation and condition	F	
(Lift door open, e-brake down not able to shift)	F	
(e-brake off lift door closed no lift power)	F	
23) W/C tie downs condition and operation	F	
24) Tie down container secure and clean	F	
25) Tie down floor mounting brackets secure	F	
26) W/C shoulder belt condition and operation	F	
27) Lift clean and no sharp edges	F	
28) Lift shields secure and in good shape	F	
29) Lift moves steady without drifting, jerking, or unusual speeds	F	
30) No unusual lift noises	F	
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	F	
Check, torque or adjust lift base mounting bolts	F	

Work Order Division (0094)

3301 Electronics Way

West Palm Beach, FL 33407



Basic Information

Vehicle #: 5305-A Repair Reason:

Date and Time in : 06.13.19

Mileage in: 196496

Date: 06.13.19 Work Class:

Date and Time Finished: 06.13.19

Mileage out: 1061187

Complaints/Defects:

8718

Notes/Measurements:

[illegible]

Parts Information					
Task	WAC	Part Number	Description	Qty	Cost
B	55	5W90	enging oil	7	
B	55	Lf 3681	oil filter	1	
B	55	Air 95590	air filter	1	
B	55	w/goodipr	dipper blade	2	
B	55	H1B	Mudcomp	1	
					Total Parts Cost:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 845132 Technician:

Signature _____

ASE Employee #: _____ ASE Technician: _____

ASE Signature:

PM DEFECT SHEET

[illegible]

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **196196** Mileage out: **196497**



Date: **06-13-19** Vehicle #: **5305-P**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) Backup lights and alarms
		11) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 06-13-19 Vehicle #: 5305

Mileage in: 196496 Mileage out: 196497

P	F	Item Inspected	ServType	Service Performed	Techs Initials
2		30) Front brake condition and mounting	A,B,C,D	Change oil and filter	
2		31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	
2		Pads R/F: <u>8</u> /32" L/F: <u>8</u> /32"	A,B,C,D	Lube drive shafts and universal joints	
2		32) Rear brake condition and mounting	A,B,C,D	Lube doors and hood, locks and hinges	
2		33) Rear brake lining condition & measurement	A,B,C,D	Adjust service and parking brakes	
2		Pads R/R: <u>8</u> /32" L/R: <u>8</u> /32"	A,B,C,D	Drain water from separator	
2		Shoes R/R: <u>1</u> /32" L/R: <u>1</u> /32"	A,B,C,D	Rotate tires (as necessary, caps on rear)	
2		34) Tire and wheel condition and measurements	B,C,D	Change air filter	
2		R/F: <u>7</u> /32" L/F: <u>6</u> /32"	B,C,D	Change fuel filter	
2		R/RI: <u>8</u> /32" L/RI: <u>5</u> /32"	B,C,D	Clean or change PCV valve	
2		R/RO: <u>6</u> /32" L/RO: <u>5</u> /32"	B,C,D	Clean or change crank case filter	
2		35) Lug nuts condition	B,C,D	Install new wiper blades	
2		Air pressure adjustment FR. <u>70</u> RR. <u>70</u>	C,D	Change transmission fluid and filter	
2		Wheel torque specs used: <u>140</u> ft. lbs.	C,D	Service front wheel bearings	
2		G) Lift inspection	C,D	Drain water from fuel tank	
2		1) Lift operation (fully stowed to fully deployed)	D	Replace accessory drive belts	
2		2) Lift control pendant condition and operation	D	Service and flush cooling system	
2		3) Lift restraint belt condition and operation	D	Install new spark plugs & wires	
2		4) Outer roll stop condition and operation	D	Install new dist. cap & rotor	
2		5) Inner roll stop condition and operation	D	Change differential fluid	
2		6) Platform adjustments, condition and mounting	D	Check Exhaust and EGR system	
2		7) Standee arm condition and operation	D	Check and service fuel & evap. System	
2		8) Proper signage and decals	D	Evac and recharge A/C (add 1-oz. of oil)	
2		9) Manual backup pump condition and operation	A,B,C,D	Post service test drive (<u>2</u> miles)	
2		10) Lift manual pump handle	Initial or "N/A" each service performed per PM type		
2		11) Hydraulic pump condition and operation	All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.		
2		12) Hydraulic lines and cylinders condition			
2		13) Hydraulic fluid level and condition			
2		14) Base plate and arms welds & pivot points			
2		15) Lift springs and pins condition and operation			
2		16) Lift safety switches and adjustments			
2		17) Hose and wire routing and connections			
2		18) Rollers and pivot point condition & operation			
2		19) Lift to vehicle mounting bolts and brackets			
2		20) Lift doors condition and operation			
2		21) Lift door lights condition and operation	Technicians Signature		Date
2		22) Lift interlock operation and condition	Supervisor Signature		Date
2		(lift door open, e-brake down not able to shift)			
2		(e-brake off lift door closed no lift power)	Notes:		
2		23) W/C tie downs condition and operation			
2		24) Tie down container secure and clean			
2		25) Tie down floor mounting brackets secure			
2		26) W/C shoulder belt condition and operation			
2		27) Lift clean and no sharp edges			
2		28) Lift shields secure and in good shape			
2		29) Lift moves steady without drifting, jerking, or unusual speeds			
2		30) No unusual lift noises			
2		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube			
2		Check, torque or adjust lift base mounting bolts			

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrial Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

3301 Electronics Way

West Palm Beach, FL 33407

Basic Information

Vehicle #:	5305	Repair Reason:	B	Date and Time in:
------------	------	----------------	---	-------------------

Mileage in: 224054

Date: 01/14/2020 Work Class: I Date and Time Finished:

Mileage out: 224055

Complaints/Defects:

Notes/Measurements:

<i>Labor Information</i>					
Task	WAC	Repair Description/Comments	Hours		
B	58	P.M.I B			
B	04	BEAVER INSPECTION			
			Total Hours Worked:		.

[illegible]

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 12345 Technician: John Doe

Signature

ASE Employee #: 043155 ASE Technician:

ASE Signature:



PM DEFECT SHEET



BUS #: 5305

DATE: 01/14/2020

PM TYPE OR WORK ORDER #: 8

MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

Minor scratches + dents

[Signature]

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 224054 Mileage out: 224055



Date: 01/14/2020 Vehicle #: 5305

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) W/ire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 01/14/2020 Vehicle #: 5305 Mileage in: 224054 Mileage out: 224055

P	F	Item Inspected
J		30) Front brake condition and mounting
J		31) Front brake lining condition & measurement
J		Pads R/F: 10 /32" L/F: 10 /32"
J		32) Rear brake condition and mounting
J		33) Rear brake lining condition & measurement
J		Pads R/R: 8 /32" L/R: 8 /32"
NA		Shoes R/R: /32" L/R: /32"
J		34) Tire and wheel condition and measurements
J		R/F: 8 /32" L/F: 8 /32"
J		R/R: 8 /32" L/R: 8 /32"
J		R/RO: 8 /32" L/RO: 8 /32"
J		35) Lug nuts condition
J		Air pressure adjustment FR. 65 RR. 75
J		Wheel torque specs used: 140 ft. lbs.
J		G) Lift inspection
J		1) Lift operation (fully stowed to fully deployed)
J		2) Lift control pendant condition and operation
J		3) Lift restraint belt condition and operation
J		4) Outer roll stop condition and operation
J		5) Inner roll stop condition and operation
J		6) Platform adjustments, condition and mounting
J		7) Standee arm condition and operation
J		8) Proper signage and decals
J		9) Manual backup pump condition and operation
J		10) Lift manual pump handle
J		11) Hydraulic pump condition and operation
J		12) Hydraulic lines and cylinders condition
J		13) Hydraulic fluid level and condition
J		14) Base plate and arms welds & pivot points
J		15) Lift springs and pins condition and operation
J		16) Lift safety switches and adjustments
J		17) Hose and wire routing and connections
J		18) Rollers and pivot point condition & operation
J		19) Lift to vehicle mounting bolts and brackets
J		20) Lift doors condition and operation
J		21) Lift door lights condition and operation
J		22) Lift interlock operation and condition
J		(lift door open, e-brake down not able to shift)
J		(e-brake off lift door closed no lift power)
J		23) W/C tie downs condition and operation
J		24) Tie down container secure and clean
J		25) Tie down floor mounting brackets secure
J		26) W/C shoulder belt condition and operation
J		27) Lift clean and no sharp edges
J		28) Lift shields secure and in good shape
J		29) Lift moves steady without drifting, jerking,
J		or unusual speeds
J		30) No unusual lift noises
J		Lube all lift pivot points, barriers, rollers, linkages
J		and bearings cleaning off all excess lube
J		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	J
A,B,C,D	Lube chassis and suspension	J
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	J
A,B,C,D	Adjust service and parking brakes	J
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	J
B,C,D	Change air filter	J
B,C,D	Change fuel filter	NA
B,C,D	Clean or change PCV valve	NA
B,C,D	Clean or change crank case filter	NA
B,C,D	Install new wiper blades	J
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	J
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date


01/14/2020

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



ASE Signature:

MECHANIC'S SIGNATURE <i>J. W. Jeff</i>		BUS #: 5305	DATE: 11/24/2020	PM TYPE OR WORK ORDER #: 8
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY	DATE	COMPLETED

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A (B) C D

Mileage in: 251,718

Mileage out: 251,719



Date: 11/24/2020 Vehicle #: 5305

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
	X	2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exit operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		4) Accessory drive belts condition
		5) Pulleys and tensioned operation & condition
		6) Brake master cylinder and power booster
		7) Fan and fan clutch operation and condition
		8) Engine oil fluid level and condition
		9) Transmission oil level and condition
		10) Power steering fluid level and condition
		11) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A (B) C D

Mileage in: 251,718 Mileage out: 251,719



Date: 11/24/2020 Vehicle #: 5305

Item Inspected	Service Type	Technician's Signature	Date
30) Front brake condition and mounting	A,B,C,D	H	
31) Front brake lining condition & measurement	A,B,C,D	H	
Pads R/F: 8/32" L/F: 8/32"			
32) Rear brake condition and mounting	A,B,C,D	H	
33) Rear brake lining condition & measurement	A,B,C,D	H	
Pads R/R: 8/32" L/R: 8/32"			
34) Tire and wheel condition and measurements	A,B,C,D	H	
Shoes R/R: /32" L/R: /32"			
R/F: 9/32" L/F: 9/32"			
R/R: 9/32" L/R: 9/32"			
R/RO: 9/32" L/RO: 9/32"			
35) Lug nuts condition	B,C,D	H	
Air pressure adjustment FR. 75 RR. 80			
Wheel torque specs used: 140 ft. lbs.			
(G) Lift inspection			
1) Lift operation (fully stowed to fully deployed)			
2) Lift control pendant condition and operation			
3) Lift restraint belt condition and operation			
4) Outer roll stop condition and operation			
5) Inner roll stop condition and operation			
6) Platform adjustments, condition and mounting			
7) Standee arm condition and operation			
8) Proper signage and decals			
9) Manual backup pump condition and operation			
10) Lift manual pump handle			
11) Hydraulic pump condition and operation			
12) Hydraulic lines and cylinders condition			
13) Hydraulic fluid level and condition			
14) Base plate and arms welds & pivot points			
15) Lift springs and pins condition and operation			
16) Lift safety switches and adjustments			
17) Hose and wire routing and connections			
18) Rollers and pivot point condition & operation			
19) Lift to vehicle mounting bolts and brackets			
20) Lift doors condition and operation			
21) Lift door lights condition and operation			
22) Lift interlock operation and condition			
(Lift door open, e-brake down not able to shift)			
(e-brake off lift door closed no lift power)			
23) W/C tie downs condition and operation			
24) Tie down container secure and clean			
25) Tie down floor mounting brackets secure			
26) W/C shoulder belt condition and operation			
27) Lift clean and no sharp edges			
28) Lift shields secure and in good shape			
29) Lift moves steady without drifting, jerking, or unusual speeds			
30) No unusual lift noises			
Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube			
Check, torque or adjust lift base mounting bolts			

Service Performed	Service Type	Technician's Signature	Date
Change oil and filter	A,B,C,D	H	
Lube chassis and suspension	A,B,C,D	N/A	
Lube drive shafts and universal joints	A,B,C,D	N/A	
Lube doors and hood, locks and hinges	A,B,C,D	H	
Adjust service and parking brakes	A,B,C,D	N/A	
Drain water from separator	A,B,C,D	N/A	
Rotate tires (as necessary, caps on rear)	A,B,C,D	OK	
Change air filter	B,C,D	H	
Change fuel filter	B,C,D	N/A	
Clean or change PCV valve	B,C,D	N/A	
Install new wiper blades	B,C,D	H	
Change transmission fluid and filter	C,D		
Service front wheel bearings	C,D		
Drain water from fuel tank	C,D		
Replace accessory drive belts	D		
Service and flush cooling system	D		
Install new spark plugs & wires	D		
Install new dist. cap & rotor	D		
Change differential fluid	D		
Check Exhaust and EGR system	D		
Check and service fuel & evaporator system	D		
Evac and recharge A/C (add 1 oz. of oil)	D		
Post service test drive (5 miles)	A,B,C,D	H	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Notes:

Supervisor Signature

Date

Technician's Signature

11/24/2020

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Vehicle #: 5305 Repair Reason: PMB

Vehicle #: 5305 Repair Reason: front Date and Time in :
Date: 9-27-21 Work Class: I Date and Time Finished:

Mileage in: 280335
Mileage out: 280340

Mileage out: 280340

AmT B

Notes/Measurements:

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee # 668335 Technician: John Charles

Signature

ASE Employee #: 604182 ASE Technician: _____

ASE Signature:

MECHANIC'S SIGNATURE 		BUS # : 5305		DATE: 9-28-21
PM TYPE OR WORK ORDER #:				
DATE				
COMPLETED BY		COMPLETED		
DESCRIPTION OF REPAIR NEEDED				



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 9-27-21 Vehicle #: 5305

Mileage in: 280335 Mileage out: 280390

P	F	Item Inspected	P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)			2) Rear blower condition and operation
		1) Driver carpet			3) Defroster operation
		2) Driver seat condition and operation			4) Temp gets to 20 deg. F below ambient temp.
		3) Drivers door operation and condition			5) Evaporator intake air filter condition
		4) Drivers seat belt operation and condition			6) Front heater condition and operation
		5) Engine starting and ignition system			7) Rear heater condition and operation
		6) Instrument panel gauges & warning lights			8) A/C compressors and condenser fans
		7) Instrument panel lighting & condition			E) Under hood inspection
		8) Horn operation			1) Batteries & charging sys. (load alt B,C,D serv)
		9) Steering wheel tight, no excessive play			Batt 1 volts: 12 load volts: 12.6 load amps: 350
		10) Windshield wipers			Batt 2 volts: 12 load volts: 12.6 load amps: 350
		11) Windshield washer			Batt 3 volts: load volts: load amps:
		12) Sun visor condition and operation			(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		13) Parking brake operation & condition			Alt. 1 min volt: 14 max volt: 14.1 max amp: 250
		14) Parking and service brake pedal pads			Alt. 2 min volt: max volt: max amp:
		15) Passenger door operation			(reference factory service manual for alternator spec)
		16) No vibrations, pulsations or noises			2) Wire and hose routing and connections
		B) Walk around inspection			3) Cooling system, hoses, water pump condition
		1) Body damage (list on separate sheet)			5) Accessory drive belts condition
		2) Headlights, high & low beam operation			6) Pulleys and tensioned operation & condition
		3) Parking lights operation & condition			7) Brake master cylinder and power booster
		4) Marker lights operation & condition			8) Fan and fan clutch operation and condition
		5) Directional signals operation & condition			9) Engine oil fluid level and condition
		6) Hazard lights operation & condition			10) Transmission oil level and condition
		7) Clearance lights operation and condition			11) Power steering fluid level and condition
		8) Brake lights operation & condition			12) Brake fluid level and condition
		9) License plate lamp operation & condition			F) Vehicle rack inspection
		10) License plates and tags			1) Steering gear box mount, condition & leaks
		11) Backup lights and alarms			2) Steering shaft U joints
		12) Reflectors and reflective bumper tape			3) Steering shaft bearings
		13) Exterior decals and signage			4) Steering linkages
		14) Bumpers secure / in good condition			5) I beam or control arm movements and rivets
		15) Exterior mirrors secure / in good condition			6) Radius arm condition and bushings condition
		16) Exterior clean			7) Stabilizer bar condition and bushings condition
		C) Interior inspection			8) Ball joints or kingpins
		1) Passenger door and steps condition			9) Front spring condition and mounting
		2) Handrails and stanchions condition			10) Front shock absorber operation & condition
		3) Interior and modesty panels condition			11) Trans oil cooler & lines routing and leaks
		4) Flooring condition			12) Engine oil cooler & lines routing and leaks
		5) Interior lighting operation and condition			13) Heater and A/C hose routing and leaks
		6) Windows operation and condition			14) No engine oil leaks and fluid condition
		7) Emergency Exits operation & condition			15) Engine mounts, brackets and bolts
		8) Accessory operation & condition (radio, GPS)			16) Transmission mounts, brackets and bolts
		9) Passenger seats operation & condition			17) No transmission oil leaks and fluid condition
		10) Passenger seat belts operation & condition			18) Drive shaft condition
		11) First aid & body fluid kits complete			19) Universal joints and carrier bearings condition
		12) Triangle reflectors complete/good condition			20) No rear differential leaks
		13) Stop request operation & condition			21) Rear differential condition and mounting
		14) Valid registration, insurance & accident pack			22) Frame and cross members
		15) Fire extinguisher in good condition & signed			23) Rear shock absorbers
		16) Interior decals and signage (incl. electrical)			24) Rear springs condition and mounting
		17) DVI's reviewed, addressed and signed off			25) No fuel leaks
		18) Interior clean			26) Fuel tank condition and mounting
		D) HVAC system inspection			27) No exhaust leaks
		1) Front blower condition and operation			28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 280335 Mileage out: 280390



Date: 9-27-21 Vehicle #: 5305

Service Performed	Service Type
Change oil and filter	A,B,C,D
Lube chassis and suspension	A,B,C,D
Lube drive shafts and universal joints	A,B,C,D
Lube doors and hood, locks and hinges	A,B,C,D
Adjust service and parking brakes	A,B,C,D
Drain water from separator	A,B,C,D
Rotate tires (as necessary, caps on rear)	A,B,C,D
Change air filter	B,C,D
Change fuel filter	B,C,D
Clean or change PCV valve	B,C,D
Clean or change crank case filter	B,C,D
Install new wiper blades	B,C,D
Change transmission fluid and filter	C,D
Service front wheel bearings	C,D
Drain water from fuel tank	C,D
Replace accessory drive belts	D
Service and flush cooling system	D
Install new spark plugs & wires	D
Install new dist. cap & rotor	D
Change differential fluid	D
Check Exhaust and EGR system	D
Check and service fuel & evap. System	D
Evac and recharge A/C (add 1 oz. of oil)	D
Post service test drive (5 miles)	A,B,C,D

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date

Supervisor Signature

Date

Notes:

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: new/32" L/F: new/32"		
32) Rear brake condition and mounting		
Pads R/R: new/32" L/R: new/32"		
33) Rear brake lining condition & measurement		
Shoes R/R: /32" L/R: /32"		
34) Tire and wheel condition and measurements		
R/F: new/32" L/F: new/32"		
R/R: 6/32" L/R: 9/32"		
R/O: new/32" L/R: 7/32"		
35) Lug nuts condition		
Air pressure adjustment FR. 65 R/C 5 - 40 ft. lbs.		
Wheel torque specs used:		
G) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down floor mounting brackets secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Suite 1145
Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5305 Repair Reason: C Date and Time in: 18:24 Mileage in: 154868
Date: 02/04/18 Work Class: E Date and Time Finished: 21:49 Mileage out: 154870

Mileage in: 154868
Mileage out: 154870

Complaints/Defects:

PMIC

Notes/Measurements:

Labor Information					
Task	WAC	Repair Description/Comments	Hours		
C	SS	PWC			
Ox SS		brake inspection			
Total Hours Worked:					

Parts Information						
Task	WAC	Part Number	Description	Qty	Cost	
C	SS	SW20	engine oil	1		
C	SS	LE3681	oil filter	1		
C	SS	ABS590	Air Filter	1		
C	SS	F1180	trans filter	1		
C	SS	MPCOM1V	trans fluid	10		
C	SS	WW200DFT	wiper blade	2		
C	SS	BGS 39	front bearing seal	2		
C	SS	DC38-2457-BIV	power window pad	1		
Total Parts Cost:						

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 248254 Technician: Wesley Turner Signature: [Signature]


ASE Employee #: 60482 ASE Technician: _____

ASE Signature:

ASE Signature:



PM DEFECT SHEET



MECHANIC'S SIGNATURE

[Signature]

BUS #:

5305

DATE:

08/01/18

PM TYPE OR WORK ORDER #:

PMTC

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE

COMPLETED

Replace brake pedal pad

[Signature]

08/01/18



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 03/04/18 Vehicle #: 5305 Mileage in: 154868 Mileage out: 154870

P	F	Item Inspected
☒		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		16) No vibrations, pulsations or noises
☒		B) Walk around inspection
☒		1) Body damage (list on separate sheet)
☒		2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
☒		C) Interior inspection
☒		1) Passenger door and steps condition
☒		2) Handrails and stanchions condition
☒		3) Interior and modesty panels condition
☒		4) Flooring condition
☒		5) Interior lighting operation and condition
☒		6) Windows operation and condition
☒		7) Emergency Exits operation & condition
☒		8) Accessory operation & condition (radio, GPS)
☒		9) Passenger seats operation & condition
☒		10) Passenger seat belts operation & condition
☒		11) First aid & body fluid kits complete
☒		12) Triangle reflectors complete/good condition
☒		13) Stop request operation & condition
☒		14) Valid registration, insurance & accident pack
☒		15) Fire extinguisher in good condition & signed
☒		16) Interior decals and signage (incl. electrical)
☒		17) DVI's reviewed, addressed and signed off
☒		18) Interior clean
☒		D) HVAC system inspection
☒		1) Front blower condition and operation

P	F	Item Inspected
☒		2) Rear blower condition and operation
☒		3) Defroster operation
☒		4) Temp gets to 20 deg. F below ambient temp.
☒		5) Evaporator intake air filter condition
☒		6) Front heater condition and operation
☒		7) Rear heater condition and operation
☒		8) A/C compressors and condenser fans
☒		E) Under hood inspection
☒		1) Batteries & charging sys. (load alt B,C,D serv)
☒		Batt 1 volts: <u>12.3</u> load volts: load amps:
☒		Batt 2 volts: <u>12.9</u> load volts: load amps:
☒		Batt 3 volts: load volts: load amps:
☒		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
☒		Alt. 1 min volt: max volt: max amp:
☒		Alt. 2 min volt: max volt: max amp:
☒		(reference factory service manual for alternator spec)
☒		2) Wire and hose routing and connections
☒		3) Cooling system, hoses, water pump condition
☒		5) Accessory drive belts condition
☒		6) Pulleys and tensioned operation & condition
☒		7) Brake master cylinder and power booster
☒		8) Fan and fan clutch operation and condition
☒		9) Engine oil fluid level and condition
☒		10) Transmission oil level and condition
☒		11) Power steering fluid level and condition
☒		12) Brake fluid level and condition
☒		F) Vehicle rack inspection
☒		1) Steering gear box mount, condition & leaks
☒		2) Steering shaft U joints
☒		3) Steering shaft bearings
☒		4) Steering linkages
☒		5) I beam or control arm movements and rivets
☒		6) Radius arm condition and bushings condition
☒		7) Stabilizer bar condition and bushings condition
☒		8) Ball joints or kingpins
☒		9) Front spring condition and mounting
☒		10) Front shock absorber operation & condition
☒		11) Trans oil cooler & lines routing and leaks
☒		12) Engine oil cooler & lines routing and leaks
☒		13) Heater and A/C hose routing and leaks
☒		14) No engine oil leaks and fluid condition
☒		15) Engine mounts, brackets and bolts
☒		16) Transmission mounts, brackets and bolts
☒		17) No transmission oil leaks and fluid condition
☒		18) Drive shaft condition
☒		19) Universal joints and carrier bearings condition
☒		20) No rear differential leaks
☒		21) Rear differential condition and mounting
☒		22) Frame and cross members
☒		23) Rear shock absorbers
☒		24) Rear springs condition and mounting
☒		25) No fuel leaks
☒		26) Fuel tank condition and mounting
☒		27) No exhaust leaks
☒		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 154868 Mileage out: 154870



Date: 08/01/18 Vehicle #: 5305

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	F
Lube chassis and suspension	A,B,C,D	F
Lube drive shafts and universal joints	A,B,C,D	F
Lube doors and hood, locks and hinges	A,B,C,D	F
Adjust service and parking brakes	A,B,C,D	F
Drain water from separator	A,B,C,D	F
Rotate tires (as necessary, caps on rear)	A,B,C,D	F
Change air filter	B,C,D	F
Change fuel filter	B,C,D	F
Clean or change PCV valve	B,C,D	F
Clean or change crank case filter	B,C,D	F
Install new wiper blades	B,C,D	F
Change transmission fluid and filter	C,D	F
Service front wheel bearings	C,D	F
Drain water from fuel tank	C,D	F
Replace accessory drive belts	D	F
Service and flush cooling system	D	F
Install new spark plugs & wires	D	F
Install new dist. cap & rotor	D	F
Change differential fluid	D	F
Check Exhaust and EGR system	D	F
Check and service fuel & evap. System	D	F
Evac and recharge A/C (add 1 oz. of oil)	D	F
Post service test drive (5 miles)	A,B,C,D	F

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Supervisor's Signature


Date

Date

Notes:

Item Inspected	P	F
30) Front brake condition and mounting		F
31) Front brake lining condition & measurement		F
Pads R/F: 10 /32" L/F: 10 /32"		F
32) Rear brake condition and mounting		F
33) Rear brake lining condition & measurement		F
Pads R/R: 11 /32" L/R: 11 /32"		F
Shoes R/R: /32" L/R: /32"		F
34) Tire and wheel condition and measurements		F
R/F: 6 /32" L/F: 6 /32"		F
R/R: 5 /32" L/R: 5 /32"		F
R/RO: 5 /32" L/RO: 4 /32"		F
35) Lug nuts condition		F
Air pressure adjustment FR. 65 RR. 30		F
Wheel torque specs used: 140 ft. lbs.		F
g) Lift inspection		F
1) Lift operation (fully stowed to fully deployed)		F
2) Lift control pendant condition and operation		F
3) Lift restraint belt condition and operation		F
4) Outer roll stop condition and operation		F
5) Inner roll stop condition and operation		F
6) Platform adjustments, condition and mounting		F
7) Standee arm condition and operation		F
8) Proper signage and decals		F
9) Manual backup pump condition and operation		F
10) Lift manual pump handle		F
11) Hydraulic pump condition and operation		F
12) Hydraulic lines and cylinders condition		F
13) Hydraulic fluid level and condition		F
14) Base plate and arms welds & pivot points		F
15) Lift springs and pins condition and operation		F
16) Lift safety switches and adjustments		F
17) Hose and wire routing and connections		F
18) Rollers and pivot point condition & operation		F
19) Lift to vehicle mounting bolts and brackets		F
20) Lift doors condition and operation		F
21) Lift door lights condition and operation		F
22) Lift interlock operation and condition		F
(Lift door open, e-brake down not able to shift)		F
(e-brake off lift door closed no lift power)		F
23) W/C the downs condition and operation		F
24) Tie down container secure and clean		F
25) Tie down floor mounting brackets secure		F
26) W/C shoulder belt condition and operation		F
27) Lift clean and no sharp edges		F
28) Lift shields secure and in good shape		F
29) Lift moves steady without drifting, jerking,		F
or unusual speeds		F
30) No unusual lift noises		F
Lube all lift pivot points, barriers, rollers, linkages		F
and bearings cleaning off all excess lube		F
Check, torque or adjust lift base mounting bolts		F

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5305 Repair Reason: C Date and Time in: 06-10-2020 Mileage in: 23777
Date: 06-10-20 Work Class: 7 Date and Time Finished: Mileage out: 23777

Complaints/Defects:

Notes/Measurements:

Labor Information

[illegible]

Parts Information

[illegible]

I have performed the repair/s according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 857302 Technician: FERNER Fritzwert Signature: [Signature]

ASE Employee #: 604182 ASE Technician:

ASE Signature:

[illegible]

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B (C) D

Mileage in: 337741 Mileage out: 337772



Date: 06-10-20 Vehicle #: 5305

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver seat carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B (C) D

Mileage in: 23471 Mileage out: 23472



5305

Date: 06-10-2020 Vehicle #: 5305

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 8 / 32" L/R: 8 / 32"
		34) Tire and wheel condition and measurements
		R/F: 10 / 32" L/F: 10 / 32"
		R/R: 9 / 32" L/R: 9 / 32"
		R/R: 9 / 32" L/R: 9 / 32"
		35) Lug nuts condition
		Air pressure adjustment FR. 65 R.R. 45
		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 145
Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 3305 Repair Reason: C Date and Time in: 11-11-90 Mileage in: 44000
Date: 11-21-92 Work Class: A Date and Time Finished: 10-43 am Mileage out: 292351

Notes/Measurements:

Complaints/Defects:

SMC

[illegible]

I have performed the repairs according to MV Transportation, Inc. policies and procedures. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies and procedures.


Employee #: 674922 Technician: CRISTO TEJA Signature: [Signature]

ASE Employee #: 604182 ASE Technician:

ASE Signature:



PM DEFECT SHEET



MECHANIC'S SIGNATURE <i>GIRARD JEFF</i>		DATE: <i>5305</i>		PM TYPE OR WORK ORDER #:	
		<i>10-21-22</i>		<i>SMIC</i>	
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY		DATE COMPLETED	



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 10-21-22 Vehicle #: 5305

Mileage in: 292350 Mileage out: 292351

P	F	Item Inspected	P	F	Item Inspected
☒	☒	A) Vehicle drive in inspection (5 miles)	☒	☒	2) Rear blower condition and operation
☒	☒	1) Driver carpet	☒	☒	3) Defroster operation
☒	☒	2) Driver seat condition and operation	☒	☒	4) Temp gets to 20 deg. F below ambient temp.
☒	☒	3) Drivers door operation and condition	☒	☒	5) Evaporator intake air filter condition
☒	☒	4) Drivers seat belt operation and condition	☒	☒	6) Front heater condition and operation
☒	☒	5) Engine starting and ignition system	☒	☒	7) Rear heater condition and operation
☒	☒	6) Instrument panel gauges & warning lights	☒	☒	8) A/C compressors and condenser fans
☒	☒	7) Instrument panel lighting & condition	☒	☒	E) Under hood inspection
☒	☒	8) Horn operation	☒	☒	1) Batteries & charging sys. (load alt B,C,D serv)
☒	☒	9) Steering wheel tight, no excessive play	☒	☒	Batt 1 volts: load volts: load amps:
☒	☒	10) Windshield wipers	☒	☒	Batt 2 volts: load volts: load amps:
☒	☒	11) Windshield washer	☒	☒	Batt 3 volts: load volts: load amps:
☒	☒	12) Sun visor condition and operation	☒	☒	(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
☒	☒	13) Parking brake operation & condition	☒	☒	Alt. 1 min volt: max volt: max amp:
☒	☒	14) Parking and service brake pedal pads	☒	☒	Alt. 2 min volt: max volt: max amp:
☒	☒	15) Passenger door operation	☒	☒	(reference factory service manual for alternator spec)
☒	☒	16) No vibrations, pulsations or noises	☒	☒	2) Wire and hose routing and connections
☒	☒	B) Walk around inspection	☒	☒	3) Cooling system, hoses, water pump condition
☒	☒	1) Body damage (list on separate sheet)	☒	☒	5) Accessory drive belts condition
☒	☒	2) Headlights, high & low beam operation	☒	☒	6) Pulleys and tensioned operation & condition
☒	☒	3) Parking lights operation & condition	☒	☒	7) Brake master cylinder and power booster
☒	☒	4) Marker lights operation & condition	☒	☒	8) Fan and fan clutch operation and condition
☒	☒	5) Directional signals operation & condition	☒	☒	9) Engine oil fluid level and condition
☒	☒	6) Hazard lights operation & condition	☒	☒	10) Transmission oil level and condition
☒	☒	7) Clearance lights operation and condition	☒	☒	11) Power steering fluid level and condition
☒	☒	8) Brake lights operation & condition	☒	☒	12) Brake fluid level and condition
☒	☒	9) License plate lamp operation & condition	☒	☒	F) Vehicle rack inspection
☒	☒	10) License plates and tags	☒	☒	1) Steering gear box mount, condition & leaks
☒	☒	11) Backup lights and alarms	☒	☒	2) Steering shaft U joints
☒	☒	12) Reflectors and reflective bumper tape	☒	☒	3) Steering shaft bearings
☒	☒	13) Exterior decals and signage	☒	☒	4) Steering linkages
☒	☒	14) Bumpers secure / in good condition	☒	☒	5) I beam or control arm movements and rivets
☒	☒	15) Exterior mirrors secure / in good condition	☒	☒	6) Radius arm condition and bushings condition
☒	☒	16) Exterior clean	☒	☒	7) Stabilizer bar condition and bushings condition
☒	☒	C) Interior inspection	☒	☒	8) Ball joints or kingpins
☒	☒	1) Passenger door and steps condition	☒	☒	9) Front spring condition and mounting
☒	☒	2) Handrails and stanchions condition	☒	☒	10) Front shock absorber operation & condition
☒	☒	3) Interior and modesty panels condition	☒	☒	11) Trans oil cooler & lines routing and leaks
☒	☒	4) Flooring condition	☒	☒	12) Engine oil cooler & lines routing and leaks
☒	☒	5) Interior lighting operation and condition	☒	☒	13) Heater and A/C hose routing and leaks
☒	☒	6) Windows operation and condition	☒	☒	14) No engine oil leaks and fluid condition
☒	☒	7) Emergency Exits operation & condition	☒	☒	15) Engine mounts, brackets and bolts
☒	☒	8) Accessory operation & condition (radio, GPS)	☒	☒	16) Transmission mounts, brackets and bolts
☒	☒	9) Passenger seats operation & condition	☒	☒	17) No transmission oil leaks and fluid condition
☒	☒	10) Passenger seat belts operation & condition	☒	☒	18) Drive shaft condition
☒	☒	11) First aid & body fluid kits complete	☒	☒	19) Universal joints and carrier bearings condition
☒	☒	12) Triangle reflectors complete/good condition	☒	☒	20) No rear differential leaks
☒	☒	13) Stop request operation & condition	☒	☒	21) Rear differential condition and mounting
☒	☒	14) Valid registration, insurance & accident pack	☒	☒	22) Frame and cross members
☒	☒	15) Fire extinguisher in good condition & signed	☒	☒	23) Rear shock absorbers
☒	☒	16) Interior decals and signage (incl. electrical)	☒	☒	24) Rear springs condition and mounting
☒	☒	17) DVI's reviewed, addressed and signed off	☒	☒	25) No fuel leaks
☒	☒	18) Interior clean	☒	☒	26) Fuel tank condition and mounting
☒	☒	D) HVAC system inspection	☒	☒	27) No exhaust leaks
☒	☒	1) Front blower condition and operation	☒	☒	28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 292350 Mileage out: 292351

Service Performed	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D
Lube chassis and suspension	A,B,C,D
Lube drive shafts and universal joints	A,B,C,D
Lube doors and hood, locks and hinges	A,B,C,D
Adjust service and parking brakes	A,B,C,D
Drain water from separator	A,B,C,D
Rotate tires (as necessary, caps on rear)	A,B,C,D
Change air filter	B,C,D
Change fuel filter	B,C,D
Clean or change PCV valve	B,C,D
Clean or change crank case filter	B,C,D
Install new wiper blades	C,D
Change transmission fluid and filter	C,D
Service front wheel bearings	C,D
Drain water from fuel tank	D
Replace accessory drive belts	D
Service and flush cooling system	D
Install new spark plugs & wires	D
Install new dist. cap & rotor	D
Change differential fluid	D
Check Exhaust and EGR system	D
Check and service fuel & evap. System	D
Evac and recharge A/C (add 1 oz. of oil)	A,B,C,D
Post service test drive (5 miles)	A,B,C,D

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature

Date 10-21-22

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 8 /32" L/F: 8 /32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 8 /32" L/R: 8 /32"		
34) Tire and wheel condition and measurements		
R/F: 9 /32" L/F: 9 /32"		
R/R: 8 /32" L/R: 8 /32"		
R/R: 8 /32" L/R: 10 /32"		
R/R: 8 /32" L/R: 10 /32"		
35) Lug nuts condition		
Wheel torque specs used: 140 ft. lbs.		
36) Air pressure adjustment FR: 70 RR: 70		
37) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Date: 10-21-22 Vehicle #: 5305



Dallas, TX 75206



#521
Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5305 Repair Reason: 0

Date and Time in : 15/11/2015

Date: 2/24/19 Work Class: F Date:

Work Class:

Date and Time Finished:

CC-02

Mileage in: 182090

Mileage out: 182091

Complaints/Defects:

Notes/Measurements:

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
D	58	PM I D		D	55	VV1700	oil engine	2.0	
				D	55	LF 3681	oil filter	1	
				D	55	AF25590	Air Filter	1	
				D	55	FT1680	Trans Filter	1	
				D	55	WV-2001-PE	wiper blade	2	
				D	55	XT1000kv	oil Trans	10	
				D	55	80W-90	diff oil	4	
				D	55	SP-521	Spark plugs	10	
				D	55	BRSD-13288	Front brake Pad	1	
				D	55	BRSD-13293	back brake Pad	1	
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is ready for service. I have

Employee #: 846181 Technician: Jason
I, Jason, have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Technician: Team 846181

Thermidor Signature

ASE Employee #: 604157 ASE Technician: (

ASE Signature:

PM DEFECT SHEET



MECHANIC'S SIGNATURE
 Dean Thermidor

BUS #: 5305
 DATE: 02-24-19
 PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED
 COMPLETED BY
 DATE COMPLETED

① check headlight replace new headlight
 all ok.
 02-24-19

② check front brake and back brake
 replace new front brake and back brake
 all ok
 02-24-19



Preventive Maintenance Inspection and Service Checklist

Date: 02-24-19 Vehicle #: 5305Circle Service Type: A B C **D**Mileage in: 182090Mileage out: 182091

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
JT		1) Driver carpet
JT		2) Driver seat condition and operation
JT		3) Drivers door operation and condition
JT		4) Drivers seat belt operation and condition
JT		5) Engine starting and ignition system
JT		6) Instrument panel gauges & warning lights
JT		7) Instrument panel lighting & condition
JT		8) Horn operation
JT		9) Steering wheel tight, no excessive play
JT		10) Windshield wipers
JT		11) Windshield washer
JT		12) Sun visor condition and operation
JT		13) Parking brake operation & condition
JT		14) Parking and service brake pedal pads
JT		15) Passenger door operation
JT		16) No vibrations, pulsations or noises
		B) Walk around inspection
JT		1) Body damage (list on separate sheet)
JT		2) Headlights, high & low beam operation
JT		3) Parking lights operation & condition
JT		4) Marker lights operation & condition
JT		5) Directional signals operation & condition
JT		6) Hazard lights operation & condition
JT		7) Clearance lights operation and condition
JT		8) Brake lights operation & condition
JT		9) License plate lamp operation & condition
JT		10) License plates and tags
JT		11) Backup lights and alarms
JT		12) Reflectors and reflective bumper tape
JT		13) Exterior decals and signage
JT		14) Bumpers secure / in good condition
JT		15) Exterior mirrors secure / in good condition
JT		16) Exterior clean
		C) Interior inspection
JT		1) Passenger door and steps condition
JT		2) Handrails and stanchions condition
JT		3) Interior and modesty panels condition
JT		4) Flooring condition
JT		5) Interior lighting operation and condition
JT		6) Windows operation and condition
JT		7) Emergency Exits operation & condition
JT		8) Accessory operation & condition (radio, GPS)
JT		9) Passenger seats operation & condition
JT		10) Passenger seat belts operation & condition
JT		11) First aid & body fluid kits complete
JT		12) Triangle reflectors complete/good condition
JT		13) Stop request operation & condition
JT		14) Valid registration, insurance & accident pack
JT		15) Fire extinguisher in good condition & signed
JT		16) Interior decals and signage (incl. electrical)
JT		17) DVI's reviewed, addressed and signed off
JT		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
JT		2) Rear blower condition and operation
JT		3) Defroster operation
JT		4) Temp gets to 20 deg. F below ambient temp.
JT		5) Evaporator intake air filter condition
JT		6) Front heater condition and operation
JT		7) Rear heater condition and operation
JT		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
JT		2) Wire and hose routing and connections
JT		3) Cooling system, hoses, water pump condition
JT		5) Accessory drive belts condition
JT		6) Pulleys and tensioned operation & condition
JT		7) Brake master cylinder and power booster
JT		8) Fan and fan clutch operation and condition
JT		9) Engine oil fluid level and condition
JT		10) Transmission oil level and condition
JT		11) Power steering fluid level and condition
JT		12) Brake fluid level and condition
		F) Vehicle rack inspection
JT		1) Steering gear box mount, condition & leaks
JT		2) Steering shaft U joints
JT		3) Steering shaft bearings
JT		4) Steering linkages
JT		5) I beam or control arm movements and rivets
JT		6) Radius arm condition and bushings condition
JT		7) Stabilizer bar condition and bushings condition
JT		8) Ball joints or kingpins
JT		9) Front spring condition and mounting
JT		10) Front shock absorber operation & condition
JT		11) Trans oil cooler & lines routing and leaks
JT		12) Engine oil cooler & lines routing and leaks
JT		13) Heater and A/C hose routing and leaks
JT		14) No engine oil leaks and fluid condition
JT		15) Engine mounts, brackets and bolts
JT		16) Transmission mounts, brackets and bolts
JT		17) No transmission oil leaks and fluid condition
JT		18) Drive shaft condition
JT		19) Universal joints and carrier bearings condition
JT		20) No rear differential leaks
JT		21) Rear differential condition and mounting
JT		22) Frame and cross members
JT		23) Rear shock absorbers
JT		24) Rear springs condition and mounting
JT		25) No fuel leaks
JT		26) Fuel tank condition and mounting
JT		27) No exhaust leaks
JT		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D** Mileage out: **182091**



Date: **02-24-19** Vehicle #: **5305**

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	51
Lube chassis and suspension	A,B,C,D	51
Lube drive shafts and universal joints	A,B,C,D	N/A
Lube doors and hood, locks and hinges	A,B,C,D	51
Adjust service and parking brakes	A,B,C,D	N/A
Drain water from separator	A,B,C,D	51
Rotate tires (as necessary, caps on rear)	A,B,C,D	51
Change air filter	B,C,D	51
Change fuel filter	B,C,D	51
Clean or change PCV valve	B,C,D	51
Clean or change crank case filter	B,C,D	51
Install new wiper blades	B,C,D	51
Change transmission fluid and filter	C,D	51
Service front wheel bearings	C,D	51
Drain water from fuel tank	C,D	51
Replace accessory drive belts	D	51
Service and flush cooling system	D	51
Install new spark plugs & wires	D	51
Install new dist. cap & rotor	D	51
Change differential fluid	D	51
Check Exhaust and EGR system	D	51
Check and service fuel & evap. System	D	51
Evac and recharge A/C (add 1 oz. of oil)	D	51
Post service test drive (5 miles)	A,B,C,D	51

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Supervisor Signature

Date

Notes:

Item Inspected	P	F
30) Front brake condition and mounting	51	51
31) Front brake lining condition & measurement	51	51
Pads R/F: 12 / 32" L/F: 12 / 32"	51	51
32) Rear brake condition and mounting	51	51
33) Rear brake lining condition & measurement	51	51
Pads R/R: 12 / 32" L/R: 12 / 32"	51	51
34) Tire and wheel condition and measurements	51	51
Shoes R/R: 12 / 32" L/R: 12 / 32"	51	51
35) Lug nuts condition	51	51
R/R: 8 / 32" L/R: 8 / 32"	51	51
R/R: 8 / 32" L/R: 8 / 32"	51	51
R/F: 8 / 32" L/F: 8 / 32"	51	51
Air pressure adjustment FR. 30 RR. 30	51	51
Wheel torque specs used: 140 ft. lbs.	51	51
6) Lift inspection	51	51
1) Lift operation (fully stowed to fully deployed)	51	51
2) Lift control pendant condition and operation	51	51
3) Lift restraint belt condition and operation	51	51
4) Outer roll stop condition and operation	51	51
5) Inner roll stop condition and operation	51	51
6) Platform adjustments, condition and mounting	51	51
7) Standee arm condition and operation	51	51
8) Proper signage and decals	51	51
9) Manual backup pump condition and operation	51	51
10) Lift manual pump handle	51	51
11) Hydraulic pump condition and operation	51	51
12) Hydraulic lines and cylinders condition	51	51
13) Hydraulic fluid level and condition	51	51
14) Base plate and arms welds & pivot points	51	51
15) Lift springs and pins condition and operation	51	51
16) Lift safety switches and adjustments	51	51
17) Hose and wire routing and connections	51	51
18) Rollers and pivot point condition & operation	51	51
19) Lift to vehicle mounting bolts and brackets	51	51
20) Lift doors condition and operation	51	51
21) Lift door lights condition and operation	51	51
22) Lift interlock operation and condition	51	51
(Lift door open, e-brake down not able to shift)	51	51
(e-brake off lift door closed no lift power)	51	51
23) W/C tie downs condition and operation	51	51
24) Tie down container secure and clean	51	51
25) Tie down floor mounting brackets secure	51	51
26) W/C shoulder belt condition and operation	51	51
27) Lift clean and no sharp edges	51	51
28) Lift shields secure and in good shape	51	51
29) Lift moves steady without drifting, jerking, or unusual speeds	51	51
30) No unusual lift noises	51	51
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	51	51
Check, torque or adjust lift base mounting bolts	51	51

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407



5910 N Cenrtal Expy Way Suite 1145
Dallas, TX 75206

Basic Information

Mileage in: 210 222
Mileage out: 210 223

Vehicle #: 5305 Repair Reason: D Date and Time in: _____
Date: 09/24/2019 Work Class: I Date and Time Finished: _____

Date: 09/24/2019 Work Class: I Date and Time Filled: 11:00

Notes/Measurements:

Complaints/Defects:

[illegible]

	Total Hours Worked:	
I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.		
		Signature _____

Signature _____

ASE Signature:

ASE Employee #: _____ ASE Technician: _____

ASE Signature:



PM DEFECT SHEET



MECHANIC'S SIGNATURE

BUS #: 5305

DATE: 07-24-2019

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

REPLACE Headlight Right Rear.

[Signature]

07-24-19

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C (D)

Mileage in: 210222 Mileage out: 210223



Date: 9-24-19 Vehicle #: 5305

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C (D)

Date: 09-24-19 Vehicle #: 5305 Mileage in: 21022 Mileage out: 210223

P	F	Item Inspected	ServType	Service Performed	Techs Initials
		30) Front brake condition and mounting	A,B,C,D	Change oil and filter	
		31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	
		Pads R/F: 6 /32" L/F: 6 /32"	A,B,C,D	Lube drive shafts and universal joints	
		32) Rear brake condition and mounting	A,B,C,D	Lube doors and hood, locks and hinges	
		33) Rear brake lining condition & measurement	A,B,C,D	Adjust service and parking brakes	
		Pads R/R: 9 /32" L/R: 9 /32"	A,B,C,D	Drain water from separator	
		Shoes R/R: /32" L/R: /32"	A,B,C,D	Rotate tires(as necessary, caps on rear)	
		34) Tire and wheel condition and measurements	B,C,D	Change air filter	
		R/F: 9 /32" L/F: 9 /32"	B,C,D	Change fuel filter	
		R/RI: 10 /32" L/RI: 8 /32"	B,C,D	Clean or change PCV valve	
		R/RO: 9 /32" L/RO: 9 /32"	B,C,D	Clean or change crank case filter	
		35) Lug nuts condition	B,C,D	Install new wiper blades	
		Air pressure adjustment FR. RR.	C,D	Change transmission fluid and filter	
		Wheel torque specs used: ft. lbs.	C,D	Service front wheel bearings	
		G) Lift inspection	C,D	Drain water from fuel tank	
		1) Lift operation (fully stowed to fully deployed)	D	Replace accessory drive belts	
		2) Lift control pendant condition and operation	D	Service and flush cooling system	
		3) Lift restraint belt condition and operation	D	Install new spark plugs & wires	
		4) Outer roll stop condition and operation	D	Install new dist. cap & rotor	
		5) Inner roll stop condition and operation	D	Change differential fluid	
		6) Platform adjustments, condition and mounting	D	Check Exhaust and EGR system	
		7) Standee arm condition and operation	D	Check and service fuel & evap. System	
		8) Proper signage and decals	D	Evac and recharge A/C (add 1 oz. of oil)	
		9) Manual backup pump condition and operation	A,B,C,D	Post service test drive (5 miles)	
		10) Lift manual pump handle			
		11) Hydraulic pump condition and operation			
		12) Hydraulic lines and cylinders condition			
		13) Hydraulic fluid level and condition			
		14) Base plate and arms welds & pivot points			
		15) Lift springs and pins condition and operation			
		16) Lift safety switches and adjustments			
		17) Hose and wire routing and connections			
		18) Rollers and pivot point condition & operation			
		19) Lift to vehicle mounting bolts and brackets			
		20) Lift doors condition and operation			
		21) Lift door lights condition and operation			
		22) Lift interlock operation and condition			
		(lift door open, e-brake down not able to shift)			
		(e-brake off lift door closed no lift power)			
		23) W/C tie downs condition and operation			
		24) Tie down container secure and clean			
		25) Tie down floor mounting brackets secure			
		26) W/C shoulder belt condition and operation			
		27) Lift clean and no sharp edges			
		28) Lift shields secure and in good shape			
		29) Lift moves steady without drifting, jerking, or unusual speeds			
		30) No unusual lift noises			
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube			
		Check, torque or adjust lift base mounting bolts			

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5365 Repair Reason: PNP Date and Time in: _____ Mileage in: 200375
Date: 04-25-21 Work Class: _____ Date and Time Finished: _____ Mileage out: 204374

Complaints/Defects: _____ Notes/Measurements: _____

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
		Engine oil		SS		LF 3681	engine oil	7 qt	
		air filter		SS		002-760	oil filter	1	
		fire		SS		AT-2559b	fire	1	
		Air filter		SS			Air filter	1	
		transmission oil		SS			transmission oil	10 qt	
		transmission filter		SS		FT-180	trans filter	1	
		wiper blades		SS		WW-2002	wiper blades	2	
		Spark plugs		SS		SP-521	spark plugs	10	
		differential fluid		SS			differential fluid	5	
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: _____ Technician: Jan Choley Signature: [Signature]

ASE Employee #: 604182 ASE Technician: _____ ASE Signature: _____



D

PM DEFECT SHEET



BUS #: 5305

DATE:

04-25-21

PM TYPE OR WORK ORDER #:

D

MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

Intake gasket leaks

no ride



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C **D**

Date: 4-25-21 Vehicle #: 5305

Mileage in: 246375 Mileage out: 266376

P	F	Item Inspected
☒		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		16) No vibrations, pulsations or noises
☒		B) Walk around inspection
☒		1) Body damage (list on separate sheet)
☒		2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
☒		C) Interior inspection
☒		1) Passenger door and steps condition
☒		2) Handrails and stanchions condition
☒		3) Interior and modesty panels condition
☒		4) Flooring condition
☒		5) Interior lighting operation and condition
☒		6) Windows operation and condition
☒		7) Emergency Exits operation & condition
☒		8) Accessory operation & condition (radio, GPS)
☒		9) Passenger seats operation & condition
☒		10) Passenger seat belts operation & condition
☒		11) First aid & body fluid kits complete
☒		12) Triangle reflectors complete/good condition
☒		13) Stop request operation & condition
☒		14) Valid registration, insurance & accident pack
☒		15) Fire extinguisher in good condition & signed
☒		16) Interior decals and signage (incl. electrical)
☒		17) DVI's reviewed, addressed and signed off
☒		18) Interior clean
☒		D) HVAC system inspection
☒		1) Front blower condition and operation

P	F	Item Inspected
☒		2) Rear blower condition and operation
☒		3) Defroster operation
☒		4) Temp gets to 20 deg. F below ambient temp.
☒		5) Evaporator intake air filter condition
☒		6) Front heater condition and operation
☒		7) Rear heater condition and operation
☒		8) A/C compressors and condenser fans
☒		E) Under hood inspection
☒		1) Batteries & charging sys. (load alt B,C,D serv)
☒		Batt 1 volts: <u>12</u> load volts: <u>12</u> load amps: <u>750</u>
☒		Batt 2 volts: <u>12</u> load volts: <u>12</u> load amps: <u>280</u>
☒		Batt 3 volts: load volts: load amps:
☒		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
☒		Alt. 1 min volt: <u>14.6</u> max volt: <u>14.6</u> max amp: <u>205</u>
☒		Alt. 2 min volt: max volt: max amp:
☒		(reference factory service manual for alternator spec)
☒		2) Wire and hose routing and connections
☒		3) Cooling system, hoses, water pump condition
☒		5) Accessory drive belts condition
☒		6) Pulleys and tensioned operation & condition
☒		7) Brake master cylinder and power booster
☒		8) Fan and fan clutch operation and condition
☒		9) Engine oil fluid level and condition
☒		10) Transmission oil level and condition
☒		11) Power steering fluid level and condition
☒		12) Brake fluid level and condition
☒		F) Vehicle rack inspection
☒		1) Steering gear box mount, condition & leaks
☒		2) Steering shaft U joints
☒		3) Steering shaft bearings
☒		4) Steering linkages
☒		5) I beam or control arm movements and rivets
☒		6) Radius arm condition and bushings condition
☒		7) Stabilizer bar condition and bushings condition
☒		8) Ball joints or kingpins
☒		9) Front spring condition and mounting
☒		10) Front shock absorber operation & condition
☒		11) Trans oil cooler & lines routing and leaks
☒		12) Engine oil cooler & lines routing and leaks
☒		13) Heater and A/C hose routing and leaks
☒		14) No engine oil leaks and fluid condition
☒		15) Engine mounts, brackets and bolts
☒		16) Transmission mounts, brackets and bolts
☒		17) No transmission oil leaks and fluid condition
☒		18) Drive shaft condition
☒		19) Universal joints and carrier bearings condition
☒		20) No rear differential leaks
☒		21) Rear differential condition and mounting
☒		22) Frame and cross members
☒		23) Rear shock absorbers
☒		24) Rear springs condition and mounting
☒		25) No fuel leaks
☒		26) Fuel tank condition and mounting
☒		27) No exhaust leaks
☒		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C **(D)**

Date: **4-25-21** Vehicle #: **5305**

Mileage in: **266395**

Mileage out: **266376**

P	F	Item Inspected
☒		30) Front brake condition and mounting
☒		31) Front brake lining condition & measurement
☒		Pads R/F: 7/32" L/F: 7/32"
☒		32) Rear brake condition and mounting
☒		33) Rear brake lining condition & measurement
☒		Pads R/R: 5/32" L/R: 5/32"
☒		Shoes R/R: 1/32" L/R: 1/32"
☒		34) Tire and wheel condition and measurements
☒		R/F: 8/32" L/F: 8/32"
☒		R/R: 8/32" L/R: 8/32"
☒		R/RO: 7/32" L/RO: 7/32"
☒		35) Lug nuts condition
☒		Air pressure adjustment FR. 65 RR. 65
☒		Wheel torque specs used: 140 ft. lbs.
☒		G) Lift Inspection
☒		1) Lift operation (fully stowed to fully deployed)
☒		2) Lift control pendant condition and operation
☒		3) Lift restraint belt condition and operation
☒		4) Outer roll stop condition and operation
☒		5) Inner roll stop condition and operation
☒		6) Platform adjustments, condition and mounting
☒		7) Standee arm condition and operation
☒		8) Proper signage and decals
☒		9) Manual backup pump condition and operation
☒		10) Lift manual pump handle
☒		11) Hydraulic pump condition and operation
☒		12) Hydraulic lines and cylinders condition
☒		13) Hydraulic fluid level and condition
☒		14) Base plate and arms welds & pivot points
☒		15) Lift springs and pins condition and operation
☒		16) Lift safety switches and adjustments
☒		17) Hose and wire routing and connections
☒		18) Rollers and pivot point condition & operation
☒		19) Lift to vehicle mounting bolts and brackets
☒		20) Lift doors condition and operation
☒		21) Lift door lights condition and operation
☒		22) Lift interlock operation and condition
☒		(lift door open, e-brake down not able to shift)
☒		(e-brake off lift door closed no lift power)
☒		23) W/C tie downs condition and operation
☒		24) Tie down container secure and clean
☒		25) Tie down floor mounting brackets secure
☒		26) W/C shoulder belt condition and operation
☒		27) Lift clean and no sharp edges
☒		28) Lift shields secure and in good shape
☒		29) Lift moves steady without drifting, jerking, or unusual speeds
☒		30) No unusual lift noises
☒		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
☒		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	26
A,B,C,D	Lube chassis and suspension	26
A,B,C,D	Lube drive shafts and universal joints	26
A,B,C,D	Lube doors and hood, locks and hinges	26
A,B,C,D	Adjust service and parking brakes	26
A,B,C,D	Drain water from separator	26
A,B,C,D	Rotate tires(as necessary, caps on rear)	26
B,C,D	Change air filter	26
B,C,D	Change fuel filter	26
B,C,D	Clean or change PCV valve	26
B,C,D	Clean or change crank case filter	26
B,C,D	Install new wiper blades	26
C,D	Change transmission fluid and filter	26
C,D	Service front wheel bearings	26
C,D	Drain water from fuel tank	26
D	Replace accessory drive belts	26
D	Service and flush cooling system	26
D	Install new spark plugs & wires	26
D	Install new dist. cap & rotor	26
D	Change differential fluid	26
D	Check Exhaust and EGR system	26
D	Check and service fuel & evap. System	26
D	Evac and recharge A/C (add 1 oz. of oil)	26
A,B,C,D	Post service test drive (5 miles)	26
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

04-25-21
Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Vehicle Processing Checklist

Form FAMO 2-010

Date Conducted: ____/____/____

Inspection Date/Time: _____

Conducted By: _____

Location: _____

Phone Number: (____) _____

Vehicle Year/Make/Model ►

General Information

VIN: _____
 Asset No: _____
 Odometer: _____
 Engine: ____ 4 cyl ____ 6 cyl ____ 8 cyl ____ Other
 Engine Displacement: ____ Liter ____ CID ____ HP
 Fuel Type: ____ Diesel ____ CNG ____ Other

General Condition (circle one in each category)

Exterior	Bad	2	3	4	Excllnt
Interior	Bad	2	3	4	Excllnt
Tires	Bad	2	3	4	Excllnt
Glass	Bad	2	3	4	Excllnt
Mechanical	DNR		Runs		Other

(describe "Other")

Options & Equipment (Veach box that applies)

☐ A/C	☐ ABS	☐ Air Brakes
☐ P/S	☐ 4x4	☐ Boom/Bucket
☐ P/B	☐ Power Door Locks	☐ Crane
☐ P/W	☐ Power Seats	☐ Dump Bed _____
☐ A/T	☐ Sunroof	☐ Tank Bed _____
☐ Manual Transmission (____ forward speeds)	☐ Tilt Steering	☐ Lightbar/beacon
☐ AM/FM Radio	☐ Tinted Windows	☐ Power Liftgate
☐ CD Player	_____	☐ Tool Box
☐ Cruise Control	_____	☐ Trailer Hitch
☐ Airbags (circle one) 1 2 3 4	_____	☐ Utility Bed
☐ Performance Package: _____	_____	☐ Winch

Key

4X4	4-Wheel Drive	CID	Cubic Inch Displacement	P/B	Power Brakes
ABS	Antilock Braking System	CNG	Compressed Natural Gas	P/S	Power Steering
A/C	Air Conditioner	DNR	Does Not Run	P/W	Power Windows
A/T	Automatic Transmission	HP	Horsepower	VIN	Vehicle Identification Number

In order to show your vehicles and equipment at their best, use the following chart and descriptions as a guide for preferred camera angles, lighting conditions, and background.

- 1) Take the photos with a high-resolution digital camera (a minimum of 3 mega pixels is recommended).
- 2) Take the photo in an area that is well lit, but not in a glare, and position yourself so that the sun or artificial light source does not cast your shadow into the picture.
- 3) Make sure the vehicle is washed and all logo decals have been removed with automotive adhesive remover (3M or similar). If primer must be used, select a primer color that closely matches the vehicle. If possible, pressure wash off-road equipment to remove grease and caked mud caught in treads, tracks and body panels. Make sure that truck beds are free of accumulated trash.
- 4) Select an area with a neutral background; avoid clutter showing up behind the vehicle. Shrubbery generally makes a good backdrop.
- 5) The preferred camera locations for common vehicles are the right or left front corners of the vehicle, at approximately a 40 degree angle from straight-on, standing 8-10 feet back from the vehicle, and holding the camera at just above rooftop level (except for very tall equipment). By pointing the camera about one-third of the distance down the right or left side of the vehicle, the entire vehicle should be in the photo frame. Under these conditions, the vehicle will be well displayed and you will avoid "fish-eye" distortions of shooting directly at the leading edge (the front edge of the front fender).

L. Front

R. Front

