



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 10-31-19 Vehicle #: 9706

Mileage in: 9417 Mileage out: 9420

P	F	Item Inspected
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	A) Vehicle drive in inspection (5 miles)
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1) Driver carpet
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	2) Driver seat condition and operation
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	3) Drivers door operation and condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	4) Drivers seat belt operation and condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	5) Engine starting and ignition system
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	6) Instrument panel gauges & warning lights
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	7) Instrument panel lighting & condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	8) Horn operation
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	9) Steering wheel tight, no excessive play
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	10) Windshield wipers
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	11) Windshield washer
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	12) Sun visor condition and operation
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	13) Parking brake operation & condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	14) Parking and service brake pedal pads
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	15) Passenger door operation
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	16) No vibrations, pulsations or noises
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	B) Walk around inspection
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1) Body damage (list on separate sheet)
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	2) Headlights, high & low beam operation
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	3) Parking lights operation & condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	4) Marker lights operation & condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	5) Directional signals operation & condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	6) Hazard lights operation & condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	7) Clearance lights operation and condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	8) Brake lights operation & condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	9) License plate lamp operation & condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	10) License plates and tags
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	11) Backup lights and alarms
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	12) Reflectors and reflective bumper tape
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	13) Exterior decals and signage
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	14) Bumpers secure / in good condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	15) Exterior mirrors secure / in good condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	16) Exterior clean
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	C) Interior inspection
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1) Passenger door and steps condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	2) Handrails and stanchions condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	3) Interior and modesty panels condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	4) Flooring condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	5) Interior lighting operation and condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	6) Windows operation and condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	7) Emergency Exits operation & condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	8) Accessory operation & condition (radio, GPS)
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	9) Passenger seats operation & condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	10) Passenger seat belts operation & condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	11) First aid & body fluid kits complete
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	12) Triangle reflectors complete/good condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	13) Stop request operation & condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	14) Valid registration, insurance & accident pack
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	15) Fire extinguisher in good condition & signed
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	16) Interior decals and signage (incl. electrical)
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	17) DVI's reviewed, addressed and signed off
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	18) Interior clean
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	D) HVAC system inspection
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1) Front blower condition and operation

P	F	Item Inspected
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	2) Rear blower condition and operation
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	3) Defroster operation
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	4) Temp gets to 20 deg. F below ambient temp.
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	5) Evaporator intake air filter condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	6) Front heater condition and operation
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	7) Rear heater condition and operation
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	8) A/C compressors and condenser fans
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	E) Under hood inspection
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1) Batteries & charging sys. (load alt B,C,D serv)
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Batt 1 volts: load volts: load amps:
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Batt 2 volts: load volts: load amps:
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Batt 3 volts: load volts: load amps:
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Alt. 1 min volt: max volt: max amp:
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	Alt. 2 min volt: max volt: max amp:
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	(reference factory service manual for alternator spec)
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	2) Wire and hose routing and connections
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	3) Cooling system, hoses, water pump condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	5) Accessory drive belts condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	6) Pulleys and tensioned operation & condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	7) Brake master cylinder and power booster
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	8) Fan and fan clutch operation and condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	9) Engine oil fluid level and condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	10) Transmission oil level and condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	11) Power steering fluid level and condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	12) Brake fluid level and condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	F) Vehicle rack inspection
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	1) Steering gear box mount, condition & leaks
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	2) Steering shaft U joints
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	3) Steering shaft bearings
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	4) Steering linkages
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	5) I beam or control arm movements and rivets
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	6) Radius arm condition and bushings condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	7) Stabilizer bar condition and bushings condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	8) Ball joints or kingpins
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	9) Front spring condition and mounting
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	10) Front shock absorber operation & condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	11) Trans oil cooler & lines routing and leaks
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	12) Engine oil cooler & lines routing and leaks
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	13) Heater and A/C hose routing and leaks
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	14) No engine oil leaks and fluid condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	15) Engine mounts, brackets and bolts
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	16) Transmission mounts, brackets and bolts
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	17) No transmission oil leaks and fluid condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	18) Drive shaft condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	19) Universal joints and carrier bearings condition
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	20) No rear differential leaks
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	21) Rear differential condition and mounting
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	22) Frame and cross members
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	23) Rear shock absorbers
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	24) Rear springs condition and mounting
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	25) No fuel leaks
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	26) Fuel tank condition and mounting
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	27) No exhaust leaks
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 10-31-19 Vehicle #: 9706

Mileage in: 9417 Mileage out: 9420

P	F	Item Inspected
/		30) Front brake condition and mounting
/		31) Front brake lining condition & measurement
/		Pads R/F: <u>11</u> /32" L/F: <u>11</u> /32"
/		32) Rear brake condition and mounting
/		33) Rear brake lining condition & measurement
/		Pads R/R: <u>10</u> /32" L/R: <u>10</u> /32"
/		Shoes R/R: <u>10</u> /32" L/R: <u>10</u> /32"
/		34) Tire and wheel condition and measurements
/		R/F: <u>10</u> /32" L/F: <u>10</u> /32"
/		R/R: <u>10</u> /32" L/R: <u>10</u> /32"
/		R/RO: <u>10</u> /32" L/RO: <u>10</u> /32"
/		35) Lug nuts condition
/		Air pressure adjustment FR. <u>65</u> RR. <u>75</u>
/		Wheel torque specs used: <u>150</u> ft. lbs.
/		G) Lift inspection
/		1) Lift operation (fully stowed to fully deployed)
/		2) Lift control pendant condition and operation
/		3) Lift restraint belt condition and operation
/		4) Outer roll stop condition and operation
/		5) Inner roll stop condition and operation
/		6) Platform adjustments, condition and mounting
/		7) Standee arm condition and operation
/		8) Proper signage and decals
/		9) Manual backup pump condition and operation
/		10) Lift manual pump handle
/		11) Hydraulic pump condition and operation
/		12) Hydraulic lines and cylinders condition
/		13) Hydraulic fluid level and condition
/		14) Base plate and arms welds & pivot points
/		15) Lift springs and pins condition and operation
/		16) Lift safety switches and adjustments
/		17) Hose and wire routing and connections
/		18) Rollers and pivot point condition & operation
/		19) Lift to vehicle mounting bolts and brackets
/		20) Lift doors condition and operation
/		21) Lift door lights condition and operation
/		22) Lift interlock operation and condition
/		(lift door open, e-brake down not able to shift)
/		(e-brake off lift door closed no lift power)
/		23) W/C tie downs condition and operation
/		24) Tie down container secure and clean
/		25) Tie down floor mounting brackets secure
/		26) W/C shoulder belt condition and operation
/		27) Lift clean and no sharp edges
/		28) Lift shields secure and in good shape
/		29) Lift moves steady without drifting, jerking, or unusual speeds
/		30) No unusual lift noises
/		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
/		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	CM
A,B,C,D	Lube chassis and suspension	CM
A,B,C,D	Lube drive shafts and universal joints	CM
A,B,C,D	Lube doors and hood, locks and hinges	CM
A,B,C,D	Adjust service and parking brakes	CM
A,B,C,D	Drain water from separator	CM
A,B,C,D	Rotate tires(as necessary, caps on rear)	CM
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Carver Masse 10-31-19
 Technicians Signature Date

Supervisor Signature Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
 5910 N Cenrtal Expy Way Suite 1145
 Dallas, TX 75206



Work Order Division (0094)
 3301 Electronics Way
 West Palm Beach, FL 33407

Basic Information			
Vehicle #: <u>9706</u>	Repair Reason: <u>I</u>	Date and Time in: <u>02/11/2020</u>	Mileage in: <u>19261</u>
Date: <u>02/11/2020</u>	Work Class: <u>A</u>	Date and Time Finished: <u>02/11/2020</u>	Mileage out: <u>19262</u>

Complaints/Defects:	Notes/Measurements:
---------------------	---------------------

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
A		PMT		A	SS	VV1700	ENGINE OIL	7	
				A	SS	LF-3681	ENG. OIL FILTER	1	
A		REPLACE BRAKE PADS		A	SS		REAR BRAKE PADS	1	
		REPLACE R/O REAR TIRE		A	SS	2001831	R/O REAR TIRE	1	
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 662802 Technician: HOPETON HAYE Signature: H. J. Haye

ASE Employee #: 604182 ASE Technician: _____ ASE Signature: _____



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 02/1/2020 Vehicle #: 9706

Mileage in: 19261

Mileage out: 19262

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
H		1) Driver carpet
H		2) Driver seat condition and operation
H		3) Drivers door operation and condition
H		4) Drivers seat belt operation and condition
H		5) Engine starting and ignition system
H		6) Instrument panel gauges & warning lights
H		7) Instrument panel lighting & condition
H		8) Horn operation
H		9) Steering wheel tight, no excessive play
H		10) Windshield wipers
H		11) Windshield washer
H		12) Sun visor condition and operation
H		13) Parking brake operation & condition
H		14) Parking and service brake pedal pads
H		15) Passenger door operation
H		16) No vibrations, pulsations or noises
		B) Walk around inspection
H		1) Body damage (list on separate sheet)
H		2) Headlights, high & low beam operation
H		3) Parking lights operation & condition
H		4) Marker lights operation & condition
H		5) Directional signals operation & condition
H		6) Hazard lights operation & condition
H		7) Clearance lights operation and condition
H		8) Brake lights operation & condition
H		9) License plate lamp operation & condition
H		10) License plates and tags
H		11) Backup lights and alarms
H		12) Reflectors and reflective bumper tape
H		13) Exterior decals and signage
H		14) Bumpers secure / in good condition
H		15) Exterior mirrors secure / in good condition
H		16) Exterior clean
		C) Interior inspection
H		1) Passenger door and steps condition
H		2) Handrails and stanchions condition
H		3) Interior and modesty panels condition
H		4) Flooring condition
H		5) Interior lighting operation and condition
H		6) Windows operation and condition
H		7) Emergency Exits operation & condition
H		8) Accessory operation & condition (radio, GPS)
H		9) Passenger seats operation & condition
H		10) Passenger seat belts operation & condition
H		11) First aid & body fluid kits complete
H		12) Triangle reflectors complete/good condition
H		13) Stop request operation & condition
H		14) Valid registration, insurance & accident pack
H		15) Fire extinguisher in good condition & signed
H		16) Interior decals and signage (incl. electrical)
H		17) DVI's reviewed, addressed and signed off
H		18) Interior clean
		D) HVAC system inspection
H		1) Front blower condition and operation

P	F	Item Inspected
H		2) Rear blower condition and operation
H		3) Defroster operation
H		4) Temp gets to 20 deg. F below ambient temp.
H		5) Evaporator intake air filter condition
H		6) Front heater condition and operation
H		7) Rear heater condition and operation
H		8) A/C compressors and condenser fans
		E) Under hood inspection
H		1) Batteries & charging sys. (load alt B,C,D serv)
H		Batt 1 volts: load volts: load amps:
H		Batt 2 volts: load volts: load amps:
NA		Batt 3 volts: load volts: load amps:
H		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
H		Alt. 1 min volt: max volt: max amp:
NA		Alt. 2 min volt: max volt: max amp:
H		(reference factory service manual for alternator spec)
H		2) Wire and hose routing and connections
H		3) Cooling system, hoses, water pump condition
H		5) Accessory drive belts condition
H		6) Pulleys and tensioned operation & condition
H		7) Brake master cylinder and power booster
H		8) Fan and fan clutch operation and condition
H		9) Engine oil fluid level and condition
H		10) Transmission oil level and condition
H		11) Power steering fluid level and condition
H		12) Brake fluid level and condition
		F) Vehicle rack inspection
H		1) Steering gear box mount, condition & leaks
H		2) Steering shaft U joints
H		3) Steering shaft bearings
H		4) Steering linkages
H		5) I beam or control arm movements and rivets
H		6) Radius arm condition and bushings condition
H		7) Stabilizer bar condition and bushings condition
H		8) Ball joints or kingpins
H		9) Front spring condition and mounting
H		10) Front shock absorber operation & condition
H		11) Trans oil cooler & lines routing and leaks
H		12) Engine oil cooler & lines routing and leaks
H		13) Heater and A/C hose routing and leaks
H		14) No engine oil leaks and fluid condition
H		15) Engine mounts, brackets and bolts
H		16) Transmission mounts, brackets and bolts
H		17) No transmission oil leaks and fluid condition
H		18) Drive shaft condition
H		19) Universal joints and carrier bearings condition
H		20) No rear differential leaks
H		21) Rear differential condition and mounting
H		22) Frame and cross members
H		23) Rear shock absorbers
H		24) Rear springs condition and mounting
H		25) No fuel leaks
H		26) Fuel tank condition and mounting
H		27) No exhaust leaks
H		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 02/1/2020 Vehicle #: 9706

Mileage in: 19261

Mileage out: 19262

P	F	Item Inspected
H		30) Front brake condition and mounting
H		31) Front brake lining condition & measurement
H		Pads R/F: 8/32" L/F: 8/32"
	X	32) Rear brake condition and mounting
H		33) Rear brake lining condition & measurement
H		Pads R/R: 5/32" L/R: 5/32"
NA		Shoes R/R: 1/32" L/R: 1/32"
H		34) Tire and wheel condition and measurements
H		R/F: 9/32" L/F: 9/32"
H		R/R: 9/32" L/R: 8/32"
	X	R/O: 3/32" L/O: 8/32"
H		35) Lug nuts condition
H		Air pressure adjustment FR. 60 RR. 65
H		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
H		1) Lift operation (fully stowed to fully deployed)
H		2) Lift control pendant condition and operation
H		3) Lift restraint belt condition and operation
H		4) Outer roll stop condition and operation
H		5) Inner roll stop condition and operation
H		6) Platform adjustments, condition and mounting
H		7) Standee arm condition and operation
H		8) Proper signage and decals
H		9) Manual backup pump condition and operation
H		10) Lift manual pump handle
H		11) Hydraulic pump condition and operation
H		12) Hydraulic lines and cylinders condition
H		13) Hydraulic fluid level and condition
H		14) Base plate and arms welds & pivot points
H		15) Lift springs and pins condition and operation
H		16) Lift safety switches and adjustments
H		17) Hose and wire routing and connections
H		18) Rollers and pivot point condition & operation
H		19) Lift to vehicle mounting bolts and brackets
H		20) Lift doors condition and operation
H		21) Lift door lights condition and operation
H		22) Lift interlock operation and condition
H		(lift door open, e-brake down not able to shift)
H		(e-brake off lift door closed no lift power)
H		23) W/C tie downs condition and operation
H		24) Tie down container secure and clean
H		25) Tie down floor mounting brackets secure
H		26) W/C shoulder belt condition and operation
H		27) Lift clean and no sharp edges
H		28) Lift shields secure and in good shape
H		29) Lift moves steady without drifting, jerking,
H		or unusual speeds
H		30) No unusual lift noises
H		Lube all lift pivot points, barriers, rollers, linkages
H		and bearings cleaning off all excess lube
H		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	H
A,B,C,D	Lube chassis and suspension	OK
A,B,C,D	Lube drive shafts and universal joints	OK
A,B,C,D	Lube doors and hood, locks and hinges	H
A,B,C,D	Adjust service and parking brakes	OK
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	OK
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	H

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

H. D. Ham — 02/1/2020
 Technicians Signature Date

Supervisor Signature Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Preventive Maintenance Inspection and Service Checklist

Date: 03-24-20 Vehicle #: 9706

Circle Service Type: (A) B C D

Mileage in: 24088 Mileage out: 24089

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
F		Pads R/F: 6 /32" L/F: 6 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
F		Pads R/R: 9 /32" L/R: 9 /32"
		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
		R/F: 8 /32" L/F: 8 /32"
		R/R: 10 /32" L/R: 9 /32"
		R/O: 8 /32" L/O: 10 /32"
		35) Lug nuts condition
		Air pressure adjustment FR. 75 RR. 65
		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	N/A
A,B,C,D	Adjust service and parking brakes	F
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	F

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: *[Signature]* Date: 03-24-20

Supervisor Signature: _____ Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 03-24-20 Vehicle #: 9706

Mileage in: 24088 Mileage out: 24089

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
		B) Walk around inspection
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
		C) Interior inspection
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition (radio, GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
		D) HVAC system inspection
F		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
		F) Vehicle rack inspection
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
F		18) Drive shaft condition
F		19) Universal joints and carrier bearings condition
F		20) No rear differential leaks
F		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 07-21-20 Vehicle #: 9708 Mileage in: 37856 Mileage out: 37857

Table with columns P, F, and Item Inspected. Contains checklist items A) through D) with handwritten 'P' or 'F' marks in the P column.

Table with columns P, F, and Item Inspected. Contains checklist items E) and F) with handwritten 'P' or 'F' marks in the P column.



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 07-21-20 Vehicle #: 9A06 Mileage in: 37852 Mileage out: 37857

P	F	Item Inspected
		30) Front brake condition and mounting
F		31) Front brake lining condition & measurement Pads R/F: <u>8</u> /32" L/F: <u>8</u> /32"
		32) Rear brake condition and mounting
F		33) Rear brake lining condition & measurement Pads R/R: <u>3</u> /32" L/R: <u>3</u> /32" Shoes R/R: /32" L/R: /32"
F		34) Tire and wheel condition and measurements R/F: <u>10</u> /32" L/F: <u>10</u> /32" R/R: <u>8</u> /32" L/R: <u>8</u> /32" R/RO: <u>8</u> /32" L/RO: <u>3</u> /32"
P		35) Lug nuts condition
B		Air pressure adjustment FR. <u>25</u> RR. <u>45</u>
		Wheel torque specs used: <u>190</u> ft. lbs.
		G) Lift Inspection
F		1) Lift operation (fully stowed to fully deployed)
F		2) Lift control pendant condition and operation
F		3) Lift restraint belt condition and operation
F		4) Outer roll stop condition and operation
F		5) Inner roll stop condition and operation
F		6) Platform adjustments, condition and mounting
F		7) Standee arm condition and operation
F		8) Proper signage and decals
F		9) Manual backup pump condition and operation
F		10) Lift manual pump handle
F		11) Hydraulic pump condition and operation
F		12) Hydraulic lines and cylinders condition
F		13) Hydraulic fluid level and condition
F		14) Base plate and arms welds & pivot points
F		15) Lift springs and pins condition and operation
F		16) Lift safety switches and adjustments
F		17) Hose and wire routing and connections
F		18) Rollers and pivot point condition & operation
F		19) Lift to vehicle mounting bolts and brackets
F		20) Lift doors condition and operation
F		21) Lift door lights condition and operation
F		22) Lift interlock operation and condition (lift door open, e-brake down not able to shift) (e-brake off lift door closed no lift power)
F		23) W/C tie downs condition and operation
F		24) Tie down container secure and clean
F		25) Tie down floor mounting brackets secure
F		26) W/C shoulder belt condition and operation
F		27) Lift clean and no sharp edges
F		28) Lift shields secure and in good shape
F		29) Lift moves steady without drifting, jerking, or unusual speeds
F		30) No unusual lift noises
F		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
F		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	MA
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	MA
A,B,C,D	Drain water from separator	F
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	F

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: [Signature] Date: 07-21-2020

Supervisor Signature: _____ Date: _____

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 10/26/20 Vehicle #: 9706

Mileage in: 519291 Mileage out: 519292

P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)
/		1) Driver carpet
/		2) Driver seat condition and operation
/		3) Drivers door operation and condition
/		4) Drivers seat belt operation and condition
/		5) Engine starting and ignition system
/		6) Instrument panel gauges & warning lights
/		7) Instrument panel lighting & condition
/		8) Horn operation
/		9) Steering wheel tight, no excessive play
/		10) Windshield wipers
/		11) Windshield washer
/		12) Sun visor condition and operation
/		13) Parking brake operation & condition
/		14) Parking and service brake pedal pads
/		15) Passenger door operation
/		16) No vibrations, pulsations or noises
/		B) Walk around inspection
/		1) Body damage (list on separate sheet)
/		2) Headlights, high & low beam operation
/		3) Parking lights operation & condition
/		4) Marker lights operation & condition
/		5) Directional signals operation & condition
/		6) Hazard lights operation & condition
/		7) Clearance lights operation and condition
/		8) Brake lights operation & condition
/		9) License plate lamp operation & condition
/		10) License plates and tags
/		11) Backup lights and alarms
/		12) Reflectors and reflective bumper tape
/		13) Exterior decals and signage
/		14) Bumpers secure / in good condition
/		15) Exterior mirrors secure / in good condition
/		16) Exterior clean
/		C) Interior inspection
/		1) Passenger door and steps condition
/		2) Handrails and stanchions condition
/		3) Interior and modesty panels condition
/		4) Flooring condition
/		5) Interior lighting operation and condition
/		6) Windows operation and condition
/		7) Emergency Exits operation & condition
/		8) Accessory operation & condition (radio, GPS)
/		9) Passenger seats operation & condition
/		10) Passenger seat belts operation & condition
/		11) First aid & body fluid kits complete
/		12) Triangle reflectors complete/good condition
/		13) Stop request operation & condition
/		14) Valid registration, insurance & accident pack
/		15) Fire extinguisher in good condition & signed
/		16) Interior decals and signage (incl. electrical)
/		17) DVI's reviewed, addressed and signed off
/		18) Interior clean
/		D) HVAC system inspection
/		1) Front blower condition and operation

P	F	Item Inspected
/		2) Rear blower condition and operation
/		3) Defroster operation
/		4) Temp gets to 20 deg. F below ambient temp.
/		5) Evaporator intake air filter condition
/		6) Front heater condition and operation
/		7) Rear heater condition and operation
/		8) A/C compressors and condenser fans
/		E) Under hood inspection
/		1) Batteries & charging sys. (load alt B,C,D serv)
/		Batt 1 volts: load volts: load amps:
/		Batt 2 volts: load volts: load amps:
/		Batt 3 volts: load volts: load amps:
/		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
/		Alt. 1 min volt: max volt: max amp:
/		Alt. 2 min volt: max volt: max amp:
/		(reference factory service manual for alternator spec)
/		2) Wire and hose routing and connections
/		3) Cooling system, hoses, water pump condition
/		5) Accessory drive belts condition
/		6) Pulleys and tensioned operation & condition
/		7) Brake master cylinder and power booster
/		8) Fan and fan clutch operation and condition
/		9) Engine oil fluid level and condition
/		10) Transmission oil level and condition
/		11) Power steering fluid level and condition
/		12) Brake fluid level and condition
/		F) Vehicle rack inspection
/		1) Steering gear box mount, condition & leaks
/		2) Steering shaft U joints
/		3) Steering shaft bearings
/		4) Steering linkages
/		5) I beam or control arm movements and rivets
/		6) Radius arm condition and bushings condition
/		7) Stabilizer bar condition and bushings condition
/		8) Ball joints or kingpins
/		9) Front spring condition and mounting
/		10) Front shock absorber operation & condition
/		11) Trans oil cooler & lines routing and leaks
/		12) Engine oil cooler & lines routing and leaks
/		13) Heater and A/C hose routing and leaks
/		14) No engine oil leaks and fluid condition
/		15) Engine mounts, brackets and bolts
/		16) Transmission mounts, brackets and bolts
/		17) No transmission oil leaks and fluid condition
/		18) Drive shaft condition
/		19) Universal joints and carrier bearings condition
/		20) No rear differential leaks
/		21) Rear differential condition and mounting
/		22) Frame and cross members
/		23) Rear shock absorbers
/		24) Rear springs condition and mounting
/		25) No fuel leaks
/		26) Fuel tank condition and mounting
/		27) No exhaust leaks
/		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 10/26/20 Vehicle #: 9406

Mileage in: 51929 Mileage out: 51929

Table with columns P, F, and Item Inspected. Contains 30 items related to brake condition, tire measurements, lift inspection, and general vehicle checks.

Table with columns ServType, Service Performed, and Techs Initials. Lists various services like oil change, lube chassis, adjust brakes, etc.

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use.

Technician's Signature [Signature] Date 10/26/20


Supervisor Signature _____ Date _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired.



PM DEFECT SHEET



[Signature]
MECHANIC'S SIGNATURE

BUS #: 9706

DATE: 12/29/20

PM TYPE OR WORK ORDER #:

PMED

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
Replace oil drain plug	<i>[Signature]</i>	12/29/20
minor scratch & dent	NOTED	



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 12/29/20 Vehicle #: 9706 Mileage in: 61550 Mileage out: 61551

Table with columns P, F, and Item Inspected. Contains sections A) Vehicle drive in inspection (5 miles), B) Walk around inspection, C) Interior inspection, and D) HVAC system inspection.

Table with columns P, F, and Item Inspected. Contains sections E) Under hood inspection and F) Vehicle rack inspection.



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **(A)** B C D

Date: 12/29/20 Vehicle #: 9706 Mileage in: 61550 Mileage out: 61551

P	F	Item Inspected
F		30) Front brake condition and mounting
F		31) Front brake lining condition & measurement
F		Pads R/F: /32" L/F: /32"
F		32) Rear brake condition and mounting
F		33) Rear brake lining condition & measurement
F		Pads R/R: /32" L/R: /32"
NA		Shoes R/R: /32" L/R: /32"
F		34) Tire and wheel condition and measurements
F		R/F: 10/32" L/F: 10/32"
F		R/R: 5/32" L/R: 5/32"
F		R/RO: 5/32" L/RO: 5/32"
F		35) Lug nuts condition
F		Air pressure adjustment FR. 65 RR. 70
F		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
F		1) Lift operation (fully stowed to fully deployed)
F		2) Lift control pendant condition and operation
F		3) Lift restraint belt condition and operation
F		4) Outer roll stop condition and operation
F		5) Inner roll stop condition and operation
F		6) Platform adjustments, condition and mounting
F		7) Standee arm condition and operation
F		8) Proper signage and decals
F		9) Manual backup pump condition and operation
F		10) Lift manual pump handle
F		11) Hydraulic pump condition and operation
F		12) Hydraulic lines and cylinders condition
F		13) Hydraulic fluid level and condition
F		14) Base plate and arms welds & pivot points
F		15) Lift springs and pins condition and operation
F		16) Lift safety switches and adjustments
F		17) Hose and wire routing and connections
F		18) Rollers and pivot point condition & operation
F		19) Lift to vehicle mounting bolts and brackets
F		20) Lift doors condition and operation
F		21) Lift door lights condition and operation
F		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
F		23) W/C tie downs condition and operation
F		24) Tie down container secure and clean
F		25) Tie down floor mounting brackets secure
F		26) W/C shoulder belt condition and operation
F		27) Lift clean and no sharp edges
F		28) Lift shields secure and in good shape
F		29) Lift moves steady without drifting, jerking, or unusual speeds
F		30) No unusual lift noises
F		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
F		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	NA
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	F

Initial or "NA" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: [Signature] Date: 12/29/20

Supervisor Signature: [Signature] Date: 12/30/20

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



PM DEFECT SHEET



BUS #: 9706

DATE: 02-02-2021

PM TYPE OR WORK ORDER #:

MECHANIC'S SIGNATURE

[Handwritten Signature]

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

I REPLACE 4 TIRES FRONT REAR REAR VEHICLE.

[Handwritten Signature]

02-02-20



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 02-02-21 Vehicle #: 9706

Mileage in: 66085 Mileage out: 66086

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive-play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
R		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition (radio, GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation

P	F	Item Inspected
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		4) Accessory drive belts condition
R		5) Pulleys and tensioned operation & condition
R		6) Brake master cylinder and power booster
R		7) Fan and fan clutch operation and condition
R		8) Engine oil fluid level and condition
R		9) Transmission oil level and condition
R		10) Power steering fluid level and condition
R		11) Brake fluid level and condition
		F) Vehicle rack inspection
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
R		3) Steering shaft bearings
R		4) Steering linkages
R		5) I beam or control arm movements and rivets
R		6) Radius arm condition and bushings condition
R		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
R		18) Drive shaft condition
R		19) Universal joints and carrier bearings condition
R		20) No rear differential leaks
R		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Date: 02-02-21 Vehicle #: 9706 Mileage in: 66085 Mileage out: 66086

Circle Service Type: A B C D

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
<u>F</u>		Pads R/F: <u>7</u> /32" L/F: <u>7</u> /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
<u>F</u>		Pads R/R: <u>9</u> /32" L/R: <u>9</u> /32"
		Shoes R/R: <u> </u> /32" L/R: <u> </u> /32"
<u>F</u>		34) Tire and wheel condition and measurements
		R/F: <u>9</u> /32" L/F: <u>9</u> /32"
<u>F</u>		R/R: <u>5</u> /32" L/R: <u>3</u> /32"
<u>F</u>		R/RO: <u>3</u> /32" L/RO: <u>3</u> /32"
		35) Lug nuts condition
		Air pressure adjustment FR. <u>65RR. 45</u>
		Wheel torque specs used: <u>140</u> ft. lbs.
		G) Lift inspection
<u>F</u>		1) Lift operation (fully stowed to fully deployed)
<u>F</u>		2) Lift control pendant condition and operation
<u>F</u>		3) Lift restraint belt condition and operation
<u>F</u>		4) Outer roll stop condition and operation
<u>F</u>		5) Inner roll stop condition and operation
<u>F</u>		6) Platform adjustments, condition and mounting
<u>F</u>		7) Standee arm condition and operation
<u>F</u>		8) Proper signage and decals
<u>F</u>		9) Manual backup pump condition and operation
<u>F</u>		10) Lift manual pump handle
<u>F</u>		11) Hydraulic pump condition and operation
<u>F</u>		12) Hydraulic lines and cylinders condition
<u>F</u>		13) Hydraulic fluid level and condition
<u>F</u>		14) Base plate and arms welds & pivot points
<u>F</u>		15) Lift springs and pins condition and operation
<u>F</u>		16) Lift safety switches and adjustments
<u>F</u>		17) Hose and wire routing and connections
<u>F</u>		18) Rollers and pivot point condition & operation
<u>F</u>		19) Lift to vehicle mounting bolts and brackets
<u>F</u>		20) Lift doors condition and operation
<u>F</u>		21) Lift door lights condition and operation
<u>F</u>		22) Lift interlock operation and condition
<u>F</u>		(lift door open, e-brake down not able to shift)
<u>F</u>		(e-brake off lift door closed no lift power)
<u>F</u>		23) W/C tie downs condition and operation
<u>F</u>		24) Tie down container secure and clean
<u>F</u>		25) Tie down floor mounting brackets secure
<u>F</u>		26) W/C shoulder belt condition and operation
<u>F</u>		27) Lift clean and no sharp edges
<u>F</u>		28) Lift shields secure and in good shape
<u>F</u>		29) Lift moves steady without drifting, jerking, or unusual speeds
<u>F</u>		30) No unusual lift noises
<u>F</u>		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
<u>F</u>		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	<u>F</u>
A,B,C,D	Lube drive shafts and universal joints	<u>F</u>
A,B,C,D	Lube doors and hood, locks and hinges	<u>N/A</u>
A,B,C,D	Adjust service and parking brakes	<u>F</u>
A,B,C,D	Drain water from separator	<u>N/A</u>
A,B,C,D	Rotate tires(as necessary, caps on rear)	<u>F</u>
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	<u>F</u>

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: [Signature] Date: 02-02-2021


Supervisor Signature: _____ Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



PM DEFECT SHEET



BUS #: 9706

DATE:

4-6-21

PM TYPE OR WORK ORDER #:

MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

minor scratch et dent

~~paint~~ ~~chipping~~ ~~off~~
paint chipping off on both sides



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 4-6-21 Vehicle #: 9706

Mileage in: 75,683 Mileage out: 75,685

P	F	Item Inspected	P	F	Item Inspected
J		A) Vehicle drive in inspection (5 miles)	J		2) Rear blower condition and operation
J		1) Driver carpet	J		3) Defroster operation
J		2) Driver seat condition and operation	J		4) Temp gets to 20 deg. F below ambient temp.
J		3) Drivers door operation and condition	J		5) Evaporator intake air filter condition
J		4) Drivers seat belt operation and condition	J		6) Front heater condition and operation
J		5) Engine starting and ignition system	J		7) Rear heater condition and operation
J		6) Instrument panel gauges & warning lights	J		8) A/C compressors and condenser fans
J		7) Instrument panel lighting & condition	J		E) Under hood inspection
J		8) Horn operation	J		1) Batteries & charging sys. (load alt B,C,D serv)
J		9) Steering wheel tight, no excessive play	J		Batt 1 volts: 12.6 load volts: 12.6 load amps: 750
J		10) Windshield wipers	J		Batt 2 volts: 12.6 load volts: 12.6 load amps: 750
J		11) Windshield washer			Batt 3 volts: load volts: load amps:
J		12) Sun visor condition and operation			(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
J		13) Parking brake operation & condition	J		Alt. 1 min volt: 14.1 max volt: 14.8 max amp: 250
J		14) Parking and service brake pedal pads			Alt. 2 min volt: max volt: max amp:
J		15) Passenger door operation			(reference factory service manual for alternator spec)
J		16) No vibrations, pulsations or noises	J		2) Wire and hose routing and connections
J		B) Walk around inspection	J		3) Cooling system, hoses, water pump condition
J		1) Body damage (list on separate sheet)	J		5) Accessory drive belts condition
J		2) Headlights, high & low beam operation	J		6) Pulleys and tensioned operation & condition
J		3) Parking lights operation & condition	J		7) Brake master cylinder and power booster
J		4) Marker lights operation & condition	J		8) Fan and fan clutch operation and condition
J		5) Directional signals operation & condition	J		9) Engine oil fluid level and condition
J		6) Hazard lights operation & condition	J		10) Transmission oil level and condition
J		7) Clearance lights operation and condition	J		11) Power steering fluid level and condition
J		8) Brake lights operation & condition	J		12) Brake fluid level and condition
J		9) License plate lamp operation & condition			F) Vehicle rack inspection
J		10) License plates and tags	J		1) Steering gear box mount, condition & leaks
J		11) Backup lights and alarms	J		2) Steering shaft U joints
J		12) Reflectors and reflective bumper tape	J		3) Steering shaft bearings
J		13) Exterior decals and signage	J		4) Steering linkages
J		14) Bumpers secure / in good condition	J		5) I beam or control arm movements and rivets
J		15) Exterior mirrors secure / in good condition	J		6) Radius arm condition and bushings condition
J		16) Exterior clean	J		7) Stabilizer bar condition and bushings condition
J		C) Interior inspection	J		8) Ball joints or kingpins
J		1) Passenger door and steps condition	J		9) Front spring condition and mounting
J		2) Handrails and stanchions condition	J		10) Front shock absorber operation & condition
J		3) Interior and modesty panels condition	J		11) Trans oil cooler & lines routing and leaks
J		4) Flooring condition	J		12) Engine oil cooler & lines routing and leaks
J		5) Interior lighting operation and condition	J		13) Heater and A/C hose routing and leaks
J		6) Windows operation and condition	J		14) No engine oil leaks and fluid condition
J		7) Emergency Exits operation & condition	J		15) Engine mounts, brackets and bolts
J		8) Accessory operation & condition (radio, GPS)	J		16) Transmission mounts, brackets and bolts
J		9) Passenger seats operation & condition	J		17) No transmission oil leaks and fluid condition
J		10) Passenger seat belts operation & condition	J		18) Drive shaft condition
J		11) First aid & body fluid kits complete	J		19) Universal joints and carrier bearings condition
J		12) Triangle reflectors complete/good condition	J		20) No rear differential leaks
J		13) Stop request operation & condition	J		21) Rear differential condition and mounting
J		14) Valid registration, insurance & accident pack	J		22) Frame and cross members
J		15) Fire extinguisher in good condition & signed	J		23) Rear shock absorbers
J		16) Interior decals and signage (incl. electrical)	J		24) Rear springs condition and mounting
J		17) DVI's reviewed, addressed and signed off	J		25) No fuel leaks
J		18) Interior clean	J		26) Fuel tank condition and mounting
J		D) HVAC system inspection	J		27) No exhaust leaks
J		1) Front blower condition and operation	J		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 4-6-21 Vehicle #: 9706

Mileage in: 75,683 Mileage out: 75,835

P	F	Item Inspected
✓		30) Front brake condition and mounting
✓		31) Front brake lining condition & measurement Pads R/F: <u>7/32"</u> L/F: <u>7/32"</u>
✓		32) Rear brake condition and mounting
✓		33) Rear brake lining condition & measurement Pads R/R: <u>7/32"</u> L/R: <u>7/32"</u>
✓		Shoes R/R: <u>0/32"</u> L/R: <u>0/32"</u>
✓		34) Tire and wheel condition and measurements R/F: <u>10/32"</u> L/F: <u>10/32"</u> R/R: <u>9/32"</u> L/R: <u>10/32"</u> R/RO: <u>new/32"</u> L/RO: <u>10/32"</u>
✓		35) Lug nuts condition
✓		Air pressure adjustment FR. <u>65</u> RR. <u>65</u>
✓		Wheel torque specs used: <u>140</u> ft. lbs.
✓		(A) Lift inspection
✓		1) Lift operation (fully stowed to fully deployed)
✓		2) Lift control pendant condition and operation
✓		3) Lift restraint belt condition and operation
✓		4) Outer roll stop condition and operation
✓		5) Inner roll stop condition and operation
✓		6) Platform adjustments, condition and mounting
✓		7) Standee arm condition and operation
✓		8) Proper signage and decals
✓		9) Manual backup pump condition and operation
✓		10) Lift manual pump handle
✓		11) Hydraulic pump condition and operation
✓		12) Hydraulic lines and cylinders condition
✓		13) Hydraulic fluid level and condition
✓		14) Base plate and arms welds & pivot points
✓		15) Lift springs and pins condition and operation
✓		16) Lift safety switches and adjustments
✓		17) Hose and wire routing and connections
✓		18) Rollers and pivot point condition & operation
✓		19) Lift to vehicle mounting bolts and brackets
✓		20) Lift doors condition and operation
✓		21) Lift door lights condition and operation
✓		22) Lift interlock operation and condition (lift door open, e-brake down not able to shift) (e-brake off lift door closed no lift power)
✓		23) W/C tie downs condition and operation
✓		24) Tie down container secure and clean
✓		25) Tie down floor mounting brackets secure
✓		26) W/C shoulder belt condition and operation
✓		27) Lift clean and no sharp edges
✓		28) Lift shields secure and in good shape
✓		29) Lift moves steady without drifting, jerking, or unusual speeds
✓		30) No unusual lift noises
✓		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
✓		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	JC
A,B,C,D	Lube chassis and suspension	JC
A,B,C,D	Lube drive shafts and universal joints	JC
A,B,C,D	Lube doors and hood, locks and hinges	JC
A,B,C,D	Adjust service and parking brakes	JC
A,B,C,D	Drain water from separator	JC
A,B,C,D	Rotate tires(as necessary, caps on rear)	JC
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	JC

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: [Signature] Date: 4-6-21

Supervisor Signature: _____ Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 05/11/2021 Vehicle #: 9706

Mileage in: 80470 Mileage out: 80471

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
R		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition (radio, GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation

P	F	Item Inspected
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
N/A		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
R		1) Batteries & charging sys. (load alt B,C,D serv)
R		Batt 1 volts: load volts: load amps:
R		Batt 2 volts: load volts: load amps:
R		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
R		3) Steering shaft bearings
R		4) Steering linkages
R		5) I beam or control arm movements and rivets
R		6) Radius arm condition and bushings condition
R		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
R		18) Drive shaft condition
R		19) Universal joints and carrier bearings condition
R		20) No rear differential leaks
R		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 05/11/2021 Vehicle #: 9706 Mileage in: 80470 Mileage out: 80471

Circle Service Type: A B C D

Service Type	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	R
A,B,C,D	Lube drive shafts and universal joints	R
A,B,C,D	Lube doors and hood, locks and hinges	MM
A,B,C,D	Adjust service and parking brakes	R
A,B,C,D	Drain water from separator	MM
A,B,C,D	Rotate tires (as necessary, caps on rear)	R
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	R

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date: 05/11/2021

Supervisor Signature

Date

Notes:

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
R		Pads R/F: 5/32" L/F: 5/32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R		Pads R/R: 5/32" L/R: 5/32"
MM		Shoes R/R: 1/32" L/R: 1/32"
		34) Tire and wheel condition and measurements
R		R/F: 8/32" L/F: 8/32"
R		R/R: 8/32" L/R: 8/32"
R		R/R: 8/32" L/R: 8/32"
R		35) Lug nuts condition
R		Air pressure adjustment FR. 65 RR. 75
R		Wheel torque specs used: 140 ft. lbs.
R		G) Lift inspection
R		1) Lift operation (fully stowed to fully deployed)
R		2) Lift control pendant condition and operation
R		3) Lift restraint belt condition and operation
R		4) Outer roll stop condition and operation
R		5) Inner roll stop condition and operation
R		6) Platform adjustments, condition and mounting
R		7) Stander arm condition and operation
R		8) Proper signage and decals
R		9) Manual backup pump condition and operation
R		10) Lift manual pump handle
R		11) Hydraulic pump condition and operation
R		12) Hydraulic lines and cylinders condition
R		13) Hydraulic fluid level and condition
R		14) Base plate and arms welds & pivot points
R		15) Lift springs and pins condition and operation
R		16) Lift safety switches and adjustments
R		17) Hose and wire routing and connections
R		18) Rollers and pivot point condition & operation
R		19) Lift to vehicle mounting bolts and brackets
R		20) Lift doors condition and operation
R		21) Lift door lights condition and operation
R		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
R		23) W/C the downs condition and operation
R		24) The down container secure and clean
R		25) The down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking, or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
R		Check, torque or adjust lift base mounting bolts

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 07/28/2021 Vehicle #: 9706

Mileage in: 89826 Mileage out: 89827

P	F	Item Inspected	P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)	R		2) Rear blower condition and operation
R		1) Driver carpet	R		3) Defroster operation
R		2) Driver seat condition and operation	R		4) Temp gets to 20 deg. F below ambient temp.
R		3) Drivers door operation and condition	NA		5) Evaporator intake air filter condition
R		4) Drivers seat belt operation and condition	R		6) Front heater condition and operation
R		5) Engine starting and Ignition system	R		7) Rear heater condition and operation
R		6) Instrument panel gauges & warning lights	R		8) A/C compressors and condenser fans
R		7) Instrument panel lighting & condition			E) Under hood inspection
R		8) Horn operation	R		1) Batteries & charging sys. (load alt B,C,D serv)
R		9) Steering wheel tight, no excessive play	R		Batt 1 volts: load volts: load amps:
R		10) Windshield wipers	R		Batt 2 volts: load volts: load amps:
R		11) Windshield washer			Batt 3 volts: load volts: load amps:
R		12) Sun visor condition and operation			(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
R		13) Parking brake operation & condition			Alt. 1 min volt: max volt: max amp:
R		14) Parking and service brake pedal pads			Alt. 2 min volt: max volt: max amp:
R		15) Passenger door operation			(reference factory service manual for alternator spec)
R		16) No vibrations, pulsations or noises	R		2) Wire and hose routing and connections
		B) Walk around inspection	R		3) Cooling system, hoses, water pump condition
R		1) Body damage (list on separate sheet)	R		5) Accessory drive belts condition
R		2) Headlights, high & low beam operation	R		6) Pulleys and tensioned operation & condition
R		3) Parking lights operation & condition	R		7) Brake master cylinder and power booster
R		4) Marker lights operation & condition	R		8) Fan and fan clutch operation and condition
R		5) Directional signals operation & condition	R		9) Engine oil fluid level and condition
R		6) Hazard lights operation & condition	R		10) Transmission oil level and condition
R		7) Clearance lights operation and condition	R		11) Power steering fluid level and condition
R		8) Brake lights operation & condition	R		12) Brake fluid level and condition
R		9) License plate lamp operation & condition			F) Vehicle rack inspection
R		10) License plates and tags	R		1) Steering gear box mount, condition & leaks
R		11) Backup lights and alarms	R		2) Steering shaft U joints
R		12) Reflectors and reflective bumper tape	R		3) Steering shaft bearings
R		13) Exterior decals and signage	R		4) Steering linkages
R		14) Bumpers secure / in good condition	R		5) I beam or control arm movements and rivets
R		15) Exterior mirrors secure / in good condition	R		6) Radius arm condition and bushings condition
R		16) Exterior clean	R		7) Stabilizer bar condition and bushings condition
		C) Interior inspection	R		8) Ball joints or kingpins
R		1) Passenger door and steps condition	R		9) Front spring condition and mounting
R		2) Handrails and stanchions condition	R		10) Front shock absorber operation & condition
R		3) Interior and modesty panels condition	R		11) Trans oil cooler & lines routing and leaks
R		4) Flooring condition	R		12) Engine oil cooler & lines routing and leaks
R		5) Interior lighting operation and condition	R		13) Heater and A/C hose routing and leaks
R		6) Windows operation and condition	R		14) No engine oil leaks and fluid condition
R		7) Emergency Exits operation & condition	R		15) Engine mounts, brackets and bolts
R		8) Accessory operation & condition (radio, GPS)	R		16) Transmission mounts, brackets and bolts
R		9) Passenger seats operation & condition	R		17) No transmission oil leaks and fluid condition
R		10) Passenger seat belts operation & condition	R		18) Drive shaft condition
R		11) First aid & body fluid kits complete	R		19) Universal joints and carrier bearings condition
R		12) Triangle reflectors complete/good condition	R		20) No rear differential leaks
R		13) Stop request operation & condition	R		21) Rear differential condition and mounting
R		14) Valid registration, insurance & accident pack	R		22) Frame and cross members
R		15) Fire extinguisher in good condition & signed	R		23) Rear shock absorbers
R		16) Interior decals and signage (incl. electrical)	R		24) Rear springs condition and mounting
R		17) DVI's reviewed, addressed and signed off	R		25) No fuel leaks
R		18) Interior clean	R		26) Fuel tank condition and mounting
		D) HVAC system inspection	R		27) No exhaust leaks
R		1) Front blower condition and operation	R		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 9/7/21

Vehicle #: 9706

Mileage in: 94287

Mileage out: 94288

P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)
/		1) Driver carpet
/		2) Driver seat condition and operation
/		3) Drivers door operation and condition
/		4) Drivers seat belt operation and condition
/		5) Engine starting and ignition system
/		6) Instrument panel gauges & warning lights
/		7) Instrument panel lighting & condition
/		8) Horn operation
/		9) Steering wheel tight, no excessive play
/		10) Windshield wipers
/		11) Windshield washer
/		12) Sun visor condition and operation
/		13) Parking brake operation & condition
/		14) Parking and service brake pedal pads
/		15) Passenger door operation
/		16) No vibrations, pulsations or noises
/		B) Walk around inspection
/		1) Body damage (list on separate sheet)
/		2) Headlights, high & low beam operation
/		3) Parking lights operation & condition
/		4) Marker lights operation & condition
/		5) Directional signals operation & condition
/		6) Hazard lights operation & condition
/		7) Clearance lights operation and condition
/		8) Brake lights operation & condition
/		9) License plate lamp operation & condition
/		10) License plates and tags
/		11) Backup lights and alarms
/		12) Reflectors and reflective bumper tape
/		13) Exterior decals and signage
/		14) Bumpers secure / in good condition
/		15) Exterior mirrors secure / in good condition
/		16) Exterior clean
/		C) Interior inspection
/		1) Passenger door and steps condition
/		2) Handrails and stanchions condition
/		3) Interior and modesty panels condition
/		4) Flooring condition
/		5) Interior lighting operation and condition
/		6) Windows operation and condition
/		7) Emergency Exits operation & condition
/		8) Accessory operation & condition (radio, GPS)
/		9) Passenger seats operation & condition
/		10) Passenger seat belts operation & condition
/		11) First aid & body fluid kits complete
/		12) Triangle reflectors complete/good condition
/		13) Stop request operation & condition
/		14) Valid registration, insurance & accident pack
/		15) Fire extinguisher in good condition & signed
/		16) Interior decals and signage (incl. electrical)
/		17) DVI's reviewed, addressed and signed off
/		18) Interior clean
/		D) HVAC system inspection
/		1) Front blower condition and operation

P	F	Item Inspected
/		2) Rear blower condition and operation
/		3) Defroster operation
/		4) Temp gets to 20 deg. F below ambient temp.
/		5) Evaporator intake air filter condition
/		6) Front heater condition and operation
/		7) Rear heater condition and operation
/		8) A/C compressors and condenser fans
/		E) Under hood inspection
/		1) Batteries & charging sys. (load alt B,C,D serv)
/		Batt 1 volts: load volts: load amps:
/		Batt 2 volts: load volts: load amps:
/		Batt 3 volts: load volts: load amps:
/		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
/		Alt. 1 min volt: max volt: max amp:
/		Alt. 2 min volt: max volt: max amp:
/		(reference factory service manual for alternator spec)
/		2) Wire and hose routing and connections
/		3) Cooling system, hoses, water pump condition
/		5) Accessory drive belts condition
/		6) Pulleys and tensioned operation & condition
/		7) Brake master cylinder and power booster
/		8) Fan and fan clutch operation and condition
/		9) Engine oil fluid level and condition
/		10) Transmission oil level and condition
/		11) Power steering fluid level and condition
/		12) Brake fluid level and condition
/		F) Vehicle rack inspection
/		1) Steering gear box mount, condition & leaks
/		2) Steering shaft U joints
/		3) Steering shaft bearings
/		4) Steering linkages
/		5) I beam or control arm movements and rivets
/		6) Radius arm condition and bushings condition
/		7) Stabilizer bar condition and bushings condition
/		8) Ball joints or kingpins
/		9) Front spring condition and mounting
/		10) Front shock absorber operation & condition
/		11) Trans oil cooler & lines routing and leaks
/		12) Engine oil cooler & lines routing and leaks
/		13) Heater and A/C hose routing and leaks
/		14) No engine oil leaks and fluid condition
/		15) Engine mounts, brackets and bolts
/		16) Transmission mounts, brackets and bolts
/		17) No transmission oil leaks and fluid condition
/		18) Drive shaft condition
/		19) Universal joints and carrier bearings condition
/		20) No rear differential leaks
/		21) Rear differential condition and mounting
/		22) Frame and cross members
/		23) Rear shock absorbers
/		24) Rear springs condition and mounting
/		25) No fuel leaks
/		26) Fuel tank condition and mounting
/		27) No exhaust leaks
/		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 9/19/01 Vehicle #: 9706 Mileage in: 99287 Mileage out: 99288

Circle Service Type: A B C D

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	
Lube chassis and suspension	A,B,C,D	
Lube drive shafts and universal joints	A,B,C,D	
Lube doors and hood, locks and hinges	A,B,C,D	
Adjust service and parking brakes	A,B,C,D	
Drain water from separator	A,B,C,D	
Rotate tires (as necessary, caps on rear)	A,B,C,D	
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 8 / 32" L/F: 8 / 32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 8 / 32" L/R: 8 / 32"		
34) Tire and wheel condition and measurements		
Shoes R/R: / 32" L/R: / 32"		
35) Lug nuts condition		
R/R: 6 / 32" L/R: 6 / 32"		
R/R: 6 / 32" L/R: 6 / 32"		
R/F: 8 / 32" L/F: 8 / 32"		
36) Air pressure adjustment FR. 40 RR. 40		
Wheel torque specs used: 120 ft. lbs.		
G) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Supervisor Signature _____ Date _____

Technicians Signature _____ Date 9/19/01

Notes: _____

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

2369

Basic Information

Vehicle #: 9706 Repair Reason: PNV Date and Time in: 8:40 Mileage in: 103803
Date: 11-11-21 Work Class: _____ Date and Time Finished: 10:20 Mileage out: 103808

Complaints/Defects:

Notes/Measurements:

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
		engine oil				F1-502	oil	1	
		three tires				004-708	tires	3	
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 666331 Technician: John Caves

Signature: [Signature]

ASE Employee #: 604182 ASE Technician: _____

ASE Signature: _____



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 11-11-21 Vehicle #: 9706

Mileage in: 103803

Mileage out: 103808

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: 12 load volts: 12.6 load amps: 20
		Batt 2 volts: 12 load volts: 12.6 load amps: 20
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: 14 max volt: 14 max amp: 250
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Date: 11-11-21 Vehicle #: 5909 Mileage in: 103803 Mileage out: 103808

Circle Service Type: (A) B C D

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	2
Lube chassis and suspension	A,B,C,D	2
Lube drive shafts and universal joints	A,B,C,D	2
Lube doors and hood, locks and hinges	A,B,C,D	2
Adjust service and parking brakes	A,B,C,D	2
Drain water from separator	A,B,C,D	2
Rotate tires (as necessary, caps on rear)	A,B,C,D	2
Change air filter	B,C,D	2
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Clean or change wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	2

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician Signature: *[Signature]* Date: 11-11-21
 Supervisor Signature: _____ Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Item Inspected	P	F
30) Front brake lining condition and mounting		
31) Front brake lining condition & measurement		
32) Rear brake lining condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 7/32" LR: 7/32"		
Shoes R/R: 1/32" LR: 1/32"		
34) Tire and wheel condition and measurements		
R/F: 29/32" L/F: 29/32"		
R/R: 7/32" L/R: 8/32"		
R/R: 29/32" L/R: 8/32"		
35) Lug nuts condition		
Air pressure adjustment FR. 65 RR. 65		
Wheel torque specs used: 147 ft. lbs.		
g) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C the downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: **A B C D**

Mileage in: **108686**

Mileage out: **108691**

Vehicle #: **9706**

Date: **12-14-2**

Item Inspected	P	F
A) Vehicle drive in inspection (5 miles)		
1) Driver carpet		
2) Driver seat condition and operation		
3) Drivers door operation and condition		
4) Drivers seat belt operation and condition		
5) Engine starting and ignition system		
6) Instrument panel gauges & warning lights		
7) Instrument panel lighting & condition		
8) Horn operation		
9) Steering wheel tight, no excessive play		
10) Windshield wipers		
11) Windshield washer		
12) Sun visor condition and operation		
13) Parking brake operation & condition		
14) Parking and service brake pedal pads		
15) Passenger door operation		
16) No vibrations, pulsations or noises		
B) Walk around inspection		
1) Body damage (list on separate sheet)		
2) Headlights, high & low beam operation		
3) Parking lights operation & condition		
4) Marker lights operation & condition		
5) Directional signals operation & condition		
6) Hazard lights operation & condition		
7) Clearance lights operation & condition		
8) Brake lights operation & condition		
9) License plate lamp operation & condition		
10) License plates and tags		
11) Backup lights and alarms		
12) Reflectors and reflective bumper tape		
13) Exterior decals and signage		
14) Bumpers secure / in good condition		
15) Exterior mirrors secure / in good condition		
16) Exterior clean		
C) Interior inspection		
1) Passenger door and steps condition		
2) Handrails and stanchions condition		
3) Interior and modesty panels condition		
4) Flooring condition		
5) Interior lighting operation and condition		
6) Windows operation and condition		
7) Emergency Exits operation & condition		
8) Accessory operation & condition (radio, GPS)		
9) Passenger seats operation & condition		
10) Passenger seat belts operation & condition		
11) First aid & body fluid kits complete		
12) Triangle reflectors complete/good condition		
13) Stop request operation & condition		
14) Valid registration, insurance & accident pack		
15) Fire extinguisher in good condition & signed		
16) Interior decals and signage (incl. electrical)		
17) DVI's reviewed, addressed and signed off		
18) Interior clean		
D) HVAC system inspection		
1) Front blower condition and operation		

Item Inspected	P	F
2) Rear blower condition and operation		
3) Destroter operation		
4) Temp gets to 20 deg. F below ambient temp.		
5) Evaporator intake air filter condition		
6) Front heater condition and operation		
7) Rear heater condition and operation		
8) A/C compressors and condenser fans		
E) Under hood inspection		
1) Batteries & charging sys. (load alt B,C,D serv)		
Batt 1 volts: 12.6 load amps: 20		
Batt 2 volts: 12.6 load amps: 20		
Batt 3 volts: load amps:		
(battery min. loaded volts 9.5v, 1/2 CCA for 15 sec)		
Alt. 1 min volt: 14 max volt: 19 max amp: 20		
Alt. 2 min volt: max volt: max amp:		
(reference factory service manual for alternator spec)		
2) Wire and hose routing and connections		
3) Cooling system, hoses, water pump condition		
5) Accessory drive belts condition		
6) Pulleys and tensioned operation & condition		
7) Brake master cylinder and power booster		
8) Fan and fan clutch operation and condition		
9) Engine oil fluid level and condition		
10) Transmission oil level and condition		
11) Power steering fluid level and condition		
12) Brake fluid level and condition		
F) Vehicle rack inspection		
1) Steering gear box mount, condition & leaks		
2) Steering shaft U joints		
3) Steering shaft bearings		
4) Steering linkages		
5) I beam or control arm movements and rivets		
6) Radius arm condition and bushings condition		
7) Stabilizer bar condition and bushings condition		
8) Ball joints or kingpins		
9) Front spring condition and mounting		
10) Front shock absorber operation & condition		
11) Trans oil cooler & lines routing and leaks		
12) Engine oil cooler & lines routing and leaks		
13) Heater and A/C hose routing and leaks		
14) No engine oil leaks and fluid condition		
15) Engine mounts, brackets and bolts		
16) Transmission mounts, brackets and bolts		
17) No transmission oil leaks and fluid condition		
18) Drive shaft condition		
19) Universal joints and carrier bearings condition		
20) No rear differential leaks		
21) Rear differential condition and mounting		
22) Frame and cross members		
23) Rear shock absorbers		
24) Rear springs condition and mounting		
25) No fuel leaks		
26) Fuel tank condition and mounting		
27) No exhaust leaks		
28) Exhaust system condition and mounting		



Preventive Maintenance Inspection and Service Checklist

Date: 12-14-21 Vehicle #: 9706

Circle Service Type: (A) B C D

Mileage in: 108686 Mileage out: 108686

P	F	Item Inspected
<input checked="" type="checkbox"/>		30) Front brake condition and mounting
<input checked="" type="checkbox"/>		31) Front brake lining condition & measurement Pads R/F: <u>7/32"</u> L/F: <u>7/32"</u>
<input checked="" type="checkbox"/>		32) Rear brake condition and mounting
<input checked="" type="checkbox"/>		33) Rear brake lining condition & measurement Pads R/R: <u>6/32"</u> L/R: <u>6/32"</u> Shoes R/R: <u>1/32"</u> L/R: <u>1/32"</u>
<input checked="" type="checkbox"/>		34) Tire and wheel condition and measurements R/F: <u>9/32"</u> L/F: <u>9/32"</u> R/R: <u>9/32"</u> L/R: <u>9/32"</u> R/RO: <u>7/32"</u> L/RO: <u>7/32"</u>
<input checked="" type="checkbox"/>		35) Lug nuts condition
<input checked="" type="checkbox"/>		Air pressure adjustment FR. <u>65</u> RR. <u>65</u>
<input checked="" type="checkbox"/>		Wheel torque specs used: <u>140</u> ft. lbs.
<input checked="" type="checkbox"/>		G) Lift inspection
<input checked="" type="checkbox"/>		1) Lift operation (fully stowed to fully deployed)
<input checked="" type="checkbox"/>		2) Lift control pendant condition and operation
<input checked="" type="checkbox"/>		3) Lift restraint belt condition and operation
<input checked="" type="checkbox"/>		4) Outer roll stop condition and operation
<input checked="" type="checkbox"/>		5) Inner roll stop condition and operation
<input checked="" type="checkbox"/>		6) Platform adjustments, condition and mounting
<input checked="" type="checkbox"/>		7) Standee arm condition and operation
<input checked="" type="checkbox"/>		8) Proper signage and decals
<input checked="" type="checkbox"/>		9) Manual backup pump condition and operation
<input checked="" type="checkbox"/>		10) Lift manual pump handle
<input checked="" type="checkbox"/>		11) Hydraulic pump condition and operation
<input checked="" type="checkbox"/>		12) Hydraulic lines and cylinders condition
<input checked="" type="checkbox"/>		13) Hydraulic fluid level and condition
<input checked="" type="checkbox"/>		14) Base plate and arms welds & pivot points
<input checked="" type="checkbox"/>		15) Lift springs and pins condition and operation
<input checked="" type="checkbox"/>		16) Lift safety switches and adjustments
<input checked="" type="checkbox"/>		17) Hose and wire routing and connections
<input checked="" type="checkbox"/>		18) Rollers and pivot point condition & operation
<input checked="" type="checkbox"/>		19) Lift to vehicle mounting bolts and brackets
<input checked="" type="checkbox"/>		20) Lift doors condition and operation
<input checked="" type="checkbox"/>		21) Lift door lights condition and operation
<input checked="" type="checkbox"/>		22) Lift interlock operation and condition (lift door open, e-brake down not able to shift) (e-brake off lift door closed no lift power)
<input checked="" type="checkbox"/>		23) W/C tie downs condition and operation
<input checked="" type="checkbox"/>		24) Tie down container secure and clean
<input checked="" type="checkbox"/>		25) Tie down floor mounting brackets secure
<input checked="" type="checkbox"/>		26) W/C shoulder belt condition and operation
<input checked="" type="checkbox"/>		27) Lift clean and no sharp edges
<input checked="" type="checkbox"/>		28) Lift shields secure and in good shape
<input checked="" type="checkbox"/>		29) Lift moves steady without drifting, jerking, or unusual speeds
<input checked="" type="checkbox"/>		30) No unusual lift noises
<input checked="" type="checkbox"/>		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
<input checked="" type="checkbox"/>		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	<u>76</u>
A,B,C,D	Lube doors and hood, locks and hinges	<u>76</u>
A,B,C,D	Adjust service and parking brakes	<u>76</u>
A,B,C,D	Drain water from separator	<u>76</u>
A,B,C,D	Rotate tires (as necessary, caps on rear)	<u>76</u>
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	<u>X</u>

Initial or "NA" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: [Signature] Date: 12-14-21

Supervisor Signature: _____ Date: _____

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 2-22-22 Vehicle #: 9706

Mileage in: 118575 Mileage out: 118576

P	F	Item Inspected
/	/	A) Vehicle drive in inspection (5 miles)
/	/	1) Driver carpet
/	/	2) Driver seat condition and operation
/	/	3) Drivers door operation and condition
/	/	4) Drivers seat belt operation and condition
/	/	5) Engine starting and Ignition system
/	/	6) Instrument panel gauges & warning lights
/	/	7) Instrument panel lighting & condition
/	/	8) Horn operation
/	/	9) Steering wheel tight, no excessive play
/	/	10) Windshield wipers
/	/	11) Windshield washer
/	/	12) Sun visor condition and operation
/	/	13) Parking brake operation & condition
/	/	14) Parking and service brake pedal pads
/	/	15) Passenger door operation
/	/	16) No vibrations, pulsations or noises
/	/	B) Walk around inspection
/	/	1) Body damage (list on separate sheet)
/	/	2) Headlights, high & low beam operation
/	/	3) Parking lights operation & condition
/	/	4) Marker lights operation & condition
/	/	5) Directional signals operation & condition
/	/	6) Hazard lights operation & condition
/	/	7) Clearance lights operation and condition
/	/	8) Brake lights operation & condition
/	/	9) License plate lamp operation & condition
/	/	10) License plates and tags
/	/	11) Backup lights and alarms
/	/	12) Reflectors and reflective bumper tape
/	/	13) Exterior decals and signage
/	/	14) Bumpers secure / in good condition
/	/	15) Exterior mirrors secure / in good condition
/	/	16) Exterior clean
/	/	C) Interior inspection
/	/	1) Passenger door and steps condition
/	/	2) Handrails and stanchions condition
/	/	3) Interior and modesty panels condition
/	/	4) Flooring condition
/	/	5) Interior lighting operation and condition
/	/	6) Windows operation and condition
/	/	7) Emergency Exits operation & condition
/	/	8) Accessory operation & condition (radio, GPS)
/	/	9) Passenger seats operation & condition
/	/	10) Passenger seat belts operation & condition
/	/	11) First aid & body fluid kits complete
/	/	12) Triangle reflectors complete/good condition
/	/	13) Stop request operation & condition
/	/	14) Valid registration, insurance & accident pack
/	/	15) Fire extinguisher in good condition & signed
/	/	16) Interior decals and signage (incl. electrical)
/	/	17) DVI's reviewed, addressed and signed off
/	/	18) Interior clean
/	/	D) HVAC system inspection
/	/	1) Front blower condition and operation

P	F	Item Inspected
/	/	2) Rear blower condition and operation
/	/	3) Defroster operation
/	/	4) Temp gets to 20 deg. F below ambient temp.
/	/	5) Evaporator intake air filter condition
/	/	6) Front heater condition and operation
/	/	7) Rear heater condition and operation
/	/	8) A/C compressors and condenser fans
/	/	E) Under hood inspection
/	/	1) Batteries & charging sys. (load alt B,C,D serv)
/	/	Batt 1 volts: <u>12</u> load volts: <u>72.8</u> load amps: <u>750</u>
/	/	Batt 2 volts: <u>12</u> load volts: <u>12.6</u> load amps: <u>750</u>
/	/	Batt 3 volts: load volts: load amps:
/	/	(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
/	/	Alt. 1 min volt: <u>14</u> max volt: <u>14.1</u> max amp: <u>750</u>
/	/	Alt. 2 min volt: max volt: max amp:
/	/	(reference factory service manual for alternator spec)
/	/	2) Wire and hose routing and connections
/	/	3) Cooling system, hoses, water pump condition
/	/	5) Accessory drive belts condition
/	/	6) Pulleys and tensioned operation & condition
/	/	7) Brake master cylinder and power booster
/	/	8) Fan and fan clutch operation and condition
/	/	9) Engine oil fluid level and condition
/	/	10) Transmission oil level and condition
/	/	11) Power steering fluid level and condition
/	/	12) Brake fluid level and condition
/	/	F) Vehicle rack inspection
/	/	1) Steering gear box mount, condition & leaks
/	/	2) Steering shaft U joints
/	/	3) Steering shaft bearings
/	/	4) Steering linkages.
/	/	5) I beam or control arm movements and rivets
/	/	6) Radius arm condition and bushings condition
/	/	7) Stabilizer bar condition and bushings condition
/	/	8) Ball joints or kingpins
/	/	9) Front spring condition and mounting
/	/	10) Front shock absorber operation & condition
/	/	11) Trans oil cooler & lines routing and leaks
/	/	12) Engine oil cooler & lines routing and leaks
/	/	13) Heater and A/C hose routing and leaks
/	/	14) No engine oil leaks and fluid condition
/	/	15) Engine mounts, brackets and bolts
/	/	16) Transmission mounts, brackets and bolts
/	/	17) No transmission oil leaks and fluid condition
/	/	18) Drive shaft condition
/	/	19) Universal joints and carrier bearings condition
/	/	20) No rear differential leaks
/	/	21) Rear differential condition and mounting
/	/	22) Frame and cross members
/	/	23) Rear shock absorbers
/	/	24) Rear springs condition and mounting
/	/	25) No fuel leaks
/	/	26) Fuel tank condition and mounting
/	/	27) No exhaust leaks
/	/	28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **118596** Mileage out: **118596**



Date: **2-22-22** Vehicle #: **9706**

Service Performed	ServType	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	GT
Lube chassis and suspension	A,B,C,D	GT
Lube drive shafts and universal joints	A,B,C,D	GT
Lube doors and hood, locks and hinges	A,B,C,D	GT
Adjust service and parking brakes	A,B,C,D	GT
Drain water from separator	A,B,C,D	GT
Rotate tires (as necessary, caps on rear)	A,B,C,D	GT
Change air filter	B,C,D	GT
Change fuel filter	B,C,D	GT
Clean or change PCV valve	B,C,D	GT
Clean or change crank case filter	B,C,D	GT
Install new wiper blades	B,C,D	GT
Change transmission fluid and filter	C,D	GT
Service front wheel bearings	C,D	GT
Drain water from fuel tank	C,D	GT
Replace accessory drive belts	D	GT
Service and flush cooling system	D	GT
Install new spark plugs & wires	D	GT
Install new dist. cap & rotor	D	GT
Change differential fluid	D	GT
Check Exhaust and EGR system	D	GT
Check and service fuel & evap. System	D	GT
Evac and recharge A/C (add 1 oz. of oil)	D	GT
Post service test drive (5 miles)	A,B,C,D	GT

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature **GIRARD JEAN**

Date **2-22-22**

Supervisor Signature _____

Date _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Item Inspected	P	F
30) Front brake lining condition and mounting	/	/
31) Front brake lining condition & measurement	/	/
Pads R/F: 7 /32" L/F: 7 /32"	/	/
32) Rear brake condition and mounting	/	/
33) Rear brake lining condition & measurement	/	/
Pads R/R: 9 /32" L/R: 9 /32"	/	/
Shoes R/R: 9 /32" L/R: 9 /32"	/	/
34) Tire and wheel condition and measurements	/	/
R/F: 8 /32" L/F: 8 /32"	/	/
R/R: 4 /32" L/R: 5 /32"	/	/
R/O: 2 /32" L/R: 2 /32"	/	/
35) Lug nuts condition	/	/
Air pressure adjustment FR. 65 RR. 65	/	/
Wheel torque specs used: _____ ft. lbs.	/	/
G) Lift inspection	/	/
1) Lift operation (fully stowed to fully deployed)	/	/
2) Lift control pendant condition and operation	/	/
3) Lift restraint belt condition and operation	/	/
4) Outer roll stop condition and operation	/	/
5) Inner roll stop condition and operation	/	/
6) Platform adjustments, condition and mounting	/	/
7) Stander arm condition and operation	/	/
8) Proper signage and decals	/	/
9) Manual backup pump condition and operation	/	/
10) Lift manual pump handle	/	/
11) Hydraulic pump condition and operation	/	/
12) Hydraulic lines and cylinders condition	/	/
13) Hydraulic fluid level and condition	/	/
14) Base plate and arms welds & pivot points	/	/
15) Lift springs and pins condition and operation	/	/
16) Lift safety switches and adjustments	/	/
17) Hose and wire routing and connections	/	/
18) Rollers and pivot point condition & operation	/	/
19) Lift to vehicle mounting bolts and brackets	/	/
20) Lift doors condition and operation	/	/
21) Lift door lights condition and operation	/	/
22) Lift interlock operation and condition	/	/
(Lift door open, e-brake down not able to shift)	/	/
23) W/C tie downs condition and operation	/	/
(e-brake off lift door closed no lift power)	/	/
24) Tie down container secure and clean	/	/
25) Tie down floor mounting brackets secure	/	/
26) W/C shoulder belt condition and operation	/	/
27) Lift clean and no sharp edges	/	/
28) Lift shields secure and in good shape	/	/
29) Lift moves steady without drifting, jerking, or unusual speeds	/	/
30) No unusual lift noises	/	/
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	/	/
Check, torque or adjust lift base mounting bolts	/	/



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 03/19/22 Vehicle #: 9706

Mileage in: 123326 Mileage out: 123328

P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
/		B) Walk around inspection
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
/		C) Interior inspection
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition (radio, GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
/		D) HVAC system inspection
F		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
/		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
/		F) Vehicle rack inspection
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
F		18) Drive shaft condition
F		19) Universal joints and carrier bearings condition
F		20) No rear differential leaks
F		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 03/19/02 Vehicle #: 9706

Circle Service Type: (A) B C D
 Mileage in: 123326 Mileage out: 123328

Item Inspected	Pass	Fail
30) Front brake condition and mounting	F	
31) Front brake lining condition & measurement	F	
Pads R/F: 6/32" L/F: 6/32"	F	
32) Rear brake condition and mounting	F	
33) Rear brake lining condition & measurement	F	
Pads R/R: 10/32" L/R: 10/32"	N/A	
Shoes R/R: /32" L/R: /32"	F	
34) Tire and wheel condition and measurements	F	
R/F: 6/32" L/F: 6/32"	F	
R/R: 3/32" L/R: 3/32"	F	
R/O: 1/32" L/R: 3/32"	F	
35) Lug nuts condition	F	
Air pressure adjustment FR. 65 RR. 70	F	
Wheel torque specs used: 140 ft. lbs.	F	
(g) Lift inspection	F	
1) Lift operation (fully stowed to fully deployed)	F	
2) Lift control pendant condition and operation	F	
3) Lift restraint belt condition and operation	F	
4) Outer roll stop condition and operation	F	
5) Inner roll stop condition and operation	F	
6) Platform adjustments, condition and mounting	F	
7) Standee arm condition and operation	F	
8) Proper signage and decals	F	
9) Manual backup pump condition and operation	F	
10) Lift manual pump handle	F	
11) Hydraulic pump condition and operation	F	
12) Hydraulic lines and cylinders condition	F	
13) Hydraulic fluid level and condition	F	
14) Base plate and arms welds & pivot points	F	
15) Lift springs and pins condition and operation	F	
16) Lift safety switches and adjustments	F	
17) Hose and wire routing and connections	F	
18) Rollers and pivot point condition & operation	F	
19) Lift to vehicle mounting bolts and brackets	F	
20) Lift doors condition and operation	F	
21) Lift door lights condition and operation	F	
22) Lift interlock operation and condition	F	
(Lift door open, e-brake down not able to shift)	F	
(e-brake off lift door closed no lift power)	F	
23) W/C tie downs condition and operation	F	
24) Tie down container secure and clean	F	
25) Tie down floor mounting brackets secure	F	
26) W/C shoulder belt condition and operation	F	
27) Lift clean and no sharp edges	F	
28) Lift shields secure and in good shape	F	
29) Lift moves steady without drifting, jerking, or unusual speeds	F	
30) No unusual lift noises	F	
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	F	
Check, torque or adjust lift base mounting bolts	F	

Notes: _____
 Supervisor Signature _____
 Date _____

Technician Signature _____
 Date 03/19/02

Service Performed	Pass	Fail
Change oil and filter	F	
Lube chassis and suspension	F	
Lube drive shafts and universal joints	F	
Lube doors and hood, locks and hinges	F	
Adjust service and parking brakes	F	
Drain water from separator	N/A	
Rotate tires (as necessary, caps on rear)	N/A	
Change air filter	F	
Change fuel filter	F	
Change or change PCV valve	F	
Clean or change crank case filter	F	
Install new wiper blades	F	
Change transmission fluid and filter	F	
Service front wheel bearings	F	
Drain water from fuel tank	F	
Replace accessory drive belts	F	
Service and flush cooling system	F	
Install new spark plugs & wires	F	
Install new dist. cap & rotor	F	
Change differential fluid	F	
Check Exhaust and EGR system	F	
Check and service fuel & evap. System	F	
Evac and recharge A/C (add 1 oz. of oil)	F	
Post service test drive (5 miles)	F	

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 8/31/22 Vehicle #: 9706

Mileage in: 132826 Mileage out: 132827

P	F	Item Inspected
DR		A) Vehicle drive in inspection (5 miles)
DR		1) Driver carpet
DR		2) Driver seat condition and operation
DR		3) Drivers door operation and condition
DR		4) Drivers seat belt operation and condition
DR		5) Engine starting and Ignition system
DR		6) Instrument panel gauges & warning lights
DR		7) Instrument panel lighting & condition
DR		8) Horn operation
DR		9) Steering wheel tight, no excessive play
DR		10) Windshield wipers
DR		11) Windshield washer
DR		12) Sun visor condition and operation
DR		13) Parking brake operation & condition
DR		14) Parking and service brake pedal pads
DR		15) Passenger door operation
DR		16) No vibrations, pulsations or noises
DR		B) Walk around inspection
DR		1) Body damage (list on separate sheet)
DR		2) Headlights, high & low beam operation
DR		3) Parking lights operation & condition
DR		4) Marker lights operation & condition
DR		5) Directional signals operation & condition
DR		6) Hazard lights operation & condition
DR		7) Clearance lights operation and condition
DR		8) Brake lights operation & condition
DR		9) License plate lamp operation & condition
DR		10) License plates and tags
DR		11) Backup lights and alarms
DR		12) Reflectors and reflective bumper tape
DR		13) Exterior decals and signage
DR		14) Bumpers secure / in good condition
DR		15) Exterior mirrors secure / in good condition
DR		16) Exterior clean
DR		C) Interior inspection
DR		1) Passenger door and steps condition
DR		2) Handrails and stanchions condition
DR		3) Interior and modesty panels condition
DR		4) Flooring condition
DR		5) Interior lighting operation and condition
DR		6) Windows operation and condition
DR		7) Emergency Exits operation & condition
DR		8) Accessory operation & condition (radio, GPS)
DR		9) Passenger seats operation & condition
DR		10) Passenger seat belts operation & condition
DR		11) First aid & body fluid kits complete
DR		12) Triangle reflectors complete/good condition
DR		13) Stop request operation & condition
DR		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
DR		2) Rear blower condition and operation
DR		3) Defroster operation
DR		4) Temp gets to 20 deg. F below ambient temp.
DR		5) Evaporator intake air filter condition
DR		6) Front heater condition and operation
DR		7) Rear heater condition and operation
DR		8) A/C compressors and condenser fans
DR		E) Under hood inspection
DR		1) Batteries & charging sys. (load alt B,C,D serv)
DR		Batt 1 volts: 12.9 load volts: load amps:
DR		Batt 2 volts: 12.9 load volts: load amps:
DR		Batt 3 volts: — load volts: load amps:
DR		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
DR		Alt. 1 min volt: 13.9 max volt: max amp:
DR		Alt. 2 min volt: — max volt: max amp:
DR		(reference factory service manual for alternator spec)
DR		2) Wire and hose routing and connections
DR		3) Cooling system, hoses, water pump condition
DR		5) Accessory drive belts condition
DR		6) Pulleys and tensioned operation & condition
DR		7) Brake master cylinder and power booster
DR		8) Fan and fan clutch operation and condition
DR		9) Engine oil fluid level and condition
DR		10) Transmission oil level and condition
DR		11) Power steering fluid level and condition
DR		12) Brake fluid level and condition
DR		F) Vehicle rack inspection
DR		1) Steering gear box mount, condition & leaks
DR		2) Steering shaft U joints
DR		3) Steering shaft bearings
DR		4) Steering linkages.
DR		5) I beam or control arm movements and rivets
DR		6) Radius arm condition and bushings condition
DR		7) Stabilizer bar condition and bushings condition
DR		8) Ball joints or kingpins
DR		9) Front spring condition and mounting
DR		10) Front shock absorber operation & condition
DR		11) Trans oil cooler & lines routing and leaks
DR		12) Engine oil cooler & lines routing and leaks
DR		13) Heater and A/C hose routing and leaks
DR		14) No engine oil leaks and fluid condition
DR		15) Engine mounts, brackets and bolts
DR		16) Transmission mounts, brackets and bolts
DR		17) No transmission oil leaks and fluid condition
DR		18) Drive shaft condition
DR		19) Universal joints and carrier bearings condition
DR		20) No rear differential leaks
DR		21) Rear differential condition and mounting
DR		22) Frame and cross members
DR		23) Rear shock absorbers
DR		24) Rear springs condition and mounting
DR		25) No fuel leaks
DR		26) Fuel tank condition and mounting
DR		27) No exhaust leaks
DR		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 5/31/22

Vehicle #: 9706

Mileage in: 132826

Mileage out: 132827

Circle Service Type: A B C D

Service Performed	Service Type	Technician Initials
Change oil and filter	A,B,C,D	DR
Lube chassis and suspension	A,B,C,D	DR
Lube drive shafts and universal joints	A,B,C,D	DR
Lube doors and hood, locks and hinges	A,B,C,D	DR
Adjust service and parking brakes	A,B,C,D	DR
Drain water from separator	A,B,C,D	DR
Rotate tires (as necessary, caps on rear)	A,B,C,D	DR
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician Signature: Dwight Richards

Date: 5/31/22

Supervisor Signature: _____

Date: _____

Notes: _____

Item Inspected	Item Inspected	Item Inspected
30) Front brake condition and mounting	DR	DR
31) Front brake lining condition & measurement	DR	DR
Pads R/F: 10 /32" L/F: 10 /32"	DR	DR
32) Rear brake condition and mounting	DR	DR
33) Rear brake lining condition & measurement	DR	DR
Pads R/R: 9 /32" L/R: 9 /32"	DR	DR
Shoes R/R: - /32" L/R: - /32"	DR	DR
34) Tire and wheel condition and measurements	DR	DR
R/F: 13 /32" L/F: 13 /32"	DR	DR
R/R: 12 /32" L/R: 7 /32"	DR	DR
R/O: 13 /32" L/R: 10 /32"	DR	DR
35) Lug nuts condition	DR	DR
Air pressure adjustment F.R. 65 R.R. 65	DR	DR
Wheel torque specs used: 120 ft. lbs.	DR	DR
G) Lift inspection	DR	DR
1) Lift operation (fully stowed to fully deployed)	DR	DR
2) Lift control pendant condition and operation	DR	DR
3) Lift restraint belt condition and operation	DR	DR
4) Outer roll stop condition and operation	DR	DR
5) Inner roll stop condition and operation	DR	DR
6) Platform adjustments, condition and mounting	DR	DR
7) Standee arm condition and operation	DR	DR
8) Proper signage and decals	DR	DR
9) Manual backup pump condition and operation	DR	DR
10) Lift manual pump handle	DR	DR
11) Hydraulic pump condition and operation	DR	DR
12) Hydraulic lines and cylinders condition	DR	DR
13) Hydraulic fluid level and condition	DR	DR
14) Base plate and arms welds & pivot points	DR	DR
15) Lift springs and pins condition and operation	DR	DR
16) Lift safety switches and adjustments	DR	DR
17) Hose and wire routing and connections	DR	DR
18) Rollers and pivot point condition & operation	DR	DR
19) Lift to vehicle mounting bolts and brackets	DR	DR
20) Lift doors condition and operation	DR	DR
21) Lift door lights condition and operation	DR	DR
22) Lift interlock operation and condition	DR	DR
(Lift door open, e-brake down not able to shift)	DR	DR
(e-brake off lift door closed no lift power)	DR	DR
23) W/C the downs condition and operation	DR	DR
24) Tie down container secure and clean	DR	DR
25) Tie down floor mounting brackets secure	DR	DR
26) W/C shoulder belt condition and operation	DR	DR
27) Lift clean and no sharp edges	DR	DR
28) Lift shields secure and in good shape	DR	DR
29) Lift moves steady without drifting, jerking, or unusual speeds	DR	DR
30) No unusual lift noises	DR	DR
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	DR	DR
Check, torque or adjust lift base mounting bolts	DR	DR

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 06/27/22 Vehicle #: 9706

Mileage in: 137,577 Mileage out: 137,570

P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)
H		1) Driver carpet
H		2) Driver seat condition and operation
H		3) Drivers door operation and condition
H		4) Drivers seat belt operation and condition
H		5) Engine starting and Ignition system
H		6) Instrument panel gauges & warning lights
H		7) Instrument panel lighting & condition
H		8) Horn operation
H		9) Steering wheel tight, no excessive play
H		10) Windshield wipers
H		11) Windshield washer
H		12) Sun visor condition and operation
H		13) Parking brake operation & condition
H		14) Parking and service brake pedal pads
U		15) Passenger door operation
H		16) No vibrations, pulsations or noises
/		B) Walk around inspection
H		1) Body damage (list on separate sheet)
H		2) Headlights, high & low beam operation
H		3) Parking lights operation & condition
H		4) Marker lights operation & condition
H		5) Directional signals operation & condition
H		6) Hazard lights operation & condition
H		7) Clearance lights operation and condition
H		8) Brake lights operation & condition
H		9) License plate lamp operation & condition
H		10) License plates and tags
H		11) Backup lights and alarms
H		12) Reflectors and reflective bumper tape
H		13) Exterior decals and signage
H		14) Bumpers secure / in good condition
H		15) Exterior mirrors secure / in good condition
X		16) Exterior clean
/		C) Interior inspection
H		1) Passenger door and steps condition
H		2) Handrails and stanchions condition
H		3) Interior and modesty panels condition
H		4) Flooring condition
H		5) Interior lighting operation and condition
H		6) Windows operation and condition
H		7) Emergency Exits operation & condition
H		8) Accessory operation & condition (radio, GPS)
H		9) Passenger seats operation & condition
H		10) Passenger seat belts operation & condition
H		11) First aid & body fluid kits complete
H		12) Triangle reflectors complete/good condition
H		13) Stop request operation & condition
/		14) Valid registration, insurance & accident pack
H		15) Fire extinguisher in good condition & signed
H		16) Interior decals and signage (incl. electrical)
H		17) DVI's reviewed, addressed and signed off
H		18) Interior clean
/		D) HVAC system inspection
H		1) Front blower condition and operation

P	F	Item Inspected
H		2) Rear blower condition and operation
H		3) Defroster operation
H		4) Temp gets to 20 deg. F below ambient temp.
H		5) Evaporator intake air filter condition
H		6) Front heater condition and operation
H		7) Rear heater condition and operation
H		8) A/C compressors and condenser fans
/		E) Under hood inspection
H		1) Batteries & charging sys. (load alt B,C,D serv)
H		Batt 1 volts: load volts: load amps:
H		Batt 2 volts: load volts: load amps:
/		Batt 3 volts: load volts: load amps:
/		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
H		Alt. 1 min volt: max volt: max amp:
/		Alt. 2 min volt: max volt: max amp:
/		(reference factory service manual for alternator spec)
H		2) Wire and hose routing and connections
H		3) Cooling system, hoses, water pump condition
H		5) Accessory drive belts condition
H		6) Pulleys and tensioned operation & condition
H		7) Brake master cylinder and power booster
H		8) Fan and fan clutch operation and condition
H		9) Engine oil fluid level and condition
H		10) Transmission oil level and condition
H		11) Power steering fluid level and condition
H		12) Brake fluid level and condition
/		F) Vehicle rack inspection
H		1) Steering gear box mount, condition & leaks
H		2) Steering shaft U joints
H		3) Steering shaft bearings
H		4) Steering linkages
H		5) I beam or control arm movements and rivets
H		6) Radius arm condition and bushings condition
H		7) Stabilizer bar condition and bushings condition
H		8) Ball joints or kingpins
H		9) Front spring condition and mounting
H		10) Front shock absorber operation & condition
H		11) Trans oil cooler & lines routing and leaks
H		12) Engine oil cooler & lines routing and leaks
H		13) Heater and A/C hose routing and leaks
H		14) No engine oil leaks and fluid condition
H		15) Engine mounts, brackets and bolts
H		16) Transmission mounts, brackets and bolts
H		17) No transmission oil leaks and fluid condition
H		18) Drive shaft condition
H		19) Universal joints and carrier bearings condition
H		20) No rear differential leaks
H		21) Rear differential condition and mounting
H		22) Frame and cross members
H		23) Rear shock absorbers
H		24) Rear springs condition and mounting
H		25) No fuel leaks
H		26) Fuel tank condition and mounting
H		27) No exhaust leaks
H		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Mileage In: 137,517 Mileage out: 137,578

Date: 06/29/22 Vehicle #: 9706

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	H
Lube chassis and suspension	A,B,C,D	N/A
Lube drive shafts and universal joints	A,B,C,D	N/A
Lube doors and hood, locks and hinges	A,B,C,D	N/A
Adjust service and parking brakes	A,B,C,D	N/A
Drain water from separator	A,B,C,D	N/A
Rotate tires (as necessary, caps on rear)	A,B,C,D	N/A
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	H

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: *H.M. J.M.*

Date: 06/29/22

Supervisor Signature: _____

Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Item Inspected	Pass	Fail
30) Front brake lining condition and mounting	✓	
31) Front brake lining condition & measurement	✓	
Pads R/F: 10/32" L/F: 10/32"		
32) Rear brake condition and mounting	✓	
33) Rear brake lining condition & measurement	✓	
Pads R/R: 9/32" L/R: 9/32"		
Shoes R/R: 1/32" L/R: 1/32"		
34) Tire and wheel condition and measurements	✓	
R/F: 8/32" L/F: 8/32"		
R/R: 8/32" L/R: 8/32"		
R/R: 7/32" L/R: 7/32"		
35) Lug nuts condition	✓	
Air pressure adjustment FR. 35 RR. 38		
Wheel torque specs used: 140 ft. lbs.		
(G) Lift inspection	✓	
1) Lift operation (fully stowed to fully deployed)	✓	
2) Lift control pendant condition and operation	✓	
3) Lift restraint belt condition and operation	✓	
4) Outer roll stop condition and operation	✓	
5) Inner roll stop condition and operation	✓	
6) Platform adjustments, condition and mounting	✓	
7) Standee arm condition and operation	✓	
8) Proper signage and decals	✓	
9) Manual backup pump condition and operation	✓	
10) Lift manual pump handle	✓	
11) Hydraulic pump condition and operation	✓	
12) Hydraulic lines and cylinders condition	✓	
13) Hydraulic fluid level and condition	✓	
14) Base plate and arms welds & pivot points	✓	
15) Lift springs and pins condition and operation	✓	
16) Lift safety switches and adjustments	✓	
17) Hose and wire routing and connections	✓	
18) Rollers and pivot point condition & operation	✓	
19) Lift to vehicle mounting bolts and brackets	✓	
20) Lift doors condition and operation	✓	
21) Lift door lights condition and operation	✓	
22) Lift interlock operation and condition	✓	
(Lift door open, e-brake down not able to shift)	✓	
23) W/C tie downs condition and operation	✓	
24) Tie down container secure and clean	✓	
25) Tie down floor mounting brackets secure	✓	
26) W/C shoulder belt condition and operation	✓	
27) Lift clean and no sharp edges	✓	
28) Lift shields secure and in good shape	✓	
29) Lift moves steady without drifting, jerking, or unusual speeds	✓	
30) No unusual lift noises	✓	
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	✓	
Check, torque or adjust lift base mounting bolts	✓	



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 02/23/22 Vehicle #: 9706

Mileage in: 146258 Mileage out: 146359

P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
/		B) Walk around inspection
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
/		C) Interior inspection
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition (radio, GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
/		D) HVAC system inspection
F		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
/		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
/		F) Vehicle rack inspection
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
F		18) Drive shaft condition
F		19) Universal joints and carrier bearings condition
F		20) No rear differential leaks
F		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 09/23/02 Vehicle #: 9206

Mileage in: 146859

Mileage out: 146859

Circle Service Type: A B C D

Service Performed	Techs Initials
A,B,C,D Change oil and filter	
A,B,C,D Lube chassis and suspension	
A,B,C,D Lube drive shafts and universal joints	
A,B,C,D Lube doors and hood, locks and hinges	
A,B,C,D Adjust service and parking brakes	
A,B,C,D Drain water from separator	
A,B,C,D Rotate tires (as necessary, caps on rear)	
B,C,D Change air filter	
B,C,D Change fuel filter	
B,C,D Clean or change PCV valve	
B,C,D Clean or change crank case filter	
B,C,D Install new wiper blades	
C,D Change transmission fluid and filter	
C,D Service front wheel bearings	
C,D Drain water from fuel tank	
D Replace accessory drive belts	
D Service and flush cooling system	
D Install new spark plugs & wires	
D Install new dist. cap & rotor	
D Change differential fluid	
D Check Exhaust and EGR system	
D Check and service fuel & evap. System	
D Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D Post service test drive (5 miles)	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature _____ Date 09/23/02

Supervisor Signature _____ Date _____

Notes:

Item Inspected	P	F
*30 Front brake condition and mounting		
31 Front brake lining condition & measurement		
Pads R/F: 8/32" L/F: 8/32"		
32 Rear brake condition and mounting		
33 Rear brake lining condition & measurement		
Pads R/R: 8/32" L/R: 8/32"		
Shoes R/R: 1/32" L/R: 1/32"		
34 Tire and wheel condition and measurements		
R/F: 6/32" L/F: 6/32"		
R/R: 6/32" L/R: 6/32"		
R/R: 7/32" L/R: 7/32"		
35 Lug nuts condition		
Air pressure adjustment FR. 65 RR. 30		
Wheel torque specs used: 140 ft. lbs.		
(g) Lift inspection		
1 Lift operation (fully stowed to fully deployed)		
2 Lift control pendant condition and operation		
3 Lift restraint belt condition and operation		
4 Outer roll stop condition and operation		
5 Inner roll stop condition and operation		
6 Platform adjustments, condition and mounting		
7 Stander arm condition and operation		
8 Proper signage and decals		
9 Manual backup pump condition and operation		
10 Lift manual pump handle		
11 Hydraulic pump condition and operation		
12 Hydraulic lines and cylinders condition		
13 Hydraulic fluid level and condition		
14 Base plate and arms welds & pivot points		
15 Lift springs and pins condition and operation		
16 Lift safety switches and adjustments		
17 Hose and wire routing and connections		
18 Rollers and pivot point condition & operation		
19 Lift to vehicle mounting bolts and brackets		
20 Lift doors condition and operation		
21 Lift door lights condition and operation		
22 Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23 W/C tie downs condition and operation		
24 Tie down container secure and clean		
25 Tie down floor mounting brackets secure		
26 W/C shoulder belt condition and operation		
27 Lift clean and no sharp edges		
28 Lift shields secure and in good shape		
29 Lift moves steady without drifting, jerking, or unusual speeds		
30 No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Date: 9-27-22 Vehicle #: 9706

Mileage in: 151572 Mileage out: 151572

P	F	Item Inspected	P	F	Item Inspected
X		A) Vehicle drive in inspection (5 miles)	X		2) Rear blower condition and operation
X		1) Driver carpet	X		3) Defroster operation
X		2) Driver seat condition and operation	X		4) Temp gets to 20 deg. F below ambient temp.
X		3) Drivers door operation and condition	X		5) Evaporator intake air filter condition
X		4) Drivers seat belt operation and condition	X		6) Front heater condition and operation
X		5) Engine starting and ignition system	X		7) Rear heater condition and operation
X		6) Instrument panel gauges & warning lights	X		8) A/C compressors and condenser fans
X		7) Instrument panel lighting & condition			E) Under hood inspection
X		8) Horn operation			1) Batteries & charging sys. (load alt B,C,D serv)
X		9) Steering wheel tight, no excessive play	X		Batt 1 volts: <u>12</u> load volts: <u>12.6</u> load amps: <u>250</u>
X		10) Windshield wipers	X		Batt 2 volts: <u>12</u> load volts: <u>12.6</u> load amps: <u>250</u>
X		11) Windshield washer			Batt 3 volts: load volts: load amps:
X		12) Sun visor condition and operation	X		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
X		13) Parking brake operation & condition	X		Alt. 1 min volt: <u>14</u> max volt: <u>14.1</u> max amp: <u>250</u>
X		14) Parking and service brake pedal pads			Alt. 2 min volt: max volt: max amp:
X		15) Passenger door operation	X		(reference factory service manual for alternator spec)
X		16) No vibrations, pulsations or noises	X		2) Wire and hose routing and connections
		B) Walk around inspection	X		3) Cooling system, hoses, water pump condition
X		1) Body damage (list on separate sheet)	X		5) Accessory drive belts condition
X		2) Headlights, high & low beam operation	X		6) Pulleys and tensioned operation & condition
X		3) Parking lights operation & condition	X		7) Brake master cylinder and power booster
X		4) Marker lights operation & condition	X		8) Fan and fan clutch operation and condition
X		5) Directional signals operation & condition	X		9) Engine oil fluid level and condition
X		6) Hazard lights operation & condition	X		10) Transmission oil level and condition
X		7) Clearance lights operation and condition	X		11) Power steering fluid level and condition
X		8) Brake lights operation & condition	X		12) Brake fluid level and condition
X		9) License plate lamp operation & condition			F) Vehicle rack inspection
X		10) License plates and tags	X		1) Steering gear box mount, condition & leaks
X		11) Backup lights and alarms	X		2) Steering shaft U joints
X		12) Reflectors and reflective bumper tape	X		3) Steering shaft bearings
X		13) Exterior decals and signage	X		4) Steering linkages
X		14) Bumpers secure / in good condition	X		5) I beam or control arm movements and rivets
X		15) Exterior mirrors secure / in good condition	X		6) Radius arm condition and bushings condition
X		16) Exterior clean	X		7) Stabilizer bar condition and bushings condition
		C) Interior inspection	X		8) Ball joints or kingpins
X		1) Passenger door and steps condition	X		9) Front spring condition and mounting
X		2) Handrails and stanchions condition	X		10) Front shock absorber operation & condition
X		3) Interior and modesty panels condition	X		11) Trans oil cooler & lines routing and leaks
X		4) Flooring condition	X		12) Engine oil cooler & lines routing and leaks
X		5) Interior lighting operation and condition	X		13) Heater and A/C hose routing and leaks
X		6) Windows operation and condition	X		14) No engine oil leaks and fluid condition
X		7) Emergency Exits operation & condition	X		15) Engine mounts, brackets and bolts
X		8) Accessory operation & condition (radio, GPS)	X		16) Transmission mounts, brackets and bolts
X		9) Passenger seats operation & condition	X		17) No transmission oil leaks and fluid condition
X		10) Passenger seat belts operation & condition	X		18) Drive shaft condition
X		11) First aid & body fluid kits complete	X		19) Universal joints and carrier bearings condition
X		12) Triangle reflectors complete/good condition	X		20) No rear differential leaks
X		13) Stop request operation & condition	X		21) Rear differential condition and mounting
X		14) Valid registration, insurance & accident pack	X		22) Frame and cross members
X		15) Fire extinguisher in good condition & signed	X		23) Rear shock absorbers
X		16) Interior decals and signage (incl. electrical)	X		24) Rear springs condition and mounting
X		17) DVI's reviewed, addressed and signed off	X		25) No fuel leaks
X		18) Interior clean	X		26) Fuel tank condition and mounting
		D) HVAC system inspection	X		27) No exhaust leaks
X		1) Front blower condition and operation	X		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 9-27-22

Vehicle #: 9704

Circle Service Type: **A B C D**
 Mileage in: 151572

Mileage out: 151577

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	X
Lube chassis and suspension	A,B,C,D	X
Lube drive shafts and universal joints	A,B,C,D	X
Lube doors and hood, locks and hinges	A,B,C,D	X
Adjust service and parking brakes	A,B,C,D	X
Drain water from separator	A,B,C,D	X
Rotate tires (as necessary, caps on rear)	A,B,C,D	X
Change air filter	B,C,D	X
Change fuel filter	B,C,D	X
Clean or change PCV valve	B,C,D	X
Clean or change crank case filter	B,C,D	X
Install new wiper blades	B,C,D	X
Change transmission fluid and filter	C,D	X
Service front wheel bearings	C,D	X
Drain water from fuel tank	D	X
Replace accessory drive belts	D	X
Service and flush cooling system	D	X
Install new spark plugs & wires	D	X
Install new dist. cap & rotor	D	X
Change differential fluid	D	X
Check Exhaust and EGR system	D	X
Check and service fuel & evap. System	D	X
Evac and recharge A/C (add 1 oz. of oil)	D	X
Post service test drive (5 miles)	A,B,C,D	X

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: *[Signature]*

Date: 9-27-22

Supervisor Signature: _____

Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Item Inspected	Item Inspected	Item Inspected
30) Front brake lining condition & measurement	X	X
31) Front brake lining condition & measurement	X	X
32) Rear brake lining condition & measurement	X	X
33) Rear brake lining condition & measurement	X	X
Pads R/R: 4/32" LR: 4/32"	X	X
Shoes R/R: 1/32" LR: 1/32"	X	X
34) Tire and wheel condition and measurements	X	X
R/F: 8/32" L/F: 11/32"	X	X
R/R: 8/32" L/R: 8/32"	X	X
R/O: 11/32" L/R: 8/32"	X	X
35) Lug nuts condition	X	X
Air pressure adjustment FR. 65 RR. 65	X	X
Wheel torque specs used: 140 ft. lbs.	X	X
1) Lift operation (fully stowed to fully deployed)	X	X
2) Lift control pendant condition and operation	X	X
3) Lift restraint belt condition and operation	X	X
4) Outer roll stop condition and operation	X	X
5) Inner roll stop condition and operation	X	X
6) Platform adjustments, condition and mounting	X	X
7) Standee arm condition and operation	X	X
8) Proper signage and decals	X	X
9) Manual backup pump condition and operation	X	X
10) Lift manual pump handle	X	X
11) Hydraulic pump condition and operation	X	X
12) Hydraulic lines and cylinders condition	X	X
13) Hydraulic fluid level and condition	X	X
14) Base plate and arms welds & pivot points	X	X
15) Lift springs and pins condition and operation	X	X
16) Lift safety switches and adjustments	X	X
17) Hose and wire routing and connections	X	X
18) Rollers and pivot point condition & operation	X	X
19) Lift to vehicle mounting bolts and brackets	X	X
20) Lift doors condition and operation	X	X
21) Lift door lights condition and operation	X	X
22) Lift interlock operation and condition	X	X
(Lift door open, e-brake down not able to shift)	X	X
(e-brake off lift door closed no lift power)	X	X
23) W/C tie downs condition and operation	X	X
24) Tie down container secure and clean	X	X
25) Tie down floor mounting brackets secure	X	X
26) W/C shoulder belt condition and operation	X	X
27) Lift clean and no sharp edges	X	X
28) Lift shields secure and in good shape	X	X
29) Lift moves steady without drifting, jerking, or unusual speeds	X	X
30) No unusual lift noises	X	X
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	X	X
Check, torque or adjust lift base mounting bolts	X	X



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 11-25-22 Vehicle #: 9706

Mileage in: 160018 Mileage out: 160628

P	F	Item Inspected	P	F	Item Inspected
<u>2</u>		A) Vehicle drive in inspection (5 miles)	<u>2</u>		2) Rear blower condition and operation
<u>2</u>		1) Driver carpet	<u>2</u>		3) Defroster operation
<u>2</u>		2) Driver seat condition and operation	<u>2</u>		4) Temp gets to 20 deg. F below ambient temp.
<u>2</u>		3) Drivers door operation and condition	<u>2</u>		5) Evaporator intake air filter condition
<u>2</u>		4) Drivers seat belt operation and condition	<u>2</u>		6) Front heater condition and operation
<u>2</u>		5) Engine starting and ignition system	<u>2</u>		7) Rear heater condition and operation
<u>2</u>		6) Instrument panel gauges & warning lights	<u>2</u>		8) A/C compressors and condenser fans
<u>2</u>		7) Instrument panel lighting & condition			E) Under hood inspection
<u>2</u>		8) Horn operation	<u>2</u>		1) Batteries & charging sys. (load alt B,C,D serv)
<u>2</u>		9) Steering wheel tight, no excessive play	<u>2</u>		Batt 1 volts: <u>12</u> load volts: <u>12.6</u> load amps: <u>750</u>
<u>2</u>		10) Windshield wipers	<u>2</u>		Batt 2 volts: <u>12</u> load volts: <u>12.6</u> load amps: <u>750</u>
<u>2</u>		11) Windshield washer			Batt 3 volts: load volts: load amps:
<u>2</u>		12) Sun visor condition and operation	<u>2</u>		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
<u>2</u>		13) Parking brake operation & condition	<u>2</u>		Alt. 1 min volt: <u>14</u> max volt: <u>14.1</u> max amp: <u>20</u>
<u>2</u>		14) Parking and service brake pedal pads			Alt. 2 min volt: max volt: max amp:
<u>2</u>		15) Passenger door operation	<u>2</u>		(reference factory service manual for alternator spec)
<u>2</u>		16) No vibrations, pulsations or noises	<u>2</u>		2) Wire and hose routing and connections
		B) Walk around inspection	<u>2</u>		3) Cooling system, hoses, water pump condition
<u>2</u>		1) Body damage (list on separate sheet)	<u>2</u>		5) Accessory drive belts condition
<u>2</u>		2) Headlights, high & low beam operation	<u>2</u>		6) Pulleys and tensioned operation & condition
<u>2</u>		3) Parking lights operation & condition	<u>2</u>		7) Brake master cylinder and power booster
<u>2</u>		4) Marker lights operation & condition	<u>2</u>		8) Fan and fan clutch operation and condition
<u>2</u>		5) Directional signals operation & condition	<u>2</u>		9) Engine oil fluid level and condition
<u>2</u>		6) Hazard lights operation & condition	<u>2</u>		10) Transmission oil level and condition
<u>2</u>		7) Clearance lights operation and condition	<u>2</u>		11) Power steering fluid level and condition
<u>2</u>		8) Brake lights operation & condition	<u>2</u>		12) Brake fluid level and condition
<u>2</u>		9) License plate lamp operation & condition			F) Vehicle rack inspection
<u>2</u>		10) License plates and tags	<u>2</u>		1) Steering gear box mount, condition & leaks
<u>2</u>		11) Backup lights and alarms	<u>2</u>		2) Steering shaft U joints
<u>2</u>		12) Reflectors and reflective bumper tape	<u>2</u>		3) Steering shaft bearings
<u>2</u>		13) Exterior decals and signage	<u>2</u>		4) Steering linkages
<u>2</u>		14) Bumpers secure / in good condition	<u>2</u>		5) I beam or control arm movements and rivets
<u>2</u>		15) Exterior mirrors secure / in good condition	<u>2</u>		6) Radius arm condition and bushings condition
<u>2</u>		16) Exterior clean	<u>2</u>		7) Stabilizer bar condition and bushings condition
		C) Interior inspection	<u>2</u>		8) Ball joints or kingpins
<u>2</u>		1) Passenger door and steps condition	<u>2</u>		9) Front spring condition and mounting
<u>2</u>		2) Handrails and stanchions condition	<u>2</u>		10) Front shock absorber operation & condition
<u>2</u>		3) Interior and modesty panels condition	<u>2</u>		11) Trans oil cooler & lines routing and leaks
<u>2</u>		4) Flooring condition	<u>2</u>		12) Engine oil cooler & lines routing and leaks
<u>2</u>		5) Interior lighting operation and condition	<u>2</u>		13) Heater and A/C hose routing and leaks
<u>2</u>		6) Windows operation and condition	<u>2</u>		14) No engine oil leaks and fluid condition
<u>2</u>		7) Emergency Exits operation & condition	<u>2</u>		15) Engine mounts, brackets and bolts
<u>2</u>		8) Accessory operation & condition (radio, GPS)	<u>2</u>		16) Transmission mounts, brackets and bolts
<u>2</u>		9) Passenger seats operation & condition	<u>2</u>		17) No transmission oil leaks and fluid condition
<u>2</u>		10) Passenger seat belts operation & condition	<u>2</u>		18) Drive shaft condition
<u>2</u>		11) First aid & body fluid kits complete	<u>2</u>		19) Universal joints and carrier bearings condition
<u>2</u>		12) Triangle reflectors complete/good condition	<u>2</u>		20) No rear differential leaks
<u>2</u>		13) Stop request operation & condition	<u>2</u>		21) Rear differential condition and mounting
<u>2</u>		14) Valid registration, insurance & accident pack	<u>2</u>		22) Frame and cross members
<u>2</u>		15) Fire extinguisher in good condition & signed	<u>2</u>		23) Rear shock absorbers
<u>2</u>		16) Interior decals and signage (incl. electrical)	<u>2</u>		24) Rear springs condition and mounting
<u>2</u>		17) DVI's reviewed, addressed and signed off	<u>2</u>		25) No fuel leaks
<u>2</u>		18) Interior clean	<u>2</u>		26) Fuel tank condition and mounting
		D) HVAC system inspection	<u>2</u>		27) No exhaust leaks
<u>2</u>		1) Front blower condition and operation	<u>2</u>		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist
 Circle Service Type: **A B C D**
 Mileage in: **16083**
 Mileage out: **16083**

Item Inspected	P	F
30) Front brake condition and mounting	X	
31) Front brake lining condition & measurement	X	
Pads R/F: 5/32" L/F: 5/32"	X	
32) Rear brake condition and mounting	X	
33) Rear brake lining condition & measurement	X	
Pads R/R: 10/32" L/R: 10/32"	X	
Shoes R/R: 1/32" L/R: 1/32"	X	
34) Tire and wheel condition and measurements	X	
R/F: 6/32" L/F: 8/32"	X	
R/R: 4/32" L/R: 4/32"	X	
R/RO: 5/32" L/RO: 4/32"	X	
35) Lug nuts condition	X	
Air pressure adjustment FR. 65 RR. 65	X	
Wheel torque specs used: 146 ft. lbs.	X	
G) Lift inspection	X	
1) Lift operation (fully stowed to fully deployed)	X	
2) Lift control pendant condition and operation	X	
3) Lift restraint belt condition and operation	X	
4) Outer roll stop condition and operation	X	
5) Inner roll stop condition and operation	X	
6) Platform adjustments, condition and mounting	X	
7) Standee arm condition and operation	X	
8) Proper signage and decals	X	
9) Manual backup pump condition and operation	X	
10) Lift manual pump handle	X	
11) Hydraulic pump condition and operation	X	
12) Hydraulic lines and cylinders condition	X	
13) Hydraulic fluid level and condition	X	
14) Base plate and arms welds & pivot points	X	
15) Lift springs and pins condition and operation	X	
16) Lift safety switches and adjustments	X	
17) Hose and wire routing and connections	X	
18) Rollers and pivot point condition & operation	X	
19) Lift to vehicle mounting bolts and brackets	X	
20) Lift doors condition and operation	X	
21) Lift door lights condition and operation	X	
22) Lift interlock operation and condition	X	
(Lift door open, e-brake down not able to shift)	X	
(e-brake off lift door closed no lift power)	X	
23) W/C the downs condition and operation	X	
24) Tie down container secure and clean	X	
25) Tie down floor mounting brackets secure	X	
26) W/C shoulder belt condition and operation	X	
27) Lift clean and no sharp edges	X	
28) Lift shields secure and in good shape	X	
29) Lift moves steady without drifting, jerking, or unusual speeds	X	
30) No unusual lift noises	X	
Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube	X	
Check, torque or adjust lift base mounting bolts	X	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature _____ Date _____
 Supervisor Signature _____ Date _____
 Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **(A) B C D**

Date: 12/26/22 Vehicle #: 9706

Mileage in: 165,403 Mileage out: 165,405

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
H		1) Driver carpet
H		2) Driver seat condition and operation
H		3) Drivers door operation and condition
H		4) Drivers seat belt operation and condition
H		5) Engine starting and ignition system
H		6) Instrument panel gauges & warning lights
H		7) Instrument panel lighting & condition
H		8) Horn operation
H		9) Steering wheel tight, no excessive play
H		10) Windshield wipers
H		11) Windshield washer
H		12) Sun visor condition and operation
H		13) Parking brake operation & condition
H		14) Parking and service brake pedal pads
H		15) Passenger door operation
H		16) No vibrations, pulsations or noises
		B) Walk around inspection
H		1) Body damage (list on separate sheet)
H		2) Headlights, high & low beam operation
H		3) Parking lights operation & condition
H		4) Marker lights operation & condition
H		5) Directional signals operation & condition
H		6) Hazard lights operation & condition
H		7) Clearance lights operation and condition
H		8) Brake lights operation & condition
H		9) License plate lamp operation & condition
H		10) License plates and tags
H		11) Backup lights and alarms
H		12) Reflectors and reflective bumper tape
H		13) Exterior decals and signage
H		14) Bumpers secure / in good condition
H		15) Exterior mirrors secure / in good condition
X		16) Exterior clean
		C) Interior inspection
H		1) Passenger door and steps condition
H		2) Handrails and stanchions condition
H		3) Interior and modesty panels condition
H		4) Flooring condition
H		5) Interior lighting operation and condition
H		6) Windows operation and condition
H		7) Emergency Exits operation & condition
H		8) Accessory operation & condition (radio, GPS)
H		9) Passenger seats operation & condition
H		10) Passenger seat belts operation & condition
H		11) First aid & body fluid kits complete
H		12) Triangle reflectors complete/good condition
H		13) Stop request operation & condition
H		14) Valid registration, insurance & accident pack
H		15) Fire extinguisher in good condition & signed
H		16) Interior decals and signage (incl. electrical)
H		17) DVI's reviewed, addressed and signed off
X		18) Interior clean
		D) HVAC system inspection
H		1) Front blower condition and operation

P	F	Item Inspected
H		2) Rear blower condition and operation
H		3) Defroster operation
H		4) Temp gets to 20 deg. F below ambient temp.
H		5) Evaporator intake air filter condition
H		6) Front heater condition and operation
H		7) Rear heater condition and operation
H		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
H		Batt 1 volts: load volts: load amps:
H		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
H		(reference factory service manual for alternator spec)
H		2) Wire and hose routing and connections
H		3) Cooling system, hoses, water pump condition
H		5) Accessory drive belts condition
H		6) Pulleys and tensioned operation & condition
H		7) Brake master cylinder and power booster
H		8) Fan and fan clutch operation and condition
H		9) Engine oil fluid level and condition
H		10) Transmission oil level and condition
H		11) Power steering fluid level and condition
H		12) Brake fluid level and condition
		F) Vehicle rack inspection
H		1) Steering gear box mount, condition & leaks
H		2) Steering shaft U joints
H		3) Steering shaft bearings
H		4) Steering linkages
H		5) I beam or control arm movements and rivets
H		6) Radius arm condition and bushings condition
H		7) Stabilizer bar condition and bushings condition
H		8) Ball joints or kingpins
H		9) Front spring condition and mounting
H		10) Front shock absorber operation & condition
H		11) Trans oil cooler & lines routing and leaks
H		12) Engine oil cooler & lines routing and leaks
H		13) Heater and A/C hose routing and leaks
H		14) No engine oil leaks and fluid condition
H		15) Engine mounts, brackets and bolts
H		16) Transmission mounts, brackets and bolts
H		17) No transmission oil leaks and fluid condition
H		18) Drive shaft condition
H		19) Universal joints and carrier bearings condition
H		20) No rear differential leaks
H		21) Rear differential condition and mounting
H		22) Frame and cross members
H		23) Rear shock absorbers
H		24) Rear springs condition and mounting
H		25) No fuel leaks
H		26) Fuel tank condition and mounting
H		27) No exhaust leaks
H		28) Exhaust system condition and mounting

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Notes: _____
 Supervisor Signature _____
 Date _____

Technicians Signature J. W. King
 Date 12/26/22

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	H
Lube chassis and suspension	A,B,C,D	H
Lube drive shafts and universal joints	A,B,C,D	H
Lube doors and hood, locks and hinges	A,B,C,D	H
Adjust service and parking brakes	A,B,C,D	H
Drain water from separator	A,B,C,D	H
Rotate tires (as necessary, caps on rear)	A,B,C,D	H
Change air filter	B,C,D	H
Change fuel filter	B,C,D	H
Clean or change PCV valve	B,C,D	H
Clean or change crank case filter	B,C,D	H
Install new wiper blades	B,C,D	H
Change transmission fluid and filter	C,D	H
Service front wheel bearings	C,D	H
Drain water from fuel tank	C,D	H
Replace accessory drive belts	D	H
Service and flush cooling system	D	H
Install new spark plugs & wires	D	H
Install new dist. cap & rotor	D	H
Change differential fluid	D	H
Check Exhaust and EGR system	D	H
Check and service fuel & evap. System	D	H
Evac and recharge A/C (add 1 oz. of oil)	D	H
Post service test drive (5 miles)	A,B,C,D	H

Item Inspected	P	F
30) Front brake condition and mounting	✓	
31) Front brake lining condition & measurement	✓	
Pads R/F: 8/32" L/F: 8/32"	✓	
32) Rear brake condition and mounting	✓	
33) Rear brake lining condition & measurement	✓	
Pads R/R: 11/32" L/R: 11/32"	✓	
Shoes R/R: 13/32" L/R: 13/32"	✓	
34) Tire and wheel condition and measurements	✓	
R/F: 10/32" L/F: 9/32"	✓	
R/R: 6/32" L/R: 1/32"	✓	
R/R: 6/32" L/R: 2/32"	✓	
35) Lug nuts condition	✓	
Air pressure adjustment FR. 35 RR. 35	✓	
Wheel torque specs used: 140 ft. lbs.	✓	
9) Lift inspection	✓	
1) Lift operation (fully stowed to fully deployed)	✓	
2) Lift control pendant condition and operation	✓	
3) Lift restraint belt condition and operation	✓	
4) Outer roll stop condition and operation	✓	
5) Inner roll stop condition and operation	✓	
6) Platform adjustments, condition and mounting	✓	
7) Stander arm condition and operation	✓	
8) Proper signage and decals	✓	
9) Manual backup pump condition and operation	✓	
10) Lift manual pump handle	✓	
11) Hydraulic pump condition and operation	✓	
12) Hydraulic lines and cylinders condition	✓	
13) Hydraulic fluid level and condition	✓	
14) Base plate and arms welds & pivot points	✓	
15) Lift springs and pins condition and operation	✓	
16) Lift safety switches and adjustments	X	
17) Hose and wire routing and connections	✓	
18) Rollers and pivot point condition & operation	✓	
19) Lift to vehicle mounting bolts and brackets	✓	
20) Lift doors condition and operation	✓	
21) Lift door lights condition and operation	✓	
22) Lift interlock operation and condition	✓	
(Lift door open, e-brake down not able to shift)	✓	
(e-brake off lift door closed no lift power)	✓	
23) W/C tie downs condition and operation	✓	
24) Tie down container secure and clean	✓	
25) Tie down floor mounting brackets secure	✓	
26) W/C shoulder belt condition and operation	✓	
27) Lift clean and no sharp edges	✓	
28) Lift shields secure and in good shape	✓	
29) Lift moves steady without drifting, jerking,	✓	
or unusual speeds	✓	
30) No unusual lift noises	✓	
Lube all lift pivot points, barriers, rollers, linkages	✓	
and bearings cleaning off all excess lube	✓	
Check, torque or adjust lift base mounting bolts	✓	

Preventive Maintenance Inspection and Service Checklist



Date: 12/26/22 Vehicle #: 9706 Mileage in: 165,403 Mileage out: 165,405

Circle Service Type: A B C D



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 2/23/23 Vehicle #: 9706

Mileage in: 174646 Mileage out: 174647

Table with columns P, F, and Item Inspected. Contains sections A) Vehicle drive in inspection (5 miles), B) Walk around inspection, C) Interior inspection, and D) HVAC system inspection.

Table with columns P, F, and Item Inspected. Contains sections E) Under hood inspection and F) Vehicle rack inspection.

Preventive Maintenance Inspection and Service Checklist



Date: 2/23/23 Vehicle #: 9706

Circle Service Type: A B C D
 Mileage in: 17462 Mileage out: 17467

Service Performed	Technicians Signature	Date
A,B,C,D Change oil and filter		
A,B,C,D Lube chassis and suspension		
A,B,C,D Lube drive shafts and universal joints		
A,B,C,D Lube doors and hood, locks and hinges		
A,B,C,D Adjust service and parking brakes		
A,B,C,D Drain water from separator		
A,B,C,D Rotate tires (as necessary, caps on rear)		
B,C,D Change air filter		
B,C,D Change fuel filter		
B,C,D Clean or change PCV valve		
B,C,D Clean or change crank case filter		
B,C,D Install new wiper blades		
C,D Change transmission fluid and filter		
C,D Service front wheel bearings		
D Drain water from fuel tank		
D Replace accessory drive belts		
D Service and flush cooling system		
D Install new spark plugs & wires		
D Install new dist cap & rotor		
D Change differential fluid		
D Check Exhaust and EGR system		
D Check and service fuel & evap. System		
D Evac and recharge A/C (add 1 oz. of oil)		
A,B,C,D Post service test drive (5 miles)		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: *[Signature]* Date: 2/23/23

Supervisor Signature: _____ Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 8/32" L/F: 8/32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 7/32" L/R: 7/32"		
34) Tire and wheel condition and measurements		
Shoes R/R: 1/32" L/R: 1/32"		
35) Lug nuts condition		
R/R: 8/32" L/R: 8/32"		
R/R: 7/32" L/R: 7/32"		
Air pressure adjustment FR. 65 RR. 30 -		
Wheel torque specs used: 110 ft. lbs.		
G) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 3-29-23 Vehicle #: 9706

Mileage in: 179200

Mileage out: 179305

P	F	Item Inspected
X		A) Vehicle drive in inspection (5 miles)
X		1) Driver carpet
X		2) Driver seat condition and operation
X		3) Drivers door operation and condition
X		4) Drivers seat belt operation and condition
X		5) Engine starting and Ignition system
X		6) Instrument panel gauges & warning lights
X		7) Instrument panel lighting & condition
X		8) Horn operation
X		9) Steering wheel tight, no excessive play
X		10) Windshield wipers
X		11) Windshield washer
X		12) Sun visor condition and operation
X		13) Parking brake operation & condition
X		14) Parking and service brake pedal pads
X		15) Passenger door operation
X		16) No vibrations, pulsations or noises
		B) Walk around inspection
X		1) Body damage (list on separate sheet)
X		2) Headlights, high & low beam operation
X		3) Parking lights operation & condition
X		4) Marker lights operation & condition
X		5) Directional signals operation & condition
X		6) Hazard lights operation & condition
X		7) Clearance lights operation and condition
X		8) Brake lights operation & condition
X		9) License plate lamp operation & condition
X		10) License plates and tags
X		11) Backup lights and alarms
X		12) Reflectors and reflective bumper tape
X		13) Exterior decals and signage
X		14) Bumpers secure / in good condition
X		15) Exterior mirrors secure / in good condition
X		16) Exterior clean
		C) Interior inspection
X		1) Passenger door and steps condition
X		2) Handrails and stanchions condition
X		3) Interior and modesty panels condition
X		4) Flooring condition
X		5) Interior lighting operation and condition
X		6) Windows operation and condition
X		7) Emergency Exits operation & condition
X		8) Accessory operation & condition (radio, GPS)
X		9) Passenger seats operation & condition
X		10) Passenger seat belts operation & condition
X		11) First aid & body fluid kits complete
X		12) Triangle reflectors complete/good condition
X		13) Stop request operation & condition
X		14) Valid registration, insurance & accident pack
X		15) Fire extinguisher in good condition & signed
X		16) Interior decals and signage (incl. electrical)
X		17) DVI's reviewed, addressed and signed off
X		18) Interior clean
		D) HVAC system inspection
X		1) Front blower condition and operation

P	F	Item Inspected
X		2) Rear blower condition and operation
X		3) Defroster operation
X		4) Temp gets to 20 deg. F below ambient temp.
X		5) Evaporator intake air filter condition
X		6) Front heater condition and operation
X		7) Rear heater condition and operation
X		8) A/C compressors and condenser fans
		E) Under hood inspection
X		1) Batteries & charging sys. (load alt B,C,D serv)
X		Batt 1 volts: 12 load volts: 12.6 load amps: 250
X		Batt 2 volts: 12 load volts: 12.6 load amps: 250
X		Batt 3 volts: load volts: load amps:
X		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
X		Alt. 1 min volt: 14 max volt: 14.1 max amp: 250
X		Alt. 2 min volt: max volt: max amp:
X		(reference factory service manual for alternator spec)
X		2) Wire and hose routing and connections
X		3) Cooling system, hoses, water pump condition
X		5) Accessory drive belts condition
X		6) Pulleys and tensioned operation & condition
X		7) Brake master cylinder and power booster
X		8) Fan and fan clutch operation and condition
X		9) Engine oil fluid level and condition
X		10) Transmission oil level and condition
X		11) Power steering fluid level and condition
X		12) Brake fluid level and condition
		F) Vehicle rack inspection
X		1) Steering gear box mount, condition & leaks
X		2) Steering shaft U joints
X		3) Steering shaft bearings
X		4) Steering linkages
X		5) I beam or control arm movements and rivets
X		6) Radius arm condition and bushings condition
X		7) Stabilizer bar condition and bushings condition
X		8) Ball joints or kingpins
X		9) Front spring condition and mounting
X		10) Front shock absorber operation & condition
X		11) Trans oil cooler & lines routing and leaks
X		12) Engine oil cooler & lines routing and leaks
X		13) Heater and A/C hose routing and leaks
X		14) No engine oil leaks and fluid condition
X		15) Engine mounts, brackets and bolts
X		16) Transmission mounts, brackets and bolts
X		17) No transmission oil leaks and fluid condition
X		18) Drive shaft condition
X		19) Universal joints and carrier bearings condition
X		20) No rear differential leaks
X		21) Rear differential condition and mounting
X		22) Frame and cross members
X		23) Rear shock absorbers
X		24) Rear springs condition and mounting
X		25) No fuel leaks
X		26) Fuel tank condition and mounting
X		27) No exhaust leaks
X		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 3-29-23 Vehicle #: 9706 Mileage in: 17930 Mileage out: 17930

Circle Service Type: (A) B C D

Service Type	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	✓
A,B,C,D	Lube chassis and suspension	✓
A,B,C,D	Lube drive shafts and universal joints	✓
A,B,C,D	Lube doors and hood, locks and hinges	✓
A,B,C,D	Adjust service and parking brakes	✓
A,B,C,D	Drain water from separator	✓
A,B,C,D	Rotate tires (as necessary, caps on rear)	✓
B,C,D	Change air filter	✓
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	✓
A,B,C,D	Post service test drive (5 miles)	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: *[Signature]* Date: 3-29-23

Supervisor Signature: _____ Date: _____

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Item Inspected	P	F
30) Front brake condition and mounting	✓	
31) Front brake lining condition & measurement	✓	
Pads R/F: NEW/132" L/F: NEW/132"	✓	
32) Rear brake condition and mounting	✓	
33) Rear brake lining condition & measurement	✓	
Pads R/R: 5/132" L/R: 5/132"	✓	
Shoes R/R: 1/32" L/R: 1/32"		
34) Tire and wheel condition and measurements	✓	
R/F: 8/132" L/F: 6/132"	✓	
R/R: 6/132" L/R: 7/132"	✓	
R/R: 9/132" L/R: 7/132"	✓	
35) Lug nuts condition	✓	
Air pressure adjustment FR. 65 RR. 65	✓	
Wheel torque specs used: 110 ft. lbs.	✓	
9) Manual backup pump condition and operation	✓	
10) Lift manual pump handle	✓	
11) Hydraulic pump condition and operation	✓	
12) Hydraulic lines and cylinders condition	✓	
13) Hydraulic fluid level and condition	✓	
14) Base plate and arms welds & pivot points	✓	
15) Lift springs and pins condition and operation	✓	
16) Lift safety switches and adjustments	✓	
17) Hose and wire routing and connections	✓	
18) Rollers and pivot point condition & operation	✓	
19) Lift to vehicle mounting bolts and brackets	✓	
20) Lift doors condition and operation	✓	
21) Lift door lights condition and operation	✓	
22) Lift interlock operation and condition	✓	
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C the downs condition and operation	✓	
24) The down container secure and clean	✓	
25) The down floor mounting brackets secure	✓	
26) W/C shoulder belt condition and operation	✓	
27) Lift clean and no sharp edges	✓	
28) Lift shields secure and in good shape	✓	
29) Lift moves steady without drifting, jerking, or unusual speeds	✓	
30) No unusual lift noises	✓	
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	✓	
Check, torque or adjust lift base mounting bolts	✓	



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 05/23/23 Vehicle #: 9906

Mileage in: 188139 Mileage out: 198140

P	F	Item Inspected	P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)	F		2) Rear blower condition and operation
F		1) Driver carpet	F		3) Defroster operation
F		2) Driver seat condition and operation	F		4) Temp gets to 20 deg. F below ambient temp.
F		3) Drivers door operation and condition	F		5) Evaporator intake air filter condition
F		4) Drivers seat belt operation and condition	F		6) Front heater condition and operation
F		5) Engine starting and ignition system	F		7) Rear heater condition and operation
F		6) Instrument panel gauges & warning lights	F		8) A/C compressors and condenser fans
F		7) Instrument panel lighting & condition	/		E) Under hood inspection
F		8) Horn operation			1) Batteries & charging sys. (load alt B,C,D serv)
F		9) Steering wheel tight, no excessive play			Batt 1 volts: load volts: load amps:
F		10) Windshield wipers			Batt 2 volts: load volts: load amps:
F		11) Windshield washer	NA		Batt 3 volts: load volts: load amps:
F		12) Sun visor condition and operation			(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
F		13) Parking brake operation & condition			Alt. 1 min volt: max volt: max amp:
F		14) Parking and service brake pedal pads			Alt. 2 min volt: max volt: max amp:
F		15) Passenger door operation			(reference factory service manual for alternator spec)
F		16) No vibrations, pulsations or noises	F		2) Wire and hose routing and connections
/		B) Walk around inspection	F		3) Cooling system, hoses, water pump condition
F		1) Body damage (list on separate sheet)	F		5) Accessory drive belts condition
F		2) Headlights, high & low beam operation	F		6) Pulleys and tensioned operation & condition
F		3) Parking lights operation & condition	F		7) Brake master cylinder and power booster
F		4) Marker lights operation & condition	F		8) Fan and fan clutch operation and condition
F		5) Directional signals operation & condition	F		9) Engine oil fluid level and condition
F		6) Hazard lights operation & condition	F		10) Transmission oil level and condition
F		7) Clearance lights operation and condition	F		11) Power steering fluid level and condition
F		8) Brake lights operation & condition	F		12) Brake fluid level and condition
F		9) License plate lamp operation & condition	/		F) Vehicle rack inspection
F		10) License plates and tags	F		1) Steering gear box mount, condition & leaks
F		11) Backup lights and alarms	F		2) Steering shaft U joints
F		12) Reflectors and reflective bumper tape	F		3) Steering shaft bearings
F		13) Exterior decals and signage	F		4) Steering linkages
F		14) Bumpers secure / in good condition	F		5) I beam or control arm movements and rivets
F		15) Exterior mirrors secure / in good condition	F		6) Radius arm condition and bushings condition
F		16) Exterior clean	F		7) Stabilizer bar condition and bushings condition
/		C) Interior inspection	F		8) Ball joints or kingpins
F		1) Passenger door and steps condition	F		9) Front spring condition and mounting
F		2) Handrails and stanchions condition	F		10) Front shock absorber operation & condition
F		3) Interior and modesty panels condition	F		11) Trans oil cooler & lines routing and leaks
F		4) Flooring condition	F		12) Engine oil cooler & lines routing and leaks
F		5) Interior lighting operation and condition	F		13) Heater and A/C hose routing and leaks
F		6) Windows operation and condition	F		14) No engine oil leaks and fluid condition
F		7) Emergency Exits operation & condition	F		15) Engine mounts, brackets and bolts
F		8) Accessory operation & condition (radio, GPS)	F		16) Transmission mounts, brackets and bolts
F		9) Passenger seats operation & condition	F		17) No transmission oil leaks and fluid condition
F		10) Passenger seat belts operation & condition	F		18) Drive shaft condition
F		11) First aid & body fluid kits complete	F		19) Universal joints and carrier bearings condition
F		12) Triangle reflectors complete/good condition	F		20) No rear differential leaks
F		13) Stop request operation & condition	F		21) Rear differential condition and mounting
F		14) Valid registration, insurance & accident pack	F		22) Frame and cross members
F		15) Fire extinguisher in good condition & signed	F		23) Rear shock absorbers
F		16) Interior decals and signage (incl. electrical)	F		24) Rear springs condition and mounting
F		17) DVI's reviewed, addressed and signed off	F		25) No fuel leaks
F		18) Interior clean	F		26) Fuel tank condition and mounting
/		D) HVAC system inspection	F		27) No exhaust leaks
F		1) Front blower condition and operation	F		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 138137 Mileage out: 138140

Date: 05/23/23 Vehicle #: 9706

Item Inspected	P	F
30) Front brake condition and mounting	F	F
31) Front brake lining condition & measurement	F	F
Pads R/F: 9/32" L/F: 9/32"	F	F
32) Rear brake condition and mounting	F	F
33) Rear brake lining condition & measurement	F	F
Pads R/R: 6/32" L/R: 6/32"	F	F
Shoes R/R: /32" L/R: /32"	F	F
34) Tire and wheel condition and measurements	F	F
R/F: 9/32" L/F: 9/32"	F	F
R/R: 5/32" L/R: 5/32"	F	F
R/R: 5/32" L/R: 5/32"	F	F
35) Lug nuts condition	F	F
Air pressure adjustment FR. 65 RR. 70	F	F
Wheel torque specs used: 140 ft. lbs.	F	F
(g) Lift inspection	F	F
1) Lift operation (fully stowed to fully deployed)	F	F
2) Lift control pendant condition and operation	F	F
3) Lift restraint belt condition and operation	F	F
4) Outer roll stop condition and operation	F	F
5) Inner roll stop condition and operation	F	F
6) Platform adjustments, condition and mounting	F	F
7) Stander arm condition and operation	F	F
8) Proper signage and decals	F	F
9) Manual backup pump condition and operation	F	F
10) Lift manual pump handle	F	F
11) Hydraulic pump condition and operation	F	F
12) Hydraulic lines and cylinders condition	F	F
13) Hydraulic fluid level and condition	F	F
14) Base plate and arms welds & pivot points	F	F
15) Lift springs and pins condition and operation	F	F
16) Lift safety switches and adjustments	F	F
17) Hose and wire routing and connections	F	F
18) Rollers and pivot point condition & operation	F	F
19) Lift to vehicle mounting bolts and brackets	F	F
20) Lift doors condition and operation	F	F
21) Lift door lights condition and operation	F	F
22) Lift interlock operation and condition	F	F
(Lift door open, e-brake down not able to shift)	F	F
(e-brake off lift door closed no lift power)	F	F
23) W/C tie downs condition and operation	F	F
24) Tie down container secure and clean	F	F
25) Tie down floor mounting brackets secure	F	F
26) W/C shoulder belt condition and operation	F	F
27) Lift clean and no sharp edges	F	F
28) Lift shields secure and in good shape	F	F
29) Lift moves steady without drifting, jerking, or unusual speeds	F	F
30) No unusual lift noises	F	F
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	F	F
Check, torque or adjust lift base mounting bolts	F	F

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Notes:

Supervisor Signature _____ Date _____

Technician Signature _____ Date 05/23/23

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	Service Type	Techs Initials
Change oil and filter	A,B,C,D	F
Lube chassis and suspension	A,B,C,D	F
Lube drive shafts and universal joints	A,B,C,D	F
Lube doors and hood, locks and hinges	A,B,C,D	F
Adjust service and parking brakes	A,B,C,D	F
Drain water from separator	A,B,C,D	F
Rotate tires (as necessary, caps on rear)	A,B,C,D	F
Change air filter	B,C,D	F
Change fuel filter	B,C,D	F
Clean or change PCV valve	B,C,D	F
Clean or change crank case filter	B,C,D	F
Install new wiper blades	B,C,D	F
Change transmission fluid and filter	C,D	F
Service front wheel bearings	C,D	F
Drain water from fuel tank	C,D	F
Replace accessory drive belts	D	F
Service and flush cooling system	D	F
Install new spark plugs & wires	D	F
Install new dist. cap & rotor	D	F
Change differential fluid	D	F
Check Exhaust and EGR system	D	F
Check and service fuel & evap. System	D	F
Evac and recharge A/C (add 1 oz. of oil)	A,B,C,D	F
Post service test drive (5 miles)	A,B,C,D	F



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 06/24/03 Vehicle #: 9706

Mileage in: 192485

Mileage out: 192786

P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)
/		1) Driver carpet
/		2) Driver seat condition and operation
/		3) Drivers door operation and condition
/		4) Drivers seat belt operation and condition
/		5) Engine starting and ignition system
/		6) Instrument panel gauges & warning lights
/		7) Instrument panel lighting & condition
/		8) Horn operation
/		9) Steering wheel tight, no excessive play
/		10) Windshield wipers
/		11) Windshield washer
/		12) Sun visor condition and operation
/		13) Parking brake operation & condition
/		14) Parking and service brake pedal pads
/		15) Passenger door operation
/		16) No vibrations, pulsations or noises
/		B) Walk around inspection
/		1) Body damage (list on separate sheet)
/		2) Headlights, high & low beam operation
/		3) Parking lights operation & condition
/		4) Marker lights operation & condition
/		5) Directional signals operation & condition
/		6) Hazard lights operation & condition
/		7) Clearance lights operation and condition
/		8) Brake lights operation & condition
/		9) License plate lamp operation & condition
/		10) License plates and tags
/		11) Backup lights and alarms
/		12) Reflectors and reflective bumper tape
/		13) Exterior decals and signage
/		14) Bumpers secure / in good condition
/		15) Exterior mirrors secure / in good condition
/		16) Exterior clean
/		C) Interior inspection
/		1) Passenger door and steps condition
/		2) Handrails and stanchions condition
/		3) Interior and modesty panels condition
/		4) Flooring condition
/		5) Interior lighting operation and condition
/		6) Windows operation and condition
/		7) Emergency Exits operation & condition
/		8) Accessory operation & condition (radio, GPS)
/		9) Passenger seats operation & condition
/		10) Passenger seat belts operation & condition
/		11) First aid & body fluid kits complete
/		12) Triangle reflectors complete/good condition
/		13) Stop request operation & condition
/		14) Valid registration, insurance & accident pack
/		15) Fire extinguisher in good condition & signed
/		16) Interior decals and signage (incl. electrical)
/		17) DVI's reviewed, addressed and signed off
/		18) Interior clean
/		D) HVAC system inspection
/		1) Front blower condition and operation

P	F	Item Inspected
/		2) Rear blower condition and operation
/		3) Defroster operation
/		4) Temp gets to 20 deg. F below ambient temp.
/		5) Evaporator intake air filter condition
/		6) Front heater condition and operation
/		7) Rear heater condition and operation
/		8) A/C compressors and condenser fans
/		E) Under hood inspection
/		1) Batteries & charging sys. (load alt B,C,D serv)
/		Batt 1 volts: load volts: load amps:
/		Batt 2 volts: load volts: load amps:
/		Batt 3 volts: load volts: load amps:
/		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
/		Alt. 1 min volt: max volt: max amp:
/		Alt. 2 min volt: max volt: max amp:
/		(reference factory service manual for alternator spec)
/		2) Wire and hose routing and connections
/		3) Cooling system, hoses, water pump condition
/		5) Accessory drive belts condition
/		6) Pulleys and tensioned operation & condition
/		7) Brake master cylinder and power booster
/		8) Fan and fan clutch operation and condition
/		9) Engine oil fluid level and condition
/		10) Transmission oil level and condition
/		11) Power steering fluid level and condition
/		12) Brake fluid level and condition
/		F) Vehicle rack inspection
/		1) Steering gear box mount, condition & leaks
/		2) Steering shaft U joints
/		3) Steering shaft bearings
/		4) Steering linkages
/		5) I beam or control arm movements and rivets
/		6) Radius arm condition and bushings condition
/		7) Stabilizer bar condition and bushings condition
/		8) Ball joints or kingpins
/		9) Front spring condition and mounting
/		10) Front shock absorber operation & condition
/		11) Trans oil cooler & lines routing and leaks
/		12) Engine oil cooler & lines routing and leaks
/		13) Heater and A/C hose routing and leaks
/		14) No engine oil leaks and fluid condition
/		15) Engine mounts, brackets and bolts
/		16) Transmission mounts, brackets and bolts
/		17) No transmission oil leaks and fluid condition
/		18) Drive shaft condition
/		19) Universal joints and carrier bearings condition
/		20) No rear differential leaks
/		21) Rear differential condition and mounting
/		22) Frame and cross members
/		23) Rear shock absorbers
/		24) Rear springs condition and mounting
/		25) No fuel leaks
/		26) Fuel tank condition and mounting
/		27) No exhaust leaks
/		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 06/22/23 Vehicle #: 9706
 Mileage in: 198785 Mileage out: 198786

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	
Lube chassis and suspension	A,B,C,D	
Lube drive shafts and universal joints	A,B,C,D	
Lube doors and hood, locks and hinges	A,B,C,D	
Adjust service and parking brakes	A,B,C,D	
Drain water from separator	A,B,C,D	
Rotate tires (as necessary, caps on rear)	A,B,C,D	
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (0 miles)	A,B,C,D	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: *[Signature]* Date: 06/22/23
 Supervisor Signature: *[Signature]* Date: 06/22/23

Notes:

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 8 /32" L/F: 8 /32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 6 /32" L/R: 6 /32"		
34) Tire and wheel condition and measurements		
Shoes R/R: /32" L/R: /32"		
R/F: 7 /32" L/F: 7 /32"		
R/R: 3 /32" L/R: 3 /32"		
R/R: 3 /32" L/R: 3 /32"		
35) Lug nuts condition		
Wheel torque specs used: ft. lbs.		
Air pressure adjustment FR, RR		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Preventive Maintenance Inspection and Service Checklist



Date: 02/21/20 Vehicle #: 9706 Mileage in: 33198 Mileage out: 33199

Circle Service Type: A B C D

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation and condition
R		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition (radio, GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation
R		2) Driver seat condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
R		1) Batteries & charging sys. (load alt B, C, D serv)
R		Batt 1 volts: load amps: 2. load amps:
R		Batt 2 volts: load amps: 2. load amps:
R		Batt 3 volts: load amps: 2. load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator speed)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
R		3) Steering shaft bearings
R		4) Steering linkages
R		5) I beam or control arm movements and rivets
R		6) Radius arm condition and bushings condition
R		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
R		18) Drive shaft condition
R		19) Universal joints and carrier bearings condition
R		20) No rear differential leaks
R		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D** Mileage in: 33198 Mileage out: 33199 Date: 09/21/2020 Vehicle #: 9706

Item Inspected	Service Performed	Technicians Initials
30) Front brake condition and mounting	A,B,C,D Change oil and filter	R
31) Front brake lining condition & measurement	A,B,C,D Lube chassis and suspension	R
32) Rear brake condition and mounting	A,B,C,D Lube drive shafts and universal joints	NA
33) Rear brake lining condition & measurement	A,B,C,D Adjust service and parking brakes	R
Pads R/R: 6/32" L/R: 6/32"	A,B,C,D Drain water from separator	NA
34) Tire and wheel condition and measurements	A,B,C,D Rotate tires (as necessary, caps on rear)	NA
R/F: 2/32" L/F: 2/32"	B,C,D Change air filter	R
R/R: 7/32" L/R: 7/32"	B,C,D Clean or change PCV valve	R
R/R: 7/32" L/R: 7/32"	B,C,D Clean or change crank case filter	R
35) Lug nuts condition	B,C,D Install new wiper blades	R
Air pressure adjustment FR. 65R.45	C,D Change transmission fluid and filter	R
Wheel torque specs used: 146 ft. lbs.	C,D Service front wheel bearings	R
G) Lift inspection	C,D Drain water from fuel tank	R
1) Lift operation (fully stowed to fully deployed)	D Replace accessory drive belts	R
2) Lift control pendant condition and operation	D Service and flush cooling system	R
3) Lift restraint belt condition and operation	D Install new spark plugs & wires	R
4) Outer roll stop condition and operation	D Install new dist. cap & rotor	R
5) Inner roll stop condition and operation	D Change differential fluid	R
6) Platform adjustments, condition and mounting	D Check Exhaust and EGR system	R
7) Standee arm condition and operation	D Check and service fuel & evap. System	R
8) Proper signage and decals	D Evac and recharge A/C (add 1 oz. of oil)	R
9) Manual backup pump condition and operation	A,B,C,D Post service test drive (5 miles)	R
10) Lift manual pump handle	Initial or "N/A" each service performed per PM type	
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C the downs condition and operation		
24) The down container secure and clean		
25) The down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: Shelby Murray Date: 09/21/2020

Supervisor Signature: _____ Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**



Date: 09-06-20 Vehicle #: 9705

Mileage in: 4789

Mileage out: 4770

Item Inspected	P	F
A) Vehicle drive in inspection (5 miles)		
1) Driver carpet		
2) Driver seat condition and operation		
3) Drivers door operation and condition		
4) Drivers seat belt operation and condition		
5) Engine starting and ignition system		
6) Instrument panel gauges & warning lights		
7) Instrument panel lighting & condition		
8) Horn operation		
9) Steering wheel tight, no excessive play		
10) Windshield wipers		
11) Windshield washer		
12) Sun visor condition and operation		
13) Parking brake operation & condition		
14) Parking and service brake pedal pads		
15) Passenger door operation		
16) No vibrations, pulsations or noises		
B) Walk around inspection		
1) Body damage (list on separate sheet)		
2) Headlights, high & low beam operation		
3) Parking lights operation & condition		
4) Marker lights operation & condition		
5) Directional signals operation & condition		
6) Hazard lights operation & condition		
7) Clearance lights operation & condition		
8) Brake lights operation & condition		
9) License plate lamp operation & condition		
10) License plates and tags		
11) Backup lights and alarms		
12) Reflectors and reflective bumper tape		
13) Exterior decals and signage		
14) Bumpers secure / in good condition		
15) Exterior mirrors secure / in good condition		
16) Exterior clean		
C) Interior inspection		
1) Passenger door and steps condition		
2) Handrails and stanchions condition		
3) Interior and modesty panels condition		
4) Flooring condition		
5) Interior lighting operation and condition		
6) Windows operation and condition		
7) Emergency Exits operation & condition		
8) Accessory operation & condition (radio, GPS)		
9) Passenger seats operation & condition		
10) Passenger seat belts operation & condition		
11) First aid & body fluid kits complete		
12) Triangle reflectors complete/good condition		
13) Stop request operation & condition		
14) Valid registration, insurance & accident pack		
15) Fire extinguisher in good condition & signed		
16) Interior decals and signage (incl. electrical)		
17) DVI's reviewed, addressed and signed off		
18) Interior clean		
D) HVAC system inspection		
1) Front blower condition and operation		

Item Inspected	P	F
2) Rear blower condition and operation		
3) Defroster operation		
4) Temp gets to 20 deg. F below ambient temp.		
5) Evaporator intake air filter condition		
6) Front heater condition and operation		
7) Rear heater condition and operation		
8) A/C compressors and condenser fans		
E) Under hood inspection		
1) Batteries & charging sys. (load alt B,C,D serv)		
Batt 1 volts: load amps:		
Batt 2 volts: load amps:		
Batt 3 volts: load amps:		
(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)		
Alt. 1 min volt: max amp:		
Alt. 2 min volt: max amp:		
(reference factory service manual for alternator spec)		
2) Wire and hose routing and connections		
3) Cooling system, hoses, water pump condition		
5) Accessory drive belts condition		
6) Pulleys and tensioned operation & condition		
7) Brake master cylinder and power booster		
8) Fan and fan clutch operation and condition		
9) Engine oil fluid level and condition		
10) Transmission oil level and condition		
11) Power steering fluid level and condition		
12) Brake fluid level and condition		
F) Vehicle rack inspection		
1) Steering gear box mount, condition & leaks		
2) Steering shaft U joints		
3) Steering shaft bearings		
4) Steering linkages		
5) I beam or control arm movements and rivets		
6) Radius arm condition and bushings condition		
7) Stabilizer bar condition and bushings condition		
8) Ball joints or kingpins		
9) Front spring condition and mounting		
10) Front shock absorber operation & condition		
11) Trans oil cooler & lines routing and leaks		
12) Engine oil cooler & lines routing and leaks		
13) Heater and A/C hose routing and leaks		
14) No engine oil leaks and fluid condition		
15) Engine mounts, brackets and bolts		
16) Transmission mounts, brackets and bolts		
17) No transmission oil leaks and fluid condition		
18) Drive shaft condition		
19) Universal joints and carrier bearings condition		
20) No rear differential leaks		
21) Rear differential condition and mounting		
22) Frame and cross members		
23) Rear shock absorbers		
24) Rear springs condition and mounting		
25) No fuel leaks		
26) Fuel tank condition and mounting		
27) No exhaust leaks		
28) Exhaust system condition and mounting		

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: **A B C D**

Date: 09-06-00 Vehicle #: 9706 Mileage in: 1130 Mileage out: 1180

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 8 / 32" L/F: 8 / 32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 8 / 32" L/R: 8 / 32"		
Shoes R/R: 8 / 32" L/R: 8 / 32"		
34) Tire and wheel condition and measurements		
R/F: 7 / 32" L/F: 7 / 32"		
R/R: 3 / 32" L/R: 7 / 32"		
R/O: 7 / 32" L/R: 7 / 32"		
35) Lug nuts condition		
Air pressure adjustment FR: 65 RR: 70		
Wheel torque specs used: 110 ft. lbs.		
(G) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Notes:

Supervisor Signature _____ Date _____

Technicians Signature _____ Date _____

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	Service Type
Change oil and filter	A, B, C, D
Lube chassis and suspension	A, B, C, D
Lube drive shafts and universal joints	A, B, C, D
Lube doors and hood, locks and hinges	A, B, C, D
Adjust service and parking brakes	A, B, C, D
Drain water from separator	A, B, C, D
Rotate tires (as necessary, caps on rear)	A, B, C, D
Change air filter	B, C, D
Change fuel filter	B, C, D
Clean or change PCV valve	B, C, D
Clean or change crank case filter	B, C, D
Install new wiper blades	B, C, D
Change transmission fluid and filter	C, D
Service front wheel bearings	C, D
Drain water from fuel tank	C, D
Replace accessory drive belts	D
Service and flush cooling system	D
Install new spark plugs & wires	D
Install new dist. cap & rotor	D
Change differential fluid	D
Check Exhaust and EGR system	D
Check and service fuel & evap. System	D
Evac and recharge A/C (add 1 oz. of oil)	D
Post service test drive (5 miles)	A, B, C, D

Initial or "N/A" each service performed per PM type



PM DEFECT SHEET



BUS #: 9706

DATE:

PM TYPE OR WORK ORDER #: B

MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

Scratches on right rear fender

Wiper blades are needed

soon

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: **A B C D**
 Mileage in: 14310 Mileage out: 14311

Date: 1/7/20

Vehicle #: 9726

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation
P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Date: 1/7/20 Vehicle #: 9706 Mileage in: 14310 Mileage out: 14311

Circle Service Type: A B C D

Table with columns P, F, and Item Inspected. Contains 30 items related to brake condition, tire/wheel measurements, lug nuts, and lift inspection.

Table with columns Serv Type, Service Performed, and Techs Initials. Lists various maintenance services like oil change, lube chassis, brake adjustment, etc.

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use.

Technicians Signature [Signature] Date 1/7/20

Supervisor Signature _____ Date _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired.

Preventive Maintenance Inspection and Service Checklist



Date: 08-20-20 Vehicle #: 9706

Circle Service Type: A (B) C D

Mileage in: 42331

Mileage out: 42332

Item Inspected	P	F
(A) Vehicle drive in inspection (5 miles)		
(1) Driver carpet		
(2) Driver seat condition and operation		
(3) Drivers door operation and condition		
(4) Drivers seat belt operation and condition		
(5) Engine starting and ignition system		
(6) Instrument panel gauges & warning lights		
(7) Instrument panel lighting & condition		
(8) Horn operation		
(9) Steering wheel tight, no excessive play		
(10) Windshield wipers		
(11) Windshield washer		
(12) Sun visor condition and operation		
(13) Parking brake operation & condition		
(14) Parking and service brake pedal pads		
(15) Passenger door operation		
(16) No vibrations, pulsations or noises		
(B) Walk around inspection		
(1) Body damage (list on separate sheet)		
(2) Headlights, high & low beam operation		
(3) Parking lights operation & condition		
(4) Marker lights operation & condition		
(5) Directional signals operation & condition		
(6) Hazard lights operation & condition		
(7) Clearance lights operation & condition		
(8) Brake lights operation & condition		
(9) License plate lamp operation & condition		
(10) License plates and tags		
(11) Backup lights and alarms		
(12) Reflectors and reflective bumper tape		
(13) Exterior decals and signage		
(14) Bumpers secure / in good condition		
(15) Exterior mirrors secure / in good condition		
(16) Exterior clean		
(C) Interior inspection		
(1) Passenger door and steps condition		
(2) Handrails and stanchions condition		
(3) Interior and modesty panels condition		
(4) Flooring condition		
(5) Interior lighting operation and condition		
(6) Windows operation and condition		
(7) Emergency Exits operation & condition		
(8) Accessory operation & condition (radio, GPS)		
(9) Passenger seats operation & condition		
(10) Passenger seat belts operation & condition		
(11) First aid & body fluid kits complete		
(12) Triangle reflectors complete/good condition		
(13) Stop request operation & condition		
(14) Valid registration, insurance & accident pack		
(15) Fire extinguisher in good condition & signed		
(16) Interior decals and signage (incl. electrical)		
(17) DVI's reviewed, addressed and signed off		
(18) Interior clean		
(D) HVAC system inspection		
(1) Front blower condition and operation		
(2) Rear blower condition and operation		
(3) Defroster operation		
(4) Temp gets to 20 deg. F below ambient temp.		
(5) Evaporator intake air filter condition		
(6) Front heater condition and operation		
(7) Rear heater condition and operation		
(8) A/C compressors and condenser fans		
(E) Under hood inspection		
(1) Batteries & charging sys. (load alt B, C, D serv)		
Batt 1 volts: load amps:		
Batt 2 volts: load amps:		
Batt 3 volts: load amps:		
(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)		
Alt. 1 min volt: max amp:		
Alt. 2 min volt: max amp:		
(reference: factory service manual for alternator spec)		
(2) Wire and hose routing and connections		
(3) Cooling system, hoses, water pump condition		
(5) Accessory drive belts condition		
(6) Pulleys and tensioned operation & condition		
(7) Braka master cylinder and power booster		
(8) Fan and fan clutch operation and condition		
(9) Engine oil fluid level and condition		
(10) Transmission oil level and condition		
(11) Power steering fluid level and condition		
(12) Brake fluid level and condition		
(F) Vehicle rack inspection		
(1) Steering gear box mount, condition & leaks		
(2) Steering shaft U joints		
(3) Steering shaft bearings		
(4) Steering linkages		
(5) I beam or control arm movements and rivets		
(6) Radius arm condition and bushings condition		
(7) Stabilizer bar condition and bushings condition		
(8) Ball joints or kingpins		
(9) Front spring condition and mounting		
(10) Front shock absorber operation & condition		
(11) Trans oil cooler & lines routing and leaks		
(12) Engine oil cooler & lines routing and leaks		
(13) Heater and A/C hose routing and leaks		
(14) No engine oil leaks and fluid condition		
(15) Engine mounts, brackets and bolts		
(16) Transmission mounts, brackets and bolts		
(17) No transmission oil leaks and fluid condition		
(18) Drive shaft condition		
(19) Universal joints and carrier bearings condition		
(20) No rear differential leaks		
(21) Rear differential condition and mounting		
(22) Frame and cross members		
(23) Rear shock absorbers		
(24) Rear springs condition and mounting		
(25) No fuel leaks		
(26) Fuel tank condition and mounting		
(27) No exhaust leaks		
(28) Exhaust system condition and mounting		

Preventive Maintenance Inspection and Service Checklist



Date: 08-20-20 Vehicle #: 9708

Circle Service Type: A () B () C () D ()
 Mileage in: 42331 Mileage out: 42332

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 16 / 32" L/F: 10 / 32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 16 / 32" L/R: 10 / 32"		
34) Tire and wheel condition and measurements		
R/F: 9 / 32" L/F: 9 / 32"		
R/R: 9 / 32" L/R: 9 / 32"		
R/R: 9 / 32" L/R: 9 / 32"		
35) Lug nuts condition		
Air pressure adjustment FR: 65 RR: 45 - 140 ft. lbs.		
Wheel torque specs used:		
(G) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Stander arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Service Performed	Service Type	Tech's Initials
Change oil and filter	A,B,C,D	
Lube chassis and suspension	A,B,C,D	
Lube drive shafts and universal joints	A,B,C,D	
Lube doors and hood, locks and hinges	A,B,C,D	
Adjust service and parking brakes	A,B,C,D	
Drain water from separator	A,B,C,D	
Rotate tires (as necessary, caps on rear)	A,B,C,D	
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brakepad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: [Signature] Date: 08-20-2020
 Supervisor Signature: [Signature] Date: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A (B) C D

Mileage in: 20,680 Mileage out: 20,685



Date: 3-7-21 Vehicle #: 9706

Item Inspected	P	F
A) Vehicle drive in inspection (5 miles)		
1) Driver carpet		
2) Driver seat condition and operation		
3) Drivers door operation and condition		
4) Drivers seat belt operation and condition		
5) Engine, starting and ignition system		
6) Instrument panel gauges & warning lights		
7) Instrument panel lighting & condition		
8) Horn operation		
9) Steering wheel tight, no excessive play		
10) Windshield wipers		
11) Windshield washer		
12) Sun visor condition and operation		
13) Parking brake operation & condition		
14) Parking and service brake pedal pads		
15) Passenger door operation		
16) No vibrations, pulsations or noises		
B) Walk around inspection		
1) Body damage (list on separate sheet)		
2) Headlights, high & low beam operation		
3) Parking lights operation & condition		
4) Marker lights operation & condition		
5) Directional signals operation & condition		
6) Hazard lights operation & condition		
7) Clearance lights operation & condition		
8) Brake lights operation & condition		
9) License plate lamp operation & condition		
10) License plates and tags		
11) Backup lights and alarms		
12) Reflectors and reflective bumper tape		
13) Exterior decals and signage		
14) Bumpers secure / in good condition		
15) Exterior mirrors secure / in good condition		
16) Exterior clean		
C) Interior inspection		
1) Passenger door and steps condition		
2) Handrails and stanchions condition		
3) Interior and modesty panels condition		
4) Flooring condition		
5) Interior lighting operation and condition		
6) Windows operation and condition		
7) Emergency Exits operation & condition		
8) Accessory operation & condition (radio, GPS)		
9) Passenger seats operation & condition		
10) Passenger seat belts operation & condition		
11) First aid & body fluid kits complete		
12) Triangle reflectors complete/good condition		
13) Stop request operation & condition		
14) Valid registration, insurance & accident pack		
15) Fire extinguisher in good condition & signed		
16) Interior decals and signage (incl. electrical)		
17) DVI's reviewed, addressed and signed off		
18) Interior clean		
D) HVAC system inspection		
1) Front blower condition and operation		

Item Inspected	P	F
2) Rear blower condition and operation		
3) Defroster operation		
4) Temp gets to 20 deg. F below ambient temp.		
5) Evaporator intake air filter condition		
6) Front heater condition and operation		
7) Rear heater condition and operation		
8) A/C compressors and condenser fans		
E) Under hood inspection		
1) Batteries & charging sys. (load alt B,C,D serv)		
Batt 1 volts: 12.6 load amps: 12.6		
Batt 2 volts: 12.6 load amps: 12.6		
Batt 3 volts: load amps: load amps:		
(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)		
Alt. 1 min volt: 14.5 max volt: max amp: 9.5		
Alt. 2 min volt: 14.5 max volt: max amp: 9.5		
(reference factory service manual for alternator spec)		
2) Wire and hose routing and connections		
3) Cooling system, hoses, water pump condition		
4) Accessory drive belts condition		
5) Pulleys and tensioned operation & condition		
6) Brake master cylinder and power booster		
7) Fan and fan clutch operation and condition		
8) Engine oil fluid level and condition		
9) Transmission oil level and condition		
10) Power steering fluid level and condition		
11) Brake fluid level and condition		
F) Vehicle rack inspection		
1) Steering gear box mount, condition & leaks		
2) Steering shaft U joints		
3) Steering shaft bearings		
4) Steering linkages		
5) I beam or control arm movements and rivets		
6) Radius arm condition and bushings condition		
7) Stabilizer bar condition and bushings condition		
8) Ball joints or kingpins		
9) Front spring condition and mounting		
10) Front shock absorber operation & condition		
11) Trans oil cooler & lines routing and leaks		
12) Engine oil cooler & lines routing and leaks		
13) Heater and A/C hose routing and leaks		
14) No engine oil leaks and fluid condition		
15) Engine mounts, brackets and bolts		
16) Transmission mounts, brackets and bolts		
17) No transmission oil leaks and fluid condition		
18) Drive shaft condition		
19) Universal joints and carrier bearings condition		
20) No rear differential leaks		
21) Rear differential condition and mounting		
22) Frame and cross members		
23) Rear shock absorbers		
24) Rear springs condition and mounting		
25) No fuel leaks		
26) Fuel tank condition and mounting		
27) No exhaust leaks		
28) Exhaust system condition and mounting		

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: **A B C D** Mileage in: **70,680** Mileage out: **70,685** Date: **3-4-21** Vehicle #: **9706**

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 7/32" L/F: 7/32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 7/32" L/R: 7/32"		
34) Tire and wheel condition and measurements		
R/F: 8/32" L/F: 8/32"		
R/R: 10/32" L/R: 10/32"		
R/R: 10/32" L/R: 10/32"		
35) Lug nuts condition		
Air pressure adjustment F.R. 65 RR. 65		
Wheel torque specs used: 165 ft. lbs.		
g) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Service Performed	Service Type	Techs Initials
Change oil and filter	A,B,C,D	X
Lube chassis and suspension	A,B,C,D	X
Lube drive shafts and universal joints	A,B,C,D	X
Lube doors and hood, locks and hinges	A,B,C,D	X
Adjust service and parking brakes	A,B,C,D	X
Drain water from separator	A,B,C,D	X
Rotate tires (as necessary, caps on rear)	A,B,C,D	X
Change air filter	B,C,D	X
Change fuel filter	B,C,D	X
Clean or change PCV valve	B,C,D	X
Clean or change crank case filter	B,C,D	X
Install new wiper blades	B,C,D	X
Change transmission fluid and filter	C,D	X
Service front wheel bearings	C,D	X
Drain water from fuel tank	C,D	X
Replace accessory drive belts	D	X
Service and flush cooling system	D	X
Install new spark plugs & wires	D	X
Change differential fluid	D	X
Check Exhaust and EGR system	D	X
Check and service fuel & evap. System	D	X
Evac and recharge A/C (add 1 oz. of oil)	D	X
Post service test drive (5 miles)	A,B,C,D	X

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: *[Signature]* Date: **3-4-21**
 Supervisor Signature: _____ Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

			* BAD BEAR TIRES
10/11/2021	HMH		* REPLACE R/P TIRES
10/11/21	HMH		* REPLACE L/R OUTER TIRE
" "	HMH		* INFLATE ALL TIRES TO CORRECT SPECS. HMH
10/11/21	HMH		* TORQUE ALL WHEELS AT 140 ft/lbs.

DATE COMPLETED	COMPLETED BY	DESCRIPTION OF REPAIR NEEDED
----------------	--------------	------------------------------

MECHANIC'S SIGNATURE	BUS #: 9206	DATE: 10/11/21
H. J. J. J.	PM TYPE OR WORK ORDER #: B	

PM DEFECT SHEET





Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A (B) C D

Date: 10/11/21 Vehicle #: 9706

Mileage in: 98,940

Mileage out: 98,941

P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)
H		1) Driver carpet
H		2) Driver seat condition and operation
H		3) Drivers door operation and condition
H		4) Drivers seat belt operation and condition
H		5) Engine starting and ignition system
H		6) Instrument panel gauges & warning lights
H		7) Instrument panel lighting & condition
H		8) Horn operation
H		9) Steering wheel tight, no excessive play
H		10) Windshield wipers
H		11) Windshield washer
H		12) Sun visor condition and operation
H		13) Parking brake operation & condition
H		14) Parking and service brake pedal pads
H		15) Passenger door operation
H		16) No vibrations, pulsations or noises
/		B) Walk around inspection
H		1) Body damage (list on separate sheet)
H		2) Headlights, high & low beam operation
H		3) Parking lights operation & condition
H		4) Marker lights operation & condition
H		5) Directional signals operation & condition
H		6) Hazard lights operation & condition
H		7) Clearance lights operation and condition
H		8) Brake lights operation & condition
H		9) License plate lamp operation & condition
H		10) License plates and tags
H		11) Backup lights and alarms
H		12) Reflectors and reflective bumper tape
H		13) Exterior decals and signage
H		14) Bumpers secure / in good condition
H		15) Exterior mirrors secure / in good condition
H		16) Exterior clean
/		C) Interior inspection
H		1) Passenger door and steps condition
H		2) Handrails and stanchions condition
H		3) Interior and modesty panels condition
H		4) Flooring condition
H		5) Interior lighting operation and condition
H		6) Windows operation and condition
H		7) Emergency Exits operation & condition
H		8) Accessory operation & condition (radio, GPS)
H		9) Passenger seats operation & condition
H		10) Passenger seat belts operation & condition
H		11) First aid & body fluid kits complete
H		12) Triangle reflectors complete/good condition
H		13) Stop request operation & condition
/		14) Valid registration, insurance & accident pack
H		15) Fire extinguisher in good condition & signed
H		16) Interior decals and signage (incl. electrical)
/		17) DVI's reviewed, addressed and signed off
/	X	18) Interior clean
/		D) HVAC system inspection
H		1) Front blower condition and operation

P	F	Item Inspected
H		2) Rear blower condition and operation
H		3) Defroster operation
H		4) Temp gets to 20 deg. F below ambient temp.
H		5) Evaporator intake air filter condition
H		6) Front heater condition and operation
H		7) Rear heater condition and operation
H		8) A/C compressors and condenser fans
/		E) Under hood inspection
H		1) Batteries & charging sys. (load alt B,C,D serv)
H		Batt 1 volts: load volts: load amps:
H		Batt 2 volts: load volts: load amps:
/		Batt 3 volts: load volts: load amps:
/		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
H		Alt. 1 min volt: max volt: max amp:
/		Alt. 2 min volt: max volt: max amp:
/		(reference factory service manual for alternator spec)
H		2) Wire and hose routing and connections
H		3) Cooling system, hoses, water pump condition
H		5) Accessory drive belts condition
H		6) Pulleys and tensioned operation & condition
H		7) Brake master cylinder and power booster
H		8) Fan and fan clutch operation and condition
H		9) Engine oil fluid level and condition
H		10) Transmission oil level and condition
H		11) Power steering fluid level and condition
H		12) Brake fluid level and condition
/		F) Vehicle rack inspection
H		1) Steering gear box mount, condition & leaks
H		2) Steering shaft U joints
H		3) Steering shaft bearings
H		4) Steering linkages
H		5) I beam or control arm movements and rivets
H		6) Radius arm condition and bushings condition
H		7) Stabilizer bar condition and bushings condition
H		8) Ball joints or kingpins
H		9) Front spring condition and mounting
H		10) Front shock absorber operation & condition
H		11) Trans oil cooler & lines routing and leaks
H		12) Engine oil cooler & lines routing and leaks
H		13) Heater and A/C hose routing and leaks
H		14) No engine oil leaks and fluid condition
H		15) Engine mounts, brackets and bolts
H		16) Transmission mounts, brackets and bolts
H		17) No transmission oil leaks and fluid condition
H		18) Drive shaft condition
H		19) Universal joints and carrier bearings condition
H		20) No rear differential leaks
H		21) Rear differential condition and mounting
H		22) Frame and cross members
H		23) Rear shock absorbers
H		24) Rear springs condition and mounting
H		25) No fuel leaks
H		26) Fuel tank condition and mounting
H		27) No exhaust leaks
H		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A (B) C D

Date: 04-16-22 Vehicle #: 9706

Mileage in: 127941 Mileage out: 127942

P	F	Item Inspected	P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)			2) Rear blower condition and operation
P	F	1) Driver carpet	P	F	3) Defroster operation
P	F	2) Driver seat condition and operation	P	F	4) Temp gets to 20 deg. F below ambient temp.
P	F	3) Drivers door operation and condition	P	F	5) Evaporator intake air filter condition
P	F	4) Drivers seat belt operation and condition	P	F	6) Front heater condition and operation
P	F	5) Engine starting and Ignition system	P	F	7) Rear heater condition and operation
P	F	6) Instrument panel gauges & warning lights	P	F	8) A/C compressors and condenser fans
P	F	7) Instrument panel lighting & condition			E) Under hood inspection
P	F	8) Horn operation			1) Batteries & charging sys. (load alt B,C,D serv)
P	F	9) Steering wheel tight, no excessive play			Batt 1 volts: load volts: load amps:
P	F	10) Windshield wipers			Batt 2 volts: load volts: load amps:
P	F	11) Windshield washer			Batt 3 volts: load volts: load amps:
P	F	12) Sun visor condition and operation			(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
P	F	13) Parking brake operation & condition			Alt. 1 min volt: max volt: max amp:
P	F	14) Parking and service brake pedal pads			Alt. 2 min volt: max volt: max amp:
P	F	15) Passenger door operation			(reference factory service manual for alternator spec)
P	F	16) No vibrations, pulsations or noises			2) Wire and hose routing and connections
		B) Walk around inspection			3) Cooling system, hoses, water pump condition
		1) Body damage (list on separate sheet)			5) Accessory drive belts condition
		2) Headlights, high & low beam operation			6) Pulleys and tensioned operation & condition
		3) Parking lights operation & condition			7) Brake master cylinder and power booster
		4) Marker lights operation & condition			8) Fan and fan clutch operation and condition
		5) Directional signals operation & condition			9) Engine oil fluid level and condition
		6) Hazard lights operation & condition			10) Transmission oil level and condition
		7) Clearance lights operation and condition			11) Power steering fluid level and condition
		8) Brake lights operation & condition			12) Brake fluid level and condition
		9) License plate lamp operation & condition			F) Vehicle rack inspection
		10) License plates and tags			1) Steering gear box mount, condition & leaks
		11) Backup lights and alarms			2) Steering shaft U joints
		12) Reflectors and reflective bumper tape			3) Steering shaft bearings
		13) Exterior decals and signage			4) Steering linkages
		14) Bumpers secure / in good condition			5) I beam or control arm movements and rivets
		15) Exterior mirrors secure / in good condition			6) Radius arm condition and bushings condition
		16) Exterior clean			7) Stabilizer bar condition and bushings condition
		C) Interior inspection			8) Ball joints or kingpins
		1) Passenger door and steps condition			9) Front spring condition and mounting
		2) Handrails and stanchions condition			10) Front shock absorber operation & condition
		3) Interior and modesty panels condition			11) Trans oil cooler & lines routing and leaks
		4) Flooring condition			12) Engine oil cooler & lines routing and leaks
		5) Interior lighting operation and condition			13) Heater and A/C hose routing and leaks
		6) Windows operation and condition			14) No engine oil leaks and fluid condition
		7) Emergency Exits operation & condition			15) Engine mounts, brackets and bolts
		8) Accessory operation & condition (radio, GPS)			16) Transmission mounts, brackets and bolts
		9) Passenger seats operation & condition			17) No transmission oil leaks and fluid condition
		10) Passenger seat belts operation & condition			18) Drive shaft condition
		11) First aid & body fluid kits complete			19) Universal joints and carrier bearings condition
		12) Triangle reflectors complete/good condition			20) No rear differential leaks
		13) Stop request operation & condition			21) Rear differential condition and mounting
		14) Valid registration, insurance & accident pack			22) Frame and cross members
		15) Fire extinguisher in good condition & signed			23) Rear shock absorbers
		16) Interior decals and signage (incl. electrical)			24) Rear springs condition and mounting
		17) DVI's reviewed, addressed and signed off			25) No fuel leaks
		18) Interior clean			26) Fuel tank condition and mounting
		D) HVAC system inspection			27) No exhaust leaks
		1) Front blower condition and operation			28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Date: 04/16/22 Vehicle #: 9706

Mileage in: 127941

Mileage out: 127942

Circle Service Type: A B C D

Service Performed	Service Type	Initials
Change oil and filter	A,B,C,D	FT
Lube chassis and suspension	A,B,C,D	FT
Lube drive shafts and universal joints	A,B,C,D	FT
Lube doors and hood, locks and hinges	A,B,C,D	FT
Adjust service and parking brakes	A,B,C,D	FT
Drain water from separator	A,B,C,D	FT
Rotate tires (as necessary, caps on rear)	A,B,C,D	FT
Change air filter	B,C,D	FT
Change fuel filter	B,C,D	FT
Clean or change PCV valve	B,C,D	FT
Clean or change crank case filter	B,C,D	FT
Install new wiper blades	B,C,D	FT
Change transmission fluid and filter	C,D	FT
Service front wheel bearings	C,D	FT
Drain water from fuel tank	C,D	FT
Replace accessory drive belts	D	FT
Service and flush cooling system	D	FT
Install new spark plugs & wires	D	FT
Install new dist. cap & rotor	D	FT
Change differential fluid	D	FT
Check Exhaust and EGR system	D	FT
Check and service fuel & evap. System	D	FT
Evac and recharge A/C (add 1 oz. of oil)	D	FT
Post service test drive (5 miles)	A,B,C,D	FT

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: [Signature] Date: 04-16-2022

Supervisor Signature: _____ Date: _____

Notes:

Item Inspected	P	F
30) Front brake condition and mounting		FT
31) Front brake lining condition & measurement		FT
Pads R/F: 3 /32" L/F: 3 /32"		FT
32) Rear brake condition and mounting		FT
33) Rear brake lining condition & measurement		FT
Pads R/R: 10 /32" L/R: 10 /32"		FT
Shoes R/R: /32" L/R: /32"		FT
34) Tire and wheel condition and measurements		FT
R/F: 4 /32" L/F: 3 /32"		FT
R/R: 3 /32" L/R: 3 /32"		FT
R/R: 3 /32" L/R: 2 /32"		FT
35) Lug nuts condition		FT
Air pressure adjustment FR. 145 RR. 140 ft. lbs.		FT
(G) Lift inspection		FT
1) Lift operation (fully stowed to fully deployed)		FT
2) Lift control pendant condition and operation		FT
3) Lift restraint belt condition and operation		FT
4) Outer roll stop condition and operation		FT
5) Inner roll stop condition and operation		FT
6) Platform adjustments, condition and mounting		FT
7) Standee arm condition and operation		FT
8) Proper signage and decals		FT
9) Manual backup pump condition and operation		FT
10) Lift manual pump handle		FT
11) Hydraulic pump condition and operation		FT
12) Hydraulic lines and cylinders condition		FT
13) Hydraulic fluid level and condition		FT
14) Base plate and arms welds & pivot points		FT
15) Lift springs and pins condition and operation		FT
16) Lift safety switches and adjustments		FT
17) Hose and wire routing and connections		FT
18) Rollers and pivot point condition & operation		FT
19) Lift to vehicle mounting bolts and brackets		FT
20) Lift doors condition and operation		FT
21) Lift door lights condition and operation		FT
22) Lift interlock operation and condition		FT
(Lift door open, e-brake down not able to shift)		FT
(e-brake off lift door closed no lift power)		FT
23) W/C tie downs condition and operation		FT
24) Tie down container secure and clean		FT
25) Tie down floor mounting brackets secure		FT
26) W/C shoulder belt condition and operation		FT
27) Lift clean and no sharp edges		FT
28) Lift shields secure and in good shape		FT
29) Lift moves steady without drifting, jerking, or unusual speeds		FT
30) No unusual lift noises		FT
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		FT
Check, torque or adjust lift base mounting bolts		FT

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** **B** **C** **D**

Date: 10-26-22 Vehicle #: 9706

Mileage in: 156096 Mileage out: 156097

P	F	Item Inspected	P	F	Item Inspected
		A) Vehicle drive in Inspection (5 miles)			2) Rear blower condition and operation
		1) Driver carpet			3) Defroster operation
		2) Driver seat condition and operation			4) Temp gets to 20 deg. F below ambient temp.
		3) Drivers door operation and condition			5) Evaporator intake air filter condition
		4) Drivers seat belt operation and condition			6) Front heater condition and operation
		5) Engine starting and Ignition system			7) Rear heater condition and operation
		6) Instrument panel gauges & warning lights			8) A/C compressors and condenser fans
		7) Instrument panel lighting & condition			E) Under hood inspection
		8) Horn operation			1) Batteries & charging sys. (load alt B,C,D serv)
		9) Steering wheel tight, no excessive play			Batt 1 volts: load volts: load amps:
		10) Windshield wipers			Batt 2 volts: load volts: load amps:
		11) Windshield washer			Batt 3 volts: load volts: load amps:
		12) Sun visor condition and operation			(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		13) Parking brake operation & condition			Alt. 1 min volt: max volt: max amp:
		14) Parking and service brake pedal pads			Alt. 2 min volt: max volt: max amp:
		15) Passenger door operation			(reference factory service manual for alternator spec)
		16) No vibrations, pulsations or noises			2) Wire and hose routing and connections
		B) Walk around inspection			3) Cooling system, hoses, water pump condition
		1) Body damage (list on separate sheet)			5) Accessory drive belts condition
		2) Headlights, high & low beam operation			6) Pulleys and tensioned operation & condition
		3) Parking lights operation & condition			7) Brake master cylinder and power booster
		4) Marker lights operation & condition			8) Fan and fan clutch operation and condition
		5) Directional signals operation & condition			9) Engine oil fluid level and condition
		6) Hazard lights operation & condition			10) Transmission oil level and condition
		7) Clearance lights operation and condition			11) Power steering fluid level and condition
		8) Brake lights operation & condition			12) Brake fluid level and condition
		9) License plate lamp operation & condition			F) Vehicle rack inspection
		10) License plates and tags			1) Steering gear box mount, condition & leaks
		11) Backup lights and alarms			2) Steering shaft U joints
		12) Reflectors and reflective bumper tape			3) Steering shaft bearings
		13) Exterior decals and signage			4) Steering linkages
		14) Bumpers secure / in good condition			5) I beam or control arm movements and rivets
		15) Exterior mirrors secure / in good condition			6) Radius arm condition and bushings condition
		16) Exterior clean			7) Stabilizer bar condition and bushings condition
		C) Interior inspection			8) Ball joints or kingpins
		1) Passenger door and steps condition			9) Front spring condition and mounting
		2) Handrails and stanchions condition			10) Front shock absorber operation & condition
		3) Interior and modesty panels condition			11) Trans oil cooler & lines routing and leaks
		4) Flooring condition			12) Engine oil cooler & lines routing and leaks
		5) Interior lighting operation and condition			13) Heater and A/C hose routing and leaks
		6) Windows operation and condition			14) No engine oil leaks and fluid condition
		7) Emergency Exits operation & condition			15) Engine mounts, brackets and bolts
		8) Accessory operation & condition (radio, GPS)			16) Transmission mounts, brackets and bolts
		9) Passenger seats operation & condition			17) No transmission oil leaks and fluid condition
		10) Passenger seat belts operation & condition			18) Drive shaft condition
		11) First aid & body fluid kits complete			19) Universal joints and carrier bearings condition
		12) Triangle reflectors complete/good condition			20) No rear differential leaks
		13) Stop request operation & condition			21) Rear differential condition and mounting
		14) Valid registration, insurance & accident pack			22) Frame and cross members
		15) Fire extinguisher in good condition & signed			23) Rear shock absorbers
		16) Interior decals and signage (incl. electrical)			24) Rear springs condition and mounting
		17) DVI's reviewed, addressed and signed off			25) No fuel leaks
		18) Interior clean			26) Fuel tank condition and mounting
		D) HVAC system inspection			27) No exhaust leaks
		1) Front blower condition and operation			28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 156096

Mileage out: 156097

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	
Lube chassis and suspension	A,B,C,D	
Lube drive shafts and universal joints	A,B,C,D	
Lube doors and hood, locks and hinges	A,B,C,D	
Adjust service and parking brakes	A,B,C,D	
Drain water from separator	A,B,C,D	
Rotate tires (as necessary, caps on rear)	A,B,C,D	
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Item Inspected	Pass/Fail
30) Front brake condition and mounting	P
31) Front brake lining condition & measurement	P
Pads R/F: 8/32" L/F: 8/32"	
32) Rear brake condition and mounting	P
33) Rear brake lining condition & measurement	P
Pads R/R: 6/32" L/R: 6/32"	
Shoes R/R: /32" L/R: /32"	
34) Tire and wheel condition and measurements	P
R/F: 11/32" L/F: 8/32"	
R/R: 8/32" L/R: 2/32"	
R/R: 2/32" L/R: 2/32"	
R/R: 2/32" L/R: 11/32"	
35) Lug nuts condition	P
Air pressure adjustment FR. 70 RR. 70	
Wheel torque specs used: 140 ft. lbs.	
36) Lift inspection	P
1) Lift operation (fully stowed to fully deployed)	
2) Lift control pendant condition and operation	
3) Lift restraint belt condition and operation	
4) Outer roll stop condition and operation	
5) Inner roll stop condition and operation	
6) Platform adjustments, condition and mounting	
7) Standee arm condition and operation	
8) Proper signage and decals	
9) Manual backup pump condition and operation	
10) Lift manual pump handle	
11) Hydraulic pump condition and operation	
12) Hydraulic lines and cylinders condition	
13) Hydraulic fluid level and condition	
14) Base plate and arms welds & pivot points	
15) Lift springs and pins condition and operation	
16) Lift safety switches and adjustments	
17) Hose and wire routing and connections	
18) Rollers and pivot point condition & operation	
19) Lift to vehicle mounting bolts and brackets	
20) Lift doors condition and operation	
21) Lift door lights condition and operation	
22) Lift interlock operation and condition	
(Lift door open, e-brake down not able to shift)	
(e-brake off lift door closed no lift power)	
23) W/C the downs condition and operation	
24) Tie down container secure and clean	
25) Tie down floor mounting brackets secure	
26) W/C shoulder belt condition and operation	
27) Lift clean and no sharp edges	
28) Lift shields secure and in good shape	
29) Lift moves steady without drifting, jerking, or unusual speeds	
30) No unusual lift noises	
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	
Check, torque or adjust lift base mounting bolts	



Preventive Maintenance, Inspection and Service Checklist

Circle Service Type: A (B) C D

Date: 04/27/03 Vehicle #: 9706

Mileage in: 183820 Mileage out: 183832

P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and Ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
/		B) Walk around inspection
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
/		C) Interior inspection
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition (radio, GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
/		D) HVAC system inspection
F		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
/		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
/		F) Vehicle rack inspection
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
F		18) Drive shaft condition
F		19) Universal joints and carrier bearings condition
F		20) No rear differential leaks
F		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist
 Circle Service Type: A B C D
 Mileage in: 183830 Mileage out: 183832

Date: 04/07/93 Vehicle #: 9206

Service Performed	Service Type	Initials
Change oil and filter	A,B,C,D	F
Lube chassis and suspension	A,B,C,D	F
Lube drive shafts and universal joints	A,B,C,D	F
Lube doors and hood, locks and hinges	A,B,C,D	F
Adjust service and parking brakes	A,B,C,D	F
Drain water from separator	A,B,C,D	F
Rotate tires (as necessary, caps on rear)	A,B,C,D	F
Change air filter	B,C,D	F
Change fuel filter	B,C,D	F
Clean or change PCV valve	B,C,D	F
Clean or change crank case filter	B,C,D	F
Install new wiper blades	B,C,D	F
Change transmission fluid and filter	C,D	F
Service front wheel bearings	C,D	F
Drain water from fuel tank	C,D	F
Replace accessory drive belts	D	F
Service and flush cooling system	D	F
Install new spark plugs & wires	D	F
Install new dist. cap & rotor	D	F
Change differential fluid	D	F
Check Exhaust and EGR system	D	F
Check and service fuel & evap. System	D	F
Evac and recharge A/C (add 1 oz. of oil)	D	F
Post service test drive (5 miles)	A,B,C,D	F

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.


Technician's Signature: *[Signature]* Date: 04/27/93
 Supervisor Signature: _____ Date: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Item Inspected	P	F
30) Front brake lining condition and mounting	F	
31) Front brake lining condition & measurement	F	
Pads R/F: 4/32" L/F: 9/32"	F	
32) Rear brake condition and mounting	F	
33) Rear brake lining condition & measurement	F	
Pads R/R: 6/32" L/R: 2/32"	F	
Shoes R/R: 1/32" L/R: 1/32"	M/D	
34) Tire and wheel condition and measurements	F	
R/F: 3/32" L/F: 9/32"	F	
R/R: 8/32" L/R: 8/32"	F	
R/O: 2/32" L/R: 8/32"	F	
35) Lug nuts condition	F	
Air pressure adjustment FR. 35 RR. 40	F	
Wheel torque specs used: 140 ft. lbs.	F	
9) Lift inspection	F	
1) Lift operation (fully stowed to fully deployed)	F	
2) Lift control pendant condition and operation	F	
3) Lift restraint belt condition and operation	F	
4) Outer roll stop condition and operation	F	
5) Inner roll stop condition and operation	F	
6) Platform adjustments, condition and mounting	F	
7) Standee arm condition and operation	F	
8) Proper signage and decals	F	
9) Manual backup pump condition and operation	F	
10) Lift manual pump handle	F	
11) Hydraulic pump condition and operation	F	
12) Hydraulic lines and cylinders condition	F	
13) Hydraulic fluid level and condition	F	
14) Base plate and arms welds & pivot points	F	
15) Lift springs and pins condition and operation	F	
16) Lift safety switches and adjustments	F	
17) Hose and wire routing and connections	F	
18) Rollers and pivot point condition & operation	F	
19) Lift to vehicle mounting bolts and brackets	F	
20) Lift doors condition and operation	F	
21) Lift door lights condition and operation	F	
22) Lift interlock operation and condition	F	
(Lift door open, e-brake down not able to shift)		
23) W/C tie downs condition and operation	F	
24) Tie down container secure and clean	F	
25) Tie down floor mounting brackets secure	F	
26) W/C shoulder belt condition and operation	F	
27) Lift clean and no sharp edges	F	
28) Lift shields secure and in good shape	F	
29) Lift moves steady without drifting, jerking, or unusual speeds	F	
30) No unusual lift noises	F	
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	F	
Check, torque or adjust lift base mounting bolts	F	

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 9708 Repair Reason: ☐ Date and Time in: _____ Mileage in: 85031
 Date: 6/22/21 Work Class: Z Date and Time Finished: _____ Mileage out: 85032

Complaints/Defects:

Notes/Measurements:

PHIE

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
<i>☐</i>	<i>58</i>	<i>PHIE</i>		<i>☐</i>	<i>55</i>	<i>5W30</i>	<i>engine oil</i>	<i>7</i>	
				<i>☐</i>	<i>55</i>	<i>1F3681</i>	<i>oil filter</i>	<i>1</i>	
				<i>☐</i>	<i>55</i>		<i>air filter</i>	<i>1</i>	
				<i>☐</i>	<i>55</i>		<i>Wiper blades</i>	<i>2</i>	
				<i>☐</i>	<i>55</i>		<i>trans filter</i>	<i>1</i>	
				<i>☐</i>	<i>55</i>		<i>oil filter</i>	<i>10</i>	
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 845132 Technician: *Thomas Blum* Signature: _____

ASE Employee #: 604182 ASE Technician: _____ ASE Signature: _____



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 6/22/21 Vehicle #: 9706

Mileage in: 8031 Mileage out: 8032

P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)
/		1) Driver carpet
/		2) Driver seat condition and operation
/		3) Drivers door operation and condition
/		4) Drivers seat belt operation and condition
/		5) Engine starting and Ignition system
/		6) Instrument panel gauges & warning lights
/		7) Instrument panel lighting & condition
/		8) Horn operation
/		9) Steering wheel tight, no excessive play
/		10) Windshield wipers
/		11) Windshield washer
/		12) Sun visor condition and operation
/		13) Parking brake operation & condition
/		14) Parking and service brake pedal pads
/		15) Passenger door operation
/		16) No vibrations, pulsations or noises
/		B) Walk around inspection
/		1) Body damage (list on separate sheet)
/		2) Headlights, high & low beam operation
/		3) Parking lights operation & condition
/		4) Marker lights operation & condition
/		5) Directional signals operation & condition
/		6) Hazard lights operation & condition
/		7) Clearance lights operation and condition
/		8) Brake lights operation & condition
/		9) License plate lamp operation & condition
/		10) License plates and tags
/		11) Backup lights and alarms
/		12) Reflectors and reflective bumper tape
/		13) Exterior decals and signage
/		14) Bumpers secure / in good condition
/		15) Exterior mirrors secure / in good condition
/		16) Exterior clean
/		C) Interior inspection
/		1) Passenger door and steps condition
/		2) Handrails and stanchions condition
/		3) Interior and modesty panels condition
/		4) Flooring condition
/		5) Interior lighting operation and condition
/		6) Windows operation and condition
/		7) Emergency Exits operation & condition
/		8) Accessory operation & condition (radio, GPS)
/		9) Passenger seats operation & condition
/		10) Passenger seat belts operation & condition
/		11) First aid & body fluid kits complete
/		12) Triangle reflectors complete/good condition
/		13) Stop request operation & condition
/		14) Valid registration, insurance & accident pack
/		15) Fire extinguisher in good condition & signed
/		16) Interior decals and signage (incl. electrical)
/		17) DVI's reviewed, addressed and signed off
/		18) Interior clean
/		D) HVAC system inspection
/		1) Front blower condition and operation

P	F	Item Inspected
/		2) Rear blower condition and operation
/		3) Defroster operation
/		4) Temp gets to 20 deg. F below ambient temp.
/		5) Evaporator intake air filter condition
/		6) Front heater condition and operation
/		7) Rear heater condition and operation
/		8) A/C compressors and condenser fans
/		E) Under hood inspection
/		1) Batteries & charging sys. (load alt B,C,D serv)
/		Batt 1 volts: load volts: load amps:
/		Batt 2 volts: load volts: load amps:
/		Batt 3 volts: load volts: load amps:
/		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
/		Alt. 1 min volt: max volt: max amp:
/		Alt. 2 min volt: max volt: max amp:
/		(reference factory service manual for alternator spec)
/		2) Wire and hose routing and connections
/		3) Cooling system, hoses, water pump condition
/		5) Accessory drive belts condition
/		6) Pulleys and tensioned operation & condition
/		7) Brake master cylinder and power booster
/		8) Fan and fan clutch operation and condition
/		9) Engine oil fluid level and condition
/		10) Transmission oil level and condition
/		11) Power steering fluid level and condition
/		12) Brake fluid level and condition
/		F) Vehicle rack inspection
/		1) Steering gear box mount, condition & leaks
/		2) Steering shaft U joints
/		3) Steering shaft bearings
/		4) Steering linkages
/		5) I beam or control arm movements and rivets
/		6) Radius arm condition and bushings condition
/		7) Stabilizer bar condition and bushings condition
/		8) Ball joints or kingpins
/		9) Front spring condition and mounting
/		10) Front shock absorber operation & condition
/		11) Trans oil cooler & lines routing and leaks
/		12) Engine oil cooler & lines routing and leaks
/		13) Heater and A/C hose routing and leaks
/		14) No engine oil leaks and fluid condition
/		15) Engine mounts, brackets and bolts
/		16) Transmission mounts, brackets and bolts
/		17) No transmission oil leaks and fluid condition
/		18) Drive shaft condition
/		19) Universal joints and carrier bearings condition
/		20) No rear differential leaks
/		21) Rear differential condition and mounting
/		22) Frame and cross members
/		23) Rear shock absorbers
/		24) Rear springs condition and mounting
/		25) No fuel leaks
/		26) Fuel tank condition and mounting
/		27) No exhaust leaks
/		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B (C) D

Date: 02-23-22 Vehicle #: 9706

Mileage in: 142176 Mileage out: 142177

P	F	Item Inspected	P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)			2) Rear blower condition and operation
P		1) Driver carpet	P		3) Defroster operation
P		2) Driver seat condition and operation	P		4) Temp gets to 20 deg. F below ambient temp.
P		3) Drivers door operation and condition	P		5) Evaporator intake air filter condition
P		4) Drivers seat belt operation and condition	P		6) Front heater condition and operation
P		5) Engine starting and Ignition system	P		7) Rear heater condition and operation
P		6) Instrument panel gauges & warning lights	P		8) A/C compressors and condenser fans
P		7) Instrument panel lighting & condition			E) Under hood inspection
P		8) Horn operation			1) Batteries & charging sys. (load alt B,C,D serv)
P		9) Steering wheel tight, no excessive play			Batt 1 volts: load volts: load amps:
P		10) Windshield wipers			Batt 2 volts: load volts: load amps:
P		11) Windshield washer			Batt 3 volts: load volts: load amps:
P		12) Sun visor condition and operation			(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
P		13) Parking brake operation & condition			Alt. 1 min volt: max volt: max amp:
P		14) Parking and service brake pedal pads			Alt. 2 min volt: max volt: max amp:
P		15) Passenger door operation			(reference factory service manual for alternator spec)
P		16) No vibrations, pulsations or noises			2) Wire and hose routing and connections
		B) Walk around inspection			3) Cooling system, hoses, water pump condition
P		1) Body damage (list on separate sheet)			5) Accessory drive belts condition
P		2) Headlights, high & low beam operation			6) Pulleys and tensioned operation & condition
P		3) Parking lights operation & condition			7) Brake master cylinder and power booster
P		4) Marker lights operation & condition			8) Fan and fan clutch operation and condition
P		5) Directional signals operation & condition			9) Engine oil fluid level and condition
P		6) Hazard lights operation & condition			10) Transmission oil level and condition
P		7) Clearance lights operation and condition			11) Power steering fluid level and condition
P		8) Brake lights operation & condition			12) Brake fluid level and condition
P		9) License plate lamp operation & condition			F) Vehicle rack inspection
P		10) License plates and tags			1) Steering gear box mount, condition & leaks
P		11) Backup lights and alarms			2) Steering shaft U joints
P		12) Reflectors and reflective bumper tape			3) Steering shaft bearings
P		13) Exterior decals and signage			4) Steering linkages
P		14) Bumpers secure / in good condition			5) I beam or control arm movements and rivets
P		15) Exterior mirrors secure / in good condition			6) Radius arm condition and bushings condition
P		16) Exterior clean			7) Stabilizer bar condition and bushings condition
		C) Interior inspection			8) Ball joints or kingpins
P		1) Passenger door and steps condition			9) Front spring condition and mounting
P		2) Handrails and stanchions condition			10) Front shock absorber operation & condition
P		3) Interior and modesty panels condition			11) Trans oil cooler & lines routing and leaks
P		4) Flooring condition			12) Engine oil cooler & lines routing and leaks
P		5) Interior lighting operation and condition			13) Heater and A/C hose routing and leaks
P		6) Windows operation and condition			14) No engine oil leaks and fluid condition
P		7) Emergency Exits operation & condition			15) Engine mounts, brackets and bolts
P		8) Accessory operation & condition (radio, GPS)			16) Transmission mounts, brackets and bolts
P		9) Passenger seats operation & condition			17) No transmission oil leaks and fluid condition
P		10) Passenger seat belts operation & condition			18) Drive shaft condition
P		11) First aid & body fluid kits complete			19) Universal joints and carrier bearings condition
P		12) Triangle reflectors complete/good condition			20) No rear differential leaks
P		13) Stop request operation & condition			21) Rear differential condition and mounting
P		14) Valid registration, insurance & accident pack			22) Frame and cross members
P		15) Fire extinguisher in good condition & signed			23) Rear shock absorbers
P		16) Interior decals and signage (incl. electrical)			24) Rear springs condition and mounting
P		17) DVI's reviewed, addressed and signed off			25) No fuel leaks
P		18) Interior clean			26) Fuel tank condition and mounting
		D) HVAC system inspection			27) No exhaust leaks
		1) Front blower condition and operation			28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage out: 142177

Technicians Initials

Service Performed	Service Type	Initials
Change oil and filter	A,B,C,D	PK
Lube chassis and suspension	A,B,C,D	PK
Lube drive shafts and universal joints	A,B,C,D	PK
Lube doors and hood, locks and hinges	A,B,C,D	PK
Adjust service and parking brakes	A,B,C,D	PK
Drain water from separator	A,B,C,D	PK
Rotate tires (as necessary, caps on rear)	A,B,C,D	PK
Change air filter	B,C,D	PK
Change fuel filter	B,C,D	PK
Clean or change PCV valve	B,C,D	PK
Clean or change crank case filter	B,C,D	PK
Install new wiper blades	B,C,D	PK
Change transmission fluid and filter	C,D	PK
Service front wheel bearings	C,D	PK
Drain water from fuel tank	C,D	PK
Replace accessory drive belts	D	PK
Service and flush cooling system	D	PK
Install new spark plugs & wires	D	PK
Install new dist. cap & rotor	D	PK
Change differential fluid	D	PK
Check Exhaust and EGR system	D	PK
Check and service fuel & evap. System	D	PK
Evac and recharge A/C (add 1 oz. of oil)	A,B,C,D	PK
Post service test drive (5 miles)	A,B,C,D	PK

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: [Signature] Date: 07-23-22

Supervisor Signature: _____ Date: _____

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 5/32" L/F: 6/32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 7/32" L/R: 7/32"		
Shoes R/R: 7/32" L/R: 7/32"		
34) Tire and wheel condition and measurements		
R/F: 2/32" L/F: 2/32"		
R/R: 5/32" L/R: 6/32"		
R/O: 5/32" L/R/O: 6/32"		
35) Lug nuts condition		
Air pressure adjustment FR: 65 RR: 70 - 140 ft. lbs.		
Wheel torque specs used:		
30) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B (C) D

Date: 07-26-03 Vehicle #: 9908

Mileage in: 197034 Mileage out: 197035

P	F	Item Inspected	P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)			2) Rear blower condition and operation
		1) Driver carpet			3) Defroster operation
		2) Driver seat condition and operation			4) Temp gets to 20 deg. F below ambient temp.
		3) Drivers door operation and condition			5) Evaporator intake air filter condition
		4) Drivers seat belt operation and condition			6) Front heater condition and operation
		5) Engine starting and ignition system			7) Rear heater condition and operation
		6) Instrument panel gauges & warning lights			8) A/C compressors and condenser fans
		7) Instrument panel lighting & condition			E) Under hood inspection
		8) Horn operation			1) Batteries & charging sys. (load alt B,C,D serv)
		9) Steering wheel tight, no excessive play			Batt 1 volts: load volts: load amps:
		10) Windshield wipers			Batt 2 volts: load volts: load amps:
		11) Windshield washer			Batt 3 volts: load volts: load amps:
		12) Sun visor condition and operation			(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		13) Parking brake operation & condition			Alt. 1 min volt: max volt: max amp:
		14) Parking and service brake pedal pads			Alt. 2 min volt: max volt: max amp:
		15) Passenger door operation			(reference factory service manual for alternator spec)
		16) No vibrations, pulsations or noises			2) Wire and hose routing and connections
		B) Walk around inspection			3) Cooling system, hoses, water pump condition
		1) Body damage (list on separate sheet)			5) Accessory drive belts condition
		2) Headlights, high & low beam operation			6) Pulleys and tensioned operation & condition
		3) Parking lights operation & condition			7) Brake master cylinder and power booster
		4) Marker lights operation & condition			8) Fan and fan clutch operation and condition
		5) Directional signals operation & condition			9) Engine oil fluid level and condition
		6) Hazard lights operation & condition			10) Transmission oil level and condition
		7) Clearance lights operation and condition			11) Power steering fluid level and condition
		8) Brake lights operation & condition			12) Brake fluid level and condition
		9) License plate lamp operation & condition			F) Vehicle rack inspection
		10) License plates and tags			1) Steering gear box mount, condition & leaks
		11) Backup lights and alarms			2) Steering shaft U joints
		12) Reflectors and reflective bumper tape			3) Steering shaft bearings
		13) Exterior decals and signage			4) Steering linkages
		14) Bumpers secure / in good condition			5) I beam or control arm movements and rivets
		15) Exterior mirrors secure / in good condition			6) Radius arm condition and bushings condition
		16) Exterior clean			7) Stabilizer bar condition and bushings condition
		C) Interior inspection			8) Ball joints or kingpins
		1) Passenger door and steps condition			9) Front spring condition and mounting
		2) Handrails and stanchions condition			10) Front shock absorber operation & condition
		3) Interior and modesty panels condition			11) Trans oil cooler & lines routing and leaks
		4) Flooring condition			12) Engine oil cooler & lines routing and leaks
		5) Interior lighting operation and condition			13) Heater and A/C hose routing and leaks
		6) Windows operation and condition			14) No engine oil leaks and fluid condition
		7) Emergency Exits operation & condition			15) Engine mounts, brackets and bolts
		8) Accessory operation & condition (radio, GPS)			16) Transmission mounts, brackets and bolts
		9) Passenger seats operation & condition			17) No transmission oil leaks and fluid condition
		10) Passenger seat belts operation & condition			18) Drive shaft condition
		11) First aid & body fluid kits complete			19) Universal joints and carrier bearings condition
		12) Triangle reflectors complete/good condition			20) No rear differential leaks
		13) Stop request operation & condition			21) Rear differential condition and mounting
		14) Valid registration, insurance & accident pack			22) Frame and cross members
		15) Fire extinguisher in good condition & signed			23) Rear shock absorbers
		16) Interior decals and signage (incl. electrical)			24) Rear springs condition and mounting
		17) DVI's reviewed, addressed and signed off			25) No fuel leaks
		18) Interior clean			26) Fuel tank condition and mounting
		D) HVAC system inspection			27) No exhaust leaks
		1) Front blower condition and operation			28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Date: 07-26-23 Vehicle #: 9706

Circle Service Type: A B C D
 Mileage in: 197034 Mileage out: 197035

Item Inspected	Service Type	Service Performed	Techs Initials
30) Front brake lining condition and mounting	A,B,C,D	Change oil and filter	JK
31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	JK
32) Rear brake lining condition and mounting	A,B,C,D	Lube drive shafts and universal joints	JK
33) Rear brake lining condition & measurement	A,B,C,D	Lube doors and hood, locks and hinges	JK
Pads R/R: 5 L/R: 3 /32"	A,B,C,D	Adjust service and parking brakes	JK
Shoes R/R: /32" L/R: /32"	A,B,C,D	Drain water from separator	JK
34) Tire and wheel condition and measurements	A,B,C,D	Rotate tires (as necessary, caps on rear)	JK
R/F: 6 /32" L/F: 5 /32"	B,C,D	Change air filter	JK
R/R: 6 /32" L/R: 5 /32"	B,C,D	Change fuel filter	JK
R/R: 6 /32" L/R: 5 /32"	B,C,D	Clean or change PCV valve	JK
R/R: 6 /32" L/R: 5 /32"	B,C,D	Clean or change crank case filter	JK
35) Lug nuts condition	B,C,D	Install new wiper blades	JK
Air pressure adjustment FR: 05 RR: 120 ft. lbs.	C,D	Change transmission fluid and filter	JK
G) Lift inspection	C,D	Service front wheel bearings	JK
1) Lift operation (fully stowed to fully deployed)	C,D	Drain water from fuel tank	JK
2) Lift control pendant condition and operation	D	Replace accessory drive belts	JK
3) Lift restraint belt condition and operation	D	Service and flush cooling system	JK
4) Outer roll stop condition and operation	D	Install new spark plugs & wires	JK
5) Inner roll stop condition and operation	D	Install new dist. cap & rotor	JK
6) Platform adjustments, condition and mounting	D	Change differential fluid	JK
7) Standee arm condition and operation	D	Check Exhaust and EGR system	JK
8) Proper signage and decals	D	Check and service fuel & evap. System	JK
9) Manual backup pump condition and operation	A,B,C,D	Evac and recharge A/C (add 1 oz. of oil)	JK
10) Lift manual pump handle	A,B,C,D	Post service test drive (5 miles)	JK
11) Hydraulic pump condition and operation			
12) Hydraulic lines and cylinders condition			
13) Hydraulic fluid level and condition			
14) Base plate and arms welds & pivot points			
15) Lift springs and pins condition and operation			
16) Lift safety switches and adjustments			
17) Hose and wire routing and connections			
18) Rollers and pivot point condition & operation			
19) Lift to vehicle mounting bolts and brackets			
20) Lift doors condition and operation			
21) Lift door lights condition and operation			
22) Lift interlock operation and condition			
(Lift door open, e-brake down not able to shift)			
(e-brake off lift door closed no lift power)			
23) W/C tie downs condition and operation			
24) Tie down container secure and clean			
25) Tie down floor mounting brackets secure			
26) W/C shoulder belt condition and operation			
27) Lift clean and no sharp edges			
28) Lift shields secure and in good shape			
29) Lift moves steady without drifting, jerking, or unusual speeds			
30) No unusual lift noises			
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube			
Check, torque or adjust lift base mounting bolts			

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Notes:

Supervisor Signature: [Signature]

Technician Signature: [Signature]

Date: 7/28/23

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	Service Type	Techs Initials
Change oil and filter	A,B,C,D	JK
Lube chassis and suspension	A,B,C,D	JK
Lube drive shafts and universal joints	A,B,C,D	JK
Lube doors and hood, locks and hinges	A,B,C,D	JK
Adjust service and parking brakes	A,B,C,D	JK
Drain water from separator	A,B,C,D	JK
Rotate tires (as necessary, caps on rear)	A,B,C,D	JK
Change air filter	B,C,D	JK
Change fuel filter	B,C,D	JK
Clean or change PCV valve	B,C,D	JK
Clean or change crank case filter	B,C,D	JK
Install new wiper blades	B,C,D	JK
Change transmission fluid and filter	C,D	JK
Service front wheel bearings	C,D	JK
Drain water from fuel tank	C,D	JK
Replace accessory drive belts	D	JK
Service and flush cooling system	D	JK
Install new spark plugs & wires	D	JK
Install new dist. cap & rotor	D	JK
Change differential fluid	D	JK
Check Exhaust and EGR system	D	JK
Check and service fuel & evap. System	D	JK
Evac and recharge A/C (add 1 oz. of oil)	A,B,C,D	JK
Post service test drive (5 miles)	A,B,C,D	JK

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage out: 28594

Mileage in: 28690

9706

Date: 05-16-00 Vehicle #: 9706



P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: A B C D

Mileage in: 28690 Mileage out: 28690

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	
Lube chassis and suspension	A,B,C,D	
Lube drive shafts and universal joints	A,B,C,D	
Lube doors and hood, locks and hinges	A,B,C,D	
Adjust service and parking brakes	A,B,C,D	
Drain water from separator	A,B,C,D	
Rotate tires (as necessary, caps on rear)	A,B,C,D	
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: *[Signature]* Date: 05/15/20

Supervisor Signature: _____ Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Item Inspected	Pass/Fail
30) Front brake condition and mounting	P
31) Front brake lining condition & measurement	P
Pads R/F: 5 /32" L/F: 5 /32"	
32) Rear brake condition and mounting	P
33) Rear brake lining condition & measurement	P
Pads R/R: 5 /32" L/R: 5 /32"	
Shoes R/R: /32" L/R: /32"	
34) Tire and wheel condition and measurements	P
R/F: 6 /32" L/F: 6 /32"	
R/R: 12 /32" L/R: 7 /32"	
R/R: 16 /32" L/R: 12 /32"	
35) Lug nuts condition	P
Air pressure adjustment FR. 65 RR. 75	P
Wheel torque specs used: 110 ft. lbs.	
G) Lift inspection	P
1) Lift operation (fully stowed to fully deployed)	P
2) Lift control pendant condition and operation	P
3) Lift restraint belt condition and operation	P
4) Outer roll stop condition and operation	P
5) Inner roll stop condition and operation	P
6) Platform adjustments, condition and mounting	P
7) Standee arm condition and operation	P
8) Proper signage and decals	P
9) Manual backup pump condition and operation	P
10) Lift manual pump handle	P
11) Hydraulic pump condition and operation	P
12) Hydraulic lines and cylinders condition	P
13) Hydraulic fluid level and condition	P
14) Base plate and arms welds & pivot points	P
15) Lift springs and pins condition and operation	P
16) Lift safety switches and adjustments	P
17) Hose and wire routing and connections	P
18) Rollers and pivot point condition & operation	P
19) Lift to vehicle mounting bolts and brackets	P
20) Lift doors condition and operation	P
21) Lift door lights condition and operation	P
22) Lift interlock operation and condition	P
(Lift door open, e-brake down not able to shift)	
23) W/C tie downs condition and operation	P
24) Tie down container secure and clean	P
25) Tie down floor mounting brackets secure	P
26) W/C shoulder belt condition and operation	P
27) Lift clean and no sharp edges	P
28) Lift shields secure and in good shape	P
29) Lift moves steady without drifting, jerking, or unusual speeds	P
30) No unusual lift noises	P
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	P
Check, torque or adjust lift base mounting bolts	P

MV Transportation
 5910 N Central Expy Way Suite 1145
 Dallas, TX 75206



Work Order Division (0094)
 3301 Electronics Way
 West Palm Beach, FL 33407

Basic Information

Vehicle #: 9706 Repair Reason: D Date and Time in: _____ Mileage in: 56732
 Date: 11/30/20 Work Class: I Date and Time Finished: _____ Mileage out: 56739

Complaints/Defects:

PMI D

Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours
D	58	PMI D	
D	04	BRAKE INSPECTION	
Total Hours Worked:			

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
D	55	NV1700	ENGINE OIL	7	
D	55	LF 3681	OIL FILTER	1	
D	55	AF 25590	AIR FILTER	1	
D	55	WW 2001 PF	WATER BLADE	2	
D	55	FT 187	TRANS FILTER	1	
D	55	XT10DLY	TRANS FLUID	10	
D	55	NV 822	DIFF FLUID	4	
D	55	SP 521	SPARK PLUG	10	
D	55	2001831	TIRE	2	
D	55	F752 Q7300A	DRAIN PLUG OIL	1	
Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 88894 Technician: FOODSMA Signature: FRVNA

ASE Employee #: 604182 ASE Technician: _____ ASE Signature: _____

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: A B C

Date: 11/30/20 Vehicle #: 9706 Mileage in: 56737 Mileage out: 56738

Item Inspected	P	F
A) Vehicle drive in inspection (5 miles)		
1) Driver carpet	F	
2) Driver seat condition and operation	F	
3) Drivers door operation and condition	F	
4) Drivers seat belt operation and condition	F	
5) Engine starting and ignition system	F	
6) Instrument panel gauges & warning lights	F	
7) Instrument panel lighting & condition	F	
8) Horn operation	F	
9) Steering wheel tight, no excessive play	F	
10) Windshield wipers	F	
11) Windshield washer	F	
12) Sun visor condition and operation	F	
13) Parking brake operation & condition	F	
14) Parking and service brake pedal pads	F	
15) Passenger door operation	F	
16) No vibrations, pulsations or noises	F	
B) Walk around inspection		
1) Body damage (list on separate sheet)	F	
2) Headlights, high & low beam operation	F	
3) Parking lights operation & condition	F	
4) Marker lights operation & condition	F	
5) Directional signals operation & condition	F	
6) Hazard lights operation & condition	F	
7) Clearance lights operation and condition	F	
8) Brake lights operation & condition	F	
9) License plate lamp operation & condition	F	
10) License plates and tags	F	
11) Backup lights and alarms	F	
12) Reflectors and reflective bumper tape	F	
13) Exterior decals and signage	F	
14) Bumpers secure / in good condition	F	
15) Exterior mirrors secure / in good condition	F	
16) Exterior clean	F	
C) Interior inspection		
1) Passenger door and steps condition	F	
2) Handrails and stanchions condition	F	
3) Interior and modesty panels condition	F	
4) Flooring condition	F	
5) Interior lighting operation and condition	F	
6) Windows operation and condition	F	
7) Emergency Exits operation & condition	F	
8) Accessory operation & condition (radio, GPS)	F	
9) Passenger seats operation & condition	F	
10) Passenger seat belts operation & condition	F	
11) First aid & body fluid kits complete	F	
12) Triangle reflectors complete/good condition	F	
13) Stop request operation & condition	F	
14) Valid registration, insurance & accident pack	F	
15) Fire extinguisher in good condition & signed	F	
16) Interior decals and signage (incl. electrical)	F	
17) DVI's reviewed, addressed and signed off	F	
18) Interior clean	F	
D) HVAC system inspection		
1) Front blower condition and operation	F	

Item Inspected	P	F
2) Rear blower condition and operation	F	
3) Defroster operation	F	
4) Temp gets to 20 deg. F below ambient temp.	F	
5) Evaporator intake air filter condition	F	
6) Front heater condition and operation	F	
7) Rear heater condition and operation	F	
8) A/C compressors and condenser fans	F	
E) Under hood inspection		
1) Batteries & charging sys. (load alt B, C, D serv)	F	
Batt 1 volts: load amps:	F	
Batt 2 volts: load amps:	F	
Batt 3 volts: load amps:	F	
(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)		
Alt. 1 min volt: max amp:	F	
Alt. 2 min volt: max amp:	F	
(reference factory service manual for alternator spec)		
2) Wire and hose routing and connections	F	
3) Cooling system, hoses, water pump condition	F	
5) Accessory drive belts condition	F	
6) Pulleys and tensioned operation & condition	F	
7) Brake master cylinder and power booster	F	
8) Fan and fan clutch operation and condition	F	
9) Engine oil fluid level and condition	F	
10) Transmission oil level and condition	F	
11) Power steering fluid level and condition	F	
12) Brake fluid level and condition	F	
F) Vehicle rack inspection		
1) Steering gear box mount, condition & leaks	F	
2) Steering shaft U joints	F	
3) Steering shaft bearings	F	
4) Steering linkages	F	
5) I beam or control arm movements and rivets	F	
6) Radius arm condition and bushings condition	F	
7) Stabilizer bar condition and bushings condition	F	
8) Ball joints or kingpins	F	
9) Front spring condition and mounting	F	
10) Front shock absorber operation & condition	F	
11) Trans oil cooler & lines routing and leaks	F	
12) Engine oil cooler & lines routing and leaks	F	
13) Heater and A/C hose routing and leaks	F	
14) No engine oil leaks and fluid condition	F	
15) Engine mounts, brackets and bolts	F	
16) Transmission mounts, brackets and bolts	F	
17) No transmission oil leaks and fluid condition	F	
18) Drive shaft condition.	F	
19) Universal joints and carrier bearings condition	F	
20) No rear differential leaks	F	
21) Rear differential condition and mounting	F	
22) Frame and cross members	F	
23) Rear shock absorbers	F	
24) Rear springs condition and mounting	F	
25) No fuel leaks	F	
26) Fuel tank condition and mounting	F	
27) No exhaust leaks	F	
28) Exhaust system condition and mounting	F	

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: A B C **D**

Date: 11/30/20 Vehicle #: 9706 Mileage in: 56737 Mileage out: 56739

Item Inspected	Service Performed	Techns Initials
30) Front brake condition and mounting	A,B,C,D	F
31) Front brake lining condition & measurement	A,B,C,D	F
Pads R/F: 9/32" L/F: 9/32"	A,B,C,D	N/A
32) Rear brake condition and mounting	A,B,C,D	F
33) Rear brake lining condition & measurement	A,B,C,D	F
Pads R/R: 9/32" L/R: 9/32"	A,B,C,D	N/A
Shoes R/R: 1/32" L/R: 1/32"	A,B,C,D	N/A
34) Tire and wheel condition and measurements	B,C,D	F
R/F: 3/32" L/F: 5/32"	B,C,D	F
R/R: 6/32" L/R: 6/32"	B,C,D	F
R/O: 6/32" L/R: 3/32"	B,C,D	F
35) Lug nuts condition	B,C,D	F
Air pressure adjustment FR. 65 RR. 75	B,C,D	F
Wheel torque specs used: 140 ft. lbs.	B,C,D	F
(G) Lift inspection		
1) Lift operation (fully stowed to fully deployed)	D	F
2) Lift control pendant condition and operation	D	F
3) Lift restraint belt condition and operation	D	F
4) Outer roll stop condition and operation	D	F
5) Inner roll stop condition and operation	D	F
6) Platform adjustments, condition and mounting	D	F
7) Standee arm condition and operation	D	F
8) Proper signage and decals	D	F
9) Manual backup pump condition and operation	D	F
10) Lift manual pump handle	D	F
11) Hydraulic pump condition and operation	D	F
12) Hydraulic lines and cylinders condition	D	F
13) Hydraulic fluid level and condition	D	F
14) Base plate and arms welds & pivot points	D	F
15) Lift springs and pins condition and operation	D	F
16) Lift safety switches and adjustments	D	F
17) Hose and wire routing and connections	D	F
18) Rollers and pivot point condition & operation	D	F
19) Lift to vehicle mounting bolts and brackets	D	F
20) Lift doors condition and operation	D	F
21) Lift door lights condition and operation	D	F
22) Lift interlock operation and condition	D	F
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation	D	F
24) Tie down container secure and clean	D	F
25) Tie down floor mounting brackets secure	D	F
26) W/C shoulder belt condition and operation	D	F
27) Lift clean and no sharp edges	D	F
28) Lift shields secure and in good shape	D	F
29) Lift moves steady without drifting, jerking, or unusual speeds	D	F
30) No unusual lift noises	D	F
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	D	F
Check, torque or adjust lift base mounting bolts	D	F

Service Performed	Techns Initials
Change oil and filter	F
Lube chassis and suspension	F
Lube drive shafts and universal joints	N/A
Lube doors and hood, locks and hinges	F
Adjust service and parking brakes	F
Drain water from separator	N/A
Rotate tires (as necessary, caps on rear)	F
Change air filter	F
B,C,D	F
Change fuel filter	N/A
B,C,D	N/A
Clean or change PCV valve	N/A
B,C,D	N/A
Clean or change crank case filter	N/A
B,C,D	N/A
Install new wiper blades	F
Change transmission fluid and filter	F
C,D	F
Service front wheel bearings	F
C,D	F
Drain water from fuel tank	N/A
D	F
Replace accessory drive belts	F
D	F
Service and flush cooling system	N/A
D	F
Install new spark plugs & wires	F
D	N/A
Install new dist. cap & rotor	F
D	N/A
Change differential fluid	F
D	F
Check Exhaust and EGR system	N/A
D	N/A
Check and service fuel & evap. System	N/A
D	N/A
Evac and recharge A/C (add 1 oz. of oil)	D
A,B,C,D	F
Post service test drive (5 miles)	F

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician Signature: *[Signature]* Date: 11/30/20

Supervisor Signature: _____ Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C **D**

Date: 01/21/08 Vehicle #: 9706

Mileage in: 113584 Mileage out: 113585

P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)
/		1) Driver carpet
/		2) Driver seat condition and operation
/		3) Drivers door operation and condition
/		4) Drivers seat belt operation and condition
/		5) Engine starting and Ignition system
/		6) Instrument panel gauges & warning lights
/		7) Instrument panel lighting & condition
/		8) Horn operation
/		9) Steering wheel tight, no excessive play
/		10) Windshield wipers
/		11) Windshield washer
/		12) Sun visor condition and operation
/		13) Parking brake operation & condition
/		14) Parking and service brake pedal pads
/		15) Passenger door operation
/		16) No vibrations, pulsations or noises
/		B) Walk around inspection
/		1) Body damage (list on separate sheet)
/		2) Headlights, high & low beam operation
/		3) Parking lights operation & condition
/		4) Marker lights operation & condition
/		5) Directional signals operation & condition
/		6) Hazard lights operation & condition
/		7) Clearance lights operation and condition
/		8) Brake lights operation & condition
/		9) License plate lamp operation & condition
/		10) License plates and tags
/		11) Backup lights and alarms
/		12) Reflectors and reflective bumper tape
/		13) Exterior decals and signage
/		14) Bumpers secure / in good condition
/		15) Exterior mirrors secure / in good condition
/		16) Exterior clean
/		C) Interior inspection
/		1) Passenger door and steps condition
/		2) Handrails and stanchions condition
/		3) Interior and modesty panels condition
/		4) Flooring condition
/		5) Interior lighting operation and condition
/		6) Windows operation and condition
/		7) Emergency Exits operation & condition
/		8) Accessory operation & condition (radio, GPS)
/		9) Passenger seats operation & condition
/		10) Passenger seat belts operation & condition
/		11) First aid & body fluid kits complete
/		12) Triangle reflectors complete/good condition
/		13) Stop request operation & condition
/		14) Valid registration, insurance & accident pack
/		15) Fire extinguisher in good condition & signed
/		16) Interior decals and signage (incl. electrical)
/		17) DVI's reviewed, addressed and signed off
/		18) Interior clean
/		D) HVAC system inspection
/		1) Front blower condition and operation

P	F	Item Inspected
/		2) Rear blower condition and operation
/		3) Defroster operation
/		4) Temp gets to 20 deg. F below ambient temp.
/		5) Evaporator intake air filter condition
/		6) Front heater condition and operation
/		7) Rear heater condition and operation
/		8) A/C compressors and condenser fans
/		E) Under hood inspection
/		1) Batteries & charging sys. (load alt B,C,D serv)
/		Batt 1 volts: load volts: load amps:
/		Batt 2 volts: load volts: load amps:
/		Batt 3 volts: load volts: load amps:
/		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
/		Alt. 1 min volt: max volt: max amp:
/		Alt. 2 min volt: max volt: max amp:
/		(reference factory service manual for alternator spec)
/		2) Wire and hose routing and connections
/		3) Cooling system, hoses, water pump condition
/		5) Accessory drive belts condition
/		6) Pulleys and tensioned operation & condition
/		7) Brake master cylinder and power booster
/		8) Fan and fan clutch operation and condition
/		9) Engine oil fluid level and condition
/		10) Transmission oil level and condition
/		11) Power steering fluid level and condition
/		12) Brake fluid level and condition
/		F) Vehicle rack inspection
/		1) Steering gear box mount, condition & leaks
/		2) Steering shaft U joints
/		3) Steering shaft bearings
/		4) Steering linkages
/		5) I beam or control arm movements and rivets
/		6) Radius arm condition and bushings condition
/		7) Stabilizer bar condition and bushings condition
/		8) Ball joints or kingpins
/		9) Front spring condition and mounting
/		10) Front shock absorber operation & condition
/		11) Trans oil cooler & lines routing and leaks
/		12) Engine oil cooler & lines routing and leaks
/		13) Heater and A/C hose routing and leaks
/		14) No engine oil leaks and fluid condition
/		15) Engine mounts, brackets and bolts
/		16) Transmission mounts, brackets and bolts
/		17) No transmission oil leaks and fluid condition
/		18) Drive shaft condition
/		19) Universal joints and carrier bearings condition
/		20) No rear differential leaks
/		21) Rear differential condition and mounting
/		22) Frame and cross members
/		23) Rear shock absorbers
/		24) Rear springs condition and mounting
/		25) No fuel leaks
/		26) Fuel tank condition and mounting
/		27) No exhaust leaks
/		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C **D**

Date: 1-25-23 Vehicle #: 9706

Mileage in: 170400 Mileage out: 170405

P	F	Item Inspected
<input checked="" type="checkbox"/>		A) Vehicle drive in inspection (5 miles)
<input checked="" type="checkbox"/>		1) Driver carpet
<input checked="" type="checkbox"/>		2) Driver seat condition and operation
<input checked="" type="checkbox"/>		3) Drivers door operation and condition
<input checked="" type="checkbox"/>		4) Drivers seat belt operation and condition
<input checked="" type="checkbox"/>		5) Engine starting and ignition system
<input checked="" type="checkbox"/>		6) Instrument panel gauges & warning lights
<input checked="" type="checkbox"/>		7) Instrument panel lighting & condition
<input checked="" type="checkbox"/>		8) Horn operation
<input checked="" type="checkbox"/>		9) Steering wheel tight, no excessive play
<input checked="" type="checkbox"/>		10) Windshield wipers
<input checked="" type="checkbox"/>		11) Windshield washer
<input checked="" type="checkbox"/>		12) Sun visor condition and operation
<input checked="" type="checkbox"/>		13) Parking brake operation & condition
<input checked="" type="checkbox"/>		14) Parking and service brake pedal pads
<input checked="" type="checkbox"/>		15) Passenger door operation
<input checked="" type="checkbox"/>		16) No vibrations, pulsations or noises
<input checked="" type="checkbox"/>		B) Walk around inspection
<input checked="" type="checkbox"/>		1) Body damage (list on separate sheet)
<input checked="" type="checkbox"/>		2) Headlights, high & low beam operation
<input checked="" type="checkbox"/>		3) Parking lights operation & condition
<input checked="" type="checkbox"/>		4) Marker lights operation & condition
<input checked="" type="checkbox"/>		5) Directional signals operation & condition
<input checked="" type="checkbox"/>		6) Hazard lights operation & condition
<input checked="" type="checkbox"/>		7) Clearance lights operation and condition
<input checked="" type="checkbox"/>		8) Brake lights operation & condition
<input checked="" type="checkbox"/>		9) License plate lamp operation & condition
<input checked="" type="checkbox"/>		10) License plates and tags
<input checked="" type="checkbox"/>		11) Backup lights and alarms
<input checked="" type="checkbox"/>		12) Reflectors and reflective bumper tape
<input checked="" type="checkbox"/>		13) Exterior decals and signage
<input checked="" type="checkbox"/>		14) Bumpers secure / in good condition
<input checked="" type="checkbox"/>		15) Exterior mirrors secure / in good condition
<input checked="" type="checkbox"/>		16) Exterior clean
<input checked="" type="checkbox"/>		C) Interior inspection
<input checked="" type="checkbox"/>		1) Passenger door and steps condition
<input checked="" type="checkbox"/>		2) Handrails and stanchions condition
<input checked="" type="checkbox"/>		3) Interior and modesty panels condition
<input checked="" type="checkbox"/>		4) Flooring condition
<input checked="" type="checkbox"/>		5) Interior lighting operation and condition
<input checked="" type="checkbox"/>		6) Windows operation and condition
<input checked="" type="checkbox"/>		7) Emergency Exits operation & condition
<input checked="" type="checkbox"/>		8) Accessory operation & condition (radio, GPS)
<input checked="" type="checkbox"/>		9) Passenger seats operation & condition
<input checked="" type="checkbox"/>		10) Passenger seat belts operation & condition
<input checked="" type="checkbox"/>		11) First aid & body fluid kits complete
<input checked="" type="checkbox"/>		12) Triangle reflectors complete/good condition
<input checked="" type="checkbox"/>		13) Stop request operation & condition
<input checked="" type="checkbox"/>		14) Valid registration, insurance & accident pack
<input checked="" type="checkbox"/>		15) Fire extinguisher in good condition & signed
<input checked="" type="checkbox"/>		16) Interior decals and signage (incl. electrical)
<input checked="" type="checkbox"/>		17) DVI's reviewed, addressed and signed off
<input checked="" type="checkbox"/>		18) Interior clean
<input checked="" type="checkbox"/>		D) HVAC system inspection
<input checked="" type="checkbox"/>		1) Front blower condition and operation

P	F	Item Inspected
<input checked="" type="checkbox"/>		2) Rear blower condition and operation
<input checked="" type="checkbox"/>		3) Defroster operation
<input checked="" type="checkbox"/>		4) Temp gets to 20 deg. F below ambient temp.
<input checked="" type="checkbox"/>		5) Evaporator intake air filter condition
<input checked="" type="checkbox"/>		6) Front heater condition and operation
<input checked="" type="checkbox"/>		7) Rear heater condition and operation
<input checked="" type="checkbox"/>		8) A/C compressors and condenser fans
<input checked="" type="checkbox"/>		E) Under hood inspection
<input checked="" type="checkbox"/>		1) Batteries & charging sys. (load alt B,C,D serv)
<input checked="" type="checkbox"/>		Batt 1 volts: load volts: load amps:
<input checked="" type="checkbox"/>		Batt 2 volts: load volts: load amps:
<input checked="" type="checkbox"/>		Batt 3 volts: load volts: load amps:
<input checked="" type="checkbox"/>		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
<input checked="" type="checkbox"/>		Alt. 1 min volt: max volt: max amp:
<input checked="" type="checkbox"/>		Alt. 2 min volt: max volt: max amp:
<input checked="" type="checkbox"/>		(reference factory service manual for alternator spec)
<input checked="" type="checkbox"/>		2) Wire and hose routing and connections
<input checked="" type="checkbox"/>		3) Cooling system, hoses, water pump condition
<input checked="" type="checkbox"/>		5) Accessory drive belts condition
<input checked="" type="checkbox"/>		6) Pulleys and tensioned operation & condition
<input checked="" type="checkbox"/>		7) Brake master cylinder and power booster
<input checked="" type="checkbox"/>		8) Fan and fan clutch operation and condition
<input checked="" type="checkbox"/>		9) Engine oil fluid level and condition
<input checked="" type="checkbox"/>		10) Transmission oil level and condition
<input checked="" type="checkbox"/>		11) Power steering fluid level and condition
<input checked="" type="checkbox"/>		12) Brake fluid level and condition
<input checked="" type="checkbox"/>		F) Vehicle rack inspection
<input checked="" type="checkbox"/>		1) Steering gear box mount, condition & leaks
<input checked="" type="checkbox"/>		2) Steering shaft U joints
<input checked="" type="checkbox"/>		3) Steering shaft bearings
<input checked="" type="checkbox"/>		4) Steering linkages
<input checked="" type="checkbox"/>		5) I beam or control arm movements and rivets
<input checked="" type="checkbox"/>		6) Radius arm condition and bushings condition
<input checked="" type="checkbox"/>		7) Stabilizer bar condition and bushings condition
<input checked="" type="checkbox"/>		8) Ball joints or kingpins
<input checked="" type="checkbox"/>		9) Front spring condition and mounting
<input checked="" type="checkbox"/>		10) Front shock absorber operation & condition
<input checked="" type="checkbox"/>		11) Trans oil cooler & lines routing and leaks
<input checked="" type="checkbox"/>		12) Engine oil cooler & lines routing and leaks
<input checked="" type="checkbox"/>		13) Heater and A/C hose routing and leaks
<input checked="" type="checkbox"/>		14) No engine oil leaks and fluid condition
<input checked="" type="checkbox"/>		15) Engine mounts, brackets and bolts
<input checked="" type="checkbox"/>		16) Transmission mounts, brackets and bolts
<input checked="" type="checkbox"/>		17) No transmission oil leaks and fluid condition
<input checked="" type="checkbox"/>		18) Drive shaft condition
<input checked="" type="checkbox"/>		19) Universal joints and carrier bearings condition
<input checked="" type="checkbox"/>		20) No rear differential leaks
<input checked="" type="checkbox"/>		21) Rear differential condition and mounting
<input checked="" type="checkbox"/>		22) Frame and cross members
<input checked="" type="checkbox"/>		23) Rear shock absorbers
<input checked="" type="checkbox"/>		24) Rear springs condition and mounting
<input checked="" type="checkbox"/>		25) No fuel leaks
<input checked="" type="checkbox"/>		26) Fuel tank condition and mounting
<input checked="" type="checkbox"/>		27) No exhaust leaks
<input checked="" type="checkbox"/>		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 1-24-23 Vehicle #: 9706 Mileage in: 17040 Circle Service Type: A B C D Mileage out: 17005

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	07
Lube chassis and suspension	A,B,C,D	N/A
Lube drive shafts and universal joints	A,B,C,D	N/A
Lube doors and hood, locks and hinges	A,B,C,D	07
Adjust service and parking brakes	A,B,C,D	07
Drain water from separator	A,B,C,D	N/A
Rotate tires (as necessary, caps on rear)	A,B,C,D	07
Change air filter	B,C,D	07
Change fuel filter	B,C,D	07
Clean or change PCV valve	B,C,D	N/A
Clean or change crank case filter	B,C,D	07
Install new wiper blades	B,C,D	07
Change transmission fluid and filter	C,D	07
Service front wheel bearings	C,D	07
Drain water from fuel tank	C,D	07
Replace accessory drive belts	D	07
Service and flush cooling system	D	07
Install new spark plugs & wires	D	07
Install new dist. cap & rotor	D	07
Change differential fluid	D	07
Check Exhaust and EGR system	D	07
Check and service fuel & evap. System	D	07
Evac and recharge A/C (add 1 oz. of oil)	A,B,C,D	07
Post service test drive (5 miles)	A,B,C,D	07

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: *[Signature]*

Date: 1-24-23

Supervisor Signature: _____

Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Item Inspected	P	F
30) Front brake condition and mounting	0	0
31) Front brake lining condition & measurement	0	0
Pads R/F: 8 / 32" L/F: 8 / 32"	0	0
32) Rear brake condition and mounting	0	0
33) Rear brake lining condition & measurement	0	0
Pads R/R: 8 / 32" L/R: 8 / 32"	0	0
Shoes R/R: / 32" L/R: / 32"	0	0
34) Tire and wheel condition and measurements	0	0
R/F: 11 / 32" L/F: / 32"	0	0
R/R: 6 / 32" L/R: 10 / 32"	0	0
R/O: 4 / 32" L/R: 10 / 32"	0	0
35) Lug nuts condition	0	0
Air pressure adjustment FR. 65RR. 30"	0	0
Wheel torque specs used: 140 ft. lbs.	0	0
g) Lift inspection	0	0
1) Lift operation (fully stowed to fully deployed)	0	0
2) Lift control pendant condition and operation	0	0
3) Lift restraint belt condition and operation	0	0
4) Outer roll stop condition and operation	0	0
5) Inner roll stop condition and operation	0	0
6) Platform adjustments, condition and mounting	0	0
7) Standee arm condition and operation	0	0
8) Proper signage and decals	0	0
9) Manual backup pump condition and operation	0	0
10) Lift manual pump handle	0	0
11) Hydraulic pump condition and operation	0	0
12) Hydraulic lines and cylinders condition	0	0
13) Hydraulic fluid level and condition	0	0
14) Base plate and arms welds & pivot points	0	0
15) Lift springs and pins condition and operation	0	0
16) Lift safety switches and adjustments	0	0
17) Hose and wire routing and connections	0	0
18) Rollers and pivot point condition & operation	0	0
19) Lift to vehicle mounting bolts and brackets	0	0
20) Lift doors condition and operation	0	0
21) Lift door lights condition and operation	0	0
22) Lift interlock operation and condition	0	0
(Lift door open, e-brake down not able to shift)	0	0
(e-brake off lift door closed no lift power)	0	0
23) W/C tie downs condition and operation	0	0
24) Tie down container secure and clean	0	0
25) Tie down floor mounting brackets secure	0	0
26) W/C shoulder belt condition and operation	0	0
27) Lift clean and no sharp edges	0	0
28) Lift shields secure and in good shape	0	0
29) Lift moves steady without drifting, jerking, or unusual speeds	0	0
30) No unusual lift noises	0	0
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	0	0
Check, torque or adjust lift base mounting bolts	0	0

Preventive Maintenance Inspection and Service Checklist



Date: 9/19/19

Vehicle #: 9706

Mileage in: 1963

Mileage out: 1964

Circle Service Type: A B C D

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
R		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition (radio, GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
R		1) Batteries & charging sys. (load alt B, C, D serv)
R		Batt 1 volts: load amps:
R		Batt 2 volts: load amps:
R		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
		F) Vehicle rack inspection
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
R		3) Steering shaft bearings
R		4) Steering linkages
R		5) I beam or control arm movements and rivets
R		6) Radius arm condition and bushings condition
R		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
R		18) Drive shaft condition
R		19) Universal joints and carrier bearings condition
R		20) No rear differential leaks
R		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Date: 9/19/19 Vehicle #: 9706 Mileage in: 4963 Mileage out: 4964
 Circle Service Type: (A) B C D

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
R		Pads R/F: <u>7</u> /32" L/F: <u>7</u> /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R		Pads R/R: <u>6</u> /32" L/R: <u>6</u> /32"
NA		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
		R/F: <u>7</u> /32" L/F: <u>7</u> /32"
		R/R: <u>7</u> /32" L/R: <u>7</u> /32"
		R/RO: <u>7</u> /32" L/RO: <u>7</u> /32"
		35) Lug nuts condition
R		Air pressure adjustment FR. <u>65 RR. 75</u>
R		Wheel torque specs used: <u>140</u> ft. lbs.
		G) Lift inspection
R		1) Lift operation (fully stowed to fully deployed)
R		2) Lift control pendant condition and operation
R		3) Lift restraint belt condition and operation
R		4) Outer roll stop condition and operation
R		5) Inner roll stop condition and operation
R		6) Platform adjustments, condition and mounting
R		7) Standee arm condition and operation
R		8) Proper signage and decals
R		9) Manual backup pump condition and operation
R		10) Lift manual pump handle
R		11) Hydraulic pump condition and operation
R		12) Hydraulic lines and cylinders condition
R		13) Hydraulic fluid level and condition
R		14) Base plate and arms welds & pivot points
R		15) Lift springs and pins condition and operation
R		16) Lift safety switches and adjustments
R		17) Hose and wire routing and connections
R		18) Rollers and pivot point condition & operation
R		19) Lift to vehicle mounting bolts and brackets
R		20) Lift doors condition and operation
R		21) Lift door lights condition and operation
R		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking, or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
R		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	R
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	R
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	R
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	R

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: [Signature] Date: 9/19/19

Supervisor Signature: _____ Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.