

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 9704 Repair Reason: A Date and Time in: _____ Mileage in: 4988
 Date: 08/11/19 Work Class: I Date and Time Finished: _____ Mileage out: 4989

Notes/Measurements:

Complaints/Defects:

Labor Information			Parts Information					
Task	WAC	Repair Description/Comments	Task	WAC	Part Number	Description	Qty	Cost
A	58	PMF A	A	55	NV 1700	ENG. NE OIL	7	
			A	53	LF 3681	OIL FILTER	1	
A	04	BRAKE INSPECTION						
Total Hours Worked:			Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725 Technician: Rooney Murean Signature: [Signature]
 ASE Employee #: 60418 ASE Technician: A. [Signature] ASE Signature: [Signature]

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: **A B C D**
 Mileage in: **9869** Mileage out: **9870**

Date: **9/7/19**

Vehicle #: **9704**

Item Inspected	P	F
A) Vehicle drive in inspection (5 miles)		
1) Driver carpet		
2) Driver seat condition and operation		
3) Drivers door operation and condition		
4) Drivers seat belt operation and condition		
5) Engine starting and ignition system		
6) Instrument panel gauges & warning lights		
7) Instrument panel lighting & condition		
8) Horn operation		
9) Steering wheel tight, no excessive play		
10) Windshield wipers		
11) Windshield washer		
12) Sun visor condition and operation		
13) Parking brake operation & condition		
14) Parking and service brake pedal pads		
15) Passenger door operation		
16) No vibrations, pulsations or noises		
B) Walk around inspection		
1) Body damage (list on separate sheet)		
2) Headlights, high & low beam operation		
3) Parking lights operation & condition		
4) Marker lights operation & condition		
5) Directional signals operation & condition		
6) Hazard lights operation & condition		
7) Clearance lights operation and condition		
8) Brake lights operation & condition		
9) License plate lamp operation & condition		
10) License plates and tags		
11) Backup lights and alarms		
12) Reflectors and reflective bumper tape		
13) Exterior decals and signage		
14) Bumpers secure / in good condition		
15) Exterior mirrors secure / in good condition		
16) Exterior clean		
C) Interior inspection		
1) Passenger door and steps condition		
2) Handrails and stanchions condition		
3) Interior and modesty panels condition		
4) Flooring condition		
5) Interior lighting operation and condition		
6) Windows operation and condition		
7) Emergency Exits operation & condition		
8) Accessory operation & condition (radio, GPS)		
9) Passenger seats operation & condition		
10) Passenger seat belts operation & condition		
11) First aid & body fluid kits complete		
12) Triangle reflectors complete/good condition		
13) Stop request operation & condition		
14) Valid registration, insurance & accident pack		
15) Fire extinguisher in good condition & signed		
16) Interior decals and signage (incl. electrical)		
17) DVI's reviewed, addressed and signed off		
18) Interior clean		
D) HVAC system inspection		
1) Front blower condition and operation		
E) Under hood inspection		
1) Batteries & charging sys. (load alt B,C,D serv)		
Batt 1 volts: load amps:		
Batt 2 volts: load amps:		
Batt 3 volts: load amps:		
(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)		
Alt. 1 min volt: max amp:		
Alt. 2 min volt: max amp:		
(reference factory service manual for alternator spec)		
2) Wire and hose routing and connections		
3) Cooling system, hoses, water pump condition		
5) Accessory drive belts condition		
6) Pulleys and tensioned operation & condition		
7) Brake master cylinder and power booster		
8) Fan and fan clutch operation and condition		
9) Engine oil fluid level and condition		
10) Transmission oil level and condition		
11) Power steering fluid level and condition		
12) Brake fluid level and condition		
F) Vehicle rack inspection		
1) Steering gear box mount, condition & leaks		
2) Steering shaft U joints		
3) Steering shaft bearings		
4) Steering linkages		
5) I beam or control arm movements and rivets		
6) Radius arm condition and bushings condition		
7) Stabilizer bar condition and bushings condition		
8) Ball joints or kingpins		
9) Front spring condition and mounting		
10) Front shock absorber operation & condition		
11) Trans oil cooler & lines routing and leaks		
12) Engine oil cooler & lines routing and leaks		
13) Heater and A/C hose routing and leaks		
14) No engine oil leaks and fluid condition		
15) Engine mounts, brackets and bolts		
16) Transmission mounts, brackets and bolts		
17) No transmission oil leaks and fluid condition		
18) Drive shaft condition		
19) Universal joints and carrier bearings condition		
20) No rear differential leaks		
21) Rear differential condition and mounting		
22) Frame and cross members		
23) Rear shock absorbers		
24) Rear springs condition and mounting		
25) No fuel leaks		
26) Fuel tank condition and mounting		
27) No exhaust leaks		
28) Exhaust system condition and mounting		



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **(A)** B C D

Date: 9/7/19

Vehicle #: 9704

Mileage in: 9809

Mileage out: 9870

P	F	Item Inspected	ServType	Service Performed	Techs Initials
/		30) Front brake condition and mounting	A,B,C,D	Change oil and filter	/
/		31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	/
/		Pads R/F: <u>9</u> /32" L/F: <u>9</u> /32"	A,B,C,D	Lube drive shafts and universal joints	/
/		32) Rear brake condition and mounting	A,B,C,D	Lube doors and hood, locks and hinges	/
/		33) Rear brake lining condition & measurement	A,B,C,D	Adjust service and parking brakes	/
/		Pads R/R: <u>8</u> /32" L/R: <u>8</u> /32"	A,B,C,D	Drain water from separator	/
/		Shoes R/R: /32" L/R: /32"	A,B,C,D	Rotate tires(as necessary, caps on rear)	/
/		34) Tire and wheel condition and measurements	B,C,D	Change air filter	/
/		R/F: <u>9</u> /32" L/F: <u>9</u> /32"	B,C,D	Change fuel filter	/
/		R/R: <u>10</u> /32" L/R: <u>10</u> /32"	B,C,D	Clean or change PCV valve	/
/		R/RO: <u>10</u> /32" L/RO: <u>10</u> /32"	B,C,D	Clean or change crank case filter	/
/		35) Lug nuts condition	B,C,D	Install new wiper blades	/
/		Air pressure adjustment FR. <u>70</u> RR. <u>70</u>	C,D	Change transmission fluid and filter	/
/		Wheel torque specs used: <u>140</u> ft. lbs.	C,D	Service front wheel bearings	/
/		G) Lift inspection	C,D	Drain water from fuel tank	/
/		1) Lift operation (fully stowed to fully deployed)	D	Replace accessory drive belts	/
/		2) Lift control pendant condition and operation	D	Service and flush cooling system	/
/		3) Lift restraint belt condition and operation	D	Install new spark plugs & wires	/
/		4) Outer roll stop condition and operation	D	Install new dist. cap & rotor	/
/		5) Inner roll stop condition and operation	D	Change differential fluid	/
/		6) Platform adjustments, condition and mounting	D	Check Exhaust and EGR system	/
/		7) Standee arm condition and operation	D	Check and service fuel & evap. System	/
/		8) Proper signage and decals	D	Evac and recharge A/C (add 1 oz. of oil)	/
/		9) Manual backup pump condition and operation	A,B,C,D	Post service test drive (<u>5</u> miles)	/
/		10) Lift manual pump handle	Initial or "N/A" each service performed per PM type		
/		11) Hydraulic pump condition and operation	All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.		
/		12) Hydraulic lines and cylinders condition			
/		13) Hydraulic fluid level and condition			
/		14) Base plate and arms welds & pivot points			
/		15) Lift springs and pins condition and operation			
/		16) Lift safety switches and adjustments			
/		17) Hose and wire routing and connections			
/		18) Rollers and pivot point condition & operation			
/		19) Lift to vehicle mounting bolts and brackets			
/		20) Lift doors condition and operation			
/		21) Lift door lights condition and operation	Technician's Signature	Date	
/		22) Lift interlock operation and condition (lift door open, e-brake down not able to shift) (e-brake off lift door closed no lift power)	<i>[Signature]</i>	<u>9/7/19</u>	
/		23) W/C tie downs condition and operation	Supervisor Signature	Date	
/		24) Tie down container secure and clean	<i>[Signature]</i>	<u>8/16/19</u>	
/		25) Tie down floor mounting brackets secure	Notes:		
/		26) W/C shoulder belt condition and operation			
/		27) Lift clean and no sharp edges			
/		28) Lift shields secure and in good shape			
/		29) Lift moves steady without drifting, jerking, or unusual speeds			
/		30) No unusual lift noises			
/		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube			
/		Check, torque or adjust lift base mounting bolts			

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
 5910 N Central Expwy Way Suite 1145
 Dallas, TX 75206



Work Order Division (0094)
 3301 Electronics Way
 West Palm Beach, FL 33407

#2585

Basic Information

Vehicle #: 9704 Repair Reason: A Date and Time in: 19549
 Date: 11/10/19 Work Class: I Date and Time Finished: 19550
 Mileage in: 19549
 Mileage out: 19550

Complaints/Defects: _____
 Notes/Measurements: _____

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	SS	PRY A	
A	SS	brake inspection	

Total Hours Worked: _____

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	SS	VV1700	Engine Oil	6S	
A	SS	LF3681	Oil Filter 1		
A	SS	LF225/BR16	Tires	4	

Total Parts Cost: _____

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 849102 Technician: see hall Signature: _____ ASE Signature: _____

ASE Employee #: _____ ASE Technician: _____



PM DEFECT SHEET



BUS #: 9704

DATE: 11/10/19

PM TYPE OR WORK ORDER #:

#

MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

Rear tire treads low

Joe

11/10/19

Preventive Maintenance Inspection and Service Checklist



Date: 11/10/19

Vehicle #: 9704

Circle Service Type: A B C D

Mileage in: 19549

Mileage out: 19550

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DV's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Date: 11/10/19 Vehicle #: 9704

Circle Service Type: A B C D Mileage in: 19549 Mileage out: 19550

Table with columns: P, F, Item Inspected, ServType, Service Performed, Techs Initials. Contains inspection items like '30) Front brake condition and mounting' and '31) Front brake lining condition & measurement'.

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use.

Technicians Signature [Signature] Date: 11/10/19

Supervisor Signature _____ Date _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired.

Preventive Maintenance Inspection and Service Checklist



Date: 02/28/20 Vehicle #: 9704 Mileage in: 84093 Circle Service Type: A B C D

Mileage out: 20094

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation
P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load at B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 02/29/20 Vehicle #: 9704 Mileage in: 24093 Mileage out: 24094

Table with columns P, F, and Item Inspected. Contains 35 items related to brake conditions, tire measurements, and lift inspection.

Table with columns ServType, Service Performed, and Techs Initials. Lists various maintenance services like oil changes, lube chassis, and filter replacements.

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use.

Technicians Signature [Signature] Date 02/29/20

Supervisor Signature _____ Date _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired.



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 5/7/20 Vehicle #: 9704

Mileage in: 33131

Mileage out: 33132

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
✓		1) Driver carpet
✓		2) Driver seat condition and operation
✓		3) Drivers door operation and condition
✓		4) Drivers seat belt operation and condition
✓		5) Engine starting and ignition system
✓		6) Instrument panel gauges & warning lights
✓		7) Instrument panel lighting & condition
✓		8) Horn operation
✓		9) Steering wheel tight, no excessive play
✓		10) Windshield wipers
✓		11) Windshield washer
✓		12) Sun visor condition and operation
✓		13) Parking brake operation & condition
✓		14) Parking and service brake pedal pads
✓		15) Passenger door operation
✓		16) No vibrations, pulsations or noises
		B) Walk around inspection
✓		1) Body damage (list on separate sheet)
✓		2) Headlights, high & low beam operation
✓		3) Parking lights operation & condition
✓		4) Marker lights operation & condition
✓		5) Directional signals operation & condition
✓		6) Hazard lights operation & condition
✓		7) Clearance lights operation and condition
✓		8) Brake lights operation & condition
✓		9) License plate lamp operation & condition
✓		10) License plates and tags
✓		11) Backup lights and alarms
✓		12) Reflectors and reflective bumper tape
✓		13) Exterior decals and signage
✓		14) Bumpers secure / in good condition
✓		15) Exterior mirrors secure / in good condition
✓		16) Exterior clean
		C) Interior Inspection
✓		1) Passenger door and steps condition
✓		2) Handrails and stanchions condition
✓		3) Interior and modesty panels condition
✓		4) Flooring condition
✓		5) Interior lighting operation and condition
✓		6) Windows operation and condition
✓		7) Emergency Exits operation & condition
✓		8) Accessory operation & condition (radio, GPS)
✓		9) Passenger seats operation & condition
✓		10) Passenger seat belts operation & condition
✓		11) First aid & body fluid kits complete
✓		12) Triangle reflectors complete/good condition
✓		13) Stop request operation & condition
✓		14) Valid registration, insurance & accident pack
✓		15) Fire extinguisher in good condition & signed
✓		16) Interior decals and signage (Incl. electrical)
✓		17) DVI's reviewed, addressed and signed off
✓		18) Interior clean
		D) HVAC system inspection
✓		1) Front blower condition and operation

P	F	Item Inspected
✓		2) Rear blower condition and operation
✓		3) Defroster operation
✓		4) Temp gets to 20 deg. F below ambient temp.
✓		5) Evaporator intake air filter condition
✓		6) Front heater condition and operation
✓		7) Rear heater condition and operation
✓		8) A/C compressors and condenser fans
		E) Under hood inspection
✓		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
✓		2) Wire and hose routing and connections
✓		3) Cooling system, hoses, water pump condition
✓		5) Accessory drive belts condition
✓		6) Pulleys and tensioned operation & condition
✓		7) Brake master cylinder and power booster
✓		8) Fan and fan clutch operation and condition
✓		9) Engine oil fluid level and condition
✓		10) Transmission oil level and condition
✓		11) Power steering fluid level and condition
✓		12) Brake fluid level and condition
		F) Vehicle rack inspection
✓		1) Steering gear box mount, condition & leaks
✓		2) Steering shaft U joints
✓		3) Steering shaft bearings
✓		4) Steering linkages
✓		5) I beam or control arm movements and rivets
✓		6) Radius arm condition and bushings condition
✓		7) Stabilizer bar condition and bushings condition
✓		8) Ball joints or kingpins
✓		9) Front spring condition and mounting
✓		10) Front shock absorber operation & condition
✓		11) Trans oil cooler & lines routing and leaks
✓		12) Engine oil cooler & lines routing and leaks
✓		13) Heater and A/C hose routing and leaks
✓		14) No engine oil leaks and fluid condition
✓		15) Engine mounts, brackets and bolts
✓		16) Transmission mounts, brackets and bolts
✓		17) No transmission oil leaks and fluid condition
✓		18) Drive shaft condition
✓		19) Universal joints and carrier bearings condition
✓		20) No rear differential leaks
✓		21) Rear differential condition and mounting
✓		22) Frame and cross members
✓		23) Rear shock absorbers
✓		24) Rear springs condition and mounting
✓		25) No fuel leaks
✓		26) Fuel tank condition and mounting
✓		27) No exhaust leaks
✓		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **(A)** B C D

Date: 5/7/20 Vehicle #: 9704 Mileage in: 33131 Mileage out: 33132

P	F	Item Inspected
Y		30) Front brake condition and mounting
Y		31) Front brake lining condition & measurement
Y		Pads R/F: <u>5</u> /32" L/F: <u>5</u> /32"
Y		32) Rear brake condition and mounting
Y		33) Rear brake lining condition & measurement
Y		Pads R/R: <u>6</u> /32" L/R: <u>6</u> /32"
Y		Shoes R/R: /32" L/R: /32"
Y		34) Tire and wheel condition and measurements
Y		R/F: <u>9</u> /32" L/F: <u>8</u> /32"
Y		R/R: <u>9</u> /32" L/R: <u>6</u> /32"
Y		R/R: <u>7</u> /32" L/R: <u>7</u> /32"
Y		35) Lug nuts condition
Y		Air pressure adjustment FR. <u>70</u> RR. <u>70</u>
Y		Wheel torque specs used: <u>140</u> ft. lbs.
		G) Lift inspection
Y		1) Lift operation (fully stowed to fully deployed)
Y		2) Lift control pendant condition and operation
Y		3) Lift restraint belt condition and operation
Y		4) Outer roll stop condition and operation
Y		5) Inner roll stop condition and operation
Y		6) Platform adjustments, condition and mounting
Y		7) Standee arm condition and operation
Y		8) Proper signage and decals
Y		9) Manual backup pump condition and operation
Y		10) Lift manual pump handle
Y		11) Hydraulic pump condition and operation
Y		12) Hydraulic lines and cylinders condition
Y		13) Hydraulic fluid level and condition
Y		14) Base plate and arms welds & pivot points
Y		15) Lift springs and pins condition and operation
Y		16) Lift safety switches and adjustments
Y		17) Hose and wire routing and connections
Y		18) Rollers and pivot point condition & operation
Y		19) Lift to vehicle mounting bolts and brackets
Y		20) Lift doors condition and operation
Y		21) Lift door lights condition and operation
Y		22) Lift interlock operation and condition
Y		(lift door open, e-brake down not able to shift)
Y		(e-brake off lift door closed no lift power)
Y		23) W/C tie downs condition and operation
Y		24) Tie down container secure and clean
Y		25) Tie down floor mounting brackets secure
Y		26) W/C shoulder belt condition and operation
Y		27) Lift clean and no sharp edges
Y		28) Lift shields secure and in good shape
Y		29) Lift moves steady without drifting, jerking, or unusual speeds
Y		30) No unusual lift noises
Y		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
Y		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	Y
A,B,C,D	Lube chassis and suspension	Y
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	Y
A,B,C,D	Adjust service and parking brakes	Y
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	Y
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	Y

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: [Signature] Date: 5/7/20

Supervisor Signature _____ Date _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: 33698 Mileage out: 32698



Date: 02/12/20 Vehicle #: 9204

Item Inspected	P	F
A) Vehicle drive in inspection (5 miles)		
1) Driver carpet		
2) Driver seat condition and operation		
3) Drivers door operation and condition		
4) Drivers seat belt operation and condition		
5) Engine starting and ignition system		
6) Instrument panel gauges & warning lights		
7) Instrument panel lighting & condition		
8) Horn operation		
9) Steering wheel tight, no excessive play		
10) Windshield wipers		
11) Windshield washer		
12) Sun visor condition and operation		
13) Parking brake operation & condition		
14) Parking and service brake pedal pads		
15) Passenger door operation		
16) No vibrations, pulsations or noises		
B) Walk around inspection		
1) Body damage (list on separate sheet)		
2) Headlights, high & low beam operation		
3) Parking lights operation & condition		
4) Marker lights operation & condition		
5) Directional signals operation & condition		
6) Hazard lights operation & condition		
7) Clearance lights operation and condition		
8) Brake lights operation & condition		
9) License plate lamp operation & condition		
10) License plates and tags		
11) Backup lights and alarms		
12) Reflectors and reflective bumper tape		
13) Exterior decals and signage		
14) Bumpers secure / in good condition		
15) Exterior mirrors secure / in good condition		
16) Exterior clean		
C) Interior inspection		
1) Passenger door and steps condition		
2) Handrails and stanchions condition		
3) Interior and modesty panels condition		
4) Flooring condition		
5) Interior lighting operation and condition		
6) Windows operation and condition		
7) Emergency Exits operation & condition		
8) Accessory operation & condition (radio, GPS)		
9) Passenger seats operation & condition		
10) Passenger seat belts operation & condition		
11) First aid & body fluid kits complete		
12) Triangle reflectors complete/good condition		
13) Stop request operation & condition		
14) Valid registration, insurance & accident pack		
15) Fire extinguisher in good condition & signed		
16) Interior decals and signage (incl. electrical)		
17) DVI's reviewed, addressed and signed off		
18) Interior clean		
D) HVAC system inspection		
1) Front blower condition and operation		
2) Rear blower condition and operation		
3) Destoster operation		
4) Temp gets to 20 deg. F below ambient temp.		
5) Evaporator intake air filter condition		
6) Front heater condition and operation		
7) Rear heater condition and operation		
8) A/C compressors and condenser fans		
E) Under hood inspection		
1) Batteries & charging sys. (load alt B, C, D serv)		
Batt 1 volts: load amps:		
Batt 2 volts: load amps:		
Batt 3 volts: load amps:		
(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)		
Alt. 1 min volt: max amp:		
Alt. 2 min volt: max amp:		
(reference factory service manual for alternator spec)		
2) Wire and hose routing and connections		
3) Cooling system, hoses, water pump condition		
5) Accessory drive belts condition		
6) Pulleys and tensioned operation & condition		
7) Brake master cylinder and power booster		
8) Fan and fan clutch operation and condition		
9) Engine oil fluid level and condition		
10) Transmission oil level and condition		
11) Power steering fluid level and condition		
12) Brake fluid level and condition		
F) Vehicle rack inspection		
1) Steering gear box mount, condition & leaks		
2) Steering shaft U joints		
3) Steering shaft bearings		
4) Steering linkages		
5) I beam or control arm movements and rivets		
6) Radius arm condition and bushings condition		
7) Stabilizer bar condition and bushings condition		
8) Ball joints or kingpins		
9) Front spring condition and mounting		
10) Front shock absorber operation & condition		
11) Trans oil cooler & lines routing and leaks		
12) Engine oil cooler & lines routing and leaks		
13) Heater and A/C hose routing and leaks		
14) No engine oil leaks and fluid condition		
15) Engine mounts, brackets and bolts		
16) Transmission mounts, brackets and bolts		
17) No transmission oil leaks and fluid condition		
18) Drive shaft condition		
19) Universal joints and carrier bearings condition		
20) No rear differential leaks		
21) Rear differential condition and mounting		
22) Frame and cross members		
23) Rear shock absorbers		
24) Rear springs condition and mounting		
25) No fuel leaks		
26) Fuel tank condition and mounting		
27) No exhaust leaks		
28) Exhaust system condition and mounting		



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage In: **37698** Mileage out: **37658**

Date: **06/12/00** Vehicle #: **9204**

Item Inspected	P	F
30) Front brake lining condition & measurement		F
31) Front brake lining condition & measurement		F
32) Rear brake condition and mounting		F
33) Rear brake lining condition & measurement		F
Pads R/R: 3/32" L/R: 3/32"		
Shoes R/R: 3/32" L/R: 3/32"		
34) Tire and wheel condition and measurements		
R/F: 10/32" L/F: 4/32"		
R/R: 2/32" L/R: 6/32"		
R/R: 2/32" L/R: 6/32"		
35) Lug nuts condition		
Air pressure adjustment FR: 65 RR: 90		
Wheel torque specs used: 140 ft. lbs.		
G) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		F
2) Lift control pendant condition and operation		F
3) Lift restraint belt condition and operation		F
4) Outer roll stop condition and operation		F
5) Inner roll stop condition and operation		F
6) Platform adjustments, condition and mounting		F
7) Standee arm condition and operation		F
8) Proper signage and decals		F
9) Manual backup pump condition and operation		F
10) Lift manual pump handle		F
11) Hydraulic pump condition and operation		F
12) Hydraulic lines and cylinders condition		F
13) Hydraulic fluid level and condition		F
14) Base plate and arms welds & pivot points		F
15) Lift springs and pins condition and operation		F
16) Lift safety switches and adjustments		F
17) Hose and wire routing and connections		F
18) Rollers and pivot point condition & operation		F
19) Lift to vehicle mounting bolts and brackets		F
20) Lift doors condition and operation		F
21) Lift door lights condition and operation		F
22) Lift interlock operation and condition		F
(Lift door open, e-brake down not able to shift)		
23) W/C the downs condition and operation		F
24) Tie down container secure and clean		F
25) Tie down floor mounting brackets secure		F
26) W/C shoulder belt condition and operation		F
27) Lift clean and no sharp edges		F
28) Lift shields secure and in good shape		F
29) Lift moves steady without drifting, jerking, or unusual speeds		F
30) No unusual lift noises		F
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		F
Check, torque or adjust lift base mounting bolts		F

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Notes:

Supervisor Signature _____ Date _____

Technicians Signature _____ Date **06/12/00**

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	SerType
Change oil and filter	A,B,C,D
Lube chassis and suspension	A,B,C,D
Lube drive shafts and universal joints	A,B,C,D
Lube doors and hood, locks and hinges	A,B,C,D
Adjust service and parking brakes	A,B,C,D
Drain water from separator	A,B,C,D
Rotate tires (as necessary, caps on rear)	A,B,C,D
Change air filter	B,C,D
Change fuel filter	B,C,D
Clean or change PCV valve	B,C,D
Clean or change crank case filter	B,C,D
Install new wiper blades	B,C,D
Change transmission fluid and filter	C,D
Service front wheel bearings	C,D
Drain water from fuel tank	C,D
Replace accessory drive belts	D
Service and flush cooling system	D
Install new spark plugs & wires	D
Install new dist. cap & rotor	D
Change differential fluid	D
Check Exhaust and EGR system	D
Check and service fuel & evap. System	D
Evac and recharge A/C (add 1 oz. of oil)	D
Post service test drive (5 miles)	A,B,C,D

Initial or "N/A" each service performed per PM type

MV Transportation
 5910 N Central Expwy Way Suite 1145
 Dallas, TX 75206



Work Order Division (0094)
 3301 Electronics Way
 West Palm Beach, FL 33407

Basic Information

Vehicle #: 9704 Repair Reason: A Date and Time In: _____ Mileage in: 47170
 Date: 08/18/2020 Work Class: _____ Date and Time Finished: _____ Mileage out: 47171

Complaints/Defects:

PMIA

Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMIA	
A	04	BRAKE INSPECTION	

Total Hours Worked: _____

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	VV1700	LENGHT OIL	7	
A	55	LF3081	OIL FILTER	1	
A	55	2001831	TIRE	4	

Total Parts Cost: _____

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725 Technician: ROONEY MURPHY

Signature: ROONEY MURPHY

ASE Employee #: 604182 ASE Technician: _____

ASE Signature: _____

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: 47170 Mileage out: 47211



Date: 08/18/2020 Vehicle #: 9704

Item Inspected	P	F
A) Vehicle drive in inspection (5 miles)		
1) Driver carpet	R	
2) Driver seat condition and operation	R	
3) Drivers door operation and condition	R	
4) Drivers seat belt operation and condition	R	
5) Engine starting and ignition system	R	
6) Instrument panel gauges & warning lights	R	
7) Instrument panel lighting & condition	R	
8) Horn operation	R	
9) Steering wheel tight, no excessive play	R	
10) Windshield wipers	R	
11) Windshield washer	R	
12) Sun visor condition and operation	R	
13) Parking brake operation & condition	R	
14) Parking and service brake pedal pads	R	
15) Passenger door operation	R	
16) No vibrations, pulsations or noises	R	
B) Walk around inspection		
1) Body damage (list on separate sheet)	R	
2) Headlights, high & low beam operation	R	
3) Parking lights operation & condition	R	
4) Marker lights operation & condition	R	
5) Directional signals operation & condition	R	
6) Hazard lights operation & condition	R	
7) Clearance lights operation & condition	R	
8) Brake lights operation & condition	R	
9) License plate lamp operation & condition	R	
10) License plates and tags	R	
11) Backup lights and alarms	R	
12) Reflectors and reflective bumper tape	R	
13) Exterior decals and signage	R	
14) Bumpers secure / in good condition	R	
15) Exterior mirrors secure / in good condition	R	
16) Exterior clean	R	
C) Interior inspection		
1) Passenger door and steps condition	R	
2) Handrails and stanchions condition	R	
3) Interior and modesty panels condition	R	
4) Flooring condition	R	
5) Interior lighting operation and condition	R	
6) Windows operation and condition	R	
7) Emergency Exits operation & condition	R	
8) Accessory operation & condition (radio, GPS)	R	
9) Passenger seats operation & condition	R	
10) Passenger seat belts operation & condition	R	
11) First aid & body fluid kits complete	R	
12) Triangle reflectors complete/good condition	R	
13) Stop request operation & condition	R	
14) Valid registration, insurance & accident pack	R	
15) Fire extinguisher in good condition & signed	R	
16) Interior decals and signage (incl. electrical)	R	
17) DVI's reviewed, addressed and signed off	R	
18) Interior clean	R	
D) HVAC system inspection		
1) Front blower condition and operation	R	

Item Inspected	P	F
2) Rear blower condition and operation	R	
3) Defroster operation	R	
4) Temp gets to 20 deg. F below ambient temp.	R	
5) Evaporator intake air filter condition	R	
6) Front heater condition and operation	R	
7) Rear heater condition and operation	R	
8) A/C compressors and condenser fans	R	
E) Under hood inspection		
1) Batteries & charging sys. (load alt B,C,D serv)	R	
Batt 1 volts: load amps:	R	
Batt 2 volts: load amps:	R	
Batt 3 volts: load amps:	R	
(battery min. loaded volts 9.6V, 1/2 CCA for 15 sec)		
Alt. 1 min volt: max amp:		
Alt. 2 min volt: max amp:		
(reference factory service manual for alternator spec)		
2) Wire and hose routing and connections	R	
3) Cooling system, hoses, water pump condition	R	
5) Accessory drive belts condition	R	
6) Pulleys and tensioned operation & condition	R	
7) Brake master cylinder and power booster	R	
8) Fan and fan clutch operation and condition	R	
9) Engine oil fluid level and condition	R	
10) Transmission oil level and condition	R	
11) Power steering fluid level and condition	R	
12) Brake fluid level and condition	R	
F) Vehicle rack inspection		
1) Steering gear box mount, condition & leaks	R	
2) Steering shaft U joints	R	
3) Steering shaft bearings	R	
4) Steering linkages	R	
5) I beam or control arm movements and rivets	R	
6) Radius arm condition and bushings condition	R	
7) Stabilizer bar condition and bushings condition	R	
8) Ball joints or kingpins	R	
9) Front spring condition and mounting	R	
10) Front shock absorber operation & condition	R	
11) Trans oil cooler & lines routing and leaks	R	
12) Engine oil cooler & lines routing and leaks	R	
13) Heater and A/C hose routing and leaks	R	
14) No engine oil leaks and fluid condition	R	
15) Engine mounts, brackets and bolts	R	
16) Transmission mounts, brackets and bolts	R	
17) No transmission oil leaks and fluid condition	R	
18) Drive shaft condition	R	
19) Universal joints and carrier bearings condition	R	
20) No rear differential leaks	R	
21) Rear differential condition and mounting	R	
22) Frame and cross members	R	
23) Rear shock absorbers	R	
24) Rear springs condition and mounting	R	
25) No fuel leaks	R	
26) Fuel tank condition and mounting	R	
27) No exhaust leaks	R	
28) Exhaust system condition and mounting	R	



PM DEFECT SHEET



BUS #: 9704

DATE:

9/24/20

PM TYPE OR WORK ORDER #:

Y. Suggendia
MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 9/24/20 Vehicle #: 9704

Mileage in: 51723.8 Mileage out: 51724.8

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
Y		1) Driver carpet
Y		2) Driver seat condition and operation
Y		3) Drivers door operation and condition
Y		4) Drivers seat belt operation and condition
Y		5) Engine starting and ignition system
Y		6) Instrument panel gauges & warning lights
Y		7) Instrument panel lighting & condition
Y		8) Horn operation
Y		9) Steering wheel tight, no excessive play
Y		10) Windshield wipers
Y		11) Windshield washer
Y		12) Sun visor condition and operation
Y		13) Parking brake operation & condition
Y		14) Parking and service brake pedal pads
Y		15) Passenger door operation
Y		16) No vibrations, pulsations or noises
		B) Walk around inspection
Y		1) Body damage (list on separate sheet)
Y		2) Headlights, high & low beam operation
Y		3) Parking lights operation & condition
Y		4) Marker lights operation & condition
Y		5) Directional signals operation & condition
Y		6) Hazard lights operation & condition
Y		7) Clearance lights operation and condition
Y		8) Brake lights operation & condition
Y		9) License plate lamp operation & condition
Y		10) License plates and tags
Y		11) Backup lights and alarms
Y		12) Reflectors and reflective bumper tape
Y		13) Exterior decals and signage
Y		14) Bumpers secure / in good condition
Y		15) Exterior mirrors secure / in good condition
Y		16) Exterior clean
		C) Interior inspection
Y		1) Passenger door and steps condition
Y		2) Handrails and stanchions condition
Y		3) Interior and modesty panels condition
Y		4) Flooring condition
Y		5) Interior lighting operation and condition
Y		6) Windows operation and condition
Y		7) Emergency Exits operation & condition
Y		8) Accessory operation & condition (radio, GPS)
Y		9) Passenger seats operation & condition
Y		10) Passenger seat belts operation & condition
Y		11) First aid & body fluid kits complete
Y		12) Triangle reflectors complete/good condition
Y		13) Stop request operation & condition
Y		14) Valid registration, insurance & accident pack
Y		15) Fire extinguisher in good condition & signed
Y		16) Interior decals and signage (incl. electrical)
Y		17) DVI's reviewed, addressed and signed off
Y		18) Interior clean
		D) HVAC system inspection
Y		1) Front blower condition and operation

P	F	Item Inspected
Y		2) Rear blower condition and operation
Y		3) Defroster operation
Y		4) Temp gets to 20 deg. F below ambient temp.
Y		5) Evaporator intake air filter condition
Y		6) Front heater condition and operation
Y		7) Rear heater condition and operation
Y		8) A/C compressors and condenser fans
		E) Under hood inspection
Y		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
Y		2) Wire and hose routing and connections
Y		3) Cooling system, hoses, water pump condition
Y		5) Accessory drive belts condition
Y		6) Pulleys and tensioned operation & condition
Y		7) Brake master cylinder and power booster
Y		8) Fan and fan clutch operation and condition
Y		9) Engine oil fluid level and condition
Y		10) Transmission oil level and condition
Y		11) Power steering fluid level and condition
Y		12) Brake fluid level and condition
		F) Vehicle rack inspection
Y		1) Steering gear box mount, condition & leaks
Y		2) Steering shaft U joints
Y		3) Steering shaft bearings
Y		4) Steering linkages
Y		5) I beam or control arm movements and rivets
Y		6) Radius arm condition and bushings condition
Y		7) Stabilizer bar condition and bushings condition
Y		8) Ball joints or kingpins
Y		9) Front spring condition and mounting
Y		10) Front shock absorber operation & condition
Y		11) Trans oil cooler & lines routing and leaks
Y		12) Engine oil cooler & lines routing and leaks
Y		13) Heater and A/C hose routing and leaks
Y		14) No engine oil leaks and fluid condition
Y		15) Engine mounts, brackets and bolts
Y		16) Transmission mounts, brackets and bolts
Y		17) No transmission oil leaks and fluid condition
Y		18) Drive shaft condition
Y		19) Universal joints and carrier bearings condition
Y		20) No rear differential leaks
Y		21) Rear differential condition and mounting
Y		22) Frame and cross members
Y		23) Rear shock absorbers
Y		24) Rear springs condition and mounting
Y		25) No fuel leaks
Y		26) Fuel tank condition and mounting
Y		27) No exhaust leaks
Y		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 9/24/20 Vehicle #: 9704

Mileage in: 51723.8 Mileage out: 51724.8

Table with columns P, F, and Item Inspected. Contains 30 items related to brake, tire, and lift inspection, all marked with a checkmark in the P column.

Table with columns ServType, Service Performed, and Techs Initials. Lists various services like oil change, lube chassis, and brake adjustments.

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use.

Technicians Signature: [Signature] Date: 9/24/20

Supervisor Signature: _____ Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired.

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: **A B C D**

Mileage in: **61,190**

Mileage out: **61,191**

Date: **12/04/2020** vehicle #: **9704**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior Inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 01/03/21 Vehicle #: 9704 Mileage in: 66062 Mileage out: 66063

Circle Service Type: (A) B C D

P	F	Item Inspected	P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)			2) Rear blower condition and operation
		1) Driver carpet			3) Defroster operation
		2) Driver seat condition and operation			4) Temp gets to 20 deg. F below ambient temp.
		3) Drivers door operation and condition			5) Evaporator intake air filter condition
		4) Drivers seat belt operation and condition			6) Front heater condition and operation
		5) Engine starting and ignition system			7) Rear heater condition and operation
		6) Instrument panel gauges & warning lights			8) A/C compressors and condenser fans
		7) Instrument panel lighting & condition			E) Under hood inspection
		8) Horn operation			1) Batteries & charging sys. (load alt B,C,D serv)
		9) Steering wheel tight, no excessive play			Batt 1 volts: load amps:
		10) Windshield wipers			Batt 2 volts: load amps:
		11) Windshield washer			Batt 3 volts: load amps:
		12) Sun visor condition and operation			(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		13) Parking brake operation & condition			Alt. 1 min volt: max amp:
		14) Parking and service brake pedal pads			Alt. 2 min volt: max amp:
		15) Passenger door operation			(reference factory service manual for alternator spec)
		16) No vibrations, pulsations or noises			2) Wire and hose routing and connections
		B) Walk around inspection			3) Cooling system, hoses, water pump condition
		1) Body damage (list on separate sheet)			5) Accessory drive belts condition
		2) Headlights, high & low beam operation			6) Pullleys and tensioned operation & condition
		3) Parking lights operation & condition			7) Brake master cylinder and power booster
		4) Marker lights operation & condition			8) Fan and fan clutch operation and condition
		5) Directional signals operation & condition			9) Engine oil fluid level and condition
		6) Hazard lights operation & condition			10) Transmission oil level and condition
		7) Clearance lights operation and condition			11) Power steering fluid level and condition
		8) Brake lights operation & condition			12) Brake fluid level and condition
		9) License plate lamp operation & condition			F) Vehicle track inspection
		10) License plates and tags			1) Steering gear box mount, condition & leaks
		11) Backup lights and alarms			2) Steering shaft U joints
		12) Reflectors and reflective bumper tape			3) Steering shaft bearings
		13) Exterior decals and signage			4) Steering linkages
		14) Bumpers secure / in good condition			5) I beam or control arm movements and rivets
		15) Exterior mirrors secure / in good condition			6) Radius arm condition and bushings condition
		16) Exterior clean			7) Stabilizer bar condition and bushings condition
		C) Interior inspection			8) Ball joints or kingpins
		1) Passenger door and steps condition			9) Front spring condition and mounting
		2) Handrails and stanchions condition			10) Front shock absorber operation & condition
		3) Interior and modesty panels condition			11) Trans oil cooler & lines routing and leaks
		4) Flooring condition			12) Engine oil cooler & lines routing and leaks
		5) Interior lighting operation and condition			13) Heater and A/C hose routing and leaks
		6) Windows operation and condition			14) No engine oil leaks and fluid condition
		7) Emergency Exits operation & condition			15) Engine mounts, brackets and bolts
		8) Accessory operation & condition (radio, GPS)			16) Transmission mounts, brackets and bolts
		9) Passenger seats operation & condition			17) No transmission oil leaks and fluid condition
		10) Passenger seat belts operation & condition			18) Drive shaft condition
		11) First aid & body fluid kits complete			19) Universal joints and carrier bearings condition
		12) Triangle reflectors complete/good condition			20) No rear differential leaks
		13) Stop request operation & condition			21) Rear differential condition and mounting
		14) Valid registration, insurance & accident pack			22) Frame and cross members
		15) Fire extinguisher in good condition & signed			23) Rear shock absorbers
		16) Interior decals and signage (incl. electrical)			24) Rear springs condition and mounting
		17) DVI's reviewed, addressed and signed off			25) No fuel leaks
		18) Interior clean			26) Fuel tank condition and mounting
		D) HVAC system inspection			27) No exhaust leaks
		1) Front blower condition and operation			28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 03/07/2001 Vehicle #: 9704

Circle Service Type: (A) B C D
Mileage in: 45270 Mileage out: 45275

P	F	Item Inspected
		(A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		(B) Walk around inspection
R	*	1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
R		7) Clearance lights operation & condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		(C) Interior inspection
R		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition (radio, GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		(D) HVAC system inspection
R		1) Front blower condition and operation

Page 1 of 2

P	F	Item Inspected
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		(E) Under hood inspection
R		1) Batteries & charging sys. (load alt B,C,D serv)
R		Batt 1 volts: load amps:
R		Batt 2 volts: load amps:
R		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt 1 min volt: max amp:
		Alt 2 min volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		(F) Vehicle rack inspection
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
R		3) Steering shaft bearings
R		4) Steering linkages
R		5) I beam or control arm movements and rivets
R		6) Radius arm condition and bushings condition
R		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
R		18) Drive shaft condition
R		19) Universal joints and carrier bearings condition
R		20) No rear differential leaks
R		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: A B C D Date: 03/07/2021 Vehicle #: 9704 Mileage in: 75270 Mileage out: 75295

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	R
Lube chassis and suspension	A,B,C,D	R
Lube drive shafts and universal joints	A,B,C,D	M
Lube doors and hood, locks and hinges	A,B,C,D	R
Adjust service and parking brakes	A,B,C,D	R
Drain water from separator	A,B,C,D	M
Rotate tires (as necessary, caps on rear)	A,B,C,D	R
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	R

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: *Robert Murray*
Date: 03/07/2021

Supervisor Signature: _____
Date: _____

Notes: _____


Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Item Inspected	P	F
30) Front brake condition and mounting	R	
31) Front brake lining condition & measurement	R	
Pads R/F: 9 /32" L/F: 9 /32"	R	
32) Rear brake condition and mounting	R	
33) Rear brake lining condition & measurement	R	
Pads R/R: 6 /32" L/R: 6 /32"	R	
Shoes R/R: /32" L/R: /32"	M	
34) Tire and wheel condition and measurements	R	
R/F: 6 /32" L/F: 7 /32"	R	
R/R: 7 /32" L/R: 7 /32"	R	
R/R: 7 /32" L/R: 7 /32"	R	
35) Lug nuts condition	R	
Air pressure adjustment FR. 65 RR.75	R	
Wheel torque specs used: 140 ft. lbs.	R	
G) Lift inspection		
1) Lift operation (fully stowed to fully deployed)	R	
2) Lift control pendant condition and operation	R	
3) Lift restraint belt condition and operation	R	
4) Outer roll stop condition and operation	R	
5) Inner roll stop condition and operation	R	
6) Platform adjustments, condition and mounting	R	
7) Standee arm condition and operation	R	
8) Proper signage and decals	R	
9) Manual backup pump condition and operation	R	
10) Lift manual pump handle	R	
11) Hydraulic pump condition and operation	R	
12) Hydraulic lines and cylinders condition	R	
13) Hydraulic fluid level and condition	R	
14) Base plate and arms welds & pivot points	R	
15) Lift springs and pins condition and operation	R	
16) Lift safety switches and adjustments	R	
17) Hose and wire routing and connections	R	
18) Rollers and pivot point condition & operation	R	
19) Lift to vehicle mounting bolts and brackets	R	
20) Lift doors condition and operation	R	
21) Lift door lights condition and operation	R	
22) Lift interlock operation and condition	R	
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation	R	
24) Tie down container secure and clean	R	
25) Tie down floor mounting brackets secure	R	
26) W/C shoulder belt condition and operation	R	
27) Lift clean and no sharp edges	R	
28) Lift shields secure and in good shape	R	
29) Lift moves steady without drifting, jerking, or unusual speeds	R	
30) No unusual lift noises	R	
Lube all lift pivot points, barriers, rollers, linkages	R	
and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts	R	

04/08/20	H.M.H.	* LOW COOLANT. * ADD COOLANT
04/08/20	H.M.H.	* REPAIR RIGHT FRONT TIRE * LOW WINDSHIELD WASHER FLUID. "TOP UP"
04/08/21	H.M.H.	* TORQUE WHEEL TO SPEC. (140 FT/LBS)

DATE	COMPLETED BY	DESCRIPTION OF REPAIR NEEDED
04/08/21	A	
BUS #: 9904	DATE: 04/08/21	MECHANIC'S SIGNATURE: <i>[Signature]</i>
	PM TYPE OR WORK ORDER #:	

PM DEFECT SHEET





Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 04/08/21 Vehicle #: 9704

Mileage in: 79,931

Mileage out: 79,936

Table with columns P, F, and Item Inspected. Contains items A) Vehicle drive in inspection (5 miles), B) Walk around inspection, C) Interior inspection, and D) HVAC system inspection.

Table with columns P, F, and Item Inspected. Contains items 2) Rear blower condition and operation, 3) Defroster operation, 4) Temp gets to 20 deg. F below ambient temp., 5) Evaporator intake air filter condition, 6) Front heater condition and operation, 7) Rear heater condition and operation, 8) A/C compressors and condenser fans, E) Under hood inspection, and F) Vehicle rack inspection.



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 04/08/21 Vehicle #:

Mileage in: 79,931

Mileage out: 79,936

P	F	Item Inspected	Serv/Type	Service Performed	Tech's Initials
/		30) Front brake condition and mounting	A,B,C,D	Change oil and filter	H
/		31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	N/A
H		Pads R/F: 9/32" L/F: 9/32"	A,B,C,D	Lube drive shafts and universal joints	N/A
/		32) Rear brake condition and mounting	A,B,C,D	Lube doors and hood, locks and hinges	N/A
/		33) Rear brake lining condition & measurement	A,B,C,D	Adjust service and parking brakes	N/A
H		Pads R/R: 9/32" L/R: 9/32"	A,B,C,D	Drain water from separator	N/A
N/A		Shoes R/R: 1/32" L/R: 1/32"	A,B,C,D	Rotate tires(as necessary, caps on rear)	N/A
/		34) Tire and wheel condition and measurements	B,C,D	Change air filter	
H		R/F: 11/32" L/F: 11/32"	B,C,D	Change fuel filter	
H		R/R: 9/32" L/R: 9/32"	B,C,D	Clean or change PCV valve	
H		R/RO: 10/32" L/RO: 10/32"	B,C,D	Clean or change crank case filter	
/		35) Lug nuts condition	B,C,D	Install new wiper blades	
H		Air pressure adjustment FR. 75 RR. 80	C,D	Change transmission fluid and filter	
H		Wheel torque specs used: 140 ft. lbs.	C,D	Service front wheel bearings	
/		G) Lift Inspection	C,D	Drain water from fuel tank	
H		1) Lift operation (fully stowed to fully deployed)	D	Replace accessory drive belts	
H		2) Lift control pendant condition and operation	D	Service and flush cooling system	
H		3) Lift restraint belt condition and operation	D	Install new spark plugs & wires	
H		4) Outer roll stop condition and operation	D	Install new dist. cap & rotor	
H		5) Inner roll stop condition and operation	D	Change differential fluid	
H		6) Platform adjustments, condition and mounting	D	Check Exhaust and EGR system	
H		7) Standee arm condition and operation	D	Check and service fuel & evap. System	
H		8) Proper signage and decals	D	Evac and recharge A/C (add 1 oz. of oil)	
H		9) Manual backup pump condition and operation	A,B,C,D	Post service test drive (5 miles)	H
H		10) Lift manual pump handle	Initial or "N/A" each service performed per PM type		
H		11) Hydraulic pump condition and operation	<p>All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.</p>		
H		12) Hydraulic lines and cylinders condition			
H		13) Hydraulic fluid level and condition			
H		14) Base plate and arms welds & pivot points			
H		15) Lift springs and pins condition and operation			
H		16) Lift safety switches and adjustments			
H		17) Hose and wire routing and connections			
H		18) Rollers and pivot point condition & operation			
H		19) Lift to vehicle mounting bolts and brackets			
H		20) Lift doors condition and operation			
H		21) Lift door lights condition and operation	Technicians Signature		
H		22) Lift interlock operation and condition	Date		
H		(lift door open, e-brake down not able to shift)	<p>Supervisor Signature</p> <p>Date</p> <p>Notes:</p>		
H		(e-brake off lift door closed no lift power)			
H		23) W/C tie downs condition and operation			
H		24) Tie down container secure and clean			
H		25) Tie down floor mounting brackets secure			
H		26) W/C shoulder belt condition and operation			
H		27) Lift clean and no sharp edges			
/		28) Lift shields secure and in good shape			
H		29) Lift moves steady without drifting, jerking, or unusual speeds			
/		30) No unusual lift noises			
/		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	<p>Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.</p>		
/		Check, torque or adjust lift base mounting bolts			

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: H.M. Hy Date: 04/08/21

Supervisor Signature: Date:

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **(A)** B C D

Date: 02/14/2021 Vehicle #: 9704

Mileage in: 89354 Mileage out: 89355

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and Ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
R		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition (radio,GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation

P	F	Item Inspected
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
NA		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
R		1) Batteries & charging sys. (load alt B,C,D serv)
R		Batt 1 volts: load volts: load amps:
R		Batt 2 volts: load volts: load amps:
R		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
R		3) Steering shaft bearings
R		4) Steering linkages
R		5) I beam or control arm movements and rivets
R		6) Radius arm condition and bushings condition
R		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
R		18) Drive shaft condition
R		19) Universal joints and carrier bearings condition
R		20) No rear differential leaks
R		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: 89354 Mileage out: 89355

Date: 06/14/2024 Vehicle #: 9764

Item Inspected	Service Type	Initial or "N/A" each service performed per PM type
(30) Front brake condition and mounting	R	A,B,C,D
(31) Front brake lining condition & measurement	R	A,B,C,D
(32) Rear brake lining condition & measurement	R	A,B,C,D
(33) Rear brake lining condition & measurement	R	A,B,C,D
Pads R/R: 8/32" L/R: 8/32"	R	A,B,C,D
Shoes R/R: 1/32" L/R: 1/32"	MA	A,B,C,D
(34) Tire and wheel condition and measurements	R	A,B,C,D
R/F: 6/32" L/F: 6/32"	R	B,C,D
R/R: 7/32" L/R: 7/32"	R	B,C,D
R/R: 7/32" L/R: 7/32"	R	B,C,D
(35) Lug nuts condition	R	B,C,D
Air pressure adjustment FR. 65 RR. 75	R	B,C,D
Wheel torque specs used: 140 ft. lbs.	R	A,B,C,D
(G) Lift inspection	R	A,B,C,D
(1) Lift operation (fully stowed to fully deployed)	R	A,B,C,D
(2) Lift control pendant condition and operation	R	A,B,C,D
(3) Lift restraint belt condition and operation	R	A,B,C,D
(4) Outer roll stop condition and operation	R	A,B,C,D
(5) Inner roll stop condition and operation	R	A,B,C,D
(6) Platform adjustments, condition and mounting	R	A,B,C,D
(7) Standee arm condition and operation	R	A,B,C,D
(8) Proper signage and decals	R	A,B,C,D
(9) Manual backup pump condition and operation	R	A,B,C,D
(10) Lift manual pump handle	R	A,B,C,D
(11) Hydraulic pump condition and operation	R	A,B,C,D
(12) Hydraulic lines and cylinders condition	R	A,B,C,D
(13) Hydraulic fluid level and condition	R	A,B,C,D
(14) Base plate and arms welds & pivot points	R	A,B,C,D
(15) Lift springs and pins condition and operation	R	A,B,C,D
(16) Lift safety switches and adjustments	R	A,B,C,D
(17) Hose and wire routing and connections	R	A,B,C,D
(18) Rollers and pivot point condition & operation	R	A,B,C,D
(19) Lift to vehicle mounting bolts and brackets	R	A,B,C,D
(20) Lift doors condition and operation	R	A,B,C,D
(21) Lift door lights condition and operation	R	A,B,C,D
(22) Lift interlock operation and condition	R	A,B,C,D
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
(23) W/C the downs condition and operation	R	A,B,C,D
(24) The down container secure and clean	R	A,B,C,D
(25) The down floor mounting brackets secure	R	A,B,C,D
(26) W/C shoulder belt condition and operation	R	A,B,C,D
(27) Lift clean and no sharp edges	R	A,B,C,D
(28) Lift shields secure and in good shape	R	A,B,C,D
(29) Lift moves steady without drifting, jerking, or unusual speeds	R	A,B,C,D
(30) No unusual lift noises	R	A,B,C,D
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	R	A,B,C,D
Check, torque or adjust lift base mounting bolts	R	A,B,C,D

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Notes: _____
 Supervisor Signature _____
 Date _____

Technician Signature [Signature]
 Date 06/14/2024

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	R
Lube chassis and suspension	A,B,C,D	R
Lube drive shafts and universal joints	A,B,C,D	MA
Lube doors and hood, locks and hinges	A,B,C,D	R
Adjust service and parking brakes	A,B,C,D	R
Drain water from separator	A,B,C,D	MA
Rotate tires (as necessary, caps on rear)	A,B,C,D	R
Change air filter	B,C,D	R
Change fuel filter	B,C,D	R
Clean or change PCV valve	B,C,D	R
Clean or change crank case filter	B,C,D	R
Install new wiper blades	B,C,D	R
Change transmission fluid and filter	C,D	R
Service front wheel bearings	C,D	R
Drain water from fuel tank	D	R
Replace accessory drive belts	D	R
Service and flush cooling system	D	R
Install new spark plugs & wires	D	R
Install new dist. cap & rotor	D	R
Change differential fluid	D	R
Check Exhaust and EGR system	D	R
Check and service fuel & evap. System	D	R
Evac and recharge A/C (add 1 oz. of oil)	D	R
Post service test drive (5 miles)	A,B,C,D	R

DATE	COMPLETED BY	DESCRIPTION OF REPAIR NEEDED
07/21/21	H.M.H.	* TOP UP COOLANT IN RESERVOIR.
07/21/21	H.M.H.	ON BUS.
07/21/21		* CHECK AND SECURE "DOG HOUSE"
07/21/21		* DRIVER COMPLAIN ABOUT HEAT COMING FROM FRONT OF DASH & SEAT.
07/21/21	H.M.H.	* INFLATE AND CHECK TORQUE TO CORRECT SPECS. ON ALL WHEELS.

DATE COMPLETED	COMPLETED BY	DESCRIPTION OF REPAIR NEEDED
07/21/21	A	
DATE:	BUS #:	MECHANIC'S SIGNATURE
07/21/21	9704	J. W. J.

PM DEFECT SHEET





Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 07/21/21 Vehicle #: 9704

Mileage in: 93,766 Mileage out: 93,767

P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)
H		1) Driver carpet
H		2) Driver seat condition and operation
H		3) Drivers door operation and condition
H		4) Drivers seat belt operation and condition
H		5) Engine starting and ignition system
H		6) Instrument panel gauges & warning lights
H		7) Instrument panel lighting & condition
H		8) Horn operation
H		9) Steering wheel tight, no excessive play
H		10) Windshield wipers
H		11) Windshield washer
H		12) Sun visor condition and operation
H		13) Parking brake operation & condition
H		14) Parking and service brake pedal pads
H		15) Passenger door operation
H		16) No vibrations, pulsations or noises
/		B) Walk around inspection
H		1) Body damage (list on separate sheet)
H		2) Headlights, high & low beam operation
H		3) Parking lights operation & condition
H		4) Marker lights operation & condition
H		5) Directional signals operation & condition
H		6) Hazard lights operation & condition
H		7) Clearance lights operation and condition
H		8) Brake lights operation & condition
H		9) License plate lamp operation & condition
H		10) License plates and tags
H		11) Backup lights and alarms
H		12) Reflectors and reflective bumper tape
H		13) Exterior decals and signage
H		14) Bumpers secure / in good condition
H		15) Exterior mirrors secure / in good condition
H		16) Exterior clean
/		C) Interior inspection
H		1) Passenger door and steps condition
H		2) Handrails and stanchions condition
H		3) Interior and modesty panels condition
H		4) Flooring condition
H		5) Interior lighting operation and condition
H		6) Windows operation and condition
H		7) Emergency Exits operation & condition
H		8) Accessory operation & condition (radio, GPS)
H		9) Passenger seats operation & condition
H		10) Passenger seat belts operation & condition
H		11) First aid & body fluid kits complete
H		12) Triangle reflectors complete/good condition
H		13) Stop request operation & condition
H		14) Valid registration, insurance & accident pack
H		15) Fire extinguisher in good condition & signed
H		16) Interior decals and signage (incl. electrical)
H		17) DVI's reviewed, addressed and signed off
X		18) Interior clean
/		D) HVAC system inspection
H		1) Front blower condition and operation

P	F	Item Inspected
H		2) Rear blower condition and operation
H		3) Defroster operation
H		4) Temp gets to 20 deg. F below ambient temp.
H		5) Evaporator intake air filter condition
H		6) Front heater condition and operation
H		7) Rear heater condition and operation
H		8) A/C compressors and condenser fans
/		E) Under hood inspection
/		1) Batteries & charging sys. (load alt B,C,D serv)
H		Batt 1 volts: load volts: load amps:
H		Batt 2 volts: load volts: load amps:
/		Batt 3 volts: load volts: load amps:
/		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
H		Alt. 1 min volt: max volt: max amp:
/		Alt. 2 min volt: max volt: max amp:
/		(reference factory service manual for alternator spec)
H		2) Wire and hose routing and connections
H		3) Cooling system, hoses, water pump condition
H		5) Accessory drive belts condition
H		6) Pulleys and tensioned operation & condition
H		7) Brake master cylinder and power booster
H		8) Fan and fan clutch operation and condition
H		9) Engine oil fluid level and condition
H		10) Transmission oil level and condition
H		11) Power steering fluid level and condition
H		12) Brake fluid level and condition
/		F) Vehicle rack inspection
H		1) Steering gear box mount, condition & leaks
H		2) Steering shaft U joints
H		3) Steering shaft bearings
H		4) Steering linkages
H		5) I beam or control arm movements and rivets
H		6) Radius arm condition and bushings condition
H		7) Stabilizer bar condition and bushings condition
H		8) Ball joints or kingpins
H		9) Front spring condition and mounting
H		10) Front shock absorber operation & condition
H		11) Trans oil cooler & lines routing and leaks
H		12) Engine oil cooler & lines routing and leaks
H		13) Heater and A/C hose routing and leaks
H		14) No engine oil leaks and fluid condition
H		15) Engine mounts, brackets and bolts
H		16) Transmission mounts, brackets and bolts
H		17) No transmission oil leaks and fluid condition
H		18) Drive shaft condition
H		19) Universal joints and carrier bearings condition
H		20) No rear differential leaks
H		21) Rear differential condition and mounting
H		22) Frame and cross members
H		23) Rear shock absorbers
H		24) Rear springs condition and mounting
H		25) No fuel leaks
H		26) Fuel tank condition and mounting
H		27) No exhaust leaks
H		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Date: 07/21/21 Vehicle #: 9704
 Circle Service Type: (A) B C D
 Mileage in: 93,766 Mileage out: 93,767

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 9/32" L/F: 9/32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 10/32" L/R: 10/32"		
Shoes R/R: 1/32" L/R: 1/32"		
34) Tire and wheel condition and measurements		
R/F: 8/32" L/F: 8/32"		
R/R: 8/32" L/R: 8/32"		
R/R: 9/32" L/R: 9/32"		
35) Lug nuts condition		
Air pressure adjustment FR. 80 RR. 80		
Wheel torque specs used: 140 ft. lbs.		
30) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Notes:
 Supervisor Signature _____ Date: _____
 Technicians Signature _____ Date: 07/21/21

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	Techs Initials
Service Performed	H
Change oil and filter	A,B,C,D
Lube chassis and suspension	A,B,C,D
Lube drive shafts and universal joints	A,B,C,D
Lube doors and hood, locks and hinges	A,B,C,D
Adjust service and parking brakes	A,B,C,D
Drain water from separator	A,B,C,D
Rotate tires (as necessary, caps on rear)	A,B,C,D
Change air filter	B,C,D
Change fuel filter	B,C,D
Clean or change PCV valve	B,C,D
Clean or change crank case filter	B,C,D
Install new wiper blades	B,C,D
Change transmission fluid and filter	C,D
Service front wheel bearings	C,D
Drain water from fuel tank	C,D
Replace accessory drive belts	D
Service and flush cooling system	D
Install new spark plugs & wires	D
Install new dist. cap & rotor	D
Change differential fluid	D
Check Exhaust and EGR system	D
Check and service fuel & evap. System	D
Evac and recharge A/C (add 1 oz. of oil)	D
Post service test drive (5 miles)	A,B,C,D



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 09/29/21 Vehicle #: 9704

Mileage in: 102990 Mileage out: 102992

P	F	Item Inspected	P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)	F		2) Rear blower condition and operation
F		1) Driver carpet	F		3) Defroster operation
F		2) Driver seat condition and operation	F		4) Temp gets to 20 deg. F below ambient temp.
F		3) Drivers door operation and condition	F		5) Evaporator intake air filter condition
F		4) Drivers seat belt operation and condition	F		6) Front heater condition and operation
F		5) Engine starting and ignition system	F		7) Rear heater condition and operation
F		6) Instrument panel gauges & warning lights	F		8) A/C compressors and condenser fans
F		7) Instrument panel lighting & condition			E) Under hood inspection
F		8) Horn operation			1) Batteries & charging sys. (load alt B,C,D serv)
F		9) Steering wheel tight, no excessive play			Batt 1 volts: load volts: load amps:
F		10) Windshield wipers			Batt 2 volts: load volts: load amps:
F		11) Windshield washer			Batt 3 volts: load volts: load amps:
F		12) Sun visor condition and operation			(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
F		13) Parking brake operation & condition			Alt. 1 min volt: max volt: max amp:
F		14) Parking and service brake pedal pads			Alt. 2 min volt: max volt: max amp:
F		15) Passenger door operation			(reference factory service manual for alternator spec)
F		16) No vibrations, pulsations or noises	F		2) Wire and hose routing and connections
		B) Walk around inspection	F		3) Cooling system, hoses, water pump condition
F		1) Body damage (list on separate sheet)	F		5) Accessory drive belts condition
F		2) Headlights, high & low beam operation	F		6) Pulleys and tensioned operation & condition
F		3) Parking lights operation & condition	F		7) Brake master cylinder and power booster
F		4) Marker lights operation & condition	F		8) Fan and fan clutch operation and condition
F		5) Directional signals operation & condition	F		9) Engine oil fluid level and condition
F		6) Hazard lights operation & condition	F		10) Transmission oil level and condition
F		7) Clearance lights operation and condition	F		11) Power steering fluid level and condition
F		8) Brake lights operation & condition	F		12) Brake fluid level and condition
F		9) License plate lamp operation & condition			F) Vehicle rack inspection
F		10) License plates and tags	F		1) Steering gear box mount, condition & leaks
F		11) Backup lights and alarms	F		2) Steering shaft U joints
F		12) Reflectors and reflective bumper tape	F		3) Steering shaft bearings
F		13) Exterior decals and signage	F		4) Steering linkages
F		14) Bumpers secure / in good condition	F		5) I beam or control arm movements and rivets
F		15) Exterior mirrors secure / in good condition	F		6) Radius arm condition and bushings condition
F		16) Exterior clean	F		7) Stabilizer bar condition and bushings condition
		C) Interior inspection	F		8) Ball joints or kingpins
F		1) Passenger door and steps condition	F		9) Front spring condition and mounting
F		2) Handrails and stanchions condition	F		10) Front shock absorber operation & condition
F		3) Interior and modesty panels condition	F		11) Trans oil cooler & lines routing and leaks
F		4) Flooring condition	F		12) Engine oil cooler & lines routing and leaks
F		5) Interior lighting operation and condition	F		13) Heater and A/C hose routing and leaks
F		6) Windows operation and condition	F		14) No engine oil leaks and fluid condition
F		7) Emergency Exits operation & condition	F		15) Engine mounts, brackets and bolts
F		8) Accessory operation & condition (radio, GPS)	F		16) Transmission mounts, brackets and bolts
F		9) Passenger seats operation & condition	F		17) No transmission oil leaks and fluid condition
F		10) Passenger seat belts operation & condition	F		18) Drive shaft condition
F		11) First aid & body fluid kits complete	F		19) Universal joints and carrier bearings condition
F		12) Triangle reflectors complete/good condition	F		20) No rear differential leaks
F		13) Stop request operation & condition	F		21) Rear differential condition and mounting
F		14) Valid registration, insurance & accident pack	F		22) Frame and cross members
F		15) Fire extinguisher in good condition & signed	F		23) Rear shock absorbers
F		16) Interior decals and signage (incl. electrical)	F		24) Rear springs condition and mounting
F		17) DVI's reviewed, addressed and signed off	F		25) No fuel leaks
F		18) Interior clean	F		26) Fuel tank condition and mounting
F		D) HVAC system inspection	F		27) No exhaust leaks
F		1) Front blower condition and operation	F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 09/09/21 Vehicle #: 9704 Mileage in: 102950 Mileage out: 102992

Circle Service Type: A B C D

Service Type	Service Performed	Techns Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	F
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	F
A,B,C,D	Drain water from separator	NID
A,B,C,D	Rotate tires (as necessary, caps on rear)	NID
B,C,D	Change air filter	F
B,C,D	Change fuel filter	F
B,C,D	Clean or change PCV valve	F
B,C,D	Clean or change crank case filter	F
B,C,D	Install new wiper blades	F
C,D	Change transmission fluid and filter	F
C,D	Service front wheel bearings	F
C,D	Drain water from fuel tank	F
D	Replace accessory drive belts	F
D	Service and flush cooling system	F
D	Install new spark plugs & wires	F
D	Install new dist. cap & rotor	F
D	Change differential fluid	F
D	Check Exhaust and EGR system	F
D	Check and service fuel & evap. System	F
D	Evac and recharge A/C (add 1 oz. of oil)	F
A,B,C,D	Post service test drive (5 miles)	F

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: *[Signature]* Date: 09/09/21
 Supervisor Signature: _____ Date: _____


Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 4 / 32" LF: 9 / 32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 9 / 32" L/R: 9 / 32"
		Shoes R/R: / 32" L/R: / 32"
		34) Tire and wheel condition and measurements
		R/F: 10 / 32" LF: 10 / 32"
		R/R: 10 / 32" L/R: 10 / 32"
		R/R: 10 / 32" L/R: 10 / 32"
		35) Lug nuts condition
		Wheel torque specs used: 140 ft. lbs.
		90-65 RR.
		140 ft. lbs.
		9) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C the downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

2307

Basic Information

Vehicle #: 9704 Repair Reason: _____ Date and Time in: 11/01/21 9:30 Mileage in: 107945
 Date: 11/01/21 Work Class: 1 Date and Time Finished: 11/01/21 10:58 Mileage out: 107946

Complaints/Defects: _____ Notes/Measurements: _____

PMI

Labor Information			Parts Information						
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
	58	PMI		A	55	VV1700	oil	1	70
				A	55	L 3681	oil filter	1	
				A	55	225/75R16	tire	1	
			Total Hours Worked:	Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 816534 Technician: Shawn Wilson Signature: _____

ASE Employee #: 604182 ASE Technician: _____ ASE Signature: _____



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 11/01/21 Vehicle #: 9704

Mileage in: 107945 Mileage out: 107946

P	F	Item Inspected
<input checked="" type="checkbox"/>		A) Vehicle drive in inspection (5 miles)
<input checked="" type="checkbox"/>		1) Driver carpet
<input checked="" type="checkbox"/>		2) Driver seat condition and operation
<input checked="" type="checkbox"/>		3) Drivers door operation and condition
<input checked="" type="checkbox"/>		4) Drivers seat belt operation and condition
<input checked="" type="checkbox"/>		5) Engine starting and Ignition system
<input checked="" type="checkbox"/>		6) Instrument panel gauges & warning lights
<input checked="" type="checkbox"/>		7) Instrument panel lighting & condition
<input checked="" type="checkbox"/>		8) Horn operation
<input checked="" type="checkbox"/>		9) Steering wheel tight, no excessive play
<input checked="" type="checkbox"/>		10) Windshield wipers
<input checked="" type="checkbox"/>		11) Windshield washer
<input checked="" type="checkbox"/>		12) Sun visor condition and operation
<input checked="" type="checkbox"/>		13) Parking brake operation & condition
<input checked="" type="checkbox"/>		14) Parking and service brake pedal pads
<input checked="" type="checkbox"/>		15) Passenger door operation
<input checked="" type="checkbox"/>		16) No vibrations, pulsations or noises
		B) Walk around inspection
	<input checked="" type="checkbox"/>	1) Body damage (list on separate sheet)
	<input checked="" type="checkbox"/>	2) Headlights, high & low beam operation
<input checked="" type="checkbox"/>		3) Parking lights operation & condition
<input checked="" type="checkbox"/>		4) Marker lights operation & condition
<input checked="" type="checkbox"/>		5) Directional signals operation & condition
<input checked="" type="checkbox"/>		6) Hazard lights operation & condition
<input checked="" type="checkbox"/>		7) Clearance lights operation and condition
<input checked="" type="checkbox"/>		8) Brake lights operation & condition
<input checked="" type="checkbox"/>		9) License plate lamp operation & condition
<input checked="" type="checkbox"/>		10) License plates and tags
<input checked="" type="checkbox"/>		11) Backup lights and alarms
<input checked="" type="checkbox"/>		12) Reflectors and reflective bumper tape
<input checked="" type="checkbox"/>		13) Exterior decals and signage
<input checked="" type="checkbox"/>		14) Bumpers secure / in good condition
<input checked="" type="checkbox"/>		15) Exterior mirrors secure / in good condition
<input checked="" type="checkbox"/>		16) Exterior clean
		C) Interior inspection
<input checked="" type="checkbox"/>		1) Passenger door and steps condition
<input checked="" type="checkbox"/>		2) Handrails and stanchions condition
<input checked="" type="checkbox"/>		3) Interior and modesty panels condition
<input checked="" type="checkbox"/>		4) Flooring condition
<input checked="" type="checkbox"/>		5) Interior lighting operation and condition
<input checked="" type="checkbox"/>		6) Windows operation and condition
<input checked="" type="checkbox"/>		7) Emergency Exits operation & condition
<input checked="" type="checkbox"/>		8) Accessory operation & condition (radio, GPS)
<input checked="" type="checkbox"/>		9) Passenger seats operation & condition
<input checked="" type="checkbox"/>		10) Passenger seat belts operation & condition
<input checked="" type="checkbox"/>		11) First aid & body fluid kits complete
<input checked="" type="checkbox"/>		12) Triangle reflectors complete/good condition
<input checked="" type="checkbox"/>		13) Stop request operation & condition
<input checked="" type="checkbox"/>		14) Valid registration, insurance & accident pack
<input checked="" type="checkbox"/>		15) Fire extinguisher in good condition & signed
<input checked="" type="checkbox"/>		16) Interior decals and signage (incl. electrical)
<input checked="" type="checkbox"/>		17) DVI's reviewed, addressed and signed off
<input checked="" type="checkbox"/>		18) Interior clean
		D) HVAC system inspection
<input checked="" type="checkbox"/>		1) Front blower condition and operation

P	F	Item Inspected
<input checked="" type="checkbox"/>		2) Rear blower condition and operation
<input checked="" type="checkbox"/>		3) Defroster operation
<input checked="" type="checkbox"/>		4) Temp gets to 20 deg. F below ambient temp.
<input checked="" type="checkbox"/>		5) Evaporator intake air filter condition
<input checked="" type="checkbox"/>		6) Front heater condition and operation
<input checked="" type="checkbox"/>		7) Rear heater condition and operation
<input checked="" type="checkbox"/>		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
<input checked="" type="checkbox"/>		2) Wire and hose routing and connections
<input checked="" type="checkbox"/>		3) Cooling system, hoses, water pump condition
<input checked="" type="checkbox"/>		5) Accessory drive belts condition
<input checked="" type="checkbox"/>		6) Pulleys and tensioned operation & condition
<input checked="" type="checkbox"/>		7) Brake master cylinder and power booster
<input checked="" type="checkbox"/>		8) Fan and fan clutch operation and condition
<input checked="" type="checkbox"/>		9) Engine oil fluid level and condition
<input checked="" type="checkbox"/>		10) Transmission oil level and condition
<input checked="" type="checkbox"/>		11) Power steering fluid level and condition
<input checked="" type="checkbox"/>		12) Brake fluid level and condition
		F) Vehicle rack inspection
<input checked="" type="checkbox"/>		1) Steering gear box mount, condition & leaks
<input checked="" type="checkbox"/>		2) Steering shaft U joints
<input checked="" type="checkbox"/>		3) Steering shaft bearings
<input checked="" type="checkbox"/>		4) Steering linkages
<input checked="" type="checkbox"/>		5) I beam or control arm movements and rivets
<input checked="" type="checkbox"/>		6) Radius arm condition and bushings condition
<input checked="" type="checkbox"/>		7) Stabilizer bar condition and bushings condition
<input checked="" type="checkbox"/>		8) Ball joints or kingpins
<input checked="" type="checkbox"/>		9) Front spring condition and mounting
<input checked="" type="checkbox"/>		10) Front shock absorber operation & condition
<input checked="" type="checkbox"/>		11) Trans oil cooler & lines routing and leaks
<input checked="" type="checkbox"/>		12) Engine oil cooler & lines routing and leaks
<input checked="" type="checkbox"/>		13) Heater and A/C hose routing and leaks
<input checked="" type="checkbox"/>		14) No engine oil leaks and fluid condition
<input checked="" type="checkbox"/>		15) Engine mounts, brackets and bolts
<input checked="" type="checkbox"/>		16) Transmission mounts, brackets and bolts
<input checked="" type="checkbox"/>		17) No transmission oil leaks and fluid condition
<input checked="" type="checkbox"/>		18) Drive shaft condition
<input checked="" type="checkbox"/>		19) Universal joints and carrier bearings condition
<input checked="" type="checkbox"/>		20) No rear differential leaks
<input checked="" type="checkbox"/>		21) Rear differential condition and mounting
<input checked="" type="checkbox"/>		22) Frame and cross members
<input checked="" type="checkbox"/>		23) Rear shock absorbers
<input checked="" type="checkbox"/>		24) Rear springs condition and mounting
<input checked="" type="checkbox"/>		25) No fuel leaks
<input checked="" type="checkbox"/>		26) Fuel tank condition and mounting
<input checked="" type="checkbox"/>		27) No exhaust leaks
<input checked="" type="checkbox"/>		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Date: **11/01/21** Vehicle #: **9704**

Mileage in: **10763** Mileage out: **10794**

Item Inspected	P	F
30) Front brake lining condition and mounting	✓	
31) Front brake lining condition & measurement	✓	
Pads R/F: 5 / 32" L/F: 5 / 32"		
32) Rear brake lining condition and mounting	✓	
33) Rear brake lining condition & measurement	✓	
Pads R/R: 7 / 32" L/R: 7 / 32"		
Shoes R/R: 7 / 32" L/R: 7 / 32"		
34) Tire and wheel condition and measurements	✓	
R/F: 8 / 32" L/F: 8 / 32"		
R/R: 8 / 32" L/R: 8 / 32"		
R/RO: 8 / 32" L/RO: 8 / 32"		
35) Lug nuts condition	✓	
Air pressure adjustment FR. 20 RR. 20		
Wheel torque specs used: 150 ft. lbs.		
g) Lift inspection	✓	
1) Lift operation (fully stowed to fully deployed)	✓	
2) Lift control pendant condition and operation	✓	
3) Lift restraint belt condition and operation	✓	
4) Outer roll stop condition and operation	✓	
5) Inner roll stop condition and operation	✓	
6) Platform adjustments, condition and mounting	✓	
7) Standee arm condition and operation	✓	
8) Proper signage and decals	✓	
9) Manual backup pump condition and operation	✓	
10) Lift manual pump handle	✓	
11) Hydraulic pump condition and operation	✓	
12) Hydraulic lines and cylinders condition	✓	
13) Hydraulic fluid level and condition	✓	
14) Base plate and arms welds & pivot points	✓	
15) Lift springs and pins condition and operation	✓	
16) Lift safety switches and adjustments	✓	
17) Hose and wire routing and connections	✓	
18) Rollers and pivot point condition & operation	✓	
19) Lift to vehicle mounting bolts and brackets	✓	
20) Lift doors condition and operation	✓	
21) Lift door lights condition and operation	✓	
22) Lift interlock operation and condition	✓	
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation	✓	
24) Tie down container secure and clean	✓	
25) Tie down floor mounting brackets secure	✓	
26) W/C shoulder belt condition and operation	✓	
27) Lift clean and no sharp edges	✓	
28) Lift shields secure and in good shape	✓	
29) Lift moves steady without drifting, jerking, or unusual speeds	✓	
30) No unusual lift noises	✓	
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	✓	
Check, torque or adjust lift base mounting bolts	✓	

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	✓
Lube chassis and suspension	A,B,C,D	✓
Lube drive shafts and universal joints	A,B,C,D	✓
Lube doors and hood, locks and hinges	A,B,C,D	✓
Adjust service and parking brakes	A,B,C,D	✓
Drain water from separator	A,B,C,D	✓
Rotate tires (as necessary, caps on rear)	A,B,C,D	✓
Change air filter	B,C,D	✓
Change fuel filter	B,C,D	✓
Clean or change PCV valve	B,C,D	✓
Clean or change crank case filter	B,C,D	✓
Install new wiper blades	B,C,D	✓
Change transmission fluid and filter	C,D	✓
Service front wheel bearings	C,D	✓
Drain water from fuel tank	C,D	✓
Replace accessory drive belts	D	✓
Service and flush cooling system	D	✓
Install new spark plugs & wires	D	✓
Install new dist. cap & rotor	D	✓
Change differential fluid	D	✓
Check Exhaust and EGR system	D	✓
Check and service fuel & evap. System	D	✓
Evac and recharge A/C (add 1 oz. of oil)	A,B,C,D	✓
Post service test drive (0 miles)	A,B,C,D	✓

Technicians Signature: *[Signature]* Date: **11/01/21**
 Supervisor Signature: _____ Date: _____

Notes:



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **(A)** B C D

Date: 01/18/22 Vehicle #: 9704

Mileage in: 117492 Mileage out: 117494

P	F	Item Inspected
<input checked="" type="checkbox"/>		A) Vehicle drive in inspection (5 miles)
<input checked="" type="checkbox"/>		1) Driver carpet
<input checked="" type="checkbox"/>		2) Driver seat condition and operation
<input checked="" type="checkbox"/>		3) Drivers door operation and condition
<input checked="" type="checkbox"/>		4) Drivers seat belt operation and condition
<input checked="" type="checkbox"/>		5) Engine starting and Ignition system
<input checked="" type="checkbox"/>		6) Instrument panel gauges & warning lights
<input checked="" type="checkbox"/>		7) Instrument panel lighting & condition
<input checked="" type="checkbox"/>		8) Horn operation
<input checked="" type="checkbox"/>		9) Steering wheel tight, no excessive play
<input checked="" type="checkbox"/>		10) Windshield wipers
<input checked="" type="checkbox"/>		11) Windshield washer
<input checked="" type="checkbox"/>		12) Sun visor condition and operation
<input checked="" type="checkbox"/>		13) Parking brake operation & condition
<input checked="" type="checkbox"/>		14) Parking and service brake pedal pads
<input checked="" type="checkbox"/>		15) Passenger door operation
<input checked="" type="checkbox"/>		16) No vibrations, pulsations or noises
<input checked="" type="checkbox"/>		B) Walk around inspection
<input checked="" type="checkbox"/>		1) Body damage (list on separate sheet)
<input checked="" type="checkbox"/>		2) Headlights, high & low beam operation
<input checked="" type="checkbox"/>		3) Parking lights operation & condition
<input checked="" type="checkbox"/>		4) Marker lights operation & condition
<input checked="" type="checkbox"/>		5) Directional signals operation & condition
<input checked="" type="checkbox"/>		6) Hazard lights operation & condition
<input checked="" type="checkbox"/>		7) Clearance lights operation and condition
<input checked="" type="checkbox"/>		8) Brake lights operation & condition
<input checked="" type="checkbox"/>		9) License plate lamp operation & condition
<input checked="" type="checkbox"/>		10) License plates and tags
<input checked="" type="checkbox"/>		11) Backup lights and alarms
<input checked="" type="checkbox"/>		12) Reflectors and reflective bumper tape
<input checked="" type="checkbox"/>		13) Exterior decals and signage
<input checked="" type="checkbox"/>		14) Bumpers secure / in good condition
<input checked="" type="checkbox"/>		15) Exterior mirrors secure / in good condition
<input checked="" type="checkbox"/>		16) Exterior clean
<input checked="" type="checkbox"/>		C) Interior inspection
<input checked="" type="checkbox"/>		1) Passenger door and steps condition
<input checked="" type="checkbox"/>		2) Handrails and stanchions condition
<input checked="" type="checkbox"/>		3) Interior and modesty panels condition
<input checked="" type="checkbox"/>		4) Flooring condition
<input checked="" type="checkbox"/>		5) Interior lighting operation and condition
<input checked="" type="checkbox"/>		6) Windows operation and condition
<input checked="" type="checkbox"/>		7) Emergency Exits operation & condition
<input checked="" type="checkbox"/>		8) Accessory operation & condition (radio, GPS)
<input checked="" type="checkbox"/>		9) Passenger seats operation & condition
<input checked="" type="checkbox"/>		10) Passenger seat belts operation & condition
<input checked="" type="checkbox"/>		11) First aid & body fluid kits complete
<input checked="" type="checkbox"/>		12) Triangle reflectors complete/good condition
<input checked="" type="checkbox"/>		13) Stop request operation & condition
<input checked="" type="checkbox"/>		14) Valid registration, insurance & accident pack
<input checked="" type="checkbox"/>		15) Fire extinguisher in good condition & signed
<input checked="" type="checkbox"/>		16) Interior decals and signage (incl. electrical)
<input checked="" type="checkbox"/>		17) DVI's reviewed, addressed and signed off
<input checked="" type="checkbox"/>		18) Interior clean
<input checked="" type="checkbox"/>		D) HVAC system inspection
<input checked="" type="checkbox"/>		1) Front blower condition and operation

P	F	Item Inspected
<input checked="" type="checkbox"/>		2) Rear blower condition and operation
<input checked="" type="checkbox"/>		3) Defroster operation
<input checked="" type="checkbox"/>		4) Temp gets to 20 deg. F below ambient temp.
<input checked="" type="checkbox"/>		5) Evaporator intake air filter condition
<input checked="" type="checkbox"/>		6) Front heater condition and operation
<input checked="" type="checkbox"/>		7) Rear heater condition and operation
<input checked="" type="checkbox"/>		8) A/C compressors and condenser fans
<input checked="" type="checkbox"/>		E) Under hood inspection
<input checked="" type="checkbox"/>		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
<input checked="" type="checkbox"/>		2) Wire and hose routing and connections
<input checked="" type="checkbox"/>		3) Cooling system, hoses, water pump condition
<input checked="" type="checkbox"/>		5) Accessory drive belts condition
<input checked="" type="checkbox"/>		6) Pulleys and tensioned operation & condition
<input checked="" type="checkbox"/>		7) Brake master cylinder and power booster
<input checked="" type="checkbox"/>		8) Fan and fan clutch operation and condition
<input checked="" type="checkbox"/>		9) Engine oil fluid level and condition
<input checked="" type="checkbox"/>		10) Transmission oil level and condition
<input checked="" type="checkbox"/>		11) Power steering fluid level and condition
<input checked="" type="checkbox"/>		12) Brake fluid level and condition
<input checked="" type="checkbox"/>		F) Vehicle rack inspection
<input checked="" type="checkbox"/>		1) Steering gear box mount, condition & leaks
<input checked="" type="checkbox"/>		2) Steering shaft U joints
<input checked="" type="checkbox"/>		3) Steering shaft bearings
<input checked="" type="checkbox"/>		4) Steering linkages
<input checked="" type="checkbox"/>		5) I beam or control arm movements and rivets
<input checked="" type="checkbox"/>		6) Radius arm condition and bushings condition
<input checked="" type="checkbox"/>		7) Stabilizer bar condition and bushings condition
<input checked="" type="checkbox"/>		8) Ball joints or kingpins
<input checked="" type="checkbox"/>		9) Front spring condition and mounting
<input checked="" type="checkbox"/>		10) Front shock absorber operation & condition
<input checked="" type="checkbox"/>		11) Trans oil cooler & lines routing and leaks
<input checked="" type="checkbox"/>		12) Engine oil cooler & lines routing and leaks
<input checked="" type="checkbox"/>		13) Heater and A/C hose routing and leaks
<input checked="" type="checkbox"/>		14) No engine oil leaks and fluid condition
<input checked="" type="checkbox"/>		15) Engine mounts, brackets and bolts
<input checked="" type="checkbox"/>		16) Transmission mounts, brackets and bolts
<input checked="" type="checkbox"/>		17) No transmission oil leaks and fluid condition
<input checked="" type="checkbox"/>		18) Drive shaft condition
<input checked="" type="checkbox"/>		19) Universal joints and carrier bearings condition
<input checked="" type="checkbox"/>		20) No rear differential leaks
<input checked="" type="checkbox"/>		21) Rear differential condition and mounting
<input checked="" type="checkbox"/>		22) Frame and cross members
<input checked="" type="checkbox"/>		23) Rear shock absorbers
<input checked="" type="checkbox"/>		24) Rear springs condition and mounting
<input checked="" type="checkbox"/>		25) No fuel leaks
<input checked="" type="checkbox"/>		26) Fuel tank condition and mounting
<input checked="" type="checkbox"/>		27) No exhaust leaks
<input checked="" type="checkbox"/>		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: **A B C D**

Mileage in: **11792**

Mileage out: **11794**

Date: **1/18/22**

Vehicle #: **9704**

Service Performed	Service Type	Tech Initials
Change oil and filter	A,B,C,D	F
Lube chassis and suspension	A,B,C,D	F
Lube drive shafts and universal joints	A,B,C,D	F
Lube doors and hood, locks and hinges	A,B,C,D	F
Adjust service and parking brakes	A,B,C,D	F
Drain water from separator	A,B,C,D	F
Rotate tires (as necessary, caps on rear)	A,B,C,D	F
Change air filter	B,C,D	F
Change fuel filter	B,C,D	F
Clean or change PCV valve	B,C,D	F
Clean or change crank case filter	B,C,D	F
Install new wiper blades	B,C,D	F
Change transmission fluid and filter	C,D	F
Service front wheel bearings	C,D	F
Drain water from fuel tank	C,D	F
Replace accessory drive belts	D	F
Service and flush cooling system	D	F
Install new spark plugs & wires	D	F
Install new dist. cap & rotor	D	F
Change differential fluid	D	F
Check Exhaust and EGR system	D	F
Check and service fuel & evap. System	D	F
Evac and recharge A/C (add 1 oz. of oil)	D	F
Post service test drive (5 miles)	A,B,C,D	F

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: *[Signature]*

Date: **01/18/22**

Supervisor Signature: _____

Date: _____

Notes: _____

Item Inspected	P	F
30) Front brake condition and mounting	<input checked="" type="checkbox"/>	<input type="checkbox"/>
31) Front brake lining condition & measurement	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Pads R/F: 3/32" L/F: 3/32"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
32) Rear brake condition and mounting	<input checked="" type="checkbox"/>	<input type="checkbox"/>
33) Rear brake lining condition & measurement	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Pads R/R: 1/32" L/R: 7/32"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
34) Tire and wheel condition and measurements	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Shoes R/R: 1/32" L/R: 1/32"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
35) Lug nuts condition	<input checked="" type="checkbox"/>	<input type="checkbox"/>
R/R: 9/32" L/R: 9/32"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
R/R: 9/32" L/R: 9/32"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
R/R: 9/32" L/R: 9/32"	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Wheel torque specs used: 140 ft. lbs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Air pressure adjustment FR. 65 RR. 70	<input checked="" type="checkbox"/>	<input type="checkbox"/>
1) Lift operation (fully stowed to fully deployed)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2) Lift control pendant condition and operation	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3) Lift restraint belt condition and operation	<input checked="" type="checkbox"/>	<input type="checkbox"/>
4) Outer roll stop condition and operation	<input checked="" type="checkbox"/>	<input type="checkbox"/>
5) Inner roll stop condition and operation	<input checked="" type="checkbox"/>	<input type="checkbox"/>
6) Platform adjustments, condition and mounting	<input checked="" type="checkbox"/>	<input type="checkbox"/>
7) Standee arm condition and operation	<input checked="" type="checkbox"/>	<input type="checkbox"/>
8) Proper signage and decals	<input checked="" type="checkbox"/>	<input type="checkbox"/>
9) Manual backup pump condition and operation	<input checked="" type="checkbox"/>	<input type="checkbox"/>
10) Lift manual pump handle	<input checked="" type="checkbox"/>	<input type="checkbox"/>
11) Hydraulic pump condition and operation	<input checked="" type="checkbox"/>	<input type="checkbox"/>
12) Hydraulic lines and cylinders condition	<input checked="" type="checkbox"/>	<input type="checkbox"/>
13) Hydraulic fluid level and condition	<input checked="" type="checkbox"/>	<input type="checkbox"/>
14) Base plate and arms welds & pivot points	<input checked="" type="checkbox"/>	<input type="checkbox"/>
15) Lift springs and pins condition and operation	<input checked="" type="checkbox"/>	<input type="checkbox"/>
16) Lift safety switches and adjustments	<input checked="" type="checkbox"/>	<input type="checkbox"/>
17) Hose and wire routing and connections	<input checked="" type="checkbox"/>	<input type="checkbox"/>
18) Rollers and pivot point condition & operation	<input checked="" type="checkbox"/>	<input type="checkbox"/>
19) Lift to vehicle mounting bolts and brackets	<input checked="" type="checkbox"/>	<input type="checkbox"/>
20) Lift doors condition and operation	<input checked="" type="checkbox"/>	<input type="checkbox"/>
21) Lift door lights condition and operation	<input checked="" type="checkbox"/>	<input type="checkbox"/>
22) Lift interlock operation and condition	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(Lift door open, e-brake down not able to shift)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
(e-brake off lift door closed no lift power)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
23) W/C tie downs condition and operation	<input checked="" type="checkbox"/>	<input type="checkbox"/>
24) Tie down container secure and clean	<input checked="" type="checkbox"/>	<input type="checkbox"/>
25) Tie down floor mounting brackets secure	<input checked="" type="checkbox"/>	<input type="checkbox"/>
26) W/C shoulder belt condition and operation	<input checked="" type="checkbox"/>	<input type="checkbox"/>
27) Lift clean and no sharp edges	<input checked="" type="checkbox"/>	<input type="checkbox"/>
28) Lift shields secure and in good shape	<input checked="" type="checkbox"/>	<input type="checkbox"/>
29) Lift moves steady without drifting, jerking, or unusual speeds	<input checked="" type="checkbox"/>	<input type="checkbox"/>
30) No unusual lift noises	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Check, torque or adjust lift base mounting bolts	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 02/15/22 Vehicle #: 9704

Mileage in: 121995 Mileage out: 121997

P	F	Item Inspected	P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)	F		2) Rear blower condition and operation
F		1) Driver carpet	F		3) Defroster operation
F		2) Driver seat condition and operation	F		4) Temp gets to 20 deg. F below ambient temp.
F		3) Drivers door operation and condition	F		5) Evaporator intake air filter condition
F		4) Drivers seat belt operation and condition	F		6) Front heater condition and operation
F		5) Engine starting and ignition system	F		7) Rear heater condition and operation
F		6) Instrument panel gauges & warning lights	F		8) A/C compressors and condenser fans
F		7) Instrument panel lighting & condition	/		E) Under hood inspection
F		8) Horn operation			1) Batteries & charging sys. (load alt B,C,D serv)
F		9) Steering wheel tight, no excessive play			Batt 1 volts: load volts: load amps:
F		10) Windshield wipers			Batt 2 volts: load volts: load amps:
F		11) Windshield washer			Batt 3 volts: load volts: load amps:
F		12) Sun visor condition and operation			(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
F		13) Parking brake operation & condition			Alt. 1 min volt: max volt: max amp:
F		14) Parking and service brake pedal pads			Alt. 2 min volt: max volt: max amp:
F		15) Passenger door operation			(reference factory service manual for alternator spec)
F		16) No vibrations, pulsations or noises	F		2) Wire and hose routing and connections
/		B) Walk around inspection	F		3) Cooling system, hoses, water pump condition
F		1) Body damage (list on separate sheet)	F		5) Accessory drive belts condition
F		2) Headlights, high & low beam operation	F		6) Pulleys and tensioned operation & condition
F		3) Parking lights operation & condition	F		7) Brake master cylinder and power booster
F		4) Marker lights operation & condition	F		8) Fan and fan clutch operation and condition
F		5) Directional signals operation & condition	F		9) Engine oil fluid level and condition
F		6) Hazard lights operation & condition	F		10) Transmission oil level and condition
F		7) Clearance lights operation and condition	F		11) Power steering fluid level and condition
F		8) Brake lights operation & condition	F		12) Brake fluid level and condition
F		9) License plate lamp operation & condition	/		F) Vehicle rack inspection
F		10) License plates and tags	F		1) Steering gear box mount, condition & leaks
F		11) Backup lights and alarms	F		2) Steering shaft U joints
F		12) Reflectors and reflective bumper tape	F		3) Steering shaft bearings
F		13) Exterior decals and signage	F		4) Steering linkages
F		14) Bumpers secure / in good condition	F		5) I beam or control arm movements and rivets
F		15) Exterior mirrors secure / in good condition	F		6) Radius arm condition and bushings condition
F		16) Exterior clean	F		7) Stabilizer bar condition and bushings condition
/		C) Interior inspection	F		8) Ball joints or kingpins
F		1) Passenger door and steps condition	F		9) Front spring condition and mounting
F		2) Handrails and stanchions condition	F		10) Front shock absorber operation & condition
F		3) Interior and modesty panels condition	F		11) Trans oil cooler & lines routing and leaks
F		4) Flooring condition	F		12) Engine oil cooler & lines routing and leaks
F		5) Interior lighting operation and condition	F		13) Heater and A/C hose routing and leaks
F		6) Windows operation and condition	F		14) No engine oil leaks and fluid condition
F		7) Emergency Exits operation & condition	F		15) Engine mounts, brackets and bolts
F		8) Accessory operation & condition (radio, GPS)	F		16) Transmission mounts, brackets and bolts
F		9) Passenger seats operation & condition	F		17) No transmission oil leaks and fluid condition
F		10) Passenger seat belts operation & condition	F		18) Drive shaft condition
F		11) First aid & body fluid kits complete	F		19) Universal joints and carrier bearings condition
F		12) Triangle reflectors complete/good condition	F		20) No rear differential leaks
F		13) Stop request operation & condition	F		21) Rear differential condition and mounting
F		14) Valid registration, insurance & accident pack	F		22) Frame and cross members
F		15) Fire extinguisher in good condition & signed	F		23) Rear shock absorbers
F		16) Interior decals and signage (incl. electrical)	F		24) Rear springs condition and mounting
F		17) DVI's reviewed, addressed and signed off	F		25) No fuel leaks
F		18) Interior clean	F		26) Fuel tank condition and mounting
/		D) HVAC system inspection	F		27) No exhaust leaks
F		1) Front blower condition and operation	F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: **A B C D**

Mileage In: 12195 Mileage Out: 12197

Date: 02/15/02 Vehicle #: 9704

Item Inspected	P	F
30) Front brake condition and mounting		F
31) Front brake lining condition & measurement		F
Pads R/F: <u>9/32"</u> L/F: <u>9/32"</u>		F
32) Rear brake condition and mounting		F
33) Rear brake lining condition & measurement		F
Pads R/R: <u>6/32"</u> L/R: <u>6/32"</u>		F
Shoes R/R: <u>1/32"</u> L/R: <u>1/32"</u>		F
34) Tire and wheel condition and measurements		F
R/F: <u>9/32"</u> L/F: <u>9/32"</u>		F
R/R: <u>8/32"</u> L/R: <u>8/32"</u>		F
R/R: <u>8/32"</u> L/R: <u>8/32"</u>		F
35) Lug nuts condition		F
Air pressure adjustment FR. <u>65</u> RR. <u>70</u> ft. lbs.		F
Wheel torque specs used:		F
(g) Lift inspection		F
1) Lift operation (fully stowed to fully deployed)		F
2) Lift control pendant condition and operation		F
3) Lift restraint belt condition and operation		F
4) Outer roll stop condition and operation		F
5) Inner roll stop condition and operation		F
6) Platform adjustments, condition and mounting		F
7) Stander arm condition and operation		F
8) Proper signage and decals		F
9) Manual backup pump condition and operation		F
10) Lift manual pump handle		F
11) Hydraulic pump condition and operation		F
12) Hydraulic lines and cylinders condition		F
13) Hydraulic fluid level and condition		F
14) Base plate and arms welds & pivot points		F
15) Lift springs and pins condition and operation		F
16) Lift safety switches and adjustments		F
17) Hose and wire routing and connections		F
18) Rollers and pivot point condition & operation		F
19) Lift to vehicle mounting bolts and brackets		F
20) Lift doors condition and operation		F
21) Lift door lights condition and operation		F
22) Lift interlock operation and condition		F
(Lift door open, e-brake down not able to shift)		F
(e-brake off lift door closed no lift power)		F
23) W/C the downs condition and operation		F
24) Tie down container secure and clean		F
25) Tie down floor mounting brackets secure		F
26) W/C shoulder belt condition and operation		F
27) Lift clean and no sharp edges		F
28) Lift shields secure and in good shape		F
29) Lift moves steady without drifting, jerking, or unusual speeds		F
30) No unusual lift noises		F
Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube		F
Check, torque or adjust lift base mounting bolts		F

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Notes: _____
 Supervisor Signature _____ Date: _____

Technicians Signature _____ Date: 02/15/02

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	Service Type	Initials
Change oil and filter	A,B,C,D	F
Lube chassis and suspension	A,B,C,D	F
Lube drive shafts and universal joints	A,B,C,D	F
Lube doors and hood, locks and hinges	A,B,C,D	F
Adjust service and parking brakes	A,B,C,D	F
Drain water from separator	A,B,C,D	F
Rotate tires (as necessary, caps on rear)	A,B,C,D	F
Change air filter	B,C,D	F
Change fuel filter	B,C,D	F
Clean or change PCV valve	B,C,D	F
Clean or change crank case filter	B,C,D	F
Install new wiper blades	B,C,D	F
Change transmission fluid and filter	C,D	F
Service front wheel bearings	C,D	F
Drain water from fuel tank	C,D	F
Replace accessory drive belts	D	F
Service and flush cooling system	D	F
Install new spark plugs & wires	D	F
Install new dist. cap & rotor	D	F
Change differential fluid	D	F
Check Exhaust and EGR system	D	F
Check and service fuel & evap. System	D	F
Evac and recharge A/C (add 1 oz. of oil)	D	F
Post service test drive (5 miles)	A,B,C,D	F

Initial or "N/A" each service performed per PM type

Work Order Detail

0094-2022-949



Asset ID:	9704-94 2019 FORD E450 PALM TRAN		
Repair Location:	0094 - WEST PALM BEACH 94		
Work Order ID:	0094-2022-949	Job Status:	CLOSED
Job Type:	PM	PM Service:	A - PM SERVICE A
PM Scheduled:	09/20/2022	Service Status:	OS - OUT OF SERVICE
WO Meter 1:	131567 MILES	Projected Completion Date:	04/22/2022 08:49
Next PM Due Date:	10/22/2022	Priority:	3 - NORMAL PRIORITY

Non Service Request Tasks

Task: 2401 - Tires Front				Warranty: NO	
WAC: 55 - EXCHANGE WITH NEW		Reason: I - INSPECTION			
Work Class: 1 - SCHEDULED		Comments:			
Labor				Labor Hrs	Cost
04/21/2022 00:00	Emp: 668335 - John Charles			0.50	32.50
Parts		Qty Issued	Iss Price	Tax & Markup	Total Cost
002760-0 - TIRE; FIRESTONE TRANSFORCE HT2 LRE LT225/75R16		2.00	98.01	0.00	196.02
Removed Serial #:		Serial #:			
Task: A - Pm Service A				Warranty: NO	
WAC: 55 - EXCHANGE WITH NEW		Reason: -			
Work Class: 1 - SCHEDULED		Comments:			
Labor				Labor Hrs	Cost
04/21/2022 00:00	Emp: 668335 - John Charles			1.50	97.50
Parts		Qty Issued	Iss Price	Tax & Markup	Total Cost
FL-820S-0 - FILTER; ENGINE OIL FILTER		1.00	3.51	0.00	3.51
Removed Serial #:		Serial #:			
VV1790-0 - LUBRICANT; VALVOLINE FULL SYNTHETIC 5W-30		7.00	3.62	0.00	25.31
Removed Serial #:		Serial #:			

Overhead			
Small Parts - Labor: 0.00	Tools: 0.00	Total Overhead Costs: 0.00	
Small Parts - Parts: 0.00	Overhead Costs: 0.00		

Comments:

Internal Parts Cost:	\$224.84
Internal Labor Cost:	\$130.00
Commercial Parts Cost:	\$0.00
Commercial Labor Cost:	\$0.00
Commercial Misc Cost:	\$0.00
Commercial Tax & Markup:	\$0.00
Equipment Usage Costs:	\$0.00
Overhead Costs:	\$0.00
Internal Total:	\$354.84
Commercial Total:	0.00
Work Order Total:	\$354.84



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Date: 4-21-22 Vehicle #: 9704

Mileage in: 131562

Mileage out: 131567

P	F	Item Inspected
/	/	A) Vehicle drive in inspection (5 miles)
/	/	1) Driver carpet
/	/	2) Driver seat condition and operation
/	/	3) Drivers door operation and condition
/	/	4) Drivers seat belt operation and condition
/	/	5) Engine starting and Ignition system
/	/	6) Instrument panel gauges & warning lights
/	/	7) Instrument panel lighting & condition
/	/	8) Horn operation
/	/	9) Steering wheel tight, no excessive play
/	/	10) Windshield wipers
/	/	11) Windshield washer
/	/	12) Sun visor condition and operation
/	/	13) Parking brake operation & condition
/	/	14) Parking and service brake pedal pads
/	/	15) Passenger door operation
/	/	16) No vibrations, pulsations or noises
/	/	B) Walk around inspection
/	/	1) Body damage (list on separate sheet)
/	/	2) Headlights, high & low beam operation
/	/	3) Parking lights operation & condition
/	/	4) Marker lights operation & condition
/	/	5) Directional signals operation & condition
/	/	6) Hazard lights operation & condition
/	/	7) Clearance lights operation and condition
/	/	8) Brake lights operation & condition
/	/	9) License plate lamp operation & condition
/	/	10) License plates and tags
/	/	11) Backup lights and alarms
/	/	12) Reflectors and reflective bumper tape
/	/	13) Exterior decals and signage
/	/	14) Bumpers secure / in good condition
/	/	15) Exterior mirrors secure / in good condition
/	/	16) Exterior clean
/	/	C) Interior inspection
/	/	1) Passenger door and steps condition
/	/	2) Handrails and stanchions condition
/	/	3) Interior and modesty panels condition
/	/	4) Flooring condition
/	/	5) Interior lighting operation and condition
/	/	6) Windows operation and condition
/	/	7) Emergency Exits operation & condition
/	/	8) Accessory operation & condition (radio, GPS)
/	/	9) Passenger seats operation & condition
/	/	10) Passenger seat belts operation & condition
/	/	11) First aid & body fluid kits complete
/	/	12) Triangle reflectors complete/good condition
/	/	13) Stop request operation & condition
/	/	14) Valid registration, insurance & accident pack
/	/	15) Fire extinguisher in good condition & signed
/	/	16) Interior decals and signage (incl. electrical)
/	/	17) DVI's reviewed, addressed and signed off
/	/	18) Interior clean
/	/	D) HVAC system inspection
/	/	1) Front blower condition and operation

P	F	Item Inspected
/	/	2) Rear blower condition and operation
/	/	3) Defroster operation
/	/	4) Temp gets to 20 deg. F below ambient temp.
/	/	5) Evaporator intake air filter condition
/	/	6) Front heater condition and operation
/	/	7) Rear heater condition and operation
/	/	8) A/C compressors and condenser fans
/	/	E) Under hood inspection
/	/	1) Batteries & charging sys. (load alt B,C,D serv)
/	/	Batt 1 volts: <u>12</u> load volts: <u>12.6</u> load amps:
/	/	Batt 2 volts: <u>12</u> load volts: <u>12.6</u> load amps:
/	/	Batt 3 volts: load volts: load amps:
/	/	(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
/	/	Alt. 1 min volt: <u>14</u> max volt: <u>14</u> max amp: <u>20</u>
/	/	Alt. 2 min volt: max volt: max amp:
/	/	(reference factory service manual for alternator spec)
/	/	2) Wire and hose routing and connections
/	/	3) Cooling system, hoses, water pump condition
/	/	5) Accessory drive belts condition
/	/	6) Pulleys and tensioned operation & condition
/	/	7) Brake master cylinder and power booster
/	/	8) Fan and fan clutch operation and condition
/	/	9) Engine oil fluid level and condition
/	/	10) Transmission oil level and condition
/	/	11) Power steering fluid level and condition
/	/	12) Brake fluid level and condition
/	/	F) Vehicle rack inspection
/	/	1) Steering gear box mount, condition & leaks
/	/	2) Steering shaft U joints
/	/	3) Steering shaft bearings
/	/	4) Steering linkages
/	/	5) I beam or control arm movements and rivets
/	/	6) Radius arm condition and bushings condition
/	/	7) Stabilizer bar condition and bushings condition
/	/	8) Ball joints or kingpins
/	/	9) Front spring condition and mounting
/	/	10) Front shock absorber operation & condition
/	/	11) Trans oil cooler & lines routing and leaks
/	/	12) Engine oil cooler & lines routing and leaks
/	/	13) Heater and A/C hose routing and leaks
/	/	14) No engine oil leaks and fluid condition
/	/	15) Engine mounts, brackets and bolts
/	/	16) Transmission mounts, brackets and bolts
/	/	17) No transmission oil leaks and fluid condition
/	/	18) Drive shaft condition
/	/	19) Universal joints and carrier bearings condition
/	/	20) No rear differential leaks
/	/	21) Rear differential condition and mounting
/	/	22) Frame and cross members
/	/	23) Rear shock absorbers
/	/	24) Rear springs condition and mounting
/	/	25) No fuel leaks
/	/	26) Fuel tank condition and mounting
/	/	27) No exhaust leaks
/	/	28) Exhaust system condition and mounting

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Item Inspected	P	F
30) Front brake condition and mounting	/	/
31) Front brake lining condition & measurement	/	/
Pads R/F: 6/32" L/F: 6/32"	/	/
32) Rear brake condition and mounting	/	/
33) Rear brake lining condition & measurement	/	/
Pads R/R: 8/32" L/R: 8/32"	/	/
Shoes R/R: 1/32" L/R: 1/32"	/	/
34) Tire and wheel condition and measurements	/	/
R/F: new/32" L/F: new/32"	/	/
R/R: 8/32" L/R: 6/32"	/	/
R/O: 7/32" L/R: 5/32"	/	/
35) Lug nuts condition	/	/
Air pressure adjustment FR. 65 RR. 65	/	/
Wheel torque specs used: 140 ft. lbs.	/	/
30) Lift inspection	/	/
1) Lift operation (fully stowed to fully deployed)	/	/
2) Lift control pendant condition and operation	/	/
3) Lift restraint belt condition and operation	/	/
4) Outer roll stop condition and operation	/	/
5) Inner roll stop condition and operation	/	/
6) Platform adjustments, condition and mounting	/	/
7) Standee arm condition and operation	/	/
8) Proper signage and decals	/	/
9) Manual backup pump condition and operation	/	/
10) Lift manual pump handle	/	/
11) Hydraulic pump condition and operation	/	/
12) Hydraulic lines and cylinders condition	/	/
13) Hydraulic fluid level and condition	/	/
14) Base plate and arms welds & pivot points	/	/
15) Lift springs and pins condition and operation	/	/
16) Lift safety switches and adjustments	/	/
17) Hose and wire routing and connections	/	/
18) Rollers and pivot point condition & operation	/	/
19) Lift to vehicle mounting bolts and brackets	/	/
20) Lift doors condition and operation	/	/
21) Lift door lights condition and operation	/	/
22) Lift interlock operation and condition	/	/
(Lift door open, e-brake down not able to shift)	/	/
(e-brake off lift door closed no lift power)	/	/
23) W/C tie downs condition and operation	/	/
24) Tie down container secure and clean	/	/
25) Tie down floor mounting brackets secure	/	/
26) W/C shoulder belt condition and operation	/	/
27) Lift clean and no sharp edges	/	/
28) Lift shields secure and in good shape	/	/
29) Lift moves steady without drifting, jerking, or unusual speeds	/	/
30) No unusual lift noises	/	/
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	/	/
Check, torque or adjust lift base mounting bolts	/	/

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: *[Signature]* Date: 4-21-22
 Supervisor Signature: _____ Date: _____

Service Performed	Service Type	Techns Initials
Change oil and filter	A,B,C,D	22
Lube chassis and suspension	A,B,C,D	22
Lube drive shafts and universal joints	A,B,C,D	22
Lube doors and hood, locks and hinges	A,B,C,D	22
Adjust service and parking brakes	A,B,C,D	22
Drain water from separator	A,B,C,D	22
Rotate tires (as necessary, caps on rear)	A,B,C,D	22
Change air filter	B,C,D	22
Change fuel filter	B,C,D	22
Clean or change PCV valve	B,C,D	22
Clean or change crank case filter	B,C,D	22
Install new wiper blades	B,C,D	22
Change transmission fluid and filter	C,D	22
Service front wheel bearings	C,D	22
Drain water from fuel tank	C,D	22
Replace accessory drive belts	D	22
Service and flush cooling system	D	22
Install new spark plugs & wires	D	22
Install new dist. cap & rotor	D	22
Change differential fluid	D	22
Check Exhaust and EGR system	D	22
Check and service fuel & evap. System	D	22
Evac and recharge A/C (add 1 oz. of oil)	D	22
Post service test drive (5 miles)	A,B,C,D	22

Mileage out: 13167
 Mileage in: 13162

Circle Service Type: A B C D
 Preventive Maintenance Inspection and Service Checklist



Date: 4-21-22 Vehicle #: 9704



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 5-26-22 Vehicle #: 9704

Mileage In: 136249 Mileage out: 136250

P	F	Item Inspected
/	/	A) Vehicle drive in inspection (5 miles)
/	/	1) Driver carpet
/	/	2) Driver seat condition and operation
/	/	3) Drivers door operation and condition
/	/	4) Drivers seat belt operation and condition
/	/	5) Engine starting and Ignition system
/	/	6) Instrument panel gauges & warning lights
/	/	7) Instrument panel lighting & condition
/	/	8) Horn operation
/	/	9) Steering wheel tight, no excessive play
/	/	10) Windshield wipers
/	/	11) Windshield washer
/	/	12) Sun visor condition and operation
/	/	13) Parking brake operation & condition
/	/	14) Parking and service brake pedal pads
/	/	15) Passenger door operation
/	/	16) No vibrations, pulsations or noises
/	/	B) Walk around inspection
/	/	1) Body damage (list on separate sheet)
/	/	2) Headlights, high & low beam operation
/	/	3) Parking lights operation & condition
/	/	4) Marker lights operation & condition
/	/	5) Directional signals operation & condition
/	/	6) Hazard lights operation & condition
/	/	7) Clearance lights operation and condition
/	/	8) Brake lights operation & condition
/	/	9) License plate lamp operation & condition
/	/	10) License plates and tags
/	/	11) Backup lights and alarms
/	/	12) Reflectors and reflective bumper tape
/	/	13) Exterior decals and signage
/	/	14) Bumpers secure / in good condition
/	/	15) Exterior mirrors secure / in good condition
/	/	16) Exterior clean
/	/	C) Interior inspection
/	/	1) Passenger door and steps condition
/	/	2) Handrails and stanchions condition
/	/	3) Interior and modesty panels condition
/	/	4) Flooring condition
/	/	5) Interior lighting operation and condition
/	/	6) Windows operation and condition
/	/	7) Emergency Exits operation & condition
/	/	8) Accessory operation & condition (radio, GPS)
/	/	9) Passenger seats operation & condition
/	/	10) Passenger seat belts operation & condition
/	/	11) First aid & body fluid kits complete
/	/	12) Triangle reflectors complete/good condition
/	/	13) Stop request operation & condition
/	/	14) Valid registration, Insurance & accident pack
/	/	15) Fire extinguisher in good condition & signed
/	/	16) Interior decals and signage (incl. electrical)
/	/	17) DVI's reviewed, addressed and signed off
/	/	18) Interior clean
/	/	D) HVAC system inspection
/	/	1) Front blower condition and operation

P	F	Item Inspected
/	/	2) Rear blower condition and operation
/	/	3) Defroster operation
/	/	4) Temp gets to 20 deg. F below ambient temp.
/	/	5) Evaporator intake air filter condition
/	/	6) Front heater condition and operation
/	/	7) Rear heater condition and operation
/	/	8) A/C compressors and condenser fans
/	/	E) Under hood inspection
/	/	1) Batteries & charging sys. (load alt B,C,D serv)
/	/	Batt 1 volts: 12.6 load volts: 12.6 load amps: 250
/	/	Batt 2 volts: 12.6 load volts: 12.6 load amps: 250
/	/	Batt 3 volts: load volts: load amps:
/	/	(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
/	/	Alt. 1 min volt: 14 max volt: 14.1 max amp: 750
/	/	Alt. 2 min volt: max volt: max amp:
/	/	(reference factory service manual for alternator spec)
/	/	2) Wire and hose routing and connections
/	/	3) Cooling system, hoses, water pump condition
/	/	5) Accessory drive belts condition
/	/	6) Pulleys and tensioned operation & condition
/	/	7) Brake master cylinder and power booster
/	/	8) Fan and fan clutch operation and condition
/	/	9) Engine oil fluid level and condition
/	/	10) Transmission oil level and condition
/	/	11) Power steering fluid level and condition
/	/	12) Brake fluid level and condition
/	/	F) Vehicle rack inspection
/	/	1) Steering gear box mount, condition & leaks
/	/	2) Steering shaft U joints
/	/	3) Steering shaft bearings
/	/	4) Steering linkages
/	/	5) I beam or control arm movements and rivets
/	/	6) Radius arm condition and bushings condition
/	/	7) Stabilizer bar condition and bushings condition
/	/	8) Ball joints or kingpins
/	/	9) Front spring condition and mounting
/	/	10) Front shock absorber operation & condition
/	/	11) Trans oil cooler & lines routing and leaks
/	/	12) Engine oil cooler & lines routing and leaks
/	/	13) Heater and A/C hose routing and leaks
/	/	14) No engine oil leaks and fluid condition
/	/	15) Engine mounts, brackets and bolts
/	/	16) Transmission mounts, brackets and bolts
/	/	17) No transmission oil leaks and fluid condition
/	/	18) Drive shaft condition
/	/	19) Universal joints and carrier bearings condition
/	/	20) No rear differential leaks
/	/	21) Rear differential condition and mounting
/	/	22) Frame and cross members
/	/	23) Rear shock absorbers
/	/	24) Rear springs condition and mounting
/	/	25) No fuel leaks
/	/	26) Fuel tank condition and mounting
/	/	27) No exhaust leaks
/	/	28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 5-26-22

Vehicle #: 9704

Mileage In: 136284

Mileage out: 136280

Circle Service Type: A B C D

Service Performed	Service Type	Techs Initials
Change oil and filter	A,B,C,D	X
Lube chassis and suspension	A,B,C,D	X
Lube drive shafts and universal joints	A,B,C,D	X
Lube doors and hood, locks and hinges	A,B,C,D	X
Adjust service and parking brakes	A,B,C,D	X
Drain water from separator	A,B,C,D	X
Rotate tires (as necessary, caps on rear)	A,B,C,D	X
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	A,B,C,D	X
Post service test drive (5 miles)	A,B,C,D	X

Item Inspected	P	F
30) Front brake condition and mounting	/	/
31) Front brake lining condition & measurement	/	/
Pads R/F: 5/32" L/F: 5/32"	/	/
32) Rear brake condition and mounting	/	/
33) Rear brake lining condition & measurement	/	/
Pads R/R: 6/32" L/R: 6/32"	/	/
Shoes R/R: 1/32" L/R: 1/32"	/	/
34) Tire and wheel condition and measurements	/	/
R/F: 9/32" L/F: 9/32"	/	/
R/R: 5/32" L/R: 22/32"	/	/
R/R: 22/32" L/R: 22/32"	/	/
35) Lug nuts condition	/	/
Air pressure adjustment FR. 65 RR. 65	/	/
Wheel torque specs used: 140 ft. lbs.	/	/
30) Lift operation (fully stowed to fully deployed)	/	/
2) Lift control pendant condition and operation	/	/
3) Lift restraint belt condition and operation	/	/
4) Outer roll stop condition and operation	/	/
5) Inner roll stop condition and operation	/	/
6) Platform adjustments, condition and mounting	/	/
7) Standee arm condition and operation	/	/
8) Proper signage and decals	/	/
9) Manual backup pump condition and operation	/	/
10) Lift manual pump handle	/	/
11) Hydraulic pump condition and operation	/	/
12) Hydraulic lines and cylinders condition	/	/
13) Hydraulic fluid level and condition	/	/
14) Base plate and arms welds & pivot points	/	/
15) Lift springs and pins condition and operation	/	/
16) Lift safety switches and adjustments	/	/
17) Hose and wire routing and connections	/	/
18) Rollers and pivot point condition & operation	/	/
19) Lift to vehicle mounting bolts and brackets	/	/
20) Lift doors condition and operation	/	/
21) Lift door lights condition and operation	/	/
22) Lift interlock operation and condition	/	/
(Lift door open, e-brake down not able to shift)	/	/
(e-brake off lift door closed no lift power)	/	/
23) W/C tie downs condition and operation	/	/
24) Tie down container secure and clean	/	/
25) Tie down floor mounting brackets secure	/	/
26) W/C shoulder belt condition and operation	/	/
27) Lift clean and no sharp edges	/	/
28) Lift shields secure and in good shape	/	/
29) Lift moves steady without drifting, jerking, or unusual speeds	/	/
30) No unusual lift noises	/	/
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	/	/
Check, torque or adjust lift base mounting bolts	/	/

Technicians Signature: [Signature] Date: 5-26-22

Supervisor Signature: _____ Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Central Expy Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 9704 Repair Reason: PN4 Date and Time in: 2 hours Mileage in: 145622
 Date: 8-7-22 Work Class: _____ Date and Time Finished: _____ Mileage out: 145625

Complaints/Defects: _____ Notes/Measurements: _____

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
		engine oil				FL-500		1	
		oil filter				BP50-1328		1	
		front brakes				002 760		3	
		two front tires							
		one rear tire							
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 668335 Technician: John Charles Signature: _____

ASE Employee #: 604182 ASE Technician: _____ ASE Signature: _____



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 8-7-22 Vehicle #: 9704

Mileage in: 145620 Mileage out: 145625

P	F	Item Inspected
X		A) Vehicle drive in inspection (5 miles)
X		1) Driver carpet
X		2) Driver seat condition and operation
X		3) Drivers door operation and condition
X		4) Drivers seat belt operation and condition
X		5) Engine starting and ignition system
X		6) Instrument panel gauges & warning lights
X		7) Instrument panel lighting & condition
X		8) Horn operation
X		9) Steering wheel tight, no excessive play
X		10) Windshield wipers
X		11) Windshield washer
X		12) Sun visor condition and operation
X		13) Parking brake operation & condition
X		14) Parking and service brake pedal pads
X		15) Passenger door operation
X		16) No vibrations, pulsations or noises
		B) Walk around inspection
X		1) Body damage (list on separate sheet)
X		2) Headlights, high & low beam operation
X		3) Parking lights operation & condition
X		4) Marker lights operation & condition
X		5) Directional signals operation & condition
X		6) Hazard lights operation & condition
X		7) Clearance lights operation and condition
X		8) Brake lights operation & condition
X		9) License plate lamp operation & condition
X		10) License plates and tags
X		11) Backup lights and alarms
X		12) Reflectors and reflective bumper tape
X		13) Exterior decals and signage
X		14) Bumpers secure / in good condition
X		15) Exterior mirrors secure / in good condition
X		16) Exterior clean
		C) Interior inspection
X		1) Passenger door and steps condition
X		2) Handrails and stanchions condition
X		3) Interior and modesty panels condition
X		4) Flooring condition
X		5) Interior lighting operation and condition
X		6) Windows operation and condition
X		7) Emergency Exits operation & condition
X		8) Accessory operation & condition (radio, GPS)
X		9) Passenger seats operation & condition
X		10) Passenger seat belts operation & condition
X		11) First aid & body fluid kits complete
X		12) Triangle reflectors complete/good condition
X		13) Stop request operation & condition
X		14) Valid registration, insurance & accident pack
X		15) Fire extinguisher in good condition & signed
X		16) Interior decals and signage (incl. electrical)
X		17) DVI's reviewed, addressed and signed off
X		18) Interior clean
		D) HVAC system inspection
X		1) Front blower condition and operation

P	F	Item Inspected
X		2) Rear blower condition and operation
X		3) Defroster operation
X		4) Temp gets to 20 deg. F below ambient temp.
X		5) Evaporator intake air filter condition
X		6) Front heater condition and operation
X		7) Rear heater condition and operation
X		8) A/C compressors and condenser fans
		E) Under hood inspection
X		1) Batteries & charging sys. (load alt B,C,D serv)
X		Batt 1 volts: 12 load volts: 12.6 load amps: 83
X		Batt 2 volts: 12 load volts: 12.6 load amps: 750
X		Batt 3 volts: load volts: load amps:
X		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
X		Alt. 1 min volt: 14, max volt: 14.1 max amp: 750
X		Alt. 2 min volt: max volt: max amp:
X		(reference factory service manual for alternator spec)
X		2) Wire and hose routing and connections
X		3) Cooling system, hoses, water pump condition
X		5) Accessory drive belts condition
X		6) Pulleys and tensioned operation & condition
X		7) Brake master cylinder and power booster
X		8) Fan and fan clutch operation and condition
X		9) Engine oil fluid level and condition
X		10) Transmission oil level and condition
X		11) Power steering fluid level and condition
X		12) Brake fluid level and condition
		F) Vehicle rack inspection
X		1) Steering gear box mount, condition & leaks
X		2) Steering shaft U joints
X		3) Steering shaft bearings
X		4) Steering linkages
X		5) I beam or control arm movements and rivets
X		6) Radius arm condition and bushings condition
X		7) Stabilizer bar condition and bushings condition
X		8) Ball joints or kingpins
X		9) Front spring condition and mounting
X		10) Front shock absorber operation & condition
X		11) Trans oil cooler & lines routing and leaks
X		12) Engine oil cooler & lines routing and leaks
X		13) Heater and A/C hose routing and leaks
X		14) No engine oil leaks and fluid condition
X		15) Engine mounts, brackets and bolts
X		16) Transmission mounts, brackets and bolts
X		17) No transmission oil leaks and fluid condition
X		18) Drive shaft condition
X		19) Universal joints and carrier bearings condition
X		20) No rear differential leaks
X		21) Rear differential condition and mounting
X		22) Frame and cross members
X		23) Rear shock absorbers
X		24) Rear springs condition and mounting
X		25) No fuel leaks
X		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**
 Mileage in: 14500
 Mileage out: 14560

Service Performed
 Techs Initials

Service Type	Initial or "N/A" each service performed per PM type
A,B,C,D	Change oil and filter
A,B,C,D	Lube chassis and suspension
A,B,C,D	Lube drive shafts and universal joints
A,B,C,D	Lube doors and hood, locks and hinges
A,B,C,D	Adjust service and parking brakes
A,B,C,D	Drain water from separator
A,B,C,D	Rotate tires (as necessary, caps on rear)
B,C,D	Change air filter
B,C,D	Change fuel filter
B,C,D	Clean or change PCV valve
B,C,D	Clean or change crank case filter
B,C,D	Install new wiper blades
C,D	Change transmission fluid and filter
C,D	Service front wheel bearings
C,D	Drain water from fuel tank
D	Replace accessory drive belts
D	Service and flush cooling system
D	Install new spark plugs & wires
D	Install new dist. cap & rotor
D	Change differential fluid
D	Check Exhaust and EGR system
D	Check and service fuel & evap. System
D	Evac and recharge A/C (add 1 oz. of oil)
A,B,C,D	Post service test drive (5 miles)

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: *[Signature]* Date: 8-7-22

Supervisor Signature: _____ Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

P	F	Item Inspected
X		30) Front brake lining condition and mounting
X		31) Front brake lining condition & measurement
X		Pads R/F: 12/32" L/F: 22/32"
X		32) Rear brake lining condition and mounting
X		33) Rear brake lining condition & measurement
X		Pads R/R: 8/32" L/R: 8/32"
X		Shoes R/R: 1/32" L/R: 1/32"
X		34) Tire and wheel condition and measurements
X		R/F: 22/132" L/F: 22/132"
X		R/R: 8/32" L/R: 9/32"
X		R/O: 22/32" L/R: 7/32"
X		35) Lug nuts condition
X		Air pressure adjustment FR. 65 R.R. 65
X		Wheel torque specs used: 140 ft. lbs.
X		g) Lift inspection
X		1) Lift operation (fully stowed to fully deployed)
X		2) Lift control pendant condition and operation
X		3) Lift restraint belt condition and operation
X		4) Outer roll stop condition and operation
X		5) Inner roll stop condition and operation
X		6) Platform adjustments, condition and mounting
X		7) Standee arm condition and operation
X		8) Proper signage and decals
X		9) Manual backup pump condition and operation
X		10) Lift manual pump handle
X		11) Hydraulic pump condition and operation
X		12) Hydraulic lines and cylinders condition
X		13) Hydraulic fluid level and condition
X		14) Base plate and arms welds & pivot points
X		15) Lift springs and pins condition and operation
X		16) Lift safety switches and adjustments
X		17) Hose and wire routing and connections
X		18) Rollers and pivot point condition & operation
X		19) Lift to vehicle mounting bolts and brackets
X		20) Lift doors condition and operation
X		21) Lift door lights condition and operation
X		22) Lift interlock operation and condition
X		(Lift door open, e-brake down not able to shift)
X		(e-brake off lift door closed no lift power)
X		23) W/C tie downs condition and operation
X		24) Tie down container secure and clean
X		25) Tie down floor mounting brackets secure
X		26) W/C shoulder belt condition and operation
X		27) Lift clean and no sharp edges
X		28) Lift shields secure and in good shape
X		29) Lift moves steady without drifting, jerking, or unusual speeds
X		30) No unusual lift noises
X		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
X		Check, torque or adjust lift base mounting bolts



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 2-2-22 Vehicle #: 9704

Mileage in: 150286 Mileage out: 150287


P	F	Item Inspected	P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)			2) Rear blower condition and operation
		1) Driver carpet			3) Defroster operation
		2) Driver seat condition and operation			4) Temp gets to 20 deg. F below ambient temp.
		3) Drivers door operation and condition			5) Evaporator intake air filter condition
		4) Drivers seat belt operation and condition			6) Front heater condition and operation
		5) Engine starting and ignition system			7) Rear heater condition and operation
		6) Instrument panel gauges & warning lights			8) A/C compressors and condenser fans
		7) Instrument panel lighting & condition			E) Under hood inspection
		8) Horn operation			1) Batteries & charging sys. (load alt B,C,D serv)
		9) Steering wheel tight, no excessive play			Batt 1 volts: load volts: load amps:
		10) Windshield wipers			Batt 2 volts: load volts: load amps:
		11) Windshield washer			Batt 3 volts: load volts: load amps:
		12) Sun visor condition and operation			(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		13) Parking brake operation & condition			Alt. 1 min volt: max volt: max amp:
		14) Parking and service brake pedal pads			Alt. 2 min volt: max volt: max amp:
		15) Passenger door operation			(reference factory service manual for alternator spec)
		16) No vibrations, pulsations or noises			2) Wire and hose routing and connections
		B) Walk around inspection			3) Cooling system, hoses, water pump condition
		1) Body damage (list on separate sheet)			5) Accessory drive belts condition
		2) Headlights, high & low beam operation			6) Pulleys and tensioned operation & condition
		3) Parking lights operation & condition			7) Brake master cylinder and power booster
		4) Marker lights operation & condition			8) Fan and fan clutch operation and condition
		5) Directional signals operation & condition			9) Engine oil fluid level and condition
		6) Hazard lights operation & condition			10) Transmission oil level and condition
		7) Clearance lights operation and condition			11) Power steering fluid level and condition
		8) Brake lights operation & condition			12) Brake fluid level and condition
		9) License plate lamp operation & condition			F) Vehicle rack inspection
		10) License plates and tags			1) Steering gear box mount, condition & leaks
		11) Backup lights and alarms			2) Steering shaft U joints
		12) Reflectors and reflective bumper tape			3) Steering shaft bearings
		13) Exterior decals and signage			4) Steering linkages
		14) Bumpers secure / in good condition			5) I beam or control arm movements and rivets
		15) Exterior mirrors secure / in good condition			6) Radius arm condition and bushings condition
		16) Exterior clean			7) Stabilizer bar condition and bushings condition
		C) Interior inspection			8) Ball joints or kingpins
		1) Passenger door and steps condition			9) Front spring condition and mounting
		2) Handrails and stanchions condition			10) Front shock absorber operation & condition
		3) Interior and modesty panels condition			11) Trans oil cooler & lines routing and leaks
		4) Flooring condition			12) Engine oil cooler & lines routing and leaks
		5) Interior lighting operation and condition			13) Heater and A/C hose routing and leaks
		6) Windows operation and condition			14) No engine oil leaks and fluid condition
		7) Emergency Exits operation & condition			15) Engine mounts, brackets and bolts
		8) Accessory operation & condition (radio, GPS)			16) Transmission mounts, brackets and bolts
		9) Passenger seats operation & condition			17) No transmission oil leaks and fluid condition
		10) Passenger seat belts operation & condition			18) Drive shaft condition
		11) First aid & body fluid kits complete			19) Universal joints and carrier bearings condition
		12) Triangle reflectors complete/good condition			20) No rear differential leaks
		13) Stop request operation & condition			21) Rear differential condition and mounting
		14) Valid registration, insurance & accident pack			22) Frame and cross members
		15) Fire extinguisher in good condition & signed			23) Rear shock absorbers
		16) Interior decals and signage (incl. electrical)			24) Rear springs condition and mounting
		17) DVI's reviewed, addressed and signed off			25) No fuel leaks
		18) Interior clean			26) Fuel tank condition and mounting
		D) HVAC system inspection			27) No exhaust leaks
		1) Front blower condition and operation			28) Exhaust system condition and mounting

* Scapes & PAINT PEELING FROM BODY.
 * Top up COOLANT
 * Adjust BRAKE CALIPERS.
 * FICKTURED REAR WHEEL/TIRE
 * BADLY WORN FRONT TIRE.
 * INTERIOR NEEDS DETAIL CLEANING

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
------------------------------	--------------	----------------

MECHANIC'S SIGNATURE	BUS #: 9204	DATE: 10/25/22	PM TYPE OR WORK ORDER #:
----------------------	-------------	----------------	--------------------------

PM DEFECT SHEET





Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 10/25/22 Vehicle #: 9704

Mileage in: 159,200 Mileage out: 159,201

P	F	Item Inspected	P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)			2) Rear blower condition and operation
H		1) Driver carpet	H		3) Defroster operation
H		2) Driver seat condition and operation	H		4) Temp gets to 20 deg. F below ambient temp.
H		3) Drivers door operation and condition	H		5) Evaporator intake air filter condition
H		4) Drivers seat belt operation and condition	H		6) Front heater condition and operation
H		5) Engine starting and ignition system	H		7) Rear heater condition and operation
H		6) Instrument panel gauges & warning lights	H		8) A/C compressors and condenser fans
H		7) Instrument panel lighting & condition			E) Under hood inspection
H		8) Horn operation			1) Batteries & charging sys. (load alt B,C,D serv)
H		9) Steering wheel tight, no excessive play	H		Batt 1 volts: load volts: load amps:
H		10) Windshield wipers	H		Batt 2 volts: load volts: load amps:
H		11) Windshield washer			Batt 3 volts: load volts: load amps:
H		12) Sun visor condition and operation			(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
H		13) Parking brake operation & condition			Alt. 1 min volt: max volt: max amp:
H		14) Parking and service brake pedal pads			Alt. 2 min volt: max volt: max amp:
H		15) Passenger door operation			(reference factory service manual for alternator spec)
H		16) No vibrations, pulsations or noises			2) Wire and hose routing and connections
		B) Walk around inspection	H		3) Cooling system, hoses, water pump condition
H		1) Body damage (list on separate sheet)	H		5) Accessory drive belts condition
H		2) Headlights, high & low beam operation	H		6) Pulleys and tensioned operation & condition
H		3) Parking lights operation & condition	H		7) Brake master cylinder and power booster
H		4) Marker lights operation & condition	H		8) Fan and fan clutch operation and condition
H		5) Directional signals operation & condition	H		9) Engine oil fluid level and condition
H		6) Hazard lights operation & condition	H		10) Transmission oil level and condition
H		7) Clearance lights operation and condition	H		11) Power steering fluid level and condition
H		8) Brake lights operation & condition	H		12) Brake fluid level and condition
H		9) License plate lamp operation & condition			F) Vehicle rack inspection
H		10) License plates and tags	H		1) Steering gear box mount, condition & leaks
H		11) Backup lights and alarms	H		2) Steering shaft U joints
H		12) Reflectors and reflective bumper tape	H		3) Steering shaft bearings
H		13) Exterior decals and signage	H		4) Steering linkages
H		14) Bumpers secure / in good condition	H		5) I beam or control arm movements and rivets
H		15) Exterior mirrors secure / in good condition	H		6) Radius arm condition and bushings condition
		16) Exterior clean	H		7) Stabilizer bar condition and bushings condition
		C) Interior inspection	H		8) Ball joints or kingpins
H		1) Passenger door and steps condition	H		9) Front spring condition and mounting
H		2) Handrails and stanchions condition	H		10) Front shock absorber operation & condition
H		3) Interior and modesty panels condition	H		11) Trans oil cooler & lines routing and leaks
H		4) Flooring condition	H		12) Engine oil cooler & lines routing and leaks
H		5) Interior lighting operation and condition	H		13) Heater and A/C hose routing and leaks
H		6) Windows operation and condition	H		14) No engine oil leaks and fluid condition
H		7) Emergency Exits operation & condition	H		15) Engine mounts, brackets and bolts
H		8) Accessory operation & condition (radio, GPS)	H		16) Transmission mounts, brackets and bolts
H		9) Passenger seats operation & condition	H		17) No transmission oil leaks and fluid condition
H		10) Passenger seat belts operation & condition	H		18) Drive shaft condition
H		11) First aid & body fluid kits complete	H		19) Universal joints and carrier bearings condition
H		12) Triangle reflectors complete/good condition	H		20) No rear differential leaks
H		13) Stop request operation & condition	H		21) Rear differential condition and mounting
		14) Valid registration, insurance & accident pack	H		22) Frame and cross members
H		15) Fire extinguisher in good condition & signed	H		23) Rear shock absorbers
H		16) Interior decals and signage (incl. electrical)	H		24) Rear springs condition and mounting
H		17) DVI's reviewed, addressed and signed off	H		25) No fuel leaks
X		18) Interior clean	H		26) Fuel tank condition and mounting
		D) HVAC system inspection	H		27) No exhaust leaks
H		1) Front blower condition and operation	H		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **159200**

Mileage out: **159201**

Date: **10/25/22** Vehicle #: **9704**

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 10/32" L/F: 10/32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 6/32" L/R: 6/32"		
34) Tire and wheel condition and measurements		
R/F: 2/32" L/F: 8/32"		
R/R: 2/32" L/R: 2/32"		
R/R: 9/32" L/R: 6/32"		
R/R: 9/32" L/R: 6/32"		
35) Lug nuts condition		
Air pressure adjustment FR. 75 RR. 80		
Wheel torque specs used: 140 ft. lbs.		
ⓐ) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
23) W/C tie downs condition and operation		
(e-brake off lift door closed no lift power)		
24) Tie down container secure and clean		
25) The down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking,		
or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, linkages		
and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Notes: Supervisor Signature _____ Date _____

Technicians Signature **J.M. King** Date **10/25/22**

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	Service Type	Initials
Change oil and filter	A,B,C,D	H
Lube chassis and suspension	A,B,C,D	
Lube drive shafts and universal joints	A,B,C,D	
Lube doors and hood, locks and hinges	A,B,C,D	
Adjust service and parking brakes	A,B,C,D	
Drain water from separator	A,B,C,D	
Rotate tires (as necessary, caps on rear)	B,C,D	
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	A,B,C,D	
Post service test drive (5 miles)	A,B,C,D	

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 0702 Repair Reason: A Date and Time in: 11-22-22 10:00 Mileage in: 163922
 Date: 11-22-22 Work Class: T Date and Time Finished: 11-22-22 9:00 Mileage out: 163924

Complaints/Defects:

Notes/Measurements:

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
				A	\$5	518205	oil filter	1	
				A	\$5	50-20	Engine oil	8	
				A	\$5	002-760	Tire	1	
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 682261 Technician: [Signature] Signature: [Signature]

ASE Employee #: 604182 ASE Technician: _____ ASE Signature: _____



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 11-22-22 Vehicle #: 97062

Mileage in: 163477 Mileage out: 163924

P	F	Item Inspected
<input checked="" type="checkbox"/>		A) Vehicle drive in inspection (5 miles)
<input checked="" type="checkbox"/>		1) Driver carpet
<input checked="" type="checkbox"/>		2) Driver seat condition and operation
<input checked="" type="checkbox"/>		3) Drivers door operation and condition
<input checked="" type="checkbox"/>		4) Drivers seat belt operation and condition
<input checked="" type="checkbox"/>		5) Engine starting and Ignition system
<input checked="" type="checkbox"/>		6) Instrument panel gauges & warning lights
<input checked="" type="checkbox"/>		7) Instrument panel lighting & condition
<input checked="" type="checkbox"/>		8) Horn operation
<input checked="" type="checkbox"/>		9) Steering wheel tight, no excessive play
<input checked="" type="checkbox"/>		10) Windshield wipers
<input checked="" type="checkbox"/>		11) Windshield washer
<input checked="" type="checkbox"/>		12) Sun visor condition and operation
<input checked="" type="checkbox"/>		13) Parking brake operation & condition
<input checked="" type="checkbox"/>		14) Parking and service brake pedal pads
<input checked="" type="checkbox"/>		15) Passenger door operation
<input checked="" type="checkbox"/>		16) No vibrations, pulsations or noises
<input checked="" type="checkbox"/>		B) Walk around inspection
<input checked="" type="checkbox"/>		1) Body damage (list on separate sheet)
<input checked="" type="checkbox"/>		2) Headlights, high & low beam operation
<input checked="" type="checkbox"/>		3) Parking lights operation & condition
<input checked="" type="checkbox"/>		4) Marker lights operation & condition
<input checked="" type="checkbox"/>		5) Directional signals operation & condition
<input checked="" type="checkbox"/>		6) Hazard lights operation & condition
<input checked="" type="checkbox"/>		7) Clearance lights operation and condition
<input checked="" type="checkbox"/>		8) Brake lights operation & condition
<input checked="" type="checkbox"/>		9) License plate lamp operation & condition
<input checked="" type="checkbox"/>		10) License plates and tags
<input checked="" type="checkbox"/>		11) Backup lights and alarms
<input checked="" type="checkbox"/>		12) Reflectors and reflective bumper tape
<input checked="" type="checkbox"/>		13) Exterior decals and signage
<input checked="" type="checkbox"/>		14) Bumpers secure / in good condition
<input checked="" type="checkbox"/>		15) Exterior mirrors secure / in good condition
<input checked="" type="checkbox"/>		16) Exterior clean
<input checked="" type="checkbox"/>		C) Interior inspection
<input checked="" type="checkbox"/>		1) Passenger door and steps condition
<input checked="" type="checkbox"/>		2) Handrails and stanchions condition
<input checked="" type="checkbox"/>		3) Interior and modesty panels condition
<input checked="" type="checkbox"/>		4) Flooring condition
<input checked="" type="checkbox"/>		5) Interior lighting operation and condition
<input checked="" type="checkbox"/>		6) Windows operation and condition
<input checked="" type="checkbox"/>		7) Emergency Exits operation & condition
<input checked="" type="checkbox"/>		8) Accessory operation & condition (radio, GPS)
<input checked="" type="checkbox"/>		9) Passenger seats operation & condition
<input checked="" type="checkbox"/>		10) Passenger seat belts operation & condition
<input checked="" type="checkbox"/>		11) First aid & body fluid kits complete
<input checked="" type="checkbox"/>		12) Triangle reflectors complete/good condition
<input checked="" type="checkbox"/>		13) Stop request operation & condition
<input checked="" type="checkbox"/>		14) Valid registration, insurance & accident pack
<input checked="" type="checkbox"/>		15) Fire extinguisher in good condition & signed
<input checked="" type="checkbox"/>		16) Interior decals and signage (incl. electrical)
<input checked="" type="checkbox"/>		17) DVI's reviewed, addressed and signed off
<input checked="" type="checkbox"/>		18) Interior clean
<input checked="" type="checkbox"/>		D) HVAC system inspection
<input checked="" type="checkbox"/>		1) Front blower condition and operation

P	F	Item Inspected
<input checked="" type="checkbox"/>		2) Rear blower condition and operation
<input checked="" type="checkbox"/>		3) Defroster operation
<input checked="" type="checkbox"/>		4) Temp gets to 20 deg. F below ambient temp.
<input checked="" type="checkbox"/>		5) Evaporator intake air filter condition
<input checked="" type="checkbox"/>		6) Front heater condition and operation
<input checked="" type="checkbox"/>		7) Rear heater condition and operation
<input checked="" type="checkbox"/>		8) A/C compressors and condenser fans
<input checked="" type="checkbox"/>		E) Under hood inspection
<input checked="" type="checkbox"/>		1) Batteries & charging sys. (load alt B,C,D serv)
<input checked="" type="checkbox"/>		Batt 1 volts: load volts: load amps:
<input checked="" type="checkbox"/>		Batt 2 volts: load volts: load amps:
<input checked="" type="checkbox"/>		Batt 3 volts: load volts: load amps:
<input checked="" type="checkbox"/>		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
<input checked="" type="checkbox"/>		Alt. 1 min volt: max volt: max amp:
<input checked="" type="checkbox"/>		Alt. 2 min volt: max volt: max amp:
<input checked="" type="checkbox"/>		(reference factory service manual for alternator spec)
<input checked="" type="checkbox"/>		2) Wire and hose routing and connections
<input checked="" type="checkbox"/>		3) Cooling system, hoses, water pump condition
<input checked="" type="checkbox"/>		5) Accessory drive belts condition
<input checked="" type="checkbox"/>		6) Pulleys and tensioned operation & condition
<input checked="" type="checkbox"/>		7) Brake master cylinder and power booster
<input checked="" type="checkbox"/>		8) Fan and fan clutch operation and condition
<input checked="" type="checkbox"/>		9) Engine oil fluid level and condition
<input checked="" type="checkbox"/>		10) Transmission oil level and condition
<input checked="" type="checkbox"/>		11) Power steering fluid level and condition
<input checked="" type="checkbox"/>		12) Brake fluid level and condition
<input checked="" type="checkbox"/>		F) Vehicle rack inspection
<input checked="" type="checkbox"/>		1) Steering gear box mount, condition & leaks
<input checked="" type="checkbox"/>		2) Steering shaft U joints
<input checked="" type="checkbox"/>		3) Steering shaft bearings
<input checked="" type="checkbox"/>		4) Steering linkages
<input checked="" type="checkbox"/>		5) I beam or control arm movements and rivets
<input checked="" type="checkbox"/>		6) Radius arm condition and bushings condition
<input checked="" type="checkbox"/>		7) Stabilizer bar condition and bushings condition
<input checked="" type="checkbox"/>		8) Ball joints or kingpins
<input checked="" type="checkbox"/>		9) Front spring condition and mounting
<input checked="" type="checkbox"/>		10) Front shock absorber operation & condition
<input checked="" type="checkbox"/>		11) Trans oil cooler & lines routing and leaks
<input checked="" type="checkbox"/>		12) Engine oil cooler & lines routing and leaks
<input checked="" type="checkbox"/>		13) Heater and A/C hose routing and leaks
<input checked="" type="checkbox"/>		14) No engine oil leaks and fluid condition
<input checked="" type="checkbox"/>		15) Engine mounts, brackets and bolts
<input checked="" type="checkbox"/>		16) Transmission mounts, brackets and bolts
<input checked="" type="checkbox"/>		17) No transmission oil leaks and fluid condition
<input checked="" type="checkbox"/>		18) Drive shaft condition
<input checked="" type="checkbox"/>		19) Universal joints and carrier bearings condition
<input checked="" type="checkbox"/>		20) No rear differential leaks
<input checked="" type="checkbox"/>		21) Rear differential condition and mounting
<input checked="" type="checkbox"/>		22) Frame and cross members
<input checked="" type="checkbox"/>		23) Rear shock absorbers
<input checked="" type="checkbox"/>		24) Rear springs condition and mounting
<input checked="" type="checkbox"/>		25) No fuel leaks
<input checked="" type="checkbox"/>		26) Fuel tank condition and mounting
<input checked="" type="checkbox"/>		27) No exhaust leaks
<input checked="" type="checkbox"/>		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D Mileage in: 163422 Mileage out: 163924

P	F	Item Inspected
0	0	30) Front brake condition and mounting
0	0	31) Front brake lining condition & measurement
0	0	Pads R/F: 5 / 32" L/F: 5 / 32"
0	0	32) Rear brake condition and mounting
0	0	33) Rear brake lining condition & measurement
0	0	Pads R/R: 10 / 32" L/R: 10 / 32"
0	0	Shoes R/R: 5 / 32" L/R: 5 / 32"
0	0	34) Tire and wheel condition and measurements
0	0	R/F: 7 / 32" L/F: 10 / 32"
0	0	R/R: 5 / 32" L/R: 3 / 32"
0	0	R/R: 4 / 32" L/R: 4 / 32"
0	0	35) Lug nuts condition
0	0	Air pressure adjustment FR. 65 RR. 70
0	0	Wheel torque specs used: 140 ft. lbs.
0	0	G) Lift inspection
0	0	1) Lift operation (fully stowed to fully deployed)
0	0	2) Lift control pendant condition and operation
0	0	3) Lift restraint belt condition and operation
0	0	4) Outer roll stop condition and operation
0	0	5) Inner roll stop condition and operation
0	0	6) Platform adjustments, condition and mounting
0	0	7) Standee arm condition and operation
0	0	8) Proper signage and decals
0	0	9) Manual backup pump condition and operation
0	0	10) Lift manual pump handle
0	0	11) Hydraulic pump condition and operation
0	0	12) Hydraulic lines and cylinders condition
0	0	13) Hydraulic fluid level and condition
0	0	14) Base plate and arms welds & pivot points
0	0	15) Lift springs and pins condition and operation
0	0	16) Lift safety switches and adjustments
0	0	17) Hose and wire routing and connections
0	0	18) Rollers and pivot point condition & operation
0	0	19) Lift to vehicle mounting bolts and brackets
0	0	20) Lift doors condition and operation
0	0	21) Lift door lights condition and operation
0	0	22) Lift interlock operation and condition
0	0	(Lift door open, e-brake down not able to shift)
0	0	(e-brake off lift door closed no lift power)
0	0	23) W/C the downs condition and operation
0	0	24) Tie down container secure and clean
0	0	25) Tie down floor mounting brackets secure
0	0	26) W/C shoulder belt condition and operation
0	0	27) Lift clean and no sharp edges
0	0	28) Lift shields secure and in good shape
0	0	29) Lift moves steady without drifting, jerking,
0	0	or unusual speeds
0	0	30) No unusual lift noises
0	0	Lube all lift pivot points, barriers, rollers, linkages
0	0	and bearings cleaning off all excess lube
0	0	Check, torque or adjust lift base mounting bolts

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: *[Signature]* Date: 11-22-72
 Supervisor Signature: _____ Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Date: 2-22-23 Vehicle #: 9704P

Mileage in: 176733 Mileage out: 176733

P	F	Item Inspected	P	F	Item Inspected
<input checked="" type="checkbox"/>		A) Vehicle drive in inspection (5 miles)	<input checked="" type="checkbox"/>		2) Rear blower condition and operation
<input checked="" type="checkbox"/>		1) Driver carpet	<input checked="" type="checkbox"/>		3) Defroster operation
<input checked="" type="checkbox"/>		2) Driver seat condition and operation	<input checked="" type="checkbox"/>		4) Temp gets to 20 deg. F below ambient temp.
<input checked="" type="checkbox"/>		3) Drivers door operation and condition	<input checked="" type="checkbox"/>		5) Evaporator intake air filter condition
<input checked="" type="checkbox"/>		4) Drivers seat belt operation and condition	<input checked="" type="checkbox"/>		6) Front heater condition and operation
<input checked="" type="checkbox"/>		5) Engine starting and ignition system	<input checked="" type="checkbox"/>		7) Rear heater condition and operation
<input checked="" type="checkbox"/>		6) Instrument panel gauges & warning lights	<input checked="" type="checkbox"/>		8) A/C compressors and condenser fans
<input checked="" type="checkbox"/>		7) Instrument panel lighting & condition			E) Under hood inspection
<input checked="" type="checkbox"/>		8) Horn operation			1) Batteries & charging sys. (load alt B,C,D serv)
<input checked="" type="checkbox"/>		9) Steering wheel tight, no excessive play			Batt 1 volts: load volts: load amps:
<input checked="" type="checkbox"/>		10) Windshield wipers			Batt 2 volts: load volts: load amps:
<input checked="" type="checkbox"/>		11) Windshield washer			Batt 3 volts: load volts: load amps:
<input checked="" type="checkbox"/>		12) Sun visor condition and operation			(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
<input checked="" type="checkbox"/>		13) Parking brake operation & condition			Alt. 1 min volt: max volt: max amp:
<input checked="" type="checkbox"/>		14) Parking and service brake pedal pads			Alt. 2 min volt: max volt: max amp:
<input checked="" type="checkbox"/>		15) Passenger door operation			(reference factory service manual for alternator spec)
<input checked="" type="checkbox"/>		16) No vibrations, pulsations or noises	<input checked="" type="checkbox"/>		2) Wire and hose routing and connections
		B) Walk around inspection	<input checked="" type="checkbox"/>		3) Cooling system, hoses, water pump condition
<input checked="" type="checkbox"/>		1) Body damage (list on separate sheet)	<input checked="" type="checkbox"/>		5) Accessory drive belts condition
<input checked="" type="checkbox"/>		2) Headlights, high & low beam operation	<input checked="" type="checkbox"/>		6) Pulleys and tensioned operation & condition
<input checked="" type="checkbox"/>		3) Parking lights operation & condition	<input checked="" type="checkbox"/>		7) Brake master cylinder and power booster
<input checked="" type="checkbox"/>		4) Marker lights operation & condition	<input checked="" type="checkbox"/>		8) Fan and fan clutch operation and condition
<input checked="" type="checkbox"/>		5) Directional signals operation & condition	<input checked="" type="checkbox"/>		9) Engine oil fluid level and condition
<input checked="" type="checkbox"/>		6) Hazard lights operation & condition	<input checked="" type="checkbox"/>		10) Transmission oil level and condition
<input checked="" type="checkbox"/>		7) Clearance lights operation and condition	<input checked="" type="checkbox"/>		11) Power steering fluid level and condition
<input checked="" type="checkbox"/>		8) Brake lights operation & condition	<input checked="" type="checkbox"/>		12) Brake fluid level and condition
<input checked="" type="checkbox"/>		9) License plate lamp operation & condition			F) Vehicle rack inspection
<input checked="" type="checkbox"/>		10) License plates and tags	<input checked="" type="checkbox"/>		1) Steering gear box mount, condition & leaks
<input checked="" type="checkbox"/>		11) Backup lights and alarms	<input checked="" type="checkbox"/>		2) Steering shaft U joints
<input checked="" type="checkbox"/>		12) Reflectors and reflective bumper tape	<input checked="" type="checkbox"/>		3) Steering shaft bearings
<input checked="" type="checkbox"/>		13) Exterior decals and signage	<input checked="" type="checkbox"/>		4) Steering linkages
<input checked="" type="checkbox"/>		14) Bumpers secure / in good condition	<input checked="" type="checkbox"/>		5) I beam or control arm movements and rivets
<input checked="" type="checkbox"/>		15) Exterior mirrors secure / in good condition	<input checked="" type="checkbox"/>		6) Radius arm condition and bushings condition
<input checked="" type="checkbox"/>		16) Exterior clean	<input checked="" type="checkbox"/>		7) Stabilizer bar condition and bushings condition
		C) Interior inspection	<input checked="" type="checkbox"/>		8) Ball joints or kingpins
<input checked="" type="checkbox"/>		1) Passenger door and steps condition	<input checked="" type="checkbox"/>		9) Front spring condition and mounting
<input checked="" type="checkbox"/>		2) Handrails and stanchions condition	<input checked="" type="checkbox"/>		10) Front shock absorber operation & condition
<input checked="" type="checkbox"/>		3) Interior and modesty panels condition	<input checked="" type="checkbox"/>		11) Trans oil cooler & lines routing and leaks
<input checked="" type="checkbox"/>		4) Flooring condition	<input checked="" type="checkbox"/>		12) Engine oil cooler & lines routing and leaks
<input checked="" type="checkbox"/>		5) Interior lighting operation and condition	<input checked="" type="checkbox"/>		13) Heater and A/C hose routing and leaks
<input checked="" type="checkbox"/>		6) Windows operation and condition	<input checked="" type="checkbox"/>		14) No engine oil leaks and fluid condition
<input checked="" type="checkbox"/>		7) Emergency Exits operation & condition	<input checked="" type="checkbox"/>		15) Engine mounts, brackets and bolts
<input checked="" type="checkbox"/>		8) Accessory operation & condition (radio, GPS)	<input checked="" type="checkbox"/>		16) Transmission mounts, brackets and bolts
<input checked="" type="checkbox"/>		9) Passenger seats operation & condition	<input checked="" type="checkbox"/>		17) No transmission oil leaks and fluid condition
<input checked="" type="checkbox"/>		10) Passenger seat belts operation & condition	<input checked="" type="checkbox"/>		18) Drive shaft condition
<input checked="" type="checkbox"/>		11) First aid & body fluid kits complete	<input checked="" type="checkbox"/>		19) Universal joints and carrier bearings condition
<input checked="" type="checkbox"/>		12) Triangle reflectors complete/good condition	<input checked="" type="checkbox"/>		20) No rear differential leaks
<input checked="" type="checkbox"/>		13) Stop request operation & condition	<input checked="" type="checkbox"/>		21) Rear differential condition and mounting
<input checked="" type="checkbox"/>		14) Valid registration, insurance & accident pack	<input checked="" type="checkbox"/>		22) Frame and cross members
<input checked="" type="checkbox"/>		15) Fire extinguisher in good condition & signed	<input checked="" type="checkbox"/>		23) Rear shock absorbers
<input checked="" type="checkbox"/>		16) Interior decals and signage (incl. electrical)	<input checked="" type="checkbox"/>		24) Rear springs condition and mounting
<input checked="" type="checkbox"/>		17) DVI's reviewed, addressed and signed off	<input checked="" type="checkbox"/>		25) No fuel leaks
<input checked="" type="checkbox"/>		18) Interior clean	<input checked="" type="checkbox"/>		26) Fuel tank condition and mounting
		D) HVAC system inspection	<input checked="" type="checkbox"/>		27) No exhaust leaks
<input checked="" type="checkbox"/>		1) Front blower condition and operation	<input checked="" type="checkbox"/>		28) Exhaust system condition and mounting

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 8 / 32" UF: 8 / 32"
		32) Rear brake condition and mounting
		Pads R/R: 6 / 32" UF: 6 / 32"
		33) Rear brake lining condition & measurement
		Shoes R/R: 10 / 32" UF: 10 / 32"
		34) Tire and wheel condition and measurements
		R/F: 7 / 32" UF: 10 / 32"
		R/R: 10 / 32" L/R: 9 / 32"
		R/R: 5 / 32" L/R: 4 / 32"
		35) Lug nuts condition
		Air pressure adjustment FR: 69 RR: 70
		Wheel torque specs used: 142 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		23) W/C tie down condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Notes: _____
 Supervisor Signature _____
 Date _____

Technician Signature *[Signature]*
 Date *2-3-23*

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	Service Type
Change oil and filter	A,B,C,D
Lube chassis and suspension	A,B,C,D
Lube drive shafts and universal joints	A,B,C,D
Lube doors and hood, locks and hinges	A,B,C,D
Adjust service and parking brakes	A,B,C,D
Drain water from separator	A,B,C,D
Rotate tires (as necessary, caps on rear)	A,B,C,D
Change air filter	B,C,D
Change fuel filter	B,C,D
Clean or change PCV valve	B,C,D
Clean or change crank case filter	B,C,D
Install new wiper blades	B,C,D
Change transmission fluid and filter	C,D
Service front wheel bearings	C,D
Drain water from fuel tank	C,D
Replace accessory drive belts	D
Service and flush cooling system	D
Install new spark plugs & wires	D
Install new dist. cap & rotor	D
Change differential fluid	D
Check Exhaust and EGR system	D
Check and service fuel & evap. System	D
Evac and recharge A/C (add 1 oz. of oil)	D
Post service test drive (miles)	A,B,C,D

Initial or "N/A" each service performed per PM type *107*

Preventive Maintenance Inspection and Service Checklist
 Circle Service Type: *A B C D*
 Mileage In: *176733*
 Mileage out: *176733*



Date: *2-3-23* Vehicle #: *97012*



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 4-2-23 Vehicle #: 9704

Mileage in: 184962 Mileage out: 184967

P	F	Item Inspected	P	F	Item Inspected
X		A) Vehicle drive in inspection (5 miles)	X		2) Rear blower condition and operation
X		1) Driver carpet	X		3) Defroster operation
	X	2) Driver seat condition and operation	X		4) Temp gets to 20 deg. F below ambient temp.
X		3) Drivers door operation and condition	X		5) Evaporator intake air filter condition
X		4) Drivers seat belt operation and condition	X		6) Front heater condition and operation
X		5) Engine starting and ignition system	X		7) Rear heater condition and operation
X		6) Instrument panel gauges & warning lights	X		8) A/C compressors and condenser fans
X		7) Instrument panel lighting & condition			E) Under hood inspection
X		8) Horn operation	X		1) Batteries & charging sys. (load alt B,C,D serv)
X		9) Steering wheel tight, no excessive play	X		Batt 1 volts: 12 load volts: 12.6 load amps: 20
X		10) Windshield wipers	X		Batt 2 volts: 12 load volts: 12.6 load amps: 250
X		11) Windshield washer			Batt 3 volts: load volts: load amps:
X		12) Sun visor condition and operation	X		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
X		13) Parking brake operation & condition	X		Alt. 1 min volt: 14 max volt: 14.1 max amp: 30
X		14) Parking and service brake pedal pads	X		Alt. 2 min volt: max volt: max amp:
X		15) Passenger door operation	X		(reference factory service manual for alternator spec)
X		16) No vibrations, pulsations or noises	X		2) Wire and hose routing and connections
		B) Walk around inspection	X		3) Cooling system, hoses, water pump condition
X		1) Body damage (list on separate sheet)	X		5) Accessory drive belts condition
X		2) Headlights, high & low beam operation	X		6) Pulleys and tensioned operation & condition
X		3) Parking lights operation & condition	X		7) Brake master cylinder and power booster
X		4) Marker lights operation & condition	X		8) Fan and fan clutch operation and condition
X		5) Directional signals operation & condition	X		9) Engine oil fluid level and condition
X		6) Hazard lights operation & condition	X		10) Transmission oil level and condition
X		7) Clearance lights operation and condition	X		11) Power steering fluid level and condition
X		8) Brake lights operation & condition	X		12) Brake fluid level and condition
X		9) License plate lamp operation & condition			F) Vehicle rack inspection
X		10) License plates and tags	X		1) Steering gear box mount, condition & leaks
X		11) Backup lights and alarms	X		2) Steering shaft U joints
X		12) Reflectors and reflective bumper tape	X		3) Steering shaft bearings
X		13) Exterior decals and signage	X		4) Steering linkages
	X	14) Bumpers secure / in good condition	X		5) I beam or control arm movements and rivets
		15) Exterior mirrors secure / in good condition	X		6) Radius arm condition and bushings condition
X		16) Exterior clean	X		7) Stabilizer bar condition and bushings condition
		C) Interior inspection	X		8) Ball joints or kingpins
X		1) Passenger door and steps condition	X		9) Front spring condition and mounting
X		2) Handrails and stanchions condition	X		10) Front shock absorber operation & condition
X		3) Interior and modesty panels condition	X		11) Trans oil cooler & lines routing and leaks
X		4) Flooring condition	X		12) Engine oil cooler & lines routing and leaks
X		5) Interior lighting operation and condition	X		13) Heater and A/C hose routing and leaks
X		6) Windows operation and condition	X		14) No engine oil leaks and fluid condition
X		7) Emergency Exits operation & condition	X		15) Engine mounts, brackets and bolts
X		8) Accessory operation & condition (radio, GPS)	X		16) Transmission mounts, brackets and bolts
X		9) Passenger seats operation & condition	X		17) No transmission oil leaks and fluid condition
X		10) Passenger seat belts operation & condition	X		18) Drive shaft condition
X		11) First aid & body fluid kits complete	X		19) Universal joints and carrier bearings condition
X		12) Triangle reflectors complete/good condition	X		20) No rear differential leaks
X		13) Stop request operation & condition	X		21) Rear differential condition and mounting
X		14) Valid registration, insurance & accident pack	X		22) Frame and cross members
X		15) Fire extinguisher in good condition & signed	X		23) Rear shock absorbers
X		16) Interior decals and signage (incl. electrical)	X		24) Rear springs condition and mounting
X		17) DVI's reviewed, addressed and signed off	X		25) No fuel leaks
X		18) Interior clean	X		26) Fuel tank condition and mounting
		D) HVAC system inspection	X		27) No exhaust leaks
X		1) Front blower condition and operation	X		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: **A B C D**
 Mileage In: **184962**
 Mileage out: **184967**

Date: **4-2-23** Vehicle #: **9704**

Item Inspected	P	F
(30) Front brake condition and mounting	✓	
(31) Front brake lining condition & measurement	✓	
Pads R/F: 22W/32" L/F: 22W/32"	✓	
(32) Rear brake condition and mounting	✓	
(33) Rear brake lining condition & measurement	✓	
Pads R/R: 10/32" L/R: 10/32"	✓	
Shoes R/R: 13/32" L/R: 13/32"	✓	
(34) Tire and wheel condition and measurements	✓	
R/F: 9/32" L/F: 9/32"	✓	
R/R: 5/32" L/R: 7/32"	✓	
R/R: 7/32" L/R: 7/32"	✓	
(35) Lug nuts condition	✓	
Air pressure adjustment FR. 40 RR. 70	✓	
Wheel torque specs used: 140 ft. lbs.	✓	
(9) Lift inspection	✓	
(1) Lift operation (fully stowed to fully deployed)	✓	
(2) Lift control pendant condition and operation	✓	
(3) Lift restraint belt condition and operation	✓	
(4) Outer roll stop condition and operation	✓	
(5) Inner roll stop condition and operation	✓	
(6) Platform adjustments, condition and mounting	✓	
(7) Standee arm condition and operation	✓	
(8) Proper signage and decals	✓	
(9) Manual backup pump condition and operation	✓	
(10) Lift manual pump handle	✓	
(11) Hydraulic pump condition and operation	✓	
(12) Hydraulic lines and cylinders condition	✓	
(13) Hydraulic fluid level and condition	✓	
(14) Base plate and arms welds & pivot points	✓	
(15) Lift springs and pins condition and operation	✓	
(16) Lift safety switches and adjustments	✓	
(17) Hose and wire routing and connections	✓	
(18) Rollers and pivot point condition & operation	✓	
(19) Lift to vehicle mounting bolts and brackets	✓	
(20) Lift doors condition and operation	✓	
(21) Lift door lights condition and operation	✓	
(22) Lift interlock operation and condition	✓	
(e-brake off lift door closed no lift power)	✓	
(23) W/C tie downs condition and operation	✓	
(24) Tie down container secure and clean	✓	
(25) Tie down floor mounting brackets secure	✓	
(26) W/C shoulder belt condition and operation	✓	
(27) Lift clean and no sharp edges	✓	
(28) Lift shields secure and in good shape	✓	
(29) Lift moves steady without drifting, jerking, or unusual speeds	✓	
(30) No unusual lift noises	✓	
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	✓	
Check, torque or adjust lift base mounting bolts	✓	

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.


Notes:
 Supervisor Signature _____ Date _____
 Technicians Signature _____ Date **4-2-23**

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	
Lube chassis and suspension	A,B,C,D	✓
Lube drive shafts and universal joints	A,B,C,D	✓
Lube doors and hood, locks and hinges	A,B,C,D	✓
Adjust service and parking brakes	A,B,C,D	✓
Drain water from separator	A,B,C,D	✓
Rotate tires (as necessary, caps on rear)	A,B,C,D	✓
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	A,B,C,D	✓
Post service test drive (5 miles)	A,B,C,D	

		<p>CRACKED WINDSHIELD ON ARRIVAL. * BOTH REAR FENDER, PAINT STRIPPING. * A BIT OF PAINT STRIPPING AT BACK.</p>
--	--	--

DATE COMPLETED	COMPLETED BY	DESCRIPTION OF REPAIR NEEDED
05/04/23	DATE: 05/04/23 PM TYPE OR WORK ORDER #: A	MECHANIC'S SIGNATURE: <i>J. W. Johnson</i> BUS #: 9704



PM DEFECT SHEET





Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **(A)** B C D

Date: 05/04/23 Vehicle #: 9704

Mileage in: 189,239 Mileage out: 189,240

P	F	Item Inspected	P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)			2) Rear blower condition and operation
H		1) Driver carpet	H		3) Defroster operation
H		2) Driver seat condition and operation	H		4) Temp gets to 20 deg. F below ambient temp.
H		3) Drivers door operation and condition	H		5) Evaporator intake air filter condition
H		4) Drivers seat belt operation and condition	H		6) Front heater condition and operation
H		5) Engine starting and ignition system	H		7) Rear heater condition and operation
H		6) Instrument panel gauges & warning lights	H		8) A/C compressors and condenser fans
H		7) Instrument panel lighting & condition			E) Under hood inspection
H		8) Horn operation			1) Batteries & charging sys. (load alt B,C,D serv)
H		9) Steering wheel tight, no excessive play	H		Batt 1 volts: load volts: load amps:
H		10) Windshield wipers	H		Batt 2 volts: load volts: load amps:
H		11) Windshield washer			Batt 3 volts: load volts: load amps:
H		12) Sun visor condition and operation			(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
H		13) Parking brake operation & condition	H		Alt. 1 min volt: max volt: max amp:
H		14) Parking and service brake pedal pads			Alt. 2 min volt: max volt: max amp:
H		15) Passenger door operation			(reference factory service manual for alternator spec)
H		16) No vibrations, pulsations or noises	H		2) Wire and hose routing and connections
		B) Walk around inspection	H		3) Cooling system, hoses, water pump condition
H		1) Body damage (list on separate sheet)	H		5) Accessory drive belts condition
H		2) Headlights, high & low beam operation	H		6) Pulleys and tensioned operation & condition
H		3) Parking lights operation & condition	H		7) Brake master cylinder and power booster
H		4) Marker lights operation & condition	H		8) Fan and fan clutch operation and condition
	X	5) Directional signals operation & condition	H		9) Engine oil fluid level and condition
H		6) Hazard lights operation & condition	H		10) Transmission oil level and condition
H		7) Clearance lights operation and condition	H		11) Power steering fluid level and condition
H		8) Brake lights operation & condition	H		12) Brake fluid level and condition
H		9) License plate lamp operation & condition			F) Vehicle rack inspection
H		10) License plates and tags	H		1) Steering gear box mount, condition & leaks
H		11) Backup lights and alarms	H		2) Steering shaft U joints
H		12) Reflectors and reflective bumper tape	H		3) Steering shaft bearings
H		13) Exterior decals and signage	H		4) Steering linkages
H		14) Bumpers secure / in good condition	H		5) I beam or control arm movements and rivets
H		15) Exterior mirrors secure / in good condition	H		6) Radius arm condition and bushings condition
H		16) Exterior clean	H		7) Stabilizer bar condition and bushings condition
		C) Interior inspection	H		8) Ball joints or kingpins
H		1) Passenger door and steps condition	H		9) Front spring condition and mounting
H		2) Handrails and stanchions condition	H		10) Front shock absorber operation & condition
H		3) Interior and modesty panels condition	H		11) Trans oil cooler & lines routing and leaks
H		4) Flooring condition	H		12) Engine oil cooler & lines routing and leaks
H		5) Interior lighting operation and condition	H		13) Heater and A/C hose routing and leaks
H		6) Windows operation and condition	H		14) No engine oil leaks and fluid condition
H		7) Emergency Exits operation & condition	H		15) Engine mounts, brackets and bolts
H		8) Accessory operation & condition (radio, GPS)	H		16) Transmission mounts, brackets and bolts
H		9) Passenger seats operation & condition	H		17) No transmission oil leaks and fluid condition
H		10) Passenger seat belts operation & condition	H		18) Drive shaft condition
H		11) First aid & body fluid kits complete	H		19) Universal joints and carrier bearings condition
H		12) Triangle reflectors complete/good condition	H		20) No rear differential leaks
H		13) Stop request operation & condition	H		21) Rear differential condition and mounting
		14) Valid registration, insurance & accident pack	H		22) Frame and cross members
H		15) Fire extinguisher in good condition & signed	H		23) Rear shock absorbers
H		16) Interior decals and signage (incl. electrical)	H		24) Rear springs condition and mounting
H		17) DVI's reviewed, addressed and signed off	H		25) No fuel leaks
	X	18) Interior clean	H		26) Fuel tank condition and mounting
		D) HVAC system inspection	H		27) No exhaust leaks
H		1) Front blower condition and operation	H		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**
 Mileage in: **189,239**
 Mileage out: **189,240**

Date: **05/04/23** Vehicle #: **9704**

Service Performed	Techs Initials
A,B,C,D Change oil and filter	H
A,B,C,D Lube chassis and suspension	N/A
A,B,C,D Lube drive shafts and universal joints	N/A
A,B,C,D Lube doors and hood, locks and hinges	N/A
A,B,C,D Adjust service and parking brakes	N/A
A,B,C,D Drain water from separator	N/A
A,B,C,D Rotate tires (as necessary, caps on rear)	N/A
B,C,D Change air filter	N/A
B,C,D Change fuel filter	N/A
B,C,D Clean or change PCV valve	N/A
B,C,D Clean or change crank case filter	N/A
B,C,D Install new wiper blades	N/A
C,D Change transmission fluid and filter	N/A
C,D Service front wheel bearings	N/A
C,D Drain water from fuel tank	N/A
D Replace accessory drive belts	N/A
D Service and flush cooling system	N/A
D Install new spark plugs & wires	N/A
D Install new dist. cap & rotor	N/A
D Change differential fluid	N/A
D Check Exhaust and EGR system	N/A
D Check and service fuel & evap. System	N/A
D Evac and recharge A/C (add 1 oz. of oil)	N/A
A,B,C,D Post service test drive (5 miles)	H

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: **H.M. Wray**
 Date: **05/04/23**

Supervisor Signature: _____
 Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Item Inspected	P	F
30) Front brake condition and mounting	✓	
31) Front brake lining condition & measurement	✓	
Pads R/F: 10/32" L/F: 10/32"		
32) Rear brake condition and mounting	✓	
33) Rear brake lining condition & measurement	✓	
Pads R/R: 9/32" L/R: 9/32"		
Shoes R/R: /32" L/R: /32"	N/A	
34) Tire and wheel condition and measurements	✓	
R/F: 7/32" L/F: 9/32"		
R/R: 8/32" L/R: 7/32"		
R/R: 5/32" L/R: 5/32"		
35) Lug nuts condition	✓	
Air pressure adjustment FR: 75 RR: 79		
Wheel torque specs used: 140 ft. lbs.		
30) Lift inspection	✓	
1) Lift operation (fully stowed to fully deployed)	✓	
2) Lift control pendant condition and operation	✓	
3) Lift restraint belt condition and operation	✓	
4) Outer roll stop condition and operation	✓	
5) Inner roll stop condition and operation	✓	
6) Platform adjustments, condition and mounting	✓	
7) Standee arm condition and operation	✓	
8) Proper signage and decals	✓	
9) Manual backup pump condition and operation	✓	
10) Lift manual pump handle	✓	
11) Hydraulic pump condition and operation	✓	
12) Hydraulic lines and cylinders condition	✓	
13) Hydraulic fluid level and condition	✓	
14) Base plate and arms welds & pivot points	✓	
15) Lift springs and pins condition and operation	✓	
16) Lift safety switches and adjustments	✓	
17) Hose and wire routing and connections	✓	
18) Rollers and pivot point condition & operation	✓	
19) Lift to vehicle mounting bolts and brackets	✓	
20) Lift doors condition and operation	✓	
21) Lift door lights condition and operation	✓	
22) Lift interlock operation and condition	✓	
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation	✓	
24) Tie down container secure and clean	✓	
25) Tie down floor mounting brackets secure	✓	
26) W/C shoulder belt condition and operation	✓	
27) Lift clean and no sharp edges	✓	
28) Lift shields secure and in good shape	✓	
29) Lift moves steady without drifting, jerking, or unusual speeds	✓	
30) No unusual lift noises	✓	
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	✓	
Check, torque or adjust lift base mounting bolts	✓	

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 9304 Repair Reason: A Date and Time in: _____ Mileage in: 198634
 Date: 07/04/23 Work Class: T Date and Time Finished: _____ Mileage out: 198635

Complaints/Defects: _____ Notes/Measurements: _____

PMEA

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
A	58	PMEA		A	55	5W20	engine oil	65	
				A	35	FL 800	oil filter	1	
04	56	brake inspection							
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 848194 Technician: Hudson Turner Signature: [Signature]

ASE Employee #: 2000113 ASE Technician: Brian Hink ASE Signature: [Signature]



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 02/04/23 Vehicle #: 9704

Mileage in: 198684 Mileage out: 198685

P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
/		B) Walk around inspection
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
/		C) Interior inspection
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition (radio, GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
/		D) HVAC system inspection
F		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
/		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
/		F) Vehicle rack inspection
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
F		18) Drive shaft condition
F		19) Universal joints and carrier bearings condition
F		20) No rear differential leaks
F		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist
 Circle Service Type: (A) B C D
 Mileage in: 198624 Mileage out: 198685
 Date: 07/04/23 Vehicle #: 9704

Service Performed	Service Type
Change oil and filter	A,B,C,D
Lube chassis and suspension	A,B,C,D
Lube drive shafts and universal joints	A,B,C,D
Lube doors and hood, locks and hinges	A,B,C,D
Adjust service and parking brakes	A,B,C,D
Drain water from separator	A,B,C,D
Rotate tires (as necessary, caps on rear)	A,B,C,D
Change air filter	B,C,D
Change fuel filter	B,C,D
Clean or change PCV valve	B,C,D
Clean or change crank case filter	B,C,D
Install new wiper blades	B,C,D
Change transmission fluid and filter	C,D
Service front wheel bearings	C,D
Drain water from fuel tank	C,D
Replace accessory drive belts	D
Service and flush cooling system	D
Install new spark plugs & wires	D
Install new dist. cap & rotor	D
Change differential fluid	D
Check Exhaust and EGR system	D
Check and service fuel & evap. System	D
Evac and recharge A/C (add 1 oz. of oil)	A,B,C,D
Post service test drive (5 miles)	A,B,C,D

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: *[Signature]* Date: 07/04/23
 Supervisor Signature: *[Signature]* Date: 7/7/23

Notes:

Item Inspected	P	F
30) Front brake condition and mounting		F
31) Front brake lining condition & measurement		F
Pads R/F: 8 /32" L/F: 8 /32"		F
32) Rear brake condition and mounting		F
33) Rear brake lining condition & measurement		F
Pads R/R: 8 /32" L/R: 8 /32"		F
34) Tire and wheel condition and measurements		F
Shoes R/R: /32" L/R: /32"		F
R/R: 6 /32" L/R: 6 /32"		F
R/Ri: 6 /32" L/Ri: 6 /32"		F
R/Ro: 6 /32" L/Ro: 6 /32"		F
35) Lug nuts condition		F
Air pressure adjustment FR: 65 RR: 70 ft. lbs.		F
Wheel torque specs used: 150		F
9) Lift inspection		F
1) Lift operation (fully stowed to fully deployed)		F
2) Lift control pendant condition and operation		F
3) Lift restraint belt condition and operation		F
4) Outer roll stop condition and operation		F
5) Inner roll stop condition and operation		F
6) Platform adjustments, condition and mounting		F
7) Standee arm condition and operation		F
8) Proper signage and decals		F
9) Manual backup pump condition and operation		F
10) Lift manual pump handle		F
11) Hydraulic pump condition and operation		F
12) Hydraulic lines and cylinders condition		F
13) Hydraulic fluid level and condition		F
14) Base plate and arms welds & pivot points		F
15) Lift springs and pins condition and operation		F
16) Lift safety switches and adjustments		F
17) Hose and wire routing and connections		F
18) Rollers and pivot point condition & operation		F
19) Lift to vehicle mounting bolts and brackets		F
20) Lift doors condition and operation		F
21) Lift door lights condition and operation		F
22) Lift interlock operation and condition		F
(Lift door open, e-brake down not able to shift)		F
(e-brake off lift door closed no lift power)		F
23) W/C tie downs condition and operation		F
24) Tie down container secure and clean		F
25) Tie down floor mounting brackets secure		F
26) W/C shoulder belt condition and operation		F
27) Lift clean and no sharp edges		F
28) Lift shields secure and in good shape		F
29) Lift moves steady without drifting, jerking, or unusual speeds		F
30) No unusual lift noises		F
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		F
Check, torque or adjust lift base mounting bolts		F

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 08/01/23 Vehicle #: 9704

Mileage in: 203,418 Mileage out: 203,423

P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)
H		1) Driver carpet
H		2) Driver seat condition and operation
H		3) Drivers door operation and condition
H		4) Drivers seat belt operation and condition
H		5) Engine starting and ignition system
H		6) Instrument panel gauges & warning lights
H		7) Instrument panel lighting & condition
H		8) Horn operation
H		9) Steering wheel tight, no excessive play
H		10) Windshield wipers
H		11) Windshield washer
H		12) Sun visor condition and operation
H		13) Parking brake operation & condition
H		14) Parking and service brake pedal pads
H		15) Passenger door operation
H		16) No vibrations, pulsations or noises
/		B) Walk around inspection
H		1) Body damage (list on separate sheet)
H		2) Headlights, high & low beam operation
H		3) Parking lights operation & condition
H		4) Marker lights operation & condition
H		5) Directional signals operation & condition
H		6) Hazard lights operation & condition
H		7) Clearance lights operation and condition
H		8) Brake lights operation & condition
H		9) License plate lamp operation & condition
H		10) License plates and tags
H		11) Backup lights and alarms
H		12) Reflectors and reflective bumper tape
H		13) Exterior decals and signage
H		14) Bumpers secure / in good condition
H		15) Exterior mirrors secure / in good condition
X		16) Exterior clean
/		C) Interior inspection
H		1) Passenger door and steps condition
H		2) Handrails and stanchions condition
H		3) Interior and modesty panels condition
H		4) Flooring condition
H		5) Interior lighting operation and condition
H		6) Windows operation and condition
H		7) Emergency Exits operation & condition
H		8) Accessory operation & condition (radio, GPS)
H		9) Passenger seats operation & condition
H		10) Passenger seat belts operation & condition
H		11) First aid & body fluid kits complete
H		12) Triangle reflectors complete/good condition
H		13) Stop request operation & condition
H		14) Valid registration, insurance & accident pack
H		15) Fire extinguisher in good condition & signed
H		16) Interior decals and signage (incl. electrical)
H		17) DVI's reviewed, addressed and signed off
X		18) Interior clean
/		D) HVAC system inspection
H		1) Front blower condition and operation

P	F	Item Inspected
H		2) Rear blower condition and operation
H		3) Defroster operation
H		4) Temp gets to 20 deg. F below ambient temp.
H		5) Evaporator intake air filter condition
H		6) Front heater condition and operation
H		7) Rear heater condition and operation
H		8) A/C compressors and condenser fans
/		E) Under hood inspection
H		1) Batteries & charging sys. (load alt B,C,D serv)
H		Batt 1 volts: load volts: load amps:
H		Batt 2 volts: load volts: load amps:
/		Batt 3 volts: load volts: load amps:
/		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
H		Alt. 1 min volt: max volt: max amp:
/		Alt. 2 min volt: max volt: max amp:
H		(reference factory service manual for alternator spec)
H		2) Wire and hose routing and connections
H		3) Cooling system, hoses, water pump condition
H		5) Accessory drive belts condition
H		6) Pulleys and tensioned operation & condition
H		7) Brake master cylinder and power booster
H		8) Fan and fan clutch operation and condition
H		9) Engine oil fluid level and condition
H		10) Transmission oil level and condition
H		11) Power steering fluid level and condition
H		12) Brake fluid level and condition
/		F) Vehicle rack inspection
H		1) Steering gear box mount, condition & leaks
H		2) Steering shaft U joints
H		3) Steering shaft bearings
H		4) Steering linkages
H		5) I beam or control arm movements and rivets
H		6) Radius arm condition and bushings condition
H		7) Stabilizer bar condition and bushings condition
H		8) Ball joints or kingpins
H		9) Front spring condition and mounting
H		10) Front shock absorber operation & condition
H		11) Trans oil cooler & lines routing and leaks
H		12) Engine oil cooler & lines routing and leaks
H		13) Heater and A/C hose routing and leaks
H		14) No engine oil leaks and fluid condition
H		15) Engine mounts, brackets and bolts
H		16) Transmission mounts, brackets and bolts
H		17) No transmission oil leaks and fluid condition
H		18) Drive shaft condition
H		19) Universal joints and carrier bearings condition
H		20) No rear differential leaks
H		21) Rear differential condition and mounting
H		22) Frame and cross members
H		23) Rear shock absorbers
H		24) Rear springs condition and mounting
H		25) No fuel leaks
H		26) Fuel tank condition and mounting
H		27) No exhaust leaks
H		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 08/01/23 Vehicle #: 9704

Mileage in: 203418 Mileage out: 203423

Circle Service Type: A B C D

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	H
Lube chassis and suspension	A,B,C,D	N/A
Lube drive shafts and universal joints	A,B,C,D	N/A
Lube doors and hood, locks and hinges	A,B,C,D	N/A
Adjust service and parking brakes	A,B,C,D	N/A
Drain water from separator	A,B,C,D	N/A
Rotate tires (as necessary, caps on rear)	A,B,C,D	N/A
Change air filter	B,C,D	N/A
Change fuel filter	B,C,D	N/A
Clean or change PCV valve	B,C,D	N/A
Clean or change crank case filter	B,C,D	N/A
Install new wiper blades	B,C,D	N/A
Change transmission fluid and filter	C,D	N/A
Service front wheel bearings	C,D	N/A
Drain water from fuel tank	D	N/A
Replace accessory drive belts	D	N/A
Service and flush cooling system	D	N/A
Install new spark plugs & wires	D	N/A
Install new dist. cap & rotor	D	N/A
Change differential fluid	D	N/A
Check Exhaust and EGR system	D	N/A
Check and service fuel & evap. System	D	N/A
Evac and recharge A/C (add 1 oz. of oil)	D	N/A
Post service test drive (5 miles)	A,B,C,D	H

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: *H. J. ...* Date: 08/01/23

Supervisor Signature: _____ Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Item Inspected	P	F
30) Front brake condition and mounting	✓	
31) Front brake lining condition & measurement	✓	
Pads R/F: 8/32" L/F: 8/32"		
32) Rear brake condition and mounting	✓	
33) Rear brake lining condition & measurement	✓	
Pads R/R: 6/32" L/R: 6/32"		
Shoes R/R: 1/32" L/R: 1/32"		
34) Tire and wheel condition and measurements	✓	
R/F: 8/32" L/F: 6/32"		
R/R: 8/32" L/R: 4/32"		
R/R: 9/32" L/R: 5/32"		
35) Lug nuts condition	✓	
Air pressure adjustment FR. 75 RR. 75	✓	
Wheel torque specs used: 140 ft. lbs.	✓	
1) Lift operation (fully stowed to fully deployed)	✓	
2) Lift control pendant condition and operation	✓	
3) Lift restraint belt condition and operation	✓	
4) Outer roll stop condition and operation	✓	
5) Inner roll stop condition and operation	✓	
6) Platform adjustments, condition and mounting	✓	
7) Standee arm condition and operation	✓	
8) Proper signage and decals	✓	
9) Manual backup pump condition and operation	✓	
10) Lift manual pump handle	✓	
11) Hydraulic pump condition and operation	✓	
12) Hydraulic lines and cylinders condition	✓	
13) Hydraulic fluid level and condition	✓	
14) Base plate and arms welds & pivot points	✓	
15) Lift springs and pins condition and operation	✓	
16) Lift safety switches and adjustments	✓	
17) Hose and wire routing and connections	✓	
18) Rollers and pivot point condition & operation	✓	
19) Lift to vehicle mounting bolts and brackets	✓	
20) Lift doors condition and operation	✓	
21) Lift door lights condition and operation	✓	
22) Lift interlock operation and condition	✓	
(Lift door open, e-brake down not able to shift)	✓	
23) W/C tie downs condition and operation	✓	
24) Tie down container secure and clean	✓	
25) Tie down floor mounting brackets secure	✓	
26) W/C shoulder belt condition and operation	✓	
27) Lift clean and no sharp edges	✓	
28) Lift shields secure and in good shape	✓	
29) Lift moves steady without drifting, jerking, or unusual speeds	✓	
30) No unusual lift noises	✓	
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	✓	
Check, torque or adjust lift base mounting bolts	✓	



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 01/09/23 Vehicle #: 9704

Mileage in: 172,536 Mileage out: 172,537

P	F	Item Inspected
H		A) Vehicle drive in inspection (5 miles)
H		1) Driver carpet
H		2) Driver seat condition and operation
H		3) Drivers door operation and condition
H		4) Drivers seat belt operation and condition
H		5) Engine starting and ignition system
H		6) Instrument panel gauges & warning lights
H		7) Instrument panel lighting & condition
H		8) Horn operation
H		9) Steering wheel tight, no excessive play
H		10) Windshield wipers
H		11) Windshield washer
H		12) Sun visor condition and operation
H		13) Parking brake operation & condition
H		14) Parking and service brake pedal pads
H		15) Passenger door operation
H		16) No vibrations, pulsations or noises
		B) Walk around inspection
H		1) Body damage (list on separate sheet)
H		2) Headlights, high & low beam operation
H		3) Parking lights operation & condition
H		4) Marker lights operation & condition
H		5) Directional signals operation & condition
H		6) Hazard lights operation & condition
H		7) Clearance lights operation and condition
H		8) Brake lights operation & condition
H		9) License plate lamp operation & condition
H		10) License plates and tags
H		11) Backup lights and alarms
H		12) Reflectors and reflective bumper tape
H		13) Exterior decals and signage
H		14) Bumpers secure / in good condition
H		15) Exterior mirrors secure / in good condition
	X	16) Exterior clean
		C) Interior inspection
H		1) Passenger door and steps condition
H		2) Handrails and stanchions condition
H		3) Interior and modesty panels condition
H		4) Flooring condition
H		5) Interior lighting operation and condition
H		6) Windows operation and condition
H		7) Emergency Exits operation & condition
H		8) Accessory operation & condition (radio, GPS)
H		9) Passenger seats operation & condition
H		10) Passenger seat belts operation & condition
H		11) First aid & body fluid kits complete
H		12) Triangle reflectors complete/good condition
H		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
H		15) Fire extinguisher in good condition & signed
H		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
	X	18) Interior clean
		D) HVAC system inspection
H		1) Front blower condition and operation

P	F	Item Inspected
H		2) Rear blower condition and operation
H		3) Defroster operation
H		4) Temp gets to 20 deg. F below ambient temp.
H		5) Evaporator intake air filter condition
H		6) Front heater condition and operation
H		7) Rear heater condition and operation
H		8) A/C compressors and condenser fans
		E) Under hood inspection
H		1) Batteries & charging sys. (load alt B,C,D serv)
H		Batt 1 volts: <u>14.4</u> load volts: <u>14.3</u> load amps:
H		Batt 2 volts: <u>14.4</u> load volts: <u>14.3</u> load amps:
		Batt 3 volts: load volts: load amps:
H		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
H		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
H		2) Wire and hose routing and connections
H		3) Cooling system, hoses, water pump condition
H		5) Accessory drive belts condition
H		6) Pulleys and tensioned operation & condition
H		7) Brake master cylinder and power booster
H		8) Fan and fan clutch operation and condition
H		9) Engine oil fluid level and condition
H		10) Transmission oil level and condition
H		11) Power steering fluid level and condition
H		12) Brake fluid level and condition
		F) Vehicle rack inspection
H		1) Steering gear box mount, condition & leaks
H		2) Steering shaft U joints
H		3) Steering shaft bearings
H		4) Steering linkages
H		5) I beam or control arm movements and rivets
H		6) Radius arm condition and bushings condition
H		7) Stabilizer bar condition and bushings condition
H		8) Ball joints or kingpins
H		9) Front spring condition and mounting
H		10) Front shock absorber operation & condition
H		11) Trans oil cooler & lines routing and leaks
H		12) Engine oil cooler & lines routing and leaks
H		13) Heater and A/C hose routing and leaks
H		14) No engine oil leaks and fluid condition
H		15) Engine mounts, brackets and bolts
H		16) Transmission mounts, brackets and bolts
H		17) No transmission oil leaks and fluid condition
H		18) Drive shaft condition
H		19) Universal joints and carrier bearings condition
H		20) No rear differential leaks
H		21) Rear differential condition and mounting
H		22) Frame and cross members
H		23) Rear shock absorbers
H		24) Rear springs condition and mounting
H		25) No fuel leaks
H		26) Fuel tank condition and mounting
H		27) No exhaust leaks
H		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 01/23 Vehicle #: 9704

Circle Service Type: **A** B C D
 Mileage in: 172,537
 Mileage out: 172,537

Item Inspected	P	F
30) Front brake lining condition and mounting		
31) Front brake lining condition & measurement		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
34) Tire and wheel condition and measurements		
R/R: 8/32" L/R: 10/32" L/R: 8/32"		
Shoes R/R: 1/32" L/R: 1/32"		
35) Lug nuts condition		
R/R: 9/32" L/R: 9/32"		
R/R: 11/32" L/R: 8/32"		
R/R: 8/32" L/R: 10/32"		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
23) W/C the downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Notes: _____
 Supervisor Signature _____ Date _____

Technicians Signature J.M. Jmy Date 01/09/23
 All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	H
Lube chassis and suspension	A,B,C,D	H
Lube drive shafts and universal joints	A,B,C,D	N/A
Lube doors and hood, locks and hinges	A,B,C,D	N/A
Adjust service and parking brakes	A,B,C,D	N/A
Drain water from separator	A,B,C,D	N/A
Rotate tires (as necessary, caps on rear)	A,B,C,D	N/A
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	H

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Preventive Maintenance Inspection and Service Checklist



Date: 10/11/05 Vehicle #: 9704 Mileage in: 4664 Mileage out: 14665

Circle Service Type: A B C D

Item Inspected	P	F
A) Vehicle drive in inspection (5 miles)		
1) Driver carpet	R	
2) Driver seat condition and operation	R	
3) Drivers door operation and condition	R	
4) Drivers seat belt operation and condition	R	
5) Engine starting and ignition system	R	
6) Instrument panel gauges & warning lights	R	
7) Instrument panel lighting & condition	R	
8) Horn operation	R	
9) Steering wheel tight, no excessive play	R	
10) Windshield wipers	R	
11) Windshield washer	R	
12) Sun visor condition and operation	R	
13) Parking brake operation & condition	R	
14) Parking and service brake pads	R	
15) Passenger door operation	R	
16) No vibrations, pulsations or noises	R	
B) Walk around inspection		
1) Body damage (list on separate sheet)	R	
2) Headlights, high & low beam operation	R	
3) Parking lights operation & condition	R	
4) Marker lights operation & condition	R	
5) Directional signals operation & condition	R	
6) Hazard lights operation & condition	R	
7) Clearance lights operation and condition	R	
8) Brake lights operation & condition	R	
9) License plate lamp operation & condition	R	
10) License plates and tags	R	
11) Backup lights and alarms	R	
12) Reflectors and reflective bumper tape	R	
13) Exterior decals and signage	R	
14) Bumpers secure / in good condition	R	
15) Exterior mirrors secure / in good condition	R	
16) Exterior clean	R	
C) Interior inspection		
1) Passenger door and steps condition	R	
2) Handrails and stanchions condition	R	
3) Interior and modesty panels condition	R	
4) Flooring condition	R	
5) Interior lighting operation and condition	R	
6) Windows operation and condition	R	
7) Emergency Exits operation & condition	R	
8) Accessory operation & condition (radio, GPS)	R	
9) Passenger seats operation & condition	R	
10) Passenger seat belts operation & condition	R	
11) First aid & body fluid kits complete	R	
12) Triangle reflectors complete/good condition	R	
13) Stop request operation & condition	R	
14) Valid registration, insurance & accident pack	R	
15) Fire extinguisher in good condition & signed	R	
16) Interior decals and signage (incl. electrical)	R	
17) DVI's reviewed, addressed and signed off	R	
18) Interior clean	R	
D) HVAC system inspection		
1) Front blower condition and operation	R	
E) Under hood inspection		
1) Batteries & charging sys. (load alt B,C,D serv)	R	
Batt 1 volts: load amps:	R	
Batt 2 volts: load amps:	R	
Batt 3 volts: load amps:	R	
Alt. 1 min volt: max amp:	R	
Alt. 2 min volt: max amp:	R	
(battery min. loaded volts 9.5v, 1/2 CCA for 15 sec)	R	
2) Wire and hose routing and connections	R	
3) Cooling system, hoses, water pump condition	R	
5) Accessory drive belts condition	R	
6) Pulleys and tensioned operation & condition	R	
7) Brake master cylinder and power booster	R	
8) Fan and fan clutch operation and condition	R	
9) Engine oil fluid level and condition	R	
10) Transmission oil level and condition	R	
11) Power steering fluid level and condition	R	
12) Brake fluid level and condition	R	
F) Vehicle rack inspection		
1) Steering gear box mount, condition & leaks	R	
2) Steering shaft U joints	R	
3) Steering shaft bearings	R	
4) Steering linkages	R	
5) I beam or control arm movements and rivets	R	
6) Radius arm condition and bushings condition	R	
7) Stabilizer bar condition and bushings condition	R	
8) Ball joints or kingpins	R	
9) Front spring condition and mounting	R	
10) Front shock absorber operation & condition	R	
11) Trans oil cooler & lines routing and leaks	R	
12) Engine oil cooler & lines routing and leaks	R	
13) Heater and A/C hose routing and leaks	R	
14) No engine oil leaks and fluid condition	R	
15) Engine mounts, brackets and bolts	R	
16) Transmission mounts, brackets and bolts	R	
17) No transmission oil leaks and fluid condition	R	
18) Drive shaft condition	R	
19) Universal joints and carrier bearings condition	R	
20) No rear differential leaks	R	
21) Rear differential condition and mounting	R	
22) Frame and cross members	R	
23) Rear shock absorbers	R	
24) Rear springs condition and mounting	R	
25) No fuel leaks	R	
26) Fuel tank condition and mounting	R	
27) No exhaust leaks	R	
28) Exhaust system condition and mounting	R	



Preventive Maintenance Inspection and Service Checklist

Date: 10/01/19 Vehicle #: 9704 Mileage in: 14664 Mileage out: 14665

Circle Service Type: A B C D

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
R		Pads R/F: <u>9</u> /32" L/F: <u>9</u> /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R	X	Pads R/R: <u>2</u> /32" L/R: <u>2</u> /32"
NA		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
R		R/F: <u>5</u> /32" L/F: <u>6</u> /32"
R		R/R: <u>6</u> /32" L/R: <u>6</u> /32"
R		R/RO: <u>6</u> /32" L/RO: <u>6</u> /32"
		35) Lug nuts condition
R		Air pressure adjustment FR. <u>65 RR. 75</u>
R		Wheel torque specs used: <u>140</u> ft. lbs.
		G) Lift inspection
R		1) Lift operation (fully stowed to fully deployed)
R		2) Lift control pendant condition and operation
R		3) Lift restraint belt condition and operation
R		4) Outer roll stop condition and operation
R		5) Inner roll stop condition and operation
R		6) Platform adjustments, condition and mounting
R		7) Standee arm condition and operation
R		8) Proper signage and decals
R		9) Manual backup pump condition and operation
R		10) Lift manual pump handle
R		11) Hydraulic pump condition and operation
R		12) Hydraulic lines and cylinders condition
R		13) Hydraulic fluid level and condition
R		14) Base plate and arms welds & pivot points
R		15) Lift springs and pins condition and operation
R		16) Lift safety switches and adjustments
R		17) Hose and wire routing and connections
R		18) Rollers and pivot point condition & operation
R		19) Lift to vehicle mounting bolts and brackets
R		20) Lift doors condition and operation
R		21) Lift door lights condition and operation
R		22) Lift interlock operation and condition (lift door open, e-brake down not able to shift) (e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking, or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
R		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	R
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	R
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	R
B,C,D	Change air filter	R
B,C,D	Change fuel filter	NA
B,C,D	Clean or change PCV valve	NA
B,C,D	Clean or change crank case filter	NA
B,C,D	Install new wiper blades	R
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	R

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: [Signature] Date: 10/01/2019

Supervisor Signature: [Signature] Date: 10/31/19

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
 5910 N Central Expwy Suite 1145
 Dallas, TX 75206



Work Order Division (0094)
 3301 Electronics Way
 West Palm Beach, FL 33407

Basic Information

Vehicle #: 9704 Repair Reason: B Date and Time in: _____ Mileage in: 422618
 Date: 7/14/20 Work Class: F Date and Time Finished: _____ Mileage out: 422620

Complaints/Defects: PM1 B Notes/Measurements: _____

Labor Information		Parts Information							
Task	WAC	Repair Description/Comments	Task	WAC	Part Number	Description	Qty	Cost	
		PM1 B	B	SS	VW1700	Engine Oil	7.5		
			B	SS	LF3681	Oil Filter	1		
			B	SS	WW-2001	Wiper blades	2		
			B	SS	WW-200PF	Wiper blades	4		
		Brake Inspection	B	SS	AF25590	Air Filter	1		
Total Hours Worked:							Total Parts Cost:		

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 849102 Technician: Joe Hall Signature: _____ ASE Employee #: 604182 ASE Technician: _____ ASE Signature: _____

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: A B C D

422622

Mileage in: 422622 Mileage out: 422622

9704

Vehicle #:

Date: 9704

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 2/14/20 Vehicle #: 9704 Mileage in: 420615 Mileage out: 422625

Circle Service Type: A B C D

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	✓
Lube chassis and suspension	A,B,C,D	OK
Lube drive shafts and universal joints	A,B,C,D	OK
Lube doors and hood, locks and hinges	A,B,C,D	OK
Adjust service and parking brakes	A,B,C,D	OK
Drain water from separator	A,B,C,D	
Rotate tires (as necessary, caps on rear)	A,B,C,D	OK
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	✓
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	A,B,C,D	✓
Post service test drive (5 miles)	A,B,C,D	✓

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: [Signature] Date: 2/14/20

Supervisor Signature: _____ Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Item Inspected	Initial
30) Front brake condition and mounting	✓
31) Front brake lining condition & measurement	✓
Pads R/F: 8" / 32" L/F: 8" / 32"	
32) Rear brake condition and mounting	✓
33) Rear brake lining condition & measurement	✓
Pads R/R: 10" / 32" L/R: 10" / 32"	
Shoes R/R: / 32" L/R: / 32"	
34) Tire and wheel condition and measurements	✓
R/F: 8" / 32" L/F: 8" / 32"	
R/R: / 32" L/R: / 32"	
R/O: / 32" L/O: / 32"	
35) Lug nuts condition	✓
Air pressure adjustment FR: 65 R: 65	
Wheel torque specs used: 140 ft. lbs.	
G) Lift inspection	✓
1) Lift operation (fully stowed to fully deployed)	✓
2) Lift control pendant condition and operation	✓
3) Lift restraint belt condition and operation	✓
4) Outer roll stop condition and operation	✓
5) Inner roll stop condition and operation	✓
6) Platform adjustments, condition and mounting	✓
7) Standee arm condition and operation	✓
8) Proper signage and decals	✓
9) Manual backup pump condition and operation	✓
10) Lift manual pump handle	✓
11) Hydraulic pump condition and operation	✓
12) Hydraulic lines and cylinders condition	✓
13) Hydraulic fluid level and condition	✓
14) Base plate and arms welds & pivot points	✓
15) Lift springs and pins condition and operation	✓
16) Lift safety switches and adjustments	✓
17) Hose and wire routing and connections	✓
18) Rollers and pivot point condition & operation	✓
19) Lift to vehicle mounting bolts and brackets	✓
20) Lift doors condition and operation	✓
21) Lift door lights condition and operation	✓
22) Lift interlock operation and condition	✓
(Lift door open, e-brake down not able to shift)	
23) W/C the downs condition and operation	✓
24) Tie down container secure and clean	✓
25) Tie down floor mounting brackets secure	✓
26) W/C shoulder belt condition and operation	✓
27) Lift clean and no sharp edges	✓
28) Lift shields secure and in good shape	✓
29) Lift moves steady without drifting, jerking, or unusual speeds	✓
30) No unusual lift noises	✓
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	✓
Check, torque or adjust lift base mounting bolts	✓

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 70741 Mileage out: 70742



Date: 02/02/2007 Vehicle #: 9704

Item Inspected	P	F
A) Vehicle drive in inspection (5 miles)		
1) Driver carpet	GN	GN
2) Driver seat condition and operation	GN	GN
3) Drivers door operation and condition	GN	GN
4) Drivers seat belt operation and condition	GN	GN
5) Engine starting and ignition system	GN	GN
6) Instrument panel gauges & warning lights	GN	GN
7) Instrument panel lighting & condition	GN	GN
8) Horn operation	GN	GN
9) Steering wheel tight, no excessive play	GN	GN
10) Windshield wipers	GN	GN
11) Windshield washer	GN	GN
12) Sun visor condition and operation	GN	GN
13) Parking brake operation & condition	GN	GN
14) Parking and service brake pedal pads	GN	GN
15) Passenger door operation	GN	GN
16) No vibrations, pulsations or noises	GN	GN
B) Walk around inspection		
1) Body damage (list on separate sheet)	GN	GN
2) Headlights, high & low beam operation	GN	GN
3) Parking lights operation & condition	GN	GN
4) Marker lights operation & condition	GN	GN
5) Directional signals operation & condition	GN	GN
6) Hazard lights operation & condition	GN	GN
7) Clearance lights operation and condition	GN	GN
8) Brake lights operation & condition	GN	GN
9) License plate lamp operation & condition	GN	GN
10) License plates and tags	GN	GN
11) Backup lights and alarms	GN	GN
12) Reflectors and reflective bumper tape	GN	GN
13) Exterior decals and signage	GN	GN
14) Bumpers secure / in good condition	GN	GN
15) Exterior mirrors secure / in good condition	GN	GN
16) Exterior clean	GN	GN
C) Interior inspection		
1) Passenger door and steps condition	GN	GN
2) Handrails and stanchions condition	GN	GN
3) Interior and modesty panels condition	GN	GN
4) Flooring condition	GN	GN
5) Interior lighting operation and condition	GN	GN
6) Windows operation and condition	GN	GN
7) Emergency Exits operation & condition	GN	GN
8) Accessory operation & condition (radio, GPS)	GN	GN
9) Passenger seats operation & condition	GN	GN
10) Passenger seat belts operation & condition	GN	GN
11) First aid & body fluid kits complete	GN	GN
12) Triangle reflectors complete/good condition	GN	GN
13) Stop request operation & condition	GN	GN
14) Valid registration, insurance & accident pack	GN	GN
15) Fire extinguisher in good condition & signed	GN	GN
16) Interior decals and signage (incl. electrical)	GN	GN
17) DVI's reviewed, addressed and signed off	GN	GN
18) Interior clean	GN	GN
D) HVAC system inspection		
1) Front blower condition and operation	GN	GN

Item Inspected	P	F
2) Rear blower condition and operation	GN	GN
3) Defroster operation	GN	GN
4) Temp gets to 20 deg. F below ambient temp.	GN	GN
5) Evaporator intake air filter condition	GN	GN
6) Front heater condition and operation	GN	GN
7) Rear heater condition and operation	GN	GN
8) A/C compressors and condenser fans	GN	GN
E) Under hood inspection		
1) Batteries & charging sys. (load alt B,C,D serv)	GN	GN
Batt 1 volts: load amps:	GN	GN
Batt 2 volts: load amps:	GN	GN
Batt 3 volts: load amps:	GN	GN
(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)		
Alt. 1 min volt: max amp:	GN	GN
Alt. 2 min volt: max amp:	GN	GN
(reference factory service manual for alternator spec)		
2) Wire and hose routing and connections	GN	GN
3) Cooling system, hoses, water pump condition	GN	GN
5) Accessory drive belts condition	GN	GN
6) Pulleys and tensioned operation & condition	GN	GN
7) Brake master cylinder and power booster	GN	GN
8) Fan and fan clutch operation and condition	GN	GN
9) Engine oil fluid level and condition	GN	GN
10) Transmission oil level and condition	GN	GN
11) Power steering fluid level and condition	GN	GN
12) Brake fluid level and condition	GN	GN
F) Vehicle rack inspection		
1) Steering gear box mount, condition & leaks	GN	GN
2) Steering shaft U joints	GN	GN
3) Steering shaft bearings	GN	GN
4) Steering linkages	GN	GN
5) I beam or control arm movements and rivets	GN	GN
6) Radius arm condition and bushings condition	GN	GN
7) Stabilizer bar condition and bushings condition	GN	GN
8) Ball joints or kingpins	GN	GN
9) Front spring condition and mounting	GN	GN
10) Front shock absorber operation & condition	GN	GN
11) Trans oil cooler & lines routing and leaks	GN	GN
12) Engine oil cooler & lines routing and leaks	GN	GN
13) Heater and A/C hose routing and leaks	GN	GN
14) No engine oil leaks and fluid condition	GN	GN
15) Engine mounts, brackets and bolts	GN	GN
16) Transmission mounts, brackets and bolts	GN	GN
17) No transmission oil leaks and fluid condition	GN	GN
18) Drive shaft condition	GN	GN
19) Universal joints and carrier bearings condition	GN	GN
20) No rear differential leaks	GN	GN
21) Rear differential condition and mounting	GN	GN
22) Frame and cross members	GN	GN
23) Rear shock absorbers	GN	GN
24) Rear springs condition and mounting	GN	GN
25) No fuel leaks	GN	GN
26) Fuel tank condition and mounting	GN	GN
27) No exhaust leaks	GN	GN
28) Exhaust system condition and mounting	GN	GN

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

30) Front brake condition and mounting	GN
31) Front brake lining condition & measurement	GN
Pads R/F: 6/32" L/F: 6/32"	GN
32) Rear brake condition and mounting	GN
33) Rear brake lining condition & measurement	GN
Pads R/R: 5/32" L/R: 5/32"	GN
Shoes R/R: 1/32" L/R: 1/32"	GN
34) Tire and wheel condition and measurements	GN
R/F: 8/32" L/F: 5/32"	GN
R/R: 8/32" L/R: 4/32"	GN
R/R/O: 11/32" L/R/O: 5/32"	GN
35) Lug nuts condition	GN
Air pressure adjustment FR. 80 RR. 80	GN
Wheel torque specs used: 140 ft. lbs.	GN
G) Lift inspection	GN
1) Lift operation (fully stowed to fully deployed)	R
2) Lift control pendant condition and operation	R
3) Lift restraint belt condition and operation	R
4) Outer roll stop condition and operation	R
5) Inner roll stop condition and operation	R
6) Platform adjustments, condition and mounting	R
7) Standee arm condition and operation	R
8) Proper signage and decals	R
9) Manual backup pump condition and operation	R
10) Lift manual pump handle	R
11) Hydraulic pump condition and operation	R
12) Hydraulic lines and cylinders condition	R
13) Hydraulic fluid level and condition	R
14) Base plate and arms welds & pivot points	R
15) Lift springs and pins condition and operation	R
16) Lift safety switches and adjustments	R
17) Hose and wire routing and connections	R
18) Rollers and pivot point condition & operation	R
19) Lift to vehicle mounting bolts and brackets	R
20) Lift doors condition and operation	R
21) Lift door lights condition and operation	R
22) Lift interlock operation and condition	R
(Lift door open, e-brake down not able to shift)	R
(e-brake off lift door closed no lift power)	R
23) W/C tie downs condition and operation	R
24) Tie down container secure and clean	R
25) Tie down floor mounting brackets secure	R
26) W/C shoulder belt condition and operation	R
27) Lift clean and no sharp edges	R
28) Lift shields secure and in good shape	R
29) Lift moves steady without drifting, jerking, or unusual speeds	R
30) No unusual lift noises	R
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	GN
Check, torque or adjust lift base mounting bolts	GN

Service Performed	Service Type	GN
Change oil and filter	A,B,C,D	GN
Lube chassis and suspension	A,B,C,D	GN
Lube drive shafts and universal joints	A,B,C,D	GN
Lube doors and hood, locks and hinges	A,B,C,D	GN
Adjust service and parking brakes	A,B,C,D	GN
Drain water from separator	A,B,C,D	GN
Rotate tires (as necessary, caps on rear)	A,B,C,D	GN
Change air filter	B,C,D	GN
Change fuel filter	B,C,D	GN
Clean or change PCV valve	B,C,D	GN
Clean or change crank case filter	B,C,D	GN
Install new wiper blades	B,C,D	GN
Change transmission fluid and filter	C,D	GN
Service front wheel bearings	C,D	GN
Drain water from fuel tank	C,D	GN
Replace accessory drive belts	D	GN
Service and flush cooling system	D	GN
Install new spark plugs & wires	D	GN
Install new dist. cap & rotor	D	GN
Change differential fluid	D	GN
Check Exhaust and EGR system	D	GN
Check and service fuel & evap. System	D	GN
Evac and recharge A/C (add 1 oz. of oil)	D	GN
Post service test drive (5 miles)	A,B,C,D	GN

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: *[Signature]* Date: 2/2/21
 Supervisor Signature: _____ Date: _____

Notes: _____



Preventive Maintenance Inspection and Service Checklist

Date: 2/2/21 Vehicle #: 9704 Mileage in: 70745 Circle Service Type: A B C D Mileage out: 70742

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 9704 Repair Reason: B Date and Time in: 08/19/2021 18:30 Mileage in: 98356
 Date: 08/19/2021 Work Class: I Date and Time Finished: 08/19/2021 19:00 Mileage out: 98357

Complaints/Defects:

PMI B

Notes/Measurements:

Labor Information			Parts Information						
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
B	58	PMI B		B	55	V1700	COOLANT OIL	7	
				B	55	LF3681	OIL FILTER	1	
				B	55	AF 25550	AIR FILTER	1	
				B	55	WJ 2002 PE	WIPER BLADE	2	
				B	55	F7526730BA	OIL DRAIN PLUG	1	
				B	55	002700	TIRE	3	
B	04	BRAKE SUSPECTED							
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725 Technician: Robert Murray Signature: Robert Murray
 ASE Employee #: 604182 ASE Technician: _____ ASE Signature: _____



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A **B** C D

Date: 08/19/2021 Vehicle #: 9704

Mileage in: 98356 Mileage out: 98357

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and Ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
R		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition (radio, GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation

P	F	Item Inspected
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
NA		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
R		1) Batteries & charging sys. (load alt B,C,D serv)
R		Batt 1 volts: load volts: load amps:
R		Batt 2 volts: load volts: load amps:
R		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
R		3) Steering shaft bearings
R		4) Steering linkages
R		5) I beam or control arm movements and rivets
R		6) Radius arm condition and bushings condition
R		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
R		18) Drive shaft condition
R		19) Universal joints and carrier bearings condition
R		20) No rear differential leaks
R		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A (B) C D

Mileage In: 98356 Mileage out: 98357



Date: 08/19/2011 Vehicle #: 9704

Service Performed	Service Type	Initials
Change oil and filter	A,B,C,D	R
Lube chassis and suspension	A,B,C,D	R
Lube drive shafts and universal joints	A,B,C,D	R
Lube doors and hood, locks and hinges	A,B,C,D	NA
Adjust service and parking brakes	A,B,C,D	R
Drain water from separator	A,B,C,D	R
Rotate tires (as necessary, caps on rear)	A,B,C,D	NA
Change air filter	B,C,D	R
Change fuel filter	B,C,D	NA
Clean or change PCV valve	B,C,D	NA
Install new wiper blades	B,C,D	NA
Change transmission fluid and filter	C,D	R
Service front wheel bearings	C,D	R
Drain water from fuel tank	D	R
Replace accessory drive belts	D	R
Service and flush cooling system	D	R
Install new spark plugs & wires	D	R
Install new dist. cap & rotor	D	R
Change differential fluid	D	R
Check Exhaust and EGR system	D	R
Check and service fuel & evap. System	D	R
Evac and recharge A/C (add 1 oz. of oil)	D	R
Post service test drive (5 miles)	A,B,C,D	R

Technician's Signature: *[Signature]* Date: 08/19/2011

Supervisor Signature: _____ Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Item Inspected	P	F
30) Front brake condition and mounting	R	
31) Front brake lining condition & measurement	R	
Pads R/F: 7/32" L/F: 7/32"	R	
32) Rear brake condition and mounting	R	
33) Rear brake lining condition & measurement	R	
Pads R/R: 7/32" L/R: 7/32"	R	
Shoes R/R: 1/32" L/R: 1/32"	NA	
34) Tire and wheel condition and measurements	R	
R/F: 2/32" L/F: 4/32"	R	
R/R: 2/32" L/R: 6/32"	R	
R/R: 5/32" L/R: 6/32"	R	
35) Lug nuts condition	R	
Air pressure adjustment FR. 65 RR75	R	
Wheel torque specs used: 140 ft. lbs.	R	
G) Lift inspection	R	
1) Lift operation (fully stowed to fully deployed)	R	
2) Lift control pendant condition and operation	R	
3) Lift restraint belt condition and operation	R	
4) Outer roll stop condition and operation	R	
5) Inner roll stop condition and operation	R	
6) Platform adjustments, condition and mounting	R	
7) Standee arm condition and operation	R	
8) Proper signage and decals	R	
9) Manual backup pump condition and operation	R	
10) Lift manual pump handle	R	
11) Hydraulic pump condition and operation	R	
12) Hydraulic lines and cylinders condition	R	
13) Hydraulic fluid level and condition	R	
14) Base plate and arms welds & pivot points	R	
15) Lift springs and pins condition and operation	R	
16) Lift safety switches and adjustments	R	
17) Hose and wire routing and connections	R	
18) Rollers and pivot point condition & operation	R	
19) Lift to vehicle mounting bolts and brackets	R	
20) Lift doors condition and operation	R	
21) Lift door lights condition and operation	R	
22) Lift interlock operation and condition	R	
(Lift door open, e-brake down not able to shift)	R	
(e-brake off lift door closed no lift power)	R	
23) W/C the downs condition and operation	R	
24) Tie down container secure and clean	R	
25) The down floor mounting brackets secure	R	
26) W/C shoulder belt condition and operation	R	
27) Lift clean and no sharp edges	R	
28) Lift shields secure and in good shape	R	
29) Lift moves steady without drifting, jerking, or unusual speeds	R	
30) No unusual lift noises	R	
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	R	
Check, torque or adjust lift base mounting bolts	R	



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A (B) C D

Date: 03/20/22 Vehicle #: 9704

Mileage in: 126,919 Mileage out: 126,920

P	F	Item Inspected	P	F	Item Inspected
H		A) Vehicle drive in inspection (5 miles)	H		2) Rear blower condition and operation
H		1) Driver carpet	H		3) Defroster operation
H		2) Driver seat condition and operation	H		4) Temp gets to 20 deg. F below ambient temp.
H		3) Drivers door operation and condition	H		5) Evaporator intake air filter condition
H		4) Drivers seat belt operation and condition	H		6) Front heater condition and operation
H		5) Engine starting and ignition system	H		7) Rear heater condition and operation
H		6) Instrument panel gauges & warning lights	H		8) A/C compressors and condenser fans
H		7) Instrument panel lighting & condition			E) Under hood inspection
H		8) Horn operation	H		1) Batteries & charging sys. (load alt B,C,D serv)
H		9) Steering wheel tight, no excessive play	H		Batt 1 volts: load volts: load amps:
H		10) Windshield wipers	H		Batt 2 volts: load volts: load amps:
H		11) Windshield washer			Batt 3 volts: load volts: load amps:
H		12) Sun visor condition and operation			(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
H		13) Parking brake operation & condition	H		Alt. 1 min volt: max volt: max amp:
H		14) Parking and service brake pedal pads	H		Alt. 2 min volt: max volt: max amp:
H		15) Passenger door operation			(reference factory service manual for alternator spec)
H		16) No vibrations, pulsations or noises			2) Wire and hose routing and connections
		B) Walk around inspection	H		3) Cooling system, hoses, water pump condition
H		1) Body damage (list on separate sheet)	H		5) Accessory drive belts condition
H		2) Headlights, high & low beam operation	H		6) Pulleys and tensioned operation & condition
H		3) Parking lights operation & condition	H		7) Brake master cylinder and power booster
H		4) Marker lights operation & condition	H		8) Fan and fan clutch operation and condition
H		5) Directional signals operation & condition	H		9) Engine oil fluid level and condition
H		6) Hazard lights operation & condition	H		10) Transmission oil level and condition
H		7) Clearance lights operation and condition	H		11) Power steering fluid level and condition
H		8) Brake lights operation & condition	H		12) Brake fluid level and condition
N		9) License plate lamp operation & condition			F) Vehicle rack inspection
H		10) License plates and tags	H		1) Steering gear box mount, condition & leaks
H		11) Backup lights and alarms	H		2) Steering shaft U joints
H		12) Reflectors and reflective bumper tape	H		3) Steering shaft bearings
N		13) Exterior decals and signage	H		4) Steering linkages
H		14) Bumpers secure / in good condition	H		5) I beam or control arm movements and rivets
H		15) Exterior mirrors secure / in good condition	H		6) Radius arm condition and bushings condition
H		16) Exterior clean	H		7) Stabilizer bar condition and bushings condition
		C) Interior inspection	H		8) Ball joints or kingpins
N		1) Passenger door and steps condition	H		9) Front spring condition and mounting
H		2) Handrails and stanchions condition	H		10) Front shock absorber operation & condition
H		3) Interior and modesty panels condition	H		11) Trans oil cooler & lines routing and leaks
H		4) Flooring condition	H		12) Engine oil cooler & lines routing and leaks
N		5) Interior lighting operation and condition	H		13) Heater and A/C hose routing and leaks
H		6) Windows operation and condition	H		14) No engine oil leaks and fluid condition
H		7) Emergency Exits operation & condition	H		15) Engine mounts, brackets and bolts
H		8) Accessory operation & condition (radio, GPS)	H		16) Transmission mounts, brackets and bolts
H		9) Passenger seats operation & condition	H		17) No transmission oil leaks and fluid condition
H		10) Passenger seat belts operation & condition	H		18) Drive shaft condition
H		11) First aid & body fluid kits complete	H		19) Universal joints and carrier bearings condition
H		12) Triangle reflectors complete/good condition	H		20) No rear differential leaks
H		13) Stop request operation & condition	H		21) Rear differential condition and mounting
		14) Valid registration, insurance & accident pack	H		22) Frame and cross members
H		15) Fire extinguisher in good condition & signed	H		23) Rear shock absorbers
H		16) Interior decals and signage (incl. electrical)	H		24) Rear springs condition and mounting
H		17) DVI's reviewed, addressed and signed off	H		25) No fuel leaks
X		18) Interior clean	H		26) Fuel tank condition and mounting
		D) HVAC system inspection	H		27) No exhaust leaks
H		1) Front blower condition and operation	H		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A (B) C D

Mileage in: 126,919 Mileage out: 126,920

Date: 03/20/22 Vehicle #: 9704

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 8/32" L/F: 8/32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 5/32" L/R: 5/32"		
Shoes R/R: 1/32" L/R: 1/32"		
34) Tire and wheel condition and measurements		
R/F: 7/32" L/F: 7/32"		
R/R: 4/32" L/R: 4/32"		
R/O: 7/32" L/R/O: 7/32"		
35) Lug nuts condition		
Air pressure adjustment FR. 45 RR. 80-1		
Wheel torque specs used: 140 ft. lbs.		
(G) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: *J. W. [Signature]* Date: 03/20/22

Supervisor Signature: _____ Date: _____

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A **B** C D

Date: 10/03/22 Vehicle #: 9704

Mileage in: 155,060 Mileage out: 155,065

P	F	Item Inspected	P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)			2) Rear blower condition and operation
H		1) Driver carpet	H		3) Defroster operation
H		2) Driver seat condition and operation	H		4) Temp gets to 20 deg. F below ambient temp.
H		3) Drivers door operation and condition	H		5) Evaporator intake air filter condition
H		4) Drivers seat belt operation and condition	H		6) Front heater condition and operation
H		5) Engine starting and Ignition system	H		7) Rear heater condition and operation
H		6) Instrument panel gauges & warning lights	H		8) A/C compressors and condenser fans
H		7) Instrument panel lighting & condition			E) Under hood inspection
H		8) Horn operation			1) Batteries & charging sys. (load alt B,C,D serv)
H		9) Steering wheel tight, no excessive play	H		Batt 1 volts: load volts: load amps:
H		10) Windshield wipers	H		Batt 2 volts: load volts: load amps:
H		11) Windshield washer			Batt 3 volts: load volts: load amps:
H		12) Sun visor condition and operation			(battery min: loaded volts 9.6v, 1/2 CCA for 15 sec)
H		13) Parking brake operation & condition	H		Alt. 1 min volt: max volt: max amp:
H		14) Parking and service brake pedal pads	H		Alt. 2 min volt: max volt: max amp:
H		15) Passenger door operation			(reference factory service manual for alternator spec)
H		16) No vibrations, pulsations or noises	H		2) Wire and hose routing and connections
		B) Walk around inspection	H		3) Cooling system, hoses, water pump condition
H		1) Body damage (list on separate sheet)	H		5) Accessory drive belts condition
H		2) Headlights, high & low beam operation	H		6) Pulleys and tensioned operation & condition
H		3) Parking lights operation & condition	H		7) Brake master cylinder and power booster
H		4) Marker lights operation & condition	H		8) Fan and fan clutch operation and condition
H		5) Directional signals operation & condition	H		9) Engine oil fluid level and condition
H		6) Hazard lights operation & condition			10) Transmission oil level and condition
H		7) Clearance lights operation and condition	H		11) Power steering fluid level and condition
H		8) Brake lights operation & condition	H		12) Brake fluid level and condition
H		9) License plate lamp operation & condition			F) Vehicle rack inspection
H		10) License plates and tags	H		1) Steering gear box mount, condition & leaks
H		11) Backup lights and alarms	H		2) Steering shaft U joints
H		12) Reflectors and reflective bumper tape	H		3) Steering shaft bearings
H		13) Exterior decals and signage	H		4) Steering linkages
H		14) Bumpers secure / in good condition	H		5) I beam or control arm movements and rivets
H		15) Exterior mirrors secure / in good condition	H		6) Radius arm condition and bushings condition
	X	16) Exterior clean	H		7) Stabilizer bar condition and bushings condition
		C) Interior inspection	H		8) Ball joints or kingpins
H		1) Passenger door and steps condition	H		9) Front spring condition and mounting
H		2) Handrails and stanchions condition	H		10) Front shock absorber operation & condition
H		3) Interior and modesty panels condition	H		11) Trans oil cooler & lines routing and leaks
H		4) Flooring condition	H		12) Engine oil cooler & lines routing and leaks
H		5) Interior lighting operation and condition	H		13) Heater and A/C hose routing and leaks
H		6) Windows operation and condition	H		14) No engine oil leaks and fluid condition
H		7) Emergency Exits operation & condition	H		15) Engine mounts, brackets and bolts
H		8) Accessory operation & condition (radio, GPS)	H		16) Transmission mounts, brackets and bolts
H		9) Passenger seats operation & condition	H		17) No transmission oil leaks and fluid condition
H		10) Passenger seat belts operation & condition	H		18) Drive shaft condition
H		11) First aid & body fluid kits complete	H		19) Universal joints and carrier bearings condition
H		12) Triangle reflectors complete/good condition	H		20) No rear differential leaks
H		13) Stop request operation & condition	H		21) Rear differential condition and mounting
H		14) Valid registration, insurance & accident pack	H		22) Frame and cross members
H		15) Fire extinguisher in good condition & signed	H		23) Rear shock absorbers
H		16) Interior decals and signage (incl. electrical)	H		24) Rear springs condition and mounting
H		17) DVI's reviewed, addressed and signed off	H		25) No fuel leaks
H		18) Interior clean	H		26) Fuel tank condition and mounting
		D) HVAC system inspection	H		27) No exhaust leaks
H		1) Front blower condition and operation	H		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 155,060 Mileage out: 155,065



Date: 10/03/22 Vehicle #: 9704

Item Inspected	Service Type	Initial or "N/A" each service performed per PM type
30) Front brake lining condition and mounting	A,B,C,D	H
31) Front brake lining condition & measurement	A,B,C,D	H
32) Rear brake lining condition and mounting	A,B,C,D	H
33) Rear brake lining condition & measurement	A,B,C,D	H
34) Tire and wheel condition and measurements	A,B,C,D	N/A
Shoes R/R: 1/32" L/R: 10/32"	A,B,C,D	N/A
R/F: 8/32" L/F: 9/32"	B,C,D	H
R/R: 11/32" L/R: 6/32"	B,C,D	H
R/R: 11/32" L/R: 11/32"	B,C,D	H
R/R: 11/32" L/R: 11/32"	B,C,D	H
35) Lug nuts condition	B,C,D	H
Air pressure adjustment FR. 75 RR. 79	B,C,D	H
Wheel torque specs used: 120 ft. lbs.	B,C,D	H
1) Lift inspection	G	H
2) Lift operation (fully stowed to fully deployed)	H	H
3) Lift restraint belt condition and operation	H	H
4) Outer roll stop condition and operation	H	H
5) Inner roll stop condition and operation	H	H
6) Platform adjustments, condition and mounting	H	H
7) Standee arm condition and operation	H	H
8) Proper signage and decals	H	H
9) Manual backup pump condition and operation	H	H
10) Lift manual pump handle	H	H
11) Hydraulic pump condition and operation	H	H
12) Hydraulic lines and cylinders condition	H	H
13) Hydraulic fluid level and condition	H	H
14) Base plate and arms welds & pivot points	H	H
15) Lift springs and pins condition and operation	H	H
16) Lift safety switches and adjustments	H	H
17) Hose and wire routing and connections	H	H
18) Rollers and pivot point condition & operation	H	H
19) Lift to vehicle mounting bolts and brackets	H	H
20) Lift doors condition and operation	H	H
21) Lift door lights condition and operation	H	H
22) Lift interlock operation and condition	H	H
(Lift door open, e-brake down not able to shift)	H	H
23) W/C tie downs condition and operation	H	H
24) Tie down container secure and clean	H	H
25) Tie down floor mounting brackets secure	H	H
26) W/C shoulder belt condition and operation	H	H
27) Lift clean and no sharp edges	H	H
28) Lift shields secure and in good shape	H	H
29) Lift moves steady without drifting, jerking, or unusual speeds	H	H
30) No unusual lift noises	H	H
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	H	H
Check, torque or adjust lift base mounting bolts	H	H

Notes: Supervisor Signature _____ Date _____

Technicians Signature _____ Date 10/03/22

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 0714 Repair Reason: B Date and Time in: 03/11/13 7:00 Mileage in: 184110
 Date: 03/11/13 Work Class: T Date and Time Finished: 03/11/13 11:00 Mileage out: 184111

Complaints/Defects: PITB Notes/Measurements:

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
B	58	PITB		B	55	5 W81	engine oil	1	
				B	55	FL 820	oil filter	1	
				B	55	FD 963 A	air filter	1	
				B	55	WU 9001P	blip's plate	2	
				B	55	BRSD 1330	brumpad	1	
				B	57	002-760	tires	3	
				B	55	H 13	hoodlamps		
Total Hours Worked:				Total Parts Cost:					


I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 345132 Technician: Jeffery Moore Signature: _____
 ASE Employee #: 604192 ASE Technician: _____ ASE Signature: _____

		replace rear filter	Hyman
		replace wiper blades	Hyman
		replace rear tires	Hyman
		replace rear Brake pad	Hyman
		replace	
		rear bumper need to be replace	Matet
		rear wheel check brake need to be checked	Matet

MECHANIC'S SIGNATURE	BUS #:	DATE:	PM TYPE OR WORK ORDER #:
	9702	3/11/03	
DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED	

PM DEFECT SHEET





Preventive Maintenance Inspection and Service Checklist
 Circle Service Type: A **B** C D

Date: 03/11/03 Vehicle #: 9704

Mileage in: 181440 Mileage out: 181441

P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)
/		1) Driver carpet
/		2) Driver seat condition and operation
/		3) Drivers door operation and condition
/		4) Drivers seat belt operation and condition
/		5) Engine starting and ignition system
/		6) Instrument panel gauges & warning lights
/		7) Instrument panel lighting & condition
/		8) Horn operation
/		9) Steering wheel tight, no excessive play
/		10) Windshield wipers
/		11) Windshield washer
/		12) Sun visor condition and operation
/		13) Parking brake operation & condition
/		14) Parking and service brake pedal pads
/		15) Passenger door operation
/		16) No vibrations, pulsations or noises
/		B) Walk around inspection
/		1) Body damage (list on separate sheet)
/		2) Headlights, high & low beam operation
/		3) Parking lights operation & condition
/		4) Marker lights operation & condition
/		5) Directional signals operation & condition
/		6) Hazard lights operation & condition
/		7) Clearance lights operation and condition
/		8) Brake lights operation & condition
/		9) License plate lamp operation & condition
/		10) License plates and tags
/		11) Backup lights and alarms
/		12) Reflectors and reflective bumper tape
/		13) Exterior decals and signage
/		14) Bumpers secure / in good condition
/		15) Exterior mirrors secure / in good condition
/		16) Exterior clean
/		C) Interior inspection
/		1) Passenger door and steps condition
/		2) Handrails and stanchions condition
/		3) Interior and modesty panels condition
/		4) Flooring condition
/		5) Interior lighting operation and condition
/		6) Windows operation and condition
/		7) Emergency Exits operation & condition
/		8) Accessory operation & condition (radio, GPS)
/		9) Passenger seats operation & condition
/		10) Passenger seat belts operation & condition
/		11) First aid & body fluid kits complete
/		12) Triangle reflectors complete/good condition
/		13) Stop request operation & condition
/		14) Valid registration, insurance & accident pack
/		15) Fire extinguisher in good condition & signed
/		16) Interior decals and signage (incl. electrical)
/		17) DVI's reviewed, addressed and signed off
/		18) Interior clean
/		D) HVAC system inspection
/		1) Front blower condition and operation

P	F	Item Inspected
/		2) Rear blower condition and operation
/		3) Defroster operation
/		4) Temp gets to 20 deg. F below ambient temp.
/		5) Evaporator intake air filter condition
/		6) Front heater condition and operation
/		7) Rear heater condition and operation
/		8) A/C compressors and condenser fans
/		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
/		2) Wire and hose routing and connections
/		3) Cooling system, hoses, water pump condition
/		5) Accessory drive belts condition
/		6) Pulleys and tensioned operation & condition
/		7) Brake master cylinder and power booster
/		8) Fan and fan clutch operation and condition
/		9) Engine oil fluid level and condition
/		10) Transmission oil level and condition
/		11) Power steering fluid level and condition
/		12) Brake fluid level and condition
/		F) Vehicle rack inspection
/		1) Steering gear box mount, condition & leaks
/		2) Steering shaft U joints
/		3) Steering shaft bearings
/		4) Steering linkages
/		5) I beam or control arm movements and rivets
/		6) Radius arm condition and bushings condition
/		7) Stabilizer bar condition and bushings condition
/		8) Ball joints or kingpins
/		9) Front spring condition and mounting
/		10) Front shock absorber operation & condition
/		11) Trans oil cooler & lines routing and leaks
/		12) Engine oil cooler & lines routing and leaks
/		13) Heater and A/C hose routing and leaks
/		14) No engine oil leaks and fluid condition
/		15) Engine mounts, brackets and bolts
/		16) Transmission mounts, brackets and bolts
/		17) No transmission oil leaks and fluid condition
/		18) Drive shaft condition
/		19) Universal joints and carrier bearings condition
/		20) No rear differential leaks
/		21) Rear differential condition and mounting
/		22) Frame and cross members
/		23) Rear shock absorbers
/		24) Rear springs condition and mounting
/		25) No fuel leaks
/		26) Fuel tank condition and mounting
/		27) No exhaust leaks
/		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 181440 Mileage out: 181441

Date: 03/11/03 Vehicle #: 9704

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 7/32" LF: 7/32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 3/32" L/R: 3/32"		
34) Tire and wheel condition and measurements		
R/F: 11/32" LF: 11/32"		
R/R: 3/32" L/R: 6/32"		
R/R: 3/32" L/R: 3/32"		
35) Lug nuts condition		
Air pressure adjustment FR, RR, ft. lbs.		
Wheel torque specs used:		
G) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Notes:

Technician's Signature: _____ Date: 03/11/03

Supervisor's Signature: _____ Date: 03/11/03

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Type	Service Performed	Technician's Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires (as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (miles)	

Initial or "N/A" each service performed per PM type

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: **A B C D**

Mileage in: 28605 Mileage out: 28605

Date: 04/10/10 Vehicle #: 9704

Item Inspected	P	F
(A) Vehicle drive in inspection (5 miles)		
1) Driver carpet		
2) Driver seat condition and operation		
3) Drivers door operation and condition		
4) Drivers seat belt operation and condition		
5) Engine starting and ignition system		
6) Instrument panel gauges & warning lights		
7) Instrument panel lighting & condition		
8) Horn operation		
9) Steering wheel tight, no excessive play		
10) Windshield wipers		
11) Windshield washer		
12) Sun visor condition and operation		
13) Parking brake operation & condition		
14) Parking and service brake pedal pads		
15) Passenger door operation		
(B) Walk around inspection		
16) No vibrations, pulsations or noises		
1) Body damage (list on separate sheet)		
2) Headlights, high & low beam operation		
3) Parking lights operation & condition		
4) Marker lights operation & condition		
5) Directional signals operation & condition		
6) Hazard lights operation & condition		
7) Clearance lights operation and condition		
8) Brake lights operation & condition		
9) License plate lamp operation & condition		
10) License plates and tags		
11) Backup lights and alarms		
12) Reflectors and reflective bumper tape		
13) Exterior decals and signage		
14) Bumpers secure / in good condition		
15) Exterior mirrors secure / in good condition		
(C) Interior inspection		
1) Passenger door and steps condition		
2) Handrails and stanchions condition		
3) Interior and modesty panels condition		
4) Flooring condition		
5) Interior lighting operation and condition		
6) Windows operation and condition		
7) Emergency Exits operation & condition		
8) Accessory operation & condition (radio, GPS)		
9) Passenger seats operation & condition		
10) Passenger seat belts operation & condition		
11) First aid & body fluid kits complete		
12) Triangle reflectors complete/good condition		
13) Stop request operation & condition		
14) Valid registration, insurance & accident pack		
15) Fire extinguisher in good condition & signed		
16) Interior decals and signage (incl. electrical)		
17) DVI's reviewed, addressed and signed off		
18) Interior clean		
(D) HVAC system inspection		
1) Front blower condition and operation		

Item Inspected	P	F
2) Rear blower condition and operation		
3) Destroster operation		
4) Temp gets to 20 deg. F below ambient temp.		
5) Evaporator intake air filter condition		
6) Front heater condition and operation		
7) Rear heater condition and operation		
8) A/C compressors and condenser fans		
(E) Under hood inspection		
1) Batteries & charging sys. (load alt B, C, D serv)		
Batt 1 volts: load amps:		
Batt 2 volts: load amps:		
Batt 3 volts: load amps:		
(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)		
Alt. 1 min volt: max amp:		
Alt. 2 min volt: max amp:		
(reference factory service manual for alternator spec)		
2) Wire and hose routing and connections		
3) Cooling system, hoses, water pump condition		
5) Accessory drive belts condition		
6) Pulleys and tensioned operation & condition		
7) Brake master cylinder and power booster		
8) Fan and fan clutch operation and condition		
9) Engine oil fluid level and condition		
10) Transmission oil level and condition		
11) Power steering fluid level and condition		
12) Brake fluid level and condition		
(F) Vehicle rack inspection		
1) Steering gear box mount, condition & leaks		
2) Steering shaft U joints		
3) Steering shaft bearings		
4) Steering linkages		
5) I beam or control arm movements and rivets		
6) Radius arm condition and bushings condition		
7) Stabilizer bar condition and bushings condition		
8) Ball joints or kingpins		
9) Front spring condition and mounting		
10) Front shock absorber operation & condition		
11) Trans oil cooler & lines routing and leaks		
12) Engine oil cooler & lines routing and leaks		
13) Heater and A/C hose routing and leaks		
14) No engine oil leaks and fluid condition		
15) Engine mounts, brackets and bolts		
16) Transmission mounts, brackets and bolts		
17) No transmission oil leaks and fluid condition		
18) Drive shaft condition		
19) Universal joints and carrier bearings condition		
20) No rear differential leaks		
21) Rear differential condition and mounting		
22) Frame and cross members		
23) Rear shock absorbers		
24) Rear springs condition and mounting		
25) No fuel leaks		
26) Fuel tank condition and mounting		
27) No exhaust leaks		
28) Exhaust system condition and mounting		

Preventive Maintenance Inspection and Service Checklist



Date: 04/01/2004 Vehicle #: 9704

Circle Service Type: A B C D Mileage in: 28605 Mileage out: 28605

Item Inspected	P	F
30) Front brake condition and mounting	S	
31) Front brake lining condition & measurement	S	
Pads R/F: 4/32" LF: 4/32"		
32) Rear brake condition and mounting	S	
33) Rear brake lining condition & measurement	S	
Pads R/R: 4/32" L/R: 4/32"		
Shoes R/R: /32" L/R: /32"		
34) Tire and wheel condition and measurements	S	
R/F: 6/32" L/F: 2/32"	X	
R/R: 2/32" L/R: 7/32"		
R/R: 4/32" L/R: 7/32"		
35) Lug nuts condition	S	
Air pressure adjustment FR. 70RR. 70-2		
Wheel torque specs used: ft. lbs.		
G) Lift inspection		
1) Lift operation (fully stowed to fully deployed)	S	
2) Lift control pendant condition and operation	S	
3) Lift restraint belt condition and operation	S	
4) Outer roll stop condition and operation	S	
5) Inner roll stop condition and operation	S	
6) Platform adjustments, condition and mounting	S	
7) Standee arm condition and operation	S	
8) Proper signage and decals	S	
9) Manual backup pump condition and operation	S	
10) Lift manual pump handle	S	
11) Hydraulic pump condition and operation	S	
12) Hydraulic lines and cylinders condition	S	
13) Hydraulic fluid level and condition	S	
14) Base plate and arms welds & pivot points	S	
15) Lift springs and pins condition and operation	S	
16) Lift safety switches and adjustments	S	
17) Hose and wire routing and connections	S	
18) Rollers and pivot point condition & operation	S	
19) Lift to vehicle mounting bolts and brackets	S	
20) Lift doors condition and operation	S	
21) Lift door lights condition and operation	S	
22) Lift interlock operation and condition	S	
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation	S	
24) Tie down container secure and clean	S	
25) Tie down floor mounting brackets secure	S	
26) W/C shoulder belt condition and operation	S	
27) Lift clean and no sharp edges	S	
28) Lift shields secure and in good shape	S	
29) Lift moves steady without drifting, jerking, or unusual speeds	S	
30) No unusual lift noises	S	
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	S	
Check, torque or adjust lift base mounting bolts	S	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.


Technicians Signature: [Signature] Date: 04/01/2004
 Supervisor Signature: [Signature] Date: [Blank]

Service Performed	Service Type	Techns Initials
Change oil and filter	A,B,C,D	S
Lube chassis and suspension	A,B,C,D	N/A
Lube drive shafts and universal joints	A,B,C,D	N/A
Lube doors and hood, locks and hinges	A,B,C,D	S
Adjust service and parking brakes	A,B,C,D	N/A
Drain water from separator	A,B,C,D	N/A
Rotate tires (as necessary, caps on rear)	A,B,C,D	S
Change air filter	B,C,D	S
Change fuel filter	B,C,D	N/A
Clean or change PCV valve	B,C,D	N/A
Clean or change crank case filter	B,C,D	N/A
Install new wiper blades	B,C,D	N/A
Change transmission fluid and filter	C,D	S
Service front wheel bearings	C,D	S
Drain water from fuel tank	C,D	N/A
Replace accessory drive belts	D	S
Service and flush cooling system	D	S
Install new spark plugs & wires	D	S
Install new dist. cap & rotor	D	S
Change differential fluid	D	S
Check Exhaust and EGR system	D	S
Check and service fuel & evap. System	D	S
Evac and recharge A/C (add 1 oz. of oil)	D	S
Post service test drive (5 miles)	A,B,C,D	S

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 9204 Repair Reason: PM C Date and Time in: _____ Mileage in: 84202
 Date: 5-11-21 Work Class: _____ Date and Time Finished: _____ Mileage out: 84707

Complaints/Defects: _____ Notes/Measurements: _____

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
		front tires			SS	002-760	tires	2	
		serpentine belt			SS	K061360	belt	1	
		engine oil			SS	W1760	engine oil	1 qt	
		oil filter			SS	LE3681	oil filter	1	
		transmission filter			SS	ET-187	transmission filter	1	
		transmission fluid			SI	100F	trans fluid	100F	
		rear brake pads			SS	BK501330	brake pads	1	
		air filter			SS	AE25590	air filter	1	
Total Hours Worked:				Total Parts Cost:					


I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 668335 Technician: John Charles Signature: [Signature]
 ASE Employee #: 604182 ASE Technician: _____ ASE Signature: _____

Paint feeling off on
left and right rear
Back up alarm not loud
Transmission pan bolt broken and leaking

MECHANIC'S SIGNATURE		DESCRIPTION OF REPAIR NEEDED	
		COMPLETED BY	DATE
BUS #: 9704		COMPLETED	DATE
DATE: 5-11-21			
PM TYPE OR WORK ORDER #:			

PM DEFECT SHEET





Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 5-11-21 Vehicle #: 9704

Mileage in: 84702 Mileage out: 84707

P	F	Item Inspected
✓		A) Vehicle drive in inspection (5 miles)
✓		1) Driver carpet
✓		2) Driver seat condition and operation
✓		3) Drivers door operation and condition
✓		4) Drivers seat belt operation and condition
✓		5) Engine starting and ignition system
✓		6) Instrument panel gauges & warning lights
✓		7) Instrument panel lighting & condition
✓		8) Horn operation
✓		9) Steering wheel tight, no excessive play
✓		10) Windshield wipers
✓		11) Windshield washer
✓		12) Sun visor condition and operation
✓		13) Parking brake operation & condition
✓		14) Parking and service brake pedal pads
✓		15) Passenger door operation
✓		16) No vibrations, pulsations or noises
		B) Walk around inspection
✓		1) Body damage (list on separate sheet)
✓		2) Headlights, high & low beam operation
✓		3) Parking lights operation & condition
✓		4) Marker lights operation & condition
✓		5) Directional signals operation & condition
✓		6) Hazard lights operation & condition
✓		7) Clearance lights operation and condition
✓		8) Brake lights operation & condition
✓		9) License plate lamp operation & condition
✓		10) License plates and tags
✓		11) Backup lights and alarms
✓		12) Reflectors and reflective bumper tape
✓		13) Exterior decals and signage
✓		14) Bumpers secure / in good condition
✓		15) Exterior mirrors secure / in good condition
✓		16) Exterior clean
		C) Interior inspection
✓		1) Passenger door and steps condition
✓		2) Handrails and stanchions condition
✓		3) Interior and modesty panels condition
✓		4) Flooring condition
✓		5) Interior lighting operation and condition
✓		6) Windows operation and condition
✓		7) Emergency Exits operation & condition
✓		8) Accessory operation & condition (radio, GPS)
✓		9) Passenger seats operation & condition
✓		10) Passenger seat belts operation & condition
✓		11) First aid & body fluid kits complete
✓		12) Triangle reflectors complete/good condition
✓		13) Stop request operation & condition
✓		14) Valid registration, insurance & accident pack
✓		15) Fire extinguisher in good condition & signed
✓		16) Interior decals and signage (incl. electrical)
✓		17) DVI's reviewed, addressed and signed off
✓		18) Interior clean
		D) HVAC system inspection
✓		1) Front blower condition and operation

P	F	Item Inspected
✓		2) Rear blower condition and operation
✓		3) Defroster operation
✓		4) Temp gets to 20 deg. F below ambient temp.
✓		5) Evaporator intake air filter condition
✓		6) Front heater condition and operation
✓		7) Rear heater condition and operation
✓		8) A/C compressors and condenser fans
		E) Under hood inspection
✓		1) Batteries & charging sys. (load alt B,C,D serv)
✓		Batt 1 volts: 12 load volts: 12.6 load amps: 750
✓		Batt 2 volts: 12 load volts: 12.6 load amps: 750
✓		Batt 3 volts: load volts: load amps:
✓		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
✓		Alt. 1 min volt: 14 max volt: 14.1 max amp: 750
✓		Alt. 2 min volt: max volt: max amp:
✓		(reference factory service manual for alternator spec)
✓		2) Wire and hose routing and connections
✓		3) Cooling system, hoses, water pump condition
✓		5) Accessory drive belts condition
✓		6) Pulleys and tensioned operation & condition
✓		7) Brake master cylinder and power booster
✓		8) Fan and fan clutch operation and condition
✓		9) Engine oil fluid level and condition
✓		10) Transmission oil level and condition
✓		11) Power steering fluid level and condition
✓		12) Brake fluid level and condition
		F) Vehicle rack inspection
✓		1) Steering gear box mount, condition & leaks
✓		2) Steering shaft U joints
✓		3) Steering shaft bearings
✓		4) Steering linkages
✓		5) I beam or control arm movements and rivets
✓		6) Radius arm condition and bushings condition
✓		7) Stabilizer bar condition and bushings condition
✓		8) Ball joints or kingpins
✓		9) Front spring condition and mounting
✓		10) Front shock absorber operation & condition
✓		11) Trans oil cooler & lines routing and leaks
✓		12) Engine oil cooler & lines routing and leaks
✓		13) Heater and A/C hose routing and leaks
✓		14) No engine oil leaks and fluid condition
✓		15) Engine mounts, brackets and bolts
✓		16) Transmission mounts, brackets and bolts
✓		17) No transmission oil leaks and fluid condition
✓		18) Drive shaft condition
✓		19) Universal joints and carrier bearings condition
✓		20) No rear differential leaks
✓		21) Rear differential condition and mounting
✓		22) Frame and cross members
✓		23) Rear shock absorbers
✓		24) Rear springs condition and mounting
✓		25) No fuel leaks
✓		26) Fuel tank condition and mounting
✓		27) No exhaust leaks
✓		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: **A B C D** Mileage in: **89708** Mileage out: **89707**

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 5/32" L/F: 5/32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: new/32" L/R: new/32"		
Shoes R/R: 1/32" L/R: 1/32"		
34) Tire and wheel condition and measurements		
R/F: new/32" L/F: new/32"		
R/R: 8/32" L/R: 8/32"		
R/R: 8/32" L/R: 8/32"		
R/R: 8/32" L/R: 8/32"		
35) Lug nuts condition		
Air pressure adjustment FR. 65 RR. 65		
Wheel torque specs used: 140 ft. lbs.		
G) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Stander arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Notes: _____
 Supervisor Signature _____ Date: _____

Technicians Signature _____ Date: **5-11-21**

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Type	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires (as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 06/28/02 Vehicle #: 9704

Mileage in: 140896 Mileage out: 1410897

P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)
/		1) Driver carpet
/		2) Driver seat condition and operation
/		3) Drivers door operation and condition
/		4) Drivers seat belt operation and condition
/		5) Engine starting and Ignition system
/		6) Instrument panel gauges & warning lights
/		7) Instrument panel lighting & condition
/		8) Horn operation
/		9) Steering wheel tight, no excessive play
/		10) Windshield wipers
/		11) Windshield washer
/		12) Sun visor condition and operation
/		13) Parking brake operation & condition
/		14) Parking and service brake pedal pads
/		15) Passenger door operation
/		16) No vibrations, pulsations or noises
/		B) Walk around inspection
/		1) Body damage (list on separate sheet)
/		2) Headlights, high & low beam operation
/		3) Parking lights operation & condition
/		4) Marker lights operation & condition
/		5) Directional signals operation & condition
/		6) Hazard lights operation & condition
/		7) Clearance lights operation and condition
/		8) Brake lights operation & condition
/		9) License plate lamp operation & condition
/		10) License plates and tags
/		11) Backup lights and alarms
/		12) Reflectors and reflective bumper tape
/		13) Exterior decals and signage
/		14) Bumpers secure / in good condition
/		15) Exterior mirrors secure / in good condition
/		16) Exterior clean
/		C) Interior inspection
/		1) Passenger door and steps condition
/		2) Handrails and stanchions condition
/		3) Interior and modesty panels condition
/		4) Flooring condition
/		5) Interior lighting operation and condition
/		6) Windows operation and condition
/		7) Emergency Exits operation & condition
/		8) Accessory operation & condition (radio, GPS)
/		9) Passenger seats operation & condition
/		10) Passenger seat belts operation & condition
/		11) First aid & body fluid kits complete
/		12) Triangle reflectors complete/good condition
/		13) Stop request operation & condition
/		14) Valid registration, insurance & accident pack
/		15) Fire extinguisher in good condition & signed
/		16) Interior decals and signage (incl. electrical)
/		17) DVI's reviewed, addressed and signed off
/		18) Interior clean
/		D) HVAC system inspection
/		1) Front blower condition and operation

P	F	Item Inspected
/		2) Rear blower condition and operation
/		3) Defroster operation
/		4) Temp gets to 20 deg. F below ambient temp.
/		5) Evaporator intake air filter condition
/		6) Front heater condition and operation
/		7) Rear heater condition and operation
/		8) A/C compressors and condenser fans
/		E) Under hood inspection
/		1) Batteries & charging sys. (load alt B,C,D serv)
/		Batt 1 volts: load volts: load amps:
/		Batt 2 volts: load volts: load amps:
/		Batt 3 volts: load volts: load amps:
/		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
/		Alt. 1 min volt: max volt: max amp:
/		Alt. 2 min volt: max volt: max amp:
/		(reference factory service manual for alternator spec)
/		2) Wire and hose routing and connections
/		3) Cooling system, hoses, water pump condition
/		5) Accessory drive belts condition
/		6) Pulleys and tensioned operation & condition
/		7) Brake master cylinder and power booster
/		8) Fan and fan clutch operation and condition
/		9) Engine oil fluid level and condition
/		10) Transmission oil level and condition
/		11) Power steering fluid level and condition
/		12) Brake fluid level and condition
/		F) Vehicle rack inspection
/		1) Steering gear box mount, condition & leaks
/		2) Steering shaft U joints
/		3) Steering shaft bearings
/		4) Steering linkages
/		5) I beam or control arm movements and rivets
/		6) Radius arm condition and bushings condition
/		7) Stabilizer bar condition and bushings condition
/		8) Ball joints or kingpins
/		9) Front spring condition and mounting
/		10) Front shock absorber operation & condition
/		11) Trans oil cooler & lines routing and leaks
/		12) Engine oil cooler & lines routing and leaks
/		13) Heater and A/C hose routing and leaks
/		14) No engine oil leaks and fluid condition
/		15) Engine mounts, brackets and bolts
/		16) Transmission mounts, brackets and bolts
/		17) No transmission oil leaks and fluid condition
/		18) Drive shaft condition
/		19) Universal joints and carrier bearings condition
/		20) No rear differential leaks
/		21) Rear differential condition and mounting
/		22) Frame and cross members
/		23) Rear shock absorbers
/		24) Rear springs condition and mounting
/		25) No fuel leaks
/		26) Fuel tank condition and mounting
/		27) No exhaust leaks
/		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 110896 Mileage out: 110897

Date: 06/12/2004

Vehicle #: 9704

Service Performed	Service Type
Change oil and filter	A,B,C,D
Lube chassis and suspension	A,B,C,D
Lube drive shafts and universal joints	A,B,C,D
Lube doors and hood, locks and hinges	A,B,C,D
Adjust service and parking brakes	A,B,C,D
Drain water from separator	A,B,C,D
Rotate tires (as necessary, caps on rear)	A,B,C,D
Change air filter	B,C,D
Change fuel filter	B,C,D
Clean or change PCV valve	B,C,D
Clean or change crank case filter	B,C,D
Install new wiper blades	B,C,D
Change transmission fluid and filter	C,D
Service front wheel bearings	C,D
Drain water from fuel tank	D
Replace accessory drive belts	D
Service and flush cooling system	D
Install new spark plugs & wires	D
Install new dist. cap & rotor	D
Change differential fluid	D
Check Exhaust and EGR system	D
Check and service fuel & evap. System	D
Evac and recharge A/C (add 1 oz. of oil)	D
Post service test drive (5 miles)	A,B,C,D

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair. With all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature _____ Date 06/12/04

Supervisor Signature _____ Date _____

Notes: _____


Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 6/32" L/F: 6/32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 6/32" L/R: 6/32"		
34) Tire and wheel condition and measurements		
Shoes R/R: /32" L/R: /32"		
R/F: 8/32" L/F: 8/32"		
R/R: 8/32" L/R: 3/32"		
R/O: 8/32" L/R: 8/32"		
35) Lug nuts condition		
Air pressure adjustment FR, RR, ft. lbs.		
Wheel torque specs used:		
(G) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

06/06/03	06/06/03	replace + install front fenders	Jymmy
06/06/03	06/06/03	replace air filter	Jymmy
06/06/03	06/06/03	replace clips on B brackets	Jymmy
06/06/03	06/06/03	replace air filter	Jymmy
06/06/03	06/06/03	replace F2 headlight	Jymmy
06/06/03	06/06/03	replace left bumper	Jymmy

MECHANIC'S SIGNATURE	BUS #: 9704	DATE: 06/06/03
	PM TYPE OR WORK ORDER #:	
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY
		DATE COMPLETED

PM DEFECT SHEET





Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 06/06/23 Vehicle #: 9704

Mileage in: 193970 Mileage out: 193971

P	F	Item Inspected	P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)	/		2) Rear blower condition and operation
/		1) Driver carpet	/		3) Defroster operation
/		2) Driver seat condition and operation	/		4) Temp gets to 20 deg. F below ambient temp.
/		3) Drivers door operation and condition	/		5) Evaporator intake air filter condition
/		4) Drivers seat belt operation and condition	/		6) Front heater condition and operation
/		5) Engine starting and Ignition system	/		7) Rear heater condition and operation
/		6) Instrument panel gauges & warning lights	/		8) A/C compressors and condenser fans
/		7) Instrument panel lighting & condition	/		E) Under hood inspection
/		8) Horn operation	/		1) Batteries & charging sys. (load alt B,C,D serv)
/		9) Steering wheel tight, no excessive play	/		Batt 1 volts: load volts: load amps:
/		10) Windshield wipers	/		Batt 2 volts: load volts: load amps:
/		11) Windshield washer	/		Batt 3 volts: load volts: load amps:
/		12) Sun visor condition and operation	/		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
/		13) Parking brake operation & condition	/		Alt. 1 min volt: max volt: max amp:
/		14) Parking and service brake pedal pads	/		Alt. 2 min volt: max volt: max amp:
/		15) Passenger door operation	/		(reference factory service manual for alternator spec)
/		16) No vibrations, pulsations or noises	/		2) Wire and hose routing and connections
/		B) Walk around inspection	/		3) Cooling system, hoses, water pump condition
/		1) Body damage (list on separate sheet)	/		5) Accessory drive belts condition
/		2) Headlights, high & low beam operation	/		6) Pulleys and tensioned operation & condition
/		3) Parking lights operation & condition	/		7) Brake master cylinder and power booster
/		4) Marker lights operation & condition	/		8) Fan and fan clutch operation and condition
/		5) Directional signals operation & condition	/		9) Engine oil fluid level and condition
/		6) Hazard lights operation & condition	/		10) Transmission oil level and condition
/		7) Clearance lights operation and condition	/		11) Power steering fluid level and condition
/		8) Brake lights operation & condition	/		12) Brake fluid level and condition
/		9) License plate lamp operation & condition	/		F) Vehicle rack inspection
/		10) License plates and tags	/		1) Steering gear box mount, condition & leaks
/		11) Backup lights and alarms	/		2) Steering shaft U joints
/		12) Reflectors and reflective bumper tape	/		3) Steering shaft bearings
/		13) Exterior decals and signage	/		4) Steering linkages
/		14) Bumpers secure / in good condition	/		5) I beam or control arm movements and rivets
/		15) Exterior mirrors secure / in good condition	/		6) Radius arm condition and bushings condition
/		16) Exterior clean	/		7) Stabilizer bar condition and bushings condition
/		C) Interior inspection	/		8) Ball joints or kingpins
/		1) Passenger door and steps condition	/		9) Front spring condition and mounting
/		2) Handrails and stanchions condition	/		10) Front shock absorber operation & condition
/		3) Interior and modesty panels condition	/		11) Trans oil cooler & lines routing and leaks
/		4) Flooring condition	/		12) Engine oil cooler & lines routing and leaks
/		5) Interior lighting operation and condition	/		13) Heater and A/C hose routing and leaks
/		6) Windows operation and condition	/		14) No engine oil leaks and fluid condition
/		7) Emergency Exits operation & condition	/		15) Engine mounts, brackets and bolts
/		8) Accessory operation & condition (radio, GPS)	/		16) Transmission mounts, brackets and bolts
/		9) Passenger seats operation & condition	/		17) No transmission oil leaks and fluid condition
/		10) Passenger seat belts operation & condition	/		18) Drive shaft condition
/		11) First aid & body fluid kits complete	/		19) Universal joints and carrier bearings condition
/		12) Triangle reflectors complete/good condition	/		20) No rear differential leaks
/		13) Stop request operation & condition	/		21) Rear differential condition and mounting
/		14) Valid registration, insurance & accident pack	/		22) Frame and cross members
/		15) Fire extinguisher in good condition & signed	/		23) Rear shock absorbers
/		16) Interior decals and signage (incl. electrical)	/		24) Rear springs condition and mounting
/		17) DVI's reviewed, addressed and signed off	/		25) No fuel leaks
/		18) Interior clean	/		26) Fuel tank condition and mounting
/		D) HVAC system inspection	/		27) No exhaust leaks
/		1) Front blower condition and operation	/		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D
 Mileage In: 193970 Mileage out: 193971

Date: 06/06/10 Vehicle #: 9704

Item Inspected	P	F
30) Front brake lining condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 6 /32" L/F: 6 /32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 6 /32" L/R: 6 /32"		
Shoes R/R: /32" L/R: /32"		
34) Tire and wheel condition and measurements		
R/F: 3 /32" L/F: 3 /32"		
R/R: 6 /32" L/R: 6 /32"		
R/R: 6 /32" L/R: 6 /32"		
35) Lug nuts condition		
Air pressure adjustment FR, RR, ft. lbs.		
Wheel torque specs used:		
(G) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: [Signature] Date: 06/06/10

Supervisor Signature: [Signature] Date: [Blank]

Notes: [Blank lines for notes]

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: A B C **D**

Mileage in: 56453 Mileage out: 56451

Date: 10/28/90 Vehicle #: 91704

Item Inspected	P	F
2) Rear blower condition and operation	/	
3) Defroster operation	/	
4) Temp gets to 20 deg. F below ambient temp.	/	
5) Evaporator intake air filter condition	/	
6) Front heater condition and operation	/	
7) Rear heater condition and operation	/	
8) A/C compressors and condenser fans	/	
E) Under hood inspection	/	
1) Batteries & charging sys. (load alt B,C,D serv)	/	
Batt 1 volts: load amps:	/	
Batt 2 volts: load amps:	/	
Batt 3 volts: load amps:	/	
(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)	/	
Alt. 1 min volt: max amp:	/	
Alt. 2 min volt: max amp:	/	
(reference factory service manual for alternator spec)	/	
2) Wire and hose routing and connections	/	
3) Cooling system, hoses, water pump condition	/	
5) Accessory drive belts condition	/	
6) Pulleys and tensioned operation & condition	/	
7) Brake master cylinder and power booster	/	
8) Fan and fan clutch operation and condition	/	
9) Engine oil fluid level and condition	/	
10) Transmission oil level and condition	/	
11) Power steering fluid level and condition	/	
12) Brake fluid level and condition	/	
F) Vehicle rack inspection	/	
1) Steering gear box mount, condition & leaks	/	
2) Steering shaft U joints	/	
3) Steering shaft bearings	/	
4) Steering linkages	/	
5) I beam or control arm movements and rivets	/	
6) Radius arm condition and bushings condition	/	
7) Stabilizer bar condition and bushings condition	/	
8) Ball joints or kingpins	/	
9) Front spring condition and mounting	/	
10) Front shock absorber operation & condition	/	
11) Trans oil cooler & lines routing and leaks	/	
12) Engine oil cooler & lines routing and leaks	/	
13) Heater and A/C hose routing and leaks	/	
14) No engine oil leaks and fluid condition	/	
15) Engine mounts, brackets and bolts	/	
16) Transmission mounts, brackets and bolts	/	
17) No transmission oil leaks and fluid condition	/	
18) Drive shaft condition	/	
19) Universal joints and carrier bearings condition	/	
20) No rear differential condition and mounting	/	
21) Rear differential condition and mounting	/	
22) Frame and cross members	/	
23) Rear shock absorbers	/	
24) Rear springs condition and mounting	/	
25) No fuel leaks	/	
26) Fuel tank condition and mounting	/	
27) No exhaust leaks	/	
28) Exhaust system condition and mounting	/	

Item Inspected	P	F
A) Vehicle drive in inspection (5 miles)	/	
1) Driver carpet	/	
2) Driver seat condition and operation	/	
3) Drivers door operation and condition	/	
4) Drivers seat belt operation and condition	/	
5) Engine starting and ignition system	/	
6) Instrument panel gauges & warning lights	/	
7) Instrument panel lighting & condition	/	
8) Horn operation	/	
9) Steering wheel tight, no excessive play	/	
10) Windshield wipers	/	
11) Windshield washer	/	
12) Sun visor condition and operation	/	
13) Parking brake operation & condition	/	
14) Parking and service brake pedal pads	/	
15) Passenger door operation	/	
16) No vibrations, pulsations or noises	/	
B) Walk around inspection	/	
1) Body damage (list on separate sheet)	/	
2) Headlights, high & low beam operation	/	
3) Parking lights operation & condition	/	
4) Marker lights operation & condition	/	
5) Directional signals operation & condition	/	
6) Hazard lights operation & condition	/	
7) Clearance lights operation and condition	/	
8) Brake lights operation & condition	/	
9) License plate lamp operation & condition	/	
10) License plates and tags	/	
11) Backup lights and alarms	/	
12) Reflectors and reflective bumper tape	/	
13) Exterior decals and signage	/	
14) Bumpers secure / in good condition	/	
15) Exterior mirrors secure / in good condition	/	
16) Exterior clean	/	
C) Interior inspection	/	
1) Passenger door and steps condition	/	
2) Handrails and stanchions condition	/	
3) Interior and modesty panels condition	/	
4) Flooring condition	/	
5) Interior lighting operation and condition	/	
6) Windows operation and condition	/	
7) Emergency Exits operation & condition	/	
8) Accessory operation & condition (radio, GPS)	/	
9) Passenger seats operation & condition	/	
10) Passenger seat belts operation & condition	/	
11) First aid & body fluid kits complete	/	
12) Triangle reflectors complete/good condition	/	
13) Stop request operation & condition	/	
14) Valid registration, insurance & accident pack	/	
15) Fire extinguisher in good condition & signed	/	
16) Interior decals and signage (incl. electrical)	/	
17) DVI's reviewed, addressed and signed off	/	
18) Interior clean	/	
D) HVAC system inspection	/	
1) Front blower condition and operation	/	



Preventive Maintenance Inspection and Service Checklist
 Circle Service Type: A B C D
 Mileage in: 56153 Mileage out: 56454

Item Inspected	Service Type	Technician's Signature	Date
30) Front brake condition and mounting	A,B,C,D	[Signature]	10/28/02
31) Front brake lining condition & measurement	A,B,C,D	[Signature]	10/28/02
32) Rear brake condition and mounting	A,B,C,D	[Signature]	10/28/02
33) Rear brake lining condition & measurement	A,B,C,D	[Signature]	10/28/02
Pads R/R: 6/32" L/R: 6/32"	A,B,C,D	[Signature]	10/28/02
Shoes R/R: 1/32" L/R: 1/32"	A,B,C,D	[Signature]	10/28/02
34) Tire and wheel condition and measurements	A,B,C,D	[Signature]	10/28/02
R/F: 1/32" L/F: 1/32"	A,B,C,D	[Signature]	10/28/02
R/R: 6/32" L/R: 6/32"	A,B,C,D	[Signature]	10/28/02
R/O: 6/32" L/O: 6/32"	A,B,C,D	[Signature]	10/28/02
35) Lug nuts condition	A,B,C,D	[Signature]	10/28/02
Air pressure adjustment FR. 30 RR. 110	A,B,C,D	[Signature]	10/28/02
Wheel torque specs used: 110 ft. lbs.	A,B,C,D	[Signature]	10/28/02
(G) Lift inspection	A,B,C,D	[Signature]	10/28/02
1) Lift operation (fully stowed to fully deployed)	A,B,C,D	[Signature]	10/28/02
2) Lift control pendant condition and operation	A,B,C,D	[Signature]	10/28/02
3) Lift restraint belt condition and operation	A,B,C,D	[Signature]	10/28/02
4) Outer roll stop condition and operation	A,B,C,D	[Signature]	10/28/02
5) Inner roll stop condition and operation	A,B,C,D	[Signature]	10/28/02
6) Platform adjustments, condition and mounting	A,B,C,D	[Signature]	10/28/02
7) Standee arm condition and operation	A,B,C,D	[Signature]	10/28/02
8) Proper signage and decals	A,B,C,D	[Signature]	10/28/02
9) Manual backup pump condition and operation	A,B,C,D	[Signature]	10/28/02
10) Lift manual pump handle	A,B,C,D	[Signature]	10/28/02
11) Hydraulic pump condition and operation	A,B,C,D	[Signature]	10/28/02
12) Hydraulic lines and cylinders condition	A,B,C,D	[Signature]	10/28/02
13) Hydraulic fluid level and condition	A,B,C,D	[Signature]	10/28/02
14) Base plate and arms welds & pivot points	A,B,C,D	[Signature]	10/28/02
15) Lift springs and pins condition and operation	A,B,C,D	[Signature]	10/28/02
16) Lift safety switches and adjustments	A,B,C,D	[Signature]	10/28/02
17) Hose and wire routing and connections	A,B,C,D	[Signature]	10/28/02
18) Rollers and pivot point condition & operation	A,B,C,D	[Signature]	10/28/02
19) Lift to vehicle mounting bolts and brackets	A,B,C,D	[Signature]	10/28/02
20) Lift doors condition and operation	A,B,C,D	[Signature]	10/28/02
21) Lift door lights condition and operation	A,B,C,D	[Signature]	10/28/02
22) Lift interlock operation and condition	A,B,C,D	[Signature]	10/28/02
(Lift door open, e-brake down not able to shift)	A,B,C,D	[Signature]	10/28/02
(e-brake off lift door closed no lift power)	A,B,C,D	[Signature]	10/28/02
23) W/C tie downs condition and operation	A,B,C,D	[Signature]	10/28/02
24) Tie down container secure and clean	A,B,C,D	[Signature]	10/28/02
25) Tie down floor mounting brackets secure	A,B,C,D	[Signature]	10/28/02
26) W/C shoulder belt condition and operation	A,B,C,D	[Signature]	10/28/02
27) Lift clean and no sharp edges	A,B,C,D	[Signature]	10/28/02
28) Lift shields secure and in good shape	A,B,C,D	[Signature]	10/28/02
29) Lift moves steady without drifting, jerking, or unusual speeds	A,B,C,D	[Signature]	10/28/02
30) No unusual lift noises	A,B,C,D	[Signature]	10/28/02
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	A,B,C,D	[Signature]	10/28/02
Check, torque or adjust lift base mounting bolts	A,B,C,D	[Signature]	10/28/02

Notes: _____
 Supervisor Signature _____ Date _____
 Technician's Signature _____ Date _____

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	Service Type	Technician's Initials
Change oil and filter	A,B,C,D	[Signature]
Lube chassis and suspension	A,B,C,D	[Signature]
Lube drive shafts and universal joints	A,B,C,D	[Signature]
Lube doors and hood, locks and hinges	A,B,C,D	[Signature]
Adjust service and parking brakes	A,B,C,D	[Signature]
Drain water from separator	A,B,C,D	[Signature]
Rotate tires (as necessary, caps on rear)	A,B,C,D	[Signature]
Change air filter	B,C,D	[Signature]
Change fuel filter	B,C,D	[Signature]
Clean or change PCV valve	B,C,D	[Signature]
Clean or change crank case filter	B,C,D	[Signature]
Install new wiper blades	B,C,D	[Signature]
Change transmission fluid and filter	C,D	[Signature]
Service front wheel bearings	C,D	[Signature]
Drain water from fuel tank	C,D	[Signature]
Replace accessory drive belts	D	[Signature]
Service and flush cooling system	D	[Signature]
Install new spark plugs & wires	D	[Signature]
Install new dist. cap & rotor	D	[Signature]
Change differential fluid	D	[Signature]
Check Exhaust and EGR system	D	[Signature]
Check and service fuel & evap. System	D	[Signature]
Evac and recharge A/C (add 1 oz. of oil)	D	[Signature]
Post service test drive (10 miles)	A,B,C,D	[Signature]

Initial or "N/A" each service performed per PM type

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 9704 Repair Reason: D Date and Time in: _____ Mileage in: 12763
 Date: 12/08/21 Work Class: T Date and Time Finished: _____ Mileage out: 112764

Complaints/Defects: _____ Notes/Measurements: _____

PINRD

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
<u>D</u>	<u>SS</u>	<u>PINRD</u>		<u>D</u>	<u>SS</u>	<u>50020</u>	<u>ENGINE OIL</u>	<u>6.5</u>	
				<u>D</u>	<u>SS</u>	<u>41-3681</u>	<u>oil filter</u>	<u>1</u>	
				<u>D</u>	<u>SS</u>	<u>AF-25590</u>	<u>air filter</u>	<u>1</u>	
				<u>D</u>	<u>SS</u>	<u>44-187-1X</u>	<u>trans filter</u>	<u>1</u>	
				<u>D</u>	<u>SS</u>	<u>6003-2002F</u>	<u>oil pan gasket</u>	<u>2</u>	
				<u>D</u>	<u>SS</u>	<u>4T-12A411</u>	<u>oil trans</u>	<u>12</u>	
				<u>D</u>	<u>SS</u>	<u>125/75/16</u>	<u>new tires</u>	<u>4</u>	
Total Hours Worked:				Total Parts Cost:					

SWISS PARTS INSPECTIONS

I have performed the repairs according to MV Transportation, Inc. guidelines using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.
 Employee #: 857302 Technician: FELNER FELNER Signature: [Signature]
 ASE Employee #: 604182 ASE Technician: _____ ASE Signature: _____



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C (D)

Date: 12-08-21 Vehicle #: 9704

Mileage in: 112763 Mileage out: 112764

P	F	Item Inspected	P	F	Item Inspected
R		A) Vehicle drive in inspection (5 miles)	R		2) Rear blower condition and operation
R		1) Driver carpet	R		3) Defroster operation
R		2) Driver seat condition and operation	R		4) Temp gets to 20 deg. F below ambient temp.
R		3) Drivers door operation and condition	R		5) Evaporator intake air filter condition
R		4) Drivers seat belt operation and condition	R		6) Front heater condition and operation
R		5) Engine starting and ignition system	R		7) Rear heater condition and operation
R		6) Instrument panel gauges & warning lights	R		8) A/C compressors and condenser fans
R		7) Instrument panel lighting & condition			E) Under hood inspection
R		8) Horn operation			1) Batteries & charging sys. (load alt B,C,D serv)
R		9) Steering wheel tight, no excessive play			Batt 1 volts: load volts: load amps:
R		10) Windshield wipers			Batt 2 volts: load volts: load amps:
R		11) Windshield washer			Batt 3 volts: load volts: load amps:
R		12) Sun visor condition and operation			(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
R		13) Parking brake operation & condition			Alt. 1 min volt: max volt: max amp:
R		14) Parking and service brake pedal pads			Alt. 2 min volt: max volt: max amp:
R		15) Passenger door operation			(reference factory service manual for alternator spec)
R		16) No vibrations, pulsations or noises			2) Wire and hose routing and connections
		B) Walk around inspection			3) Cooling system, hoses, water pump condition
		1) Body damage (list on separate sheet)			5) Accessory drive belts condition
		2) Headlights, high & low beam operation			6) Pulleys and tensioned operation & condition
		3) Parking lights operation & condition			7) Brake master cylinder and power booster
		4) Marker lights operation & condition			8) Fan and fan clutch operation and condition
		5) Directional signals operation & condition			9) Engine oil fluid level and condition
		6) Hazard lights operation & condition			10) Transmission oil level and condition
		7) Clearance lights operation and condition			11) Power steering fluid level and condition
		8) Brake lights operation & condition			12) Brake fluid level and condition
		9) License plate lamp operation & condition			F) Vehicle rack inspection
		10) License plates and tags			1) Steering gear box mount, condition & leaks
		11) Backup lights and alarms			2) Steering shaft U joints
		12) Reflectors and reflective bumper tape			3) Steering shaft bearings
		13) Exterior decals and signage			4) Steering linkages
		14) Bumpers secure / in good condition			5) I beam or control arm movements and rivets
		15) Exterior mirrors secure / in good condition			6) Radius arm condition and bushings condition
		16) Exterior clean			7) Stabilizer bar condition and bushings condition
		C) Interior inspection			8) Ball joints or kingpins
		1) Passenger door and steps condition			9) Front spring condition and mounting
		2) Handrails and stanchions condition			10) Front shock absorber operation & condition
		3) Interior and modesty panels condition			11) Trans oil cooler & lines routing and leaks
		4) Flooring condition			12) Engine oil cooler & lines routing and leaks
		5) Interior lighting operation and condition			13) Heater and A/C hose routing and leaks
		6) Windows operation and condition			14) No engine oil leaks and fluid condition
		7) Emergency Exits operation & condition			15) Engine mounts, brackets and bolts
		8) Accessory operation & condition (radio, GPS)			16) Transmission mounts, brackets and bolts
		9) Passenger seats operation & condition			17) No transmission oil leaks and fluid condition
		10) Passenger seat belts operation & condition			18) Drive shaft condition
		11) First aid & body fluid kits complete			19) Universal joints and carrier bearings condition
		12) Triangle reflectors complete/good condition			20) No rear differential leaks
		13) Stop request operation & condition			21) Rear differential condition and mounting
		14) Valid registration, insurance & accident pack			22) Frame and cross members
		15) Fire extinguisher in good condition & signed			23) Rear shock absorbers
		16) Interior decals and signage (incl. electrical)			24) Rear springs condition and mounting
		17) DVI's reviewed, addressed and signed off			25) No fuel leaks
		18) Interior clean			26) Fuel tank condition and mounting
		D) HVAC system inspection			27) No exhaust leaks
		1) Front blower condition and operation			28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Date: 12-08-2021 Vehicle #: 9704

Circle Service Type: A B C (D) 112763

Mileage out: 112764

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: C /32" L/F: C /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: C /32" L/R: C /32"
		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
		R/F: 3 /32" L/F: 3 /32"
		R/R: 4 /32" L/R: 4 /32"
		R/R/O: 5 /32" L/R/O: 5 /32"
		35) Lug nuts condition
		Air pressure adjustment FR: 65 RR: 70
		Wheel torque specs used: 140 ft. lbs.
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C the downs condition and operation
		24) The down container secure and clean
		25) The down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Notes:


Supervisor Signature _____ Date _____

Technician's Signature _____ Date 12-08-2021

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	Initial or "N/A" each service performed per PM type	Tech Initials
A,B,C,D Change oil and filter		
A,B,C,D Lube chassis and suspension		
A,B,C,D Lube drive shafts and universal joints		
A,B,C,D Lube doors and hood, locks and hinges		
A,B,C,D Adjust service and parking brakes		
A,B,C,D Drain water from separator		
A,B,C,D Rotate tires (as necessary, caps on rear)		
B,C,D Change air filter		
B,C,D Change fuel filter		
B,C,D Clean or change PCV valve		
B,C,D Clean or change crank case filter		
B,C,D Install new wiper blades		
C,D Change transmission fluid and filter		
C,D Service front wheel bearings		
C,D Drain water from fuel tank		
D Replace accessory drive belts		
D Service and flush cooling system		
D Install new spark plugs & wires		
D Install new dist. cap & rotor		
D Change differential fluid		
D Check Exhaust and EGR system		
D Check and service fuel & evap. System		
D Evac and recharge A/C (add 1 oz. of oil)		
A,B,C,D Post service test drive (5 miles)		

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



MV Transportation
 5910 N Central Expy Way Suite 1145
 Dallas, TX 75206

Work Order Division (0094)
 3301 Electronics Way
 West Palm Beach, FL 33407

Basic Information

Vehicle #: 9704 Repair Reason: A Date and Time in: 12-15-22-9:38 Mileage in: 68081
 Date: 12-15-22 Work Class: I Date and Time Finished: 12-15-22-16:13 Mileage out: 68087

Complaints/Defects: _____
 Notes/Measurements: _____

Labor Information		Parts Information						
Task	WAC	Repair Description/Comments	Task	WAC	Part Number	Description	Qty	Cost
			A	SS	SW-30	Engine oil	75	
			A	SS	FL 8205	Oil Filter	1	
			A	SS	FO 1632	Oil Filter	1	
			A	SS	WOW 2002 PF	wiper blade	2	
			A	SS	MTCORLN	Transmission	12	
			A	SS	SP 521-Y	Plugs	10	
			A	SS	BRSD1328-B	Brake	1	
			A	SS	002-760	Tire	4	
			A	SS	9008	Headlight	1	
Total Hours Worked:						Total Parts Cost:		

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 682261 Technician: Mar 90507 Signature: [Signature]

ASE Employee #: 604182 ASE Technician: _____ ASE Signature: _____



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Date: 12-15-22 Vehicle #: 9704

Mileage in: 168081 Mileage out: 168087

P	F	Item Inspected	P	F	Item Inspected
<input checked="" type="checkbox"/>		A) Vehicle drive in inspection (5 miles)	<input checked="" type="checkbox"/>		2) Rear blower condition and operation
<input checked="" type="checkbox"/>		1) Driver carpet	<input checked="" type="checkbox"/>		3) Defroster operation
<input checked="" type="checkbox"/>		2) Driver seat condition and operation	<input checked="" type="checkbox"/>		4) Temp gets to 20 deg. F below ambient temp.
<input checked="" type="checkbox"/>		3) Drivers door operation and condition	<input checked="" type="checkbox"/>		5) Evaporator intake air filter condition
<input checked="" type="checkbox"/>		4) Drivers seat belt operation and condition	<input checked="" type="checkbox"/>		6) Front heater condition and operation
<input checked="" type="checkbox"/>		5) Engine starting and ignition system	<input checked="" type="checkbox"/>		7) Rear heater condition and operation
<input checked="" type="checkbox"/>		6) Instrument panel gauges & warning lights	<input checked="" type="checkbox"/>		8) A/C compressors and condenser fans
<input checked="" type="checkbox"/>		7) Instrument panel lighting & condition	<input checked="" type="checkbox"/>		E) Under hood inspection
<input checked="" type="checkbox"/>		8) Horn operation	<input checked="" type="checkbox"/>		1) Batteries & charging sys. (load alt B,C,D serv)
<input checked="" type="checkbox"/>		9) Steering wheel tight, no excessive play	<input checked="" type="checkbox"/>		Batt 1 volts: load volts: load amps:
<input checked="" type="checkbox"/>		10) Windshield wipers	<input checked="" type="checkbox"/>		Batt 2 volts: load volts: load amps:
<input checked="" type="checkbox"/>		11) Windshield washer	<input checked="" type="checkbox"/>		Batt 3 volts: load volts: load amps:
<input checked="" type="checkbox"/>		12) Sun visor condition and operation	<input checked="" type="checkbox"/>		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
<input checked="" type="checkbox"/>		13) Parking brake operation & condition	<input checked="" type="checkbox"/>		Alt. 1 min volt: max volt: max amp:
<input checked="" type="checkbox"/>		14) Parking and service brake pedal pads	<input checked="" type="checkbox"/>		Alt. 2 min volt: max volt: max amp:
<input checked="" type="checkbox"/>		15) Passenger door operation	<input checked="" type="checkbox"/>		(reference factory service manual for alternator spec)
<input checked="" type="checkbox"/>		16) No vibrations, pulsations or noises	<input checked="" type="checkbox"/>		2) Wire and hose routing and connections
<input checked="" type="checkbox"/>		B) Walk around inspection	<input checked="" type="checkbox"/>		3) Cooling system, hoses, water pump condition
<input checked="" type="checkbox"/>		1) Body damage (list on separate sheet)	<input checked="" type="checkbox"/>		5) Accessory drive belts condition
<input checked="" type="checkbox"/>		2) Headlights, high & low beam operation	<input checked="" type="checkbox"/>		6) Pulleys and tensioned operation & condition
<input checked="" type="checkbox"/>		3) Parking lights operation & condition	<input checked="" type="checkbox"/>		7) Brake master cylinder and power booster
<input checked="" type="checkbox"/>		4) Marker lights operation & condition	<input checked="" type="checkbox"/>		8) Fan and fan clutch operation and condition
<input checked="" type="checkbox"/>		5) Directional signals operation & condition	<input checked="" type="checkbox"/>		9) Engine oil fluid level and condition
<input checked="" type="checkbox"/>		6) Hazard lights operation & condition	<input checked="" type="checkbox"/>		10) Transmission oil level and condition
<input checked="" type="checkbox"/>		7) Clearance lights operation and condition	<input checked="" type="checkbox"/>		11) Power steering fluid level and condition
<input checked="" type="checkbox"/>		8) Brake lights operation & condition	<input checked="" type="checkbox"/>		12) Brake fluid level and condition
<input checked="" type="checkbox"/>		9) License plate lamp operation & condition	<input checked="" type="checkbox"/>		F) Vehicle rack inspection
<input checked="" type="checkbox"/>		10) License plates and tags	<input checked="" type="checkbox"/>		1) Steering gear box mount, condition & leaks
<input checked="" type="checkbox"/>		11) Backup lights and alarms	<input checked="" type="checkbox"/>		2) Steering shaft U joints
<input checked="" type="checkbox"/>		12) Reflectors and reflective bumper tape	<input checked="" type="checkbox"/>		3) Steering shaft bearings
<input checked="" type="checkbox"/>		13) Exterior decals and signage	<input checked="" type="checkbox"/>		4) Steering linkages
<input checked="" type="checkbox"/>		14) Bumpers secure / in good condition	<input checked="" type="checkbox"/>		5) I beam or control arm movements and rivets
<input checked="" type="checkbox"/>		15) Exterior mirrors secure / in good condition	<input checked="" type="checkbox"/>		6) Radius arm condition and bushings condition
<input checked="" type="checkbox"/>		16) Exterior clean	<input checked="" type="checkbox"/>		7) Stabilizer bar condition and bushings condition
<input checked="" type="checkbox"/>		C) Interior inspection	<input checked="" type="checkbox"/>		8) Ball joints or kingpins
<input checked="" type="checkbox"/>		1) Passenger door and steps condition	<input checked="" type="checkbox"/>		9) Front spring condition and mounting
<input checked="" type="checkbox"/>		2) Handrails and stanchions condition	<input checked="" type="checkbox"/>		10) Front shock absorber operation & condition
<input checked="" type="checkbox"/>		3) Interior and modesty panels condition	<input checked="" type="checkbox"/>		11) Trans oil cooler & lines routing and leaks
<input checked="" type="checkbox"/>		4) Flooring condition	<input checked="" type="checkbox"/>		12) Engine oil cooler & lines routing and leaks
<input checked="" type="checkbox"/>		5) Interior lighting operation and condition	<input checked="" type="checkbox"/>		13) Heater and A/C hose routing and leaks
<input checked="" type="checkbox"/>		6) Windows operation and condition	<input checked="" type="checkbox"/>		14) No engine oil leaks and fluid condition
<input checked="" type="checkbox"/>		7) Emergency Exits operation & condition	<input checked="" type="checkbox"/>		15) Engine mounts, brackets and bolts
<input checked="" type="checkbox"/>		8) Accessory operation & condition (radio, GPS)	<input checked="" type="checkbox"/>		16) Transmission mounts, brackets and bolts
<input checked="" type="checkbox"/>		9) Passenger seats operation & condition	<input checked="" type="checkbox"/>		17) No transmission oil leaks and fluid condition
<input checked="" type="checkbox"/>		10) Passenger seat belts operation & condition	<input checked="" type="checkbox"/>		18) Drive shaft condition
<input checked="" type="checkbox"/>		11) First aid & body fluid kits complete	<input checked="" type="checkbox"/>		19) Universal joints and carrier bearings condition
<input checked="" type="checkbox"/>		12) Triangle reflectors complete/good condition	<input checked="" type="checkbox"/>		20) No rear differential leaks
<input checked="" type="checkbox"/>		13) Stop request operation & condition	<input checked="" type="checkbox"/>		21) Rear differential condition and mounting
<input checked="" type="checkbox"/>		14) Valid registration, insurance & accident pack	<input checked="" type="checkbox"/>		22) Frame and cross members
<input checked="" type="checkbox"/>		15) Fire extinguisher in good condition & signed	<input checked="" type="checkbox"/>		23) Rear shock absorbers
<input checked="" type="checkbox"/>		16) Interior decals and signage (incl. electrical)	<input checked="" type="checkbox"/>		24) Rear springs condition and mounting
<input checked="" type="checkbox"/>		17) DVI's reviewed, addressed and signed off	<input checked="" type="checkbox"/>		25) No fuel leaks
<input checked="" type="checkbox"/>		18) Interior clean	<input checked="" type="checkbox"/>		26) Fuel tank condition and mounting
<input checked="" type="checkbox"/>		D) HVAC system inspection	<input checked="" type="checkbox"/>		27) No exhaust leaks
<input checked="" type="checkbox"/>		1) Front blower condition and operation	<input checked="" type="checkbox"/>		28) Exhaust system condition and mounting

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Preventive Maintenance Inspection and Service Checklist

Date: 12-15-22 Vehicle #: 9704

Circle Service Type: A B C D Mileage in: 16808 Mileage out: 16808

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: /32" L/F: /32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 8 /32" L/R: 8 /32"		
34) Tire and wheel condition and measurements		
Shoes R/R: /32" L/R: /32"		
R/F: /32" L/F: /32"		
R/R: 8 /32" L/R: 8 /32"		
R/R: 8 /32" L/R: 8 /32"		
R/O: /32" L/R: /32"		
35) Lug nuts condition		
Air pressure adjustment FR. 65 RR. 70		
Wheel torque specs used: 140 ft. lbs.		
1) Lift inspection (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Staircase arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C the downs condition and operation		
24) Tie down cotainer secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Notes: _____
 Supervisor Signature _____ Date _____
 Technicians Signature _____ Date 12-15-22

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair. With all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	04
Lube chassis and suspension	A,B,C,D	119
Lube drive shafts and universal joints	A,B,C,D	119
Lube doors and hood, locks and hinges	A,B,C,D	04
Adjust service and parking brakes	A,B,C,D	04
Drain water from separator	A,B,C,D	04
Rotate tires (as necessary, caps on rear)	A,B,C,D	119
Change air filter	B,C,D	04
Change fuel filter	B,C,D	04
Clean or change PCV valve	B,C,D	119
Clean or change crank case filter	B,C,D	04
Install new wiper blades	B,C,D	04
Change transmission fluid and filter	C,D	04
Service front wheel bearings	C,D	04
Drain water from fuel tank	C,D	119
Replace accessory drive belts	D	04
Service and flush cooling system	D	04
Install new spark plugs & wires	D	04
Install new dist. cap & rotor	D	04
Change differential fluid	D	04
Check Exhaust and EGR system	D	04
Check and service fuel & evap. System	D	04
Evac and recharge A/C (add 1 oz. of oil)	D	04
Post service test drive (5 miles)	A,B,C,D	04

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: **A B C D**

Mileage out: 4989 Mileage in: 4988

Date: 8/11/19 Vehicle #: 9704

Item Inspected	P	F
A) Vehicle drive in inspection (5 miles)		
1) Driver carpet	R	
2) Driver seat condition and operation	R	
3) Drivers door operation and condition	R	
4) Drivers seat belt operation and condition	R	
5) Engine starting and ignition system	R	
6) Instrument panel gauges & warning lights	R	
7) Instrument panel lighting & condition	R	
8) Horn operation	R	
9) Steering wheel tight, no excessive play	R	
10) Windshield wipers	R	
11) Windshield washer	R	
12) Sun visor condition and operation	R	
13) Parking brake operation & condition	R	
14) Parking and service brake pedal pads	R	
15) Passenger door operation	R	
16) No vibrations, pulsations or noises	R	
B) Walk around inspection		
1) Body damage (list on separate sheet)	R	
2) Headlights, high & low beam operation	R	
3) Parking lights operation & condition	R	
4) Marker lights operation & condition	R	
5) Directional signals operation & condition	R	
6) Hazard lights operation & condition	R	
7) Clearance lights operation and condition	R	
8) Brake lights operation & condition	R	
9) License plate lamp operation & condition	R	
10) License plates and tags	R	
11) Backup lights and alarms	R	
12) Reflectors and reflective bumper tape	R	
13) Exterior decals and signage	R	
14) Bumpers secure / in good condition	R	
15) Exterior mirrors secure / in good condition	R	
16) Exterior clean	R	
C) Interior inspection		
1) Passenger door and steps condition	R	
2) Handrails and stanchions condition	R	
3) Interior and modesty panels condition	R	
4) Flooring condition	R	
5) Interior lighting operation and condition	R	
6) Windows operation and condition	R	
7) Emergency Exits operation & condition	R	
8) Accessory operation (radio, GPS)	R	
9) Passenger seats operation & condition	R	
10) Passenger seat belts operation & condition	R	
11) First aid & body fluid kits complete	R	
12) Triangle reflectors complete/good condition	R	
13) Stop request operation & condition	R	
14) Valid registration, insurance & accident pack	R	
15) Fire extinguisher in good condition & signed	R	
16) Interior decals and signage (incl. electrical)	R	
17) DVI's reviewed, addressed and signed off	R	
18) Interior clean	R	
D) HVAC system inspection		
1) Front blower condition and operation	R	
E) Under hood inspection		
1) Batteries & charging sys. (load alt B,C,D serv)	R	
Batt 1 volts: load amps:	R	
Batt 2 volts: load amps:	R	
Batt 3 volts: load amps:	R	
(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)		
Alt. 1 min volt: max amp:		
Alt. 2 min volt: max amp:		
(reference factory service manual for alternator spec)		
2) Wire and hose routing and connections	R	
3) Cooling system, hoses, water pump condition	R	
5) Accessory drive belts condition	R	
6) Pulleys and tensioned operation & condition	R	
7) Brake master cylinder and power booster	R	
8) Fan and fan clutch operation and condition	R	
9) Engine oil fluid level and condition	R	
10) Transmission oil level and condition	R	
11) Power steering fluid level and condition	R	
12) Brake fluid level and condition	R	
F) Vehicle rack inspection		
1) Steering gear box mount, condition & leaks	R	
2) Steering shaft U joints	R	
3) Steering shaft bearings	R	
4) Steering linkages	R	
5) I beam or control arm movements and rivets	R	
6) Radius arm condition and bushings condition	R	
7) Stabilizer bar condition and bushings condition	R	
8) Ball joints or kingpins	R	
9) Front spring condition and mounting	R	
10) Front shock absorber operation & condition	R	
11) Trans oil cooler & lines routing and leaks	R	
12) Engine oil cooler & lines routing and leaks	R	
13) Heater and A/C hose routing and leaks	R	
14) No engine oil leaks and fluid condition	R	
15) Engine mounts, brackets and bolts	R	
16) Transmission mounts, brackets and bolts	R	
17) No transmission oil leaks and fluid condition	R	
18) Drive shaft condition	R	
19) Universal joints and carrier bearings condition	R	
20) No rear differential leaks	R	
21) Rear differential condition and mounting	R	
22) Frame and cross members	R	
23) Rear shock absorbers	R	
24) Rear springs condition and mounting	R	
25) No fuel leaks	R	
26) Fuel tank condition and mounting	R	
27) No exhaust leaks	R	
28) Exhaust system condition and mounting	R	



Preventive Maintenance Inspection and Service Checklist

Date: 8/11/19

Vehicle #:

9704

Circle Service Type: A B C D

Mileage in: 4988

Mileage out: 4989

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
R		Pads R/F: <u>8</u> /32" L/F: <u>8</u> /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R		Pads R/R: <u>8</u> /32" L/R: <u>8</u> /32"
NA		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
R		R/F: <u>8</u> /32" L/F: <u>8</u> /32"
R		R/RI: <u>8</u> /32" L/RI: <u>8</u> /32"
R		R/RO: <u>8</u> /32" L/RO: <u>8</u> /32"
		35) Lug nuts condition
R		Air pressure adjustment FR. <u>65</u> RR. <u>75</u>
R		Wheel torque specs used: <u>140</u> ft. lbs.
		G) Lift Inspection
R		1) Lift operation (fully stowed to fully deployed)
R		2) Lift control pendant condition and operation
R		3) Lift restraint belt condition and operation
R		4) Outer roll stop condition and operation
R		5) Inner roll stop condition and operation
R		6) Platform adjustments, condition and mounting
R		7) Standee arm condition and operation
R		8) Proper signage and decals
R		9) Manual backup pump condition and operation
R		10) Lift manual pump handle
R		11) Hydraulic pump condition and operation
R		12) Hydraulic lines and cylinders condition
R		13) Hydraulic fluid level and condition
R		14) Base plate and arms welds & pivot points
R		15) Lift springs and pins condition and operation
R		16) Lift safety switches and adjustments
R		17) Hose and wire routing and connections
R		18) Rollers and pivot point condition & operation
R		19) Lift to vehicle mounting bolts and brackets
R		20) Lift doors condition and operation
R		21) Lift door lights condition and operation
R		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking, or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
R		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	R
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	R
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	R
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	R

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: [Signature] Date: 8/13/19

Supervisor Signature: [Signature] Date: 8/22/19

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.