

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407
C2004 1052

Vehicle #: 5307-P Repair Reason: B Date and Time in: 06-15-18 13:00 Mileage in: 108350
 Date: 06.15.18 Work Class: I Date and Time Finished: 06-15-18 14:50 Mileage out: 108355

Complaints/Defects: _____ Notes/Measurements: _____
 PNT A

Labor Information				Parts Information					
Task	WAG	Repair Description/Comments	Hours	Task	WAG	Part Number	Description	Qty	Cost
A	55	PNTA		A	55	5W20	change oil	1	
				A	55	1F3681	oil filter	1	
				A	55	FT526730	air plug	1	
				A	55	205 BR16	tires	2	
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 845133 Technician: [Signature] Signature: [Signature]
 ASE Employee #: 60481 ASE Technician: [Signature] ASE Signature: [Signature]



Preventive Maintenance Inspection and Service Checklist

Date: 06.15.18 Vehicle #: 5307-P

Circle Service Type: (A) B C D

Mileage in: 108350 Mileage out: 108355

P	F	Item Inspected	P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)	/		2) Rear blower condition and operation
/		1) Driver carpet	/		3) Defroster operation
/		2) Driver seat condition and operation	/		4) Temp gets to 20 deg. F below ambient temp.
/		3) Drivers door operation and condition	/		5) Evaporator intake air filter condition
/		4) Drivers seat belt operation and condition	/		6) Front heater condition and operation
/		5) Engine starting and ignition system	/		7) Rear heater condition and operation
/		6) Instrument panel gauges & warning lights	/		8) A/C compressors and condenser fans
/		7) Instrument panel lighting & condition	/		E) Under hood inspection
/		8) Horn operation	/		1) Batteries & charging sys. (load alt B,C,D serv)
/		9) Steering wheel tight, no excessive play	/		Batt 1 volts: load volts: load amps:
/		10) Windshield wipers	/		Batt 2 volts: load volts: load amps:
/		11) Windshield washer	/		Batt 3 volts: load volts: load amps:
/		12) Sun visor condition and operation	/		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
/		13) Parking brake operation & condition	/		Alt. 1 min volt: max volt: max amp:
/		14) Parking and service brake pedal pads	/		Alt. 2 min volt: max volt: max amp:
/		15) Passenger door operation	/		(reference factory service manual for alternator spec)
/		16) No vibrations, pulsations or noises	/		2) Wire and hose routing and connections
/		B) Walk around inspection	/		3) Cooling system, hoses, water pump condition
/		1) Body damage (list on separate sheet)	/		5) Accessory drive belts condition
/		2) Headlights, high & low beam operation	/		6) Pulleys and tensioned operation & condition
/		3) Parking lights operation & condition	/		7) Brake master cylinder and power booster
/		4) Marker lights operation & condition	/		8) Fan and fan clutch operation and condition
/		5) Directional signals operation & condition	/		9) Engine oil fluid level and condition
/		6) Hazard lights operation & condition	/		10) Transmission oil level and condition
/		7) Clearance lights operation and condition	/		11) Power steering fluid level and condition
/		8) Brake lights operation & condition	/		12) Brake fluid level and condition
/		9) License plate lamp operation & condition	/		F) Vehicle rack inspection
/		10) License plates and tags	/		1) Steering gear box mount, condition & leaks
/		11) Backup lights and alarms	/		2) Steering shaft U joints
/		12) Reflectors and reflective bumper tape	/		3) Steering shaft bearings
/		13) Exterior decals and signage	/		4) Steering linkages
/		14) Bumpers secure / in good condition	/		5) I beam or control arm movements and rivets
/		15) Exterior mirrors secure / in good condition	/		6) Radius arm condition and bushings condition
/		16) Exterior clean	/		7) Stabilizer bar condition and bushings condition
/		C) Interior inspection	/		8) Ball joints or kingpins
/		1) Passenger door and steps condition	/		9) Front spring condition and mounting
/		2) Handrails and stanchions condition	/		10) Front shock absorber operation & condition
/		3) Interior and modesty panels condition	/		11) Trans oil cooler & lines routing and leaks
/		4) Flooring condition	/		12) Engine oil cooler & lines routing and leaks
/		5) Interior lighting operation and condition	/		13) Heater and A/C hose routing and leaks
/		6) Windows operation and condition	/		14) No engine oil leaks and fluid condition
/		7) Emergency Exits operation & condition	/		15) Engine mounts, brackets and bolts
/		8) Accessory operation & condition (radio, GPS)	/		16) Transmission mounts, brackets and bolts
/		9) Passenger seats operation & condition	/		17) No transmission oil leaks and fluid condition
/		10) Passenger seat belts operation & condition	/		18) Drive shaft condition
/		11) First aid & body fluid kits complete	/		19) Universal joints and carrier bearings condition
/		12) Triangle reflectors complete/good condition	/		20) No rear differential leaks
/		13) Stop request operation & condition	/		21) Rear differential condition and mounting
/		14) Valid registration, insurance & accident pack	/		22) Frame and cross members
/		15) Fire extinguisher in good condition & signed	/		23) Rear shock absorbers
/		16) Interior decals and signage (incl. electrical)	/		24) Rear springs condition and mounting
/		17) DVI's reviewed, addressed and signed off	/		25) No fuel leaks
/		18) Interior clean	/		26) Fuel tank condition and mounting
/		D) HVAC system inspection	/		27) No exhaust leaks
/		1) Front blower condition and operation	/		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: **A B C D** Mileage in: **108350** Mileage out: **108355**
 Date: **06-15-18** Vehicle #: **5307-P**

Item Inspected	Service Performed	Technicians Initials
30) Front brake condition and mounting	A,B,C,D Change oil and filter	<i>[Signature]</i>
31) Front brake lining condition & measurement	A,B,C,D Lube chassis and suspension	<i>[Signature]</i>
Pads R/F: 8 /32"	A,B,C,D Lube drive shafts and universal joints	<i>[Signature]</i>
Pads R/R: 6 /32"	A,B,C,D Lube doors and hood, locks and hinges	<i>[Signature]</i>
32) Rear brake condition and mounting	A,B,C,D Adjust service and parking brakes	<i>[Signature]</i>
33) Rear brake lining condition & measurement	A,B,C,D Drain water from separator	<i>[Signature]</i>
Pads R/R: 6 /32"	A,B,C,D Rotate tires (as necessary, caps on rear)	<i>[Signature]</i>
Shoes R/R: /32"	B,C,D Change air filter	
34) Tire and wheel condition and measurements	B,C,D Change fuel filter	
R/F: 3 /32"	B,C,D Clean or change PCV valve	
L/R: 11 /32"	B,C,D Clean or change crank case filter	
R/R: 8 /32"	B,C,D Clean or change crank case filter	
L/R: 8 /32"	B,C,D Install new wiper blades	
R/O: 3 /32"	C,D Change transmission fluid and filter	
146 ft. lbs.	C,D Service front wheel bearings	
Air pressure adjustment FR. 65 RR. 70	C,D Drain water from fuel tank	
(G) Lift inspection	D Replace accessory drive belts	
1) Lift operation (fully stowed to fully deployed)	D Service and flush cooling system	
2) Lift control pendant condition and operation	D Install new spark plugs & wires	
3) Lift restraint belt condition and operation	D Install new dist. cap & rotor	
4) Outer roll stop condition and operation	D Change differential fluid	
5) Inner roll stop condition and operation	D Check Exhaust and EGR system	
6) Platform adjustments, condition and mounting	D Check and service fuel & evap. System	
7) Standee arm condition and operation	D Evac and recharge A/C (add 1 oz. of oil)	
8) Proper signage and decals	A,B,C,D Post service test drive (5 miles)	<i>[Signature]</i>
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: *[Signature]* Date: **06-15-18**
 Supervisor Signature: *[Signature]* Date: **6/15/18**

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 08-23-18 Vehicle #: 5307

Mileage in: 117546

Mileage out: 117546

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
T		1) Driver carpet
T		2) Driver seat condition and operation
T		3) Drivers door operation and condition
T		4) Drivers seat belt operation and condition
T		5) Engine starting and ignition system
T		6) Instrument panel gauges & warning lights
T		7) Instrument panel lighting & condition
T		8) Horn operation
T		9) Steering wheel tight, no excessive play
T		10) Windshield wipers
T		11) Windshield washer
T		12) Sun visor condition and operation
T		13) Parking brake operation & condition
T		14) Parking and service brake pedal pads
T		15) Passenger door operation
T		16) No vibrations, pulsations or noises
		B) Walk around inspection
T		1) Body damage (list on separate sheet)
T		2) Headlights, high & low beam operation
T		3) Parking lights operation & condition
T		4) Marker lights operation & condition
T		5) Directional signals operation & condition
T		6) Hazard lights operation & condition
T		7) Clearance lights operation and condition
T		8) Brake lights operation & condition
T		9) License plate lamp operation & condition
T		10) License plates and tags
T		11) Backup lights and alarms
T		12) Reflectors and reflective bumper tape
T		13) Exterior decals and signage
T		14) Bumpers secure / in good condition
T		15) Exterior mirrors secure / in good condition
T		16) Exterior clean
		C) Interior inspection
T		1) Passenger door and steps condition
T		2) Handrails and stanchions condition
T		3) Interior and modesty panels condition
T		4) Flooring condition
T		5) Interior lighting operation and condition
T		6) Windows operation and condition
T		7) Emergency Exits operation & condition
T		8) Accessory operation & condition (radio, GPS)
T		9) Passenger seats operation & condition
T		10) Passenger seat belts operation & condition
T		11) First aid & body fluid kits complete
T		12) Triangle reflectors complete/good condition
T		13) Stop request operation & condition
T		14) Valid registration, insurance & accident pack
T		15) Fire extinguisher in good condition & signed
T		16) Interior decals and signage (incl. electrical)
T		17) DVI's reviewed, addressed and signed off
T		18) Interior clean
		D) HVAC system inspection
T		1) Front blower condition and operation

P	F	Item Inspected
T		2) Rear blower condition and operation
T		3) Defroster operation
T		4) Temp gets to 20 deg. F below ambient temp.
T		5) Evaporator intake air filter condition
T		6) Front heater condition and operation
T		7) Rear heater condition and operation
T		8) A/C compressors and condenser fans
		E) Under hood inspection
T		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
T		2) Wire and hose routing and connections
T		3) Cooling system, hoses, water pump condition
T		5) Accessory drive belts condition
T		6) Pulleys and tensioned operation & condition
T		7) Brake master cylinder and power booster
T		8) Fan and fan clutch operation and condition
T		9) Engine oil fluid level and condition
T		10) Transmission oil level and condition
T		11) Power steering fluid level and condition
T		12) Brake fluid level and condition
		F) Vehicle rack inspection
T		1) Steering gear box mount, condition & leaks
T		2) Steering shaft U joints
T		3) Steering shaft bearings
T		4) Steering linkages
T		5) I beam or control arm movements and rivets
T		6) Radius arm condition and bushings condition
T		7) Stabilizer bar condition and bushings condition
T		8) Ball joints or kingpins
T		9) Front spring condition and mounting
T		10) Front shock absorber operation & condition
T		11) Trans oil cooler & lines routing and leaks
T		12) Engine oil cooler & lines routing and leaks
T		13) Heater and A/C hose routing and leaks
T		14) No engine oil leaks and fluid condition
T		15) Engine mounts, brackets and bolts
T		16) Transmission mounts, brackets and bolts
T		17) No transmission oil leaks and fluid condition
T		18) Drive shaft condition
T		19) Universal joints and carrier bearings condition
T		20) No rear differential leaks
T		21) Rear differential condition and mounting
T		22) Frame and cross members
T		23) Rear shock absorbers
T		24) Rear springs condition and mounting
T		25) No fuel leaks
T		26) Fuel tank condition and mounting
T		27) No exhaust leaks
T		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 08-23-18 Vehicle #: 5307

Circle Service Type: **A B C D**

Mileage in: 117546 Mileage out: 117546

Item Inspected	Service Performed	Technician's Signature	Date
30) Front brake lining condition and mounting	A,B,C,D	[Signature]	08-23-18
31) Front brake lining condition & measurement	A,B,C,D	[Signature]	08-23-18
Pads R/F: 8 /32" L/F: 8 /32"	A,B,C,D	[Signature]	08-23-18
32) Rear brake lining condition and mounting	A,B,C,D	[Signature]	08-23-18
33) Rear brake lining condition & measurement	A,B,C,D	[Signature]	08-23-18
Pads R/R: 4 /32" L/R: 4 /32"	A,B,C,D	[Signature]	08-23-18
34) Tire and wheel condition and measurements	A,B,C,D	[Signature]	08-23-18
Shoes R/R: /32" L/R: /32"	A,B,C,D	[Signature]	08-23-18
35) Lug nuts condition	A,B,C,D	[Signature]	08-23-18
R/R/O: 6 /32" L/R/O: 6 /32"	A,B,C,D	[Signature]	08-23-18
R/R/I: 6 /32" L/R/I: 6 /32"	A,B,C,D	[Signature]	08-23-18
R/F: 8 /32" L/F: 8 /32"	A,B,C,D	[Signature]	08-23-18
Air pressure adjustment FR. 65 RR. 70	A,B,C,D	[Signature]	08-23-18
Wheel torque specs used: 140 ft. lbs.	A,B,C,D	[Signature]	08-23-18
g) Lift inspection	A,B,C,D	[Signature]	08-23-18
1) Lift operation (fully stowed to fully deployed)	A,B,C,D	[Signature]	08-23-18
2) Lift control pendant condition and operation	A,B,C,D	[Signature]	08-23-18
3) Lift restraint belt condition and operation	A,B,C,D	[Signature]	08-23-18
4) Outer roll stop condition and operation	A,B,C,D	[Signature]	08-23-18
5) Inner roll stop condition and operation	A,B,C,D	[Signature]	08-23-18
6) Platform adjustments, condition and mounting	A,B,C,D	[Signature]	08-23-18
7) Standee arm condition and operation	A,B,C,D	[Signature]	08-23-18
8) Proper signage and decals	A,B,C,D	[Signature]	08-23-18
9) Manual backup pump condition and operation	A,B,C,D	[Signature]	08-23-18
10) Lift manual pump handle	A,B,C,D	[Signature]	08-23-18
11) Hydraulic pump condition and operation	A,B,C,D	[Signature]	08-23-18
12) Hydraulic lines and cylinders condition	A,B,C,D	[Signature]	08-23-18
13) Hydraulic fluid level and condition	A,B,C,D	[Signature]	08-23-18
14) Base plate and arms welds & pivot points	A,B,C,D	[Signature]	08-23-18
15) Lift springs and pins condition and operation	A,B,C,D	[Signature]	08-23-18
16) Lift safety switches and adjustments	A,B,C,D	[Signature]	08-23-18
17) Hose and wire routing and connections	A,B,C,D	[Signature]	08-23-18
18) Rollers and pivot point condition & operation	A,B,C,D	[Signature]	08-23-18
19) Lift to vehicle mounting bolts and brackets	A,B,C,D	[Signature]	08-23-18
20) Lift doors condition and operation	A,B,C,D	[Signature]	08-23-18
21) Lift door lights condition and operation	A,B,C,D	[Signature]	08-23-18
22) Lift interlock operation and condition	A,B,C,D	[Signature]	08-23-18
(Lift door open, e-brake down not able to shift)	A,B,C,D	[Signature]	08-23-18
(e-brake off lift door closed no lift power)	A,B,C,D	[Signature]	08-23-18
23) W/C the downs condition and operation	A,B,C,D	[Signature]	08-23-18
24) The down container secure and clean	A,B,C,D	[Signature]	08-23-18
25) The down floor mounting brackets secure	A,B,C,D	[Signature]	08-23-18
26) W/C shoulder belt condition and operation	A,B,C,D	[Signature]	08-23-18
27) Lift clean and no sharp edges	A,B,C,D	[Signature]	08-23-18
28) Lift shields secure and in good shape	A,B,C,D	[Signature]	08-23-18
29) Lift moves steady without drifting, jerking, or unusual speeds	A,B,C,D	[Signature]	08-23-18
30) No unusual lift noises	A,B,C,D	[Signature]	08-23-18
Lube all lift pivot points, barmers, linkages and bearings cleaning off all excess lube	A,B,C,D	[Signature]	08-23-18
Check, torque or adjust lift base mounting bolts	A,B,C,D	[Signature]	08-23-18


All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Supervisor Signature: [Signature] Date: 08-23-18
 Technicians Signature: [Signature] Date: 08-23-18

Service Performed	Technician's Initials
Change oil and filter	OK
Lube chassis and suspension	OK
Lube drive shafts and universal joints	NH
Lube doors and hood, locks and hinges	OK
Adjust service and parking brakes	OK
Drain water from separator	NH
Rotate tires (as necessary, caps on rear)	OK
Change air filter	OK
Change fuel filter	OK
Clean or change PCV valve	OK
Clean or change crank case filter	OK
Install new wiper blades	OK
Change transmission fluid and filter	OK
Service front wheel bearings	OK
Drain water from fuel tank	OK
Replace accessory drive belts	OK
Service and flush cooling system	OK
Install new spark plugs & wires	OK
Install new dist. cap & rotor	OK
Change differential fluid	OK
Check Exhaust and EGR system	OK
Check and service fuel & evap. System	OK
Evac and recharge A/C (add 1 oz. of oil)	OK
Post service test drive (5 miles)	OK

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
 2711 North Haskell Ave. Suite 1500 LB-2
 Dallas, TX 75204



WPB 94
 3301 Electronics Way
 West Palm Beach, FL 33407

Basic Information

Vehicle #: 5307 Repair Reason: A Date and Time in: 21:45 Mileage in: 122361
 Date: 9/27/2018 Work Class: I Date and Time Finished: 22:30 Mileage out: 122363

Complaints/Defects: _____ Notes/Measurements: _____

Labor Information

Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost	
A	58	PM I A		A	55	5w20	ENGINE OIL	7.0		
				A	55	LF3681	OIL FILTER	1		
04	58	BRAKE INSPECTION								
Total Hours Worked:				Total Parts Cost:						

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725 Technician: Roder Murray Signature: Roder Murray

ASE Employee #: 60418 ASE Technician: A James ASE Signature: A James



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 9/27/18 Vehicle #: 5307

Mileage in: 122361

Mileage out: 122363

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
R		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition (radio, GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation

P	F	Item Inspected
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
R		3) Steering shaft bearings
R		4) Steering linkages
R		5) I beam or control arm movements and rivets
R		6) Radius arm condition and bushings condition
R		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
R		18) Drive shaft condition
R		19) Universal joints and carrier bearings condition
R		20) No rear differential leaks
R		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Date: 9/27/18 Vehicle #: 5347 Circle Service Type: A B C D Mileage in: 122361 Mileage out: 122363

Table with 2 columns: Item Inspected, P/F. Contains 35 items including Lug nuts condition, Tire and wheel condition, Front brake lining, Rear brake lining, Platform adjustments, Standee arm condition, Manual backup pump, Hydraulic pump, Base plate and arms welds, Lift safety switches, Hose and wire routing, Rollers and pivot point, Lift to vehicle mounting bolts, Lift doors condition, Lift door lights, Lift interlock, Lift door open, W/C tie downs, Tie down container, W/C shoulder belt, Lift clean and no sharp edges, Lift shields secure, Lift moves steady, No unusual lift noises, Lube all lift pivot points, Check, torque or adjust lift base mounting bolts.

Table with 2 columns: Service Performed, Techs Initials. Contains 20 services including Change oil and filter, Lube chassis and suspension, Lube drive shafts, Lube doors and hood, Adjust service and parking brakes, Drain water from separator, Rotate tires, Change fuel filter, Clean or change PCV valve, Clean or change crank case filter, Install new wiper blades, Change transmission fluid, Service front wheel bearings, Drain water from fuel tank, Replace accessory drive belts, Service and flush cooling system, Install new spark plugs, Install new dist. cap & rotor, Change differential fluid, Check Exhaust and EGR system, Check and service fuel & evap. System, Evac and recharge A/C, Post service test drive.

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: [Signature] Date: 9/27/2018
Supervisor Signature: [Signature] Date: 9/28/18
Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



#9212

Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5307 Repair Reason: A Date and Time in: 11:45 Mileage in: 131694
 Date: 12/24/18 Work Class: 1 Date and Time Finished: 18:15 Mileage out: 131695

Complaints/Defects: PWT (A) Notes/Measurements:

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
#	58	PWT	(A)	#	55	52080	Oil	7	
						RT3081	Oil Filter	1	
			Total Hours Worked:				Total Parts Cost:		

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 816181 Technician: Sean T. Howard Signature: [Signature]
 ASE Employee #: 60452 ASE Technician: [Signature] ASE Signature: [Signature]



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 12/24/18 Vehicle #: 5307-P Mileage in: 131694 Mileage out: 131694

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 1-29-19 Vehicle #: 5307-A Mileage in: 136528 Mileage out: 136529

P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)
/		1) Driver carpet
/		2) Driver seat condition and operation
/		3) Drivers door operation and condition
/		4) Drivers seat belt operation and condition
/		5) Engine starting and ignition system
/		6) Instrument panel gauges & warning lights
/		7) Instrument panel lighting & condition
/		8) Horn operation
/		9) Steering wheel tight, no excessive play
/		10) Windshield wipers
/		11) Windshield washer
/		12) Sun visor condition and operation
/		13) Parking brake operation & condition
/		14) Parking and service brake pedal pads
/		15) Passenger door operation
/		16) No vibrations, pulsations or noises
/		B) Walk around inspection
/		1) Body damage (list on separate sheet)
/		2) Headlights, high & low beam operation
/		3) Parking lights operation & condition
/		4) Marker lights operation & condition
/		5) Directional signals operation & condition
/		6) Hazard lights operation & condition
/		7) Clearance lights operation and condition
/		8) Brake lights operation & condition
/		9) License plate lamp operation & condition
/		10) License plates and tags
/		11) Backup lights and alarms
/		12) Reflectors and reflective bumper tape
/		13) Exterior decals and signage
/		14) Bumpers secure / in good condition
/		15) Exterior mirrors secure / in good condition
/		16) Exterior clean
/		C) Interior inspection
/		1) Passenger door and steps condition
/		2) Handrails and stanchions condition
/		3) Interior and modesty panels condition
/		4) Flooring condition
/		5) Interior lighting operation and condition
/		6) Windows operation and condition
/		7) Emergency Exits operation & condition
/		8) Accessory operation & condition (radio, GPS)
/		9) Passenger seats operation & condition
/		10) Passenger seat belts operation & condition
/		11) First aid & body fluid kits complete
/		12) Triangle reflectors complete/good condition
/		13) Stop request operation & condition
/		14) Valid registration, insurance & accident pack
/		15) Fire extinguisher in good condition & signed
/		16) Interior decals and signage (incl. electrical)
/		17) DVI's reviewed, addressed and signed off
/		18) Interior clean
/		D) HVAC system inspection
/		1) Front blower condition and operation

P	F	Item Inspected
/		2) Rear blower condition and operation
/		3) Defroster operation
/		4) Temp gets to 20 deg. F below ambient temp.
/		5) Evaporator intake air filter condition
/		6) Front heater condition and operation
/		7) Rear heater condition and operation
/		8) A/C compressors and condenser fans
/		E) Under hood inspection
/		1) Batteries & charging sys. (load alt B,C,D serv)
/		Batt 1 volts: load volts: load amps:
/		Batt 2 volts: load volts: load amps:
/		Batt 3 volts: load volts: load amps:
/		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
/		Alt. 1 min volt: max volt: max amp:
/		Alt. 2 min volt: max volt: max amp:
/		(reference factory service manual for alternator spec)
/		2) Wire and hose routing and connections
/		3) Cooling system, hoses, water pump condition
/		5) Accessory drive belts condition
/		6) Pulleys and tensioned operation & condition
/		7) Brake master cylinder and power booster
/		8) Fan and fan clutch operation and condition
/		9) Engine oil fluid level and condition
/		10) Transmission oil level and condition
/		11) Power steering fluid level and condition
/		12) Brake fluid level and condition
/		F) Vehicle rack inspection
/		1) Steering gear box mount, condition & leaks
/		2) Steering shaft U joints
/		3) Steering shaft bearings
/		4) Steering linkages
/		5) I beam or control arm movements and rivets
/		6) Radius arm condition and bushings condition
/		7) Stabilizer bar condition and bushings condition
/		8) Ball joints or kingpins
/		9) Front spring condition and mounting
/		10) Front shock absorber operation & condition
/		11) Trans oil cooler & lines routing and leaks
/		12) Engine oil cooler & lines routing and leaks
/		13) Heater and A/C hose routing and leaks
/		14) No engine oil leaks and fluid condition
/		15) Engine mounts, brackets and bolts
/		16) Transmission mounts, brackets and bolts
/		17) No transmission oil leaks and fluid condition
/		18) Drive shaft condition
/		19) Universal joints and carrier bearings condition
/		20) No rear differential leaks
/		21) Rear differential condition and mounting
/		22) Frame and cross members
/		23) Rear shock absorbers
/		24) Rear springs condition and mounting
/		25) No fuel leaks
/		26) Fuel tank condition and mounting
/		27) No exhaust leaks
/		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Date: 1-29-19 Vehicle #: 5307-A Mileage in: 136588 Mileage out: 136529

Service Performed	ServType	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	3
Lube chassis and suspension	A,B,C,D	3
Lube drive shafts and universal joints	A,B,C,D	3
Lube doors and hood, locks and hinges	A,B,C,D	3
Adjust service and parking brakes	A,B,C,D	3
Drain water from separator	A,B,C,D	3
Rotate tires (as necessary, caps on rear)	A,B,C,D	3
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	3

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: *[Signature]* Date: 1-29-19
 Supervisor Signature: *[Signature]* Date: 1-29-19

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 6 /32" L/F: 6 /32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 6 /32" L/R: 6 /32"		
Shoes R/R: /32" L/R: /32"		
34) Tire and wheel condition and measurements		
R/F: 10 /32" L/F: 10 /32"		
R/R: 3 /32" L/R: 10 /32"		
R/O: 3 /32" L/R: 10 /32"		
35) Lug nuts condition		
Air pressure adjustment FR, RR, LR, RR		
Wheel torque specs used: 110 ft. lbs.		
G) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



#8917

Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5307 Repair Reason: A Date and Time in: 18:00 Mileage in: 196058
 Date: 04/08/19 Work Class: 1 Date and Time Finished: 20:30 Mileage out: 176058

Complaints/Defects:

PMI A

Notes/Measurements:

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
58		<u>PMI</u>		<u>A</u>	<u>55</u>	<u>5W20</u>	<u>oil filter</u>	<u>1</u>	
				<u>A</u>	<u>55</u>	<u>1F3681</u>	<u>oil filter</u>		
				<u>A</u>	<u>55</u>	<u>BRD-1328-B</u>	<u>front brakes</u>	<u>1</u>	
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 816539 Technician: Shawn Hobbs Signature: [Signature]
 ASE Employee #: 60452 ASE Technician: [Signature] ASE Signature: [Signature]



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 04/08/19 Vehicle #: 5307-P Mileage in: 146058 Mileage out: 146058

Table with columns P, F, and Item Inspected. Contains sections A) Vehicle drive in inspection (5 miles), B) Walk around inspection, C) Interior inspection, and D) HVAC system inspection.

Table with columns P, F, and Item Inspected. Contains sections E) Under hood inspection and F) Vehicle rack inspection.

Preventive Maintenance Inspection and Service Checklist



Date: 02/08/19 Vehicle #: 5307

Mileage in: 176058

Mileage out: 176058

Circle Service Type: A B C D

Service Performed: Change oil and filter

Techns Initials: S

Service Performed: Lube chassis and suspension

Service Performed: Lube drive shafts and universal joints

Service Performed: Lube doors and hood, locks and hinges

Service Performed: Adjust service and parking brakes

Service Performed: Drain water from separator

Service Performed: Rotate tires (as necessary, caps on rear)

Service Performed: Change air filter

Service Performed: Change fuel filter

Service Performed: Clean or change PCV valve

Service Performed: Clean or change crank case filter

Service Performed: Install new wiper blades

Service Performed: Change transmission fluid and filter

Service Performed: Service front wheel bearings

Service Performed: Drain water from fuel tank

Service Performed: Replace accessory drive belts

Service Performed: Service and flush cooling system

Service Performed: Install new spark plugs & wires

Service Performed: Install new dist. cap & rotor

Service Performed: Change differential fluid

Service Performed: Check Exhaust and EGR system

Service Performed: Check and recharge A/C (add 1 oz. of oil)

Service Performed: Evac and recharge A/C (add 1 oz. of oil)

Service Performed: Post service test drive (5 miles)

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: [Signature] Date: 02/08/19

Supervisor's Signature: [Signature] Date: 02/08/19

Notes:

Item Inspected

30 Front brake condition and mounting

31 Front brake lining condition & measurement

Pads R/F: 2/32" L/F: 3/32"

32 Rear brake condition and mounting

33 Rear brake lining condition & measurement

Pads R/R: 11/32" L/R: 11/32"

Shoes R/R: /32" L/R: /32"

34 Tire and wheel condition and measurements

R/F: 9/32" L/F: 9/32"

R/R: 7/32" L/R: 7/32"

R/R/O: 7/32" L/R/O: 7/32"

35 Lug nuts condition

Air pressure adjustment FR. 40 R.R. 70

Wheel torque specs used: 40 ft. lbs.

1 Lift operation (fully stowed to fully deployed)

2 Lift control pendant condition and operation

3 Lift restraint belt condition and operation

4 Outer roll stop condition and operation

5 Inner roll stop condition and operation

6 Platform adjustments, condition and mounting

7 Standee arm condition and operation

8 Proper signage and decals

9 Manual backup pump condition and operation

10 Lift manual pump handle

11 Hydraulic pump condition and operation

12 Hydraulic lines and cylinders condition

13 Hydraulic fluid level and condition

14 Base plate and arms welds & pivot points

15 Lift springs and pins condition and operation

16 Lift safety switches and adjustments

17 Hose and wire routing and connections

18 Rollers and pivot point condition & operation

19 Lift to vehicle mounting bolts and brackets

20 Lift doors condition and operation

21 Lift door lights condition and operation

22 Lift interlock operation and condition

(Lift door open, e-brake down not able to shift)

(e-brake off lift door closed no lift power)

23 W/C tie downs condition and operation

24 Tie down container secure and clean

25 Tie down floor mounting brackets secure

26 W/C shoulder belt condition and operation

27 Lift clean and no sharp edges

28 Lift shields secure and in good shape

29 Lift moves steady without drifting, jerking, or unusual speeds

30 No unusual lift noises

Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube

Check, torque or adjust lift base mounting bolts

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: **(A) B C D**

Mileage in: 150939 Mileage out: 150940

Date: 5/13/19 Vehicle #: 5302

Item Inspected	P	F
2) Rear blower condition and operation	R	
3) Defroster operation	R	
4) Temp gets to 20 deg.. F below ambient temp.	R	
5) Evaporator intake air filter condition	R	
6) Front heater condition and operation	R	
7) Rear heater condition and operation	R	
8) A/C compressors and condenser fans	R	
(E) Under hood inspection		
1) Batteries & charging sys. (load alt B,C,D serv)	R	
Batt 1 volts: load amps:		
Batt 2 volts: load amps:		
Batt 3 volts: load amps:		
(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)		
Alt. 1 min volt: max amp:		
Alt. 2 min volt: max amp:		
(reference factory service manual for alternator spec)		
2) Wire and hose routing and connections	R	
3) Cooling system, hoses, water pump condition	R	
5) Accessory drive belts condition	R	
6) Pulleys and tensioned operation & condition	R	
7) Brake master cylinder and power booster	R	
8) Fan and fan clutch operation and condition	R	
9) Engine oil fluid level and condition	R	
10) Transmission oil level and condition	R	
11) Power steering fluid level and condition	R	
12) Brake fluid level and condition	R	
(F) Vehicle rack inspection		
1) Steering gear box mount, condition & leaks	R	
2) Steering shaft U joints	R	
3) Steering shaft bearings	R	
4) Steering linkages	R	
5) I beam or control arm movements and rivets	R	
6) Radius arm condition and bushings condition	R	
7) Stabilizer bar condition and bushings condition	R	
8) Ball joints or kingpins	R	
9) Front spring condition and mounting	R	
10) Front shock absorber operation & condition	R	
11) Trans oil cooler & lines routing and leaks	R	
12) Engine oil cooler & lines routing and leaks	R	
13) Heater and A/C hose routing and leaks	R	
14) No engine oil leaks and fluid condition	R	
15) Engine mounts, brackets and bolts	R	
16) Transmission mounts, brackets and bolts	R	
17) No transmission oil leaks and fluid condition	R	
18) Drive shaft condition	R	
19) Universal joints and carrier bearings condition	R	
20) No rear differential leaks	R	
21) Rear differential condition and mounting	R	
22) Frame and cross members	R	
23) Rear shock absorbers	R	
24) Rear springs condition and mounting	R	
25) No fuel leaks	R	
26) Fuel tank condition and mounting	R	
27) No exhaust leaks	R	
28) Exhaust system condition and mounting	R	

Item Inspected	P	F
1) Driver carpet	R	
2) Driver seat condition and operation	R	
3) Drivers door operation and condition	R	
4) Drivers seat belt operation and condition	R	
5) Engine starting and ignition system	R	
6) Instrument panel gauges & warning lights	R	
7) Instrument panel lighting & condition	R	
8) Horn operation	R	
9) Steering wheel tight, no excessive play	R	
10) Windshield wipers	R	
11) Windshield washer	R	
12) Sun visor condition and operation	R	
13) Parking brake operation & condition	R	
14) Parking and service brake pedal pads	R	
15) Passenger door operation	R	
16) No vibrations, pulsations or noises	R	
(B) Walk around inspection		
1) Body damage (list on separate sheet)	R	
2) Headlights, high & low beam operation	R	
3) Parking lights operation & condition	R	
4) Marker lights operation & condition	R	
5) Directional signals operation & condition	R	
6) Hazard lights operation and condition	R	
7) Clearance lights operation and condition	R	
8) Brake lights operation & condition	R	
9) License plate lamp operation & condition	R	
10) License plates and tags	R	
11) Backup lights and alarms	R	
12) Reflectors and reflective bumper tape	R	
13) Exterior decals and signage	R	
14) Bumpers secure / in good condition	R	
15) Exterior mirrors secure / in good condition	R	
16) Exterior clean	R	
(C) Interior inspection		
1) Passenger door and steps condition	R	
2) Handrails and stanchions condition	R	
3) Interior and modesty panels condition	R	
4) Flooring condition	R	
5) Interior lighting operation and condition	R	
6) Windows operation and condition	R	
7) Emergency Exits operation & condition	R	
8) Accessory operation & condition (radio, GPS)	R	
9) Passenger seats operation & condition	R	
10) Passenger seat belts operation & condition	R	
11) First aid & body fluid kits complete	R	
12) Triangle reflectors complete/good condition	R	
13) Stop request operation & condition	R	
14) Valid registration, insurance & accident pack	R	
15) Fire extinguisher in good condition & signed	R	
16) Interior decals and signage (incl. electrical)	R	
17) DVI's reviewed, addressed and signed off	R	
18) Interior clean	R	
(D) HVAC system inspection		
1) Front blower condition and operation	R	



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 5/13/19 Vehicle #: 5307

Mileage in: 150939 Mileage out: 150940

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement Pads R/F: 10 /32" L/F: 10 /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement Pads R/R: 10 /32" L/R: 10 /32" Shoes R/R: /32" L/R: /32"
R		34) Tire and wheel condition and measurements R/F: 10 /32" L/F: 10 /32" R/R: 10 /32" L/R: 10 /32" R/O: 10 /32" L/O: 10 /32"
R		35) Lug nuts condition Air pressure adjustment FR. 65 RR. 70 Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
R		1) Lift operation (fully stowed to fully deployed)
R		2) Lift control pendant condition and operation
R		3) Lift restraint belt condition and operation
R		4) Outer roll stop condition and operation
R		5) Inner roll stop condition and operation
R		6) Platform adjustments, condition and mounting
R		7) Standee arm condition and operation
R		8) Proper signage and decals
R		9) Manual backup pump condition and operation
R		10) Lift manual pump handle
R		11) Hydraulic pump condition and operation
R		12) Hydraulic lines and cylinders condition
R		13) Hydraulic fluid level and condition
R		14) Base plate and arms welds & pivot points
R		15) Lift springs and pins condition and operation
R		16) Lift safety switches and adjustments
R		17) Hose and wire routing and connections
R		18) Rollers and pivot point condition & operation
R		19) Lift to vehicle mounting bolts and brackets
R		20) Lift doors condition and operation
R		21) Lift door lights condition and operation
R		22) Lift interlock operation and condition (lift door open, e-brake down not able to shift) (e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking, or unusual speeds
R		30) No unusual lift noises Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	R
A,B,C,D	Lube drive shafts and universal joints	R
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	R
A,B,C,D	Drain water from separator	R
A,B,C,D	Rotate tires(as necessary, caps on rear)	R
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1-oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	R

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: *[Signature]* Date: 5/13/19

Supervisor Signature: *[Signature]* Date: 5/16/19

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: 160653 Mileage out: 160604

Date: 07-22-79 Vehicle #: 5307

Item Inspected	P	F
A) Vehicle drive in inspection (5 miles)		
1) Driver carpet		
2) Driver seat condition and operation		
3) Drivers door operation and condition		
4) Drivers seat belt operation and condition		
5) Engine starting and ignition system		
6) Instrument panel gauges & warning lights		
7) Instrument panel lighting & condition		
8) Horn operation		
9) Steering wheel tight, no excessive play		
10) Windshield wipers		
11) Windshield washer		
12) Sun visor condition and operation		
13) Parking brake operation & condition		
14) Parking and service brake pedal pads		
15) Passenger door operation		
16) No vibrations, pulsations or noises		
B) Walk around inspection		
1) Body damage (list on separate sheet)		
2) Headlights, high & low beam operation		
3) Parking lights operation & condition		
4) Marker lights operation & condition		
5) Directional signals operation & condition		
6) Hazard lights operation & condition		
7) Clearance lights operation and condition		
8) Brake lights operation & condition		
9) License plate lamp operation & condition		
10) License plates and tags		
11) Backup lights and alarms		
12) Reflectors and reflective bumper tape		
13) Exterior decals and signage		
14) Bumpers secure / in good condition		
15) Exterior mirrors secure / in good condition		
16) Exterior clean		
C) Interior inspection		
1) Passenger door and steps condition		
2) Handrails and stanchions condition		
3) Interior and modesty panels condition		
4) Flooring condition		
5) Interior lighting operation and condition		
6) Windows operation and condition		
7) Emergency Exits operation & condition		
8) Accessory operation & condition (radio, GPS)		
9) Passenger seats operation & condition		
10) Passenger seat belts operation & condition		
11) First aid & body fluid kits complete		
12) Triangle reflectors complete/good condition		
13) Stop request operation & condition		
14) Valid registration, insurance & accident pack		
15) Fire extinguisher in good condition & signed		
16) Interior decals and signage (incl. electrical)		
17) DVI's reviewed, addressed and signed off		
18) Interior clean		
D) HVAC system inspection		
1) Front blower condition and operation		

Item Inspected	P	F
2) Rear blower condition and operation		
3) Defroster operation		
4) Temp gets to 20 deg. F below ambient temp.		
5) Evaporator intake air filter condition		
6) Front heater condition and operation		
7) Rear heater condition and operation		
8) A/C compressors and condenser fans		
E) Under hood inspection		
1) Batteries & charging sys. (load alt B,C,D serv)		
Batt 1 volts: load amps:		
Batt 2 volts: load amps:		
Batt 3 volts: load amps:		
(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)		
Alt. 1 min volt: max amp:		
Alt. 2 min volt: max amp:		
(reference factory service manual for alternator spec)		
2) Wire and hose routing and connections		
3) Cooling system, hoses, water pump condition		
5) Accessory drive belts condition		
6) Pulleys and tensioned operation & condition		
7) Brake master cylinder and power booster		
8) Fan and fan clutch operation and condition		
9) Engine oil fluid level and condition		
10) Transmission oil level and condition		
11) Power steering fluid level and condition		
12) Brake fluid level and condition		
F) Vehicle rack inspection		
1) Steering gear box mount, condition & leaks		
2) Steering shaft U joints		
3) Steering shaft bearings		
4) Steering linkages		
5) I beam or control arm movements and rivets		
6) Radius arm condition and bushings condition		
7) Stabilizer bar condition and bushings condition		
8) Ball joints or kingpins		
9) Front spring condition and mounting		
10) Front shock absorber operation & condition		
11) Trans oil cooler & lines routing and leaks		
12) Engine oil cooler & lines routing and leaks		
13) Heater and A/C hose routing and leaks		
14) No engine oil leaks and fluid condition		
15) Engine mounts, brackets and bolts		
16) Transmission mounts, brackets and bolts		
17) No transmission oil leaks and fluid condition		
18) Drive shaft condition		
19) Universal joints and carrier bearings condition		
20) No rear differential leaks		
21) Rear differential condition and mounting		
22) Frame and cross members		
23) Rear shock absorbers		
24) Rear springs condition and mounting		
25) No fuel leaks		
26) Fuel tank condition and mounting		
27) No exhaust leaks		
28) Exhaust system condition and mounting		



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 07-22-19 Vehicle #: 5307

Mileage in: 160603 Mileage out: 160604

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement Pads R/F: 9 /32" L/F: 9 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement Pads R/R: 9 /32" L/R: 9 /32" Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements R/F: 12 /32" L/F: 12 /32" R/R: 7 /32" L/R: 7 /32" R/RO: 7 /32" L/RO: 7 /32"
		35) Lug nuts condition
		Air pressure adjustment FR. 70 RR. 70
		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition (lift door open, e-brake down not able to shift) (e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Jean Thermidor 07-22-19
Technicians Signature Date

Supervisor Signature Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



PM DEFECT SHEET



BUS #: 5307-3 DATE: 08-22-2019
 PM TYPE OR WORK ORDER #: A

MECHANIC'S SIGNATURE *[Signature]*

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

Hi replace tire. Front left rear
 this bus. And replace the radiator
 tank.

[Signature] 08-22-19

10/20/05

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: **A** **B** **C** **D**

Mileage in: 165318 Mileage out: 165319

Date: 08-22-19 Vehicle #: 53072

Item Inspected	P	F
A) Vehicle drive in inspection (5 miles)		
1) Driver carpet		
2) Driver seat condition and operation		
3) Drivers door operation and condition		
4) Drivers seat belt operation and condition		
5) Engine starting and ignition system		
6) Instrument panel gauges & warning lights		
7) Instrument panel lighting & condition		
8) Horn operation		
9) Steering wheel tight, no excessive play		
10) Windshield wipers		
11) Windshield washer		
12) Sun visor condition and operation		
13) Parking brake operation & condition		
14) Parking and service brake pedal pads		
15) Passenger door operation		
16) No vibrations, pulsations or noises		
B) Walk around inspection		
1) Body damage (list on separate sheet)		
2) Headlights, high & low beam operation		
3) Parking lights operation & condition		
4) Marker lights operation & condition		
5) Directional signals operation & condition		
6) Hazard lights operation and condition		
7) Clearance lights operation and condition		
8) Brake lights operation & condition		
9) License plate lamp operation & condition		
10) License plates and tags		
11) Backup lights and alarms		
12) Reflectors and reflective bumper tape		
13) Exterior decals and signage		
14) Bumpers secure / in good condition		
15) Exterior mirrors secure / in good condition		
16) Exterior clean		
C) Interior inspection		
1) Passenger door and steps condition		
2) Handrails and stanchions condition		
3) Interior and modesty panels condition		
4) Flooring condition		
5) Interior lighting operation and condition		
6) Windows operation and condition		
7) Emergency Exits operation & condition		
8) Accessory operation & condition (radio, GPS)		
9) Passenger seats operation & condition		
10) Passenger seat belts operation & condition		
11) First aid & body fluid kits complete		
12) Triangle reflectors complete/good condition		
13) Stop request operation & condition		
14) Valid registration, insurance & accident pack		
15) Fire extinguisher in good condition & signed		
16) Interior decals and signage (incl. electrical)		
17) DVI's reviewed, addressed and signed off		
18) Interior clean		
D) HVAC system inspection		
1) Front blower condition and operation		
E) Under hood inspection		
1) Batteries & charging sys. (load alt B,C,D serv)		
Batt 1 volts: load amps:		
Batt 2 volts: load amps:		
Batt 3 volts: load amps:		
(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)		
Alt. 1 min volt: max amp:		
Alt. 2 min volt: max amp:		
(reference factory service manual for alternator spec)		
2) Wire and hose routing and connections		
3) Cooling system, hoses, water pump condition		
5) Accessory drive belts condition		
6) Pulleys and tensioned operation & condition		
7) Brake master cylinder and power booster		
8) Fan and fan clutch operation and condition		
9) Engine oil fluid level and condition		
10) Transmission oil level and condition		
11) Power steering fluid level and condition		
12) Brake fluid level and condition		
F) Vehicle rack inspection		
1) Steering gear box mount, condition & leaks		
2) Steering shaft U joints		
3) Steering shaft bearings		
4) Steering linkages		
5) I beam or control arm movements and rivets		
6) Radius arm condition and bushings condition		
7) Stabilizer bar condition and bushings condition		
8) Ball joints or kingpins		
9) Front spring condition and mounting		
10) Front shock absorber operation & condition		
11) Trans oil cooler & lines routing and leaks		
12) Engine oil cooler & lines routing and leaks		
13) Heater and A/C hose routing and leaks		
14) No engine oil leaks and fluid condition		
15) Engine mounts, brackets and bolts		
16) Transmission mounts, brackets and bolts		
17) No transmission oil leaks and fluid condition		
18) Drive shaft condition		
19) Universal joints and carrier bearings condition		
20) No rear differential leaks		
21) Rear differential condition and mounting		
22) Frame and cross members		
23) Rear shock absorbers		
24) Rear springs condition and mounting		
25) No fuel leaks		
26) Fuel tank condition and mounting		
27) No exhaust leaks		
28) Exhaust system condition and mounting		



Preventive Maintenance Inspection and Service Checklist

Date: 08-22-19 Vehicle #: 5307-7

Circle Service Type: (A) B C D

Mileage in: 165318 Mileage out: 165319

P	F	Item Inspected
-		30) Front brake condition and mounting
T		31) Front brake lining condition & measurement
		Pads R/F: <u>7</u> /32" L/F: <u>7</u> /32"
F		32) Rear brake condition and mounting
F		33) Rear brake lining condition & measurement
		Pads R/R: <u>8</u> /32" L/R: <u>8</u> /32"
F		Shoes R/R: /32" L/R: /32"
T		34) Tire and wheel condition and measurements
		R/F: <u>10</u> /32" L/F: <u>10</u> /32"
F		R/R: <u>7</u> /32" L/R: <u>14</u> /32"
		R/RO: <u>9</u> /32" L/RO: <u>8</u> /32"
T		35) Lug nuts condition
F		Air pressure adjustment FR. RR.
		Wheel torque specs used: ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
F		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
F		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
F		6) Platform adjustments, condition and mounting
F		7) Standee arm condition and operation
F		8) Proper signage and decals
F		9) Manual backup pump condition and operation
F		10) Lift manual pump handle
F		11) Hydraulic pump condition and operation
F		12) Hydraulic lines and cylinders condition
F		13) Hydraulic fluid level and condition
F		14) Base plate and arms welds & pivot points
F		15) Lift springs and pins condition and operation
F		16) Lift safety switches and adjustments
F		17) Hose and wire routing and connections
F		18) Rollers and pivot point condition & operation
F		19) Lift to vehicle mounting bolts and brackets
F		20) Lift doors condition and operation
F		21) Lift door lights condition and operation
F		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
F		23) W/C tie downs condition and operation
F		24) Tie down container secure and clean
F		25) Tie down floor mounting brackets secure
F		26) W/C shoulder belt condition and operation
F		27) Lift clean and no sharp edges
F		28) Lift shields secure and in good shape
F		29) Lift moves steady without drifting, jerking,
		or unusual speeds
F		30) No unusual lift noises
F		Lube all lift pivot points, barriers, rollers, linkages
F		and bearings cleaning off all excess lube
F		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	NA
A,B,C,D	Adjust service and parking brakes	F
A,B,C,D	Drain water from separator	F
A,B,C,D	Rotate tires(as necessary, caps on rear)	NA
B,C,D	Change air filter	F
B,C,D	Change fuel filter	NA
B,C,D	Clean or change PCV valve	NA
B,C,D	Clean or change crank case filter	NA
B,C,D	Install new wiper blades	F
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	F

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered.

Brake pad linings must be measured from the backing plate.
Brake shoe linings must be measured from the rivets.

Technicians Signature: [Signature] Date: 08-22-19

Supervisor Signature: _____ Date: _____

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
 5910 N Central Expwy Way Suite 1145
 Dallas, TX 75206



#2458 **Work Order Division (0094)**
 3301 Electronics Way
 West Palm Beach, FL 33407

Basic Information

Vehicle #: 5307 Repair Reason: A Date and Time in: 23:10 Mileage in: 174856
 Date: 10/28/14 Work Class: 1 Date and Time Finished: Mileage out: 174858

Complaints/Defects:

PMT A

Notes/Measurements:

Labor Information		Parts Information				
Task	WAC	Repair Description/Comments	Part Number	Description	Qty	Cost
A	58	PMT	VV1700	Del Defect	65	
			4F3681	Rad belt		
			KAP-175	Rad belt		
			Motorcraft	Rad belt		
			KOB1360	Coolant		
			B1-136	Belt		
				tensoax		
Total Hours Worked:				Total Parts Cost:		

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 816534 Technician: Stan Mond

Signature: [Signature]
 ASE Employee #: _____ ASE Technician: _____
 ASE Signature: _____



PM DEFECT SHEET



BUS #: 5307

DATE: 10/28/19

PM TYPE OR WORK ORDER #:

J Mohl
MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

① ~~Vehicle Need Front Brakes~~
brakes ok 3/32

J Mohl

10/29/19

② ~~Vehicle Need Rear Brakes~~
brakes ok 3/32

J Mohl

10/29/19

③ Vehicle Need Rear tires

④ Check Belt or pulley making noise's.

⑤ Rear A/c Need to be checked

Preventive Maintenance Inspection and Service Checklist



Date: 10/23/19 Vehicle #: 5307-P Mileage in: 174856 Mileage out: 174851
 Circle Service Type: A B C D

P	F	Item Inspected
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory seats operation & condition
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation
		2) Driver seat condition and operation
		3) Destroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv.)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(Battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 10/28/19 Vehicle #: 5307-11

Mileage in: 174856 Mileage out: 174858

P	F	Item Inspected
✓		30) Front brake condition and mounting
✓		31) Front brake lining condition & measurement
✓	X	Pads R/F: <u>3</u> /32" L/F: <u>3</u> /32"
✓		32) Rear brake condition and mounting
✓		33) Rear brake lining condition & measurement
✓	X	Pads R/R: <u>2</u> /32" L/R: <u>2</u> /32"
✓	X	Shoes R/R: /32" L/R: /32"
✓		34) Tire and wheel condition and measurements
✓		R/F: /32" L/F: /32"
✓		R/R: /32" L/R: /32"
✓	X	R/RO: <u>3</u> /32" L/RO: /32"
✓		35) Lug nuts condition
✓		Air pressure adjustment FR. <u>70</u> RR. <u>70</u>
✓		Wheel torque specs used: <u>140</u> ft. lbs.
✓		G) Lift inspection
✓		1) Lift operation (fully stowed to fully deployed)
✓		2) Lift control pendant condition and operation
✓		3) Lift restraint belt condition and operation
✓		4) Outer roll stop condition and operation
✓		5) Inner roll stop condition and operation
✓		6) Platform adjustments, condition and mounting
✓		7) Standee arm condition and operation
✓		8) Proper signage and decals
✓		9) Manual backup pump condition and operation
✓		10) Lift manual pump handle
✓		11) Hydraulic pump condition and operation
✓		12) Hydraulic lines and cylinders condition
✓		13) Hydraulic fluid level and condition
✓		14) Base plate and arms welds & pivot points
✓		15) Lift springs and pins condition and operation
✓		16) Lift safety switches and adjustments
✓		17) Hose and wire routing and connections
✓		18) Rollers and pivot point condition & operation
✓		19) Lift to vehicle mounting bolts and brackets
✓		20) Lift doors condition and operation
✓		21) Lift door lights condition and operation
✓		22) Lift interlock operation and condition (lift door open, e-brake down not able to shift) (e-brake off lift door closed no lift power)
✓		23) W/C tie downs condition and operation
✓		24) Tie down container secure and clean
✓		25) Tie down floor mounting brackets secure
✓		26) W/C shoulder belt condition and operation
✓		27) Lift clean and no sharp edges
✓		28) Lift shields secure and in good shape
✓		29) Lift moves steady without drifting, jerking, or unusual speeds
✓		30) No unusual lift noises
✓		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
✓		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	<u>S</u>
A,B,C,D	Lube chassis and suspension	<u>N/A</u>
A,B,C,D	Lube drive shafts and universal joints	<u>N/A</u>
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

[Signature] / Karner 10/28/19
Technicians Signature Date

Supervisor Signature _____ Date _____

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
 5910 N Central Expy Way Suite 1145
 Dallas, TX 75206



Work Order Division (0094)
 3301 Electronics Way
 West Palm Beach, FL 33407

#2880

Basic Information

Vehicle #: 5307 Repair Reason: I Date and Time in: 12/3/19 Mileage in: 179,498
 Date: 12/3/19 Work Class: A Date and Time Finished: 12/3/19 Mileage out: 179,499

Complaints/Defects: _____ Notes/Measurements: _____

Labor Information

Task	WAC	Repair Description/Comments	Hours
A			
A		REPLACE FRONT BRAKE PADS	
A		REPLACE REAR BRAKE PADS	
A		REPLACE FRONT TIRES	
Total Hours Worked:			

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A		VV1700	ENGINE OIL	7	
A		FL 5005	ENG. OIL FILTER	1	
A		BRSD-1328-BIX	FRONT BRAKE PADS	2	
A		" -1330"	REAR BRAKE PADS	2	
A		LT225/75R1610PR	FRONT TIRES	2	
Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 662802 Technician: HEPERON HAYE Signature: [Signature]
 ASE Employee #: _____ ASE Technician: _____ ASE Signature: _____



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Date: 12/03/19

Vehicle #: 5307

Mileage in: 179,498

Mileage out: 179,499

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
H		1) Driver carpet
H		2) Driver seat condition and operation
H		3) Drivers door operation and condition
H		4) Drivers seat belt operation and condition
H		5) Engine starting and ignition system
H		6) Instrument panel gauges & warning lights
H		7) Instrument panel lighting & condition
H		8) Horn operation
H		9) Steering wheel tight, no excessive play
H		10) Windshield wipers
H		11) Windshield washer
H		12) Sun visor condition and operation
H		13) Parking brake operation & condition
H		14) Parking and service brake pedal pads
H		15) Passenger door operation
H		16) No vibrations, pulsations or noises
		B) Walk around inspection
H		1) Body damage (list on separate sheet)
H		2) Headlights, high & low beam operation
H		3) Parking lights operation & condition
H		4) Marker lights operation & condition
H		5) Directional signals operation & condition
H		6) Hazard lights operation & condition
H		7) Clearance lights operation and condition
H		8) Brake lights operation & condition
H		9) License plate lamp operation & condition
H		10) License plates and tags
H		11) Backup lights and alarms
H		12) Reflectors and reflective bumper tape
H		13) Exterior decals and signage
H		14) Bumpers secure / in good condition
H		15) Exterior mirrors secure / in good condition
	X	16) Exterior clean
		C) Interior inspection
H		1) Passenger door and steps condition
H		2) Handrails and stanchions condition
H		3) Interior and modesty panels condition
H		4) Flooring condition
H		5) Interior lighting operation and condition
H		6) Windows operation and condition
H		7) Emergency Exits operation & condition
H		8) Accessory operation & condition(radio,GPS)
H		9) Passenger seats operation & condition
H		10) Passenger seat belts operation & condition
H		11) First aid & body fluid kits complete
H		12) Triangle reflectors complete/good condition
H		13) Stop request operation & condition
H		14) Valid registration, insurance & accident pack
H		15) Fire extinguisher in good condition & signed
H		16) Interior decals and signage (incl. electrical)
H		17) DVI's reviewed, addressed and signed off
H		18) Interior clean
		D) HVAC system inspection
H		1) Front blower condition and operation

P	F	Item Inspected
H		2) Rear blower condition and operation
H		3) Defroster operation
H		4) Temp gets to 20 deg. F below ambient temp.
H		5) Evaporator intake air filter condition
H		6) Front heater condition and operation
H		7) Rear heater condition and operation
H		8) A/C compressors and condenser fans
		E) Under hood inspection
H		1) Batteries & charging sys. (load alt B,C,D serv)
H		Batt 1 volts: load volts: load amps:
H		Batt 2 volts: load volts: load amps:
H		Batt 3 volts: load volts: load amps:
H		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
H		Alt. 1 min volt: max volt: max amp:
H		Alt. 2 min volt: max volt: max amp:
H		(reference factory service manual for alternator spec)
H		2) Wire and hose routing and connections
H		3) Cooling system, hoses, water pump condition
H		5) Accessory drive belts condition
H		6) Pulleys and tensioned operation & condition
H		7) Brake master cylinder and power booster
H		8) Fan and fan clutch operation and condition
H		9) Engine oil fluid level and condition
H		10) Transmission oil level and condition
H		11) Power steering fluid level and condition
H		12) Brake fluid level and condition
		F) Vehicle rack inspection
H		1) Steering gear box mount, condition & leaks
H		2) Steering shaft U joints
H		3) Steering shaft bearings
H		4) Steering linkages
H		5) I beam or control arm movements and rivets
H		6) Radius arm condition and bushings condition
H		7) Stabilizer bar condition and bushings condition
H		8) Ball joints or kingpins
H		9) Front spring condition and mounting
H		10) Front shock absorber operation & condition
H		11) Trans oil cooler & lines routing and leaks
H		12) Engine oil cooler & lines routing and leaks
H		13) Heater and A/C hose routing and leaks
H		14) No engine oil leaks and fluid condition
H		15) Engine mounts, brackets and bolts
H		16) Transmission mounts, brackets and bolts
H		17) No transmission oil leaks and fluid condition
H		18) Drive shaft condition
H		19) Universal joints and carrier bearings condition
H		20) No rear differential leaks
H		21) Rear differential condition and mounting
H		22) Frame and cross members
H		23) Rear shock absorbers
H		24) Rear springs condition and mounting
H		25) No fuel leaks
H		26) Fuel tank condition and mounting
H		27) No exhaust leaks
H		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: **(A) B C D**

Mileage in: **139,498** Mileage out: **139,499**

Date: **12/3/19** Vehicle #: **5307**

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
	X	Pads R/F: 3/32" L/F: 3/32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
	X	Pads R/R: 2/32" L/R: 1/32"
		Shoes R/R: 1/32" L/R: 1/32"
		34) Tire and wheel condition and measurements
	X	R/F: 3/32" L/F: 3/32"
	X	R/R: 6/32" L/R: 4/32"
		35) Lug nuts condition
		Air pressure adjustment FR. 60 RR. 65
		Wheel torque specs used: 140 ft. lbs.
		(G) Lift inspection
H		1) Lift operation (fully stowed to fully deployed)
H		2) Lift control pendant condition and operation
H		3) Lift restraint belt condition and operation
H		4) Outer roll stop condition and operation
H		5) Inner roll stop condition and operation
H		6) Platform adjustments, condition and mounting
H		7) Standee arm condition and operation
H		8) Proper signage and decals
H		9) Manual backup pump condition and operation
H		10) Lift manual pump handle
H		11) Hydraulic pump condition and operation
H		12) Hydraulic lines and cylinders condition
H		13) Hydraulic fluid level and condition
H		14) Base plate and arms welds & pivot points
H		15) Lift springs and pins condition and operation
H		16) Lift safety switches and adjustments
H		17) Hose and wire routing and connections
H		18) Rollers and pivot point condition & operation
H		19) Lift to vehicle mounting bolts and brackets
H		20) Lift doors condition and operation
H		21) Lift door lights condition and operation
H		22) Lift interlock operation and condition
H		(Lift door open, e-brake down not able to shift)
H		(e-brake off lift door closed no lift power)
H		23) W/C the downs condition and operation
H		24) Tie down container secure and clean
H		25) Tie down floor mounting brackets secure
H		26) W/C shoulder belt condition and operation
H		27) Lift clean and no sharp edges
H		28) Lift shields secure and in good shape
H		29) Lift moves steady without drifting, jerking, or unusual speeds
H		30) No unusual lift noises
H		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
H		Check, torque or adjust lift base mounting bolts

Service Type	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	H
A,B,C,D	Lube chassis and suspension	H
A,B,C,D	Lube drive shafts and universal joints	H
A,B,C,D	Lube doors and hood, locks and hinges	H
A,B,C,D	Adjust service and parking brakes	H
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires (as necessary, caps on rear)	H
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: *[Signature]* Date: **12/03/2019**

Supervisor Signature: _____ Date: _____

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Mileage In: 189007 Mileage Out: 189008

Item Inspected	P	F
A) Vehicle drive in inspection (5 miles)		
1) Driver carpet		
2) Driver seat condition and operation		
3) Drivers door operation and condition		
4) Drivers seat belt operation and condition		
5) Engine starting and ignition system		
6) Instrument panel gauges & warning lights		
7) Instrument panel lighting & condition		
8) Horn operation		
9) Steering wheel tight, no excessive play		
10) Windshield wipers		
11) Windshield washer		
12) Sun visor condition and operation		
13) Parking brake operation & condition		
14) Parking and service brake pedal pads		
15) Passenger door operation		
16) No vibrations, pulsations or noises		
B) Walk around inspection		
1) Body damage (list on separate sheet)		
2) Headlights, high & low beam operation		
3) Parking lights operation & condition		
4) Marker lights operation & condition		
5) Directional signals operation & condition		
6) Hazard lights operation & condition		
7) Clearance lights operation & condition		
8) Brake lights operation & condition		
9) License plate lamp operation & condition		
10) License plates and tags		
11) Backup lights and alarms		
12) Reflectors and reflective bumper tape		
13) Exterior decals and signage		
14) Bumpers secure / in good condition		
15) Exterior mirrors secure / in good condition		
16) Exterior clean		
C) Interior inspection		
1) Passenger door and steps condition		
2) Handrails and stanchions condition		
3) Interior and modesty panels condition		
4) Flooring condition		
5) Interior lighting operation and condition		
6) Windows operation and condition		
7) Emergency Exits operation & condition		
8) Accessory operation & condition (radio, GPS)		
9) Passenger seats operation & condition		
10) Passenger seat belts operation & condition		
11) First aid & body fluid kits complete		
12) Triangle reflectors complete/good condition		
13) Stop request operation & condition		
14) Valid registration, insurance & accident pack		
15) Fire extinguisher in good condition & signed		
16) Interior decals and signage (incl. electrical)		
17) DVI's reviewed, addressed and signed off		
18) Interior clean		
D) HVAC system inspection		
1) Front blower condition and operation		

Item Inspected	P	F
2) Rear blower condition and operation		
3) Defroster operation		
4) Temp gets to 20 deg. F below ambient temp.		
5) Evaporator intake air filter condition		
6) Front heater condition and operation		
7) Rear heater condition and operation		
8) A/C compressors and condenser fans		
E) Under hood inspection		
1) Batteries & charging sys. (load at B,C,D serv)		
Batt 1 volts: load amps:		
Batt 2 volts: load amps:		
Batt 3 volts: load amps:		
(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)		
Alt. 1 min volt: max amp:		
Alt. 2 min volt: max amp:		
(reference factory service manual for alternator spec)		
2) Wire and hose routing and connections		
3) Cooling system, hoses, water pump condition		
5) Accessory drive belts condition		
6) Pulleys and tensioned operation & condition		
7) Brake master cylinder and power booster		
8) Fan and fan clutch operation and condition		
9) Engine oil fluid level and condition		
10) Transmission oil level and condition		
11) Power steering fluid level and condition		
12) Brake fluid level and condition		
F) Vehicle rack inspection		
1) Steering gear box mount, condition & leaks		
2) Steering shaft U joints		
3) Steering shaft bearings		
4) Steering linkages		
5) I beam or control arm movements and rivets		
6) Radius arm condition and bushings condition		
7) Stabilizer bar condition and bushings condition		
8) Ball joints or kingpins		
9) Front spring condition and mounting		
10) Front shock absorber operation & condition		
11) Trans oil cooler & lines routing and leaks		
12) Engine oil cooler & lines routing and leaks		
13) Heater and A/C hose routing and leaks		
14) No engine oil leaks and fluid condition		
15) Engine mounts, brackets and bolts		
16) Transmission mounts, brackets and bolts		
17) No transmission oil leaks and fluid condition		
18) Drive shaft condition		
19) Universal joints and carrier bearings condition		
20) No rear differential leaks		
21) Rear differential condition and mounting		
22) Frame and cross members		
23) Rear shock absorbers		
24) Rear springs condition and mounting		
25) No fuel leaks		
26) Fuel tank condition and mounting		
27) No exhaust leaks		
28) Exhaust system condition and mounting		

Preventive Maintenance Inspection and Service Checklist



Date: 3/30/00 Vehicle #: 6307

Mileage in: 193533 Mileage out: 193535

Circle Service Type: A B C D

Item Inspected	P	F
A) Vehicle drive in inspection (5 miles)		
1) Driver carpet		
2) Driver seat condition and operation		
3) Drivers door operation and condition		
4) Drivers seat belt operation and condition		
5) Engine starting and ignition system		
6) Instrument panel gauges & warning lights		
7) Instrument panel lighting & condition		
8) Horn operation		
9) Steering wheel tight, no excessive play		
10) Windshield wipers		
11) Windshield washer		
12) Sun visor condition and operation		
13) Parking brake operation & condition		
14) Parking and service brake pedal pads		
15) Passenger door operation		
16) No vibrations, pulsations or noises		
B) Walk around inspection		
1) Body damage (list on separate sheet)		
2) Headlights, high & low beam operation		
3) Parking lights operation & condition		
4) Marker lights operation & condition		
5) Directional signals operation & condition		
6) Hazard lights operation & condition		
7) Clearance lights operation and condition		
8) Brake lights operation & condition		
9) License plate lamp operation & condition		
10) License plates and tags		
11) Backup lights and alarms		
12) Reflectors and reflective bumper tape		
13) Exterior decals and signage		
14) Bumpers secure / in good condition		
15) Exterior mirrors secure / in good condition		
16) Exterior clean		
C) Interior inspection		
1) Passenger door and steps condition		
2) Handrails and stanchions condition		
3) Interior and modesty panels condition		
4) Flooring condition		
5) Interior lighting operation and condition		
6) Windows operation and condition		
7) Emergency Exits operation & condition		
8) Accessory operation & condition (radio, GPS)		
9) Passenger seats operation & condition		
10) Passenger seat belts operation & condition		
11) First aid & body fluid kits complete		
12) Triangle reflectors complete/good condition		
13) Stop request operation & condition		
14) Valid registration, insurance & accident pack		
15) Fire extinguisher in good condition & signed		
16) Interior decals and signage (incl. electrical)		
17) DVI's reviewed, addressed and signed off		
18) Interior clean		
D) HVAC system inspection		
1) Front blower condition and operation		
E) Under hood inspection		
1) Batteries & charging sys. (load alt B,C,D serv)		
Batt 1 volts: load amps:		
Batt 2 volts: load amps:		
Batt 3 volts: load amps:		
(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)		
Alt. 1 min volt: max amp:		
Alt. 2 min volt: max amp:		
(reference factory service manual for alternator spec)		
2) Wire and hose routing and connections		
3) Cooling system, hoses, water pump condition		
5) Accessory drive belts condition		
6) Pulleys and tensioned operation & condition		
7) Brake master cylinder and power booster		
8) Fan and fan clutch operation and condition		
9) Engine oil fluid level and condition		
10) Transmission oil level and condition		
11) Power steering fluid level and condition		
12) Brake fluid level and condition		
F) Vehicle rack inspection		
1) Steering gear box mount, condition & leaks		
2) Steering shaft U joints		
3) Steering shaft bearings		
4) Steering linkages		
5) I beam or control arm movements and rivets		
6) Radius arm condition and bushings condition		
7) Stabilizer bar condition and bushings condition		
8) Ball joints or kingpins		
9) Front spring condition and mounting		
10) Front shock absorber operation & condition		
11) Trans oil cooler & lines routing and leaks		
12) Engine oil cooler & lines routing and leaks		
13) Heater and A/C hose routing and leaks		
14) No engine oil leaks and fluid condition		
15) Engine mounts, brackets and bolts		
16) Transmission mounts, brackets and bolts		
17) No transmission oil leaks and fluid condition		
18) Drive shaft condition		
19) Universal joints and carrier bearings condition		
20) No rear differential leaks		
21) Rear differential condition and mounting		
22) Frame and cross members		
23) Rear shock absorbers		
24) Rear springs condition and mounting		
25) No fuel leaks		
26) Fuel tank condition and mounting		
27) No exhaust leaks		
28) Exhaust system condition and mounting		

MV Transportation
 5910 N Central Expy Way Suite 1145
 Dallas, TX 75206



Work Order Division (0094)
 3301 Electronics Way
 West Palm Beach, FL 33407

Basic Information

Vehicle #: 5302 Repair Reason: PMI A Date and Time In: 1820 Mileage in: 193535
 Date: 3/20/20 Work Class: 1937 Date and Time Finished: 1937 Mileage out: 193535

Complaints/Defects: PMI A Notes/Measurements:

Labor Information		Parts Information							
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
		PMI A		A	SS	VV1700	Engine Oil 7.5		
				A	SS	LF381	Oil Filter 1		
				A	SS	AF2590	Air Filter 1		
				A	SS	FSZ6730BT	Oil Plug 1		
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 58192 Technician: Joe Jull Signature: [Signature]

ASE Employee #: 604182 ASE Technician: _____ ASE Signature: _____

MV Transportation
 5910 N Central Expwy Way Suite 1145
 Dallas, TX 75206

Work Order Division (0094)

3301 Electronics Way
 West Palm Beach, FL 33407



Basic Information

Vehicle #: 2307 Repair Reason: A Date and Time in: _____ Mileage in: 202874
 Date: 8/19/20 Work Class: I Date and Time Finished: _____ Mileage out: 202875

Complaints/Defects: PMI A Notes/Measurements: _____

Labor Information

Task	WAC	Repair Description/Comments	Hours
		<u>PMI A</u>	
		<u>Brake Inspection</u>	
Total Hours Worked:			

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
<u>A</u>	<u>SS</u>	<u>VW1700</u>	<u>Engine Oil</u>	<u>25</u>	
<u>A</u>	<u>SS</u>	<u>LF3681</u>	<u>Oil Filter</u>	<u>1</u>	
<u>A</u>	<u>SS</u>	<u>2020694</u>	<u>Tire</u>	<u>1</u>	
<u>A</u>	<u>SS</u>	<u>AF25590</u>	<u>Air Filter</u>	<u>1</u>	
Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 849102 Technician: Joe Hall Signature: _____ ASE Employee #: 604182 ASE Technician: _____ ASE Signature: _____

Preventive Maintenance Inspection and Service Checklist



Date: 8/16/20

Vehicle #: 5307

Circle Service Type: A B C D

Mileage in: 8002874

Mileage out: 800825

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 6 / 32" L/F: 6 / 32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 6 / 32" L/R: 6 / 32"		
Shoes R/R: 6 / 32" L/R: 6 / 32"		
34) Tire and wheel condition and measurements		
R/F: 8 / 32" L/F: 8 / 32"		
R/R: 8 / 32" L/R: 8 / 32"		
R/R/O: 8 / 32" L/R/O: 8 / 32"		
35) Lug nuts condition		
Air pressure adjustment FR. 65 RR. 70		
Wheel torque specs used: 140 ft. lbs.		
G) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C the downs condition and operation		
24) The down container secure and clean		
25) The down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Service Performed	Service Type	Techs Initials
Change oil and filter	A,B,C,D	
Lube chassis and suspension	A,B,C,D	
Lube drive shafts and universal joints	A,B,C,D	
Lube doors and hood, locks and hinges	A,B,C,D	
Adjust service and parking brakes	A,B,C,D	
Drain water from separator	A,B,C,D	
Rotate tires (as necessary, caps on rear)	A,B,C,D	
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: [Signature] Date: 8/19/20
 Supervisor Signature: _____ Date: _____

Notes: _____

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: A B C D Mileage out: 202875 Mileage in: 202874
 Date: 8/19/20 Vehicle #: 5307

Preventive Maintenance Inspection and Service Checklist



Date: 10/5/2020 Vehicle #: 5807

Mileage in: 20548
Mileage out: 20549

Circle Service Type: A B C D

Item Inspected	P	F
A) Vehicle drive in inspection (5 miles)		
1) Driver carpet		
2) Driver seat condition and operation		
3) Drivers door operation and condition		
4) Drivers seat belt operation and condition		
5) Engine starting and ignition system		
6) Instrument panel gauges & warning lights		
7) Instrument panel lighting & condition		
8) Horn operation		
9) Steering wheel tight, no excessive play		
10) Windshield wipers		
11) Windshield washer		
12) Sun visor condition and operation		
13) Parking brake operation & condition		
14) Parking and service brake pedal pads		
15) Passenger door operation		
B) Walk around inspection		
1) Body damage (list on separate sheet)		
2) Headlights, high & low beam operation		
3) Parking lights operation & condition		
4) Marker lights operation & condition		
5) Directional signals operation & condition		
6) Hazard lights operation & condition		
7) Clearance lights operation and condition		
8) Brake lights operation & condition		
9) License plate lamp operation & condition		
10) License plates and tags		
11) Backup lights and alarms		
12) Reflectors and reflective bumper tape		
13) Exterior decals and signage		
14) Bumpers secure / in good condition		
15) Exterior mirrors secure / in good condition		
16) Exterior clean		
C) Interior inspection		
1) Passenger door and steps condition		
2) Handrails and stanchions condition		
3) Interior and modesty panels condition		
4) Flooring condition		
5) Interior lighting operation and condition		
6) Windows operation and condition		
7) Emergency Exits operation & condition		
8) Accessory operation & condition (radio, GPS)		
9) Passenger seats operation & condition		
10) Passenger seat belts operation & condition		
11) First aid & body fluid kits complete		
12) Triangle reflectors complete/good condition		
13) Stop request operation & condition		
14) Valid registration, insurance & accident pack		
15) Fire extinguisher in good condition & signed		
16) Interior decals and signage (incl. electrical)		
17) DVI's reviewed, addressed and signed off		
18) Interior clean		
D) HVAC system inspection		
1) Front blower condition and operation		
E) Under hood inspection		
1) Batteries & charging sys. (load alt B, C, D serv)		
Batt 1 volts: load amps:		
Batt 2 volts: load amps:		
Batt 3 volts: load amps:		
(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)		
Alt. 1 min volt: max amp:		
Alt. 2 min volt: max amp:		
(reference factory service manual for alternator spec)		
2) Wire and hose routing and connections		
3) Cooling system, hoses, water pump condition		
5) Accessory drive belts condition		
6) Pulleys and tensioned operation & condition		
7) Brake master cylinder and power booster		
8) Fan and fan clutch operation and condition		
9) Engine oil fluid level and condition		
10) Transmission oil level and condition		
11) Power steering fluid level and condition		
12) Brake fluid level and condition		
F) Vehicle rack inspection		
1) Steering gear box mount, condition & leaks		
2) Steering shaft U joints		
3) Steering shaft bearings		
4) Steering linkages		
5) I beam or control arm movements and rivets		
6) Radius arm condition and bushings condition		
7) Stabilizer bar condition and bushings condition		
8) Ball joints or Kingpins		
9) Front spring condition and mounting		
10) Front shock absorber operation & condition		
11) Trans oil cooler & lines routing and leaks		
12) Engine oil cooler & lines routing and leaks		
13) Heater and A/C hose routing and leaks		
14) No engine oil leaks and fluid condition		
15) Engine mounts, brackets and bolts		
16) Transmission mounts, brackets and bolts		
17) No transmission oil leaks and fluid condition		
18) Drive shaft condition		
19) Universal joints and carrier bearings condition		
20) No rear differential leaks		
21) Rear differential condition and mounting		
22) Frame and cross members		
23) Rear shock absorbers		
24) Rear springs condition and mounting		
25) No fuel leaks		
26) Fuel tank condition and mounting		
27) No exhaust leaks		
28) Exhaust system condition and mounting		

Preventive Maintenance Inspection and Service Checklist



Date: 10/05/2020 Vehicle #: 5307 Mileage in: 20798 Mileage out: 207029

Circle Service Type: A B C D

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	
Lube chassis and suspension	A,B,C,D	
Lube drive shafts and universal joints	A,B,C,D	
Lube doors and hood, locks and hinges	A,B,C,D	
Adjust service and parking brakes	A,B,C,D	
Drain water from separator	A,B,C,D	
Rotate tires (as necessary, caps on rear)	A,B,C,D	
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evapor. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 3/32" L/F: 3/32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 6/32" L/R: 6/32"		
Shoes R/R: 7/32" L/R: 7/32"		
34) Tire and wheel condition and measurements		
R/F: 3/32" L/F: 3/32"		
R/R: 6/32" L/R: 6/32"		
R/O: 6/32" L/R: 6/32"		
35) Lug nuts condition		
Air pressure adjustment FR. 65 RR-25		
Wheel torque specs used: 140 ft. lbs.		
(G) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 3/25/21 Vehicle #: 5307

Mileage in: 217,324 Mileage out: 217,325

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
H		1) Driver carpet
H		2) Driver seat condition and operation
H		3) Drivers door operation and condition
H		4) Drivers seat belt operation and condition
H		5) Engine starting and ignition system
H		6) Instrument panel gauges & warning lights
H		7) Instrument panel lighting & condition
H		8) Horn operation
H		9) Steering wheel tight, no excessive play
H		10) Windshield wipers
H		11) Windshield washer
H		12) Sun visor condition and operation
H		13) Parking brake operation & condition
H		14) Parking and service brake pedal pads
H		15) Passenger door operation
H		16) No vibrations, pulsations or noises
		B) Walk around inspection
H		1) Body damage (list on separate sheet)
H		2) Headlights, high & low beam operation
H		3) Parking lights operation & condition
H		4) Marker lights operation & condition
H		5) Directional signals operation & condition
H		6) Hazard lights operation & condition
H		7) Clearance lights operation and condition
H		8) Brake lights operation & condition
H		9) License plate lamp operation & condition
H		10) License plates and tags
H		11) Backup lights and alarms
H		12) Reflectors and reflective bumper tape
H		13) Exterior decals and signage
H		14) Bumpers secure / in good condition
H		15) Exterior mirrors secure / in good condition
H		16) Exterior clean
		C) Interior inspection
H		1) Passenger door and steps condition
H		2) Handrails and stanchions condition
H		3) Interior and modesty panels condition
H		4) Flooring condition
H		5) Interior lighting operation and condition
H		6) Windows operation and condition
H		7) Emergency Exits operation & condition
H		8) Accessory operation & condition (radio, GPS)
H		9) Passenger seats operation & condition
H		10) Passenger seat belts operation & condition
H		11) First aid & body fluid kits complete
H		12) Triangle reflectors complete/good condition
H		13) Stop request operation & condition
H		14) Valid registration, insurance & accident pack
H		15) Fire extinguisher in good condition & signed
H		16) Interior decals and signage (incl. electrical)
H		17) DVI's reviewed, addressed and signed off
H		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
H		2) Rear blower condition and operation
H		3) Defroster operation
H		4) Temp gets to 20 deg. F below ambient temp.
H		5) Evaporator intake air filter condition
H		6) Front heater condition and operation
H		7) Rear heater condition and operation
H		8) A/C compressors and condenser fans
		E) Under hood inspection
H		1) Batteries & charging sys. (load alt B,C,D serv)
H		Batt 1 volts: load volts: load amps:
H		Batt 2 volts: load volts: load amps:
H		Batt 3 volts: load volts: load amps:
H		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
H		Alt. 1 min volt: max volt: max amp:
H		Alt. 2 min volt: max volt: max amp:
H		(reference factory service manual for alternator spec)
H		2) Wire and hose routing and connections
H		3) Cooling system, hoses, water pump condition
H		5) Accessory drive belts condition
H		6) Pulleys and tensioned operation & condition
H		7) Brake master cylinder and power booster
H		8) Fan and fan clutch operation and condition
H		9) Engine oil fluid level and condition
H		10) Transmission oil level and condition
H		11) Power steering fluid level and condition
H		12) Brake fluid level and condition
		F) Vehicle rack inspection
H		1) Steering gear box mount, condition & leaks
H		2) Steering shaft U joints
H		3) Steering shaft bearings
H		4) Steering linkages.
H		5) I beam or control arm movements and rivets
H		6) Radius arm condition and bushings condition
H		7) Stabilizer bar condition and bushings condition
H		8) Ball joints or kingpins
H		9) Front spring condition and mounting
H		10) Front shock absorber operation & condition
H		11) Trans oil cooler & lines routing and leaks
H		12) Engine oil cooler & lines routing and leaks
H		13) Heater and A/C hose routing and leaks
H		14) No engine oil leaks and fluid condition
H		15) Engine mounts, brackets and bolts
H		16) Transmission mounts, brackets and bolts
H		17) No transmission oil leaks and fluid condition
H		18) Drive shaft condition
H		19) Universal joints and carrier bearings condition
H		20) No rear differential leaks
H		21) Rear differential condition and mounting
H		22) Frame and cross members
H		23) Rear shock absorbers
H		24) Rear springs condition and mounting
H		25) No fuel leaks
H		26) Fuel tank condition and mounting
H		27) No exhaust leaks
	X	28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 3/25/21 Vehicle #: 5307

Mileage in: 217,324 Mileage out: 217,325

Table with columns P, F, and Item Inspected. Contains 35 main items and 22 sub-items for lift inspection, all marked with 'H'.

Table with columns ServType, Service Performed, and Techs Initials. Lists various maintenance services like oil change, lube chassis, etc.

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use.

Technicians Signature: H. D. Ham Date: 3/25/21

Supervisor Signature: _____ Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired.



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **(A)** B C D

Date: 09/30/21 Vehicle #: 5307

Mileage in: 221,911

Mileage out: 221,916

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
H		1) Driver carpet
H		2) Driver seat condition and operation
H		3) Drivers door operation and condition
H		4) Drivers seat belt operation and condition
	X	5) Engine starting and ignition system
H		6) Instrument panel gauges & warning lights
H		7) Instrument panel lighting & condition
H		8) Horn operation
H		9) Steering wheel tight, no excessive play
H		10) Windshield wipers
H		11) Windshield washer
H		12) Sun visor condition and operation
H		13) Parking brake operation & condition
H		14) Parking and service brake pedal pads
H		15) Passenger door operation
H		16) No vibrations, pulsations or noises
		B) Walk around inspection
H		1) Body damage (list on separate sheet)
H		2) Headlights, high & low beam operation
H		3) Parking lights operation & condition
H		4) Marker lights operation & condition
H		5) Directional signals operation & condition
H		6) Hazard lights operation & condition
H		7) Clearance lights operation and condition
H		8) Brake lights operation & condition
H		9) License plate lamp operation & condition
H		10) License plates and tags
H		11) Backup lights and alarms
H		12) Reflectors and reflective bumper tape
H		13) Exterior decals and signage
H		14) Bumpers secure / in good condition
H		15) Exterior mirrors secure / in good condition
	X	16) Exterior clean
		C) Interior inspection
H		1) Passenger door and steps condition
H		2) Handrails and stanchions condition
H		3) Interior and modesty panels condition
H		4) Flooring condition
H		5) Interior lighting operation and condition
H		6) Windows operation and condition
H		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
H		9) Passenger seats operation & condition
H		10) Passenger seat belts operation & condition
H		11) First aid & body fluid kits complete
H		12) Triangle reflectors complete/good condition
H		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
H		15) Fire extinguisher in good condition & signed
H		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
	X	18) Interior clean
		D) HVAC system inspection
H		1) Front blower condition and operation

P	F	Item Inspected
H		2) Rear blower condition and operation
H		3) Defroster operation
H		4) Temp gets to 20 deg. F below ambient temp.
H		5) Evaporator intake air filter condition
H		6) Front heater condition and operation
H		7) Rear heater condition and operation
H		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
H		Batt 1 volts: load volts: load amps:
H		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
H		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
H		2) Wire and hose routing and connections
H		3) Cooling system, hoses, water pump condition
H		5) Accessory drive belts condition
H		6) Pulleys and tensioned operation & condition
H		7) Brake master cylinder and power booster
H		8) Fan and fan clutch operation and condition
H		9) Engine oil fluid level and condition
H		10) Transmission oil level and condition
H		11) Power steering fluid level and condition
H		12) Brake fluid level and condition
		F) Vehicle rack inspection
H		1) Steering gear box mount, condition & leaks
H		2) Steering shaft U joints
H		3) Steering shaft bearings
H		4) Steering linkages
H		5) I beam or control arm movements and rivets
H		6) Radius arm condition and bushings condition
H		7) Stabilizer bar condition and bushings condition
H		8) Ball joints or kingpins
H		9) Front spring condition and mounting
H		10) Front shock absorber operation & condition
H		11) Trans oil cooler & lines routing and leaks
H		12) Engine oil cooler & lines routing and leaks
H		13) Heater and A/C hose routing and leaks
H		14) No engine oil leaks and fluid condition
H		15) Engine mounts, brackets and bolts
H		16) Transmission mounts, brackets and bolts
H		17) No transmission oil leaks and fluid condition
H		18) Drive shaft condition
H		19) Universal joints and carrier bearings condition
H		20) No rear differential leaks
H		21) Rear differential condition and mounting
H		22) Frame and cross members
H		23) Rear shock absorbers
H		24) Rear springs condition and mounting
H		25) No fuel leaks
H		26) Fuel tank condition and mounting
H		27) No exhaust leaks
H		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 04/30/21 Vehicle #: 5307

Mileage in: 221,911

Mileage out: 221,916

P	F	Item Inspected
/		30) Front brake condition and mounting
/		31) Front brake lining condition & measurement
H		Pads R/F: 8/32" L/F: 8/32"
/		32) Rear brake condition and mounting
/		33) Rear brake lining condition & measurement
H		Pads R/R: 7/32" L/R: 7/32"
N/A		Shoes R/R: 1/32" L/R: 1/32"
/		34) Tire and wheel condition and measurements
H		R/F: 7/32" L/F: 8/32"
H		R/R: 6/32" L/R: 6/32"
H		R/RO: 8/32" L/RO: 8/32"
/		35) Lug nuts condition
H		Air pressure adjustment FR. 75 RR. 80
H		Wheel torque specs used: 140 ft. lbs.
/		G) Lift Inspection
H		1) Lift operation (fully stowed to fully deployed)
H		2) Lift control pendant condition and operation
H		3) Lift restraint belt condition and operation
H		4) Outer roll stop condition and operation
H		5) Inner roll stop condition and operation
H		6) Platform adjustments, condition and mounting
H		7) Standee arm condition and operation
H		8) Proper signage and decals
H		9) Manual backup pump condition and operation
H		10) Lift manual pump handle
H		11) Hydraulic pump condition and operation
H		12) Hydraulic lines and cylinders condition
H		13) Hydraulic fluid level and condition
H		14) Base plate and arms welds & pivot points
H		15) Lift springs and pins condition and operation
H		16) Lift safety switches and adjustments
H		17) Hose and wire routing and connections
H		18) Rollers and pivot point condition & operation
H		19) Lift to vehicle mounting bolts and brackets
H		20) Lift doors condition and operation
H		21) Lift door lights condition and operation
H		22) Lift interlock operation and condition
H		(lift door open, e-brake down not able to shift)
H		(e-brake off lift door closed no lift power)
H		23) W/C tie downs condition and operation
H		24) Tie down container secure and clean
H		25) Tie down floor mounting brackets secure
H		26) W/C shoulder belt condition and operation
H		27) Lift clean and no sharp edges
H		28) Lift shields secure and in good shape
H		29) Lift moves steady without drifting, jerking,
H		or unusual speeds
H		30) No unusual lift noises
H		Lube all lift pivot points, barriers, rollers, linkages
H		and bearings cleaning off all excess lube
/		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	H
A,B,C,D	Lube chassis and suspension	N/A
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	N/A
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	N/A
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	H

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

H. M. Ham -

04/30/21

Technicians Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Date: 7/30/21 Vehicle #: 5307

Mileage in: 231652 Mileage out: 231654

P	F	Item Inspected	P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)			2) Rear blower condition and operation
Y		1) Driver carpet	Y		3) Defroster operation
Y		2) Driver seat condition and operation	Y		4) Temp gets to 20 deg. F below ambient temp.
Y		3) Drivers door operation and condition	Y		5) Evaporator intake air filter condition
Y		4) Drivers seat belt operation and condition	Y		6) Front heater condition and operation
Y		5) Engine starting and ignition system	Y		7) Rear heater condition and operation
Y		6) Instrument panel gauges & warning lights	Y		8) A/C compressors and condenser fans
Y		7) Instrument panel lighting & condition			E) Under hood inspection
Y		8) Horn operation	Y		1) Batteries & charging sys. (load alt B,C,D serv)
Y		9) Steering wheel tight, no excessive play	Y		Batt 1 volts: load volts: load amps:
Y		10) Windshield wipers			Batt 2 volts: load volts: load amps:
Y		11) Windshield washer			Batt 3 volts: load volts: load amps:
Y		12) Sun visor condition and operation			(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
Y		13) Parking brake operation & condition			Alt. 1 min volt: max volt: max amp:
Y		14) Parking and service brake pedal pads			Alt. 2 min volt: max volt: max amp:
Y		15) Passenger door operation			(reference factory service manual for alternator spec)
Y		16) No vibrations, pulsations or noises	Y		2) Wire and hose routing and connections
		B) Walk around inspection	Y		3) Cooling system, hoses, water pump condition
Y		1) Body damage (list on separate sheet)	Y		5) Accessory drive belts condition
Y		2) Headlights, high & low beam operation	Y		6) Pulleys and tensioned operation & condition
Y		3) Parking lights operation & condition	Y		7) Brake master cylinder and power booster
Y		4) Marker lights operation & condition	Y		8) Fan and fan clutch operation and condition
Y		5) Directional signals operation & condition	Y		9) Engine oil fluid level and condition
Y		6) Hazard lights operation & condition	Y		10) Transmission oil level and condition
Y		7) Clearance lights operation and condition	Y		11) Power steering fluid level and condition
Y		8) Brake lights operation & condition	Y		12) Brake fluid level and condition
Y		9) License plate lamp operation & condition			F) Vehicle rack inspection
Y		10) License plates and tags	Y		1) Steering gear box mount, condition & leaks
Y		11) Backup lights and alarms	Y		2) Steering shaft U joints
Y		12) Reflectors and reflective bumper tape	Y		3) Steering shaft bearings
Y		13) Exterior decals and signage	Y		4) Steering linkages
Y		14) Bumpers secure / in good condition	Y		5) I beam or control arm movements and rivets
Y		15) Exterior mirrors secure / in good condition	Y		6) Radius arm condition and bushings condition
Y		16) Exterior clean	Y		7) Stabilizer bar condition and bushings condition
		C) Interior inspection	Y		8) Ball joints or kingpins
Y		1) Passenger door and steps condition	Y		9) Front spring condition and mounting
Y		2) Handrails and stanchions condition	Y		10) Front shock absorber operation & condition
Y		3) Interior and modesty panels condition	Y		11) Trans oil cooler & lines routing and leaks
Y		4) Flooring condition	Y		12) Engine oil cooler & lines routing and leaks
Y		5) Interior lighting operation and condition	Y		13) Heater and A/C hose routing and leaks
Y		6) Windows operation and condition	Y		14) No engine oil leaks and fluid condition
Y		7) Emergency Exits operation & condition	Y		15) Engine mounts, brackets and bolts
Y		8) Accessory operation & condition (radio, GPS)	Y		16) Transmission mounts, brackets and bolts
Y		9) Passenger seats operation & condition	Y		17) No transmission oil leaks and fluid condition
Y		10) Passenger seat belts operation & condition	Y		18) Drive shaft condition
Y		11) First aid & body fluid kits complete	Y		19) Universal joints and carrier bearings condition
Y		12) Triangle reflectors complete/good condition	Y		20) No rear differential leaks
Y		13) Stop request operation & condition	Y		21) Rear differential condition and mounting
Y		14) Valid registration, insurance & accident pack	Y		22) Frame and cross members
Y		15) Fire extinguisher in good condition & signed	Y		23) Rear shock absorbers
Y		16) Interior decals and signage (incl. electrical)	Y		24) Rear springs condition and mounting
Y		17) DVI's reviewed, addressed and signed off	Y		25) No fuel leaks
Y		18) Interior clean	Y		26) Fuel tank condition and mounting
		D) HVAC system inspection	Y		27) No exhaust leaks
Y		1) Front blower condition and operation	Y		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 7/30/21 Vehicle #: 5307

Mileage in: 231652

Mileage out: 231654

Circle Service Type: A B C D

Service Type	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires (as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: *V. Ingardino*

Date: 7/30/21

Supervisor Signature: _____

Date: _____


Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Item Inspected	P	F
30) Front brake condition and mounting	X	
31) Front brake lining condition & measurement	X	
Pads R/F: 9 / 32" L/F: 9 / 32"	X	
32) Rear brake condition and mounting	X	
33) Rear brake lining condition & measurement	X	
Pads R/R: 7 / 32" L/R: 7 / 32"	X	
34) Tire and wheel condition and measurements	X	
Shoes R/R: / 32" L/R: / 32"	X	
R/F: 10 / 32" L/F: 10 / 32"	X	
R/R: 8 / 32" L/R: 9 / 32"	X	
R/O: 7 / 32" L/R: 10 / 32"	X	
35) Lug nuts condition	X	
Air pressure adjustment FR. 70 RR. 70 -	X	
Wheel torque specs used: 140 ft. lbs.	X	
G) Lift inspection	X	
1) Lift operation (fully stowed to fully deployed)	X	
2) Lift control pendant condition and operation	X	
3) Lift restraint belt condition and operation	X	
4) Outer roll stop condition and operation	X	
5) Inner roll stop condition and operation	X	
6) Platform adjustments, condition and mounting	X	
7) Stander arm condition and operation	X	
8) Proper signage and decals	X	
9) Manual backup pump condition and operation	X	
10) Lift manual pump handle	X	
11) Hydraulic pump condition and operation	X	
12) Hydraulic lines and cylinders condition	X	
13) Hydraulic fluid level and condition	X	
14) Base plate and arms welds & pivot points	X	
15) Lift springs and pins condition and operation	X	
16) Lift safety switches and adjustments	X	
17) Hose and wire routing and connections	X	
18) Rollers and pivot point condition & operation	X	
19) Lift to vehicle mounting bolts and brackets	X	
20) Lift doors condition and operation	X	
21) Lift door lights condition and operation	X	
22) Lift interlock operation and condition	X	
(Lift door open, e-brake down not able to shift)	X	
(e-brake off lift door closed no lift power)	X	
23) W/C tie downs condition and operation	X	
24) Tie down container secure and clean	X	
25) Tie down floor mounting brackets secure	X	
26) W/C shoulder belt condition and operation	X	
27) Lift clean and no sharp edges	X	
28) Lift shields secure and in good shape	X	
29) Lift moves steady without drifting, jerking, or unusual speeds	X	
30) No unusual lift noises	X	
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	X	
Check, torque or adjust lift base mounting bolts	X	

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Vehicle #: 5207 Repair Reason: PM A Date and Time in: 9-10-21 Mileage in: 236429
 Date: 9-10-21 Work Class: _____ Date and Time Finished: 9-10-21 Mileage out: 236434

Complaints/Defects: PMI A Notes/Measurements: _____

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
A		engine oil filter		A	55	VV1700		1	
		front shocks		A	55	LF3681		2	
		front tires		A	55	ASH-1154		2	
				A	55	002-760		2	
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 608335 Technician: John Charles Signature: _____
 ASE Employee #: 604182 ASE Technician: _____ ASE Signature: _____



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 9-16-21 Vehicle #: 5307

Mileage in: 236729 Mileage out: 236734

P	F	Item Inspected	P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)			2) Rear blower condition and operation
✓		1) Driver carpet	✓		3) Defroster operation
✓		2) Driver seat condition and operation	✓		4) Temp gets to 20 deg. F below ambient temp.
✓		3) Drivers door operation and condition	✓		5) Evaporator intake air filter condition
✓		4) Drivers seat belt operation and condition	✓		6) Front heater condition and operation
✓		5) Engine starting and ignition system	✓		7) Rear heater condition and operation
✓		6) Instrument panel gauges & warning lights	✓		8) A/C compressors and condenser fans
✓		7) Instrument panel lighting & condition			E) Under hood inspection
✓		8) Horn operation			1) Batteries & charging sys. (load alt B,C,D serv)
✓		9) Steering wheel tight, no excessive play	✓		Batt 1 volts: <u>12</u> load volts: <u>12.0</u> load amps: <u>750</u>
✓		10) Windshield wipers	✓		Batt 2 volts: <u>12</u> load volts: <u>12.6</u> load amps: <u>750</u>
✓		11) Windshield washer			Batt 3 volts: load volts: load amps:
✓		12) Sun visor condition and operation	✓		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
✓		13) Parking brake operation & condition	✓		Alt. 1 min volt: <u>14</u> max volt: <u>14</u> max amp: <u>760</u>
✓		14) Parking and service brake pedal pads			Alt. 2 min volt: max volt: max amp:
✓		15) Passenger door operation	✓		(reference factory service manual for alternator spec)
✓		16) No vibrations, pulsations or noises	✓		2) Wire and hose routing and connections
		B) Walk around inspection	✓		3) Cooling system, hoses, water pump condition
✓		1) Body damage (list on separate sheet)	✓		5) Accessory drive belts condition
✓		2) Headlights, high & low beam operation	✓		6) Pulleys and tensioned operation & condition
✓		3) Parking lights operation & condition	✓		7) Brake master cylinder and power booster
✓		4) Marker lights operation & condition	✓		8) Fan and fan clutch operation and condition
✓		5) Directional signals operation & condition	✓		9) Engine oil fluid level and condition
✓		6) Hazard lights operation & condition	✓		10) Transmission oil level and condition
✓		7) Clearance lights operation and condition	✓		11) Power steering fluid level and condition
✓		8) Brake lights operation & condition	✓		12) Brake fluid level and condition
✓		9) License plate lamp operation & condition			F) Vehicle rack inspection
✓		10) License plates and tags	✓		1) Steering gear box mount, condition & leaks
✓		11) Backup lights and alarms	✓		2) Steering shaft U joints
✓		12) Reflectors and reflective bumper tape	✓		3) Steering shaft bearings
✓		13) Exterior decals and signage	✓		4) Steering linkages
✓		14) Bumpers secure / in good condition	✓		5) I beam or control arm movements and rivets
✓		15) Exterior mirrors secure / in good condition	✓		6) Radius arm condition and bushings condition
✓		16) Exterior clean	✓		7) Stabilizer bar condition and bushings condition
		C) Interior inspection	✓		8) Ball joints or kingpins
✓		1) Passenger door and steps condition	✓		9) Front spring condition and mounting
✓		2) Handrails and stanchions condition	✓		10) Front shock absorber operation & condition
✓		3) Interior and modesty panels condition	✓		11) Trans oil cooler & lines routing and leaks
✓		4) Flooring condition	✓		12) Engine oil cooler & lines routing and leaks
✓		5) Interior lighting operation and condition	✓		13) Heater and A/C hose routing and leaks
✓		6) Windows operation and condition	✓		14) No engine oil leaks and fluid condition
✓		7) Emergency Exits operation & condition	✓		15) Engine mounts, brackets and bolts
✓		8) Accessory operation & condition (radio, GPS)	✓		16) Transmission mounts, brackets and bolts
✓		9) Passenger seats operation & condition	✓		17) No transmission oil leaks and fluid condition
✓		10) Passenger seat belts operation & condition	✓		18) Drive shaft condition
✓		11) First aid & body fluid kits complete	✓		19) Universal joints and carrier bearings condition
✓		12) Triangle reflectors complete/good condition	✓		20) No rear differential leaks
✓		13) Stop request operation & condition	✓		21) Rear differential condition and mounting
✓		14) Valid registration, insurance & accident pack	✓		22) Frame and cross members
✓		15) Fire extinguisher in good condition & signed	✓		23) Rear shock absorbers
✓		16) Interior decals and signage (incl. electrical)	✓		24) Rear springs condition and mounting
✓		17) DVI's reviewed, addressed and signed off	✓		25) No fuel leaks
✓		18) Interior clean	✓		26) Fuel tank condition and mounting
		D) HVAC system inspection	✓		27) No exhaust leaks
✓		1) Front blower condition and operation	✓		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 9-16-21 Vehicle #: 5307 Mileage in: 23649 Mileage out: 23643

Circle Service Type: A B C D

Service Performed	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D
Lube chassis and suspension	A,B,C,D
Lube drive shafts and universal joints	A,B,C,D
Lube doors and hood, locks and hinges	A,B,C,D
Adjust service and parking brakes	A,B,C,D
Drain water from separator	A,B,C,D
Rotate tires (as necessary, caps on rear)	A,B,C,D
Change air filter	B,C,D
Change fuel filter	B,C,D
Clean or change PCV valve	B,C,D
Clean or change crank case filter	B,C,D
Install new wiper blades	B,C,D
Change transmission fluid and filter	C,D
Service front wheel bearings	C,D
Drain water from fuel tank	D
Replace accessory drive belts	D
Service and flush cooling system	D
Install new spark plugs & wires	D
Install new dist. cap & rotor	D
Change differential fluid	D
Check Exhaust and EGR system	D
Check and service fuel & evap. System	D
Evac and recharge A/C (add 1 oz. of oil)	D
Post service test drive (5 miles)	A,B,C,D

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: *[Signature]* Date: 9-16-21
 Supervisor Signature: _____ Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 6/32" L/F: 6/32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 10/32" L/R: 10/32"		
34) Tire and wheel condition and measurements		
Shoes R/R: /32" L/R: /32"		
R/F: new/32" L/F: new/32"		
R/R: 2/32" L/R: 7/32"		
R/R: 10/32" L/R: 6/32"		
35) Lug nuts condition		
Wheel torque specs used: 45 RR, 65 LR, 40 ft. lbs.		
30) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C the downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5307 Repair Reason: 1 Date and Time in: 3/8/23 Mileage in: 238255
 Date: 3/8/23 Work Class: 1 Date and Time Finished: 3/8/23 Mileage out: 238255

Complaints/Defects: PIT A

Notes/Measurements:

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
<u>1</u>	<u>58</u>	<u>PIT A</u>		<u>1</u>	<u>55</u>	<u>5W20</u>	<u>changing oil</u>	<u>1</u>	
				<u>1</u>	<u>55</u>	<u>F2820</u>	<u>oil filter</u>	<u>1</u>	
				<u>1</u>	<u>55</u>	<u>A13</u>	<u>Washdown</u>	<u>1</u>	
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 225132 Technician: Sperry Adams Signature: [Signature]
 ASE Employee #: 604182 ASE Technician: _____ ASE Signature: _____



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 3/8/23

Vehicle #: 5307

Mileage in: 238255 Mileage out: 238255

P	F	Item Inspected	P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)	/		2) Rear blower condition and operation
/		1) Driver carpet	/		3) Defroster operation
/		2) Driver seat condition and operation	/		4) Temp gets to 20 deg. F below ambient temp.
/		3) Drivers door operation and condition	/		5) Evaporator intake air filter condition
/		4) Drivers seat belt operation and condition	/		6) Front heater condition and operation
/		5) Engine starting and ignition system	/		7) Rear heater condition and operation
/		6) Instrument panel gauges & warning lights	/		8) A/C compressors and condenser fans
/		7) Instrument panel lighting & condition	/		E) Under hood inspection
/		8) Horn operation	/		1) Batteries & charging sys. (load alt B,C,D serv)
/		9) Steering wheel tight, no excessive play	/		Batt 1 volts: load volts: load amps:
/		10) Windshield wipers	/		Batt 2 volts: load volts: load amps:
/		11) Windshield washer	/		Batt 3 volts: load volts: load amps:
/		12) Sun visor condition and operation	/		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
/		13) Parking brake operation & condition	/		Alt. 1 min volt: max volt: max amp:
/		14) Parking and service brake pedal pads	/		Alt. 2 min volt: max volt: max amp:
/		15) Passenger door operation	/		(reference factory service manual for alternator spec)
/		16) No vibrations, pulsations or noises	/		2) Wire and hose routing and connections
/		B) Walk around inspection	/		3) Cooling system, hoses, water pump condition
/		1) Body damage (list on separate sheet)	/		5) Accessory drive belts condition
/		2) Headlights, high & low beam operation	/		6) Pulleys and tensioned operation & condition
/		3) Parking lights operation & condition	/		7) Brake master cylinder and power booster
/		4) Marker lights operation & condition	/		8) Fan and fan clutch operation and condition
/		5) Directional signals operation & condition	/		9) Engine oil fluid level and condition
/		6) Hazard lights operation & condition	/		10) Transmission oil level and condition
/		7) Clearance lights operation and condition	/		11) Power steering fluid level and condition
/		8) Brake lights operation & condition	/		12) Brake fluid level and condition
/		9) License plate lamp operation & condition	/		F) Vehicle rack inspection
/		10) License plates and tags	/		1) Steering gear box mount, condition & leaks
/		11) Backup lights and alarms	/		2) Steering shaft U joints
/		12) Reflectors and reflective bumper tape	/		3) Steering shaft bearings
/		13) Exterior decals and signage	/		4) Steering linkages
/		14) Bumpers secure / in good condition	/		5) I beam or control arm movements and rivets
/		15) Exterior mirrors secure / in good condition	/		6) Radius arm condition and bushings condition
/		16) Exterior clean	/		7) Stabilizer bar condition and bushings condition
/		C) Interior inspection	/		8) Ball joints or kingpins
/		1) Passenger door and steps condition	/		9) Front spring condition and mounting
/		2) Handrails and stanchions condition	/		10) Front shock absorber operation & condition
/		3) Interior and modesty panels condition	/		11) Trans oil cooler & lines routing and leaks
/		4) Flooring condition	/		12) Engine oil cooler & lines routing and leaks
/		5) Interior lighting operation and condition	/		13) Heater and A/C hose routing and leaks
/		6) Windows operation and condition	/		14) No engine oil leaks and fluid condition
/		7) Emergency Exits operation & condition	/		15) Engine mounts, brackets and bolts
/		8) Accessory operation & condition (radio, GPS)	/		16) Transmission mounts, brackets and bolts
/		9) Passenger seats operation & condition	/		17) No transmission oil leaks and fluid condition
/		10) Passenger seat belts operation & condition	/		18) Drive shaft condition
/		11) First aid & body fluid kits complete	/		19) Universal joints and carrier bearings condition
/		12) Triangle reflectors complete/good condition	/		20) No rear differential leaks
/		13) Stop request operation & condition	/		21) Rear differential condition and mounting
/		14) Valid registration, insurance & accident pack	/		22) Frame and cross members
/		15) Fire extinguisher in good condition & signed	/		23) Rear shock absorbers
/		16) Interior decals and signage (incl. electrical)	/		24) Rear springs condition and mounting
/		17) DVI's reviewed, addressed and signed off	/		25) No fuel leaks
/		18) Interior clean	/		26) Fuel tank condition and mounting
/		D) HVAC system inspection	/		27) No exhaust leaks
/		1) Front blower condition and operation	/		28) Exhaust system condition and mounting

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Service Performed	Service Type
Change oil and filter	A,B,C,D
Lube chassis and suspension	A,B,C,D
Lube drive shafts and universal joints	A,B,C,D
Lube doors and hood, locks and hinges	A,B,C,D
Adjust service and parking brakes	A,B,C,D
Drain water from separator	A,B,C,D
Rotate tires (as necessary, caps on rear)	A,B,C,D
Change air filter	B,C,D
Change fuel filter	B,C,D
Clean or change PCV valve	B,C,D
Clean or change crank case filter	B,C,D
Install new wiper blades	B,C,D
Change transmission fluid and filter	C,D
Service front wheel bearings	C,D
Drain water from fuel tank	C,D
Replace accessory drive belts	D
Service and flush cooling system	D
Install new spark plugs & wires	D
Install new dist. cap & rotor	D
Change differential fluid	D
Check Exhaust and EGR system	D
Check and service fuel & evap. System	D
Evac and recharge A/C (add 1 oz. of oil)	A,B,C,D
Post service test drive (5 miles)	A,B,C,D

Initial or "N/A" each service performed per PM type

Circle Service Type: **A B C D**
 Mileage in: 23825
 Mileage out: 23825


Preventive Maintenance Inspection and Service Checklist

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: [Signature] Date: 3/8/23
 Supervisor Signature: _____ Date: _____

Notes: _____


Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: <u>6/32"</u> L/F: <u>6/32"</u>		
32) Rear brake lining condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: <u>9/32"</u> L/R: <u>9/32"</u>		
34) Tire and wheel condition and measurements		
Shoes R/R: <u>1/32"</u> L/R: <u>1/32"</u>		
R/F: <u>8/32"</u> L/F: <u>8/32"</u>		
R/Ri: <u>6/32"</u> L/Ri: <u>6/32"</u>		
R/RO: <u>6/32"</u> L/RO: <u>6/32"</u>		
35) Lug nuts condition		
Air pressure adjustment FR, RR, ft. lbs.		
Wheel torque specs used:		
G) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		



Date: 3/8/23 Vehicle #: 5307

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5307-P Repair Reason: B Date and Time in: 10.30.18 21:30 Mileage in: 124134
 Date: 10.30.18 Work Class: T Date and Time Finished: 10.30.18 23:00 Mileage out: 124134

Complaints/Defects: PMT B Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
B	58	PMT B		B	55	5W90	engine oil	7	
				B	55	1F3681	oil filter	1	
				B	55	AF259D	air filter	1	
				B	55	WP901F	depressors	2	
				B	55	BC32-2157	brake pads	1	
Total Hours Worked:				Total Parts Cost:					

Parts Information

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 225132 Technician: Thomas Thomas Signature: [Signature]
 ASE Employee #: 60909 ASE Technician: [Signature] ASE Signature: [Signature]



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A **B** C D

Date: 10.30.18 Vehicle #: 5307-A Mileage in: 107135 Mileage out: 107136

P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)
/		1) Driver carpet
/		2) Driver seat condition and operation
/		3) Drivers door operation and condition
/		4) Drivers seat belt operation and condition
/		5) Engine starting and ignition system
/		6) Instrument panel gauges & warning lights
/		7) Instrument panel lighting & condition
/		8) Horn operation
/		9) Steering wheel tight, no excessive play
/		10) Windshield wipers
/		11) Windshield washer
/		12) Sun visor condition and operation
/		13) Parking brake operation & condition
/		14) Parking and service brake pedal pads
/		15) Passenger door operation
/		16) No vibrations, pulsations or noises
/		B) Walk around inspection
/		1) Body damage (list on separate sheet)
/		2) Headlights, high & low beam operation
/		3) Parking lights operation & condition
/		4) Marker lights operation & condition
/		5) Directional signals operation & condition
/		6) Hazard lights operation & condition
/		7) Clearance lights operation and condition
/		8) Brake lights operation & condition
/		9) License plate lamp operation & condition
/		10) License plates and tags
/		11) Backup lights and alarms
/		12) Reflectors and reflective bumper tape
/		13) Exterior decals and signage
/		14) Bumpers secure / in good condition
/		15) Exterior mirrors secure / in good condition
/		16) Exterior clean
/		C) Interior inspection
/		1) Passenger door and steps condition
/		2) Handrails and stanchions condition
/		3) Interior and modesty panels condition
/		4) Flooring condition
/		5) Interior lighting operation and condition
/		6) Windows operation and condition
/		7) Emergency Exits operation & condition
/		8) Accessory operation & condition (radio, GPS)
/		9) Passenger seats operation & condition
/		10) Passenger seat belts operation & condition
/		11) First aid & body fluid kits complete
/		12) Triangle reflectors complete/good condition
/		13) Stop request operation & condition
/		14) Valid registration, insurance & accident pack
/		15) Fire extinguisher in good condition & signed
/		16) Interior decals and signage (incl. electrical)
/		17) DVI's reviewed, addressed and signed off
/		18) Interior clean
/		D) HVAC system inspection
/		1) Front blower condition and operation

P	F	Item Inspected
/		2) Rear blower condition and operation
/		3) Defroster operation
/		4) Temp gets to 20 deg. F below ambient temp.
/		5) Evaporator intake air filter condition
/		6) Front heater condition and operation
/		7) Rear heater condition and operation
/		8) A/C compressors and condenser fans
/		E) Under hood inspection
/		1) Batteries & charging sys. (load alt B,C,D serv)
/		Batt 1 volts: load volts: load amps:
/		Batt 2 volts: load volts: load amps:
/		Batt 3 volts: load volts: load amps:
/		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
/		Alt. 1 min volt: max volt: max amp:
/		Alt. 2 min volt: max volt: max amp:
/		(reference factory service manual for alternator spec)
/		2) Wire and hose routing and connections
/		3) Cooling system, hoses, water pump condition
/		5) Accessory drive belts condition
/		6) Pulleys and tensioned operation & condition
/		7) Brake master cylinder and power booster
/		8) Fan and fan clutch operation and condition
/		9) Engine oil fluid level and condition
/		10) Transmission oil level and condition
/		11) Power steering fluid level and condition
/		12) Brake fluid level and condition
/		F) Vehicle rack inspection
/		1) Steering gear box mount, condition & leaks
/		2) Steering shaft U joints
/		3) Steering shaft bearings
/		4) Steering linkages
/		5) I beam or control arm movements and rivets
/		6) Radius arm condition and bushings condition
/		7) Stabilizer bar condition and bushings condition
/		8) Ball joints or kingpins
/		9) Front spring condition and mounting
/		10) Front shock absorber operation & condition
/		11) Trans oil cooler & lines routing and leaks
/		12) Engine oil cooler & lines routing and leaks
/		13) Heater and A/C hose routing and leaks
/		14) No engine oil leaks and fluid condition
/		15) Engine mounts, brackets and bolts
/		16) Transmission mounts, brackets and bolts
/		17) No transmission oil leaks and fluid condition
/		18) Drive shaft condition
/		19) Universal joints and carrier bearings condition
/		20) No rear differential leaks
/		21) Rear differential condition and mounting
/		22) Frame and cross members
/		23) Rear shock absorbers
/		24) Rear springs condition and mounting
/		25) No fuel leaks
/		26) Fuel tank condition and mounting
/		27) No exhaust leaks
/		28) Exhaust system condition and mounting

MV Transportation
 5910 N Central Expy Way Suite 1145
 Dallas, TX 75206



Work Order Division (0094)
 3301 Electronics Way
 West Palm Beach, FL 33407

Basic Information

Vehicle #: 5397 Repair Reason: B Date and Time in: 22:30 Mileage in: 155805
 Date: 06/18/19 Work Class: 1 Date and Time Finished: 00:00 Mileage out: 155806

Complaints/Defects: rate (B) Notes/Measurements:

Labor Information			Parts Information					
Task	WAC	Repair Description/Comments	Task	WAC	Part Number	Description	Qty	Cost
B	55	rate (B)	B	55	5W20	oil	7	
			B	55	LC3681	oil filter	1	
			B	55	AP25590	Air filter	1	
			B	55	WIPER 2001PF	wiper blades	2	
Total Hours Worked:			Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725 Technician: Reaney Murray / S Hold Signature: [Signature]
 ASE Employee #: _____ ASE Technician: _____ ASE Signature: _____



PM DEFECT SHEET



J. Mohr
MECHANIC'S SIGNATURE

BUS #: 5307

DATE: 06/18/19

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

① Passenger Seat belt stuck
check fix all ok.

J. Mohr

06/18/19

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: A B C D

Mileage in: 155806

Mileage out: 155807

Date: 06/18/19

Vehicle #: 5307

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel, gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** **B** **C** **D**

Date: 06/18/19 Vehicle #: 5307

Mileage in: 155805 Mileage out: 155806

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
R		Pads R/F: <u>7</u> /32" L/F: <u>7</u> /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R		Pads R/R: <u>8</u> /32" L/R: <u>8</u> /32"
NA		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
R		R/F: <u>7</u> /32" L/F: <u>7</u> /32"
R		R/RI: <u>3</u> /32" L/RI: <u>8</u> /32"
R		R/RO: <u>7</u> /32" L/RO: <u>8</u> /32"
		35) Lug nuts condition
R		Air pressure adjustment FR. <u>70</u> RR. <u>70</u>
R		Wheel torque specs used: <u>140</u> ft. lbs.
		G) Lift inspection
R		1) Lift operation (fully stowed to fully deployed)
R		2) Lift control pendant condition and operation
R		3) Lift restraint belt condition and operation
R		4) Outer roll stop condition and operation
R		5) Inner roll stop condition and operation
R		6) Platform adjustments, condition and mounting
R		7) Standee arm condition and operation
R		8) Proper signage and decals
R		9) Manual backup pump condition and operation
R		10) Lift manual pump handle
R		11) Hydraulic pump condition and operation
R		12) Hydraulic lines and cylinders condition
R		13) Hydraulic fluid level and condition
R		14) Base plate and arms welds & pivot points
R		15) Lift springs and pins condition and operation
R		16) Lift safety switches and adjustments
R		17) Hose and wire routing and connections
R		18) Rollers and pivot point condition & operation
R		19) Lift to vehicle mounting bolts and brackets
R		20) Lift doors condition and operation
R		21) Lift door lights condition and operation
R		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking, or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
R		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	R
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	R
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	R
B,C,D	Change air filter	R
B,C,D	Change fuel filter	NA
B,C,D	Clean or change PCV valve	NA
B,C,D	Clean or change crank case filter	NA
B,C,D	Install new wiper blades	R
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1. oz. of oil)	
A,B,C,D	Post service test drive (<u>5</u> miles)	RD

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: [Signature] Date: 06/18/19

Supervisor Signature: _____ Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



PM DEFECT SHEET



BUS #: 5307.

DATE: 01-09-2020

PM TYPE OR WORK ORDER #:

MECHANIC'S SIGNATURE

[Handwritten Signature]

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

REPLACE HEATER HOSE
this vehicle need to replace tire.

[Handwritten Signature] 01-09-20

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Vehicle #: 5307 Mileage in: 184294 Mileage out: 184295



Item Inspected	P	F
A) Vehicle drive in inspection (5 miles)		
1) Driver carpet		
2) Driver seat condition and operation		
3) Drivers door operation and condition		
4) Drivers seat belt operation and condition		
5) Engine starting and ignition system		
6) Instrument panel gauges & warning lights		
7) Instrument panel lighting & condition		
8) Horn operation		
9) Steering wheel tight, no excessive play		
10) Windshield wipers		
11) Windshield washer		
12) Sun visor condition and operation		
13) Parking brake operation & condition		
14) Parking and service brake pedal pads		
15) Passenger door operation		
16) No vibrations, pulsations or noises		
B) Walk around inspection		
1) Body damage (list on separate sheet)		
2) Headlights, high & low beam operation		
3) Parking lights operation & condition		
4) Marker lights operation & condition		
5) Directional signals operation & condition		
6) Hazard lights operation and condition		
7) Clearance lights operation and condition		
8) Brake lights operation & condition		
9) License plate lamp operation & condition		
10) License plates and tags		
11) Backup lights and alarms		
12) Reflectors and reflective bumper tape		
13) Exterior decals and signage		
14) Bumpers secure / in good condition		
15) Exterior mirrors secure / in good condition		
16) Exterior clean		
C) Interior inspection		
1) Passenger door and steps condition		
2) Handrails and stanchions condition		
3) Interior and modesty panels condition		
4) Flooring condition		
5) Interior lighting operation and condition		
6) Windows operation and condition		
7) Emergency Exits operation & condition		
8) Accessory operation & condition (radio, GPS)		
9) Passenger seats operation & condition		
10) Passenger seat belts operation & condition		
11) First aid & body fluid kits complete		
12) Triangle reflectors complete/good condition		
13) Stop request operation & condition		
14) Valid registration, insurance & accident pack		
15) Fire extinguisher in good condition & signed		
16) Interior decals and signage (incl. electrical)		
17) DVI's reviewed, addressed and signed off		
18) Interior clean		
D) HVAC system inspection		
1) Front blower condition and operation		
2) Rear blower condition and operation		
3) Defroster operation		
4) Temp gets to 20 deg. F below ambient temp.		
5) Evaporator intake air filter condition		
6) Front heater condition and operation		
7) Rear heater condition and operation		
8) A/C compressors and condenser fans		
E) Under hood inspection		
1) Batteries & charging sys. (load alt B,C,D serv)		
Batt 1 volts: load amps:		
Batt 2 volts: load amps:		
Batt 3 volts: load amps:		
(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)		
Alt. 1 min volt: max amp:		
Alt. 2 min volt: max amp:		
(reference factory service manual for alternator spec)		
2) Wire and hose routing and connections		
3) Cooling system, hoses, water pump condition		
5) Accessory drive belts condition		
6) Pulleys and tensioned operation & condition		
7) Brake master cylinder and power booster		
8) Fan and fan clutch operation and condition		
9) Engine oil fluid level and condition		
10) Transmission oil level and condition		
11) Power steering fluid level and condition		
12) Brake fluid level and condition		
F) Vehicle rack inspection		
1) Steering gear box mount, condition & leaks		
2) Steering shaft U joints		
3) Steering shaft bearings		
4) Steering linkages		
5) I beam or control arm movements and rivets		
6) Radius arm condition and bushings condition		
7) Stabilizer bar condition and bushings condition		
8) Ball joints or kingpins		
9) Front spring condition and mounting		
10) Front shock absorber operation & condition		
11) Trans oil cooler & lines routing and leaks		
12) Engine oil cooler & lines routing and leaks		
13) Heater and A/C hose routing and leaks		
14) No engine oil leaks and fluid condition		
15) Engine mounts, brackets and bolts		
16) Transmission mounts, brackets and bolts		
17) No transmission oil leaks and fluid condition		
18) Drive shaft condition		
19) Universal joints and carrier bearings condition		
20) No rear differential leaks		
21) Rear differential condition and mounting		
22) Frame and cross members		
23) Rear shock absorbers		
24) Rear springs condition and mounting		
25) No fuel leaks		
26) Fuel tank condition and mounting		
27) No exhaust leaks		
28) Exhaust system condition and mounting		



Preventive Maintenance Inspection and Service Checklist

Date: 01-09-20

Vehicle #: 5307

Circle Service Type: A B C D

Mileage in: 184294

Mileage out: 184295

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
F		Pads R/F: <u>9</u> /32" L/F: <u>9</u> /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
F		Pads R/R: <u>8</u> /32" L/R: <u>8</u> /32"
		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
F		R/F: <u>8</u> /32" L/F: <u>8</u> /32"
F		R/RI: <u>8</u> /32" L/RI: <u>8</u> /32"
F		R/RO: <u>8</u> /32" L/RO: <u>8</u> /32"
		35) Lug-nuts condition
		Air pressure adjustment FR. <u>75</u> RR. <u>65</u>
		Wheel torque specs used: <u>140</u> ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking,
		or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages
		and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	N/A
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	N/A
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	N/A
B,C,D	Change air filter	N/A
B,C,D	Change fuel filter	N/A
B,C,D	Clean or change PCV valve	N/A
B,C,D	Clean or change crank case filter	N/A
B,C,D	Install new wiper blades	N/A
C,D	Change transmission fluid and filter	N/A
C,D	Service front wheel bearings	N/A
C,D	Drain water from fuel tank	N/A
D	Replace accessory drive belts	N/A
D	Service and flush cooling system	N/A
D	Install new spark plugs & wires	N/A
D	Install new dist. cap & rotor	N/A
D	Change differential fluid	N/A
D	Check Exhaust and EGR system	N/A
D	Check and service fuel & evap. System	N/A
D	Evac and recharge A/C (add 1 oz. of oil)	N/A
A,B,C,D	Post service test drive (5 miles)	F

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: [Signature] Date: 01-09-2020

Supervisor Signature: _____ Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Preventive Maintenance Inspection and Service Checklist



Date: 02/15/21 Vehicle #: 5307

Circle Service Type: A (B) C D

Mileage in: 212,532

Mileage out: 212,533

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
H		1) Driver carpet
H		2) Driver seat condition and operation
H		3) Drivers door operation and condition
H		4) Drivers seat belt operation and condition
H		5) Engine starting and ignition system
H		6) Instrument panel gauges & warning lights
H		7) Instrument panel lighting & condition
H		8) Horn operation
H		9) Steering wheel tight, no excessive play
H		10) Windshield wipers
H		11) Windshield washer
H		12) Sun visor condition and operation
H		13) Parking brake operation & condition
H		14) Parking and service brake pedal pads
H		15) Passenger door operation
H		16) No vibrations, pulsations or noises
		B) Walk around inspection
H		1) Body damage (list on separate sheet)
H		2) Headlights, high & low beam operation
H		3) Parking lights operation & condition
H		4) Marker lights operation & condition
H		5) Directional signals operation & condition
H		6) Hazard lights operation & condition
H		7) Clearance lights operation and condition
H		8) Brake lights operation & condition
H		9) License plate lamp operation & condition
H		10) License plates and tags
H		11) Backup lights and alarms
H		12) Reflectors and reflective bumper tape
H		13) Exterior decals and signage
H		14) Bumpers secure / in good condition
H		15) Exterior mirrors secure / in good condition
H		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
H		2) Handrails and stanchions condition
H		3) Interior and modesty panels condition
H		4) Flooring condition
H		5) Interior lighting operation and condition
H		6) Windows operation and condition
H		7) Emergency Exits operation & condition
H		8) Accessory operation & condition (radio, GPS)
H		9) Passenger seats operation & condition
H		10) Passenger seat belts operation & condition
H		11) First aid & body fluid kits complete
H		12) Triangle reflectors complete/good condition
H		13) Stop request operation & condition
H		14) Valid registration, insurance & accident pack
H		15) Fire extinguisher in good condition & signed
H		16) Interior decals and signage (incl. electrical)
H		17) DVI's reviewed, addressed and signed off
H		18) Interior clean
		D) HVAC system inspection
H		1) Front blower condition and operation

P	F	Item Inspected
H		2) Rear blower condition and operation
H		3) Defroster operation
H		4) Temp gets to 20 deg. F below ambient temp.
H		5) Evaporator intake air filter condition
H		6) Front heater condition and operation
H		7) Rear heater condition and operation
H		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load at B,C,D serv)
H		Batt 1 volts: load amps:
H		Batt 2 volts: load amps:
H		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
H		Alt. 1 min volt: max amp:
H		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
H		2) Wire and hose routing and connections
H		3) Cooling system, hoses, water pump condition
H		5) Accessory drive belts condition
H		6) Pulleys and tensioned operation & condition
H		7) Brake master cylinder and power booster
H		8) Fan and fan clutch operation and condition
H		9) Engine oil fluid level and condition
H		10) Transmission oil level and condition
H		11) Power steering fluid level and condition
H		12) Brake fluid level and condition
		F) Vehicle track inspection
H		1) Steering gear box mount, condition & leaks
H		2) Steering shaft U joints
H		3) Steering shaft bearings
H		4) Steering linkages
H		5) I beam or control arm movements and rivets
H		6) Radius arm condition and bushings condition
H		7) Stabilizer bar condition and bushings condition
H		8) Ball joints or kingpins
H		9) Front spring condition and mounting
H		10) Front shock absorber operation & condition
H		11) Trans oil cooler & lines routing and leaks
H		12) Engine oil cooler & lines routing and leaks
H		13) Heater and A/C hose routing and leaks
H		14) No engine oil leaks and fluid condition
H		15) Engine mounts, brackets and bolts
H		16) Transmission mounts, brackets and bolts
H		17) No transmission oil leaks and fluid condition
H		18) Drive shaft condition
H		19) Universal joints and carrier bearings condition
H		20) No rear differential leaks
H		21) Rear differential condition and mounting
H		22) Frame and cross members
H		23) Rear shock absorbers
H		24) Rear springs condition and mounting
H		25) No fuel leaks
H		26) Fuel tank condition and mounting
H		27) No exhaust leaks
H		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: A (B) C D

Date: 02/15/21 Vehicle #: 5307 Mileage in: 212,532 Mileage out: 212,533

Item Inspected	Service Performed	Technicians Signature	Date
30) Front brake condition and mounting	A,B,C,D	H	
31) Front brake lining condition & measurement	A,B,C,D	N/A	
Pads R/F: 9/32" L/F: 7/32"	A,B,C,D	N/A	
32) Rear brake condition and mounting	A,B,C,D	N/A	
33) Rear brake lining condition & measurement	A,B,C,D	N/A	
Pads R/R: 1/32" L/R: 1/32"	A,B,C,D	N/A	
34) Tire and wheel condition and measurements	A,B,C,D	N/A	
Shoes R/R: 1/32" L/R: 1/32"	A,B,C,D	N/A	
R/F: 13/32" L/F: 13/32"	B,C,D	N/A	
R/R: 12/32" L/R: 5/32"	B,C,D	N/A	
R/R: 7/32" L/R: 11/32"	B,C,D	N/A	
35) Lug nuts condition	B,C,D	N/A	
Air pressure adjustment FR: 75 RR: 80	C,D	N/A	
Wheel torque specs used: 140 ft. lbs.	C,D	N/A	
G) Lift inspection	C,D	N/A	
1) Lift operation (fully stowed to fully deployed)	D		
2) Lift control pendant condition and operation	D		
3) Lift restraint belt condition and operation	D		
4) Outer roll stop condition and operation	D		
5) Inner roll stop condition and operation	D		
6) Platform adjustments, condition and mounting	D		
7) Stander arm condition and operation	D		
8) Proper signage and decals	D		
9) Manual backup pump condition and operation	A,B,C,D		
10) Lift manual pump handle	H		
11) Hydraulic pump condition and operation	H		
12) Hydraulic lines and cylinders condition	H		
13) Hydraulic fluid level and condition	H		
14) Base plate and arms welds & pivot points	H		
15) Lift springs and pins condition and operation	H		
16) Lift safety switches and adjustments	H		
17) Hose and wire routing and connections	H		
18) Rollers and pivot point condition & operation	H		
19) Lift to vehicle mounting bolts and brackets	H		
20) Lift doors condition and operation	H		
21) Lift door lights condition and operation	H		
22) Lift interlock operation and condition	H		
(Lift door open, e-brake down not able to shift)	H		
(e-brake off lift door closed no lift power)	H		
23) W/C the downs condition and operation	H		
24) Tie down container secure and clean	H		
25) Tie down floor mounting brackets secure	H		
26) W/C shoulder belt condition and operation	H		
27) Lift clean and no sharp edges	H		
28) Lift shields secure and in good shape	H		
29) Lift moves steady without drifting, jerking, or unusual speeds	H		
30) No unusual lift noises	H		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	H		
Check, torque or adjust lift base mounting bolts	H		

Notes: Supervisor Signature _____ Date _____

Technicians Signature _____ Date 02/15/21

Service Performed	Technicians Initials
Change oil and filter	H
Lube chassis and suspension	N/A
Lube drive shafts and universal joints	N/A
Lube doors and hood, locks and hinges	H
Adjust service and parking brakes	N/A
Drain water from separator	N/A
Rotate tires (as necessary, caps on rear)	N/A
Change air filter	H
Change fuel filter	N/A
Clean or change PCV valve	N/A
Clean or change crank case filter	N/A
Install new wiper blades	H
Change transmission fluid and filter	C,D
Service front wheel bearings	C,D
Drain water from fuel tank	C,D
Replace accessory drive belts	D
Service and flush cooling system	D
Install new spark plugs & wires	D
Install new dist. cap & rotor	D
Change differential fluid	D
Check Exhaust and EGR system	D
Check and service fuel & evap. System	D
Evac and recharge A/C (add 1 oz. of oil)	D
Post service test drive (5 miles)	A,B,C,D

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5307 Repair Reason: B Date and Time in: 03/11/92 Mileage in: 23800
 Date: 03/11/92 Work Class: I Date and Time Finished: 03/11/92 Mileage out: 23800

Complaints/Defects: _____ Notes/Measurements: _____

POFFB


Labor Information			Parts Information					
Task	WAC	Repair Description/Comments	Task	WAC	Part Number	Description	Qty	Cost
B	58	PTZLS	B	55	5170	engine oil	1	
			B	55	LF 3681	air filter	1	
			B	55		air filter	1	
			B	55	WV 3000E	wiper blades	2	
Total Hours Worked: _____			Total Parts Cost: _____					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.


Employee #: 825132 Technician: *[Signature]* Signature: _____

ASE Employee #: 604182 ASE Technician: _____ ASE Signature: _____

	Notes	Getting need to be replaced
	Sponny	replace air filter
	Sponny	replace wiper blades

DATE COMPLETED	COMPLETED BY	DESCRIPTION OF REPAIR NEEDED
03/11/02	Sponny	MECHANIC'S SIGNATURE  BUS #: 5307 DATE: 03/11/02 PM TYPE OR WORK ORDER #:

PM DEFECT SHEET





Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 03/14/02 Vehicle #: 5307

Mileage in: 23800 Mileage out: 23800

P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)
/		1) Driver carpet
/		2) Driver seat condition and operation
/		3) Drivers door operation and condition
/		4) Drivers seat belt operation and condition
/		5) Engine starting and Ignition system
/		6) Instrument panel gauges & warning lights
/		7) Instrument panel lighting & condition
/		8) Horn operation
/		9) Steering wheel tight, no excessive play
/		10) Windshield wipers
/		11) Windshield washer
/		12) Sun visor condition and operation
/		13) Parking brake operation & condition
/		14) Parking and service brake pedal pads
/		15) Passenger door operation
/		16) No vibrations, pulsations or noises
/		B) Walk around inspection
/		1) Body damage (list on separate sheet)
/		2) Headlights, high & low beam operation
/		3) Parking lights operation & condition
/		4) Marker lights operation & condition
/		5) Directional signals operation & condition
/		6) Hazard lights operation & condition
/		7) Clearance lights operation and condition
/		8) Brake lights operation & condition
/		9) License plate lamp operation & condition
/		10) License plates and tags
/		11) Backup lights and alarms
/		12) Reflectors and reflective bumper tape
/		13) Exterior decals and signage
/		14) Bumpers secure / in good condition
/		15) Exterior mirrors secure / in good condition
/		16) Exterior clean
/		C) Interior inspection
/		1) Passenger door and steps condition
/		2) Handrails and stanchions condition
/		3) Interior and modesty panels condition
/		4) Flooring condition
/		5) Interior lighting operation and condition
/		6) Windows operation and condition
/		7) Emergency Exits operation & condition
/		8) Accessory operation & condition (radio, GPS)
/		9) Passenger seats operation & condition
/		10) Passenger seat belts operation & condition
/		11) First aid & body fluid kits complete
/		12) Triangle reflectors complete/good condition
/		13) Stop request operation & condition
/		14) Valid registration, insurance & accident pack
/		15) Fire extinguisher in good condition & signed
/		16) Interior decals and signage (incl. electrical)
/		17) DVI's reviewed, addressed and signed off
/		18) Interior clean
/		D) HVAC system inspection
/		1) Front blower condition and operation

P	F	Item Inspected
/		2) Rear blower condition and operation
/		3) Defroster operation
/		4) Temp gets to 20 deg. F below ambient temp.
/		5) Evaporator intake air filter condition
/		6) Front heater condition and operation
/		7) Rear heater condition and operation
/		8) A/C compressors and condenser fans
/		E) Under hood inspection
/		1) Batteries & charging sys. (load alt B,C,D serv)
/		Batt 1 volts: load volts: load amps:
/		Batt 2 volts: load volts: load amps:
/		Batt 3 volts: load volts: load amps:
/		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
/		Alt. 1 min volt: max volt: max amp:
/		Alt. 2 min volt: max volt: max amp:
/		(reference factory service manual for alternator spec)
/		2) Wire and hose routing and connections
/		3) Cooling system, hoses, water pump condition
/		5) Accessory drive belts condition
/		6) Pulleys and tensioned operation & condition
/		7) Brake master cylinder and power booster
/		8) Fan and fan clutch operation and condition
/		9) Engine oil fluid level and condition
/		10) Transmission oil level and condition
/		11) Power steering fluid level and condition
/		12) Brake fluid level and condition
/		F) Vehicle rack inspection
/		1) Steering gear box mount, condition & leaks
/		2) Steering shaft U joints
/		3) Steering shaft bearings
/		4) Steering linkages
/		5) I beam or control arm movements and rivets
/		6) Radius arm condition and bushings condition
/		7) Stabilizer bar condition and bushings condition
/		8) Ball joints or kingpins
/		9) Front spring condition and mounting
/		10) Front shock absorber operation & condition
/		11) Trans oil cooler & lines routing and leaks
/		12) Engine oil cooler & lines routing and leaks
/		13) Heater and A/C hose routing and leaks
/		14) No engine oil leaks and fluid condition
/		15) Engine mounts, brackets and bolts
/		16) Transmission mounts, brackets and bolts
/		17) No transmission oil leaks and fluid condition
/		18) Drive shaft condition
/		19) Universal joints and carrier bearings condition
/		20) No rear differential leaks
/		21) Rear differential condition and mounting
/		22) Frame and cross members
/		23) Rear shock absorbers
/		24) Rear springs condition and mounting
/		25) No fuel leaks
/		26) Fuel tank condition and mounting
/		27) No exhaust leaks
/		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 03/11/00 Vehicle #: 5307 Mileage in: 23800 Mileage out: 23800

Circle Service Type: A B C D

Service Type	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires (as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (15 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date: 03/11/00

Supervisor Signature

Date

Notes:

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 8 /32" LF: 8 /32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 9 /32" LR: 9 /32"		
Shoes R/R: /32" LR: /32"		
34) Tire and wheel condition and measurements		
R/F: 8 /32" LF: 8 /32"		
R/R: 8 /32" L/R: 8 /32"		
R/O: 8 /32" L/R: 8 /32"		
35) Lug nuts condition		
Air pressure adjustment FR, RR, ft. lbs.		
Wheel torque specs used:		
g) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Stander arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C the downs condition and operation		
24) The down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



#5711 Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Vehicle #: 5307 Repair Reason: C Date and Time in: 11:00 Mileage in: 141379
 Date: 03/02/19 Work Class: T Date and Time Finished: 19:30 Mileage out: 141390

Complaints/Defects: P MEC Notes/Measurements:

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
C	58	PMEC		C	55	5W20	engine oil	7	
				C	55	LF 3681	oil filter	1	
				C	55	WW2001PF	wiper blade	2	
				C	55	AE2558D	Air filter	1	
				C	55	mercen lv	trans fluid	10	
				C	55	FT180	trans filter	1	
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 848184 Technician: Foobom Ferrier Signature: _____
 ASE Employee #: 60412 ASE Technician: Spencer ASE Signature: _____



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B **C** D

Date: 03/02/19 Vehicle #: 5307

Mileage in: 141389

Mileage out: 141390

P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
/		B) Walk around inspection
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
/		C) Interior inspection
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition (radio, GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
/		D) HVAC system inspection
F		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
/		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
F		Batt 1 volts: <u>12.8</u> load volts: load amps:
F		Batt 2 volts: <u>12.7</u> load volts: load amps:
F		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
/		F) Vehicle rack inspection
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
F		18) Drive shaft condition
F		19) Universal joints and carrier bearings condition
F		20) No rear differential leaks
F		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 03/02/19 Vehicle #: 5307

Circle Service Type: A B C D
 Mileage in: 141389 Mileage out: 141390

Service Performed	Technicians Initials	Service Performed	Technicians Initials
A,B,C,D Change oil and filter	F	A,B,C,D Post service test drive (5 miles)	F
A,B,C,D Lube chassis and suspension	F	D Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D Lube drive shafts and universal joints	F	D Check and service fuel & evap. System	
A,B,C,D Lube doors and hood, locks and hinges	F	D Check Exhaust and EGR system	
A,B,C,D Adjust service and parking brakes	F	D Change differential fluid	
A,B,C,D Drain water from separator	F	D Install new dist. cap & rotor	
A,B,C,D Rotate tires (as necessary, caps on rear)	F	D Install new spark plugs & wires	
B,C,D Change air filter	F	D Service end flush cooling system	
B,C,D Clean or change PCV valve	F	D Replace accessory drive belts	
B,C,D Clean or change crank case filter	F	D Drain water from fuel tank	
B,C,D Install new wiper blades	F	C,D Service front wheel bearings	
C,D Change transmission fluid and filter	F	C,D Change transmission fluid and filter	
C,D Service front wheel bearings	F		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: *[Signature]* Date: 03/02/19
 Supervisor Signature: *[Signature]* Date: 3/6/19

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Item Inspected	P	F
30) Front brake condition and mounting	F	
31) Front brake lining condition & measurement	F	
Pads R/F: 6 / 32" L/F: 6 / 32"	F	
32) Rear brake condition and mounting	F	
33) Rear brake lining condition & measurement	F	
Pads R/R: 7 / 32" L/R: 7 / 32"	F	
Shoes R/R: / 32" L/R: / 32"	N/A	
34) Tire and wheel condition and measurements	F	
R/F: 10 / 32" L/F: 10 / 32"	F	
R/R: 10 / 32" L/R: 8 / 32"	F	
R/R: 10 / 32" L/R: 8 / 32"	F	
35) Lug nuts condition	F	
Air pressure adjustment FR. 65 RR. 70	F	
Wheel torque specs used: 140 ft. lbs.	F	
G) Lift inspection		
1) Lift operation (fully stowed to fully deployed)	F	
2) Lift control pendant condition and operation	F	
3) Lift restraint belt condition and operation	F	
4) Outer roll stop condition and operation	F	
5) Inner roll stop condition and operation	F	
6) Platform adjustments, condition and mounting	F	
7) Standee arm condition and operation	F	
8) Proper signage and decals	F	
9) Manual backup pump condition and operation	F	
10) Lift manual pump handle	F	
11) Hydraulic pump condition and operation	F	
12) Hydraulic lines and cylinders condition	F	
13) Hydraulic fluid level and condition	F	
14) Base plate and arms welds & pivot points	F	
15) Lift springs and pins condition and operation	F	
16) Lift safety switches and adjustments	F	
17) Hose and wire routing and connections	F	
18) Rollers and pivot point condition & operation	F	
19) Lift to vehicle mounting bolts and brackets	F	
20) Lift doors condition and operation	F	
21) Lift door lights condition and operation	F	
22) Lift interlock operation and condition	F	
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C the downs condition and operation	F	
24) Tie down container secure and clean	F	
25) The down floor mounting brackets secure	F	
26) W/C shoulder belt condition and operation	F	
27) Lift clean and no sharp edges	F	
28) Lift shields secure and in good shape	F	
29) Lift moves steady without drifting, jerking, or unusual speeds	F	
30) No unusual lift noises	F	
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	F	
Check, torque or adjust lift base mounting bolts	F	



Preventive Maintenance Inspection and Service Checklist
 Circle Service Type: A B C D

Date: 06/25/2020 Vehicle #: 5307

Mileage in: 198335

Mileage out: 198336

P	F	Item Inspected
R		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
R		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition (radio, GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation

P	F	Item Inspected
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
R		1) Batteries & charging sys. (load alt B,C,D serv)
R		Batt 1 volts: load amps:
R		Batt 2 volts: load amps:
R		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
R		3) Steering shaft bearings
R		4) Steering linkages
R		5) I beam or control arm movements and rivets
R		6) Radius arm condition and bushings condition
R		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
R		18) Drive shaft condition
R		19) Universal joints and carrier bearings condition
R		20) No rear differential leaks
R		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5807 Repair Reason: C Date and Time in: 4-27-23 10:32 Mileage in: 242881
 Date: 4-27-23 Work Class: I Date and Time Finished: 4-27-23 11:02 Mileage out: 242881

Complaints/Defects: _____ Notes/Measurements: _____

Labor Information			Parts Information					
Task	WAC	Repair Description/Comments	Task	WAC	Part Number	Description	Qty	Cost
			C	55	F01432-153	air filter	1	
			C	55	5K820S	oil filter	1	
			C	55	5T-180TX	transmission oil	1	
			C	55	802760	Tires	2	
Total Hours Worked:								
Total Parts Cost:								

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 682261 Technician: Dmar yor Signature: [Signature]

ASE Employee #: 604182 ASE Technician: _____ ASE Signature: _____

9:28



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B **C** D

Date: 10-27-23 Vehicle #: 5302

Mileage in: 2472881 Mileage out: 2472881

P	F	Item Inspected
0		A) Vehicle drive in inspection (5 miles)
0		1) Driver carpet
0		2) Driver seat condition and operation
0		3) Drivers door operation and condition
0		4) Drivers seat belt operation and condition
0		5) Engine starting and Ignition system
0		6) Instrument panel gauges & warning lights
0		7) Instrument panel lighting & condition
0		8) Horn operation
0		9) Steering wheel tight, no excessive play
0		10) Windshield wipers
0		11) Windshield washer
0		12) Sun visor condition and operation
0		13) Parking brake operation & condition
0		14) Parking and service brake pedal pads
0		15) Passenger door operation
0		16) No vibrations, pulsations or noises
0		B) Walk around inspection
0		1) Body damage (list on separate sheet)
0		2) Headlights, high & low beam operation
0		3) Parking lights operation & condition
0		4) Marker lights operation & condition
0		5) Directional signals operation & condition
0		6) Hazard lights operation & condition
0		7) Clearance lights operation and condition
0		8) Brake lights operation & condition
0		9) License plate lamp operation & condition
0		10) License plates and tags
0		11) Backup lights and alarms
0		12) Reflectors and reflective bumper tape
0		13) Exterior decals and signage
0		14) Bumpers secure / in good condition
0		15) Exterior mirrors secure / in good condition
0		16) Exterior clean
0		C) Interior inspection
0		1) Passenger door and steps condition
0		2) Handrails and stanchions condition
0		3) Interior and modesty panels condition
0		4) Flooring condition
0		5) Interior lighting operation and condition
0		6) Windows operation and condition
0		7) Emergency Exits operation & condition
0		8) Accessory operation & condition (radio, GPS)
0		9) Passenger seats operation & condition
0		10) Passenger seat belts operation & condition
0		11) First aid & body fluid kits complete
0		12) Triangle reflectors complete/good condition
0		13) Stop request operation & condition
0		14) Valid registration, insurance & accident pack
0		15) Fire extinguisher in good condition & signed
0		16) Interior decals and signage (incl. electrical)
0		17) DVI's reviewed, addressed and signed off
0		18) Interior clean
0		D) HVAC system inspection
0		1) Front blower condition and operation

P	F	Item Inspected
0		2) Rear blower condition and operation
0		3) Defroster operation
0		4) Temp gets to 20 deg. F below ambient temp.
0		5) Evaporator intake air filter condition
0		6) Front heater condition and operation
0		7) Rear heater condition and operation
0		8) A/C compressors and condenser fans
0		E) Under hood inspection
0		1) Batteries & charging sys. (load alt B,C,D serv)
0		Batt 1 volts: load volts: load amps:
0		Batt 2 volts: load volts: load amps:
0		Batt 3 volts: load volts: load amps:
0		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
0		Alt. 1 min volt: max volt: max amp:
0		Alt. 2 min volt: max volt: max amp:
0		(reference factory service manual for alternator spec)
0		2) Wire and hose routing and connections
0		3) Cooling system, hoses, water pump condition
0		5) Accessory drive belts condition
0		6) Pulleys and tensioned operation & condition
0		7) Brake master cylinder and power booster
0		8) Fan and fan clutch operation and condition
0		9) Engine oil fluid level and condition
0		10) Transmission oil level and condition
0		11) Power steering fluid level and condition
0		12) Brake fluid level and condition
0		F) Vehicle rack inspection
0		1) Steering gear box mount, condition & leaks
0		2) Steering shaft U joints
0		3) Steering shaft bearings
0		4) Steering linkages
0		5) I beam or control arm movements and rivets
0		6) Radius arm condition and bushings condition
0		7) Stabilizer bar condition and bushings condition
0		8) Ball joints or kingpins
0		9) Front spring condition and mounting
0		10) Front shock absorber operation & condition
0		11) Trans oil cooler & lines routing and leaks
0		12) Engine oil cooler & lines routing and leaks
0		13) Heater and A/C hose routing and leaks
0		14) No engine oil leaks and fluid condition
0		15) Engine mounts, brackets and bolts
0		16) Transmission mounts, brackets and bolts
0		17) No transmission oil leaks and fluid condition
0		18) Drive shaft condition
0		19) Universal joints and carrier bearings condition
0		20) No rear differential leaks
0		21) Rear differential condition and mounting
0		22) Frame and cross members
0		23) Rear shock absorbers
0		24) Rear springs condition and mounting
0		25) No fuel leaks
0		26) Fuel tank condition and mounting
0		27) No exhaust leaks
0		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D Mileage in: 242881 Mileage out: 47581

Vehicle #: 5307 Date: 4-27-23

Item Inspected	P	F
30) Front brake lining condition and mounting		0
31) Front brake lining condition & measurement		0
Pads R/F: 5/32" L/F: 5/32"		0
32) Rear brake lining condition and mounting		0
33) Rear brake lining condition & measurement		0
Pads R/R: 10/32" L/R: 10/32"		0
Shoes R/R: /32" L/R: /32"		0
34) Tire and wheel condition and measurements		0
R/F: 11/32" L/F: 11/32"		0
R/R: 5/32" L/R: 5/32"		0
R/R: 5/32" L/R: 5/32"		0
R/R: 5/32" L/R: 5/32"		0
35) Lug nuts condition		0
Air pressure adjustment FR, RR, ft. lbs.		0
Wheel torque specs used:		0
(G) Lift inspection		0
1) Lift operation (fully stowed to fully deployed)		0
2) Lift control pendant condition and operation		0
3) Lift restraint belt condition and operation		0
4) Outer roll stop condition and operation		0
5) Inner roll stop condition and operation		0
6) Platform adjustments, condition and mounting		0
7) Standee arm condition and operation		0
8) Proper signage and decals		0
9) Manual backup pump condition and operation		0
10) Lift manual pump handle		0
11) Hydraulic pump condition and operation		0
12) Hydraulic lines and cylinders condition		0
13) Hydraulic fluid level and condition		0
14) Base plate and arms welds & pivot points		0
15) Lift springs and pins condition and operation		0
16) Lift safety switches and adjustments		0
17) Hose and wire routing and connections		0
18) Rollers and pivot point condition & operation		0
19) Lift to vehicle mounting bolts and brackets		0
20) Lift doors condition and operation		0
21) Lift door lights condition and operation		0
22) Lift interlock operation and condition		0
(Lift door open, e-brake down not able to shift)		0
(e-brake off lift door closed no lift power)		0
23) W/C tie downs condition and operation		0
24) Tie down container secure and clean		0
25) Tie down floor mounting brackets secure		0
26) W/C shoulder belt condition and operation		0
27) Lift clean and no sharp edges		0
28) Lift shields secure and in good shape		0
29) Lift moves steady without drifting, jerking, or unusual speeds		0
30) No unusual lift noises		0
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		0
Check, torque or adjust lift base mounting bolts		0

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Notes: _____
 Supervisor Signature _____ Date _____

Technician Signature *[Signature]* Date *4-27-23*

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	05
Lube chassis and suspension	A,B,C,D	05
Lube drive shafts and universal joints	A,B,C,D	05
Lube doors and hood, locks and hinges	A,B,C,D	05
Adjust service and parking brakes	A,B,C,D	05
Drain water from separator	A,B,C,D	05
Rotate tires (as necessary, caps on rear)	A,B,C,D	05
Change air filter	B,C,D	05
Change fuel filter	B,C,D	05
Clean or change PCV valve	B,C,D	05
Clean or change crank case filter	B,C,D	05
Install new wiper blades	B,C,D	05
Change transmission fluid and filter	C,D	05
Service front wheel bearings	C,D	05
Drain water from fuel tank	C,D	05
Replace accessory drive belts	D	05
Service and flush cooling system	D	05
Install new spark plugs & wires	D	05
Install new dist. cap & rotor	D	05
Change differential fluid	D	05
Check Exhaust and EGR system	D	05
Check and service fuel & evap. System	D	05
Evac and recharge A/C (add 1 oz. of oil)	D	05
Post service test drive (miles)	A,B,C,D	07



Preventive Maintenance Inspection and Service Checklist

Date: 07/20/18 Vehicle #: 5307 Mileage in: 112837 Mileage out: 112839
 Circle Service Type: A B C **D**

P	F	Item Inspected
F		30) Front brake condition and mounting
F		31) Front brake lining condition & measurement
F		Pads R/F: <u>10</u> /32" L/F: <u>10</u> /32"
F		32) Rear brake condition and mounting
F		33) Rear brake lining condition & measurement
F		Pads R/R: <u>6</u> /32" L/R: <u>6</u> /32"
N/A		Shoes R/R: /32" L/R: /32"
F		34) Tire and wheel condition and measurements
F		R/F: <u>10</u> /32" L/F: <u>10</u> /32"
F		R/R: <u>6</u> /32" L/R: <u>7</u> /32"
F		R/RO: <u>10</u> /32" L/RO: <u>8</u> /32"
F		35) Lug nuts condition
F		Air pressure adjustment FR. <u>65</u> RR. <u>70</u>
F		Wheel torque specs used: <u>140</u> ft. lbs.
		G) Lift inspection
F		1) Lift operation (fully stowed to fully deployed)
F		2) Lift control pendant condition and operation
F		3) Lift restraint belt condition and operation
F		4) Outer roll stop condition and operation
F		5) Inner roll stop condition and operation
F		6) Platform adjustments, condition and mounting
F		7) Standee arm condition and operation
F		8) Proper signage and decals
F		9) Manual backup pump condition and operation
F		10) Lift manual pump handle
F		11) Hydraulic pump condition and operation
F		12) Hydraulic lines and cylinders condition
F		13) Hydraulic fluid level and condition
F		14) Base plate and arms welds & pivot points
F		15) Lift springs and pins condition and operation
F		16) Lift safety switches and adjustments
F		17) Hose and wire routing and connections
F		18) Rollers and pivot point condition & operation
F		19) Lift to vehicle mounting bolts and brackets
F		20) Lift doors condition and operation
F		21) Lift door lights condition and operation
F		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
F		23) W/C tie downs condition and operation
F		24) Tie down container secure and clean
F		25) Tie down floor mounting brackets secure
F		26) W/C shoulder belt condition and operation
F		27) Lift clean and no sharp edges
F		28) Lift shields secure and in good shape
F		29) Lift moves steady without drifting, jerking, or unusual speeds
F		30) No unusual lift noises
F		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
F		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	F
B,C,D	Change fuel filter	N/A
B,C,D	Clean or change PCV valve	N/A
B,C,D	Clean or change crank case filter	N/A
B,C,D	Install new wiper blades	F
C,D	Change transmission fluid and filter	F
C,D	Service front wheel bearings	F
C,D	Drain water from fuel tank	N/A
D	Replace accessory drive belts	N/A
D	Service and flush cooling system	N/A
D	Install new spark plugs & wires	F
D	Install new dist. cap & rotor	N/A
D	Change differential fluid	F
D	Check Exhaust and EGR system	N/A
D	Check and service fuel & evap. System	N/A
D	Evac and recharge A/C (add 1 oz. of oil)	N/A
A,B,C,D	Post service test drive (5 miles)	F

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: [Signature] Date: 07/20/18

Supervisor Signature: [Signature] Date: 7/20/18

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: A B C **D**

Mileage in: 11237 Mileage out: 11239


Date: 07/20/18 Vehicle #: 5307

Item Inspected	P	F
A) Vehicle drive in inspection (5 miles)		
1) Driver carpet		F
2) Driver seat condition and operation		F
3) Drivers door operation and condition		F
4) Drivers seat belt operation and condition		F
5) Engine starting and ignition system		F
6) Instrument panel gauges & warning lights		F
7) Instrument panel lighting & condition		F
8) Horn operation		F
9) Steering wheel tight, no excessive play		F
10) Windshield wipers		F
11) Windshield washer		F
12) Sun visor condition and operation		F
13) Parking brake operation & condition		F
14) Parking and service brake pedal pads		F
15) Passenger door operation		F
16) No vibrations, pulsations or noises		F
B) Walk around inspection		
1) Body damage (list on separate sheet)		F
2) Headlights, high & low beam operation		F
3) Parking lights operation & condition		F
4) Marker lights operation & condition		F
5) Directional signals operation & condition		F
6) Hazard lights operation & condition		F
7) Clearance lights operation and condition		F
8) Brake lights operation & condition		F
9) License plate lamp operation & condition		F
10) License plates and tags		F
11) Backup lights and alarms		F
12) Reflectors and reflective bumper tape		F
13) Exterior decals and signage		F
14) Bumpers secure / in good condition		F
15) Exterior mirrors secure / in good condition		F
16) Exterior clean		F
C) Interior inspection		
1) Passenger door and steps condition		F
2) Handrails and stanchions condition		F
3) Interior and modesty panels condition		F
4) Flooring condition		F
5) Interior lighting operation and condition		F
6) Windows operation and condition		F
7) Emergency Exits operation & condition		F
8) Accessory operation & condition (radio, GPS)		F
9) Passenger seats operation & condition		F
10) Passenger seat belts operation & condition		F
11) First aid & body fluid kits complete		F
12) Triangle reflectors complete/good condition		F
13) Stop request operation & condition		F
14) Valid registration, insurance & accident pack		F
15) Fire extinguisher in good condition & signed		F
16) Interior decals and signage (incl. electrical)		F
17) DVI's reviewed, addressed and signed off		F
18) Interior clean		F
D) HVAC system inspection		
1) Front blower condition and operation		F

Item Inspected	P	F
2) Rear blower condition and operation		F
3) Defroster operation		F
4) Temp gets to 20 deg. F below ambient temp.		F
5) Evaporator intake air filter condition		F
6) Front heater condition and operation		F
7) Rear heater condition and operation		F
8) A/C compressors and condenser fans		F
E) Under hood inspection		
1) Batteries & charging sys. (load alt B, C, D serv)		F
Batt 1 volts: <u>12.8</u> load amps:		F
Batt 2 volts: <u>12.5</u> load amps:		F
Batt 3 volts: load amps:		F
(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)		F
Alt. 1 min volt: max amp:		F
Alt. 2 min volt: max amp:		F
(reference factory service manual for alternator spec)		F
2) Wire and hose routing and connections		F
3) Cooling system, hoses, water pump condition		F
5) Accessory drive belts condition		F
6) Pulleys and tensioned operation & condition		F
7) Brake master cylinder and power booster		F
8) Fan and fan clutch operation and condition		F
9) Engine oil fluid level and condition		F
10) Transmission oil level and condition		F
11) Power steering fluid level and condition		F
12) Brake fluid level and condition		F
F) Vehicle rack inspection		
1) Steering gear box mount, condition & leaks		F
2) Steering shaft U joints		F
3) Steering shaft bearings		F
4) Steering linkages		F
5) I beam or control arm movements and rivets		F
6) Radius arm condition and bushings condition		F
7) Stabilizer bar condition and bushings condition		F
8) Ball joints or kingpins		F
9) Front spring condition and mounting		F
10) Front shock absorber operation & condition		F
11) Trans oil cooler & lines routing and leaks		F
12) Engine oil cooler & lines routing and leaks		F
13) Heater and A/C hose routing and leaks		F
14) No engine oil leaks and fluid condition		F
15) Engine mounts, brackets and bolts		F
16) Transmission mounts, brackets and bolts		F
17) No transmission oil leaks and fluid condition		F
18) Drive shaft condition		F
19) Universal joints and carrier bearings condition		F
20) No rear differential leaks		F
21) Rear differential condition and mounting		F
22) Frame and cross members		F
23) Rear shock absorbers		F
24) Rear springs condition and mounting		F
25) No fuel leaks		F
26) Fuel tank condition and mounting		F
27) No exhaust leaks		F
28) Exhaust system condition and mounting		F

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

1234

Basic Information

Vehicle #: 5307 Repair Reason: D Date and Time in: 18:31 Mileage in: 112831
 Date: 07/20/18 Work Class: 4 Date and Time Finished: 23:26 Mileage out: 112835

Complaints/Defects: PMID

Notes/Measurements:

Labor Information			Parts Information						
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
D 58		PMID		D	55	LF3681	oil filter	1	
				D	55	5W20	engine oil	7	
				D	35	WW2001PF	wipers blade	2	
				D	55	AF22590	Air filter	1	
				D	55	F180	trans filter	1	
				D	55	MELAM 1V	trans fluid	10	
				D	55	615 38	front bearing seal	2	
				D	55	56521	spark plug	10	
04 55		brake inspection		D	55	80W90	differential fluid		
				D	55	H13	headlight bulb	1	
			Total Hours Worked:					Total Parts Cost:	

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 74814 Technician: Freedom FV11C Signature: [Signature]
 ASE Employee #: 6458 ASE Technician: [Signature] ASE Signature: [Signature]

MV Transportation

5910 N Cenrtal Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5307 Repair Reason: D Date and Time in: _____
Date: 09/24/2019 Work Class: I Date and Time Finished: _____

Mileage in: 169945
Mileage out: 169946

Notes/Measurements:

Complaints/Defects:

Labor Information

Task	WAC	Repair Description/Comments	Hours
D	58	PMI D	
D	04	Brake Inspection	
Total Hours Worked:			

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
D	55	VV1700	ENGINE OIL	7	
D	55	LF3681	OIL FILTER	1	
D	55	AF25590	AIR FILTER	1	
D	55	WW2001 PF	WIPER BLADE	2	
D	55	9008	HEADLIGHT BULB	1	
D	55	FT-180	TRANS FILTER	1	
D	55	XT10DLV	TRANS FLUID	10	
D	55	K061360	ACC BELT	1	
D	55	VV822	7580 GEAR OIL	4	
D	55	SP521	SPARK PLUG	10	
Total Parts Cost:					

Total Hours Worked:

Total Parts Cost:

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725 Technician: Ronny Murray

Signature: Ronny Murray

ASE Employee #: _____ ASE Technician: _____

ASE Signature: _____

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: A B C

Date: 09/24/19 Vehicle #: 5307

Mileage in: 169945

Mileage out: 169946

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
R		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
		C) Interior inspection
		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition (radio, GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation

P	F	Item Inspected
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
R		1) Batteries & charging sys. (load alt B,C,D serv)
R		Batt 1 volts: load amps:
R		Batt 2 volts: load amps:
R		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R	X	5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
R		3) Steering shaft bearings
R		4) Steering linkages
R		5) I beam or control arm movements and rivets
R		6) Radius arm condition and bushings condition
R		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
R		18) Drive shaft condition
R		19) Universal joints and carrier bearings condition
R		20) No rear differential leaks
R		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C **D**

Date: 09/24/19

Vehicle #: 5307

Mileage in: 169945

Mileage out: 169946

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
R		Pads R/F: <u>5</u> /32" L/F: <u>5</u> /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R		Pads R/R: <u>6</u> /32" L/R: <u>6</u> /32"
NA		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
R		R/F: <u>7</u> /32" L/F: <u>7</u> /32"
R		R/RI: <u>5</u> /32" L/RI: <u>6</u> /32"
R		R/RO: <u>6</u> /32" L/RO: <u>5</u> /32"
		35) Lug nuts condition
R		Air pressure adjustment FR. <u>65</u> RR. <u>75</u>
R		Wheel torque specs used: <u>140</u> ft. lbs.
		G) Lift inspection
R		1) Lift operation (fully stowed to fully deployed)
R		2) Lift control pendant condition and operation
R		3) Lift restraint belt condition and operation
R		4) Outer roll stop condition and operation
R		5) Inner roll stop condition and operation
R		6) Platform adjustments, condition and mounting
R		7) Standee arm condition and operation
R		8) Proper signage and decals
R		9) Manual backup pump condition and operation
R		10) Lift manual pump handle
R		11) Hydraulic pump condition and operation
R		12) Hydraulic lines and cylinders condition
R		13) Hydraulic fluid level and condition
R		14) Base plate and arms welds & pivot points
R		15) Lift springs and pins condition and operation
R		16) Lift safety switches and adjustments
R		17) Hose and wire routing and connections
R		18) Rollers and pivot point condition & operation
R		19) Lift to vehicle mounting bolts and brackets
R		20) Lift doors condition and operation
R		21) Lift door lights condition and operation
R		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking, or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
R		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	R
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	R
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	R
B,C,D	Change air filter	R
B,C,D	Change fuel filter	NA
B,C,D	Clean or change PCV valve	NA
B,C,D	Clean or change crank case filter	NA
B,C,D	Install new wiper blades	R
C,D	Change transmission fluid and filter	R
C,D	Service front wheel bearings	R
C,D	Drain water from fuel tank	NA
D	Replace accessory drive belts	R
D	Service and flush cooling system	R
D	Install new spark plugs & wires	R
D	Install new dist. cap & rotor	NA
D	Change differential fluid	R
D	Check Exhaust and EGR system	NA
D	Check and service fuel & evap. System	NA
D	Evac and recharge A/C (add 1 oz. of oil)	R
A,B,C,D	Post service test drive (5 miles)	R

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Rocky Murray
Technicians Signature

09/24/2019
Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C **D**

Date: 06/10/21 Vehicle #: 5307

Mileage in: 226,663 Mileage out: 226,664

P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)
H		1) Driver carpet
H		2) Driver seat condition and operation
H		3) Drivers door operation and condition
H		4) Drivers seat belt operation and condition
H		5) Engine starting and ignition system
H		6) Instrument panel gauges & warning lights
H		7) Instrument panel lighting & condition
H		8) Horn operation
H		9) Steering wheel tight, no excessive play
H		10) Windshield wipers
H		11) Windshield washer
H		12) Sun visor condition and operation
H		13) Parking brake operation & condition
H		14) Parking and service brake pedal pads
H		15) Passenger door operation
H		16) No vibrations, pulsations or noises
/		B) Walk around inspection
H		1) Body damage (list on separate sheet)
H		2) Headlights, high & low beam operation
H		3) Parking lights operation & condition
H		4) Marker lights operation & condition
H		5) Directional signals operation & condition
H		6) Hazard lights operation & condition
H		7) Clearance lights operation and condition
H		8) Brake lights operation & condition
H		9) License plate lamp operation & condition
H		10) License plates and tags
H		11) Backup lights and alarms
H		12) Reflectors and reflective bumper tape
H		13) Exterior decals and signage
H		14) Bumpers secure / in good condition
H		15) Exterior mirrors secure / in good condition
H		16) Exterior clean
/		C) Interior inspection
H		1) Passenger door and steps condition
H		2) Handrails and stanchions condition
H		3) Interior and modesty panels condition
H		4) Flooring condition
H		5) Interior lighting operation and condition
H		6) Windows operation and condition
H		7) Emergency Exits operation & condition
H		8) Accessory operation & condition (radio, GPS)
H		9) Passenger seats operation & condition
H		10) Passenger seat belts operation & condition
H		11) First aid & body fluid kits complete
H		12) Triangle reflectors complete/good condition
H		13) Stop request operation & condition
H		14) Valid registration, insurance & accident pack
H		15) Fire extinguisher in good condition & signed
H		16) Interior decals and signage (incl. electrical)
H		17) DVI's reviewed, addressed and signed off
H		18) Interior clean
/		D) HVAC system inspection
H		1) Front blower condition and operation

P	F	Item Inspected
H		2) Rear blower condition and operation
H		3) Defroster operation
H		4) Temp gets to 20 deg. F below ambient temp.
H		5) Evaporator intake air filter condition
H		6) Front heater condition and operation
H		7) Rear heater condition and operation
H		8) A/C compressors and condenser fans
H		E) Under hood inspection
H		1) Batteries & charging sys. (load alt B,C,D serv)
H		Batt 1 volts: load volts: load amps:
H		Batt 2 volts: load volts: load amps:
H		Batt 3 volts: load volts: load amps:
/		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
H		Alt. 1 min volt: max volt: max amp:
/		Alt. 2 min volt: max volt: max amp:
H		(reference factory service manual for alternator spec)
H		2) Wire and hose routing and connections
H		3) Cooling system, hoses, water pump condition
H		5) Accessory drive belts condition
H		6) Pulleys and tensioned operation & condition
H		7) Brake master cylinder and power booster
H		8) Fan and fan clutch operation and condition
H		9) Engine oil fluid level and condition
H		10) Transmission oil level and condition
H		11) Power steering fluid level and condition
H		12) Brake fluid level and condition
/		F) Vehicle rack inspection
H		1) Steering gear box mount, condition & leaks
H		2) Steering shaft U joints
H		3) Steering shaft bearings
H		4) Steering linkages
H		5) I beam or control arm movements and rivets
H		6) Radius arm condition and bushings condition
H		7) Stabilizer bar condition and bushings condition
H		8) Ball joints or kingpins
H		9) Front spring condition and mounting
H		10) Front shock absorber operation & condition
H		11) Trans oil cooler & lines routing and leaks
H		12) Engine oil cooler & lines routing and leaks
H		13) Heater and A/C hose routing and leaks
H		14) No engine oil leaks and fluid condition
H		15) Engine mounts, brackets and bolts
H		16) Transmission mounts, brackets and bolts
H		17) No transmission oil leaks and fluid condition
H		18) Drive shaft condition
H		19) Universal joints and carrier bearings condition
H		20) No rear differential leaks
H		21) Rear differential condition and mounting
H		22) Frame and cross members
H		23) Rear shock absorbers
H		24) Rear springs condition and mounting
H		25) No fuel leaks
H		26) Fuel tank condition and mounting
H		27) No exhaust leaks
H		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: A B C D

Mileage in: 226,663 Mileage out: 224,004

Service Performed	Service Type	Techs Initials
Change oil and filter	A,B,C,D	H
Lube chassis and suspension	A,B,C,D	N/A
Lube drive shafts and universal joints	A,B,C,D	N/A
Lube doors and hood, locks and hinges	A,B,C,D	H
Adjust service and parking brakes	A,B,C,D	H
Drain water from separator	A,B,C,D	N/A
Rotate tires (as necessary, caps on rear)	A,B,C,D	H
Change air filter	B,C,D	H
Change fuel filter	B,C,D	N/A
Clean or change PCV valve	B,C,D	N/A
Clean or change crank case filter	B,C,D	N/A
Install new wiper blades	B,C,D	H
Change transmission fluid and filter	C,D	H
Service front wheel bearings	C,D	OK
Drain water from fuel tank	D	N/A
Replace accessory drive belts	D	N/A
Service and flush cooling system	D	N/A
Install new spark plugs & wires	D	N/A
Install new dist. cap & rotor	D	N/A
Change differential fluid	D	H
Check Exhaust and EGR system	D	N/A
Check and service fuel & evap. System	D	N/A
Evac and recharge A/C (add 1 oz. of oil)	D	N/A
Post service test drive (5 miles)	A,B,C,D	H

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: *J. W. [Signature]* Date: 06/10/21

Supervisor Signature: _____ Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Item Inspected	P	F
30) Front brake condition and mounting	/	
31) Front brake lining condition & measurement	/	
Pads R/F: 9/32" LF: 9/32"	H	
32) Rear brake condition and mounting	/	
33) Rear brake lining condition & measurement	/	
Pads R/R: 7/32" LR: 7/32"	H	
34) Tire and wheel condition and measurements	/	
Shoes R/R: 1/32" LR: 1/32"	N/A	
R/F: 6/32" LF: 7/32"	H	
R/R: 8/32" LR: 7/32"	H	
R/O: 6/32" L/R: 6/32"	H	
35) Lug nuts condition	/	
Air pressure adjustment FR: 35 RR: 85	H	
Wheel torque specs used: 140 ft. lbs.	H	
(G) Lift inspection	/	
1) Lift operation (fully stowed to fully deployed)	H	
2) Lift control pendant condition and operation	H	
3) Lift restraint belt condition and operation	H	
4) Outer roll stop condition and operation	H	
5) Inner roll stop condition and operation	H	
6) Platform adjustments, condition and mounting	H	
7) Standee arm condition and operation	H	
8) Proper signage and decals	H	
9) Manual backup pump condition and operation	H	
10) Lift manual pump handle	H	
11) Hydraulic pump condition and operation	H	
12) Hydraulic lines and cylinders condition	H	
13) Hydraulic fluid level and condition	H	
14) Base plate and arms welds & pivot points	H	
15) Lift springs and pins condition and operation	H	
16) Lift safety switches and adjustments	H	
17) Hose and wire routing and connections	H	
18) Rollers and pivot point condition & operation	H	
19) Lift to vehicle mounting bolts and brackets	H	
20) Lift doors condition and operation	H	
21) Lift door lights condition and operation	H	
22) Lift interlock operation and condition	H	
(Lift door open, e-brake down not able to shift)	H	
(e-brake off lift door closed no lift power)	H	
23) W/C the downs condition and operation	H	
24) The down container secure and clean	H	
25) The down floor mounting brackets secure	H	
26) W/C shoulder belt condition and operation	H	
27) Lift clean and no sharp edges	H	
28) Lift shields secure and in good shape	H	
29) Lift moves steady without drifting, jerking, or unusual speeds	H	
30) No unusual lift noises	H	
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	H	
Check, torque or adjust lift base mounting bolts	/	



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **(A)** B C D

Date: 4/2/18 Vehicle #: 5307-P Mileage in: 103640 Mileage out: 103645

P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)
/		1) Driver carpet
/		2) Driver seat condition and operation
/		3) Drivers door operation and condition
/		4) Drivers seat belt operation and condition
/		5) Engine starting and ignition system
/		6) Instrument panel gauges & warning lights
/		7) Instrument panel lighting & condition
/		8) Horn operation
/		9) Steering wheel tight, no excessive play
/		10) Windshield wipers
/		11) Windshield washer
/		12) Sun visor condition and operation
/		13) Parking brake operation & condition
/		14) Parking and service brake pedal pads
/		15) Passenger door operation
/		16) No vibrations, pulsations or noises
/		B) Walk around inspection
/		1) Body damage (list on separate sheet)
/		2) Headlights, high & low beam operation
/		3) Parking lights operation & condition
/		4) Marker lights operation & condition
/		5) Directional signals operation & condition
/		6) Hazard lights operation & condition
/		7) Clearance lights operation and condition
/		8) Brake lights operation & condition
/		9) License plate lamp operation & condition
/		10) License plates and tags
/		11) Backup lights and alarms
/		12) Reflectors and reflective bumper tape
/		13) Exterior decals and signage
/		14) Bumpers secure / in good condition
/		15) Exterior mirrors secure / in good condition
/		16) Exterior clean
/		C) Interior inspection
/		1) Passenger door and steps condition
/		2) Handrails and stanchions condition
/		3) Interior and modesty panels condition
/		4) Flooring condition
/		5) Interior lighting operation and condition
/		6) Windows operation and condition
/		7) Emergency Exits operation & condition
/		8) Accessory operation & condition (radio, GPS)
/		9) Passenger seats operation & condition
/		10) Passenger seat belts operation & condition
/		11) First aid & body fluid kits complete
/		12) Triangle reflectors complete/good condition
/		13) Stop request operation & condition
/		14) Valid registration, insurance & accident pack
/		15) Fire extinguisher in good condition & signed
/		16) Interior decals and signage (incl. electrical)
/		17) DVI's reviewed, addressed and signed off
/		18) Interior clean
/		D) HVAC system inspection
/		1) Front blower condition and operation

P	F	Item Inspected
/		2) Rear blower condition and operation
/		3) Defroster operation
/		4) Temp gets to 20 deg. F below ambient temp.
/		5) Evaporator intake air filter condition
/		6) Front heater condition and operation
/		7) Rear heater condition and operation
/		8) A/C compressors and condenser fans
/		E) Under hood inspection
/		1) Batteries & charging sys. (load alt B,C,D serv)
/		Batt 1 volts: load volts: load amps:
/		Batt 2 volts: load volts: load amps:
/		Batt 3 volts: load volts: load amps:
/		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
/		Alt. 1 min volt: max volt: max amp:
/		Alt. 2 min volt: max volt: max amp:
/		(reference factory service manual for alternator spec)
/		2) Wire and hose routing and connections
/		3) Cooling system, hoses, water pump condition
/		5) Accessory drive belts condition
/		6) Pulleys and tensioned operation & condition
/		7) Brake master cylinder and power booster
/		8) Fan and fan clutch operation and condition
/		9) Engine oil fluid level and condition
/		10) Transmission oil level and condition
/		11) Power steering fluid level and condition
/		12) Brake fluid level and condition
/		F) Vehicle rack inspection
/		1) Steering gear box mount, condition & leaks
/		2) Steering shaft U joints
/		3) Steering shaft bearings
/		4) Steering linkages
/		5) I beam or control arm movements and rivets
/		6) Radius arm condition and bushings condition
/		7) Stabilizer bar condition and bushings condition
/		8) Ball joints or kingpins
/		9) Front spring condition and mounting
/		10) Front shock absorber operation & condition
/		11) Trans oil cooler & lines routing and leaks
/		12) Engine oil cooler & lines routing and leaks
/		13) Heater and A/C hose routing and leaks
/		14) No engine oil leaks and fluid condition
/		15) Engine mounts, brackets and bolts
/		16) Transmission mounts, brackets and bolts
/		17) No transmission oil leaks and fluid condition
/		18) Drive shaft condition
/		19) Universal joints and carrier bearings condition
/		20) No rear differential leaks
/		21) Rear differential condition and mounting
/		22) Frame and cross members
/		23) Rear shock absorbers
/		24) Rear springs condition and mounting
/		25) No fuel leaks
/		26) Fuel tank condition and mounting
/		27) No exhaust leaks
/		28) Exhaust system condition and mounting

