



10/17/2025

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

10181088

Ford extended cab FORD F150 4X2

**Workorder: V30069**

In Date: 02/19/2010  
Close Date: 03/18/2010

Meter Reading:

**Problem?**

set up new unit

**Task performed:**

1. Install bed slides.
2. Reposition bed slides per ML.
3. Fab/install head rack for slide out.
4. Install streamlight, box light, bed light, map light, fuse block & \_\_\_\_\_.
5. Install vent shades. j

Parts	Quantity
94738VENT SHADES 2010 F150	1
LF18TS-LEDMAP LIGHT LED 18 IN	1
5025TERMINAL BOX	1
KR-CCLCATHODE COMPARTMENT LIGHT	3

**Workorder: V30022**

In Date: 02/17/2010  
Close Date: 03/19/2010

Meter Reading:

**Problem?**

tint windows BOSS (outside agency-60 minute tint)

**Task performed:**

Tinit windows BOSS - 60-Minute j

Parts	Quantity
NO PARTS USED	

Vendor?: 60-MINUTE TINE

**Workorder: V30237**

In Date: 02/25/2010  
Close Date: 03/19/2010

Meter Reading:

**Problem?**

install alarm BOSS (outside agency-60 minute tint)

**Task performed:**

Install alarm BOSS - 60-Minute j

Parts	Quantity
NO PARTS USED	

Vendor?: 60-MINUTE



10/17/2025

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

10181088

Ford extended cab FORD F150 4X2

**Workorder: V30940**

In Date: 03/22/2010

Meter Reading:

Close Date: 04/09/2010

**Problem?**

Replace Battery

**Task performed:**

Clnd btry acid seal & replcd btry; moved truck to parking lot & clnd bady; disconnected btry cable while parked for multiple days to prevent future btry loss.

j

Parts	Quantity
65-72BXT65750 BATTERY	1
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY	1

**Workorder: V31315**

In Date: 04/06/2010

Meter Reading:

Close Date: 04/28/2010

**Problem?**

Install Battery Safeguard

**Task performed:**

1. Install prioty start sys.
2. C/O dead btry on truck; charge up; fnd Hoove had rain sys; he will have to repair.
3. Install side steps on truck. j
4. Charge btry; test btry ok; connect cables to safeguard properly; chk for parsitic drain; fnd (1) AMP; btry will loose charge until reaches volt threshold. j

Parts	Quantity
1079606PRIORITY START HAVIS SHIELD	1

**Workorder: V31889**

In Date: 04/29/2010

Meter Reading:

Close Date: 05/05/2010

**Problem?**

l/r turn signal innop

**Task performed:**

Replace bulb. j

Parts	Quantity
60F000RRLIGHT 600 SERIES	1



10/17/2025

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

10181088

Ford extended cab FORD F150 4X2

### Workorder: V30012

In Date: 02/17/2010

Meter Reading:

Close Date: 05/06/2010

#### Problem?

set up new unit for investigations

#### Task performed:

Install all hand tools. j

#### Parts

#### Quantity

UMVS254411STRAP 46 IN

1

TH2QUIC-MOUNT TOOL HOLDER

2

UMVS056511STRAP

3

UMVS-0811-11STRAP ZICO

3

### Workorder: V30139

In Date: 02/22/2010

Meter Reading:

Close Date: 05/12/2010

#### Problem?

Insall new lights siren lights

#### Task performed:

install new lights/siren Strobes-R-Us j

#### Parts

#### Quantity

NO PARTS USED

Vendor?: STROBES-R-US

### Workorder: V32909

In Date: 06/15/2010

Meter Reading:

2,796.00

Close Date: 06/30/2010

#### Problem?

B inspection and repairs Boss (outside agency-al packer ford)

#### Task performed:

B-Inspection/repairs Boss - Al Packer j

#### Parts

#### Quantity

NO PARTS USED

Vendor?: AL PACKER FORD



10/17/2025

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

10181088

Ford extended cab FORD F150 4X2

**Workorder: V34462**

In Date: 08/23/2010

Meter Reading:

Close Date: 09/08/2010

**Problem?**

tow from forest hill & Stafford to central shop (westway towing)

**Task performed:**

Parts

Quantity

Went to scene to assist loading & securing veh. j

NO PARTS USED

Tow from Forest Hill/Stafford to C/S - Westway Towing

j

Vendor?: WESTWAY TOW

**Workorder: V35399**

In Date: 10/04/2010

Meter Reading: 7,012.00

Close Date: 10/04/2010

**Problem?**

OUTSIDE B INSP. JIFFY LUBE

**Task performed:**

Parts

Quantity

B INSPECTION AT JIFFY LUBE

NO PARTS USED

**Workorder: V30448**

In Date: 03/04/2010

Meter Reading:

Close Date: 12/22/2010

**Problem?**

Install lights and siren boss

**Task performed:**

Parts

Quantity

RSC03ZCRTIR3 CLEAR WHITE

5

LAW2CCLED HIDAWAY CLEAR

1

LAW2RRLED HIDAWAY RED

1

RBKT1WHL MOUNTING BRACKET

10

**Workorder: V35292**

In Date: 09/30/2010

Meter Reading: 6,526.00

Close Date: 12/22/2010

**Problem?**

install rear lights need 4 red/blue lights

**Task performed:**

Parts

Quantity

NO PARTS USED



10/17/2025

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

10181088

Ford extended cab FORD F150 4X2

### Workorder: V37286

In Date: 12/20/2010

Meter Reading: 10,517.00

Close Date: 12/22/2010

#### Problem?

B inspection and repairs (outside agency-al packer ford)

#### Task performed:

Parts

Quantity

NO PARTS USED

### Workorder: V37325

In Date: 12/21/2010

Meter Reading:

Close Date: 01/10/2011

#### Problem?

Replace lenses with red and blue lenses

#### Task performed:

Parts

Quantity

installed/wired red/blue LED lights in rear window. j

NO PARTS USED

### Workorder: V40601

In Date: 05/13/2011

Meter Reading: 15,518.00

Close Date: 05/18/2011

#### Problem?

B inspection done at Jiffy Lube

#### Task performed:

Parts

Quantity

B inspection done at Jiffy Lube

NO PARTS USED

Vendor?: JIFFY LUBE

### Workorder: 1V41539

In Date: 06/22/2011

Meter Reading: 17,322.00

Close Date: 06/24/2011

#### Problem?

Vehicle's battery has died twice this week

#### Task performed:

Parts

Quantity

Test start charge sys; btry bad; replc btry; starting sys ok. j

65-72BXT65750 BATTERY

1

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

1



10/17/2025

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

10181088

Ford extended cab FORD F150 4X2

**Workorder: V42260**

In Date: 07/25/2011

Meter Reading: 18,677.00

Close Date: 08/01/2011

**Problem?**

B Inspection. Rolling lock is leaking

**Task performed:**

Parts

Quantity

B Inspection @ Al Packer. Leak test performed on rolling lock

NO PARTS USED

Vendor?: AL PACKER

**Workorder: V42533**

In Date: 08/03/2011

Meter Reading: 19,045.00

Close Date: 08/22/2011

**Problem?**

no power to hand lights

**Task performed:**

Parts

Quantity

DIANOSE BLOWN FUSE AND REPLACE FAULTY FLASH LIGHT CHARGER

NO PARTS USED

**Workorder: V42282**

In Date: 07/25/2011

Meter Reading: 18,677.00

Close Date: 11/02/2011

**Problem?**

Remove backseat and install shelf. Remove light box and charger from rear passenger side floor. Install printer stand front passenger side floor. Relocate portable radio charger and spare battery charger (needs to be moved up to the towards the front of the cab)

**Task performed:**

Parts

Quantity

1. Rem back seat/btry charger; custom build tool box & reinstall charger; also install printer \_\_\_\_\_.

S777COUPLING NIPPLE

4

2. Install spare tire jack in bed & install fire extinguisher. j(cld 8/22/11)

LTC5993SSM1-63-8 LATCH STAINLESS

2

3. Rem rear seat & start fab custom tool box.

4. Fab tool box.

5. Finish fab/install tool box; install accessories & printer stand.

6. install spare tire jack & fire extinguisher. j



10/17/2025

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

10181088

Ford extended cab FORD F150 4X2

### Workorder: V45562

In Date: 12/01/2011

Close Date: 12/06/2011

Meter Reading: 24,002.00

#### Problem?

Replace air filter.

#### Task performed:

REPLACE AIR FILTER.

#### Parts

49883AIR FILTER WPB 7C3Z9601A

#### Quantity

1

### Workorder: V45648

In Date: 12/05/2011

Close Date: 12/09/2011

Meter Reading: 24,106.00

#### Problem?

oil change @ jiffy lube.

#### Task performed:

Oil change at jiffy lube

#### Parts

NO PARTS USED

#### Quantity

Vendor?: JIFFY LUBE

### Workorder: V49106

In Date: 05/03/2012

Close Date: 05/04/2012

Meter Reading: 31,636.00

#### Problem?

B inspection al packer

#### Task performed:

oil and filter change

b inspection

Vendor?: AL PACKER

#### Parts

NO PARTS USED

#### Quantity

### Workorder: V50241

In Date: 06/19/2012

Close Date: 06/22/2012

Meter Reading: 33,071.00

#### Problem?

REPAIR TURN SIGNAL

#### Task performed:

REPLACED BULB FOR LEFT REAR TURN SIGNAL (BURNT)

#### Parts

3157TAIL LIGHT BULBS

#### Quantity

1



10/17/2025

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

10181088

Ford extended cab FORD F150 4X2

**Workorder: V52970**

In Date: 10/10/2012

Meter Reading: 37,669.00

Close Date: 10/10/2012

**Problem?**

B inspection

**Task performed:**

Parts

Quantity

multit point b  
oil and filter  
machine front rotors  
rotate tires

NO PARTS USED

**Vendor?:** AL PACKER

**Workorder: V53018**

In Date: 10/11/2012

Meter Reading: 37,472.00

Close Date: 10/29/2012

**Problem?**

REPLACE AND MOUNT AND BALANCE 4 TIRES

**Task performed:**

Parts

Quantity

REPLACE AND MOUNT AND BALANCE 4 TIRES.

NO PARTS USED

**Vendor?:** CALLAGHAN TIRE

**Workorder: V52550**

In Date: 09/21/2012

Meter Reading: 41,814.00

Close Date: 11/20/2012

**Problem?**

order metal for shelf in investigator

**Task performed:**

Parts

Quantity

ORDER METAL FOR STOCK TO MAKE SHELF ON INVESTIGATOR TRUCKS. DO P.O ECT.

NO PARTS USED



10/17/2025

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

10181088

Ford extended cab FORD F150 4X2

**Workorder: V54364**

In Date: 12/11/2012

Meter Reading: 39,697.00

Close Date: 12/20/2012

**Problem?**

install topper and shelves

**Task performed:**

1. WIRE UP LIGHTS.
2. FINISH UP LIFGTS AND PAD IN BACK AND REPAIR AND REPLACE BATTERY SAVER.
3. REMOVE ROLL TOPER FROM TRUCK.
4. WORK ON LEAK TOPER AND ROLL OUT BEP, MAKE PLATES.
5. WORK ON CUTTING PLATE INSTALLING ANGLE MOUNT ANGLE PLATE.
6. WORK ON PLATES AND ANGLE AND DIVIDERAND WINDOW GUARD.

**Parts**

**Quantity**

GSS1801UN30LB SHOCK SIDE DOOR HORTON	2
1079606PRIORITY START HAVIS SHIELD	1
4758 TERM BOX	1
47153582-2116 TOGGLE SW ON/OFF	1
3532535325 CLAMP MUFFLER VW	1

**Workorder: V57283**

In Date: 04/25/2013

Meter Reading: 44,368.00

Close Date: 04/26/2013

**Problem?**

B inspection

**Task performed:**

- B inspection
- oil and filter change
- replace front wiper blades
- repalce fuel filter
- rotate tires
- replace rear shocks
- lube slipe yoke
- replace air cleaner
- service rear end
- replace front brakes

**Parts**

**Quantity**

NO PARTS USED

Vendor?: AL PACKER

**Workorder: V57429**

In Date: 05/02/2013

Meter Reading: 44,352.00

Close Date: 05/20/2013

**Problem?**

Replace r/f tire [Callaghan]

**Task performed:**

REPLACE R/F [CALLAGHAN].

**Parts**

**Quantity**

NO PARTS USED

Vendor?: CALLAGHAN TIRE



10/17/2025

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

10181088

Ford extended cab FORD F150 4X2

**Workorder: V58329**

In Date: 06/11/2013

Meter Reading: 45,624.00

Close Date: 06/17/2013

**Problem?**

check possbile nail in tire

**Task performed:**

Parts

Quantity

FOUND NAIL IN RIGHT REAR TIRE - CHECK ALL OTHER TIRE PRESSURES AND ADJUST - REMOVED RIGHT WHEEL - REMOVED 3PART - CLEANED SGN AND DIRT FROM WHEEL - INSTALLED AND AIRED SPARE - MARKED OTHER TIRE FOR REPAIR.

NO PARTS USED

**Workorder: V59320**

In Date: 07/24/2013

Meter Reading: 47,465.00

Close Date: 07/25/2013

**Problem?**

Repair l/f at blvd

**Task performed:**

Parts

Quantity

REPAIR L/F AT BOULEVARD.

NO PARTS USED

Vendor?: BOULEVARD TIRE CENTE

**Workorder: V59321**

In Date: 07/24/2013

Meter Reading: 47,465.00

Close Date: 07/25/2013

**Problem?**

Repair loose tire at blvd

**Task performed:**

Parts

Quantity

repair loose tire at Boulevard.

NO PARTS USED

Vendor?: BOULEVARD TIRE CENTE



10/17/2025

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

10181088

Ford extended cab FORD F150 4X2

**Workorder: V61578**

In Date: 10/28/2013

Close Date: 10/30/2013

Meter Reading: 51,000.00

**Problem?**

B inspection

**Task performed:**

B inspection  
oil and filter change  
rotate tires  
found battery

Vendor?: AL PACKER

Parts

Quantity

NO PARTS USED

**Workorder: V67298**

In Date: 06/17/2014

Close Date: 06/18/2014

Meter Reading: 59,051.00

**Problem?**

B-inspection

**Task performed:**

B-inspection Multi point

Vendor?: AL PACKER

Parts

Quantity

NO PARTS USED

**Workorder: V68401**

In Date: 08/04/2014

Close Date: 08/04/2014

Meter Reading: 61,525.00

**Problem?**

Drivers door wont open from inside

**Task performed:**

Replaced inside door handle

Vendor?: AL PACKER

Parts

Quantity

NO PARTS USED



10/17/2025

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

10181088

Ford extended cab FORD F150 4X2

**Workorder: V71411**

In Date: 12/04/2014  
Close Date: 12/04/2014

Meter Reading: 66,831.00

**Problem?**

B INSPECTION AL PACKER

**Task performed:**

- B inspection
- Oil and filter
- Brake and tires
- Repair brake
- Repair brake
- Front brake
- Rear brake
- Brake fluid
- Wiperblades
- Air cleaner filter

Vendor?: AL PACKER

Parts

Quantity

NO PARTS USED

**Workorder: V71524**

In Date: 12/09/2014  
Close Date: 12/10/2014

Meter Reading: 66,680.00

**Problem?**

battery bad

**Task performed:**

- Check batteries and charging system-found needs batteries replace then test for operation, it's good now.

Parts

Quantity

65-72BXT65750 BATTERY

1

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTERY

1

**Workorder: V71683**

In Date: 12/16/2014  
Close Date: 12/17/2014

Meter Reading: 66,872.00

**Problem?**

Replace tires

**Task performed:**

- Replace tires

Parts

Quantity

NO PARTS USED

Vendor?: CALLAGHAN TIRE



# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

Asset: (10181088) 2010 - FORD F150 EXT CAB Ford F150 4X2

10181088

**CSHOP-2015-1420**

Date Opened 6-26-2015 Date Finished 6-26-2015 Meter 1 Reading: 75,106

**TASKS PERFORMED**

**NO PARTS USED**

PM SERVICE B LIGHT

**VENDOR?** AL PACKER

**CSHOP-2015-4313**

Comments: **B-INSPECTION ENG MISFIRE**

Date Opened 12-4-2015 Date Finished 12-4-2015 Meter 1 Reading: 80,989

**TASKS PERFORMED**

**NO PARTS USED**

PM SERVICE B LIGHT

**VENDOR?** AL PACKER

**CSHOP-2016-2298**

Date Opened 5-12-2016 Date Finished 6-14-2016 Meter 1 Reading: 87,078

REPAIRED RR TIRE AT CALLAGHAN

**TASKS PERFORMED**

**Q PARTS**

ENGINE AND ACCESSORIES  
TIRE

1 ELBOW; ELBOW TURBO

**CSHOP-2016-2389**

Date Opened 5-18-2016 Date Finished 5-18-2016 Meter 1 Reading: 86,545

**TASKS PERFORMED**

**NO PARTS USED**

PM SERVICE B LIGHT

**VENDOR?** AL PACKER

**CSHOP-2016-539**

Comments: **10181088 NEEDS BATTERY**

Date Opened 2-3-2016 Date Finished 2-3-2016 Meter 1 Reading: 82,251

**TASKS PERFORMED**

**Q PARTS**

BATTERY

1 BATTERY; BATTERY EPA TAX \$1.50 PER BATTERY  
1 BATTERY; BXT65750 BATTERY

**Asset Work Order History 10181088**

**CSHOP-2016-5737**

Date Opened 12-8-2016 Date Finished 12-8-2016 Meter 1 Reading: 94,542

**TASKS PERFORMED**

**NO PARTS USED**

---

PM SERVICE B LIGHT

**VENDOR?** AL PACKER

---

**CSHOP-2016-5898**

Date Opened 12-19-2016 Date Finished 12-19-2016 Meter 1 Reading: 94,542

**TASKS PERFORMED**

**NO PARTS USED**

---

TIRES ALL

**VENDOR?** DAN CALLAGHAN ENTERPRISES

---

**CSHOP-2016-5981**

Date Opened 12-26-2016 Date Finished 12-26-2016 Meter 1 Reading: 94,572

**TASKS PERFORMED**

**NO PARTS USED**

---

INSTRUMENTS-GAUGES-METERS

**VENDOR?** AL PACKER

---

**CSHOP-2017-1783**

Date Opened 3-24-2017 Date Finished 3-27-2017 Meter 1 Reading: 98,702

**TASKS PERFORMED**

**Q PARTS**

---

INVERTER

1 9IP; INVERTER 400W

---

**CSHOP-2017-2313**

Date Opened 4-20-2017 Date Finished 4-20-2017 Meter 1 Reading: 99,825

**TASKS PERFORMED**

**NO PARTS USED**

---

INSTRUMENTS-GAUGES-METERS

---

**CSHOP-2017-2362**

Date Opened 4-21-2017 Date Finished 4-21-2017 Meter 1 Reading: 99,962

**TASKS PERFORMED**

**NO PARTS USED**

---

PM SERVICE B LIGHT

**VENDOR?** AL PACKER

---

**Asset Work Order History 10181088**

**CSHOP-2017-5764**

Date Opened 10-4-2017 Date Finished 10-4-2017 Meter 1 Reading: 107,246

**TASKS PERFORMED**

**NO PARTS USED**

---

PM SERVICE B LIGHT

**VENDOR?** AL PACKER

---

**CSHOP-2018-1397**

Comments: **PARTS ONLY TONY INSTALLED ON VEHICLE**

Date Opened 3-8-2018 Date Finished 4-6-2018 Meter 1 Reading: 0

**TASKS PERFORMED**

**Q PARTS**

---

BACK UP CAMERA-MONITOR

-1 9AP; CAMERA, WIRELESS  
1 9AP; CAMERA, WIRELESS  
1 9AP; WIRELESS SYS W/LOOSE LEAD

---

**CSHOP-2018-4319**

Date Opened 8-1-2018 Date Finished 8-1-2018 Meter 1 Reading: 111,200

**TASKS PERFORMED**

**NO PARTS USED**

---

PM SERVICE B LIGHT

**VENDOR?** AL PACKER

---

**CSHOP-2018-6297**

Comments: **UNIT WON'T START**

Date Opened 11-5-2018 Date Finished 11-7-2018 Meter 1 Reading: 111,785

**TASKS PERFORMED**

**Q PARTS**

---

CRANKING SYSTEM

1 1AD; 65 SERIES BATTERY

---

**CSHOP-2019-2566**

Date Opened 5-15-2019 Date Finished 5-15-2019 Meter 1 Reading: 114,551

**TASKS PERFORMED**

**NO PARTS USED**

---

PM SERVICE B LIGHT

**VENDOR?** AL PACKER

---

**CSHOP-2019-2639**

Date Opened 5-21-2019 Date Finished 5-21-2019 Meter 1 Reading: 114,551

**TASKS PERFORMED**

**Q PARTS**

---

BACK UP CAMERA-MONITOR

1 BK; ATC FUSEHOLDER-CARD

---

**Asset Work Order History 10181088**

**CSHOP-2019-2894**

Date Opened 6-4-2019 Date Finished 6-4-2019 Meter 1 Reading: 114,583

**TASKS PERFORMED**

**NO PARTS USED**

---

VENDOR TIRE REPAIR/CHANGE

**VENDOR?** DAN CALLAGHAN ENTERPRISES

---

**CSHOP-2019-2924**

Comments: **BATTERY KEEPS GOING DEAD**

Date Opened 6-5-2019 Date Finished 8-15-2019 Meter 1 Reading: 115,601

**TASKS PERFORMED**

**NO PARTS USED**

---

ELECTRICAL

---

**CSHOP-2019-453**

Date Opened 1-24-2019 Date Finished 1-24-2019 Meter 1 Reading: 112,942

**TASKS PERFORMED**

**NO PARTS USED**

---

SUSPENSION

**VENDOR?** AL PACKER

---

**CSHOP-2019-4773**

Date Opened 9-9-2019 Date Finished 9-9-2019 Meter 1 Reading: 115,601

**TASKS PERFORMED**

**Q PARTS**

---

BATTERY

1 1AD; BATTERY GROUP 65

---

**CSHOP-2020-1389**

Date Opened 3-9-2020 Date Finished 4-15-2020 Meter 1 Reading: 119,099

**TASKS PERFORMED**

**Q PARTS**

---

BATTERY  
WINDSHIELD

1 1AD; BATTERY GROUP 65

---

**CSHOP-2020-6625**

Date Opened 12-19-2020 Date Finished 12-19-2020 Meter 1 Reading: 120,407

**TASKS PERFORMED**

**NO PARTS USED**

---

PM SERVICE B LIGHT

**VENDOR?** AL PACKER

---

**Asset Work Order History 10181088**

**CSHOP-2020-733**

Date Opened 2-7-2020 Date Finished 2-13-2020 Meter 1 Reading: 0

**TASKS PERFORMED**

**Q PARTS**

STEERING WHEEL

1 BK; FORD TRITON PVC SWC

---

**CSHOP-2020-845**

Date Opened 2-13-2020 Date Finished 2-13-2020 Meter 1 Reading: 117,075

**TASKS PERFORMED**

**NO PARTS USED**

PM SERVICE B LIGHT

**VENDOR?** AL PACKER

---

**CSHOP-2021-189**

Date Opened 1-12-2021 Date Finished 1-12-2021 Meter 1 Reading: 120,510

**TASKS PERFORMED**

**NO PARTS USED**

PRE TRIP INSPECTION

---

**CSHOP-2021-2980**

Date Opened 5-29-2021 Date Finished 6-7-2021 Meter 1 Reading: 126,633

**TASKS PERFORMED**

**NO PARTS USED**

PM SERVICE B LIGHT

**VENDOR?** AL PACKER

---

**CSHOP-2021-6234**

Date Opened 11-8-2021 Date Finished 11-12-2021 Meter 1 Reading: 132,965

**TASKS PERFORMED**

**NO PARTS USED**

PM SERVICE B LIGHT

**VENDOR?** AL PACKER

---

**CSHOP-2021-6549**

Date Opened 11-29-2021 Date Finished 11-29-2021 Meter 1 Reading: 0

**TASKS PERFORMED**

**NO PARTS USED**

IGNITION SWITCH KEY-LOCK ASSE

**VENDOR?** AL PACKER

---

**Asset Work Order History 10181088**

**CSHOP-2021-662**

Date Opened 2-5-2021 Date Finished 5-29-2021 Meter 1 Reading: 0

**TASKS PERFORMED**

**Q PARTS**

ELECTRICAL

1 BK; INVERTER

---

**CSHOP-2022-4286**

Comments: **BED SHOCKS**

Date Opened 8-16-2022 Date Finished 8-18-2022 Meter 1 Reading: 137,725

**TASKS PERFORMED**

**Q PARTS**

DOOR PROP CYLINDER

2 4AH; GAS SPRING 20 LB  
2 4AH; GAS SPRING

---

**Service Requests:**

08/15/2022 WINDOW / 12: BROKEN / EXCHANGE - NEW  
WINDOW/GLASS, NEEDS NEW SHOCKS ON BACK GLASS OF TOPPER, KEEPS FALLING WHEN I AM WORKING IN THE BACK

---

**CSHOP-2022-5437**

Date Opened 10-7-2022 Date Finished 10-24-2022 Meter 1 Reading: 138,643

**TASKS PERFORMED**

**NO PARTS USED**

PM SERVICE B LIGHT

**VENDOR?** AL PACKER

---

**CSHOP-2023-1956**

Comments: **CALLAGHAN TIRE**

Date Opened 4-12-2023 Date Finished 4-12-2023 Meter 1 Reading: 0

**TASKS PERFORMED**

**NO PARTS USED**

VENDOR TIRE REPAIR/CHANGE

**VENDOR?** DAN CALLAGHAN ENTERPRISES

---

**CSHOP-2023-4278**

Comments: **DRIVE UP**

Date Opened 8-15-2023 Date Finished 8-15-2023 Meter 1 Reading: 143,578

**TASKS PERFORMED**

**NO PARTS USED**

BATTERY

---

**Asset Work Order History 10181088**

**CSHOP-2023-4662**

Comments: **CHECK ENGINE LIGHT**

Date Opened 9-6-2023 Date Finished 12-4-2023 Meter 1 Reading: 144,252

**TASKS PERFORMED**

**NO PARTS USED**

BATTERY

**VENDOR?** AL PACKER

**Service Requests:**

09/05/2023 ALARMS / 12: BROKEN / INSPECT  
ALARM SIGNALS The Vehicle Shut Down At The Corner Of Okeechobee And Jog With The OIL Light Coming On , Truck Started Right Up And Had Good Oil Pressure , Made It Back To Shop With Out A Problem

**CSHOP-2025-4448**

Date Opened 10-10-2025 Date Finished 10-16-2025 Meter 1 Reading: 146,024

**TASKS PERFORMED**

**NO PARTS USED**

SURPLUS PREP

**SSHOP-2020-52**

Date Opened 2-5-2020 Date Finished 2-6-2020 Meter 1 Reading: 116,775

**TASKS PERFORMED**

**Q PARTS**

BATTERY

1 1AD; BATTERY GROUP 65

**SSHOP-2023-876**

Date Opened 7-28-2023 Date Finished 7-28-2023 Meter 1 Reading: 143,578

**TASKS PERFORMED**

**NO PARTS USED**

PM SERVICE B LIGHT

**VENDOR?** AL PACKER

**SSHOP-2024-801**

Date Opened 7-3-2024 Date Finished 9-23-2024 Meter 1 Reading: 144,253

**TASKS PERFORMED**

**NO PARTS USED**

PM SERVICE B LIGHT

**VENDOR?** AL PACKER

**SSHOP-2025-103**

Date Opened 1-27-2025 Date Finished 1-27-2025 Meter 1 Reading: 146,024

**TASKS PERFORMED**

**NO PARTS USED**

ENGINE AND ACCESSORIES

**VENDOR?** AL PACKER