

3/4/2026
12:39:03 PM

Palm Beach County Fleet Management Asset Maintenance History
10200827 2016 FORD F450 Utility Body, 16,500 Gvwr, Heavy Duty Crane

Total Hours: 276.25 Labor: 19,027.75 Parts: 20,289.78 Comm: 432.26 Charged: 39749.79

Work Order: 1607935 **Meter:** 310 **In Date:** 08/02/2016 **Closed:** 08/09/2016
Problem: fill def fluid

Work Completed

Parts Issued

Quantity

- add Def fluid Def Quart 6.00

Hours: 0.00 Comm: 0.00 Labor: 0.00 Parts: 9.27 Total: 9.27

Work Order: 1607949 **Meter:** 310 **In Date:** 08/03/2016 **Closed:** 08/03/2016
Problem: 1061 - Pre Delivery Inspection

Work Completed

- Pre Delivery Inspection

Hours: 4.00 Comm: 0.00 Labor: 240.00 Parts: 0.00 Total: 240.00

Work Order: 1612522 **Meter:** 4729 **In Date:** 12/07/2016 **Closed:** 12/19/2016
Problem: Low DEF fluid

Work Completed

Parts Issued

Quantity

- Service Def system. Def Fluid 2.5 1.00

- Shop Supplies Shop Supplies 1.00

Hours: 1.00 Comm: 0.00 Labor: 60.00 Parts: 17.65 Total: 77.65

Work Order: 1612914 **Meter:** 5048 **In Date:** 12/16/2016 **Closed:** 12/27/2016
Problem: Low DEF message on dash.

Work Completed

Parts Issued

Quantity

- Service Def System Def Fluid 2.5 1.00

- Shop Supplies Shop Supplies 1.00

Hours: 1.00 Comm: 0.00 Labor: 60.00 Parts: 17.65 Total: 77.65

Work Order: 1702167 **Meter:** 8882 **In Date:** 03/02/2017 **Closed:** 03/13/2017
Problem: DEF FLUID

Work Completed

Parts Issued

Quantity

- Service Def system. Def Fluid 2.5 2.00

- Shop Supplies Shop Supplies 1.00

Hours: 1.00 Comm: 0.00 Labor: 60.00 Parts: 33.29 Total: 93.29

3/4/2026
12:39:03 PM

Palm Beach County Fleet Management Asset Maintenance History
10200827 2016 FORD F450 Utility Body, 16,500 Gvwr, Heavy Duty Crane

Work Order: 1706762 **Meter:** 15538 **In Date:** 07/11/2017 **Closed:** 07/31/2017
Problem: PM Service

Work Completed

- Pm Service.
- Crane Pm Service and service outriggers.replace right outrigger foot pad and bolt(missing)also replace fluid filler cap and gasket screen.
- Replace both rear brake lamp assy.
- Replace brake pedal pad.
- Rotate and balance six tires.
- Dpf was at 80% soot.perform regen with scan tool.road test and reset paremeters.
- Transport vehicle to and from dealer for replacing front cover and oil pan gasket.
- Shop Supplies

Parts Issued

Quantity

| | |
|------------------------------|-------|
| Napagold Oil Filter | 1.00 |
| 15w40 Bulk South Reg | 15.00 |
| Napagold Fuel Filter | 1.00 |
| Air Filter (gold), Air Panel | 1.00 |
| 22" Wiper Blade | 2.00 |
| Washer Fluid Concentr | 1.00 |
| Mac Wite Lithium Gres | 1.00 |
| Used Fire X Refurbished | 1.00 |
| Napa Trans Filter | 1.00 |
| Macs Chain Cable Lube | 1.00 |
| Aw68 Bulk Sr | 5.00 |
| Outrigger Mount | 1.00 |
| Hydraulic Cap W Screen | 1.00 |
| Led Sup Mdl 44 42 Dio | 2.00 |
| Pedal Pad | 1.00 |
| Shop Supplies | 1.00 |

Hours: 13.25

Comm: 0.00

Labor: 795.00

Parts: 541.61

Total: 1,336.61

Work Order: 1708050 **Meter:** 16939 **In Date:** 08/16/2017 **Closed:** 08/28/2017
Problem: DEF FLUID

Work Completed

- Def service.
- Shop Supplies

Parts Issued

Quantity

| | |
|---------------|------|
| Def Fluid 2.5 | 2.00 |
| Shop Supplies | 1.00 |

Hours: 1.00

Comm: 0.00

Labor: 60.00

Parts: 33.80

Total: 93.80

3/4/2026
12:39:03 PM

Palm Beach County Fleet Management Asset Maintenance History
10200827 2016 FORD F450 Utility Body, 16,500 Gvwr, Heavy Duty Crane

Work Order: 1709942 **Meter:** 20056 **In Date:** 10/11/2017 **Closed:** 11/30/2017

Problem: PM Service Towed in for blown out charge air intake hose also check strobe lights.

Work Completed

- Pm Service.
- Service crane and outriggers.
- Def. service.
- Mount and balance six tires.
- Front and rear brake job.replace two front rotors and front calipers.replace both rear calipers.flush and bleed system.
- Transport vehicle to and from dealer for check engine light and replacing battery under warranty.
- Shop Supplies

Parts Issued

Quantity

| | |
|------------------------------|-------|
| Napagold Oil Filter | 1.00 |
| 15w40 Bulk South Reg | 15.00 |
| Napagold Fuel Filter | 1.00 |
| Air Filter (gold), Air Panel | 1.00 |
| 22" Wiper Blade | 2.00 |
| Washer Fluid Concentr | 1.00 |
| Napa Trans Filter | 1.00 |
| Aw68 Bulk Sr | 5.00 |
| Def Fluid 2.5 | 2.00 |
| 225 70r19.5 New w/rim | 4.00 |
| Brake Rotor | 2.00 |
| Brake Caliper | 2.00 |
| Brake Caliper | 2.00 |
| Ford Original Brake Pads | 2.00 |
| Non-chlor Brake Clnr | 2.00 |
| B Fluid Dot 3-32oz | 1.00 |
| 225 70r19.5 New w/rim | 2.00 |
| 225 70r19.5 New w/rim | 6.00 |
| Shop Supplies | 1.00 |
| Tire Disposal Fee | 6.00 |

Hours: 22.00

Comm: 0.00

Labor: 1,320.00

Parts: 6,768.49

Total: 8,088.49

Work Order: 1710014 **Meter:** 19326 **In Date:** 10/12/2017 **Closed:** 10/12/2017

Problem: Blown Intake charge hose.No power

Work Completed

- Tow From: 6603 Jog Road Boca Raton To: 13026 Jog Road Delray Beach

Hours: 0.00

Comm: 132.00

Labor: 0.00

Parts: 0.00

Total: 132.00

3/4/2026
12:39:03 PM

Palm Beach County Fleet Management Asset Maintenance History
10200827 2016 FORD F450 Utility Body, 16,500 Gvwr, Heavy Duty Crane

Work Order: 1711718 **Meter:** 21637 **In Date:** 11/30/2017 **Closed:** 12/28/2017
Problem: STROBE LIGHT (WARRANTY)

Work Completed

Parts Issued

Quantity

- Diagnose for strobe lights in light bar inop.replace controller box with switches.part warranty by Whalen.

Shop Supplies 1.00

- Shop Supplies

Hours: 2.50 Comm: 0.00 Labor: 150.00 Parts: 2.00 Total: 152.00

Work Order: 1800302 **Meter:** 22157 **In Date:** 01/09/2018 **Closed:** 01/18/2018
Problem: Broken hitch pin.Nail in tire/flat.

Work Completed

Parts Issued

Quantity

- Replace broken pintle pin and chain.

Pintle Pin W/clip 1.00

- Repair left rear inner tire and valve.

Shop Supplies 1.00

- Shop Supplies

Hours: 1.25 Comm: 0.00 Labor: 75.00 Parts: 4.61 Total: 79.61

Work Order: 1801288 **Meter:** 23585 **In Date:** 02/02/2018 **Closed:** 02/12/2018
Problem: Low DEF fluid. Flat tire R/R

Work Completed

Parts Issued

Quantity

- Inspect and service Def system

Def Fluid 2.5 2.00

- Repair right rear tire and nitrogen fill all.

Shop Supplies 1.00

- Shop Supplies

Hours: 2.00 Comm: 0.00 Labor: 120.00 Parts: 39.26 Total: 159.26

3/4/2026
12:39:03 PM

Palm Beach County Fleet Management Asset Maintenance History
10200827 2016 FORD F450 Utility Body, 16,500 Gvwr, Heavy Duty Crane

Work Order: 1803463 **Meter:** 26209 **In Date:** 04/03/2018 **Closed:** 04/30/2018
Problem: Pm Service.Strobe light control switch for light bar not working.

Work Completed

Parts Issued

Quantity

- Pm Service.
- Def Service.
- Service crane and outriggers.
- Replace left stop/taillamp and drill and replace hardware to 3 lamps cargo lightbar (loose)
- Replace pintle pin.had to remove receive to remove broken pintle pin chain.
- Perform regeneration to exhaust filter and reset adaptives.
- Rotate and balance six tires.
- Adjust and tighten (loose) tailgate to open properly.
- Vacume debris from cowl and engine bay.
- Shop Supplies

| | |
|------------------------------|-------|
| Napagold Oil Filter | 1.00 |
| 15w40 Bulk South Reg | 15.00 |
| Napagold Fuel Filter | 1.00 |
| Air Filter (gold), Air Panel | 1.00 |
| 22" Wiper Blade | 2.00 |
| Washer Fluid Concentr | 1.00 |
| Def Fluid 2.5 | 2.00 |
| Aw68 Bulk Sr | 5.00 |
| Napa Trans Filter | 1.00 |
| Led Sup Mdl 44 42 Dio | 1.00 |
| Pintle Pin W/clip | 1.00 |
| Shop Supplies | 1.00 |

Hours: 14.50

Comm: 0.00

Labor: 870.00

Parts: 242.35

Total: 1,112.35

Work Order: 1808248 **Meter:** 26435 **In Date:** 08/10/2018 **Closed:** 08/27/2018
Problem: DEAD BATTERY

Work Completed

Parts Issued

Quantity

- Transport vehicle to and from dealer for replacing bad battery under warranty.
- Shop Supplies

| | |
|---------------|------|
| Shop Supplies | 1.00 |
|---------------|------|

Hours: 2.00

Comm: 0.00

Labor: 120.00

Parts: 2.00

Total: 122.00

Work Order: 1811214 **Meter:** 28432 **In Date:** 10/31/2018 **Closed:** 11/13/2018
Problem: Low DEF fluid

Work Completed

Parts Issued

Quantity

- Inspect and service Def system.
- Shop Supplies

| | |
|---------------|------|
| Def Fluid 2.5 | 1.00 |
| Shop Supplies | 1.00 |

Hours: 1.00

Comm: 0.00

Labor: 67.00

Parts: 19.11

Total: 86.11

3/4/2026
12:39:03 PM

Palm Beach County Fleet Management Asset Maintenance History
10200827 2016 FORD F450 Utility Body, 16,500 Gvwr, Heavy Duty Crane

Work Order: 1812377 **Meter:** 28986 **In Date:** 12/05/2018 **Closed:** 12/12/2018
Problem: CHECK TRAILER PLUG

Work Completed

- Replace trailer socket.
- Shop Supplies

Hours: 2.50

Comm: 0.00

Parts Issued

| | |
|---------------|------|
| trailer plug | 1.00 |
| Shop Supplies | 1.00 |

Labor: 167.50 Parts: 14.10 Total: 181.60

Work Order: 1903645 **Meter:** 30210 **In Date:** 04/03/2019 **Closed:** 04/15/2019
Problem: PM Service.

Work Completed

- Pm Service.
- Service crane and outriggers.
- Diagnose Pto inoperative..check power and ground to switch.replace fuse in kick panel.works ok at this time.
- Def Service.
- Repaired Id lamp assembly Drill out broken bolt to repair .
- Rotate and balance 6 tires.
- Clean debris from radiator and inter cooler assy.
- Shop Supplies

Hours: 12.75

Comm: 0.00

Parts Issued

| | |
|------------------------------|-------|
| 15w40 Bulk South Reg | 15.00 |
| Napagold Oil Filter | 1.00 |
| Napagold Fuel Filter | 1.00 |
| Washer Fluid Concentr | 1.00 |
| 22" Wiper Blade | 2.00 |
| Air Filter (gold), Air Panel | 1.00 |
| Used Fire X Refurbished | 1.00 |
| Napa Trans Filter | 1.00 |
| Bp Atm Lp Fuse | 1.00 |
| Def Fluid 2.5 | 2.00 |
| Shop Supplies | 1.00 |

Labor: 854.25 Parts: 183.50 Total: 1,037.75

Work Order: 1904519 **Meter:** 30560 **In Date:** 04/25/2019 **Closed:** 04/30/2019
Problem: mud flaps

Work Completed

- Transport vehicle to and from dealer for replacing mud guards under warranty.
- Shop Supplies

Hours: 2.00

Comm: 0.00

Parts Issued

| | |
|---------------|------|
| Shop Supplies | 1.00 |
|---------------|------|

Labor: 134.00 Parts: 3.00 Total: 137.00

3/4/2026
12:39:03 PM

Palm Beach County Fleet Management Asset Maintenance History
10200827 2016 FORD F450 Utility Body, 16,500 Gvwr, Heavy Duty Crane

Work Order: 1904691 **Meter:** 30560 **In Date:** 04/29/2019 **Closed:** 04/30/2019
Problem: winch out, 5' to solid ground, 15' to pavement

Work Completed

- Tow From: 1016 nw 4th st, boynton

Hours: 0.00 Comm: 72.00 Labor: 0.00 Parts: 0.00 Total: 72.00

Work Order: 1907381 **Meter:** 32260 **In Date:** 07/17/2019 **Closed:** 07/29/2019
Problem: Has to jump start all the time.

Work Completed

- Fully recharge and test both batteries.failed load test.send to dealer for warranty.

| Parts Issued | Quantity |
|---------------------|-----------------|
| Shop Supplies | 1.00 |

- Transport vehicle to and from dealer for replacing two batteries and airbag clockspring under warranty.

- Shop Supplies

Hours: 2.50 Comm: 0.00 Labor: 167.50 Parts: 3.00 Total: 170.50

3/4/2026
12:39:03 PM

Palm Beach County Fleet Management Asset Maintenance History
10200827 2016 FORD F450 Utility Body, 16,500 Gvwr, Heavy Duty Crane

Work Order: 1910396

Meter: 34505

In Date: 10/08/2019 **Closed:** 10/28/2019

Problem: PM Service

Work Completed

- Pm Service.
- Pm crane and outriggers.
- Replace right side Led brake lamp and repaired side marker lamp ground wiring left front cabinet.
- Def Service.
- Mount two tires.rotate and balance six tires.
- Replace 6 way socket and repair wiring harness.
- De-scale rust.treat and paint rear bumper and left outrigger.
- Perform regeneration with scan tool.reset adaptives.
- Service vise.straighten handle.
- Vacume debris form engine compartment.
- Shop Supplies

Parts Issued

Quantity

| | |
|-----------------------------------|-------|
| Napagold Oil Filter | 1.00 |
| 15w40 Bulk South Reg | 15.00 |
| Napagold Fuel Filter | 1.00 |
| 22" Wiper Blade | 2.00 |
| Washer Fluid Concentr | 1.00 |
| Air Filter (gold), Air Panel | 1.00 |
| Aw68 Bulk Sr | 6.00 |
| Napa Trans Filter | 1.00 |
| Led Sup Mdl 44 42 Dio | 2.00 |
| Def Fluid 2.5 | 1.00 |
| 225-70r19.5 Mounted Endurance Rsa | 2.00 |
| trailer plug | 1.00 |
| Gl Whit | 1.00 |
| Shop Supplies | 1.00 |
| Tire Disposal Fee | 2.00 |

Hours: 18.75

Comm: 0.00

Labor: 1,368.75

Parts: 1,275.80

Total: 2,644.55

3/4/2026
12:39:03 PM

Palm Beach County Fleet Management Asset Maintenance History
10200827 2016 FORD F450 Utility Body, 16,500 Gvwr, Heavy Duty Crane

Work Order: 2005593 **Meter:** 39459 **In Date:** 06/04/2020 **Closed:** 06/15/2020
Problem: PM Service.

Work Completed

- Pm Service.
- Pm Crane and outriggers.
- Replace left front marker light and cabinet assy.and repaired wiring.
- Replace 6 way socket and wiring harness
- Def Service.
- Replace front and rear brake pads,both rear calipers.service rotors,front calipers and slides.flush system.
- Perform exhaust filter regeneration w/scan tool.reset adaptives and cleared codes.
- Service and repaired vise.
- Balance and rotate all tires.repaired right rear inner tire.
- Cleaned engine compartment.
- Shop Supplies

Parts Issued

Quantity

| | |
|------------------------------|-------|
| 15w40 Bulk South Reg | 15.00 |
| Napagold Oil Filter | 1.00 |
| Napagold Fuel Filter | 1.00 |
| Used Fire X Refurbished | 1.00 |
| Air Filter (gold), Air Panel | 1.00 |
| 22" Wiper Blade | 2.00 |
| Washer Fluid Concentr | 1.00 |
| Aw68 Bulk Sr | 15.00 |
| Napa Trans Filter | 1.00 |
| Led M C Lamp | 1.00 |
| trailer plug | 1.00 |
| Def Fluid 2.5 | 2.00 |
| Non-chlor Brake Clnr | 2.00 |
| Macs Chain Cable Lube | 1.00 |
| B Fluid Dot 3-32oz | 1.00 |
| Brake Caliper | 1.00 |
| Brake Caliper | 1.00 |
| Ford Original Brake Pads | 2.00 |
| Shop Supplies | 1.00 |

Hours: 26.25

Comm: 0.00

Labor: 1,916.25

Parts: 600.07

Total: 2,516.32

Work Order: 2009392 **Meter:** 41865 **In Date:** 09/17/2020 **Closed:** 09/28/2020
Problem: Crane Inop.

Work Completed

- Diagnose for crane inop.pinpoint test and found corroded wiring clean and lube connections and test all operation.
- Shop Supplies

Parts Issued

Quantity

| | |
|---------------|------|
| Shop Supplies | 1.00 |
|---------------|------|

Hours: 4.50

Comm: 0.00

Labor: 328.50

Parts: 4.00

Total: 332.50

3/4/2026
12:39:03 PM

Palm Beach County Fleet Management Asset Maintenance History
10200827 2016 FORD F450 Utility Body, 16,500 Gvwr, Heavy Duty Crane

Work Order: 2108294

Meter: 48840

In Date: 08/02/2021 **Closed:** 08/31/2021

Problem: PM Service.

Work Completed

- Preventive Maint. Service
- Service Crane And Out Riggers
- Replaced Both Driver's Side Ac Vents
- Replaced Damaged 6 Way Socket And Repaired Wiring Harness
- Performed Exhaust Filter Regeneration Reset Adaptives Fill Def Tank
- Repaired Vise And Replaced Missing Handle
- Replaced Both Led Brake Lamp Assemblys
- Replaced Decal And Hows My Driving Stickers
- Repaired Damaged Rear Bumper. Removed And Treated Rust And Paint
- Shop Supplies

Parts Issued

Quantity

| | |
|------------------------------|-------|
| Used Fire X Refurbished | 1.00 |
| Air Filter (gold), Air Panel | 1.00 |
| 15w40 Bulk South Reg | 15.00 |
| Napagold Oil Filter | 1.00 |
| Napagold Fuel Filter | 1.00 |
| Washer Fluid Concentr | 1.00 |
| 22" Wiper Blade | 2.00 |
| Aw68 Bulk Sr | 6.00 |
| Napa Trans Filter | 1.00 |
| trailer plug | 1.00 |
| Def Fluid 2.5 | 2.00 |
| ridgid vise handle | 1.00 |
| Led Sup Mdl 44 42 Dio | 2.00 |
| A/c Vents | 2.00 |
| Shop Supplies | 1.00 |

Hours: 14.25

Comm: 0.00

Labor: 1,040.25

Parts: 427.31

Total: 1,467.56

3/4/2026
12:39:03 PM

Palm Beach County Fleet Management Asset Maintenance History
10200827 2016 FORD F450 Utility Body, 16,500 Gvwr, Heavy Duty Crane

Work Order: 2202609 **Meter:** 53905 **In Date:** 03/09/2022 **Closed:** 03/18/2022
Problem: PM Service.

Work Completed

- Preventive Maint. Service
- Service crane & outriggers.
- Service Def system. Perform Dpf regeneration & reset adaptive.
- Pressure test & replace bad radiator cap.
- Perform Dpf regeneration & reset adaptive.
- Shop Supplies

Parts Issued

Quantity

| | |
|-----------------------|-------|
| Napagold Oil Filter | 1.00 |
| 15w40 Bulk South Reg | 15.00 |
| Napagold Fuel Filter | 1.00 |
| Washer Fluid Concentr | 1.00 |
| 22" Wiper Blade | 2.00 |
| Aw68 Bulk Sr | 6.00 |
| Napa Trans Filter | 1.00 |
| Def Fluid 2.5 | 2.00 |
| Cap Assy | 1.00 |
| Shop Supplies | 1.00 |

Hours: 8.25

Comm: 0.00

Labor: 602.25

Parts: 169.18

Total: 771.43

Work Order: 2206091 **Meter:** 56062 **In Date:** 06/09/2022 **Closed:** 06/14/2022
Problem: Change trailer plug.Replace broken pintle pin/chain.

Work Completed

- Replace 6 way trailer socket & use scanner to update Trailer control module. Replace pintle pin.
- Shop Supplies

Parts Issued

Quantity

| | |
|-----------------------|------|
| trailer plug | 1.00 |
| Pintle Pin W/clip | 1.00 |
| Dielect Silicone Comp | 1.00 |
| Shop Supplies | 1.00 |

Hours: 2.00

Comm: 0.00

Labor: 146.00

Parts: 21.53

Total: 167.53

Work Order: 2206607 **Meter:** 56850 **In Date:** 06/23/2022 **Closed:** 06/30/2022
Problem: Towed in broken turbo outlet hose.

Work Completed

- Diagnose and replace broken turbo outlet hose assembly.clear all codes with Ids.
- Perform Manual exhaust regen with Ids to clean Dpf.test drive and perform Kam Reset.
- Shop Supplies

Parts Issued

Quantity

| | |
|---------------|------|
| Tube - Outlet | 1.00 |
| Shop Supplies | 1.00 |

Hours: 3.50

Comm: 0.00

Labor: 255.50

Parts: 73.44

Total: 328.94

3/4/2026
12:39:04 PM

Palm Beach County Fleet Management Asset Maintenance History
10200827 2016 FORD F450 Utility Body, 16,500 Gvwr, Heavy Duty Crane

Work Order: 2206631 **Meter:** 56726 **In Date:** 06/23/2022 **Closed:** 06/24/2022
Problem: Broken turbo hose.No Power.

Work Completed

- Tow From: 9 North State Road 7 Boca To: 13026 Jog Road Delray

Hours: 0.00 Comm: 113.00 Labor: 0.00 Parts: 0.00 Total: 113.00

Work Order: 2208269 **Meter:** 58891 **In Date:** 08/09/2022 **Closed:** 08/23/2022
Problem: PM Service.Low on DEF fluid.

Work Completed

- Preventive Maint. Service
- Service Def system. Use Ids to perform Dpf regeneration & reset adaptive.
- Fill all tires with nitrogen, balance, rotate & reset Tpms.
- Service crane & outriggers.
- Shop Supplies

Parts Issued

Quantity

| | |
|------------------------------|-------|
| Napagold Oil Filter | 1.00 |
| 15w40 Bulk South Reg | 15.00 |
| Napagold Fuel Filter | 1.00 |
| Washer Fluid Concentr | 1.00 |
| 22" Wiper Blade | 2.00 |
| Used Fire X Refurbished | 1.00 |
| Air Filter (gold), Air Panel | 1.00 |
| Def Fluid 2.5 | 2.00 |
| Aw68 Bulk Sr | 6.00 |
| Napa Trans Filter | 1.00 |
| Shop Supplies | 1.00 |

Hours: 9.50 Comm: 0.00 Labor: 693.50 Parts: 214.47 Total: 907.97

Work Order: 2211739 **Meter:** 61294 **In Date:** 11/18/2022 **Closed:** 12/09/2022
Problem: Hydrdraulic cylinder.

Work Completed

- Lf outrigger leaking. Replace left side outrigger cylinder and pad. reroute lines and paint cyl white.
- Shop Supplies

Parts Issued

Quantity

| | |
|--------------------|------|
| Outrigger Cylinder | 1.00 |
| Shop Supplies | 1.00 |

Hours: 2.50 Comm: 0.00 Labor: 182.50 Parts: 795.19 Total: 977.69

3/4/2026
12:39:04 PM

Palm Beach County Fleet Management Asset Maintenance History
10200827 2016 FORD F450 Utility Body, 16,500 Gvwr, Heavy Duty Crane

Work Order: 2306867
Problem: DEF

Meter: 66348

In Date: 07/12/2023 **Closed:** 07/17/2023

Work Completed

- Add Def Fluid. Top off Def tank.
- Shop Supplies

Hours: 0.50

Comm: 0.00

Parts Issued

| | Quantity |
|---------------|-----------------|
| Def Nozzle | 2.00 |
| Def Fluid 2.5 | 2.00 |
| Shop Supplies | 1.00 |

Labor: 36.50

Parts: 66.19

Total: 102.69

3/4/2026
12:39:04 PM

Palm Beach County Fleet Management Asset Maintenance History
10200827 2016 FORD F450 Utility Body, 16,500 Gvwr, Heavy Duty Crane

Work Order: 2311290 **Meter:** 70200 **In Date:** 11/13/2023 **Closed:** 12/13/2023

Problem: Crane controller. PM. Battery

Work Completed

- Preventive Maint. Service
- service crane and outriggers
- repaired crane pendant controller
- Jumpstart in wud parking lot recharged and tested both batteries. replaced both failed batteries.
- replaced 6-way socket and bracket repaired wiring
- replaced damaged pintle pin
- replaced left side marker lamps Assy on cabinet bed and repaired wiring
- mount 4 tires w/rims rotate balanced 6 tires
- fill def tank
- diagnose engine blow by pressure and replaced crank case breather/oil separator clean off oil residue. Test drive after repair to verify fix.

- Shop Supplies

Parts Issued

Quantity

| | |
|----------------------------------|-------|
| Used Fire X Refurbished | 1.00 |
| Washer Fluid Concentr | 1.00 |
| 22" Wiper Blade | 2.00 |
| Napagold Oil Filter | 1.00 |
| 15w40 Bulk South Reg | 15.00 |
| Fuel Filter | 1.00 |
| Air Filter (gold), Air Panel | 1.00 |
| Def Fluid 2.5 | 2.00 |
| Separator | 1.00 |
| Aw68 Bulk Sr | 6.00 |
| Napa Trans Filter | 1.00 |
| Battery | 2.00 |
| Bracket Socket Mount | 1.00 |
| Trailer Connector Truck Side | 1.00 |
| Pintle Pin W/clip | 1.00 |
| Amber Marker Light B52 | 1.00 |
| Lamp-grommet Kit | 1.00 |
| 225/70r19.5 Mounted Gy Endurance | 4.00 |
| Led M C Kit | 2.00 |
| Shop Supplies | 1.00 |
| Tire Disposal Fee | 4.00 |

Hours: 15.75

Comm: 0.00

Labor: 1,149.75

Parts: 2,498.77

Total: 3,648.52

Work Order: 2311496 **Meter:** 70078 **In Date:** 11/09/2023 **Closed:** 11/16/2023

Problem: needs jump start/ emergency service

Work Completed

- Tow From: 22100 S State Road 7, Boca Raton 33428 To: service on location

Hours: 0.00

Comm: 47.46

Labor: 0.00

Parts: 0.00

Total: 47.46

3/4/2026
12:39:04 PM

Palm Beach County Fleet Management Asset Maintenance History
10200827 2016 FORD F450 Utility Body, 16,500 Gvwr, Heavy Duty Crane

Work Order: 2406007 **Meter:** 75622 **In Date:** 06/20/2024 **Closed:** 06/28/2024
Problem: PM Service.Low DEF.Trailer plug.

Work Completed

- Preventive Maint. Service
- Recall: Emissions Recall 20e08: The Diesel Particulate Filter may develop a crack during regeneration, which may result in loss of filtration and efficiency.
- Service Def system.
- Replace leaking hydraulic hose for left side outrigger, service crane & outriggers.
- Repair damage bumper.
- Replace how's my driving decal.
- Repair trailer socket wire harness.
- Rotate all 6 tire to correct vibration.
- Shop Supplies

Hours: 13.25

Comm: 0.00

Parts Issued

Quantity

| | |
|-----------------------|-------|
| Napagold Oil Filter | 1.00 |
| 15w40 Bulk South Reg | 15.00 |
| Washer Fluid Concentr | 1.00 |
| Wiper Blade | 2.00 |
| Fuel Filter | 1.00 |
| Napa Trans Filter | 1.00 |
| Aw68 Bulk Sr | 11.00 |
| Non-chlor Brake Clnr | 2.00 |
| Hose Assy | 2.00 |
| Shop Supplies | 1.00 |

Labor: 967.25

Parts: 425.63

Total: 1,392.88

Work Order: 2406859 **Meter:** 75645 **In Date:** 07/17/2024 **Closed:** 07/23/2024
Problem: A/C blowing Hot

Work Completed

- Cs A/c blows hot, diagnose & found leaking Schrader valves, evacuate, replace both schrader valves, vacuum, recharge, leak test & check performance.
- Replace hood struts/support.
- Shop Supplies

Hours: 2.50

Comm: 0.00

Parts Issued

Quantity

| | |
|--------------------------|------|
| High Side Schrader Valve | 1.00 |
| Valve | 1.00 |
| Freon Sr Shop | 2.00 |
| R1234yf Uv Dye | 1.00 |
| Lift Support | 1.00 |
| Lift Support | 1.00 |
| Vlv Core Rem TI-large | 1.00 |
| Shop Supplies | 1.00 |

Labor: 182.50

Parts: 132.02

Total: 314.52

3/4/2026
12:39:04 PM

Palm Beach County Fleet Management Asset Maintenance History
10200827 2016 FORD F450 Utility Body, 16,500 Gvwr, Heavy Duty Crane

Work Order: 2500473 **Meter:** 79062 **In Date:** 01/16/2025 **Closed:** 01/28/2025
Problem: PM Service. Will not go over 45 MPH

Work Completed

Parts Issued

Quantity

- Preventive Maint. Service
- Service crane & outriggers.
- Service Def & Dpf, performed, Dpf regeneration & reset adaptive. speed was limited to 50 mph because of low Dpf fluid level.
- Fill tires with nitrogen, balance & rotate.
- Shop Supplies

| | |
|------------------------------|-------|
| 15w40 Bulk South Reg | 15.00 |
| Napagold Oil Filter | 1.00 |
| Fuel Filter | 1.00 |
| Washer Fluid Concentr | 1.00 |
| Wiper Blade | 2.00 |
| Used Fire X Refurbished | 1.00 |
| Air Filter (gold), Air Panel | 1.00 |
| Aw68 Bulk Sr | 5.00 |
| Napa Trans Filter | 1.00 |
| Blue Df | 2.00 |
| Shop Supplies | 1.00 |

Hours: 9.50

Comm: 0.00

Labor: 693.50

Parts: 190.44

Total: 883.94

Work Order: 2502390 **Meter:** 79554 **In Date:** 03/12/2025 **Closed:**
Problem: broken tailgate

Work Completed

- Cargo Body/frame

Hours: 0.00

Comm: 0.00

Labor: 0.00

Parts: 0.00

Total: 0.00

3/4/2026
12:39:04 PM

Palm Beach County Fleet Management Asset Maintenance History
10200827 2016 FORD F450 Utility Body, 16,500 Gvwr, Heavy Duty Crane

Work Order: 2506235 **Meter:** 79702 **In Date:** 07/07/2025 **Closed:** 07/21/2025
Problem: PM Service.Bent /damage tail gate.

Work Completed

- Preventive Maint. Service
- Service crane Hyd System.replace filter.
- Rotate and nitrogen fill all tires.
- Swap tail gate.repair.fabricate and adjust brackets and hinges to close.
- Shop Supplies

Parts Issued

Quantity

| | |
|------------------------------|-------|
| Napagold Oil Filter | 1.00 |
| 15w40 Bulk South Reg | 15.00 |
| Fuel Filter | 1.00 |
| Air Filter (gold), Air Panel | 1.00 |
| Washer Fluid Concentr | 1.00 |
| Wiper Blade | 2.00 |
| Non-chlor Brake Clnr | 2.00 |
| Aw68 Bulk Sr | 10.00 |
| Napa Trans Filter | 1.00 |
| Steering Wheel Cover Large | 1.00 |
| Shop Supplies | 1.00 |

Hours: 9.25

Comm: 0.00

Labor: 675.25

Parts: 188.61

Total: 863.86

Work Order: 2511798 **Meter:** 79702 **In Date:** 12/19/2025 **Closed:** 12/29/2025
Problem: Transition Prep Charge

Work Completed

- Transition Prep Charge

Hours: 2.00

Comm: 0.00

Labor: 146.00

Parts: 0.00

Total: 146.00

Total Hours: 276.25

Total Labor: 19,027.75

Total Comm: 432.26

Total Parts: 20,289.78