



4/10/2017

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10136370

## 2001 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2015-604**

**In Date/Time** 5/12/2015 4:10:00PM **Meter Reading:** 121,009

**Close Date/Time** 5/13/2015 11:59:00AM

**Problem?**

A INSPECTION

Parts	Quantity
NO PARTS USED	

**Tasks Performed:**

AAA A INSPECTION

A - INSPECTION

**WO # CSHOP-2015-615**

**In Date/Time** 5/13/2015 8:27:00AM **Meter Reading:** 121,009

**Close Date/Time** 5/14/2015 11:06:00AM

**Problem?**

FOLLOW UP REPAIRS FROM A INSPECTION SR1

Parts	Quantity
ALARM; ALARM CARBON MONOXIDE	1
HORN; KIT-AIR HORN-GROVER	2
WIPER; WIPER BLADES ANCO 24	2

**Tasks Performed:**

006 SAFTEY-EMERGENCY EQUIPMENT  
 047-001 WIPER BLADES  
 006-002 AIR HORN  
 034-009 PARK-CLEARANCE LIGHTS  
 005-PMR REPAIR FROM PM - WINDSHIELD  
 005 BODY EXTERIOR

DRIVERS SIDE PANEL BENT REMOVED PANEL AND BENT BACK INTO SHAPE



4/10/2017

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

## 10136370

### 2001 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2015-1396**

In Date/Time 6/25/2015 2:52:00PM Meter Reading: 121,012

Close Date/Time 7/6/2015 2:27:00PM

**Problem?**

CHECK PAT A/C

Parts

Quantity

NO PARTS USED

**Tasks Performed:**

001 AIR CONDITIONING

PLEASE FILL OUT 3 C`S

**WO # CSHOP-2015-1655**

In Date/Time 7/9/2015 7:47:00AM Meter Reading: 121,012

Close Date/Time 7/20/2015 8:47:00AM

**Problem?**

EMERGENCY LIGHTS INOP ALSO A/C SHUTS OFF R16

Parts

Quantity

ALTERNATOR; 320 UPGRADE ALTERNATOR

-1

ALTERNATOR; 320 UPGRADE ALTERNATOR

1

ALTERNATOR; 320 UPGRADE ALTERNATOR

1

**Tasks Performed:**

034 LIGHTING SYSTEM

TRV TRAVEL TO BE CHARGED TO WORK ORDER

EMPLOYEE 12458 APPROVED EMPLOYEE 12458 RETURN REQUEST FOR QUANTITY 1.00 OF PART 4867JB-0. COMMENTS: TESTED NOT DEFECTIVE.



4/10/2017

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10136370

## 2001 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2015-1861**

**In Date/Time** 7/21/2015 7:15:00AM      **Meter Reading:** 121,012

**Close Date/Time** 7/22/2015 4:36:00PM

**Problem?**

R16 ACTING UP AGAIN LOSING AC AND EMERGENCY LIGHTS WHEN RESPONDING CODE3 SR@16

Parts	Quantity
NO PARTS USED	
NO PARTS USED	

**Tasks Performed:**

TRV	TRAVEL TO BE CHARGED TO WORK ORDER
031	CHARGING SYSTEM

**WO # CSHOP-2015-2352**

**In Date/Time** 8/17/2015 9:16:00AM      **Meter Reading:** 122,833

**Close Date/Time** 8/25/2015 3:08:00PM

**Problem?**

PATIENT COMPARTMENT LIGHTS NEED BULBS. EMERGENCY LIGHT INTERMITTENTLY SHUT OFF ON CALLS. SR@35

Parts	Quantity
BULB; BULB PATIENT GH22	4

**Tasks Performed:**

175	FIRE APPARATUS
001	AIR CONDITIONING
TRV	TRAVEL TO BE CHARGED TO WORK ORDER

REPAIRED ALL PT LIGHTS THAT WEREOUT



4/10/2017

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10136370

## 2001 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2015-2451**

**In Date/Time** 8/24/2015 6:42:00AM **Meter Reading:** 123,345

**Close Date/Time** 9/8/2015 1:25:00PM

**Problem?**

SR1 AT 35 PAT A/C INOP

Parts	Quantity
BOARD; CIRCUIT BOARD 21	1

**Tasks Performed:**

- 006 SAFETY-EMERGENCY EQUIPMENT
- TRV TRAVEL TO BE CHARGED TO WORK ORDER
- 001 AIR CONDITIONING

TRACED OUT DOOR OPEN LIGHT AND REPAIRED

**WO # CSHOP-2015-2601**

**In Date/Time** 8/29/2015 6:02:00PM **Meter Reading:** 123,345

**Close Date/Time** 9/8/2015 1:30:00PM

**Problem?**

CALL OUT FOR NO PAT A/C R35

Parts	Quantity
NO PARTS USED	

**Tasks Performed:**

- 001-019 A/C CONDENSER FAN



4/10/2017

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10136370

## 2001 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2015-3682**

**In Date/Time** 10/30/2015 11:18:00AM **Meter Reading:** 126,239

**Close Date/Time** 11/17/2015 11:47:00AM

**Problem?**

A INSPECTION SR1

Parts	Quantity
LENS; LENS INT.	1
BULB; BULB	1
BULB; BULB	1
REFLECTOR; STROBE LINEAR REFLECTOR 6ELTUBE	1
REFLECTOR; STROBE LINEAR REFLECTOR 6ELTUBE	1
VALVE; VALVE CORE	1

**Tasks Performed:**

- 042-021 ANTIFREEZE
- AAA A INSPECTION
- 001-003 A/C COMPRESSOR
- 017-009 TIRES ALL
- 034-009 PARK-CLEARANCE LIGHTS
- 034 LIGHTING SYSTEM
- 034-036 DOME LIGHTS

TOP OFF COOLANT LEVEL. TOP OFF ENGINE OIL LEVEL (3.5 QTS)

**WO # CSHOP-2015-4175**

**In Date/Time** 11/25/2015 12:11:00PM **Meter Reading:** 126,485

**Close Date/Time** 12/2/2015 10:23:00AM

**Problem?**

CHANGED FRONT TIRES

Parts	Quantity
NO PARTS USED	

**Tasks Performed:**

- 017-003 FRONT TIRES



4/10/2017

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10136370

## 2001 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2015-4368**

**In Date/Time** 12/8/2015 9:06:00AM      **Meter Reading:** 127,351

**Close Date/Time** 12/17/2015 12:42:00PM

**Problem?**  
SR @15

Parts	Quantity
FREIGHTLINER; LEVEL KIT	1

**Tasks Performed:**

TRV	TRAVEL TO BE CHARGED TO WORK ORDER
008	AIR SYSTEM

**WO # CSHOP-2015-4648**

**In Date/Time** 12/28/2015 8:43:00AM      **Meter Reading:** 128,405

**Close Date/Time** 1/5/2016 8:56:00AM

**Problem?**  
ON-CALL R15 EMER LIGHTS DOUBLE TIME CHRISTMAS

Parts	Quantity
TUBE; TUBE - STROBE	1

**Tasks Performed:**

TRV	TRAVEL TO BE CHARGED TO WORK ORDER
006-009	STROBE LIGHTS

INSTALLED NEW LIGHTS ON RIGHT REAR LIGHT AND REPAIRED WIRES.



4/10/2017

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

## 10136370

### 2001 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2016-201**

**In Date/Time** 1/15/2016 7:57:00AM      **Meter Reading:** 128,598

**Close Date/Time** 1/25/2016 3:15:00PM

**Problem?**

A INSPECTION

Parts	Quantity
REFLECTOR; STROBE LINEAR REFLECTOR 6ELTUBE	1

**Tasks Performed:**

- AAA A INSPECTION
- 042 COOLING SYSTEM
- 040-045 OIL
- 031 CHARGING SYSTEM
- 015-001 HOSES-LINES & FITTINGS
- 006-009 STROBE LIGHTS
- 017-018 VALVE STEM

CK OIL LEAK CLEANED ENGINE RAN TIGHTEN OIL FILTER,TURBO LINE,TURBO DRAIN CLAMPS TEST DROVE CK OK

**WO # CSHOP-2016-990**

**In Date/Time** 3/1/2016 3:29:00PM      **Meter Reading:** 128,610

**Close Date/Time** 3/7/2016 11:34:00AM

**Problem?**

SR1 DEAD

Parts	Quantity
CHARGER; CHARGER 2000	1
BATTERY; BATTERY EPA TAX \$1.50 PER BATTERY	4
BATTERY; BATTERY 950CCA HP-31D	4

**Tasks Performed:**

- 032-001 BATTERY



4/10/2017

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

## 10136370

### 2001 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2016-1142**

**In Date/Time** 3/9/2016 5:11:00PM **Meter Reading:** 128,611

**Close Date/Time** 3/12/2016 4:38:00PM

**Problem?**

C-INSPECTION

Parts	Quantity
FLUID; SYN OIL BULK QTS	17
VALVE; VALVE CAP	2
FILTER; 33585XE FUEL FILTER WIX	1
FILTER; FILTER OIL 57182 LFP3729	1
FILTER; FUEL FILTER 33630 LFF5849	1
FILTER; AIR FILTER 46744 WIX	1

**Tasks Performed:**

C-RESCU PM SERVICE C RESCUE

**WO # CSHOP-2016-1164**

**In Date/Time** 3/10/2016 3:55:00PM **Meter Reading:** 128,611

**Close Date/Time** 3/12/2016 4:40:00PM

**Problem?**

PM FOLLOW UPS

Parts	Quantity
VALVE; LINK - FOR LEVELING VALVE	1

**Tasks Performed:**

- 040-042 OIL FILTER HOUSING
- 023-PMR REPAIR FROM PM - REAR SUSPENSION
- 006-027 AIR BAG SYSTEM
- AAA A INSPECTION

LOOSEN U BOLTS AND RELOCATE SUSPENSION TO LINE UP AIR BAGS  
ALSO REPLACE DAMAGE LEVELING VALVE ROD





4/10/2017

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

## 10136370

### 2001 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2016-1283**

**In Date/Time** 3/17/2016 7:19:00AM      **Meter Reading:** 128,958

**Close Date/Time** 3/22/2016 11:05:00AM

**Problem?**  
SR @ ST44

Parts	Quantity
NO PARTS USED	
NO PARTS USED	

**Tasks Performed:**

- 030 ELECTRICAL
- TRV TRAVEL TO BE CHARGED TO WORK ORDER

**WO # CSHOP-2016-2118**

**In Date/Time** 5/3/2016 8:27:00AM      **Meter Reading:** 131,128

**Close Date/Time** 5/24/2016 1:44:00PM

**Problem?**  
OIL LEAKS

Parts	Quantity
CHARGER; AUTO EJECT 20 AERO OTL3925	1
REFLECTOR; STROBE LINEAR REFLECTOR 6ELTUBE	1
SWITCH; SW ROCKER SPST ON-OFF RED	2

**Tasks Performed:**

- 030-001 DIAGNOSE ELECTRICAL

LF STROBE OUT. REPLACED LIGHT ASSY



4/10/2017

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

## 10136370

### 2001 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2016-2544**

**In Date/Time** 5/26/2016 12:36:00PM **Meter Reading:** 131,128

**Close Date/Time** 5/26/2016 3:18:00PM

**Problem?**

NO A/C, NO SIRE, NO AIR HORN

REPLACE WORN AUTO EJECT

Parts	Quantity
SIREN; SIREN FRONT SIDE	1

**Tasks Performed:**

006-006 SIREN

REPAIRED BAD CONNECTION AT AIR HORN SOLINOID, INSTALLED NEW SIREN HEAD IN CENTER CONSOLE, CHECKED AIR CONDITIONING IN CAB AND IN PATIENT COMPARTMENT OK.

**WO # CSHOP-2016-3113**

**In Date/Time** 6/28/2016 3:45:00PM **Meter Reading:** 131,278

**Close Date/Time** 8/26/2016 2:19:00PM

**Problem?**

RADIATOR LEAKING

Parts	Quantity
THERMOSTAT; 3967195 THERMOSTAT ISB	1
HOSE; HOSE LOWER RADIATOR	1
NEWPART; RADIATOR FREIGHTLINER	1
NEWPART; RADIATOR FREIGHTLINER	1
NEWPART; RADIATOR FREIGHTLINER	-1
NEWPART; RADIATOR FREIGHTLINER	1

**Tasks Performed:**

042-001 RADIATOR

EMPLOYEE 30688 REQUESTED RETURN FOR QUANTITY 1.00 OF PART BHT/B7593-0. COMMENTS: PARTS SWITCH.



4/10/2017

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

## 10136370

### 2001 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2016-4214**

**In Date/Time** 8/26/2016 2:20:00PM **Meter Reading:** 131,278

**Close Date/Time** 9/21/2016 9:27:00AM

**Problem?**

A INSPECTION

Parts	Quantity
SEAL; SEAL 34387	1
GEAR; GEAR OIL SYN QT	7
GASKET; R002436 GASKET-REAR AXLE	1
NUT; 13-3052 NUT	1
BULB; BULB PATIENT GH22	1
BULB; BULB PATIENT GH22	3
LIGHT; 4 IN LIGHT	1

**Tasks Performed:**

- 034 LIGHTING SYSTEM
- 001-003 A/C COMPRESSOR
- 018-030 REAR HUB SEAL-GASKET
- AAA A INSPECTION

RIGHT REAR WHEEL OIL SEAL LEAKING DRAIN OIL REMOVE TIRES REMOVE HUB AND ROTOR DISASSEMBLE SEAL INSPECT BEARINGS AND RACE IN GOOD CONDITION CLEAN ASSEMBLY INSTALL NEW SEAL REASSEMBLE FILL WITH GEAR OIL OPERATE



4/10/2017

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10136370

## 2001 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2016-4709**

**In Date/Time** 9/29/2016 12:17:00PM **Meter Reading:** 132,070

**Close Date/Time** 10/11/2016 2:11:00PM

**Problem?**  
SPARE RESCUE AT ST45

Parts	Quantity
LIGHT; HEADLIGHT EXTRA BRIGHT	1

**Tasks Performed:**  
030-001 DIAGNOSE ELECTRICAL

REPLACED HEAD LIGHT AND REPAIRED SHORT IN HEAD LIGHTS ,REPAIRED SHJORTED OUT SOCKETS

**WO # CSHOP-2016-5339**

**In Date/Time** 11/14/2016 1:46:00PM **Meter Reading:** 132,623

**Close Date/Time** 11/16/2016 4:23:00PM

**Problem?**  
B INSPECTION

Parts	Quantity
FILTER; 33585XE FUEL FILTER WIX	1
FILTER; FILTER OIL 57182 LFP3729	1
FILTER; FUEL FILTER 33630 LFF5849	1

**Tasks Performed:**  
B PM SERVICE B



4/10/2017

# Palm Beach County Fire Rescue Fleet Maintenance Asset History 10136370

## 2001 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2016-6126**

**In Date/Time** 12/30/2016 9:34:00AM **Meter Reading:** 132,623

**Close Date/Time** 1/24/2017 3:01:00PM

**Problem?**

Parts	Quantity
9IP; 9IP	1
9IP; 9IP	1
9IP; 9IP	2
9OC; BULK TRANS SYN	15
9IP; 9IP	1
9IP; 9IP	1
9IP; 9IP	1
9IP; 9IP	2
9IP; 9IP	1
9IP; 9IP	1
9IP; 9IP	1
9IP; 9IP	1
WASHER; WASHER P/S	1
9IP; 9IP	2

**Tasks Performed:**

- 008-001 AIR TANK
- 047-001 WIPER BLADES
- 042 COOLING SYSTEM
- 017 TIRES & WHEELS
- 008-002 AIR DRIER
- 034 LIGHTING SYSTEM
- 008 AIR SYSTEM
- 040 ENGINE AND ACCESSORIES
- 027-025 FILTER

TRUCK IS FIX AND BACK IN RESERVE ALL PARTS INSTALLED READY FOR SERVICE PART ROOM HAS PARTS PENDING ON TRUCK



4/10/2017

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10136370

## 2001 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2017-777**

**In Date/Time** 2/7/2017 10:49:00AM **Meter Reading:** 133,800

**Close Date/Time** 2/14/2017 3:21:00PM

**Problem?**

Parts	Quantity
LAMP; HEAD LAMP HIGH BEAM CRYSTAL VISION	1
9IP; LINEAR STROBE MOD.6E EXTR. MOUNT	1

**Tasks Performed:**

- 034-042 SPOT LIGHTS
- 006-009 STROBE LIGHTS

R/R ROOF TOP SPOT LIGHT

**WO # CSHOP-2017-1097**

**In Date/Time** 2/22/2017 8:44:00AM **Meter Reading:** 134,122

**Close Date/Time** 3/1/2017 4:01:00PM

**Problem?**

Parts	Quantity
NO PARTS USED	

**Tasks Performed:**

- 040-045 OIL

TRUCK NO LONGER AT 25



4/10/2017

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10136370

## 2001 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2017-1457**

**In Date/Time** 3/9/2017 6:13:00AM      **Meter Reading:** 134,777

**Close Date/Time** 3/16/2017 8:42:00AM

**Problem?**

SPARE RESCUE AT STATION 14

Parts	Quantity
CAP; 3976511 OIL CAP ISL	1

**Tasks Performed:**

- 040-045 OIL
- 071-018 DOOR LATCH

REPLACED MISSING OIL CAP

**WO # CSHOP-2017-1593**

**In Date/Time** 3/14/2017 11:11:00AM      **Meter Reading:** 134,901

**Close Date/Time** 3/22/2017 2:56:00PM

**Problem?**

Parts	Quantity
9IP; HOOD LATCH	1

**Tasks Performed:**

- 005-015 HOOD LATCH

REPLACED HOOD LATCH



4/10/2017

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10136370

## 2001 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2017-1871**

**In Date/Time** 3/28/2017 4:44:00PM **Meter Reading:** 134,901

**Close Date/Time** 3/28/2017 4:48:00PM

**Problem?**

Parts	Quantity
NO PARTS USED	

**Tasks Performed:**

017-006 REAR TIRES

**WO # CSHOP-2017-1905**

**In Date/Time** 3/30/2017 1:44:00PM **Meter Reading:** 135,008

**Close Date/Time** 3/31/2017 12:33:00PM

**Problem?**

A INSPECTION

Parts	Quantity
NO PARTS USED	

**Tasks Performed:**

B PM SERVICE B

DOT B INSPECTION COMPLETE REPAIR LIST 0 "2" COMP LIGHT PATENT  
 COMP LIGHT LINEN CABINET STRUT WINDSHIELD WASHER IN OP COOLANT  
 LOW IN SIGHT GLASS PATENT A/C FAN CUTTING IN AND OUT  
 TRANSMISSION FLUID LOW ENGINE OIL LEAK CLASS 3 FRONT AND REAR  
 BRAKES





4/10/2017

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

## 10136370

### 2001 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2017-1906**

**In Date/Time** 3/30/2017 1:45:00PM **Meter Reading:** 135,008

**Close Date/Time** 3/31/2017 12:35:00PM

**Problem?**

REPAIRS FROM PM,  
NO REPAIRS MADE, UNIT HAS EXCESSIVE OIL LEAK AND WILL BE  
SURPLUSED PER EHRKE

<u>Parts</u>	<u>Quantity</u>
NO PARTS USED	

**Tasks Performed:**

---