



4/10/2017

# Palm Beach County Fire Rescue Fleet Maintenance Asset History 10142536

## 2002 AMERICAN LAFRANCE MEDIC MASTER

### WO # CSHOP-2015-15

In Date/Time 4/13/2015 9:08:00AM Meter Reading: 155,377

Close Date/Time 4/21/2015 2:47:00PM

#### Problem?

R&R HEATER/DEFROSTER CABLE. ADJ. OTHER 2 CABLES. R&R BLOWER MOTOR SWITCH. R&R CONNECTORS ON WIRES AT BLOWER SWITCH R&R L/S DASH PANEL IN ORDER TO R&R HEADLIGHT SWITCH.

#### Parts

Parts	Quantity
CABLE; CABLE ASSY HEATER SWITCH; 11-3050 SWITCH BLOWER	1
	1

#### Tasks Performed:

- 030-021 SWITCH-ELECTRICAL
- 002-009 CABLES- HEATER-DEFROSTER

REPAIR DEFROSTER AND HEAD LIGHTS

### WO # CSHOP-2015-18

In Date/Time 4/13/2015 9:31:00AM Meter Reading: 155,256

Close Date/Time 4/13/2015 9:41:00AM

#### Problem?

#### Parts

Parts	Quantity
NO PARTS USED	

#### Tasks Performed:

- C-RESCU PM SERVICE C RESCUE



4/10/2017

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10142536

## 2002 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2015-131**

**In Date/Time** 4/20/2015 6:38:00AM **Meter Reading:** 155,445

**Close Date/Time** 4/23/2015 10:12:00AM

**Problem?**

R21 LIGHT OUT IN LIGHT BAR.  
VEHICLE SHAKES AT HIGHER SPEEDS 50-60 MPH.

Parts	Quantity
BULB; BULB	2

**Tasks Performed:**

- 015 STEERING
- 034 LIGHTING SYSTEM
- TRV TRAVEL TO BE CHARGED TO WORK ORDER

R21 LIGHT OUT IN LIGHT BAR

**WO # CSHOP-2015-140**

**In Date/Time** 4/20/2015 7:02:00AM **Meter Reading:** 155,455

**Close Date/Time** 4/28/2015 6:49:00AM

**Problem?**

SR AT 21, WHILE EMERGENCY LIGHTS ON, PAT A/C NOT WORKING

RIGHT TURN SIGNAL OUT

RIGHT REAR SCENE LIGHT OUT.

Parts	Quantity
NO PARTS USED	

**Tasks Performed:**

- 034 LIGHTING SYSTEM
- NO PROBLEM FOUND

PLEASE FILL OUT 3 C'S



4/10/2017

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10142536

## 2002 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2015-1192**

**In Date/Time** 6/15/2015 10:20:00AM      **Meter Reading:** 156,380

**Close Date/Time** 6/17/2015 8:12:00AM

**Problem?**

R241 ALARM GOING OFF, POSSIBLE LOW AIR AND SMELL OF BRAKES

Parts	Quantity
NO PARTS USED	
NO PARTS USED	

**Tasks Performed:**

TRV	TRAVEL TO BE CHARGED TO WORK ORDER
008	AIR SYSTEM

**WO # CSHOP-2015-3549**

**In Date/Time** 10/22/2015 8:39:00AM      **Meter Reading:** 159,054

**Close Date/Time** 11/17/2015 11:38:00AM

**Problem?**

R451 HEADLIGHT OUT

Parts	Quantity
NO PARTS USED	

**Tasks Performed:**

034	LIGHTING SYSTEM
-----	-----------------

NO LIGHT OUT



4/10/2017

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10142536

## 2002 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2015-3626**

**In Date/Time** 10/28/2015 7:06:00AM **Meter Reading:** 158,844

**Close Date/Time** 11/2/2015 3:15:00PM

**Problem?**

R245 CHECK PARK BRAKE ADJUSTMENT ON SPARE

Parts	Quantity
NO PARTS USED	

**Tasks Performed:**

008 AIR SYSTEM

**WO # CSHOP-2015-3630**

**In Date/Time** 10/28/2015 7:47:00AM **Meter Reading:** 158,844

**Close Date/Time** 11/2/2015 3:15:00PM

**Problem?**

R245 PARK BRAKE NOT HOLDING

Parts	Quantity
LIGHT; HEADLIGHT EXTRA BRIGHT	1

**Tasks Performed:**

013 BRAKES  
034 LIGHTING SYSTEM

AT STATION HEAD LIGHT OUT



4/10/2017

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

## 10142536

### 2002 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2016-45**

**In Date/Time** 1/5/2016 11:05:00AM **Meter Reading:** 138,010

**Close Date/Time** 1/25/2016 12:47:00PM

**Problem?**

REAR BRAKES LOCKING UP

Parts	Quantity
SEAL; SEAL 34387	1
GASKET; R002436 GASKET-REAR AXLE	1
BRAKE; BRAKE PADS	2
BRAKE; BRAKE PADS	-2
BRAKE; 141-70003 BRAKE CALIPER REAR ONLY MACHINED	2
VALVE; AMH-1 VALVE EXTENSION	1
NUT; 13-3052 NUT	2

**Tasks Performed:**

- 017-006 REAR TIRES
- 013-015 CALIPERS REAR
- 018-030 REAR HUB SEAL-GASKET

REMOVE REAR TIRES TO BE REPLACE BY TIRE MAN RE INSTALL TIRE BACK ON AFTER NEW TIRES WERE INSTALL ON WHEELS

**WO # CSHOP-2016-529**

**In Date/Time** 2/2/2016 3:45:00PM **Meter Reading:** 138,010

**Close Date/Time** 2/4/2016 1:59:00PM

**Problem?**

Parts	Quantity
NO PARTS USED	

**Tasks Performed:**

- 032 CRANKING SYSTEM

UNIT NO START IN YARD. JUMP START UNIT CHECK CHARGING SYSTEM ALTERNATOR OUT PUT 14.1 VOLTS BATTERY CHARGING AT 13.8 VOLTS FULL LOAD UNIT CHARGING BATTERY AT13.3 VOLTS. OUT LET AT BUILDING HAD NO POWER.



4/10/2017

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

## 10142536

### 2002 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2016-844**

**In Date/Time** 2/22/2016 1:10:00PM **Meter Reading:** 125,900

**Close Date/Time** 3/28/2016 1:01:00PM

**Problem?**

CHECK TILT WHEEL

Parts	Quantity
TUBE; TUBE - STROBE	1

**Tasks Performed:**

- 015 STEERING
- 034 LIGHTING SYSTEM
- 001-015 EVACUATE AND RECHARGE
- 008 AIR SYSTEM

CHECK ALL AC SYSTEM FOUND 110 AC A BIT LOW ON FREON CHARGE  
SYSTEM CLEAN UP CONDENSER AND EVAPORATOR TEST SYSTEM AGAIN  
IS PERFECT NOW



4/10/2017

# Palm Beach County Fire Rescue Fleet Maintenance Asset History 10142536

## 2002 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2016-975**

**In Date/Time** 2/29/2016 4:44:00PM **Meter Reading:** 161,277

**Close Date/Time** 3/21/2016 3:17:00PM

**Problem?**

ON-CALL R21 AIR DUMP LEAKING

Parts	Quantity
DRYER; DRYER KIT AD9 -NEW	1
VALVE; VALVE CHECK AD9	1
VALVE; PURGE VALVE KIT	1
FILTER; AIR FILTER 46744 WIX	1
BATTERY; BATTERY EPA TAX \$1.50 PER BATTERY	4
BATTERY; BATTERY 950CCA HP-31D	4
REFLECTOR; REFLECTOR	1
LIGHT; 600 SER OPTIC CLEAR	1
BULB; BULB	1
FREIGHTLINER; RESERVOIR	1
WASHER; WASHER NOZZLE	1
WASHER; WASHER NOZZLE W/RELIEF	1
WIPER; WIPER BLADES ANCO 24	2

**Tasks Performed:**

- 008 AIR SYSTEM
- 034-030 BACK UP LIGHTS
- 047 WIPERS-WASHER
- 047-001 WIPER BLADES
- 005-033 DOOR HINGE-PINS-BUSHINGS
- 020-PMR REPAIR FROM PM - BATTERIES
- 008-002 AIR DRIER
- 044-060 AIR FILTER
- 040-033 OIL PAN-GASKET

REMOVE AND REPLACE WORN OUT WIPER BLADES



4/10/2017

# Palm Beach County Fire Rescue Fleet Maintenance Asset History 10142536

## 2002 AMERICAN LAFRANCE MEDIC MASTER

### WO # CSHOP-2016-984

In Date/Time 3/1/2016 10:17:00AM Meter Reading: 125,296

Close Date/Time 3/7/2016 11:33:00AM

#### Problem?

AIR DUMP ISSUE

#### Parts

BRAKE; 16-19471-000 AIR BAG  
VALVE; VALVE LEVELIN

#### Quantity

2  
2

#### Tasks Performed:

016 SUSPENSION

### WO # CSHOP-2016-1007

In Date/Time 3/2/2016 1:42:00PM Meter Reading: 125,900

Close Date/Time 3/12/2016 4:23:00PM

#### Problem?

B-INSPECTION WITH OIL CHANGE

#### Parts

TIRE; TIRE INFLATOR  
FILTER; 33585XE FUEL FILTER WIX  
FILTER; FILTER OIL 57182 LFP3729  
FILTER; FUEL FILTER 33630 LFF5849  
COUPLING; COUPLING NIPPLE

#### Quantity

1  
1  
1  
1  
1

#### Tasks Performed:

B PM SERVICE B





4/10/2017

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10142536

## 2002 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2016-2776**

**In Date/Time** 6/10/2016 10:58:00AM **Meter Reading:** 163,905

**Close Date/Time** 6/20/2016 4:08:00PM

**Problem?**

A-INSPECTION

Parts	Quantity
SWITCH; SWITCH SWT5499 MED MASTER	1
LIGHT; LED CLEARANCE LIGHT AMBER	1
WIPER; WIPER BLADES ANCO 24	2

**Tasks Performed:**

- AAA A INSPECTION
- 017-006 REAR TIRES
- 034-015 BRAKE LIGHTS
- 034 LIGHTING SYSTEM
- 047-001 WIPER BLADES
- 034-009 PARK-CLEARANCE LIGHTS
- 044 FUEL SYSTEM

FUEL LEAKING AT FUEL FILTER HOUSING ON ENGINE. CLEANED AND CHECKED WHERE LEAKING. .REMOVED ACCESS COVER AND REPLACED SEAL.



4/10/2017

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10142536

## 2002 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2016-3127**

**In Date/Time** 6/29/2016 1:44:00PM      **Meter Reading:** 126,001

**Close Date/Time** 7/5/2016 1:11:00PM

**Problem?**

R56

Parts

Quantity

NO PARTS USED  
NO PARTS USED

**Tasks Performed:**

TRV TRAVEL TO BE CHARGED TO WORK ORDER  
040-003 FAULT CODE

R56

**WO # CSHOP-2016-3156**

**In Date/Time** 6/30/2016 3:22:00PM      **Meter Reading:** 126,001

**Close Date/Time** 7/5/2016 1:51:00PM

**Problem?**

Parts

Quantity

NO PARTS USED  
NO PARTS USED

**Tasks Performed:**

TRV TRAVEL TO BE CHARGED TO WORK ORDER  
040-003 FAULT CODE



4/10/2017

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10142536

## 2002 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2016-3750**

**In Date/Time** 8/2/2016 8:20:00AM      **Meter Reading:** 126,402

**Close Date/Time** 9/13/2016 9:21:00AM

**Problem?**

Parts	Quantity
NO PARTS USED	

**Tasks Performed:**  
040-001 ECU-ECM

REPLACED ECM AND FUEL PUMP

**WO # CSHOP-2016-4019**

**In Date/Time** 8/16/2016 7:47:00AM      **Meter Reading:** 126,001

**Close Date/Time** 8/16/2016 7:54:00AM

**Problem?**

Parts	Quantity
NO PARTS USED	

**Tasks Performed:**  
017-012 TIRE

ROTATE AND BALANCE TIRES



4/10/2017

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10142536

## 2002 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2016-4466**

**In Date/Time** 9/13/2016 9:21:00AM **Meter Reading:** 126,402

**Close Date/Time** 9/21/2016 9:52:00AM

**Problem?**  
PATIENT A/C INOP R256

Parts	Quantity
NO PARTS USED	

**Tasks Performed:**  
034-PMR REPAIR FROM PM - REAR A/C

PAT A/C NOT COLD. FOUND PAT A/C COMPRESSOR CLUTCH NOT ENGAGING. INSPECTED WIRES FROM COMPRESSOR AND FOUND BROKEN WIRE TO THE COMPRESSOR. CRIMED NEW CONNECTOR ON TO WIRE

**WO # CSHOP-2016-4531**

**In Date/Time** 9/19/2016 7:29:00AM **Meter Reading:** 126,573

**Close Date/Time** 10/12/2016 2:07:00PM

**Problem?**  
SR@ ST56

Parts	Quantity
NO PARTS USED	

**Tasks Performed:**  
030-001 DIAGNOSE ELECTRICAL  
034-001 HEADLIGHTS LOW BEAM

TRACED OUT PROBLEM WITH REAR LIGHT BAR NOT WORKING AND FOUND BAD CONNECTION IN REAR BACK PANEL REPAIRED AND TESTED



4/10/2017

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

## 10142536

### 2002 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2016-4875**

**In Date/Time** 10/12/2016 7:23:00AM **Meter Reading:** 167,440

**Close Date/Time** 10/28/2016 11:12:00AM

**Problem?**

SR-16 AT STATION 56 COOLANT LEAK LOW ENGINE OIL.

Parts	Quantity
FLUID; SYN OIL BULK QTS	2
FLUID; COOLANT ANTIFREEZE GAL	8

**Tasks Performed:**

- 042 COOLING SYSTEM
- 027-046 OIL PAN-GASKET
- 042-001 RADIATOR

WASHED ENGINE COMPARTMENT. TEST DRIVE VEHICLE AND CHECKED COOLANT LEVEL AT OPERATING TEMPERATURE. CHECKED REPAIR AREA FOR LEAKAGE HOT. (OK)

**WO # CSHOP-2016-4905**

**In Date/Time** 10/14/2016 7:06:00AM **Meter Reading:** 126,601

**Close Date/Time** 10/18/2016 2:11:00PM

**Problem?**

Parts	Quantity
NEWPART; STRIKER BAR/RAIL ASSY	1

**Tasks Performed:**

- 042 COOLING SYSTEM
- 005 BODY EXTERIOR

REPLACED STREACHER LATCH



4/10/2017

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

## 10142536

### 2002 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2016-5335**

In Date/Time 11/14/2016 1:08:00PM Meter Reading: 126,601

Close Date/Time 11/16/2016 4:22:00PM

**Problem?**

CHECK FOR COOLING SYSTEM LEAK

Parts	Quantity
NO PARTS USED	

**Tasks Performed:**

042 COOLING SYSTEM

CHECK COOLING SYSTEM FOR LEAK NONE FOUND COOLANT AT PROPER LEVEL OPERATE TO OPERATING TEMP SYSTEM WORKING NORMAL

**WO # CSHOP-2016-5663**

In Date/Time 12/5/2016 12:24:00PM Meter Reading: 168,123

Close Date/Time 1/19/2017 7:24:00AM

**Problem?**

Parts	Quantity
9IP; 9IP	2

**Tasks Performed:**

034-018 TURN SIGNAL LIGHTS  
AAA A INSPECTION

RIGHT BULB SOCKET LOOSE ADJUST SPRING TENSION ON SOCKET HOLDER



4/10/2017

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

## 10142536

### 2002 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2017-419**

**In Date/Time** 1/19/2017 7:34:00AM **Meter Reading:** 169,478

**Close Date/Time** 3/16/2017 6:41:00AM

**Problem?**

C INSPECTION

Parts	Quantity
FILTER; 33585XE FUEL FILTER WIX	1
FILTER; FILTER OIL 57182 LFP3729	1
FILTER; FUEL FILTER 33630 LFF5849	1
FILTER; FUEL FILTER 33630 LFF5849	1
9OC; SYN 15W40	16
FIL; NAPAGOLD OIL FILTER	1

**Tasks Performed:**

C-RESCU PM SERVICE C RESCUE

C SERVICE COMPLETE CK OFF LIST.AND DO REPAIR

**WO # CSHOP-2017-936**

**In Date/Time** 2/14/2017 4:29:00PM **Meter Reading:** 169,478

**Close Date/Time** 3/10/2017 1:34:00PM

**Problem?**

SPARE RESCUE AT 44 ( 244) WINDOW GLASS OFF TRACK

Parts	Quantity
NO PARTS USED	

**Tasks Performed:**

015 STEERING

CHECKE DFOR LEAK FOUND LINE BLEW .WILL HAVE TOWED TO SHOP



4/10/2017

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10142536

## 2002 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2017-1555**

**In Date/Time** 3/16/2017 8:15:00AM **Meter Reading:** 169,478

**Close Date/Time** 3/22/2017 2:59:00PM

**Problem?**

Parts	Quantity
2IH; POWER STEERING FLUID 32OZ	1
9HY; HOSE	1
9IP; WIPER BLADES ANCO 24	2
9IP; CAP RADIATOR 10 LB	1
9IP; AIR FILTER 46744 WIX	1

**Tasks Performed:**

- 015-018 POWER STEERING PUMP
- 042-012 CAP
- 047 WIPERS-WASHER
- 047-001 WIPER BLADES
- 034 LIGHTING SYSTEM
- 044-060 AIR FILTER
- 006-002 AIR HORN
- 003-024 SENDING UNIT
- 007-018 WINDOW REGULATOR
- 008 AIR SYSTEM

REPAIR AND REPLACE AIR FITTING AS NEED TO STOP AIR LEAKS