



4/10/2017

Palm Beach County Fire Rescue Fleet Maintenance Asset History 10154110

2003 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2015-608

In Date/Time 5/13/2015 7:09:00AM Meter Reading: 164,643

Close Date/Time 5/13/2015 12:00:00PM

Problem?

CALL OUT STRETCHER LOCK INOP SR@47

Parts	Quantity
BAR; STRECHER BAR NEW	1

Tasks Performed:

175-048 STRETCHER

STRETCHER LOCK INOP.. TRAVEL TO SHOP FOR PART TRAVEL TO STATION 47... REMOVE BROKEN STRETCHER LOCKING DEVICE INSTALL NEW ONE

WO # CSHOP-2015-653

In Date/Time 5/15/2015 8:22:00AM Meter Reading: 164,700

Close Date/Time 5/18/2015 10:46:00AM

Problem?

LOW AIR ALARM IN PATIENT COMPARTMENT WILL NOT SHUT OFF SR@47

Parts	Quantity
NO PARTS USED	
REGULATOR; SENSOR O2 REGULATOR	1
REGULATOR; SENSOR O2 REGULATOR	-1
NO PARTS USED	

Tasks Performed:

030-001 DIAGNOSE ELECTRICAL
TRV TRAVEL TO BE CHARGED TO WORK ORDER

EMPLOYEE 21995 APPROVED EMPLOYEE 21995 RETURN REQUEST FOR QUANTITY 1.00 OF PART AST4000A-0. COMMENTS: .



4/10/2017

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10154110

2003 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2015-729

In Date/Time 5/20/2015 12:15:00PM **Meter Reading:** 164,800

Close Date/Time 5/26/2015 9:39:00AM

Problem?

REAR A/C INOP

Parts

Quantity

NO PARTS USED

Tasks Performed:

001 AIR CONDITIONING



4/10/2017

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10154110

2003 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2015-743

In Date/Time 5/20/2015 4:46:00PM **Meter Reading:** 165,161

Close Date/Time 6/2/2015 8:34:00AM

Problem?

Parts	Quantity
FITTING	1
SHOCK; 8 IN HOLD OPEN 30 LB	1
CAMERA; LCD MONITOR SCREEN	1
SEAL; 673-720-00-54 SEAL WINDOW	4
VALVE; VALVE DUMP 310 HUMPHREY	1
LIGHT; LED GROUND LITE CLEAR	1
FREIGHTLINER; BEZEL HEADLIGHT	1
WIPER; WIPER BLADES ANCO 24	2

Tasks Performed:

- 001 AIR CONDITIONING
- 034 LIGHTING SYSTEM
- 005-030 DOOR
- AAA A INSPECTION
- 047-001 WIPER BLADES
- 006 SAFTEY-EMERGENCY EQUIPMENT
- 032-001 BATTERY
- 005-033 DOOR HINGE-PINS-BUSHINGS
- 001-001 HOSES-LINES & FITTINGS
- 007-003 REAR WINDOW
- 013-003 ABS COMPUTER CONTROLS
- 027 TRANSMISSION
- 008 AIR SYSTEM
- 007-021 WINDOW CHANNEL

REPLACED ALL 4 CAB DOOR WINDOW GASKET WEATHERSTRIPS. CLEAN OFF WEATHERSTRIP ADHESIVE FROM DOOR CHANEL .



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10154110

2003 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2015-1135

In Date/Time 6/11/2015 8:50:00AM **Meter Reading:** 165,200

Close Date/Time 6/11/2015 4:37:00PM

Problem?

BATTERIES OFF GASSING SPARE RESCUE AT 15

Parts	Quantity
BATTERY; BATTERY EPA TAX \$1.50 PER BATTERY	4
BATTERY; BATTERY 950CCA HP-31D	4

Tasks Performed:

032-001 BATTERY

WO # CSHOP-2015-1535

In Date/Time 7/2/2015 3:17:00PM **Meter Reading:** 165,200

Close Date/Time 9/1/2015 7:40:00AM

Problem?

REPAIRS FROM PM

Parts	Quantity
BATTERY; BATTERY EPA TAX \$1.50 PER BATTERY	4
BATTERY; BATTERY 950CCA HP-31D	4
CAP; FUEL CAP	1

Tasks Performed:

- 034 LIGHTING SYSTEM
- 032-003 BATTERY CABLE
- 032-001 BATTERY
- 005-033 DOOR HINGE-PINS-BUSHINGS
- 044-018 FUEL TANK
- AAA A INSPECTION

PERFORM B INSPECTION AND B INSPECTION REPAIRS



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10154110

2003 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2015-2329

In Date/Time 8/14/2015 5:02:00PM **Meter Reading:** 165,200

Close Date/Time 8/25/2015 3:05:00PM

Problem?

B INSPECTION SR15

Parts	Quantity
FILTER; 33634 FUEL FILTER WIX MERCEDES/FREIGHTLINE	1
FILTER; OIL FILTER 03 57215 WIX MERCEDES/FREIGHTLINER	1
FILTER; FILTER FUEL 33231	1

Tasks Performed:

B PM SERVICE B

PERFORM B INSPECTION

WO # CSHOP-2015-3081

In Date/Time 9/25/2015 7:42:00AM **Meter Reading:** 166,621

Close Date/Time 9/29/2015 2:51:00PM

Problem?

A/C IN PATIENT COMPARTMENT NOT BLOWING COLD AIR. SR@16

Parts	Quantity
NO PARTS USED	
NO PARTS USED	

Tasks Performed:

001 AIR CONDITIONING
TRV TRAVEL TO BE CHARGED TO WORK ORDER



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10154110

2003 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2015-3474

In Date/Time 10/16/2015 2:07:00PM **Meter Reading:** 167,237

Close Date/Time 10/30/2015 3:24:00PM

Problem?

SR15 A INSPECTION AND REPAIRS

Parts	Quantity
WINDOW; MOLD L/H	1
WINDOW; MOLD R/H	1
VALVE; VALVE LEVELIN	2
LIGHT; 9186-1500-10 MARKER LT. RED LED	1
LIGHT; 9186-1500-20 MARKER LT.AMBER LED	1

Tasks Performed:

- 002-027 CABIN AIR FILTER
- AAA A INSPECTION
- 013-069 ABS CODES
- 008 AIR SYSTEM
- 004-063 INTERIOR TRIM-MOLDINGS-UPHOLS
- 034-009 PARK-CLEARANCE LIGHTS
- 004-048 DOOR LOCKS

CAB REAR A/C FILTER

WO # CSHOP-2015-4297

In Date/Time 12/3/2015 2:00:00PM **Meter Reading:** 169,763

Close Date/Time 12/17/2015 12:36:00PM

Problem?

Parts	Quantity
NO PARTS USED	

Tasks Performed:

- 017-012 TIRE



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10154110

2003 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2015-4485

In Date/Time 12/15/2015 8:45:00AM **Meter Reading:** 169,901

Close Date/Time 12/28/2015 2:20:00PM

Problem?
SR15 A INSPECTION

Parts	Quantity
NO PARTS USED	
NO PARTS USED	

Tasks Performed:

AAA	A INSPECTION
001	AIR CONDITIONING

WO # CSHOP-2015-4515

In Date/Time 12/16/2015 3:56:00PM **Meter Reading:** 169,901

Close Date/Time 12/28/2015 3:16:00PM

Problem?
AIR SEAT WONT WORK R32

Parts	Quantity
NO PARTS USED	
NO PARTS USED	

Tasks Performed:

008	AIR SYSTEM
TRV	TRAVEL TO BE CHARGED TO WORK ORDER

AIR SEAT WONT WORK R32



4/10/2017

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10154110

2003 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2015-4563

In Date/Time 12/21/2015 8:37:00AM Meter Reading: 171,036

Close Date/Time 1/13/2016 3:10:00PM

Problem?

TURN SIGNALS AND 4 WAYS INOP SR @32

Parts	Quantity
NO PARTS USED	

Tasks Performed:

030 ELECTRICAL

WO # CSHOP-2016-285

In Date/Time 1/21/2016 9:51:00AM Meter Reading: 170,692

Close Date/Time 1/27/2016 3:13:00PM

Problem?

PLEASE CHECK OVER THIS WORK ORDER AND CLOSE.

Parts	Quantity
FILTER; 33634 FUEL FILTER WIX MERCEDES/FREIGHTLINE	1
FILTER; OIL FILTER 03 57215 WIX MERCEDES/FREIGHTLINER	1
FLUID; SYN OIL BULK QTS	26
FILTER; FILTER FUEL 33231	1

Tasks Performed:

C-RESCU PM SERVICE C RESCUE

COMPLETE C- INSPECTION



4/10/2017

Palm Beach County Fire Rescue Fleet Maintenance Asset History 10154110

2003 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2016-286

In Date/Time 1/21/2016 9:57:00AM **Meter Reading:** 170,692

Close Date/Time 1/27/2016 3:11:00PM

Problem?

REPAIRS FROM INSPECTION

Parts	Quantity
FILTER; PANEL FILTER	1
SLIDE; HT4932-16 DRAWER SLIDE 16	1
WINDOW; MOLD L/H	1
DRYER; DRYER KIT AD9 -NEW	1
VALVE; VALVE CHECK AD9	1
VALVE; PURGE VALVE KIT	1
LOUVER; VENT LOUVER	1
BRAKE; LONG STROKE BRAKE CHAMBER	2
BRAKE; KSMA3124710QP REAR BRAKE SHOE KIT	2
FAN; FAN A/C COND 12IN 860026-2-W	2

Tasks Performed:

- 004-063 INTERIOR TRIM-MOLDINGS-UPHOLS
- 008 AIR SYSTEM
- 032-PMR REPAIR FROM PM - 110 A/C
- 004 CAB-INTERIOR ACCESSORIES
- 004-060 CAB VENT
- 032-001 BATTERY
- 013-030 REAR BRAKE PADS-SHOES
- 005 BODY EXTERIOR
- 005-030 DOOR
- 001-006 A/C FILTER SCREENS
- TRV TRAVEL TO BE CHARGED TO WORK ORDER
- 040 ENGINE AND ACCESSORIES
- 008-002 AIR DRIER
- 030-001 DIAGNOSE ELECTRICAL

INSTALL REPAIRED SEAT



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10154110

2003 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2016-1105

In Date/Time 3/8/2016 8:07:00AM **Meter Reading:** 172,209

Close Date/Time 3/12/2016 4:31:00PM

Problem?
A-INSPECTION

Parts	Quantity
CAP; CAP A/C INTERNATIONAL	1
CAP; CAP-BLUE R134 NEW #5574	2
CAP; CAP A/C INTERNATIONAL	2
CAP; 16-3158 R12 CAP 1/4	1
WIPER; WIPER BLADES ANCO 24	2
NUT; LUG NUT COVER PK10	3
LENS; LENS CLEAR 68-1181349-3	2
CAP; RAD CAP 20 LB	1

Tasks Performed:

- AAA A INSPECTION
- 042-012 CAP
- 004-045 SEAT BELTS
- 007-001 WINDSHIELD
- 018-018 HUB CAP
- 017 TIRES & WHEELS
- 034 LIGHTING SYSTEM
- 001 AIR CONDITIONING

PMA: COMPLETED 1) RAD CAP BAD: REPLACED CAP AND ADDED COOLANT. 2) WIPERS WORN: REPLACED WIPERS AND ADDED WASHER FLUID 3) LUG COVERS MISSING: REPLACED COVERS. 4) AC CAPS MISSING: REPLACED CAPS 5) LH SCENE LIGHT LENSES BROKEN: REPLACED BOTH LENSES 6) OXYGEN TANK BRACKET MISSING: INSTALLED USED BRACKET WITH NEW FASTENERS 7) DRIVERS SEATBELT NOT ATTACHED TO SEAT: REMOVED SEAT AND REINSTALLED BRACKET 8) AC HOSE BRACKETS AD CLAMPS BROKEN: REPAIR/REPLACE BROKEN BRACKETS 9) REAR AIR RIDE: INSPECTED AND FOUND REAR AIR RIDE OK



4/10/2017

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10154110

2003 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2016-1206

In Date/Time 3/14/2016 9:52:00AM **Meter Reading:** 172,280

Close Date/Time 3/21/2016 5:14:00PM

Problem?

ROTATED TIRES RT SIDE

Parts

Quantity

NO PARTS USED
NO PARTS USED
NO PARTS USED

Tasks Performed:

- 017-001 ROTATE TIRES
- 175-100 BODY - WORK COMPARTMENT EMER
- TRV TRAVEL TO BE CHARGED TO WORK ORDER

ADJUSTED DRAWER SLIDES

WO # CSHOP-2016-1902

In Date/Time 4/22/2016 9:01:00AM **Meter Reading:** 173,771

Close Date/Time 4/25/2016 2:25:00PM

Problem?

SR15 A INSPECTION

Parts

Quantity

FILTER; 78R5360M 2PK FILTER AIR COND	1
LENS; AMBER LENS	1
WIPER; WIPER BLADES ANCO 24	2

Tasks Performed:

- 047-001 WIPER BLADES
- 001-006 A/C FILTER SCREENS
- 034-024 LENS
- AAA A INSPECTION

REPLACED REAR CAB A/C FILTER.



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10154110

2003 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2016-2570

In Date/Time 5/27/2016 11:10:00AM **Meter Reading:** 175,420

Close Date/Time 5/27/2016 5:27:00PM

Problem?

A INSPECTION SR15

Parts	Quantity
VENT; 18-2640 VENT A/C NEW # 1719	1
A/C; FREON LB	1
GAUGE; GAUGE TIRE TREAD DEPTH	1

Tasks Performed:

- AAA A INSPECTION
- 001 AIR CONDITIONING
- 042 COOLING SYSTEM
- 040 ENGINE AND ACCESSORIES
- 004 CAB-INTERIOR ACCESSORIES

PATENT COMP SLIDING DRAW OUT OF SLIDER . SUPPORT IS REINSTALL. L2
 DOOR PANEL LOOSE SECURE LOOSE PANEL SCREWS L3 HOLD OPEN
 LOOSE SUPPORT BLOCK SCREWS LOOSE RE-TAP AND SECURE



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10154110

2003 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2016-2700

In Date/Time 6/6/2016 3:09:00PM **Meter Reading:** 173,771

Close Date/Time 6/7/2016 10:09:00AM

Problem?
R37 PAT A/C INOP

Parts	Quantity
FITTING; A/C FITTING 4324	1
FITTING; FITTING A/C 5514	1
COMPRESSOR; 03-0602 COMPRESSOR U4735 4471	1
A/C; FREON LB	30

Tasks Performed:

001 AIR CONDITIONING

PATIENT AC INOP. COMPRESSOR CLUTCH WORN AND AIR IN SYSTEM.
 PRESSURES AT 30/325PSI REPLACED COMPRESSOR AND REAR FITTINGS.
 RECHARGED SYSTEM W/3LBS REFRIGERANT. SYSTEM OPERATING AT
 30/150PSI AND BLOWING COLD.



4/10/2017

Palm Beach County Fire Rescue Fleet Maintenance Asset History 10154110

2003 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2016-3086

In Date/Time 6/27/2016 8:53:00AM **Meter Reading:** 175,236

Close Date/Time 7/14/2016 6:49:00AM

Problem?

A INSPECTION

Parts	Quantity
A/C; FREON LB	3
RELAY; RY48 RELAY	1
HORN; HORN HIGH NEW # 06-52125-039	1
HORN; HORN LOW NEW #06-52125-041	1
TIRE VALVE; FERRULE .718	1
ALTERNATOR; 320 UPGRADE ALTERNATOR	1
RADIATOR; F10 RESCUE C RADIATOR	1
BELT; BELT MERCEDES MOTORS	1
FAN; HT 650 FAN ASY.	1
LATCH; LATCH TRIGGER W/LOCK	1

Tasks Performed:

- AAA A INSPECTION
- 005-001 RUNNING BOARDS
- 005-033 DOOR HINGE-PINS-BUSHINGS
- 005-039 DOOR STRIKER PLATE
- 034-036 DOME LIGHTS
- 042 COOLING SYSTEM
- 001-011 A/C BELT REAR A/C
- 034 LIGHTING SYSTEM
- 071-018 DOOR LATCH
- 017-012 TIRE
- 006-002 AIR HORN
- 056-006 SPEAKERS
- 042-001 RADIATOR
- 042-039 FAN CLUTCH
- 031-003 ALTERNATOR-GENERATOR

LRO TIRE WAS SUPPOSED TO BE REPLACED BY GOOD USED TIRE FROM BUILDING 3 . TIRE CO. TO BREAK DOWN TIRE OFF RIM.



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10154110

2003 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2016-3272

In Date/Time 7/7/2016 7:13:00AM Meter Reading: 175,225

Close Date/Time 7/14/2016 11:12:00AM

Problem?

A/C INOP SPARE RESCUE AT ST45

Parts	Quantity
BLOWER; 01-0604 3924 BLOWER A/C BOA 852050000900 3966	1

Tasks Performed:

002-003 BLOWER MOTOR

R&R AC BLOWER MOTOR

WO # CSHOP-2016-3312

In Date/Time 7/8/2016 12:17:00PM Meter Reading: 178,976

Close Date/Time 8/8/2016 6:36:00AM

Problem?

SPARE RESCUE AT ST45

Parts	Quantity
A/C; FREON LB	3

Tasks Performed:

- 001 AIR CONDITIONING
- 004 CAB-INTERIOR ACCESSORIES
- TRV TRAVEL TO BE CHARGED TO WORK ORDER
- 006-001 BACK-UP ALARM
- 017 TIRES & WHEELS
- 004-009 SEAT FRONT

REQUEST FOR DRIVERS SCBA MOUNT. MOUNT TO BE ORDERED ON NEW WO. OTHER REPAIRS COMPLETED



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10154110

2003 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2016-3358

In Date/Time 7/12/2016 8:07:00AM **Meter Reading:** 175,236

Close Date/Time 7/14/2016 12:57:00PM

Problem?
ON-CALL R45 AIR LEAK

Parts	Quantity
VALVE; PURGE VALVE KIT	1

Tasks Performed:
008-002 AIR DRIER
AIR LEAK

WENT TO ST-45 FOR AIR LEAK FOUND PURGE VALVE LEAKING R&R PURGE VALVE

WO # CSHOP-2016-3539

In Date/Time 7/25/2016 7:21:00AM **Meter Reading:** 178,628

Close Date/Time 8/2/2016 11:37:00AM

Problem?
ON-CALL R45 BACK UP ALARM

Parts	Quantity
NO PARTS USED	

Tasks Performed:
006-001 BACK-UP ALARM

DISABLED BACK UP ALARM



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10154110

2003 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2016-3645

In Date/Time 8/1/2016 8:36:00AM **Meter Reading:** 178,713

Close Date/Time 8/1/2016 8:40:00AM

Problem?

Parts	Quantity
NO PARTS USED	

Tasks Performed:
017-006 REAR TIRES

REPLACED REAR TIRES

WO # CSHOP-2016-3661

In Date/Time 8/1/2016 10:47:00AM **Meter Reading:** 178,713

Close Date/Time 8/1/2016 10:52:00AM

Problem?

Parts	Quantity
NO PARTS USED	

Tasks Performed:
017-006 REAR TIRES

REPLACED REAR TIRES



4/10/2017

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10154110

2003 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2016-3839

In Date/Time 8/6/2016 10:41:00AM **Meter Reading:** 179,261

Close Date/Time 8/15/2016 7:57:00AM

Problem?

Parts	Quantity
STRAP; CRASH RESTRAINT STRAPS	1
TANK; TANK CLIP	2
BRACKET; AIR BRACKETS	1

Tasks Performed:

004 CAB-INTERIOR ACCESSORIES

INSTALLED NEW SCBA BRACKET IN LF COMP

WO # CSHOP-2016-4240

In Date/Time 8/29/2016 8:04:00AM **Meter Reading:** 180,044

Close Date/Time 8/30/2016 5:57:00AM

Problem?

AIR LEAK

Parts	Quantity
VALVE; PURGE VALVE KIT	1

Tasks Performed:

008 AIR SYSTEM

AIR LEAKING FROM PURGE VALVE, R&R PURGE VALVE



4/10/2017

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10154110

2003 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2016-4354

In Date/Time 9/6/2016 11:28:00AM

Meter Reading: 180,315

Close Date/Time 9/7/2016 9:43:00AM

Problem?

C INSPECTION SR15

<u>Parts</u>	<u>Quantity</u>
FILTER; 33634 FUEL FILTER WIX MERCEDES/FREIGHTLINE	1
FILTER; FILTER FUEL 03 MERCEDES	1
FILTER; OIL FILTER 03 57215 WIX MERCEDES/FREIGHTLINER	1
FLUID; SYN OIL BULK QTS	26
FILTER; AIR FILTER 46744 WIX	1
FILTER; FILTER FUEL 33231	1

Tasks Performed:

C-RESCU PM SERVICE C RESCUE



4/10/2017

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10154110

2003 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2016-4367

In Date/Time 9/7/2016 8:54:00AM **Meter Reading:** 180,452

Close Date/Time 10/18/2016 2:26:00PM

Problem?

REPAIRS FROM PM

Parts	Quantity
NEWPART; HOSE & FITTINGS	1
NEWPART; HOSE & FITTINGS	1
SWITCH; 11-0616 BINARY SWITCH	1
A/C; FREON LB	4
DRYER; 07-2618A A/C DRIER 7155	1
FILTER; PANEL FILTER	1
FILTER; 78R5360M 2PK FILTER AIR COND	1
LIGHT; UNIT UV LIGHT A/C RESCUES	1
LIGHT; HEADLIGHT EXTRA BRIGHT	1
SWITCH; SWITCH SWT5499 MED MASTER	1
NEWPART; SENSOR OIL PRESSURE MERCEDES	1
NEWPART; SENSOR OIL PRESSURE MERCEDES	1
CLAMP; CLAMP 4" 33969	1

Tasks Performed:

- 001-000 QUALITY CHECK-REPAIRS
- 001 AIR CONDITIONING
- 001-006 A/C FILTER SCREENS
- 034-036 DOME LIGHTS
- 071-018 DOOR LATCH
- 004-012 SEAT REAR
- 034 LIGHTING SYSTEM
- 040-045 OIL
- 040 ENGINE AND ACCESSORIES
- 034-042 SPOT LIGHTS
- 034-001 HEADLIGHTS LOW BEAM
- 043-009 EXHAUST PIPE
- 001-030 EVAPORATOR-EVAPORATOR MOTOR
- 006 SAFTEY-EMERGENCY EQUIPMENT



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10154110

2003 AMERICAN LAFRANCE MEDIC MASTER

OIL LEAK AT OIL SENSOR BEHIND ALTERNATOR. DISCONNECTED BATTERY. REMOVED FENDER SKIRT. REMOVED AIR CLEANER ASSEMBLY AND AIR CHARGE COOLER HOSES. REMOVED BELT AND ALTERNATOR. CUT HOLE IN 1/4" THICK BRACKET FOR ACCESS AND GROUND DOWN BRACKET FOR SOCKET TO FIT. DISCONNECT SENSOR WIRE AND REMOVED SENSOR. APPLIED THREAD SEALER TO NEW SENSOR AND INSTALLED IN BLOCK. RE ASSEMBLE PARTS REMOVED.

WO # CSHOP-2016-5247

In Date/Time 11/7/2016 9:41:00AM **Meter Reading:** 180,451

Close Date/Time 11/8/2016 2:11:00PM

Problem?

QC SR15 GET READY TO SEND TO ST32

Parts	Quantity
NO PARTS USED	

Tasks Performed:

AAA A INSPECTION

COMPLETE QA

WO # CSHOP-2016-5323

In Date/Time 11/14/2016 8:56:00AM **Meter Reading:** 181,029

Close Date/Time 11/14/2016 9:00:00AM

Problem?

REPLACE LF TIRE

Parts	Quantity
NO PARTS USED	

Tasks Performed:

017-012 TIRE

REPLACE LF TIRE



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10154110

2003 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2016-5527

In Date/Time 11/28/2016 3:35:00PM **Meter Reading:** 182,462

Close Date/Time 12/19/2016 10:06:00AM

Problem?

Parts	Quantity
NO PARTS USED	

Tasks Performed:

001 AIR CONDITIONING

BLOWER MOTOR BAD IN ROOF UNIT

WO # CSHOP-2016-5553

In Date/Time 11/29/2016 10:38:00AM **Meter Reading:** 182,462

Close Date/Time 12/19/2016 10:04:00AM

Problem?

Parts	Quantity
NO PARTS USED	
NO PARTS USED	

Tasks Performed:

TRV TRAVEL TO BE CHARGED TO WORK ORDER
006-001 BACK-UP ALARM

REVERSE SIGNAL ACTIVE ALL THE TIME CHECKED FOR SHORTS AND SENT TO SHOP



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10154110

2003 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2016-6036

In Date/Time 12/27/2016 1:32:00PM **Meter Reading:** 184,078

Close Date/Time 1/18/2017 2:39:00PM

Problem?

SPARE RESCUE 15

Parts	Quantity
NO PARTS USED	
NO PARTS USED	

Tasks Performed:

- 034 LIGHTING SYSTEM
- 006-001 BACK-UP ALARM

REPAIRED CONNECTION ON TURN SIGNALS

WO # CSHOP-2017-142

In Date/Time 1/6/2017 1:09:00PM **Meter Reading:** 184,078

Close Date/Time 1/10/2017 5:10:00PM

Problem?

SPARE RESCUE AT 41 LEAKING COOLANT

Parts	Quantity
NO PARTS USED	

Tasks Performed:

- 042 COOLING SYSTEM

TRACED OUT COOLENT LEAK AND FOUND WATER PUMP BAD WILL NEED TO SWAP OUT ,,



4/10/2017

Palm Beach County Fire Rescue Fleet Maintenance Asset History 10154110 2003 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2017-456

In Date/Time 1/20/2017 11:42:00AM **Meter Reading:** 184,079

Close Date/Time 1/24/2017 4:24:00PM

Problem?
QUALITY CHECK

<u>Parts</u>	<u>Quantity</u>
9IP; BEARING PULLEY	1

Tasks Performed:

- 001-000 QUALITY CHECK-REPAIRS
- 043-006 EXHAUST MANIFOLD

REPAIRED COMPRESSOR BRACKET BOLT BROKEN, REPAIRED AND REPLACED BOLT. REPLACED WORN TENSIONER PULLEY BEARING.



4/10/2017

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10154110

2003 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2017-671

In Date/Time 1/31/2017 2:38:00PM **Meter Reading:** 184,470

Close Date/Time 2/24/2017 10:31:00AM

Problem?

Parts	Quantity
9HY; HOSE MADE	1
9HY; 9HY	1
9IP; 1498 SWITCH BINA	1
TEM; P SWITCH	1
2DD; GASKET	1
2DD; THERMOSTAT	2
2DD; SEAL RING	2
2DD; O-RING	1
2DD; GASKET	1
2DD; TRANSFER TUB	1
GASKET; GASKET M2 WATER PUMP	1
BELT; BELT MERCEDES RESCUE 12.5X1075 OE	1
LINE; A9062037102 COOLANT LINE	1
WASHER; 007603016102 WASHER OIL SENDER	2
BELT; BELT TENSIONOR MERCEDES	1
PUMP; RA906200620 WATER PUMP REMAN M2	1
BRG; TRAN/BRG	1
NONSTOCK; FREIGHT CHARGE	1
NBH; SERPENTINE BELT	1
SF; MOTOR TUNE-UP 16OZ	1

Tasks Performed:

- 042-027 WATER PUMP
- 001 AIR CONDITIONING

FIXED ALL LEAKS AND RAN A/C FOUND HIGH SIDE PRESSURE TO HIGH.
 CHECKED CONDENSER FANS FOR OPERATION. FANS WERE WORKING.
 CLEANED OUT CONDENSER WITH AIR, THEN SOAP AND WATER



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10154110

2003 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2017-1309

In Date/Time 3/3/2017 7:13:00AM **Meter Reading:** 185,416

Close Date/Time 3/16/2017 9:01:00AM

Problem?
SPARE RESCUE AT 32

Parts	Quantity
NO PARTS USED	
NO PARTS USED	

Tasks Performed:

- 004 CAB-INTERIOR ACCESSORIES
- 030-001 DIAGNOSE ELECTRICAL

TRACED OUT PROBLEM WITH DOOR OPEN LIGHT FOUND BAD CONNECTION ON REAR DOOR SWITCH REPAIRED AND TESTED

WO # CSHOP-2017-1434

In Date/Time 3/8/2017 9:23:00AM **Meter Reading:** 185,416

Close Date/Time 3/16/2017 8:42:00AM

Problem?
SPARE RESCUE AT STATION 32

Parts	Quantity
NO PARTS USED	
NO PARTS USED	
NO PARTS USED	

Tasks Performed:

- 006 SAFTEY-EMERGENCY EQUIPMENT
- 004-001 UPHOLSTERY
- 008 AIR SYSTEM

O2 BOTTLE LEAKING SWAPED OUT O2 BOTTLE



4/10/2017

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10154110

2003 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2017-1505

In Date/Time 3/10/2017 2:47:00PM **Meter Reading:** 185,416

Close Date/Time 3/16/2017 8:18:00AM

Problem?

SPARE ENGINE AT 32

Parts

Quantity

NO PARTS USED

Tasks Performed:

030-001 DIAGNOSE ELECTRICAL

TRACED OUT PROBLEM WITH NO REAR BACK UP LIGHTS AND BACK UP ALARM, FOUND BAD CONNECTION IN FRAME RAIL AND REPAIRED

WO # CSHOP-2017-1696

In Date/Time 3/20/2017 7:56:00AM **Meter Reading:** 185,732

Close Date/Time 3/20/2017 5:04:00PM

Problem?

Parts

Quantity

9IP; 33634 FUEL FILTER WIX MERCEDES/FR 1

9IP; FILTER FUEL 33231 1

FIL; NAPAGOLD OIL FILTER 1

Tasks Performed:

B PM SERVICE B

COMPLETE B INSPECTION REPAIR LIST CAB TO BOX PARTITION BOOTH LOOSE R/ SIDE PIERCER LIGHT DRIVER DOOR LIGHT FLORECENT BULB R/R INNER TIRE FLAT REAR CONDENSER WIRES HANGING AS PER (E.E) DONT REPAIR POWER STEERING LEAK AIR COMPRESSOR LEAKING OIL ENGINE OIL LEAK



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10154110

2003 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2017-1697

In Date/Time 3/20/2017 7:58:00AM **Meter Reading:** 185,732

Close Date/Time 3/30/2017 4:55:00PM

Problem?
REPAIRS FROM PM

Parts	Quantity
BK; PTEX ULTRA BLACK 30Z	1
9IP; MICRO SIDE BEAM STROBE ASSY	2
9IP; MICRO SIDE BEAM STROBE ASSY	-2

Tasks Performed:

- 017-012 TIRE
- 001 AIR CONDITIONING
- 034 LIGHTING SYSTEM
- 005 BODY EXTERIOR

PARTITION BOOTH TEAR BETWEEN CAB AND PATENT BOX CLEAN AREA
APPLY SILICONE ADHESIVE TO RUBBER SUPPORT AND LET DRY.

WO # CSHOP-2017-2014

In Date/Time 4/5/2017 4:35:00PM **Meter Reading:** 0

Close Date/Time

Problem?
SPARE RESCUE AT STATION 32

Parts	Quantity
NO PARTS USED	

Tasks Performed: