



4/10/2017

# Palm Beach County Fire Rescue Fleet Maintenance Asset History 10154111

## 2003 AMERICAN LAFRANCE MEDIC MASTER

### WO # CSHOP-2015-401

In Date/Time 5/1/2015 1:42:00PM Meter Reading: 164,144

Close Date/Time 5/5/2015 3:02:00PM

#### Problem?

A INSPECTION SR7

#### Parts

BULB; BULB

#### Quantity

1

#### Tasks Performed:

- 030-027 WIRING
- AAA A INSPECTION
- 005 BODY EXTERIOR

### WO # CSHOP-2015-592

In Date/Time 5/12/2015 10:26:00AM Meter Reading: 164,144

Close Date/Time 5/12/2015 4:31:00PM

#### Problem?

CAB A/C NOT COOLING  
LEFT FRONT CAB RIGHT FRONT HEADLIGHT INOP

#### Parts

NO PARTS USED  
NO PARTS USED

#### Quantity

#### Tasks Performed:

- 001 AIR CONDITIONING
- 030-027 WIRING

A/C BLOWING WARM,CHECK FORLEAK FOUND LOW SIDE FITTING  
LEAKING.RIGHT SIDE HEADLIGHT INOP,FOUND FOUND BAD CONNECTION  
IN PLUG,REPLACED PLUG



4/10/2017

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10154111

## 2003 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2015-1076**

**In Date/Time** 6/8/2015 3:52:00PM      **Meter Reading:** 164,144

**Close Date/Time** 6/11/2015 11:16:00AM

**Problem?**

BACK UP ALARM IN SPARE R223

Parts	Quantity
ALARM; BACKUP ALARM ECCO 107 DEC	1

**Tasks Performed:**

- 006-001 BACK-UP ALARM
- TRV TRAVEL TO BE CHARGED TO WORK ORDER

**WO # CSHOP-2015-1516**

**In Date/Time** 7/2/2015 6:29:00AM      **Meter Reading:** 164,144

**Close Date/Time** 7/13/2015 10:30:00AM

**Problem?**

VENT COVER CLIP BROKEN ON O2 CABINET DOOR R223

Parts	Quantity
NO PARTS USED	
NO PARTS USED	

**Tasks Performed:**

- TRV TRAVEL TO BE CHARGED TO WORK ORDER
- 175-002 SIDE COMPARTMENT BODY
- 034-018 TURN SIGNAL LIGHTS

VENT COVER CLIP BROKEN ON O2 CABINET DOOR R223



4/10/2017

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10154111

## 2003 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2015-1560**

**In Date/Time** 7/6/2015 8:13:00AM **Meter Reading:** 169,502

**Close Date/Time** 8/20/2015 12:02:00PM

**Problem?**

R223 COOLANT LOW,. POSSIBLE LEAK  
COOLANT LEAK FROM HEAD GASKET ON PASSENGER'S SIDE. CYLINDER #1  
EXHAUST MANIFOLD BOLTS BROKEN.

Parts	Quantity
CAP; CAP RADIATOR 10 LB	1
FLUID; 50-50 EXTENDED LIFE COOLANT GAL	2
FLUID; COOLANT ANTIFREEZE GAL	2

**Tasks Performed:**

- 042 COOLING SYSTEM
- TRV TRAVEL TO BE CHARGED TO WORK ORDER
- WTG WAIT TIME TO BE CHARGED TO WORK ORDER

LEAK FOUND ON EXHAUST SIDE HEAD GASKET BETWEEN CYLINDERS #1 AND #2. ASSET SENT TO VENDOR FOR REPAIRS.

**WO # CSHOP-2015-1610**

**In Date/Time** 7/7/2015 10:48:00AM **Meter Reading:** 164,144

**Close Date/Time** 7/20/2015 8:46:00AM

**Problem?**

LEFT FRONT TURN SIGNAL INOP SPARE RESCUE AT 23  
  
HEADLIGHT 10-7

Parts	Quantity
LIGHT; HEADLIGHT EXTRA BRIGHT	1

**Tasks Performed:**

- 034-018 TURN SIGNAL LIGHTS
- 034-001 HEADLIGHTS LOW BEAM
- TRV TRAVEL TO BE CHARGED TO WORK ORDER



4/10/2017

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

## 10154111

### 2003 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2015-1912**

**In Date/Time** 7/22/2015 4:03:00PM **Meter Reading:** 164,144

**Close Date/Time** 7/27/2015 3:28:00PM

**Problem?**

FRONT CAB AC INOP SR 22

**Parts**

NUT; 13-3052 NUT

**Quantity**

2

**Tasks Performed:**

- 001 AIR CONDITIONING
- TRV TRAVEL TO BE CHARGED TO WORK ORDER
- 017 TIRES & WHEELS

RECHARGED A/C AND CLEANED CONDENSERS



4/10/2017

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

## 10154111

### 2003 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2015-2690**

**In Date/Time** 9/3/2015 8:34:00AM

**Meter Reading:** 169,510

**Close Date/Time** 9/29/2015 2:27:00PM

**Problem?**

Parts	Quantity
VALVE; 8915 VALVE CORE A/C 3544706C1	1
VALVE; VALVE CORE A/C 8926	1
COMPRESSOR; 03-0607 A/C COMPRESSOR U4482 USE 7169 DRYER	1
DRYER; 07-0610A DRYER	1
KNOB; KNOB A/C FREIGHTLINER	1
DRYER; 07-2618A A/C DRIER 7155	1
CAMERA; LCD MONITOR SCREEN	1
VALVE; SINGLE CHECK VALVE KIT	1
VALVE; PURGE VALVE KIT	1
BRAKE; CARTRIDGE DC100	1
VALVE; DUMP VLVE AIR SLOAN	2
NUT; LUG NUT COVER PK10	10
NUT; 13-3052 NUT	1
BATTERY; BATTERY EPA TAX \$1.50 PER BATTERY	4
BATTERY; BATTERY 950CCA HP-31D	4
STARTER; 6842 29MT 9 TOOTH STARTER	1

**Tasks Performed:**

- 004 CAB-INTERIOR ACCESSORIES
- 004-009 SEAT FRONT
- 017-006 REAR TIRES
- 001-045 A/C LEAK TEST
- 001-000 QUALITY CHECK-REPAIRS
- 040-045 OIL
- 032-001 BATTERY
- 032-006 BATTERY TRAY
- 008-002 AIR DRIER
- 032-012 STARTER
- 008 AIR SYSTEM
- 016-030 REAR SPRING
- 017-012 TIRE
- 043-015 HANGER-CLAMP
- RATTLING NOISE COMING FROM EXHAUST -SOMEWARE



4/10/2017

# Palm Beach County Fire Rescue Fleet Maintenance Asset History 10154111

## 2003 AMERICAN LAFRANCE MEDIC MASTER

THIS CAMERA MONITOR HAS BEEN A COMPLETE PROBLEM ---- ORDERED A NEW MONITOR AND AFTER WAITING OVER 2 WEEKS, THE VENDOR SENT WRONG MAKE OF MONITOR. REORDER AND AFTER 2 WEEKS CALLED VENDOR AS TO WERE OUR MONITOR IS --- AT LEAST 3 TIMES THEY TOLD US THE NEW MONITOR WAS SHIPPED. NOW AFTER ANOTHER WEEK OR SO ED W. CALLED AGAIN AN THIS TIME THE TRUTH CAME OUT. THERE WAS NOTHING SHIPPED BECAUSE THIS MONITOR IS OBSOLETE AN WE NEEDED TO PURCHASE A COMPLETELY NEW SYSTEM. NEW SYSTEM HAS BEEN ORDERED. NOTE : THE NEW MONITOR SYSTEM HAS BEEN ORDERED ON A DIFF W/O.

### WO # CSHOP-2015-3090

In Date/Time 9/25/2015 3:06:00PM Meter Reading: 174,624

Close Date/Time 12/28/2015 10:49:00AM

#### Problem?

BACK UP CAM ORDERED PARTS HERE

Parts	Quantity
INTEC KIT	1
INTEC KIT	-1
CABLE; 50 FT CABLE	2
CAMERA; MONITOR VOYAGER 10008120	1
CAMERA; VOYAGER CAMERA	2
DOOR; 02840048 DOOR GRABBER	1
NEWPART; COWL VENT PERKO TYPE	1

#### Tasks Performed:

- 005-039 DOOR STRIKER PLATE
- 007-009 VENT
- 003-006 CAMERA-MONITOR

INSTALLED NEW VENT.



4/10/2017

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

## 10154111

### 2003 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2015-3307**

In Date/Time 10/8/2015 8:53:00AM Meter Reading: 172,034

Close Date/Time 10/17/2015 2:15:00PM

**Problem?**

Parts	Quantity
NO PARTS USED	

Tasks Performed:

**WO # CSHOP-2015-3308**

In Date/Time 10/8/2015 8:54:00AM Meter Reading: 172,723

Close Date/Time 10/27/2015 12:01:00PM

**Problem?**

SR@ 39

Parts	Quantity
SIREN; SIREN REAR SIDE	1
SIREN; SIREN FRONT SIDE	1
SIREN; SIREN FRONT SIDE	1

Tasks Performed:

- TRV TRAVEL TO BE CHARGED TO WORK ORDER
- 006 SAFTEY-EMERGENCY EQUIPMENT
- 001 AIR CONDITIONING



4/10/2017

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10154111

## 2003 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2015-3486**

**In Date/Time** 10/19/2015 11:27:00AM **Meter Reading:** 172,940

**Close Date/Time** 10/27/2015 12:01:00PM

**Problem?**

ON-CALL SHORE AUTO EJECT SPARKING

Parts	Quantity
NO PARTS USED	

**Tasks Performed:**

005 BODY EXTERIOR

ON CALL REPLACED 110 OUTLET THAT WAS SHORTED OUT

**WO # CSHOP-2015-3497**

**In Date/Time** 10/19/2015 2:05:00PM **Meter Reading:** 174,624

**Close Date/Time** 12/28/2015 11:00:00AM

**Problem?**

SPARE RESCUE AT 39  
CHECK STRETCHER LOCK

Parts	Quantity
NEWPART; STRIKER BAR/RAIL ASSY	1
KNOB; RED KNOB	2
NEWPART; STRIKER ANTLER ASSY	1
NEWPART; MAGNET STRETCHER STRYKER	1

**Tasks Performed:**

034-036 DOME LIGHTS  
175-048 STRETCHER





4/10/2017

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

## 10154111

### 2003 AMERICAN LAFRANCE MEDIC MASTER

#### WO # CSHOP-2015-3727

In Date/Time 11/2/2015 11:16:00AM Meter Reading: 174,356

Close Date/Time 11/24/2015 8:47:00AM

#### Problem?

R39 SIREN INOP

Parts	Quantity
NO PARTS USED	

#### Tasks Performed:

006-006 SIREN

#### WO # CSHOP-2015-3978

In Date/Time 11/16/2015 7:56:00AM Meter Reading: 174,356

Close Date/Time 11/24/2015 9:12:00AM

#### Problem?

ON-CALL R39 WOULD NOT GO INTO GEAR

Parts	Quantity
NO PARTS USED	

#### Tasks Performed:

027 TRANSMISSION  
031 CHARGING SYSTEM



4/10/2017

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10154111

## 2003 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2015-4012**

**In Date/Time** 11/17/2015 10:13:00AM **Meter Reading:** 174,624

**Close Date/Time** 12/28/2015 11:07:00AM

**Problem?**  
SR @39

Parts	Quantity
WIPER; WIPER BLADES ANCO 24	2
HORN; A14-15472-000 HORN BUTTON	1
HORN; HORN HIGH NEW # 06-52125-039	1
HORN; HORN LOW NEW #06-52125-041	1
CHARGER; CHARGER 2000	1
LIGHT; 9186-1500-20 MARKER LT.AMBER LED	1

**Tasks Performed:**

- 031 CHARGING SYSTEM
- 034-009 PARK-CLEARANCE LIGHTS
- 004 CAB-INTERIOR ACCESSORIES
- 047-001 WIPER BLADES

FOUND WIPER BLADES WORN AND STREAKING. REPLACED WIPER BLADES.

**WO # CSHOP-2015-4099**

**In Date/Time** 11/23/2015 8:36:00AM **Meter Reading:** 174,685

**Close Date/Time** 12/2/2015 10:19:00AM

**Problem?**  
SPARE R39 4 REAR TIRES

Parts	Quantity
NO PARTS USED	

**Tasks Performed:**

- 017-006 REAR TIRES



4/10/2017

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10154111

## 2003 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2016-167**

**In Date/Time** 1/13/2016 9:03:00AM      **Meter Reading:** 175,876

**Close Date/Time** 1/15/2016 5:50:00AM

**Problem?**  
SPARE RESCUE AT ST72

Parts	Quantity
NO PARTS USED	
NO PARTS USED	

**Tasks Performed:**

- 175-048 STRETCHER
- TRV TRAVEL TO BE CHARGED TO WORK ORDER

ADJUSTED STRETCHER LATCH

**WO # CSHOP-2016-192**

**In Date/Time** 1/14/2016 2:35:00PM      **Meter Reading:** 176,575

**Close Date/Time** 1/27/2016 9:24:00AM

**Problem?**

Parts	Quantity
NO PARTS USED	
NO PARTS USED	

**Tasks Performed:**

- TRV TRAVEL TO BE CHARGED TO WORK ORDER
- 027 TRANSMISSION



4/10/2017

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

## 10154111

### 2003 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2016-826**

**In Date/Time** 2/22/2016 8:04:00AM **Meter Reading:** 177,692

**Close Date/Time** 2/25/2016 5:48:00AM

**Problem?**

<u>Parts</u>	<u>Quantity</u>
FILTER; 33634 FUEL FILTER WIX MERCEDES/FREIGHTLINE	1
FILTER; OIL FILTER 03 57215 WIX MERCEDES/FREIGHTLINER	1
FILTER; FILTER FUEL 33231	1

**Tasks Performed:**

B PM SERVICE B

B INSPECTION COMPLETE



4/10/2017

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

## 10154111

### 2003 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2016-841**

**In Date/Time** 2/22/2016 1:05:00PM **Meter Reading:** 177,555

**Close Date/Time** 3/21/2016 2:48:00PM

**Problem?**

REPAIRS FROM PM

Parts	Quantity
A/C; 08-6962BS 90 DEGREE SB1322	1
VENT; DASH VENT	3
FAN; FAN A/C COND 12IN 860026-2-W	2
FILTER; PANEL FILTER	1
FILTER; 78R5360M 2PK FILTER AIR COND	1
CABLE; CABLE HEATER	1
LINE; 10000814 BUTTON HEADLINER SUTPHEN	3
WINDOW; MOLD L/H	1
WINDOW; MOLD R/H	1
STRUT; GSS1715UV 30LB STRUT GAS	2
FLAP; MUD FLAP 24 X 24	1
RADIATOR; F10 RESCUE C RADIATOR	1

**Tasks Performed:**

- 042-001 RADIATOR
- 005-020 MUD FLAP
- 001 AIR CONDITIONING
- 004 CAB-INTERIOR ACCESSORIES
- 042 COOLING SYSTEM
- 040 ENGINE AND ACCESSORIES
- 002-009 CABLES- HEATER-DEFROSTER
- 007-006 DOOR GLASS
- 034 LIGHTING SYSTEM

FOUND RADIATOR LEAKING AT LOWER TANK. REPLACED RADIATOR. REPAIRED BROKEN STUD FOR AIR COOLER, REPLACED AIR FITTING IN FAN (LEAKING ). ALSO REPLACED UNION IN AIR LINE FOR FAN (LEAKING). ROAD TESTED AND CHECKED FOR LEAKS. FOUND LEAK AT UPPER RADIATOR HOSE DUE TO STRIPPED OUT CLAMP. REPLACED CLAP AND PRESSURE TESTED. NO FURTHER LEAKING FOUND.



4/10/2017

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

## 10154111

### 2003 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2016-1154**

**In Date/Time** 3/10/2016 10:53:00AM **Meter Reading:** 177,555

**Close Date/Time** 3/21/2016 4:14:00PM

**Problem?**

PAT A/C CONDENSOR FANS

Parts

Quantity

NO PARTS USED

**Tasks Performed:**

001 AIR CONDITIONING

CHECKED OUT COMPRESSOR FANS INOP. FOUND ONLY ONE FAN WORKING. TRACED PROBLEM TO FAULTY NODE. REWIRED DEAD CIRCUIT TO UNUSED CIRCUIT IN NODE TO POWER FAN. ALSO REWIRE FANS AT CONDENSER. AFTER FAN WAS REPAIRED IT WAS NOTICED THAT PATIENT COMPARTMENT A/C WAS NOT VERY COLD. RECOVERED SYSTEM AND FOUND IT WAS LOW. VACUMED AND RECHARGED AND NOW SYSTEM IS COOLING NORMALLY. ALSO CHECKED OVER TRUCK FOR ANY OTHER CONCERNS.



4/10/2017

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10154111

## 2003 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2016-1769**

**In Date/Time** 4/14/2016 10:45:00AM **Meter Reading:** 177,708

**Close Date/Time** 6/21/2016 12:54:00PM

**Problem?**  
TRANS CONTAMINATED

Parts	Quantity
FILTER; 29548988 TRANS FILTER ALLISON	1
FLUID; ALLISON TRANS FLUID GAL	6
FLUID; COOLANT ANTIFREEZE GAL	8

**Tasks Performed:**

- 027-025 FILTER
- 027-043 FLUID
- 027-040 OIL COOLER-HEAT EXCHANGER
- 042-001 RADIATOR
- 042-021 ANTIFREEZE

**WO # CSHOP-2016-2012**

**In Date/Time** 4/28/2016 9:16:00AM **Meter Reading:** 177,708

**Close Date/Time** 6/21/2016 12:54:00PM

**Problem?**  
TEST RADIATOR FOR TRANS COOLER LEAKING COOLANT INTO TRANSMISSION

Parts	Quantity
NO PARTS USED	
NO PARTS USED	
NO PARTS USED	

**Tasks Performed:**

- 027-025 FILTER
- 042-001 RADIATOR
- 027-040 OIL COOLER-HEAT EXCHANGER



4/10/2017

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10154111

## 2003 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2016-2983**

**In Date/Time** 6/21/2016 8:49:00AM      **Meter Reading:** 177,708

**Close Date/Time** 6/27/2016 2:00:00PM

**Problem?**

**CSHOP-2016-2983**

HAZARD

EXCHANGE - NEW  
LEAKING

Parts	Quantity
NO PARTS USED	
NO PARTS USED	

**Tasks Performed:**

- 042-001 RADIATOR
- 042-021 ANTIFREEZE

BAD RADIATOR INTER COOLER FOR TRANS IN RADIATOR LEAKING  
COOLANT INTO TRANS DAMAGE TRANSMISSION NEEDS , REBIULD





4/10/2017

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

## 10154111

### 2003 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2016-4208**

**In Date/Time** 8/26/2016 10:45:00AM **Meter Reading:** 177,709

**Close Date/Time** 8/29/2016 2:08:00PM

**Problem?**

CAB A/C INOP  
QUALITY CHECK UNIT, BACK FROM DETROIT WITH REMAN TRANS

Parts	Quantity
DRYER; 07-0610A DRYER	1
A/C; 17-3428 ESTER OIL E7	1
DRYER; 07-2618A A/C DRIER 7155	1

**Tasks Performed:**

- 001-001 HOSES-LINES & FITTINGS
- 001-000 QUALITY CHECK-REPAIRS
- 027-061 SHIFTER CONTROLS-SELECTOR

QC SER.

**WO # CSHOP-2016-4946**

**In Date/Time** 10/17/2016 12:53:00PM **Meter Reading:** 180,395

**Close Date/Time** 10/18/2016 2:34:00PM

**Problem?**

A INSPECTION

Parts	Quantity
VALVE; VALVE CORE	1
LIGHT; LIGHT ASSY. TURN SIGNAL	1

**Tasks Performed:**

- AAA A INSPECTION
- 017-009 TIRES ALL
- 027-043 FLUID
- 034-009 PARK-CLEARANCE LIGHTS

R&R R/F FENDER TURN SIGNAL/MARKER LT ASSY.



4/10/2017

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

## 10154111

### 2003 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2016-5383**

**In Date/Time** 11/17/2016 9:36:00AM **Meter Reading:** 180,345

**Close Date/Time** 11/23/2016 11:15:00AM

**Problem?**

Parts	Quantity
NO PARTS USED	

**Tasks Performed:**

AAA A INSPECTION

PERFORMED A INSPECTION

**WO # CSHOP-2016-5778**

**In Date/Time** 12/12/2016 7:25:00AM **Meter Reading:** 182,922

**Close Date/Time** 2/15/2017 3:58:00PM

**Problem?**

C INSPECTION BY H2

Parts	Quantity
FILTER; 33634 FUEL FILTER WIX MERCEDES/FREIGHTLINE	1
FILTER; OIL FILTER 03 57215 WIX MERCEDES/FREIGHTLINER	1
FLUID; SYN OIL BULK QTS	24
FILTER; FILTER FUEL 33231	1

**Tasks Performed:**

C-RESCU PM SERVICE C RESCUE



4/10/2017

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10154111

## 2003 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2017-55**

**In Date/Time** 1/3/2017 2:59:00PM      **Meter Reading:** 181,377

**Close Date/Time** 1/19/2017 11:52:00AM

**Problem?**  
PM FOLLOW UPS

Parts	Quantity
9IP; 9IP	1
2TP; BRAKE SHOES	2
2TP; BRAKE DRUM	2
2FL; AIR BAGS	2
2FL; OIL COOLER GASKET	1
2FL; OIL GASKET	1
2FL; TURBO ELBOW	1
9IP; 9IP	8

**Tasks Performed:**

- 013 BRAKES
- 023-PMR REPAIR FROM PM - REAR SUSPENSION
- 027-040 OIL COOLER-HEAT EXCHANGER
- 001-000 QUALITY CHECK-REPAIRS
- 001 AIR CONDITIONING
- 004-063 INTERIOR TRIM-MOLDINGS-UPHOLS

FINISHED REASSEMBLING TRUCK. INSTALLED NEW INTAKE AIR ELBOW TO TURBO. INSTALLED NEW CRANKCASE BREATHER TUBE. REFILLED COOLANT, RAN ENGINE UNTIL FAN ENGAGED. TEST DROVE TRUCK AND TOPPED OFF COOLANT.



4/10/2017

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10154111

## 2003 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2017-597**

**In Date/Time** 1/26/2017 5:05:00PM **Meter Reading:** 181,606

**Close Date/Time** 1/27/2017 10:53:00AM

**Problem?**

Parts	Quantity
NO PARTS USED	

**Tasks Performed:**

027 TRANSMISSION

CHECKED TRANSMISSION COULD NOT FIND ANY ISSUES. I THINK THEY WERE TRYING TO SHIFT BEFORE PARK BRAKE COMPLETELY RELEASED

**WO # CSHOP-2017-858**

**In Date/Time** 2/10/2017 10:40:00AM **Meter Reading:** 182,922

**Close Date/Time** 2/10/2017 12:55:00PM

**Problem?**

A INSPECTION

Parts	Quantity
NO PARTS USED	

**Tasks Performed:**

AAA A INSPECTION

PERFORMED A A INSPECTION



4/10/2017

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

## 10154111

### 2003 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2017-1778**

**In Date/Time** 3/24/2017 9:31:00AM **Meter Reading:** 183,570

**Close Date/Time** 3/30/2017 1:20:00PM

**Problem?**

WILL CHECK WHEN UNIT COMES TO SHOP, R24 BEING RETURNED TODAY

Parts	Quantity
8GR; FILTER	1
BRAKE; BRAKE PEDAL PAD	1
2FL; NORM CLSD 2 WIRE PRES SW	1
FILTER; 78R5360M 2PK FILTER AIR COND	1
9IP; AIR FILTER 46744 WIX	1
WIPER; WIPER BLADE - KME	2

**Tasks Performed:**

- 034 LIGHTING SYSTEM
- 047 WIPERS-WASHER
- 004 CAB-INTERIOR ACCESSORIES
- 001 AIR CONDITIONING
- AAA A INSPECTION
- 008 AIR SYSTEM
- 040 ENGINE AND ACCESSORIES

REMOVED MELTED WIRE FROM CONNECTOR, INSTALLED HEAVIER GAUGE WIRE WITH NEW DEUTSCH PIN AND REINSTALLED. REPAIRED ALL OTHER WIRES THAT HAD CONTACT WITH MELTED WIRES. RAN TRUCK WITH A/C ON FOR EXTENDED PERIOD AND DID NOT HAVE ANT EXCESSIVE HEAT ON NEWLY REPAIRED WIRING.



4/10/2017

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

## 10154111

### 2003 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2017-2034**

**In Date/Time** 4/7/2017 7:30:00AM

**Meter Reading:** 183,570

**Close Date/Time**

**Problem?**

SIREN INOP AT ST46  
WE NEED THEM TO SWAP INTO THIS BECAUSE R46 IS OVERDUE FOR PM  
SERVICE

<u>Parts</u>	<u>Quantity</u>
NO PARTS USED	

**Tasks Performed:**

006-006 SIREN

TRACED OUT PROBLEM AND TRACED OUT WIRES AND FOUND BAD  
GROUND REPAIRED AND TESTED