



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2015-163

In Date/Time 4/20/2015 3:06:00PM **Meter Reading:** 173,456

Close Date/Time 4/21/2015 3:16:00PM

Problem?

R-22 LEFT HEADLIGHT LOW BEAM OUT.
CAB AC NOT WORKING.

Parts	Quantity
LIGHT; HEADLIGHT EXTRA BRIGHT	1

Tasks Performed:

- 001 AIR CONDITIONING
- 034-001 HEADLIGHTS LOW BEAM
- TRV TRAVEL TO BE CHARGED TO WORK ORDER

WO # CSHOP-2015-194

In Date/Time 4/21/2015 2:29:00PM **Meter Reading:** 173,456

Close Date/Time 4/30/2015 3:55:00PM

Problem?

FUEL GAUGE BOUNCING FROM FULL TO EMPTY @22

Parts	Quantity
FREIGHTLINER; FUEL SENDING UNIT	1
GASKET; FUEL SENDER GASKET M2	1
LIGHT; HEADLIGHT EXTRA BRIGHT	3

Tasks Performed:

- TRV TRAVEL TO BE CHARGED TO WORK ORDER
- 034-039 INSTRUMENT PANEL LIGHTS
- 003-009 FUEL GAUGE

INSPECTED FUEL GAUGE. SENDING UNIT BAD WILL ORDER PARTS



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2015-382

In Date/Time 4/30/2015 4:41:00PM **Meter Reading:** 173,456

Close Date/Time 5/5/2015 4:11:00PM

Problem?
FUEL GAUGE INOP ON R22

Parts	Quantity
GASKET; GASKET FUEL SENDER	1
FREIGHTLINER; FUEL SENDING UNIT	1

Tasks Performed:

TRV TRAVEL TO BE CHARGED TO WORK ORDER
003-009 FUEL GAUGE

REPLACED FUEL TANK SENDING UNIT

WO # CSHOP-2015-500

In Date/Time 5/7/2015 9:27:00AM **Meter Reading:** 173,456

Close Date/Time 5/26/2015 9:20:00AM

Problem?
FUEL GAGE ALWAYS READING EMPTY R22

Parts	Quantity
NO PARTS USED	
NO PARTS USED	
NO PARTS USED	

Tasks Performed:

TRV TRAVEL TO BE CHARGED TO WORK ORDER
WTG WAIT TIME TO BE CHARGED TO WORK ORDER
003-009 FUEL GAUGE



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2015-622

In Date/Time 5/13/2015 12:35:00PM **Meter Reading:** 173,456

Close Date/Time 5/14/2015 11:06:00AM

Problem?

Parts	Quantity
VALVE; PURGE VALVE KIT	1

Tasks Performed:

TRV TRAVEL TO BE CHARGED TO WORK ORDER
 008 AIR SYSTEM

NO AIR PRESSURE

WO # CSHOP-2015-639

In Date/Time 5/14/2015 10:48:00AM **Meter Reading:** 173,456

Close Date/Time 5/14/2015 11:01:00AM

Problem?

ALL TIRES REPLACED EXCEPT RIGHT FRONT

Parts	Quantity
NO PARTS USED	

Tasks Performed:

017-009 TIRES ALL



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2015-914

In Date/Time 6/1/2015 10:04:00AM **Meter Reading:** 173,456

Close Date/Time 6/8/2015 12:02:00PM

Problem?

PATIENT COMPARTMENT A/C CUTTING OUT R22

Parts	Quantity
NO PARTS USED	
NO PARTS USED	

Tasks Performed:

TRV	TRAVEL TO BE CHARGED TO WORK ORDER
001	AIR CONDITIONING

WO # CSHOP-2015-1096

In Date/Time 6/9/2015 1:36:00PM **Meter Reading:** 173,456

Close Date/Time 6/17/2015 7:57:00AM

Problem?

PATIENT A/C INOP R22

Parts	Quantity
NO PARTS USED	
NO PARTS USED	

Tasks Performed:

TRV	TRAVEL TO BE CHARGED TO WORK ORDER
001	AIR CONDITIONING

NEED WORK AT TIME OF SERVICE ON A/C REAR



4/10/2017

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2015-1556

In Date/Time 7/6/2015 8:04:00AM

Meter Reading: 173,456

Close Date/Time 7/8/2015 6:42:00AM

Problem?

R22 CAB A/C INOP

Parts

Quantity

NO PARTS USED

Tasks Performed:

001 AIR CONDITIONING



4/10/2017

Palm Beach County Fire Rescue Fleet Maintenance Asset History 10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2015-1740

In Date/Time 7/14/2015 7:26:00AM

Meter Reading: 173,456

Close Date/Time 8/5/2015 1:52:00PM

Problem?

R22 ENGINE BELT CAME OFF
MIG 176492
HR 1896

Parts	Quantity
BULB; BULB PATIENT GH22	1
CAP; CAP HOUSING	1
HORN; HORN CONTACT	1
CONNECTOR; RELAY CONNECTOR	1
RELAY; RY48 RELAY	1
HORN; HORN HIGH NEW # 06-52125-039	1
HORN; HORN LOW NEW #06-52125-041	1
BATTERY; BATTERY EPA TAX \$1.50 PER BATTERY	4
BATTERY; BATTERY 950CCA HP-31D	4
BELT; BELT MERCEDES MOTORS	1
BELT; BELT MERCEDES RESCUE 12.5X1075 OE	1
FLUID; P/S FLUID	1
BELT; BELT TENSIONER MERCEDES	1
FREIGHTLINER; 1712554004 SHIELD SPLASH R/H	1

Tasks Performed:



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

- 031-003 ALTERNATOR-GENERATOR
- 032-001 BATTERY
- 040-069 SERPENTINE BELT
- 040-072 SERPENTINE BELT TENSIONER
- 042-021 ANTIFREEZE
- 042-024 SYSTEM TEST
- 001-010 A/C BELT FRONT A/C
- 001-011 A/C BELT REAR A/C
- 031-006 BELT
- 040 ENGINE AND ACCESSORIES
- 030-027 WIRING
- 034 LIGHTING SYSTEM
- 030-001 DIAGNOSE ELECTRICAL
- 030-015 RELAY
- 030-030 CONNECTOR

PARTS PENDING ON WO

WO # CSHOP-2015-2027

In Date/Time 7/30/2015 9:52:00AM **Meter Reading:** 173,456

Close Date/Time 8/4/2015 7:31:00AM

Problem?

ALARM GOING OFF FROM OUTSIDE OF RESCUE WHILE IN DRIVE SR@22

Parts	Quantity
BRAKE; CHAMBER 24/30	2

Tasks Performed:

- TRV TRAVEL TO BE CHARGED TO WORK ORDER
- 003-003 ALARM-BUZZER-WARNING LIGHT



4/10/2017

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2015-2295

In Date/Time 8/13/2015 8:21:00AM **Meter Reading:** 173,456

Close Date/Time 8/19/2015 12:15:00PM

Problem?

CAB AC WARM R22

Parts

Quantity

NO PARTS USED
NO PARTS USED

Tasks Performed:

001 AIR CONDITIONING
TRV TRAVEL TO BE CHARGED TO WORK ORDER

WO # CSHOP-2015-2357

In Date/Time 8/17/2015 10:10:00AM **Meter Reading:** 173,456

Close Date/Time 8/19/2015 12:32:00PM

Problem?

Parts

Quantity

NO PARTS USED
NO PARTS USED

Tasks Performed:

TRV TRAVEL TO BE CHARGED TO WORK ORDER
001 AIR CONDITIONING



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2015-2481

In Date/Time 8/24/2015 11:08:00AM **Meter Reading:** 173,456

Close Date/Time 9/1/2015 1:44:00PM

Problem?

O2 REGULATOR HOUSING BROKEN SLOW LEAK FROM REGULATOR R22

Parts	Quantity
NIPPLE; SPM5413 NIPPLE	1
REGULATOR; 1462369 O2 REGULATOR	1

Tasks Performed:

- 030 ELECTRICAL
- 037-PMR REPAIR FROM PM - O2 SYSTEM
- TRV TRAVEL TO BE CHARGED TO WORK ORDER

WO # CSHOP-2015-2730

In Date/Time 9/4/2015 1:01:00PM **Meter Reading:** 173,456

Close Date/Time 9/8/2015 1:42:00PM

Problem?

CHECK TIRES R22

Parts	Quantity
NO PARTS USED	

Tasks Performed:

- 017-012 TIRE

LOW AIR IN TIRE ISSUE. TRAVEL TO STATION 22. FOUND RIGHT REAR OUTSIDE TIRE LOW. AIRED TIRE AND INSPECTED FOR LEAKS. FOUND LEAK AT BEND IN TIRE VALVE EXTENSION HOSE. REMOVED HOSE AND INSTALLED CAP. CHECK AND AIRED ALL TIRES TO THE PROPER PSI.



4/10/2017

Palm Beach County Fire Rescue Fleet Maintenance Asset History 10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2015-2796

In Date/Time 9/9/2015 7:34:00AM Meter Reading: 178,561

Close Date/Time 9/10/2015 12:46:00PM

Problem?

EXHAUST FLAPPER IS STUCK OPEN AND IS BENT. IT ALLOWS RAIN IN TO THE STACK R22

Parts	Quantity
CAP; RAIN CAP 4 IN	1

Tasks Performed:

TRV	TRAVEL TO BE CHARGED TO WORK ORDER
043	EXHAUST SYSTEM

WO # CSHOP-2015-2947

In Date/Time 9/16/2015 1:39:00PM Meter Reading: 178,745

Close Date/Time 9/22/2015 4:19:00PM

Problem?

LOW VOLTAGE ALARM ON R 22

Parts	Quantity
SWITCH; SWITCH BATTERY MASTER 300A	1
ALTERNATOR; 320 UPGRADE ALTERNATOR	1

Tasks Performed:

TRV	TRAVEL TO BE CHARGED TO WORK ORDER
031-003	ALTERNATOR-GENERATOR
005-030	DOOR

ADJUSTED REAR DOOR LATCHES



4/10/2017

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2015-2988

In Date/Time 9/21/2015 6:28:00AM **Meter Reading:** 180,037

Close Date/Time 10/27/2015 12:12:00PM

Problem?

R22 WINDOW FRAME AND CAB A/C INOP

Parts

SEAL; 673-720-00-54 SEAL WINDOW

Quantity

2

Tasks Performed:

TRV TRAVEL TO BE CHARGED TO WORK ORDER
005-030 DOOR
005 BODY EXTERIOR

WINDOW FRAME MISSING FROM BOTH REAR CAB DOORS



4/10/2017

Palm Beach County Fire Rescue Fleet Maintenance Asset History 10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2015-3067

In Date/Time 9/24/2015 11:09:00AM **Meter Reading:** 179,396

Close Date/Time 10/13/2015 2:46:00PM

Problem?

REPAIRS FROM INSPECTION

Parts	Quantity
CAP; 2 1/2 LOCKING FUEL CAP	1
SEAL; 673-720-00-54 SEAL WINDOW	1
HANDLE; HANDLE DOOR	1
HANDLE; HANDLE DOOR	-1
VALVE; DUMP VLVE AIR SLOAN	1
TIRE; 265/70R19.5 BRIDGESTONE R250	1
SHOCK; 1717UL0270N 343/09 GAS SHOCK 60 LB	2
CLAMP; HC310 EXHAUST CLAMP	1
LIGHT; 700 SERIES SCENE	1
BULB; BULB	1
LIGHT; HEADLIGHT EXTRA BRIGHT	1
LIGHT; HEADLIGHT EXTRA BRIGHT	-1
LIGHT; SEARCHLIGHT CONTROL	1
PLUG; PLUG RAD. DRAIN	1
GASKET; GASKET COOLER COVER	2
GASKET; GASKET	1
BEARING; BEARING IDLER PULLEY	1
BEARING; BEARING IDLER PULLEY	-1
BELT; BELT MERCEDES MOTORS	1
BELT; BELT MERCEDES MOTORS	-1
BELT; BELT MERCEDES RESCUE 12.5X1075 OE	1
BELT; BELT MERCEDES RESCUE 12.5X1075 OE	-1

Tasks Performed:



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

017-003 FRONT TIRES
017-033 FRONT END ALIGNMENT
013-001 HOSES-LINES & FITTINGS (AIR &
040-069 SERPENTINE BELT
034-042 SPOT LIGHTS
004-051 DOOR HANDLES INSIDE-OUTSIDE
013 BRAKES
004-045 SEAT BELTS
034 LIGHTING SYSTEM
031-PMR REPAIR FROM PM - RADIATOR
015-018 POWER STEERING PUMP
006-027 AIR BAG SYSTEM
034-009 PARK-CLEARANCE LIGHTS
006-003 FIRE EXTINGUISHER
005-036 DOOR WEATHER MOLDING
040-042 OIL FILTER HOUSING
001-018 CONDENSER
031-003 ALTERNATOR-GENERATOR
004-063 INTERIOR TRIM-MOLDINGS-UPHOLS
030-021 SWITCH-ELECTRICAL

EMPLOYEE 21995 APPROVED EMPLOYEE 21995 RETURN REQUEST FOR
QUANTITY 1.00 OF PART 63/28SRS-0. COMMENTS: WRONG WORK ORDER.



4/10/2017

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2015-3087

In Date/Time 9/25/2015 11:51:00AM **Meter Reading:** 179,396

Close Date/Time 9/29/2015 2:53:00PM

Problem?

C-INSPECTION R22

Parts	Quantity
FILTER; 33634 FUEL FILTER WIX MERCEDES/FREIGHTLINE	1
FILTER; OIL FILTER 03 57215 WIX MERCEDES/FREIGHTLINER	1
FILTER; FILTER FUEL 33231	1

Tasks Performed:

C-RESCU PM SERVICE C RESCUE

COMPLETE INSPECTION

WO # CSHOP-2015-3437

In Date/Time 10/15/2015 6:40:00AM **Meter Reading:** 179,756

Close Date/Time 10/27/2015 12:12:00PM

Problem?

CAB A/C R22

Parts	Quantity
NO PARTS USED	
NO PARTS USED	

Tasks Performed:

001 AIR CONDITIONING
TRV TRAVEL TO BE CHARGED TO WORK ORDER

CAB A/C R22



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2015-3452

In Date/Time 10/15/2015 4:43:00PM Meter Reading: 180,094

Close Date/Time 10/30/2015 3:21:00PM

Problem?
R22 PAT A/C INOP

Parts	Quantity
NO PARTS USED	

Tasks Performed:
001 AIR CONDITIONING

WO # CSHOP-2015-3608

In Date/Time 10/27/2015 7:35:00AM Meter Reading: 180,460

Close Date/Time 11/9/2015 12:13:00PM

Problem?
R22 PATIENT AC

Parts	Quantity
RELAY; RELAY	2

Tasks Performed:
001 AIR CONDITIONING

WO # CSHOP-2015-4030

In Date/Time 11/18/2015 7:12:00AM Meter Reading: 183,756

Close Date/Time 1/11/2016 12:58:00PM

Problem?
R22

Parts	Quantity
NO PARTS USED	

Tasks Performed:



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2015-4364

In Date/Time 12/8/2015 7:57:00AM **Meter Reading:** 182,451

Close Date/Time 12/9/2015 4:12:00PM

Problem?

R22

Parts

Quantity

NO PARTS USED
NO PARTS USED

Tasks Performed:

005-030 DOOR
TRV TRAVEL TO BE CHARGED TO WORK ORDER

ADJUSTED DOOR LINKAGE

WO # CSHOP-2015-4495

In Date/Time 12/15/2015 10:46:00AM **Meter Reading:** 182,821

Close Date/Time 12/28/2015 3:10:00PM

Problem?

R22

Parts

Quantity

EXHAUST; CHROME STACK 24 IN 4 IN	1
CLAMP; 4 IN CLAMP	1

Tasks Performed:

043-009 EXHAUST PIPE
TRV TRAVEL TO BE CHARGED TO WORK ORDER

TRAVEL TIME



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2015-4640

In Date/Time 12/28/2015 6:38:00AM **Meter Reading:** 183,152

Close Date/Time 12/28/2015 11:03:00AM

Problem?
CAB A/C R 22

Parts	Quantity
NO PARTS USED	
NO PARTS USED	

Tasks Performed:

- 001 AIR CONDITIONING
- TRV TRAVEL TO BE CHARGED TO WORK ORDER

ADDED FREON

WO # CSHOP-2016-519

In Date/Time 2/2/2016 9:54:00AM **Meter Reading:** 184,523

Close Date/Time 2/2/2016 2:26:00PM

Problem?
ON-CALL NO START

Parts	Quantity
NO PARTS USED	

Tasks Performed:

- 030-002 AUTO-EJECT

CHECK UNIT FOR NO START FOUND AUTO EJECT PLUG STUCK REPAIR PLUG AND TEST IS GOOD NOW



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2016-527

In Date/Time 2/2/2016 2:04:00PM **Meter Reading:** 184,523

Close Date/Time 2/4/2016 1:58:00PM

Problem?

R22

Parts

Quantity

NO PARTS USED
NO PARTS USED
NO PARTS USED

Tasks Performed:

- 001 AIR CONDITIONING
- TRV TRAVEL TO BE CHARGED TO WORK ORDER
- 031 CHARGING SYSTEM

RESET BREAKER

WO # CSHOP-2016-564

In Date/Time 2/4/2016 12:55:00PM **Meter Reading:** 186,327

Close Date/Time 3/7/2016 10:51:00AM

Problem?

R22

WE ARE PICKING UP THIS UNIT FOR REPAIR, SO WE WILL REPAIR THESE PROBLEMS. WE HAVE ANOTHER WO SO YOU CAN CLOSE THIS ONE

Parts

Quantity

NO PARTS USED
NO PARTS USED
NO PARTS USED

Tasks Performed:

- WTG WAIT TIME TO BE CHARGED TO WORK ORDER
- 001 AIR CONDITIONING
- TRV TRAVEL TO BE CHARGED TO WORK ORDER



4/10/2017

Palm Beach County Fire Rescue Fleet Maintenance Asset History 10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2016-887

In Date/Time 2/24/2016 4:01:00PM **Meter Reading:** 187,156

Close Date/Time 4/21/2016 8:00:00AM

Problem?

PM FOLLOW UPS AND STATION REQUESTS

Parts	Quantity
VENT; DASH VENT	2
KNOB; 1272 KNOB	2
FILTER; PANEL FILTER	1
FILTER; 78R5360M 2PK FILTER AIR COND	1
SLIDE; 10 IN DRAWER SLIDES PR	1
LATCH; 11656-16 LATCH R/H MEDIC MASTER	1
LATCH; 11657-16 LATCH L/H MEDIC MASTER	1
WINDOW; MOLD L/H	2
WINDOW; MOLD R/H	1
LIGHT; LIGHT LED RED TIR 6	1
BRAKE; KSMA3124710QP REAR BRAKE SHOE KIT	2
NEWPART; STEERING GEAR	1
NEWPART; DRAGLINK FREIGHTLINER	1
BATTERY; BATTERY EPA TAX \$1.50 PER BATTERY	4
BATTERY; BATTERY 950CCA HP-31D	4
BULB; BULB	2
BULB; BULB	2
LENS; 91503 LENS AMBER	1
LENS; AMBER LENS	2
FAN; FAN A/C COND 12IN 860026-2-W	2
ASSEMBLY; A22-49250-003 CLUSTER ASSY	1
WIPER; WIPER BLADES ANCO 24	2
WASHER; WASHER PUMP W/GROMMET	1

Tasks Performed:



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

- 032-001 BATTERY
- 004-048 DOOR LOCKS
- 013-030 REAR BRAKE PADS-SHOES
- 015 STEERING
- 040 ENGINE AND ACCESSORIES
- 034-018 TURN SIGNAL LIGHTS
- 006 SAFETY-EMERGENCY EQUIPMENT
- 004 CAB-INTERIOR ACCESSORIES
- 047-001 WIPER BLADES
- 002 HEATING AND VENTILATION
- 004-063 INTERIOR TRIM-MOLDINGS-UPHOLS
- AAA A INSPECTION
- 001 AIR CONDITIONING
- 044 FUEL SYSTEM
- 042 COOLING SYSTEM
- 040-003 FAULT CODE
- 001-000 QUALITY CHECK-REPAIRS

PERFORM QUALITY CHECK UNIT IS GOOD AND READY TO GO

WO # CSHOP-2016-1517

In Date/Time 3/30/2016 4:31:00PM **Meter Reading:** 187,148

Close Date/Time 3/31/2016 1:46:00PM

Problem?

B-INSPECTION WITH OIL CHANGE

Parts	Quantity
FILTER; 33634 FUEL FILTER WIX MERCEDES/FREIGHTLINE	1
FILTER; OIL FILTER 03 57215 WIX MERCEDES/FREIGHTLINER	1
FLUID; SYN OIL BULK QTS	26
FILTER; FILTER FUEL 33231	1

Tasks Performed:

B PM SERVICE B

COMPLETE B INSPECTION



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2016-1639

In Date/Time 4/6/2016 5:03:00PM **Meter Reading:** 17,167

Close Date/Time 4/11/2016 11:37:00AM

Problem?
INSTALL LED HEADLIGHTS

Parts	Quantity
NEWPART; 5 X 7 LED HEADLIGHT	2

Tasks Performed:
034-001 HEADLIGHTS LOW BEAM

REMOVE CONVENTIONAL HEAD LIGHT INSTALL NEW SET OF 8900 EVOLUTION LED HEADLIGHTS

WO # CSHOP-2016-2029

In Date/Time 4/28/2016 1:35:00PM **Meter Reading:** 187,501

Close Date/Time 4/29/2016 6:17:00PM

Problem?
CSHOP-2016-2029
A/C

CLEAN
WEAK

Parts	Quantity
NO PARTS USED	
NO PARTS USED	
NO PARTS USED	

Tasks Performed:
TRV TRAVEL TO BE CHARGED TO WORK ORDER
001 AIR CONDITIONING
048-PMR REPAIR FROM PM - FLOATAPUMP

A/C BLOWING HOT. CLEANED CONDENSERS AND ADDED FREON



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2016-2060

In Date/Time 4/29/2016 4:04:00PM **Meter Reading:** 187,501

Close Date/Time 5/3/2016 1:38:00PM

Problem?
R22 NO CAB A/C

CSHOP-2016-2060
A/C
A/C IN FRONT CAB NOT COOLING
INSPECT
CAN NOT DUPLICATE CONCERN

Parts	Quantity
NO PARTS USED	

Tasks Performed:
001 AIR CONDITIONING

WO # CSHOP-2016-2174

In Date/Time 5/5/2016 9:58:00AM **Meter Reading:** 187,501

Close Date/Time 5/9/2016 8:50:00AM

Problem?
R22

CSHOP-2016-2174
ELECTRICAL
THE HORN/ SIREN ON THE STEERING WHEEL DOES NOT WORK AT ALL.
REPAIR
NOT CONNECTED

Parts	Quantity
NO PARTS USED	
NO PARTS USED	

Tasks Performed:
TRV TRAVEL TO BE CHARGED TO WORK ORDER
006-002 AIR HORN

TRAVEL TIME



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2016-2267

In Date/Time 5/11/2016 8:25:00AM **Meter Reading:** 188,138

Close Date/Time 5/24/2016 2:16:00PM

Problem?

R22

CSHOP-2016-2267

A/C

A/C NOT BLOWING COLD IN CAB. DRIVER WASHED OUT UNDERSIDE OF F

EXCHANGE - NEW

BROKEN

Parts

Quantity

RELAY; 40A RELAY A/C DIODE SUP

1

Tasks Performed:

001 AIR CONDITIONING

TRV TRAVEL TO BE CHARGED TO WORK ORDER

INSTALLED NEW 30/40 RELAY AND REPAIRED WIRING TO RELAY



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2016-3730

In Date/Time 8/1/2016 3:34:00PM **Meter Reading:** 193,676

Close Date/Time 8/30/2016 7:19:00AM

Problem?
R22 A/C INOP

Parts	Quantity
A/C; FREON LB	3
A/C; FREON LB	3
HANDLE; HANDLE RH HORTON	2
NEWPART; KEY DOOR HANDLES HORTON	2
HANDLE; TM22676-02 HANDLE DOOR ENTRY	1

Tasks Performed:

- 001 AIR CONDITIONING
- 005 BODY EXTERIOR
- TRV TRAVEL TO BE CHARGED TO WORK ORDER

REMOVED REAR DOOR PANEL AND REMOVED REAR DOOR HANDLE AND INSTALLED NEW ONE, REINSTALLED DOOR PANELS

WO # CSHOP-2016-4023

In Date/Time 8/16/2016 8:09:00AM **Meter Reading:** 192,826

Close Date/Time 8/16/2016 8:13:00AM

Problem?

Parts	Quantity
NO PARTS USED	

Tasks Performed:

- 017-006 REAR TIRES

REPLACED REAR TIRES



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2016-4185

In Date/Time 8/25/2016 8:32:00AM **Meter Reading:** 193,677

Close Date/Time 8/31/2016 8:31:00AM

Problem?
R22

Parts	Quantity
NO PARTS USED	
NO PARTS USED	
NO PARTS USED	

Tasks Performed:

- 017-003 FRONT TIRES
- 030 ELECTRICAL
- 030-002 AUTO-EJECT

TEST POWER IN AND OUT OF SHORE LINE ALL WORKING AT THIS TIME.

WO # CSHOP-2016-4539

In Date/Time 9/19/2016 8:00:00AM **Meter Reading:** 194,097

Close Date/Time 9/19/2016 8:02:00AM

Problem?

Parts	Quantity
NO PARTS USED	

Tasks Performed:

- 017-012 TIRE

REPAIRED FLAT



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2016-4705

In Date/Time 9/29/2016 10:51:00AM **Meter Reading:** 195,228

Close Date/Time 9/30/2016 5:19:00PM

Problem?
REAR DOOR

Parts	Quantity
NO PARTS USED	

Tasks Performed:
005-030 DOOR

REAR DOOR LOCKS NO TIMED PROPERLY ADJUSTED LINKAGE FOUND NO FURTHER ISSUES

WO # CSHOP-2016-4776

In Date/Time 10/3/2016 1:44:00PM **Meter Reading:** 194,097

Close Date/Time 10/7/2016 10:27:00AM

Problem?
RESCUE 22 SHORELINE PLUG LOOKS BURNT.

Parts	Quantity
CONNECTOR; 1PGK4 CONNECTOR 120V 20A FEMALE	2

Tasks Performed:
TRV TRAVEL TO BE CHARGED TO WORK ORDER
030-002 AUTO-EJECT

REPLACED FEMALE PLUG ON CORD



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2016-4818

In Date/Time 10/7/2016 10:31:00AM **Meter Reading:** 194,331

Close Date/Time 10/18/2016 12:43:00PM

Problem?

Parts	Quantity
CONNECTOR; 1PGK4 CONNECTOR 120V 20A FEMALE	1

Tasks Performed:

TRV TRAVEL TO BE CHARGED TO WORK ORDER
030-002 AUTO-EJECT

REPLACED SHORE LINE CABLE END

WO # CSHOP-2016-4840

In Date/Time 10/11/2016 7:32:00AM **Meter Reading:** 195,030

Close Date/Time 10/27/2016 7:16:00AM

Problem?

Parts	Quantity
NO PARTS USED	

Tasks Performed:

005-030 DOOR

DRIVE TO STATION 22 AND REPAIR REAR DOOR ON PATIENT
COMPARTMENT WAS NOT OPENING REPAIR LATCH ROD AND ADJUST
HANDLE IS GOOD NOW



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2016-5111

In Date/Time 10/27/2016 7:16:00AM **Meter Reading:** 197,250

Close Date/Time 11/16/2016 2:59:00PM

Problem?

Parts	Quantity
NO PARTS USED	
NO PARTS USED	
NO PARTS USED	

Tasks Performed:

- TRV TRAVEL TO BE CHARGED TO WORK ORDER
- WTG WAIT TIME TO BE CHARGED TO WORK ORDER
- 016-030 REAR SPRING

ROAD TESTED COULD NOT HEAR NOISE

WO # CSHOP-2016-5234

In Date/Time 11/4/2016 4:05:00PM **Meter Reading:** 196,825

Close Date/Time 11/16/2016 3:51:00PM

Problem?

R22

Parts	Quantity
BRACKET; 244770R1 HORN SUPPORT BRKT	2

Tasks Performed:

- 006-002 AIR HORN
- TRV TRAVEL TO BE CHARGED TO WORK ORDER

REPLACED BROKEN AIR HORN BRACKETS



4/10/2017

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2016-5564

In Date/Time 11/29/2016 11:14:00AM **Meter Reading:** 198,243

Close Date/Time 12/5/2016 11:03:00AM

Problem?

Parts	Quantity
A/C; FREON LB	30

Tasks Performed:

- TRV TRAVEL TO BE CHARGED TO WORK ORDER
- WTG WAIT TIME TO BE CHARGED TO WORK ORDER
- 001 AIR CONDITIONING

RECHARGED SYSTEM AND CLEANED CONDENSERS

WO # CSHOP-2016-5652

In Date/Time 12/5/2016 9:37:00AM **Meter Reading:** 198,670

Close Date/Time 12/9/2016 2:31:00PM

Problem?

Parts	Quantity
NO PARTS USED	
NO PARTS USED	

Tasks Performed:

- TRV TRAVEL TO BE CHARGED TO WORK ORDER
- 042-045 ENGINE COOLANT TEMPERATURE SE

CHECKED COOLANT LEVEL AND CHECK FOR LEAKS NONE FOUND



4/10/2017

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2016-6029

In Date/Time 12/27/2016 12:33:00PM

Meter Reading: 199,650

Close Date/Time 2/3/2017 3:46:00PM

Problem?

Parts	Quantity
9IP; 9IP	1
9IP; 9IP	1
9IP; 9IP	1
9IP; 9IP	1
9OC; BULK TRANS SYN	18
9IP; 9IP	28
9IP; 9IP	1
NEWPART; RADIATOR FREIGHTLINER	1
2FL; GASKET	1
2FL; SCREW	12
2FL; SEAL RING	2
2FL; GASKETS	3
2FL; SEAL RING	2
WIPER; WIPER BLADES	2
9IP; 9IP	1
9IP; 9IP	1

Tasks Performed:



4/10/2017

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

- 008-002 AIR DRIER
- 027-025 FILTER
- 175-040 STORAGE CABINET EMERGENCY VEH
- 034-036 DOME LIGHTS
- 005-033 DOOR HINGE-PINS-BUSHINGS
- 034-009 PARK-CLEARANCE LIGHTS
- 042-001 RADIATOR
- 042 COOLING SYSTEM
- 016-PMR REPAIR FROM PM - BELTS
- 030-027 WIRING
- 008 AIR SYSTEM
- 047-001 WIPER BLADES
- 001-019 A/C CONDENSER FAN
- 043-006 EXHAUST MANIFOLD
- 031-003 ALTERNATOR-GENERATOR
- 017-018 VALVE STEM
- 044-060 AIR FILTER

R&R ENGINE AIR FILTER CK OK

WO # CSHOP-2017-141

In Date/Time 1/6/2017 10:44:00AM Meter Reading: 199,640

Close Date/Time 1/19/2017 9:17:00AM

Problem?

C- SERVICE

Parts	Quantity
9IP; 9IP	26
9IP; 9IP	1
9IP; 9IP	1
9IP; 9IP	1
9IP; 9IP	1

Tasks Performed:

C-RESCU PM SERVICE C RESCUE

COMPLETE C SERVICE



4/10/2017

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2017-853

In Date/Time 2/10/2017 8:32:00AM **Meter Reading:** 199,816

Close Date/Time 2/14/2017 3:12:00PM

Problem?

PERFORM QUALITY CHECK
UNIT BACK FROM HEAD GASKET REPAIR. JUST PM,

Parts	Quantity
9XX; AC FREON 10174676	3
TEM; TEM	1
TEM; TEM	1
9OC; BULK TRANS SYN	3

Tasks Performed:

- 006-002 AIR HORN
- 001 AIR CONDITIONING
- 001-000 QUALITY CHECK-REPAIRS
- 006-021 FAULT CODE
- 015-021 RESERVOIR
- 013-027 FRONT BRAKE PADS-SHOES
- 017-012 TIRE
- 027 TRANSMISSION

TRANSMISSION FLUID LOW ON DIPSTICK COLD. WARMED UP FLUID AND CHECKED ELECTRONICALLY. (LOW 3 QRTS.) ADD 3 QRTS TRANSYND



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2017-1043

In Date/Time 2/21/2017 7:20:00AM **Meter Reading:** 200,080

Close Date/Time 3/6/2017 5:05:00PM

Problem?

R22

Parts	Quantity
HANDLE; TM22676-02 HANDLE DOOR ENTRY	1

Tasks Performed:

TRV TRAVEL TO BE CHARGED TO WORK ORDER
005-030 DOOR

REPAIR PATIENT DOOR LATCHES AND ADJUST TO SPECS BOTH DOORS
NOW WORKING OK

WO # CSHOP-2017-1209

In Date/Time 2/27/2017 1:17:00PM **Meter Reading:** 200,080

Close Date/Time 2/28/2017 3:22:00PM

Problem?

Parts	Quantity
9IP; WIPER BLADES ANCO 24	2

Tasks Performed:

047-001 WIPER BLADES

REPLACED WIPER BLADES



4/10/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10156661

2004 AMERICAN LAFRANCE MEDIC MASTER

WO # CSHOP-2017-1507

In Date/Time 3/10/2017 5:25:00PM **Meter Reading:** 200,184

Close Date/Time 3/16/2017 8:18:00AM

Problem?

Parts	Quantity
SOLENOID; SOLENOID HORN AIR	1

Tasks Performed:

- 006-002 AIR HORN
- 001 AIR CONDITIONING

REPLACED AIR HORN SOLENOID

WO # CSHOP-2017-1573

In Date/Time 3/13/2017 5:13:00PM **Meter Reading:** 200,184

Close Date/Time 3/16/2017 8:13:00AM

Problem?

Parts	Quantity
NO PARTS USED	

Tasks Performed: