



6/23/2017

Palm Beach County Fire Rescue Fleet Maintenance Asset History

10142523

SUBURBAN FULLSIZE 4X4 SUV

Workorder: V119

In Date: 10/17/2005
Close Date: 10/18/2005

Meter Reading:

Problem?

MAP LIGHT INOP, D/C-3

Task performed:

Parts

Quantity

NO PARTS USED

Workorder: V354

In Date: 11/07/2005
Close Date: 11/10/2005

Meter Reading:

Problem?

DRIVER DOOR HARD TO OPEN, D/C-3

Task performed:

Parts

Quantity

NO PARTS USED

Workorder: V549

In Date: 11/14/2005
Close Date: 12/14/2005

Meter Reading:

Problem?

A/C 10-7 DC3

Task performed:

Parts

Quantity

NO PARTS USED

Workorder: V867

In Date: 12/09/2005
Close Date: 12/19/2005

Meter Reading:

Problem?

WILL NOT START, DC-3

Task performed:

Parts

Quantity

NO PARTS USED



6/23/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142523

SUBURBAN FULLSIZE 4X4 SUV

Workorder: V1755

In Date: 03/06/2006

Meter Reading: 44,770.00

Close Date: 03/29/2006

Problem?

B INSPECTION DC3

Task performed:

See B Inspection pre-printed form

Parts	Quantity
11509853BAT BOLT	1
115178870MOUNTING BOLTS	10
12487670WASHER BOTTLE	1
15039052BATTERY TRAY	1
15106007MIRROR 2002 SUB	1
15705102BAT TRAY NEW # 15246518 2005 SUBURBAN	1
1654-8FERRULE .718	1
31-22USE 91-22 WIPER BLADES	2
356668USE 14005061 BAT HOLD DOWN	1
565067SHOCK	2
565103SHOCK	2
78-72BATTERY GROUP 78	2
89025062WASHER PUMP	1
AF1518 42488 FILTER AIR-SUBURB	1
G372733481 FUEL FILTER L/F G481 WIX	1
K080635BELT	1
PH59WIX 51522 FRM PH3675 OIL FILTER	1
S30HACSTROBE BULB	1
S602CARD MALE CONN. 3/8 IN HOSE	2
S775COUPLER	1

Workorder: V2256

In Date: 04/17/2006

Meter Reading:

Close Date: 04/27/2006

Problem?

a/c inoperative D/C3

Task performed:

Parts	Quantity
12193645FUSE BLOCK ASSBLY	1
22127653PUMP WINDSHIELD WIPER 89025062 NEW #	1



6/23/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142523

SUBURBAN FULLSIZE 4X4 SUV

Workorder: V2653

In Date: 05/17/2006

Meter Reading:

Close Date: 05/26/2006

Problem?

flat repair at sta 34 (outside agency- elpex)

Task performed:

Parts

Quantity

NO PARTS USED

Vendor? TIRE0007

Workorder: V2729

In Date: 05/23/2006

Meter Reading:

Close Date: 06/08/2006

Problem?

Left headlight strobe and right rear blinker strobe out. DC-3

Task performed:

Parts

Quantity

01046301700S30HACP STROBE CLEAR

2

Workorder: V2926

In Date: 06/09/2006

Meter Reading:

Close Date: 06/13/2006

Problem?

hand held spotlight plug broken, sent in w/ DC3

Task performed:

Parts

Quantity

NO PARTS USED

Workorder: V3888

In Date: 08/11/2006

Meter Reading:

Close Date: 08/22/2006

Problem?

driver's side taillight assy broken D/C 3

Task performed:

Parts

Quantity

01046301700S30HACP STROBE CLEAR

4

15224278TAIL LIGHT ASY 2002 SUBURBAN

1



6/23/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142523

SUBURBAN FULLSIZE 4X4 SUV

Workorder: V5238

In Date: 11/03/2006

Meter Reading: 54,425.00

Close Date: 11/13/2006

Problem?

B INSPECTION AND REPAIRS AS NEEDED DC3

Task performed:

1. PERFORM PM "B" INSPECTION.
2. R/R BELTS.
3. REPAIR SWITCH PLATE ON CONSOLE.
4. R/R BLADES.
5. R/R FRONT BRAKES.
6. WAX STROBE LENS'.
7. FABRICATE NEW DOOR HOLD OPEN DN L1 COPMARTMENT.

Parts

Quantity

91-22WIPER BLADE	4
CA875642487 FILTER AIR	1
G372733481 FUEL FILTER L/F G481 WIX	1
K040378BELT SUBURBANS 2002/2003	1
K060930BELT	1
PH3506OIL FILTER 51042	1
S693AIR CHUCK	1

Workorder: V6339

In Date: 01/18/2007

Meter Reading: 56,982.00

Close Date: 01/18/2007

Problem?

IINSTALL MAP LT AND REPAIR DOME LT DC3

Task performed:

1. INSTALL MAP LIGHT ON PULLOUT TRAY.
2. REMOVE INTERIOR PANELS & LOCATE WIRING FOR DOME LIGHT & REPAIR.

Parts

Quantity

5648056480 PLUG-POWER/ACCESS.	1
87141USE LED MAP LIGHT 24"	1

Workorder: V6566

In Date: 02/01/2007

Meter Reading: 57,505.00

Close Date: 02/01/2007

Problem?

repair a/c

Task performed:

1. Replaced both serpentine belts

Parts

Quantity

K040378BELT SUBURBANS 2002/2003	1
K060930BELT	1



6/23/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142523

SUBURBAN FULLSIZE 4X4 SUV

Workorder: V6758

In Date: 02/14/2007

Meter Reading:

Close Date: 03/02/2007

Problem?

Left-rear strobe light out

Task performed:

Parts

Quantity

installed new bulb.

01046301700S30HACP STROBE CLEAR

1

Wires coming from strobe box bad; replaced; test ok

Workorder: V7060

In Date: 03/04/2007

Meter Reading: 58,608.00

Close Date: 03/07/2007

Problem?

smell of fuel inside vehicle D/C 3

Task performed:

Parts

Quantity

Smell of fuel in cab; Found pesticide; Removed/aired ou
vehicle

NO PARTS USED

Workorder: V7159

In Date: 03/12/2007

Meter Reading: 58,608.00

Close Date: 03/13/2007

Problem?

on call dc 3 popping noise in rear end

Task performed:

Parts

Quantity

Inspected/test drive vehicle; noise from park brake.
Repaired

NO PARTS USED

Workorder: V7290

In Date: 03/20/2007

Meter Reading:

Close Date: 03/21/2007

Problem?

Passenger side mirror glass fell out, needs replacement.

Task performed:

Parts

Quantity

Replaced right side rear view mirror

15106008PASS. SIDE MIRROR SUBURBAN

1

TL97991MIRROR

1



6/23/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142523

SUBURBAN FULLSIZE 4X4 SUV

Workorder: V7375

In Date: 03/26/2007
Close Date: 04/30/2007

Meter Reading: 59,427.00

Problem?

flat repair D/C 3

Task performed:

Callahan Tire - flat repair

Parts

NO PARTS USED

Quantity

Vendor? CALLAHAN

Workorder: V7980

In Date: 04/28/2007
Close Date: 05/03/2007

Meter Reading:

Problem?

side strobe lights on DC3 truck not working

Task performed:

Trace problem to faulty power unit; replaced

Parts

ISP188ISP188C POWER SUPPLY STROBE - 8 OUTLET

Quantity

1

Workorder: V8495

In Date: 05/30/2007
Close Date: 06/19/2007

Meter Reading: 62,665.00

Problem?

replace tires at callaghan ent dc3

Task performed:

Parts

NO PARTS USED

Quantity

Vendor? CALLAGHAN

Workorder: V7032

In Date: 03/02/2007
Close Date: 06/21/2007

Meter Reading:

Problem?

windsheild washer container leaks

Task performed:

1. Repaired on B-Insp - see W/O # 8436

Parts

NO PARTS USED

Quantity



6/23/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142523

SUBURBAN FULLSIZE 4X4 SUV

Workorder: V8436

In Date: 05/25/2007

Meter Reading: 61,842.00

Close Date: 06/21/2007

Problem?

b inspection and repairs as needed dc3

Task performed:

1. B-Inspection, test drive & recheck fluids warm OK. Sweep shop.
2. Trans service, remove exhaust bracket shift bracket & cable. remove trans mount R&R trans pan & filter. Drain overflow to correct level.
3. Cooling service, R&R lower cover
4. Rear axle service
5. Front axle service
6. T-case service
7. Service batteries, add water, remove batteries & neutralize acid in battery trays & cables, remove rust, treat rust, prime & paint. Replaced battery bolts
8. Replace P/S hose
9. Replace washer hose. R&R battery, battery box & washer reservoir. repalced washer pump
10. Meeting
11. remove wheels & check brakes, OK at this time
12. Remove headlight assy & replaced left & right strobe bulbs. Replaced LF marker bulb
13. Vacation
14. Recycle, evacuate & recharge A/C, fill A/C machine. Leak test.
15. Remove front shocks & replace lower control arm jounce bumper stops
16. Secure front strobe, drill & install larger screw

Parts

Quantity

01046301700S30HACP STROBE CLEAR	2
12487672WASHER BOTLE HOSE	1
15295850P/S HOSE 02 SUBURBAN	1
15705102BAT TRAY NEW # 15246518 2005 SUBURBAN	1
16208BUMPER	1
22127653PUMP WINDSHIELD WIPER 89025062 NEW #	1
2421095658608 TRANSFILTER 4L80 DEEP PAN	1
33604FUEL FILTER E-ONE	1
71R08521109 ROCKER OFF/ON/ON	1
8677743PAN GASKET GM	1
PH59WIX 51522 FRM PH3675 OIL FILTER	1

Workorder: V8859

In Date: 06/14/2007

Meter Reading:

Close Date: 08/13/2007

Problem?

Thermal imaging camera will not charge while in cradle. dc3

Task performed:

1. power getting to charger, one led lighth not charging
2. clean holder and thermal imaging

Parts

Quantity

NO PARTS USED



6/23/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142523

SUBURBAN FULLSIZE 4X4 SUV

Workorder: V10742

In Date: 09/28/2007

Meter Reading: 67,558.00

Close Date: 10/02/2007

Problem?

A/c not blowing cold. Smell of coolant inside vehicle also. DC3

Task performed:

Parts

Quantity

1. TIGHTEN A/C SENDER VALVE AND RECHARGED SYSTEM

NO PARTS USED

Workorder: V7672

In Date: 04/12/2007

Meter Reading: 60,500.00

Close Date: 10/15/2007

Problem?

flat repair (L/R) D/C 3 (outside agency-callaghan tire)

Task performed:

Parts

Quantity

NO PARTS USED

Vendor? CALLAGHAN

Workorder: V10969

In Date: 10/11/2007

Meter Reading: 67,751.00

Close Date: 10/22/2007

Problem?

unknown problem with front wheel D/C3

Task performed:

Parts

Quantity

checked out front end. wheels, berrings, ball joints, lug nuts etc. road tested. did not find problem. the chief will bring to shop if it doesn't feel o.k.

01044140900TURBOTUB STROBE

1

H35SN12BULB

1

Workorder: V11127

In Date: 10/19/2007

Meter Reading: 68,399.00

Close Date: 10/23/2007

Problem?

R/F strobe out D/C3

Task performed:

Parts

Quantity

1. replace strobe light on right front fender.

508RED58EC20RU STROBE-RED SURFACE MOUNT

1



6/23/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142523

SUBURBAN FULLSIZE 4X4 SUV

Workorder: V12209

In Date: 12/24/2007

Meter Reading:

Close Date: 12/26/2007

Problem?

replace #2 battery. Pos. corroded off. Repaired by S. Wather 12/24.

Task performed:

drive to Stn34; replc btry; test; ret to svc

j

Parts

Quantity

78-72BATTERY GROUP 78

1

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTER

1

Workorder: V12300

In Date: 01/02/2008

Meter Reading: 70,743.00

Close Date: 01/08/2008

Problem?

ON CALL DC3 WONT START

Task performed:

No start; replc battery

j

Parts

Quantity

NO PARTS USED

Workorder: V11723

In Date: 11/21/2007

Meter Reading:

Close Date: 01/15/2008

Problem?

Light bar right side front strobe out. Windshield resevoir leaks. DC-3

Task performed:

1. Drive to Sta R/R light bar need new resevor order one.

Parts

Quantity

01046265900CUSE TURB6HAL STROBE CORNER LITE BA

1

02036273300 TURBO94 CORNERLINEAR REFLECTOR

1

12487670WASHER BOTTLE

1

12487672WASHER BOTLE HOSE

1

22127653PUMP WINDSHIELD WIPER 89025062 NEW #

1

Workorder: V2743

In Date: 05/24/2006

Meter Reading:

Close Date: 02/07/2008

Problem?

nail in tire (outside service-elpex tiresoles)

Task performed:

Parts

Quantity

NO PARTS USED



6/23/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142523

SUBURBAN FULLSIZE 4X4 SUV

Workorder: V12930

In Date: 01/30/2008

Meter Reading: 73,333.00

Close Date: 03/13/2008

Problem?

INSTALL BATTERY CHARGER AND AUTO EJECT DC-3

Task performed:

1. Installed Battery charger

Parts

Quantity

091-20WP-120AUTO EJECT

2

0913912CHARGER 2000

2

91-22WIPER BLADE

2

Workorder: V14445

In Date: 04/14/2008

Meter Reading: 76,768.00

Close Date: 04/24/2008

Problem?

A INSPECTION AND REPAIRS AS NEEDED

Task performed:

1. a inspection
2. 4r strobe inop/bulb burt/installed.

Parts

Quantity

01046301700S30HACP STROBE CLEAR

1

Workorder: V14617

In Date: 04/22/2008

Meter Reading: 76,768.00

Close Date: 05/05/2008

Problem?

B INSPECTION AND REPAIRS AS NEEDED

Task performed:

1. B INSPECTION
2. CHANG OIL AND FILTER, REPLACE FUEL AND AIR FILTER.
3. ROTATE TIRES, INSTALL NEW BRAKE PADS.
4. INSTALL RIGHT HUB AND BRAKE PANDS.
5. REPLACE WINDOW MARKERS
6. REPLACE LEFT FRONT LIGHT, REPAIR RIGHT STROBE.
7. INSTALL HYDRA BOOST FOR BRAKE.
8. ADJUST PARKING BRAKE.

Parts

Quantity

01046265900CUSE TURB6HAL STROBE CORNER LITE BA

2

15225770FRONT HUB 02 SUBURBAN

1

15861643BRAKE BOOSTER

1

15946732WHEEL BRG FRT

1

15W40BSYN OIL BULK QTS

6

18041762FRONT PADS SUBURBAN

1

88964201MKD784 FRONT PADS SUBURBAN

1

91-22WIPER BLADE

2

CA875642487 FILTER AIR

1

G372733481 FUEL FILTER L/F G481 WIX

1

PH59WIX 51522 FRM PH3675 OIL FILTER

1



6/23/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142523

SUBURBAN FULLSIZE 4X4 SUV

Workorder: V15860

In Date: 06/20/2008

Meter Reading: 77,650.00

Close Date: 06/23/2008

Problem?

BATTERY DEAD

Task performed:

- 6-20 Replace 2 batteries
- 6-20 Jump start battery to get into shop
- 6-20 Check shoreline charging system

Parts

Quantity

78-72BATTERY GROUP 78

2

BATTERY EPA TAX BATTERY EPA TAX \$1.50 PER BATTER

2

Workorder: V16752

In Date: 07/31/2008

Meter Reading: 71,801.00

Close Date: 08/01/2008

Problem?

B inspection and related repairs

Task performed:

- 1. test drive B insp. - change oil/ filter

Parts

Quantity

5W30ENGINE OIL

6

PH59WIX 51522 FRM PH3675 OIL FILTER

1

Workorder: V16575

In Date: 07/24/2008

Meter Reading:

Close Date: 08/14/2008

Problem?

Right side rear stobe out. dc3

Task performed:

- Fnd no light out; chkd all. j

Parts

Quantity

NO PARTS USED

Workorder: V16569

In Date: 07/24/2008

Meter Reading: 71,801.00

Close Date: 08/22/2008

Problem?

repair flat tire callaghan

Task performed:

- Repair flat tire - Callaghan j

Parts

Quantity

NO PARTS USED

Vendor? CALLAGHAN



6/23/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142523

SUBURBAN FULLSIZE 4X4 SUV

Workorder: V15189

In Date: 05/19/2008

Meter Reading:

Close Date: 10/20/2008

Problem?

A/C not blowing cold. ems 7

Task performed:

Fnd high side port access leaking; evac & charge sys.
j
5/21/08 1.0 hr
5/22/08 2.0 hr total 3.0 hrs

Parts

52458184A/C FITTING HIGH SIDE NS

Quantity

1

Workorder: V18459

In Date: 10/20/2008

Meter Reading:

Close Date: 10/28/2008

Problem?

shoreline on DC3 has a very weak connection. It is easily displaced. Needs a tighter fit to avoid inadvertent displacement which results in a drain of the batteries.

Task performed:

Chkd plug & fnd no prob lem with plug or charger. j

Parts

NO PARTS USED

Quantity

Workorder: V17280

In Date: 08/24/2008

Meter Reading:

Close Date: 11/03/2008

Problem?

Spare DC veh now in Batt 7 has the pass. side rear strobe not working. SPARE DC

Task performed:

Replace (2) strobes in rear of truck. j

Parts

S30HACSTROBE BULB

Quantity

2

Workorder: V20130

In Date: 01/05/2009

Meter Reading:

83,576.00

Close Date: 02/05/2009

Problem?

b inspection and repairs as needed bc3

Task performed:

1. Test dri ve B-Inspection; change oil/filter; replc fuel/air filter.
2. Replc/fab strobelight. j

Parts

15W40BSYN OIL BULK QTS

58ELTUBE58L4TUBE STROBE/REFLECTOR ASSY. 58E

CA875642487 FILTER AIR

G372733481 FUEL FILTER L/F G481 WIX

PH59WIX 51522 FRM PH3675 OIL FILTER

Quantity

6

1

1

1

1



6/23/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142523

SUBURBAN FULLSIZE 4X4 SUV

Workorder: V20607

In Date: 01/26/2009
Close Date: 04/13/2009

Meter Reading: 84,404.00

Problem?

replace tires at callaghan bc3

Task performed:

Repla ce tirest at Callaghan BC3 j

Parts

NO PARTS USED

Quantity

Vendor? CALLAGHAN

Workorder: V24259

In Date: 06/22/2009
Close Date: 06/24/2009

Meter Reading: 85,656.00

Problem?

B INSPECTION AND REPAIRS AS NEEDED, BC-3

Task performed:

- B-Inspection
- 2. Replc map light.
- 3. Recharge A/C sys. j

Parts

15W40BSYN OIL BULK QTS 6
 8714287142 LIGHT MAP 12"" 1
 AF1518 42488 FILTER AIR-SUBURB 1
 G372733481 FUEL FILTER L/F G481 WIX 1
 PH59WIX 51522 FRM PH3675 OIL FILTER 1

Quantity

Workorder: V24158

In Date: 06/17/2009
Close Date: 07/10/2009

Meter Reading: 85,656.00

Problem?

REPAIR BODY DAMAGE TO THE LEFT SIDE OF VEHICLE, CAUSED BY ACCIDENT. BC-3 (ALVIN MATTHEWS)

Task performed:

Rep body damage to left side of vehicle caused by accident BC3 Alvin Matthews Paint j

Parts

NO PARTS USED

Quantity

Vendor? ALVIN MATTHEWS

Workorder: V25186

In Date: 07/31/2009
Close Date: 08/10/2009

Meter Reading: 85,656.00

Problem?

Dead batt. in lot spair dc

Task performed:

- 1. Jump start veh; charge both btrys.
- 2. Test btrys (bad) replc btrys; cln cables. j

Parts

78-72BATTERY GROUP 78 2
 BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTER 2

Quantity



6/23/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142523

SUBURBAN FULLSIZE 4X4 SUV

Workorder: V29461

In Date: 01/27/2010
Close Date: 02/11/2010

Meter Reading: 92,545.00

Problem?

wiper blades for B/C 3

Task performed:

R/R wiper blades on veh. j

Parts

91-22WIPER BLADE

Quantity

4

Rep done at shop. j

Workorder: V30015

In Date: 02/17/2010
Close Date: 02/17/2010

Meter Reading: 93,561.00

Problem?

B inspection and repairs performed by-Al packer

Task performed:

B inspection performed by al packer ford

Parts

NO PARTS USED

Quantity

Workorder: V29938

In Date: 02/12/2010
Close Date: 03/01/2010

Meter Reading: 93,438.00

Problem?

Install alarm system at 60 min

Task performed:

Cancel per Mile Lehan j

Parts

NO PARTS USED

Quantity

Workorder: V29937

In Date: 02/12/2010
Close Date: 03/02/2010

Meter Reading: 93,438.00

Problem?

Binspection and repairs Al packer

Task performed:

B-Inspection/repairs - Al Packer j

Parts

NO PARTS USED

Quantity

Vendor? AL PACKER



6/23/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142523

SUBURBAN FULLSIZE 4X4 SUV

Workorder: V29939

In Date: 02/12/2010
Close Date: 03/03/2010

Meter Reading: 93,438.00

Problem?
detail unit

Task performed:

Detail unit - Auto Spa j

Parts

Quantity

NO PARTS USED

Vendor? AUTO SPA

Workorder: V30129

In Date: 02/22/2010
Close Date: 03/17/2010

Meter Reading: 93,438.00

Problem?
SIREN 10-7 BC3

Task performed:

Chk all fuses, wires & connectors; replc siren head.
j

Parts

Quantity

01-0862064-00SIREN FRONT SIDE

1

Workorder: V30016

In Date: 02/17/2010
Close Date: 03/19/2010

Meter Reading: 93,561.00

Problem?
alignment (outside agency-callaghan tire)

Task performed:

Alignment - Callaghan j

Parts

Quantity

NO PARTS USED

Vendor? CALLAGHAN

Workorder: V30017

In Date: 02/17/2010
Close Date: 03/19/2010

Meter Reading: 93,561.00

Problem?
balance tires(outside agency-callaghan tire)

Task performed:

Balance tires - Callaghan j

Parts

Quantity

NO PARTS USED

Vendor? CALLAGHAN



6/23/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142523

SUBURBAN FULLSIZE 4X4 SUV

Workorder: V32162

In Date: 05/12/2010

Meter Reading: 95,180.00

Close Date: 05/19/2010

Problem?

REPAIR COOLANT LEAK BC3 (outside agency-Schumacher)

Task performed:

Repair coolant leak BC3 - Schumacher j

Parts

NO PARTS USED

Quantity

Vendor? SCHUMACHER

Workorder: V32158

In Date: 05/12/2010

Meter Reading: 94,793.00

Close Date: 05/20/2010

Problem?

REPAIR COOLANT LEAK BC 3

Task performed:

Press test; poss intake manifold leaks; sent out for repair. j

Parts

NO PARTS USED

Quantity

Workorder: V32218

In Date: 05/14/2010

Meter Reading: 94,793.00

Close Date: 05/24/2010

Problem?

1 strobe out, check a/c BC 3

Task performed:

1. R/R fender strobe lite asy; new design; had to mk mod.
2. Chk A/C sys; cluth intermittent; order parts; discharge sys; R/R lo-side switch cycle switch; R/R clutch cycle switch electrical connector; evac/charge sys; operate 46 degrees - ok. j

Parts

1132749AC SWITCH

15306302CONNECTOR

508RED58EC20RU STROBE-RED SURFACE MOUNT

52458768AC CAP

Quantity

1

1

1

1

Workorder: V32386

In Date: 05/24/2010

Meter Reading: 94,793.00

Close Date: 05/28/2010

Problem?

A inspection and repairs (from 23)

Task performed:

A-Inspection j

Parts

NO PARTS USED

Quantity



6/23/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142523

SUBURBAN FULLSIZE 4X4 SUV

Workorder: V32883

In Date: 06/14/2010

Meter Reading: 94,793.00

Close Date: 06/25/2010

Problem?

A INSPECTION AND REPAIRS

Task performed:

Parts

Quantity

A-Inspection

GRLSTRR1NLA 2-6-2012

1

2. Rep washer line behind btry.

3. R/R L/frnt strobe light asy. j

Workorder: V33305

In Date: 07/02/2010

Meter Reading: 96,101.00

Close Date: 10/04/2010

Problem?

A INSPECTION AND REPAIRS (from73)

Task performed:

Parts

Quantity

A-inspection; add washer fluid; adj tire press to specs.

NO PARTS USED

2. Replcd R/frt markeer bulb.

3. C/O ticking noise frm eng; fnd noise frm exh manifold; rear bolts broke & left frt bolt; ok for now per Mike Lehan. ja

Workorder: V35145

In Date: 09/23/2010

Meter Reading: 96,555.00

Close Date: 10/08/2010

Problem?

A INSPECTION AND REPAIRS SDC5

Task performed:

Parts

Quantity

1. a inspection

78-72BATTERY GROUP 78

2

2. replace batterys jab

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTEF

2



6/23/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142523

SUBURBAN FULLSIZE 4X4 SUV

Workorder: V36224

In Date: 11/05/2010

Close Date: 11/16/2010

Meter Reading: 97,468.00

Problem?

B inspection and repairs

Task performed:

B-Service j

Parts

Quantity

15W40BSYN OIL BULK QTS	6
AF1518 42488 FILTER AIR-SUBURB	1
CA875642487 FILTER AIR	1
PH59WIX 51522 FRM PH3675 OIL FILTER	1

Workorder: V35881

In Date: 10/25/2010

Close Date: 12/13/2010

Meter Reading: 97,380.00

Problem?

rattle in steering wheel sdc at sta 4

Task performed:

(1) STEERING WHEEL HAD RATTLE NOISE IN IT. FOUND A WORN STEERING SHAFT. REPLACED WITH NEW ONE AND ROAD TESTED OK.

J.W.

Parts

Quantity

19153614INTERMEDIATE SHAFT	1
----------------------------	---

Workorder: V40673

In Date: 05/17/2011

Close Date: 05/20/2011

Meter Reading: 99,628.00

Problem?

Truck won't start

Task performed:

1. No start - dead btrys; jump start charge & test btrys - low voltage.
2. Replc btrys; failed load test. j

Parts

Quantity

78-72BATTERY GROUP 78	2
BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTER	2

Workorder: V40895

In Date: 05/26/2011

Close Date: 05/31/2011

Meter Reading: 99,628.00

Problem?

Sirens do not work

Task performed:

Siren inop - wire pulled out at connector; rep connector. j

Parts

Quantity

NO PARTS USED	
---------------	--



6/23/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142523

SUBURBAN FULLSIZE 4X4 SUV

Workorder: V39169

In Date: 03/14/2011
Close Date: 06/06/2011

Meter Reading: 99,822.00

Problem?

A INSPECTION

Task performed:

- A-Inspection
- 2. Add eng oil.
- 3. Adj tire press in (4) tires.
- 4. Rep rear maplight at command center. j

Parts

Quantity

1202364111-0 MAP LIGHT BULB

1

Workorder: V42528

In Date: 08/03/2011
Close Date: 09/01/2011

Meter Reading: 99,907.00

Problem?

B Inspection with Oil Change Services.

Task performed:

B INSPECTION OIL CHANGE SERVICES

Parts

Quantity

NO PARTS USED

Vendor? OIL CHANGE SERVICES

Workorder: V45158

In Date: 11/14/2011
Close Date: 11/15/2011

Meter Reading: 100,284.00

Problem?

Coolant light

Task performed:

Topped off cooling sys & chkd for leaks; no leaks fnd. j

Parts

Quantity

NO PARTS USED

Workorder: V45531

In Date: 12/01/2011
Close Date: 12/07/2011

Meter Reading: 100,594.00

Problem?

CHECK AND REPAIR COOLING SYSTEM

Task performed:

Coolant leak, pressure test, radiator leaking, replace radiator.

Outside agency

Vendor? ROGER DEAN

Parts

Quantity

NO PARTS USED



6/23/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142523

SUBURBAN FULLSIZE 4X4 SUV

Workorder: V44877

In Date: 12/22/2011

Meter Reading: 100,594.00

Close Date: 12/28/2011

Problem?

A inspection. Check coolant.

Task performed:

Parts

Quantity

A-INSPECTION.

NO PARTS USED

EXHAUST MANIFOLD LEAK TIGHTEN LEFT SIDE BOLTS.

CHECK FOR OIL LEAK, SHOWED STEVE R., WILL TALK TO MIKE LEHAN ABOUT IT.

CHECK FOR COOLANT LEAK NONE FOUND.

Workorder: V46440

In Date: 01/02/2012

Meter Reading: 100,594.00

Close Date: 01/18/2012

Problem?

oil seal leaks roger dean

Task performed:

Parts

Quantity

OIL SEAL LEAKS ROGER DEAN.

NO PARTS USED

Vendor? ROGER DEAN CHEVROLE

Workorder: V46769

In Date: 01/23/2012

Meter Reading: 100,594.00

Close Date: 01/26/2012

Problem?

Replace exhaust manifold.

Task performed:

Parts

Quantity

DRILLED OUT AND EXTRACTED BROKEN EXHAUST MANIFOLD MOUNTING BOLTS. REPLACED GASKETS. DONUTS AND ALL MOUNTING BOLTS. ROAD TESTED.

10228350BOLT EXH MANIFOLD

6

11518860EXH MANIFOLD BOLT

12

12558353GASKET EXH MANIOLD TO EGR TUBE

1

12617944GASKET EXH MANIFOLD

2

15077362EXH FLANGE GASKET

2

3511058C2FASTENER

8



6/23/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142523

SUBURBAN FULLSIZE 4X4 SUV

Workorder: V46672

In Date: 01/18/2012
Close Date: 01/27/2012

Meter Reading: 100,594.00

Problem?

quality check

Task performed:

Parts

Quantity

Q INSPECTION PUT ON RACK CHECK EXHAUST LEAK HAS BROKEN BOLTS IN EXHAUST MANIFOLD.

NO PARTS USED

Workorder: V46927

In Date: 01/30/2012
Close Date: 02/02/2012

Meter Reading: 100,594.00

Problem?

Strobe light out. sta 5

Task performed:

Parts

Quantity

R&R STROBE LIGHT CHECK OUT WIRING AND STROBE PACK TRAVEL TO S 2.

NO PARTS USED

Workorder: V47057

In Date: 02/03/2012
Close Date: 02/06/2012

Meter Reading: 100,594.00

Problem?

A inspection.

Task performed:

Parts

Quantity

1. A-INSPECTION.
2. COOLANT LOW - CHECK FOR LEAKS - NONE FOUND - PRESSURE TEST SYSTEM - ADD COOLANT TO RESERVIOR.
3. TRANSMISSION LOW ON DIP STICK - NO LEAKS FOUND - ADD FLUID TO PROPER LEVEL.
4. PUSH BAR STROBE LIGHT 10-7 - FOUND STROBE BULB DIADE CONNECTION CORRODED - REMOVE LIGHT ASSEMBLY AND REWIRE NEW STROBE LIGHT ASSEMBLY IN.

NO PARTS USED



6/23/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142523

SUBURBAN FULLSIZE 4X4 SUV

Workorder: V48364

In Date: 04/02/2012
Close Date: 04/03/2012

Meter Reading: 100,893.00

Problem?

burning electrical smell

Task performed:

DRIVER COMPLAIN BURNING SMELL CHECK WIRING AT CENTER CONSOLE CHECK ALL ELECTRICAL CONNECTION NO BURNT WIRES FOUND. ALTERNATOR WEAK- REMOVED AND INSTALL NEW ALTERNATOR CHECK SYSTEM CHARGING AT 13.9 VOLTS.

Parts

15755900ALTERNATOR GMC TRUCK

Quantity

1

Workorder: V53322

In Date: 10/26/2012
Close Date: 11/06/2012

Meter Reading: 103,395.00

Problem?

B inspection

Task performed:

B inspection
oil and filters

Vendor? *

Parts

NO PARTS USED

Quantity

Workorder: V57044

In Date: 04/15/2013
Close Date: 05/10/2013

Meter Reading: 104,021.00

Problem?

Replace battery DC-3

Task performed:

TRAVEL TO ST 91 CHECK 110V CHARGER. CHECK ALTERNATOR CHECK BATTERIES R&R BATTERIES.

Parts

78-72BATTERY GROUP 78

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTEF

Quantity

2

2

Workorder: V63503

In Date: 01/17/2014
Close Date: 01/17/2014

Meter Reading: 106,633.00

Problem?

B-inspection Eng quit running

Task performed:

B-Inspection
Replaced fuel pump

Vendor? ROGER DEAN

Parts

NO PARTS USED

Quantity



6/23/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142523

SUBURBAN FULLSIZE 4X4 SUV

Workorder: V67146

In Date: 06/11/2014

Meter Reading: 107,879.00

Close Date: 06/11/2014

Problem?

B-inspection

Task performed:

Parts

Quantity

B-inspection

NO PARTS USED

Replaced oil cooler line gasket

Vendor? AL PACKER

Workorder: V66843

In Date: 05/29/2014

Meter Reading:

Close Date: 06/17/2014

Problem?

All 4 tires on DC48 are low on tread and may need to be replaced...

Task performed:

Parts

Quantity

all 4 tires on DC48 are low on tread and may need to be replaced

34-5725584 TOGGLE SWITCH ON-ON

1

replaced tires.

Vendor? TIRESOLES

Workorder: V67956

In Date: 07/16/2014

Meter Reading: 107,955.00

Close Date: 07/17/2014

Problem?

CHECK A/C REPLACE AIR PACK BRACKET DC48

Task performed:

Parts

Quantity

1.Check A/C found no problem at this time.

NO PARTS USED

2.Remove old scba bracket. Assemble new bracket and ADJ for scba bottle. Mount bracket in new position grind down rivets for securing straps and install bolts. Drill holes and install thru bolts with lock nuts. Test ok.

Workorder: V68023

In Date: 07/18/2014

Meter Reading: 107,955.00

Close Date: 08/15/2014

Problem?

replace rear seatbelt

Task performed:

Parts

Quantity

SEAT BELT IS UNUSEABLE BUT ALSO STUCK IN DOOR.

88955952SEAT BELT

1



6/23/2017

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10142523

SUBURBAN FULLSIZE 4X4 SUV

Workorder: V69639

In Date: 10/08/2014

Meter Reading: 108,728.00

Close Date: 10/31/2014

Problem?

REPAIR ARM REST DC48

Task performed:

Parts

Quantity

1. Repaired right side arm rest that was falling off
2. Rear back-up lights, repaired lights and tested

NO PARTS USED

Workorder: V70020

In Date: 10/09/2014

Meter Reading: 108,728.00

Close Date: 10/31/2014

Problem?

Replace shore line.

Task performed:

Parts

Quantity

1. Found no problem with shore line.

0/2-311-610-372SDUEL AIR GAUGE M2

1

Workorder: V74281

In Date: 03/30/2015

Meter Reading: 109,481.00

Close Date: 04/22/2015

Problem?

unit not charging

Task performed:

Parts

Quantity

1. Repaired short on battery.

10464476334-2529 ALTERNATOR 145AM

1



Palm Beach County Fire Rescue Fleet Maintenance Asset History

Asset: (10142523) 2002 - CHEVROLET SUBURBAN Fullsize 4X4 Suv

10142523

CSHOP-2015-1029

Date Opened: 6-5-2015 Date Finished 6-5-2015 Meter 1 Reading: 109,581

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2015-1030

Comments: INSPECT BRAKES ROTATE TIRES REPLACE OIL COOLER AND TRANS COOLER LINES REPAIR ONE BRAKE LIGHT

Date Opened: 6-5-2015 Date Finished 6-5-2015 Meter 1 Reading: 109,581

TASKS PERFORMED

NO PARTS USED

BACK UP LIGHTS
OIL COOLER-HEAT EXCHANGER
ROTATE TIRES

VENDOR? AL PACKER

CSHOP-2015-190

Comments: SIREN INOP

Date Opened: 4-21-2015 Date Finished 4-23-2015 Meter 1 Reading: 109,500

TASKS PERFORMED

Q PARTS

SIREN

4 STROBE; S30HACP STROBE CLEAR
1 SIREN; SIREN FRONT SIDE

CSHOP-2015-2257

Comments: ON CALL BATTERY DEAD

Date Opened: 8-11-2015 Date Finished 8-11-2015 Meter 1 Reading: 109,581

TASKS PERFORMED

Q PARTS

BATTERY

2 BATTERY; BATTERY EPA TAX \$1.50 PER BATTERY
2 BATTERY; BATTERY GROUP 78

CSHOP-2015-2360

Comments: BC48 NO START

Date Opened: 8-17-2015 Date Finished 8-26-2015 Meter 1 Reading: 109,805

TASKS PERFORMED

Q PARTS

CRANKING SYSTEM

1 STARTER; STARTER WPB

Asset Work Order History 10142523

CSHOP-2015-2385

Comments: **A/C NOT BLOWING COLD.**

Date Opened: 8-18-2015 Date Finished 8-19-2015 Meter 1 Reading: 109,714

TASKS PERFORMED

NO PARTS USED

AIR CONDITIONING

VENDOR? AL PACKER

CSHOP-2015-2797

Comments: **CALL OUT BC48 BATTERIES DEAD / DRIVE TO HQ FOUND NEEDS A STARTER MOTOR GOT RUNNING NEEDS TO GO TO DEALER**

Date Opened: 9-9-2015 Date Finished 9-9-2015 Meter 1 Reading: 109,848

TASKS PERFORMED

NO PARTS USED

STARTER

CSHOP-2015-2930

Comments: **WONT START**

Date Opened: 9-16-2015 Date Finished 10-7-2015 Meter 1 Reading: 109,848

TASKS PERFORMED

NO PARTS USED

ELECTRICAL

1 STARTER 02 SURBURBAN
-1 STARTER 02 SURBURBAN

CSHOP-2016-1121

Date Opened: 3-8-2016 Date Finished 3-8-2016 Meter 1 Reading: 111,338

TASKS PERFORMED

NO PARTS USED

STARTER

VENDOR? AL PACKER

CSHOP-2016-296

Comments: **WONT START CHECK START/CHARGE SYSTEM**

Date Opened: 1-21-2016 Date Finished 2-8-2016 Meter 1 Reading: 111,230

TASKS PERFORMED

Q PARTS

BATTERY

2 BATTERY; BATTERY GROUP 78
2 BATTERY; BATTERY EPA TAX \$1.50 PER BATTERY

CSHOP-2016-3246

Date Opened: 7-6-2016 Date Finished 7-6-2016 Meter 1 Reading: 112,204

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

Asset Work Order History 10142523

CSHOP-2016-3522

Date Opened: 7-22-2016 Date Finished 7-22-2016 Meter 1 Reading: 112,438

TASKS PERFORMED

NO PARTS USED

AIR CONDITIONING

VENDOR? AL PACKER

CSHOP-2017-103

Date Opened: 1-5-2017 Date Finished 1-10-2017 Meter 1 Reading: 114,201

TASKS PERFORMED

NO PARTS USED

TIRES ALL

Service Requests:

01/05/2017 TIRES / 18: LEAKING / REPLACED TIRE

CSHOP-2017-3648

Comments: **PREP FOR SURPLUS**

Date Opened: 6-20-2017 Date Finished 6-21-2017 Meter 1 Reading: 114,773

TASKS PERFORMED

NO PARTS USED

SURPLUS PREP
