



9/22/2016

# Palm Beach County Fire Rescue Fleet Maintenance Asset History 10156657

## 2004 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2015-913**

**In Date/Time** 6/1/2015 9:19:00AM

**Meter Reading:** 219,227

**Close Date/Time** 6/3/2015 10:30:00AM

**Problem?**

A INSPECTION SR13

<u>Parts</u>	<u>Quantity</u>
NO PARTS USED	
NO PARTS USED	
NO PARTS USED	
NO PARTS USED	
NO PARTS USED	
NO PARTS USED	
NO PARTS USED	
NO PARTS USED	
NO PARTS USED	
NO PARTS USED	

**Tasks Performed:**

- 005-030 DOOR
- AAA A INSPECTION
- 034-018 TURN SIGNAL LIGHTS



9/22/2016

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10156657

## 2004 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2015-1620**

**In Date/Time** 7/7/2015 1:16:00PM

**Meter Reading:** 219,227

**Close Date/Time** 7/8/2015 6:49:00AM

**Problem?**

A INSPECTION  
 13.7 VOLTS  
 REAR TIRES SOON...5/32 L/R OUTER

Parts	Quantity
WIPER; 06-46159-001 SWITCH WIPER	1
CAP; WASHER CAP WPB-FREIGHTLINER	1
WIPER; WIPER BLADES ANCO 24	2

**Tasks Performed:**

AAA A INSPECTION  
 047 WIPERS-WASHER  
 047-001 WIPER BLADES  
 047-030 SWITCH

R&R WIPER SWITCH



9/22/2016

# Palm Beach County Fire Rescue Fleet Maintenance Asset History

## 10156657

### 2004 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2015-2159**

**In Date/Time** 8/5/2015 3:10:00PM

**Meter Reading:** 222,399

**Close Date/Time** 8/10/2015 11:52:00AM

**Problem?**

AC COMP LOCKED UP

Parts	Quantity
COMPRESSOR; 03-0607 A/C COMPRESSOR U4482 USE 7169 DRYER	1
DRYER; 07-0610A DRYER	1
FILTER; 78R5360M 2PK FILTER AIR COND	1
A/C; 17-3428 ESTER OIL E7	1
VALVE; 1602 EXPANSION VALVE	1
WINDOW; MOLD L/H	1

**Tasks Performed:**

- 001-003 A/C COMPRESSOR
- 001-015 EVACUATE AND RECHARGE
- 001-027 DRYER-ACCUMULATOR
- 001-033 EXPANSION VALVE
- 001-045 A/C LEAK TEST
- TRV TRAVEL TO BE CHARGED TO WORK ORDER
- 001-006 A/C FILTER SCREENS
- 004-063 INTERIOR TRIM-MOLDINGS-UPHOLS
- 059-036 TOWING HITCH

REPLACED WITH NEW ONE.



9/22/2016

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10156657

## 2004 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2015-2264**

**In Date/Time** 8/11/2015 9:10:00AM **Meter Reading:** 222,400

**Close Date/Time** 8/15/2015 3:17:00PM

**Problem?**

B INSPECTION SR13

Parts	Quantity
FILTER; 33634 FUEL FILTER WIX MERCEDES/FREIGHTLINE	1
FILTER; OIL FILTER 03 57215 WIX MERCEDES/FREIGHTLINER	1
FILTER; FILTER FUEL 33231	1

**Tasks Performed:**

B PM SERVICE B

**WO # CSHOP-2015-2331**

**In Date/Time** 8/14/2015 5:30:00PM **Meter Reading:** 222,400

**Close Date/Time** 8/15/2015 3:18:00PM

**Problem?**

REPAIRS FROM B AND QUALITY CHECK

Parts	Quantity
WINDOW; MOLD L/H	1

**Tasks Performed:**

- 017-006 REAR TIRES
- 034 LIGHTING SYSTEM
- 005-036 DOOR WEATHER MOLDING
- 004-024 DOOR PANEL
- 030 ELECTRICAL
- 001-000 QUALITY CHECK-REPAIRS

MARKER LIGHT OUT. LIGHT ASSEMBLY COVERED WITH SILICONE CLEAN AREA REMOVE BULB INSTALL NEW BULB RE-SEAL WITH SILICONE



9/22/2016

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10156657

## 2004 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2015-3310**

**In Date/Time** 10/8/2015 9:00:00AM **Meter Reading:** 223,668

**Close Date/Time** 10/17/2015 2:16:00PM

**Problem?**  
SR@ 44

Parts	Quantity
NO PARTS USED	

**Tasks Performed:**

006 SAFTEY-EMERGENCY EQUIPMENT

**WO # CSHOP-2015-3434**

**In Date/Time** 10/14/2015 3:32:00PM **Meter Reading:** 223,727

**Close Date/Time** 10/27/2015 12:10:00PM

**Problem?**  
SR13 A INSPECTION

Parts	Quantity
VENT; VENT A/C RH	1
SLIDE; 10 IN DRAWER SLIDES PR	1

**Tasks Performed:**

AAA A INSPECTION  
 042 COOLING SYSTEM  
 001 AIR CONDITIONING  
 071-054 ROLLERS  
 006 SAFTEY-EMERGENCY EQUIPMENT  
 030 ELECTRICAL

AIR HORN FOOT VALVE IN OP CHECK WIRE HARNESS AND FOOT VALVE ALL OPERATING NORMAL POWER AND AIR AVAILABLE. FOUND CORROSION BUILD UP ON PLUG TO AIR SOLENOID CLEAN ALL CONTACTS PLUG IN SYSTEM OPERATING NORMAL



9/22/2016

# Palm Beach County Fire Rescue Fleet Maintenance Asset History 10156657

## 2004 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2015-3707**

**In Date/Time** 11/2/2015 7:21:00AM **Meter Reading:** 226,001

**Close Date/Time** 11/24/2015 8:45:00AM

**Problem?**

REPAIRS FROM PM

Parts	Quantity
WINDOW; MOLD L/H	1
CABLE; HOOD CABLE	1
FLAP; MUD FLAP 24 X 24	1
SOLENOID; SOLENOID HORN AIR	1
FILTER; FG3939557S FILTER P/S NEW STYLE	1
FILTER; GASKET-P/S FILTER NEW STYLE	1
NUT; LUG NUT COVER PK10	10
FREIGHTLINER; T3248 SIGHT GLASS	1

**Tasks Performed:**

- 006 SAFTEY-EMERGENCY EQUIPMENT
- 001 AIR CONDITIONING
- 042 COOLING SYSTEM
- 005-006 HOOD
- 030 ELECTRICAL
- 015 STEERING
- 008 AIR SYSTEM
- 005-020 MUD FLAP
- 004-048 DOOR LOCKS
- 017 TIRES & WHEELS
- AAA A INSPECTION
- 004-063 INTERIOR TRIM-MOLDINGS-UPHOLS

1) DOOR LOCK LOOSE SECURE DOOR LOCK 2) DOOR PANEL LOOSE SECURE DOOR PANEL



9/22/2016

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10156657

## 2004 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2015-3708**

**In Date/Time** 11/2/2015 7:33:00AM **Meter Reading:** 226,001

**Close Date/Time** 11/24/2015 8:45:00AM

**Problem?**

Parts	Quantity
FILTER; 33634 FUEL FILTER WIX MERCEDES/FREIGHTLINE	1
FILTER; OIL FILTER 03 57215 WIX MERCEDES/FREIGHTLINER	1
FILTER; AIR FILTER 46744 WIX	1
FILTER; FILTER FUEL 33231	1

**Tasks Performed:**

C-RESCU PM SERVICE C RESCUE

COMPLETE INSPECTION

**WO # CSHOP-2015-4525**

**In Date/Time** 12/17/2015 8:46:00AM **Meter Reading:** 227,546

**Close Date/Time** 1/25/2016 11:53:00AM

**Problem?**

SPARE RESCUE AT 16 NO POWER

Parts	Quantity
FLUID; COOLANT ANTIFREEZE GAL	2

**Tasks Performed:**

040 ENGINE AND ACCESSORIES

CALLOUT- NO POWER. ADDED 2 GALLONS COOLANT AND FOUND TURBO FAILED. NEEDS TURBO REPLACEMENT AND COOLING SYSTEM TO BE INSPECTED.



9/22/2016

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10156657

## 2004 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2015-4710**

**In Date/Time** 12/30/2015 3:16:00PM **Meter Reading:** 227,546

**Close Date/Time** 1/5/2016 10:48:00AM

**Problem?**

QC BACK FROM DETROIT

Parts	Quantity
LATCH; LATCH TRIGGER W/LOCK	1

**Tasks Performed:**

- 001-000 QUALITY CHECK-REPAIRS
- 071-060 SIDE DOOR
- 175-002 SIDE COMPARTMENT BODY
- 040 ENGINE AND ACCESSORIES
- 042 COOLING SYSTEM

BOLT MISSING FROM AIR INTAKE HOUSING. INSTALL NEW BOLT, WASHERS, AND NUT. TIGHTENED BOLT.

**WO # CSHOP-2016-900**

**In Date/Time** 2/25/2016 9:04:00AM **Meter Reading:** 227,687

**Close Date/Time** 2/25/2016 9:45:00AM

**Problem?**

TRUBO SIEZED

Parts	Quantity
NO PARTS USED	

**Tasks Performed:**

- 040 ENGINE AND ACCESSORIES





9/22/2016

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10156657

## 2004 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2016-1120**

**In Date/Time** 3/8/2016 2:09:00PM      **Meter Reading:** 229,525

**Close Date/Time** 3/8/2016 3:32:00PM

**Problem?**

REPLACED COMPRESSOR

Parts	Quantity
NO PARTS USED	

**Tasks Performed:**

040      ENGINE AND ACCESSORIES

**WO # CSHOP-2016-1743**

**In Date/Time** 4/12/2016 1:53:00PM      **Meter Reading:** 230,130

**Close Date/Time** 4/18/2016 4:52:00PM

**Problem?**

COOLANT LEAK, CHECK REAR TIRES

Parts	Quantity
NO PARTS USED	
NO PARTS USED	

**Tasks Performed:**

042      COOLING SYSTEM  
TRV      TRAVEL TO BE CHARGED TO WORK ORDER



9/22/2016

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10156657

## 2004 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2016-1796**

**In Date/Time** 4/16/2016 8:04:00AM      **Meter Reading:** 230,131

**Close Date/Time** 4/18/2016 5:04:00PM

**Problem?**

Parts	Quantity
HANDLE; TM22676-02 HANDLE DOOR ENTRY	1

**Tasks Performed:**

004 CAB-INTERIOR ACCESSORIES

REMOVED REAR DOOR PANEL AND REMOVED BROKEN LOCK HANDLE, INSTALLED NEW HANDLE AND READJUSTED

**WO # CSHOP-2016-2256**

**In Date/Time** 5/10/2016 10:18:00AM      **Meter Reading:** 232,856

**Close Date/Time** 5/24/2016 2:14:00PM

**Problem?**

Parts	Quantity
NO PARTS USED	
NO PARTS USED	

**Tasks Performed:**

001 AIR CONDITIONING  
042 COOLING SYSTEM

REPAIERED SMALL LEAK AT COOLENT TANK



9/22/2016

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10156657

## 2004 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2016-2420**

**In Date/Time** 5/19/2016 12:41:00PM      **Meter Reading:** 233,049

**Close Date/Time** 5/27/2016 1:17:00PM

**Problem?**

Parts	Quantity
NO PARTS USED	

**Tasks Performed:**

- 001 AIR CONDITIONING
- 042 COOLING SYSTEM

REPAIRED SMALL COOLENT LEAK AT LOWER HOSE

**WO # CSHOP-2016-2564**

**In Date/Time** 5/27/2016 9:29:00AM      **Meter Reading:** 134,182

**Close Date/Time** 5/27/2016 1:21:00PM

**Problem?**

SR13 A INSPECTION

Parts	Quantity
WIPER; WIPER BLADES ANCO 24	2

**Tasks Performed:**

- AAA A INSPECTION

INFLATE ALL TIRES TO 110PSI TOP OFF COOLANT RESERVOIR FILL W/WASHER RESERVOIR R&R WIPER BLADES



9/22/2016

# Palm Beach County Fire Rescue

## Fleet Maintenance Asset History

### 10156657

## 2004 AMERICAN LAFRANCE MEDIC MASTER

**WO # CSHOP-2016-2705**

**In Date/Time** 6/6/2016 4:33:00PM      **Meter Reading:** 233,143

**Close Date/Time** 6/7/2016 10:09:00AM

**Problem?**  
R46 PAT A/C INOP

Parts	Quantity
NO PARTS USED	
NO PARTS USED	

**Tasks Performed:**  
001 AIR CONDITIONING

**WO # CSHOP-2016-2827**

**In Date/Time** 6/13/2016 2:14:00PM      **Meter Reading:** 233,494

**Close Date/Time** 6/13/2016 4:46:00PM

**Problem?**  
REPLACE REAR TIRES SUPPLIED BY FR

Parts	Quantity
NO PARTS USED	
NO PARTS USED	

**Tasks Performed:**  
017-006 REAR TIRES

REPLACE REAR TIRES SUPPLIED BY FR



9/22/2016

# Palm Beach County Fire Rescue Fleet Maintenance Asset History 10156657 **2004 AMERICAN LAFRANCE MEDIC MASTER**

**WO # CSHOP-2016-3327**

**In Date/Time** 7/11/2016 9:11:00AM      **Meter Reading:** 234,751

**Close Date/Time** 8/3/2016 7:02:00AM

**Problem?**

Parts	Quantity
A/C; FREON LB	3

**Tasks Performed:**

001 AIR CONDITIONING

FREON ONLY FROM PREVIOUS REPAIR