



ELEVATION REFERENCE MARKS

REFERENCE MARK	ELEVATION (FT. NGVD)	DESCRIPTION OF LOCATION
RM48	28.70	Station is located on west levee on North New River Canal in South Bay. Go east from the intersection of U.S. Highway 27 and Florida Highway 80, 0.2 mile to intersection with West 1st Avenue, turn left and proceed north for 1.2 miles to station location. Station is located on west shoulder of road; south 4 degrees 10 feet east, 27.4 feet from Florida Power Line pole no. 68P1, north 2 degrees east, 113.0 feet from Florida Power Line pole no. 68P8; south 47 degrees 10 feet west, 41.55 feet from concrete monument marked C-05, 11/17/72; 16.5 feet west from centerline pavement, 4.5 feet west edge of pavement. Mark is U.S. Army Corps of Engineers bronze disk set in top of 10-inch round concrete monument reversed 0.2 foot below ground and stamped "FCE-1962-1952". Mark is witnessed by a steel post bearing U.S. Army Corps of Engineers sign. A.C. marks are Belle Glade N. Mun. Lark, Belle Glade NW tank 1942.
RM51	21.52	Located 4.6 miles east of Clewiston, Florida on Highway 27, vicinity Belle Glade, Florida. To reach: from intersection of road to Clewiston Area Office and U.S. Highway 27 go east on Highway 27, 4.5 miles to station location. Station is located on top of south highway, midway, 150 feet east of culvert no. 1. Proposed site of pump station 2161. Mark is a U.S. Army Corps of Engineers bronze disk set in top of an 8-inch concrete monument, on top of a 2-inch iron pipe 2 feet long, and is beneath the surface of the ground 0.3 foot. Stamped "FCE-1181, 1971, JAN, F.L.A."
RM52	22.04	Located west of Belle Glade on Levee no. 2 Herbert Hoover Dike. To reach: from intersection of State Route 717 and 715 go west 2.65 miles to Terry Island bridge from north 2.50 miles to station location. Station is located on lake side of slope of Levee no. 2, 83.0 feet west of Pin Line Station P.O.E. 975 + 00. Mark is a standard U.S. Army Corps of Engineers bronze disk set in concrete. Post flush with ground stamped F.C.E. 2129, 1962.
RM53	26.21	Located west of Belle Glade on Levee no. 2 Herb Hoover Dike. To reach: from intersection of State Route 717 and 715 go west 2.05 miles to Terry Island bridge, turn north 1.55 miles to station location. Station is located on lake side of slope of Levee no. 2, 83.0 feet west of Pin Line Station P.O.E. 976 + 54.8. Mark is standard U.S. Army Corps of Engineers bronze disk set in concrete. Post flush with ground stamped F.C.E. 2128, 1962.

KEY TO MAP

500-Year Flood Boundary ——— ZONE B
 100-Year Flood Boundary ——— ZONE A1
 Zone Designations* With Date of Identification e.g., 12/21/74 ——— ZONE A5
 100-Year Flood Boundary ——— ZONE B
 500-Year Flood Boundary ——— ZONE B

Base Flood Elevation Line With Elevation in Feet** ——— 513

Base Flood Elevation in Feet Where Uniform Within Zone** ——— IEL 087)

Elevation Reference Mark ——— RM7x

River Mile ——— M1.5

**Referenced to the National Geodetic Vertical Datum of 1929

- *EXPLANATION OF ZONE DESIGNATIONS**
- ZONE EXPLANATION**
- A Areas of 100-year flood; base flood elevations and flood hazard factors not determined.
 - A0 Areas of 100-year shallow flooding where depths are between one (1) and three (3) feet; average depths of inundation are shown, but no flood hazard factors are determined.
 - AH Areas of 100-year shallow flooding where depths are between one (1) and three (3) feet; base flood elevations are shown, but no flood hazard factors are determined.
 - A1-A30 Areas of 100-year flood; base flood elevations and flood hazard factors determined.
 - A99 Areas of 100-year flood to be protected by flood protection system under construction; base flood elevations and flood hazard factors not determined.
 - B Areas between limits of the 100-year flood and 500-year flood; or certain areas subject to 100-year flooding with average depths less than one (1) foot or where the contributing drainage area is less than one square mile; or areas protected by levees from the base flood. (Medium shading)
 - C Areas of minimal flooding. (No shading)
 - D Areas of undetermined, but possible, flood hazards.
 - V Areas of 100-year coastal flood with velocity (wave action); base flood elevations and flood hazard factors not determined.
 - V1-V30 Areas of 100-year coastal flood with velocity (wave action); base flood elevations and flood hazard factors determined.

NOTES TO USER

Certain areas not in the special flood hazard areas (zones A and V) may be protected by flood control structures.

This map is for flood insurance purposes only; it does not necessarily show all areas subject to flooding in the community or all planning features outside special flood hazard areas.

For adjoining map panels, see separately printed Index to Map Panels.

INITIAL DEDUPLICATION
 JUNE 17, 1970

CONVERSION TO REGULAR PROGRAM
 FEBRUARY 1, 1979

Refer to the CONVERSION TO REGULAR PROGRAM date shown on this map to determine when actual rates apply to structures in the zones where elevations or depths have been established.

To determine if flood insurance is available in this community, contact your insurance agent, or call the National Flood Insurance Program at (800) 638-6620, or (800) 423-8872.



NATIONAL FLOOD INSURANCE PROGRAM

FIRM FLOOD INSURANCE RATE MAP

PALM BEACH COUNTY, FLORIDA (UNINCORPORATED AREAS)

PANEL 25 OF 425
 (SEE MAP INDEX FOR PANELS NOT SHOWN)

COMMUNITY PANEL NUMBER 120192 0025 A

EFFECTIVE DATE: FEBRUARY 1, 1979

U.S. DEPARTMENT OF HOUSING AND URBAN DEVELOPMENT FEDERAL INSURANCE ADMINISTRATION