**Minutes for Team Signage Subcommittee** 

Meeting Date:  $\underline{1/30/2003}$ 

Task Team Meeting Date by Number Meeting Number Meeting Meeting Minutes Goals for NextMeeting Staff Initials Entering Info

Signage Subco

January 2003

<u>16</u>

Friday, January 31, 2003

Task Team Meeting Date by	Meeting Number	Meeting Date	Staff Attending	Minutes Go	als for NextMeeting	Staff Initals Entering Info
		1/30/2003	Aimee, Wendy, Ashok, see sign in sheet for subcmt members	1. Aimee updated subcmt on activities to date and upcoming meetings.  2. Discussion initially focused on overall sign code, the specific policy issues.  3. Height, size and setback - committee felt it is import to allow variation and be flexible; do not adopt one size fits all standards. Vary height and size based on locatio (roadway, square footage, and lot characteristics) - smaller, lower signs ok for neighborhood commercial b not SR7. Proposed 10 ft height with 5 ft BBL setback i too restrictive. Need larger signs for identification and safety reasons. BBL setbacks should not be required for signs.  4. Rural vs. urban - one size for all areas  5. Tie-in survey requirement is too burdensome, expensive.  6. Enforcement of existing provisions vs. strengthening would result in better signs (cite the violators).  7. Regarding monument only approach - don't limit to imonument signs, 50% base to width ratio is good approach as are pole covers. Don't count pole covers in face area. Ensure proportionality/scale of signs.  8. Regarding height and setbacks - Allow/require larger address signs. Ensure sign matches location - height, scale, size, etc. Control height by ROW width, landscaping, height of road and lot. Allow taller signs with greater setbacks.  9. Max # of signs per parcel is too restrictive.  10. Rural signs - do not restrict back lighting, many gon "rural" signs with ground lighting, or goose neck lighting require "rural" materials - but be flexible. 15 wattage of is too low - regulate foot candles instead. External lighting on landscaping in conjunction with signs = goo Maybe limit hours for lighting to business hours, or midnight.  11. Clarify code to allow one pair of entrance wall sign (not just one sign).  12. Clarify language regarding electronic message sign add "commercial" to page 21, line 4.  13. Amortization - good idea. Use a 7 or 10 year window. Also catch nonconforming signs at time of redevelopment or renovation. Need to do both, not just one. Consider addressing degree of conformity (allo	member comments for E ant workshop and provide s code changes.  n  ut s r  od od gg. aap d. s s s -	ommittee BCC

Friday, January 31, 2003

Task Team Meeting Date by Number Meeting Number Staff Attending Minutes Goals for NextMeeting Staff Initals Entering Info

Friday, January 31, 2003