County Administrator Robert Weisman



Department of Planning, Zoning & Building

2300 North Jog Road West Palm Beach, FL 33411 Phone: 561-233-5200 Fax: 561-233-5165

TITLE: ADOPTION HEARING
UNIFIED LAND DEVELOPMENT CODE (ULDC) AMENDMENT ROUND 2014-01

SUMMARY: The proposed ordinance will account for consistency with the Comprehensive Plan, correction of glitches and clarifications to the Unified Land Development Code (ULDC), as well as several specific amendments.

- Ordinance Title
- Exhibit A Privately Initiated Amendment (PIA) 2014-376 Bay Door Orientation
- Exhibit B Article 7, Landscaping
- Exhibit C Article 11, Subdivision, Platting, and Required Improvements
- Exhibit D Article 12, Traffic Performance Standards
- Exhibit E Article 13, Impact Fees
- Exhibit F Accessory Radio Towers
- Exhibit G Inland Logistics Center
- Exhibit H Northlake Boulevard Overlay Zone (NBOZ)
- Exhibit I URAO and IRO Alternative Parking Lot Design Options
- Exhibit J Residential Setback Exceptions and Zero Lot Line Encroachments
- Exhibit K RVPD Real Estate Sales Office
- Exhibit L Economic Development Center (EDC)
- Exhibit M Shooting Range, Outdoor
- Exhibit N Modifications to BCC and ZC Approvals
- Exhibit O Digital Fuel Price Signage

LDRAB/LDRC: The proposed code amendments were submitted for review to the Land Development Regulation Advisory Board (LDRAB) on March 26, 2014, April 23, 2014, May 28, 2014, June 25, 2014, and July 23, 2014 and the Land Development Regulation Commission (LDRC) on May 28, 2014 and June 25, 2014 (see attached for LDRAB Recommendations by Exhibit). All proposed ULDC amendments were found to be consistent with the Plan.

BCC Public Hearings: June 26, 2014, Request for Permission to Advertise for First Reading on July 24, 2014: Approved, 7 - 0. July 24, 2014 - Approve on First Reading and advertise for an Adoption Hearing on August 28, 2014. Approved, 7 - 0.

MOTION: TO ADOPT AN ORDINANCE OF THE BOARD OF COUNTY COMMISSIONERS OF PALM BEACH COUNTY, FLORIDA, AMENDING THE UNIFIED LAND DEVELOPMENT CODE, ORDINANCES 2003-067 AND 2003-070 AS AMENDED, AS FOLLOWS: ARTICLE 1 -GENERAL PROVISIONS; CHAPTER F; NONCONFORMITIES; CHAPTER I, DEFINITIONS AND ACRONYMS; ARTICLE 2 - DEVELOPMENT REVIEW PROCEDURES; CHAPTER A, GENERAL; CHAPTER D, ADMINISTRATIVE PROCESS; CHAPTER E, MONITORING; CHAPTER G, DECISION MAKING BODIES; ARTICLE 3 - OVERLAYS AND ZONING DISTRICTS; CHAPTER A, GENERAL; CHAPTER B, OVERLAYS; CHAPTER D, PROPERTY DEVELOPMENT REGULATIONS (PDRs); CHAPTER E, PLANNED DEVELOPMENT DISTRICTS (PDDs); CHAPTER F, TRADITIONAL DEVELOPMENT DISTRICTS (TDDs); ARTICLE 4 - USE REGULATIONS; CHAPTER A, USE CLASSIFICATION; CHAPTER B, SUPPLEMENTARY USE STANDARDS; ARTICLE 5 - SUPPLEMENTARY STANDARDS; CHAPTER B, ACCESSORY AND TEMPORARY USES; ARTICLE 6 - PARKING; CHAPTER A, PARKING; ARTICLE 7 - LANDSCAPING; CHAPTER C, MGTS TIER COMPLIANCE; CHAPTER D, GENERAL STANDARDS; CHAPTER E, REVIEW, INSTALLATION AND MAINTENANCE; CHAPTER F, PERIMETER BUFFER LANDSCAPE REQUIREMENTS; ARTICLE 8 - SIGNAGE; CHAPTER A, GENERAL; CHAPTER F, GENERAL PROVISIONS FOR ALL SIGN TYPES; CHAPTER G, STANDARDS FOR SPECIFIC SIGN TYPES; ARTICLE 11 - SUBDIVISION, PLATTING, AND REQUIRED IMPROVEMENTS; CHAPTER A, GENERAL REQUIREMENTS; CHAPTER B, SUBDIVISION REQUIREMENTS; CHAPTER D, PLATTING; CHAPTER E, REQUIRED IMPROVEMENTS; ARTICLE 12 - TRAFFIC PERFORMANCE STANDARDS; CHAPTER B, STANDARD; CHAPTER C, TRAFFIC IMPACT STUDIES; FEES; **PROVIDING** ARTICI F IMPACT CHAPTER A, GENERAL; 13 INTERPRETATION OF CAPTIONS; REPEAL OF LAWS IN CONFLICT; SEVERABILITY; SAVINGS CLAUSE; INCLUSION IN THE UNIFIED LAND DEVELOPMENT CODE; AND AN EFFECTIVE DATE.

U:\Zoning\CODEREV\2014\BCC Hearings\Round 2014-01\3 Adoption\1 Agenda Cover Sheet.docx



UNIFIED LAND DEVELOPMENT CODE (ULDC) AMENDMENT ROUND 2014-01

LAND DEVELOPMENT REGULATION ADVISORY BOARD (LDRAB) - RECOMMENDATIONS LAND DEVELOPMENT REGULATION COMMISSION (LDRC) - CONSISTENCY

MEETING DATES
JUNE 25, 2014
MAY 28, 2014
APRIL 23, 2014
MARCH 26, 2014

Exhibit	Title	LDF Recomm	RAB endation	LDRC Consistency		
		Date	Vote	Date	Vote	
Α	Privately Initiated Amendment (PIA) - Bay Door Orientation	5/28/14	13 - 0	5/28/14	13 - 0	
В	Art. 7, Landscaping	5/28/14	13 - 0	5/28/14	13 - 0	
С	Art. 11, Subdivision, Platting and Required Improvements	3/26/14	16 - 0	5/28/14	13 - 0	
D	Art. 12, Traffic Performance Standards	3/26/14	16 - 0	5/28/14	13 - 0	
Е	Article 13, Impact Fees	N/A	N/A	5/28/14	13 - 0	
F	SFWMD Accessory Radio Towers	5/28/14	13 - 0	5/28/14	13 - 0	
G	Inland Logistics Contar	5/28/14	12 - 0 *	5/28/14	12 – 0 *	
١	Inland Logistics Center	6/25/14	11 - 1	6/25/14	12 - 0	
Н	Northlake Boulevard Overlay Zone (NBOZ)	5/28/14	13 - 0	5/28/14	13 - 0	
I	URO/IRO Alternative Parking Lot	5/28/14	13 - 0	5/28/14	13 - 0	
J	Residential Setback Exceptions and Zero Lot Line Encroachments	5/28/14	13 - 0	5/28/14	13 - 0	
K	RVPD Real Estate Office	4/23/14	13 - 0	5/28/14	12 – 0 *	
L	Economic Development Center (EDC)	4/23/14	14 - 0	5/28/14	13 - 0	
М	Outdoor Shooting Range	5/28/14	13 - 0	5/28/14	13 - 0	
N	Modifications to BCC/ZC Approvals	4/23/14	14 - 0	5/28/14	13 - 0	
0	Digital Fuel Price Signage	5/28/14	13 - 0	5/28/14	13 - 0	
Notes:						
* One	member abstained from voting.					

1 2	ORDINANCE 2014
3 4 5 6 7 8 9 10 11 13 14 15 16 17 18 19 20 21 22 22 22 23 31 31 31 31 31 31 31 31 31 31 31 31 31	AN ORDINANCE OF THE BOARD OF COUNTY COMMISSIONERS OF PALM BEACH COUNTY, FLORIDA, AMENDING THE UNIFIED LAND DEVELOPMENT CODE, ORDINANCE 2003-067 AND 2003-070 AS AMENDED, AS FOLLOWS: ARTICLE 1 - GENERAL PROVISIONS; CHAPTER F; NONCONFORMITIES; CHAPTER I, DEFINITIONS AND ACRONYMS; ARTICLE 2 - DEVELOPMENT REVIEW PROCEDURES; CHAPTER A GENERAL; CHAPTER D, ADMINISTRATIVE PROCESS; CHAPTER E, MONITORING CHAPTER G, DECISION MAKING BODIES; ARTICLE 3 - OVERLAYS AND ZONING DISTRICTS; CHAPTER A, GENERAL; CHAPTER B, OVERLAYS; CHAPTER D, PROPERTY DEVELOPMENT REGULATIONS (PDRS); CHAPTER E, PLANNED DEVELOPMENT DISTRICTS (PDDS); CHAPTER F, TRADITIONAL DEVELOPMENT DISTRICTS (TDDS) ARTICLE 4 - USE REGULATIONS; CHAPTER A, USE CLASSIFICATION; CHAPTER B SUPPLEMENTARY USE STANDARDS; ARTICLE 5 - SUPPLEMENTARY STANDARDS CHAPTER B, ACCESSORY AND TEMPORARY USES; ARTICLE 6 - PARKING; CHAPTER A PARKING; ARTICLE 7 - LANDSCAPING; CHAPTER C, MGTS TIER COMPLIANCE CHAPTER D, GENERAL STANDARDS; CHAPTER E, REVIEW, INSTALLATION AND MAINTENANCE; CHAPTER F, PERIMETER BUFFER LANDSCAPE REQUIREMENTS ARTICLE 3 - SIGNAGE; CHAPTER A, GENERAL; CHAPTER F, GENERAL PROVISIONS FOR ALL SIGN TYPES; CHAPTER B, STANDARDS FOR SPECIFIC SIGN TYPES; ARTICLE 11 - SUBDIVISION, PLATTING, AND REQUIRED IMPROVEMENTS; CHAPTER A, GENERAL REQUIREMENTS; CHAPTER B, SUBDIVISION REQUIREMENTS; CHAPTER A, GENERAL REQUIREMENTS; CHAPTER B, SUBDIVISION REQUIREMENTS; CHAPTER A, GENERAL PROVIDING FOR INTERPRETATION OF CAPTIONS; REPEAL OF LAWS IN CONFLICT; SEVERABILITY SAVINGS CLAUSE; INCLUSION IN THE UNIFIED LAND DEVELOPMENT CODE; AND AN EFFECTIVE DATE. WHEREAS, Section 163.3202, Florida Statutes, mandates the County compile Land
32	Development Regulations consistent with its Comprehensive Plan into a single Land
33	Development Code; and
34	WHEREAS, pursuant to this statute the Palm Beach County Board of County
35	Commissioners (BCC) adopted the Unified Land Development Code (ULDC), Ordinance 2003
36	067, as amended from time to time; and
37	WHEREAS, the BCC has determined that the proposed amendments further a
38	legitimate public purpose; and
39	WHEREAS, the Land Development Regulation Commission has found these
40	amendments to the ULDC to be consistent with the Palm Beach County Comprehensive Plan
41	and
42	WHEREAS, the BCC hereby elects to conduct its public hearings on this Ordinance a
43	9:30 a.m.; and
44	WHEREAS, the BCC has conducted public hearings to consider these amendments to
45	the ULDC in a manner consistent with the requirements set forth in Section 125.66, Florida
46	Statutes.

47

48 NOW, THEREFORE, BE IT ORDAINED BY THE BOARD OF COUNTY COMMISSIONERS OF

49 PALM BEACH COUNTY, FLORIDA, as follows:

Section 1. Adoption

The amendments set forth in Exhibits listed below, attached hereto and made a part hereof, are hereby adopted.

- Privately Initiated Amendment (PIA) 2014-376 Bay Door Orientation Exhibit A
- 5 6 Exhibit B Article 7, Landscaping
- Exhibit C Article 11, Subdivision, Platting, and Required Improvements
- 7 Article 12, Traffic Performance Standards • Exhibit D
- 8 Article 13, Impact Fees Exhibit E
 - **Accessory Radio Towers** Exhibit F
- 10 • Exhibit G Inland Logistic Center
- Northlake Boulevard Overlay Zone (NBOZ) 11 Exhibit H
- 12 URAO/IRO Alternative Parking Lot Design Options Exhibit I
- Residential Setback Exceptions and ZLL Encroachments 13 Exhibit J
- 14 • Exhibit K **RVPD Real Estate Sales Office**
- Economic Development Center (EDC) 15 • Exhibit L
- Outdoor Shooting Range • 16 Exhibit M
- 17 Exhibit N Modifications to BCC and ZC Approvals
- 18 Exhibit O Digital Fuel Price Signage

19

20

21

22

1

2

3

4

9

Section 2. Interpretation of Captions

All headings of articles, sections, paragraphs, and sub-paragraphs used in this Ordinance are intended for the convenience of usage only and have no effect on interpretation.

23

24

25

26

Section 3. Repeal of Laws in Conflict

All local laws and ordinances in conflict with any provisions of this Ordinance are hereby repealed to the extent of such conflict.

27

28

29

30

31

Section 4. Severability

If any section, paragraph, sentence, clause, phrase, word, map, diagram, or any other item contained in this Ordinance is for any reason held by the Court to be unconstitutional, inoperative, void, or otherwise invalid, such holding shall not affect the remainder of this Ordinance.

33

34

35

36

37

38

39

40

32

Section 5. Savings Clause

All development orders, permits, enforcement orders, ongoing enforcement actions, and all other actions of the Board of County Commissioners, the Zoning Commission, the Development Review Officer, Enforcement Boards, all other County decision-making and advisory boards, Special Masters, Hearing Officers, and all other County officials, issued pursuant to the regulations and procedures established prior to the effective date of this Ordinance shall remain in full force and effect.

1	Section 6. Inclusion in the Unified Land Development Code				
2	The provisions of this Ordinance shall be codified in the Unified Land Development Code				
3	and may be reorganized, renumbered or re-lettered to effectuate the codification of this				
4	Ordinance.				
5					
6	Section 7. Providing for an Effective Date				
7	The provisions of this Ordinance shall become effective upon filing with the Department				
8	of State.				
9					
10	APPROVED and ADOPTED by the Board of County Commissioners of Palm Beach				
11	County, Florida, on this the day of, 20				
12					
	SHARON R. BOCK, CLERK & PALM BEACH COUNTY, FLORIDA, BY ITS BOARD OF COUNTY COMMISSIONERS				
	By: By: Priscilla A. Taylor, Mayor				
	APPROVED AS TO FORM AND LEGAL SUFFICIENCY				
13	By: County Attorney				
14 15	EFFECTIVE DATE: Filed with the Department of State on the day of				
16	, 20				

EXHIBIT A

PRIVATELY INITIATED AMENDMENT (PIA) 2014-376 BAY DOOR ORIENTATION SUMMARY OF AMENDMENTS

1 2 3		DC Art.4.B.1.A.107.f, Bay Door Orientation [Related to Repair and Maintenance eneral] (page 87 of 171), is hereby amended as follows:
4	CHAPTER B	SUPPLEMENTARY USE STANDARDS
5	Section 1	Uses
6 7 8 9		tions and Supplementary Standards for Specific Uses epair and Maintenance, General Bay Door Orientation 1) Residential
10 11 12		Service bay doors shall not face any residential district, FLU designation, or use except as follows:unless separated by an arterial or collector street. [Ord. 2005 - 002]
13		1) Buffer Requirements
14		a) Bay doors adjacent facing to an arterial or collector street a minimum of 80 feet in
15		width shall require provide a R-O-W buffer upgraded to include a minimum six
16		foot high landscape barrier. Type 2 incompatibility buffer.
17		2) Bay DoorsFacing a Residential District or Use
18		b) Bay doors facing a residential <u>zoning</u> district, <u>FLU</u> , or use <u>may be allowed subjec</u>
19		to one of the following standards: separated by an arterial or collector street shall
20		require a Type 3 incompatibility buffer.
21		(1) If separated by a local commercial street, the R-O-W buffer shall be
22		upgraded to include a minimum six foot high landscape barrier and a wall.
23		(2) If separated by a parcel with a nonresidential use such as utilities, canal R-O
24		W, easements, FDOT or County drainage a minimum of 80 feet in width shall
25		provide a Type 3 Incompatibility Buffer with double the number of trees and a
26		two and one half foot high berm.
27		23) Infill Redevelopment Overlay (IRO) and Priority Redevelopment Areas (PRAs)
28		Bay doors shall not be oriented towards perimeter streets. [Ord. 2010-005] [Ord
29		2010-022]

<u>Underlined</u> indicates <u>new</u> text.

Stricken indicates text to be deleted. Stricken and italicized means text to be totally or partially relocated. If being relocated destination is noted in bolded brackets [Relocated to:].

Italicized indicates text to be relocated. Source is noted in bolded brackets [Relocated from:].

ARTICLE 7 - LANDSCAPING SUMMARY OF AMENDMENTS

2	Part 1. Ul	DC Art. 7.C.1, U/S Tier (page 14 of 50), is hereby amended as follows:
3	CHAPTER C	MGTS TIER COMPLIANCE
4	Section 1	U/S Tier
5 6 7 8 9	accents, forma	n the U/S Tier should have a higher level of detail and more structure, such as pedestrian all or meandering arrangements in perimeter landscape and buffers, street tree plantings, ections between pedestrian and vehicular areas
10 11		DC Table 7.C.3, Minimum Tier Requirements (page 16 of 50), is hereby amended as llows:
12	CHAPTER C	MGTS TIER COMPLIANCE
13	Section 3	Exurban and Rural Tiers
14 15 16		
17 18 19 20 21		(This space intentionally left blank)

- <u>Underlined</u> indicates <u>new</u> text.

 <u>Stricken</u> indicates text to be <u>deleted</u>. If being relocated, or partially relocated, destination is noted in bolded brackets [Relocated to:] or [Partially relocated to:]. Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].
- A series of four bolded ellipses indicates language omitted to save space.

Table 7.C.3 - Minimum Tier Requirements

	r	The Requirements	
Code Requirements	U/S Tier ⁸	AGR and Glades Tiers	Exurban and Rural Tiers
	Landscap	pe Buffers ⁷	
Preferred Design	Linear design, fFormal or meandering arrangement of elements, traversing sidewalks	Meandering, more naturalistic with shrub cluster and varying heights	Increased depth, buffers often adjacent to interior open space, unimproved pathway surfaces
Berms	Optional	Optional	No ¹
Fences/Walls	Optional ²	Optional ²	Optional ^{2, 3}
Layers of Shrubs and Ground Cover ⁴	3	4	3
	Interior Lar	ndscaping ^{7<u>.9</u>}	
Minimum Tree Quantities – <u>Zero</u> <u>_ot Line, Single Family</u> Residentia <u>l,</u> <u>and Townhouse</u> Lot <u>s</u>	1 per 1,250 sq. ft. (max. 15)	1 per 1,000 sq. ft. (max. 30)	1 per 800 sq. ft. (max. 30)
Minimum Tree Quantities – Multi- amily Residential Lots	1 per 1,250 sq. ft.	1 per 1,000 sq. ft.	1 per 800 sq. ft.
Minimum Tree Quantities – Non- Residential Lot	1 per 2,000 sq. ft.	1 per 1,500 sq. ft.	1 per 1,200 sq. ft.
Minimum Shrub Quantities – Zero Lot Line, Single Family Residential, and Townhouse Lots 5	3 per 1,250 sq. ft. (max. 45)	3 per 1,000 sq. ft. (max. 90)	3 per 800 sq. ft. (max. 90)
Minimum Tree Quantities –Multi- amily Residential Lots	3 per 1,250 sq. ft.	3 per 1,000 sq. ft.	3 per 800 sq. ft.
Minimum Shrub Quantities – Non- Residential Lot ⁵	3 per 2,000 sq. ft.	3 per 1,500 sq. ft.	3 per 1,200 sq. ft.
nterior Islands	1 per 10 spaces	1 per 8 spaces	1 per 6 spaces
nterior Islands Landscape Width	8-ft.	10 ft.	12 ft.
Protective Curbing	Yes	Yes	Optional
	Plant St	andards ⁷	
Minimum Tree Height (Perimeter)	12 ft.	12 ft.	12 ft.
Minimum Tree Height (Interior)	12 ft.	12 ft. (average)	12 ft. (average)
Palms Substitute (3 palms for 1 ree)	Yes	Yes – Native clusters only	Yes – Native clusters only
	Foundation	n Planting ^{6, 7}	
Foundation Planting Width	5 ft. along front façades 8 ft. along side façades	10 ft. all sides	12 ft. all sides
Facades to be Planted	Front & Sides	Front, Sides & Rear	Front, Sides & Rear
Percentage of Façade	40 percent	50 percent	60 percent

[Ord. 2005-002] [Ord. 2006-004] [Ord. 2009-040] [Ord. 2010-022] [Ord. 2011-001]

Notes:

- May be allowed with an approved ALP.
- Landscape requirements (including walls and fences) for Incompatibility buffers, refer to Table 7.F.9.A, Incompatibility Buffer Standards. [Ord. 2009-040]
- 3. Walls and fences shall be built from natural materials, including but not limited to: wood, stone, etc. [Ord. 2009-040]
- This requirement is only for Perimeter R-O-W Buffers. Applicants shall also reference Table 7.F.7.B, Shrub Planting Requirements for installation size, quantity, spacing and maturity height for perimeter and interior shrub planting. [Ord. 2009-040]
- Interior quantities for trees and shrubs planting shall be calculated based on gross lot area, excluding preservation areas and lake tracts. [Ord. 2009-040]
- 6. TDDs, LCC, IRO and PRA Development Orders are exempt from foundation planting requirements for primary and secondary, or other similar types of building frontages, buildings along an alleyway or accessway to a parking area, or where buildings front on a plaza or square. [Ord. 2005-002] [Ord. 2006-004] [Ord. 2010-022]
- Deviations shall be permitted for publicly owned and operated public parks in accordance with Art. 5.D.2.G, Public Park Landscape Standards [Ord. 2006-004] [Ord. 2011-001]
- U/S Tier standards may be applied to a PUD or TDD with a village center, civic site, or suburban center, general or edge subarea. [Ord. 2010-022]
- Tree and shrub planting requirement calculations for Zero Lot Line and Single Family Residential Lots shall be based upon gross logarea minus the building coverage for the principal residential structure. The building coverage percentage shall be based upon the zoning district and the applicable property development regulations

2

- Notes:
 Underlined indicates new text.
- Stricken indicates text to be deleted. If being relocated, or partially relocated, destination is noted in bolded brackets [Relocated to:] or [Partially relocated to:].
- Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].
- A series of four bolded ellipses indicates language omitted to save space.

ARTICLE 7 - LANDSCAPING SUMMARY OF AMENDMENTS

Part 3. ULDC Art. 7.D.2, Trees (page 18 - 20 of 50), is hereby amended as follows:

3 CHAPTER D GENERAL STANDARDS

4 Section 2 Trees

5

6

7

8

9

10 11

12

13

14 15

16

17 18

19

20

21 22

23

24

25 26

27

28 29

30 31

A. Canopy Trees

Canopy trees are shall be subject to the following standards. All canopy trees shall be container grown or root pruned in accordance with acceptable horticultural practices.

1. Minimum Height

Canopy trees shall meet the height standards in Table 7.C.3. Minimum Tier Requirements and Figure 7.D.2.A-2, Canopy Three Measurement Standards, at installation. Up to

a. Height Reduction

A maximum of 25 percent of the total number of required interior trees may be reduced in height by 25 percent, provided that an One additional tree, at least a minimum of eight feet in height, is shall be planted for each tree with reduced height.

2. Minimum Canopy Spread and Caliper

The minimum canopy spread and caliper shall be consistent with the most current edition of the Florida Grades and Standards Six feet.

3. Minimum Caliper

Two-and-a-half inches

C. Pines

Pines, planted in groups of three may be substituted for one required canopy tree. Pines may not be used in excess of 25 percent of the total number of required canopy trees. When using pines in a perimeter buffer, refer to Article 7.F.2.A,3 Pines.

D. Tree Credit

...

3. Tree Credit Formula

Existing trees shall be credited according to the formula in Table 7.D.2.D, Canopy Tree Credit and Replacement.

Table 7.D.2.D -Tree Credit and Replacement

Crown Spread of Tree	Or	Diameter at 4.5 Feet Above Grade	=	Credits or Replacements
Less than 5 Ft.	or	Less than 2 in.	=	0
5-9 Ft.	or	2-6 in.	=	1
10-19 Ft.	or	7-11 in.	=	2
20-29 Ft.	or	12-16 in.	=	3
30-39 Ft.	or	17-21 in.	=	4
40-49 Ft.	or	22-26 in.	=	5
50-59 Ft.	or	27-31 in.	=	6
60-89 Ft.	or	32-36 in.	=	7
90 Ft. or Greater	or	37 in. or more	=	8

Notes

- Preserved or relocated, or new slash pines a minimum of 14 feet in height may count as one required canopy tree.
- Fractional measurements shall be rounded down.

5. One paint may count as one required paint carlopy tre

32 33 34

35

36

37

38 39

40 41

42 43

44 45

Part 4. ULDC Art. 7.D.3, Shrubs and Hedges (page 20 of 50), is hereby amended as follows:

CHAPTER D GENERAL STANDARDS

Section 3 Shrubs and Hedges

A. Shrubs

Required shrubs are subject to the standards in Table 7.C.3, Minimum Tier Requirements, and the dimension standards in Table 7.F.7.B, Shrub Planting Requirements.

B. Hedges

1. Residential Hedge Height

Hedges may be planted and maintained along or adjacent to a <u>residential</u> lot line. **[Ord. 2005 -002]**

a. <u>Hedges shall not exceed four feet in height when located within the required front setback.</u> Within required front setback: four feet. [Ord. 2005 – 002]

- <u>Underlined</u> indicates <u>new</u> text.
- Stricken indicates text to be deleted. If being relocated, or partially relocated, destination is noted in bolded brackets [Relocated to:] or [Partially relocated to:].
- Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].
- A series of four bolded ellipses indicates language omitted to save space.

ARTICLE 7 - LANDSCAPING SUMMARY OF AMENDMENTS

- b. Hedges shall not exceed eight feet in height when located on or adjacent to the side, side street, or rear property lines. Within required side, side street (to the required front setback) and rear setback: eight feet. [Ord. 2005 002]
- The height shall be measured adjacent to the hedge from the lowest grade on either side of the hedge. [Ord. 2005 – 002]
- 2. PDD and Non-residential Perimeter Buffer Hedge Height
 - a. Hedges shall not exceed 12 feet in height. Maximum height: 12 feet. [Ord. 2005 002]
 - b. The hedge height in a landscape barrier shall be measured in accordance with Art. 7.D.14, Grade Changes. [Ord. 2005 002]

3. Shrub Replacement

Required shrubs may be planted in the form of a hedge provided the minimum quantities are installed pursuant to Table 7.C.3, Minimum Tier Requirements, and shall be subject to the following: Hedges may be used in place of required shrubs, subject to the following standards and the hedge height provisions above. [Ord. 2005 – 002]

a. Minimum Height at Installation

Hedge material shall be a minimum of 24 inches at the time of installation.

b. Minimum Height Within Two Years of Planting
Three feet.

eb. Minimum Spacing at Installation

Hedge material shall be planted a maximum of 24 inches on center, or as may be adjusted in the field based upon the type of plants utilized with a maximum spacing of 36 inches on center. [Ord. 2005 – 002]

Part 5. ULDC Art. 7.D.11, Foundation Plantings (page 24 of 50), is hereby amended as follows:

CHAPTER D GENERAL STANDARDS

Section 11 Foundation Plantings

Foundation plantings shall be provided along façades as required by Table 7.C.3, Minimum Tier Requirements, for non-residential structures unless specifically exempted by this Section. Required plant material may be located within 30 feet of the foundation, along Along the front and side facades of with drive-through establishments, including Freestanding ATMs, plantings may be located within 30 feet of the foundation or the required plantings may be relocated to an adjacent façade. All required foundation plantings shall be planted with include a minimum of one tree or palm for each 20 linear feet of building facade and one shrub appropriate shrubs or ground cover for every 10 square feet of planting area. The relocation Relocation of required foundation plantings may be approved by the DRO Zoning Division provided the minimum required square footage of the planting area is maintained if adjacent to a landscape buffer. [Ord. 2013-021]

 Part 6. ULDC Art. 7.E.6., Pruning After Installation (page 33 of 50), is hereby amended as follows:

CHAPTER E REVIEW, INSTALLATION AND MAINTENANCE

Section 6 Pruning After Installation

A. General Pruning Requirements

1. A maximum of one-fourth of the tree canopy may be removed from a tree within a one year period, provided that the removal conforms to the standards of crown reduction, crown cleaning, crown thinning, crown raising, vista pruning, and crown restoration pruning techniques. All pruning shall comply with the most recent published version of the American National Standards Institute, ANSI 300-2001 provisions related to (Ttree, Sshrub and other Wwoody Pplant Mmaintenance), as amended. The crown of a tree required by this Code or condition of approval shall not be reduced below the minimum spread or height requirements of Article 7.D.2.A, Canopy Trees, or specific conditions of approval. A tree which is pruned in excess of these requirements shall be replaced with a tree that meets the minimum requirements of Article 7.D.2.A, Canopy Trees, and Table 7.D.2.D, Tree Credit and Replacement.

- <u>Underlined</u> indicates <u>new</u> text.
- Stricken indicates text to be deleted. If being relocated, or partially relocated, destination is noted in bolded brackets [Relocated to:] or [Partially relocated to:].
- Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].
- A series of four bolded ellipses indicates language omitted to save space.

ARTICLE 7 - LANDSCAPING SUMMARY OF AMENDMENTS

- 1 Part 7. ULDC Art. 7.F.1, Buffer Types (page 35 of 50), is hereby amended as follows:
- 2 CHAPTER F PERIMETER BUFFER LANDSCAPE REQUIREMENTS
- 3 Landscape buffers shall be installed and maintained in accordance with the following standards.
- 4 Section 1 Buffer Types
 - A. R-O-W

R-O-W buffers shall be provided along all street R-O-W, except for alleys.

1. Exceptions Exemptions

R-O-W buffers are not required for individual single-family residential, ZLL, or townhouse lots.

.

10 11 12

15

16

17

18

19

20 21

22

5 6

7

8

9

Part 8. ULDC Art. 7.F.6 Buffer Width Reduction (page 37 of 50), is hereby amended as follows:

- 13 CHAPTER F PERIMETER BUFFER LANDSCAPE REQUIREMENTS
- 14 Section 6 Buffer Width Reduction

The required buffer width may be reduced by 50 percent where a project is separated from a R-O-W by a canal, lake, open space, or combination thereof, with a minimum width of 80 feet subject to DRO approval. The DRO may reduce the required incompatibility buffer width by 50 percent for pods adjacent to a canal, lake, or open space area 100 feet in width or if the same type of buffer exists on the adjacent property. The width of compatibility buffers shall not be reduced. The quantity required number of canopy trees or palms shall not be reduced. The required quantity of shrubs plant material shall not may be reduced in proportion to the reduction in the buffer width, a maximum of 50 percent, to ensure the viability of the material. A minimum of five clear feet for planting, or ten feet if a wall with a continuous footer is used, shall be maintained.

29

30 31

32

33 34

- Part 9. ULDC Art. 7.F.9.E, Special Standards (page 41 of 50), is hereby amended as follows:
- 27 CHAPTER F PERIMETER BUFFER LANDSCAPE REQUIREMENTS
- 28 Section 9 Incompatibility Buffer
 - E. Special Standards

The DRO may require shall require the installation of incompatibility buffers for uses such as recreation and civic pods, areas, or tracts within a residential subdivision or PUD pod. The applicant may apply for a Type I Waiver, pursuant to Article 2.D.7, to waive be relieved of the requirement to install the incompatibility buffer for pods adjacent to open space that is 100 feet or greater in width.

- <u>Underlined</u> indicates <u>new</u> text.
- Stricken indicates text to be deleted. If being relocated, or partially relocated, destination is noted in bolded brackets [Relocated to:] or [Partially relocated to:].
- Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].
- A series of four bolded ellipses indicates language omitted to save space.

ARTICLE 11 – SUBDIVISION, PLATTING, AND REQUIRED IMPROVEMENTS SUMMARY OF AMENDMENTS

Part 1.		.DC Art. 1.F.2.A.2, Legal Lot of Record (page 18 of 119), is hereby amended as lows:
CHAPT	ER F	NONCONFORMITIES
Section	າ 2	Nonconforming Lot
Α.	Applic	ability
		gal Lot of Record
		e lot complies with one of the following: [Ord. 2008-037] [Ord. 2010-005]
	a.	Is depicted on either a plat of record, affidavit of exemption, or affidavit of waiver; or , plat
		waiver, or lot combination; or [Ord. 2008-037] [Ord. 2010-005]
		· · · · · · · · · · · · · · · · · · ·
Part 2.	111	.DC Art. 1.I.2., Definitions (page 55, 75 of 119), is hereby amended as follows:
		DEFINITIONS & ACRONYMS
CHAPT		
Section	າ 2	Definitions
	_	
D.	Terms	defined herein or referenced Article shall have the following meanings:
		Called March 1981 and
		tch – For the purposes of Art. 11, a swale that is three feet or greater in depth from the top
		bank to the invert and with the capacity of temporarily containing or conveying stormwater
		noff.
	LKenul	mber Accordingly]
M.		defined herein or referenced Article shall have the following meanings: aster Plan or Site Plan
	b.	For the purposes of Art. 11 and 12, a Master Plan or Site Plan shows how parcels and uses in a mixed-use development will integrate with one another. The Master or Site Plan dictates access, mitigation strategies, the build-out timeframe and shall be the controlling document for a mixed-use development. Approval of a Master Plan or Site Plan shall be binding upon the landowners subject to the Development Order, their successors and assigns, and shall constitute development regulations for the land. Development of the land shall be limited to the uses, intensities, access, configuration, mitigation strategies, and all other elements and conditions set forth in the Master Plan or Site Plan. Requirements for the submittal of a preliminary master or site plan and a final master or site plan to the Zoning Division are indicated in Art. 2 pursuant to the type of zoning application being submitted. [Ord. 2006-036] [Ord. 2009-040]
S.	136. S v	defined herein or referenced Article shall have the following meanings: vale – for the purpose of Art. 11 and 15, a stabilized and graded depression designed to nivey stormwater runoff and retain water for only a brief period following a rainfall event.
Part 3.		DC Art. 11.A.1.B, Purpose and Intent [Related to Article 11 General Provisions] age 7 of 47), is hereby amended as follows:
CHAPT	ER A	GENERAL REQUIREMENTS
Section	າ 1	General Provisions
R	Purno	se and Intent
٠.		pecific provisions of this article shall be applied and interpreted in a manner consistent with
	-	purpose and intent to:
		h - L
	8. En	sure provision of public and private parks and recreation areas to accommodate the
		ditional population of new subdivisions in accordance with the objectives of the Recreation
		en Space Element of the Plan;
		mber Accordingly]
	-	

Notes:

<u>Underlined</u> indicates <u>new</u> text. If being relocated destination is noted in bolded brackets [Relocated to:]. <u>Stricken</u> indicates text to be <u>deleted</u>.

Italicized indicates text to be relocated. Source is noted in bolded brackets [Relocated from:].

ARTICLE 11 – SUBDIVISION, PLATTING, AND REQUIRED IMPROVEMENTS SUMMARY OF AMENDMENTS

Part 4. ULDC Art. 11.A.3.B, Required Improvements Installation Requirement (page 8 of 47), is hereby amended as follows:

3 CHAPTER A GENERAL REQUIREMENTS

Section 3 General Requirements

B. Required Improvements Installation Requirement

The adequacy of necessary public or private facilities and services for traffic and pedestrian access and circulation, public schools, solid waste, wastewater disposal, potable water supply, stormwater management, fire-rescue, parks and recreation and similar facilities and services, and potential adverse impacts on adjacent land uses and facilities shall be considered in the review of all development proposals.

Part 5. ULDC Art. 11.A.4, Application of Ordinance (page 9 of 47), is hereby amended as follows:

CHAPTER A GENERAL REQUIREMENTS

Section 4 Application of Ordinance

A. General Application

No person shall create a subdivision or develop any lot within a subdivision in unincorporated PBC except in conformity with this Article. No Final Plat or certified boundary survey of any subdivision shall be recorded unless such subdivision meets all applicable provisions of this Article, the provisions of other applicable PBC ordinances, and the applicable laws of the State of Florida. Provided, hHowever, that the subdivision of contiguous lands shall not be subject to compliance with the provisions of this Article where the lands are under single ownership with where none of the resulting lots being are less than 40 acres or where the remaining land is part of a development being platted in phases in accordance with a Master Plan approved by the DRO shall not be subject to compliance with the provisions of this Article, unless such compliance is required as a specific condition of a development order for a conditional use or special use approved pursuant to Article 2.C, FLU PLAN AMENDMENTS. [Ord. 2011-016]

B. Building Permits and Other Approvals

- Except as provided in this Section or elsewhere in the Code, no building permit shall be issued for any structure on any lot created by subdivision of land in violation of this Article unless and until such lot is shown on a plat of record or certified boundary survey, as applicable, recorded in the manner prescribed in this Article. [Ord. 2011-016]
- 2. Temporary structures, permanent structures having a temporary use, model homes and ancillary structures such as fences, buffer walls, and guardhouses may receive a building permit prior to recordation of the Final Plat for the property only when the use and location have been approved by the DRO and shown on the approved Final Subdivision Plan. Such approval, however, shall not in any way relieve the developer from the obligation to correct any and all nonconforming setbacks, separations, or encroachments due to inconsistencies between the location of said structures and lot, street, or easement boundaries as established by the applicable recorded plat.

 Part 6. ULDC Art. 11.A.5.A, Active Subdivision Development (page 9 of 47), is hereby amended as follows:

CHAPTER A GENERAL REQUIREMENTS

Section 5 Previously Approved or Platted Subdivisions

A. Active Subdivision Development

All active subdivision developments and all modifications to previously platted subdivisions shall be subject to the requirements of this Article in accordance with the provisions of Article 1.E, PRIOR APPROVALS.

3. Abandonment of Active Subdivision Plan or Preliminary Plat

When the developer fails to seek subsequent approvals and permits within the time frames required by this Article, such failure shall be evidence that the active subdivision plan or preliminary plat has been abandoned and all approvals granted for the subdivision plan, construction plans, or preliminary plat, as applicable, shall be deemed void.

4. Authority of the Development Review Officer (DRO)

Notes:

<u>Underlined</u> indicates <u>new</u> text. If being relocated destination is noted in bolded brackets [Relocated to:]. <u>Stricken</u> indicates text to be <u>deleted</u>.

ARTICLE 11 – SUBDIVISION, PLATTING, AND REQUIRED IMPROVEMENTS SUMMARY OF AMENDMENTS

The DRO shall have the authority to review any previously approved subdivision development which does not meet the strict requirements of this Article and to declare the preliminary and final subdivision plan, preliminary or final site plan (and accompanying construction plans), site plan, as applicable, to be an active approval when the DRO finds that such declaration would be in accordance with the purpose and intent of this Article and in the best interest of the general public. Such review shall be made upon application by either the developer or the County Engineer, which application shall be on a form prescribed by the DRO.

[Renumber Accordingly]

Part 7. ULDC Art. 11.A.6.B., Subdivision of Commercial and Industrial Building Sites (page 11 of 47), is hereby amended as follows:

CHAPTER A GENERAL REQUIREMENTS

Section 6 Planned Developments

B. Subdivision of Commercial and Industrial Building Sites

A building site which constitutes all or a portion of a pod designated for commercial or industrial use within on the preliminary development plan of a planned development, and for which the detailed development configuration and building permit issuance are subject to prior approval by the DRO of a final site plan, may be exempted by the County Engineer from the subdivision recordation requirement of Article 11.A.4.B.1, and may be subdivided by fee title conveyance of individual internal lots. Such exemption may be granted by the County Engineer provided that:

....

 Part 8. ULDC Art. 11.A.7., Phased Developments (page 11 of 47), is hereby amended as follows:

CHAPTER A GENERAL REQUIREMENTS

Section 7 Phased Developments

A. Phasing Plan

The property encompassed by a Master Plan or Final Subdivision Plan may be developed in two or more phases increments pursuant to the terms of this Section and applicable phasing provisions of Article 2.E.3, Supplementary Regulations for Classes of Development Orders. A Final Subdivision Plan showing the proposed phasing plan must be approved by the DRO prior to submission of the first plat. Construction plans and preliminary plats shall coincide with their respective phases as shown on the Final Subdivision Plan or Master Plan. Construction plans or a preliminary plat for a partial phase shall not be accepted.

B. Improvements

The improvements of each phase shall be capable of operating independently of any unconstructed phase with respect to drainage, access, utilities, and other required improvements, except as provided herein. A dependent phase may be platted only if the foundation phase plat has been recorded and required improvements have been completed or are under construction pursuant to a land development permit and are secured pursuant to a guaranty guarantee posted for completion of required improvements. A dependent phase shall not be acknowledged as completed until the improvements in the foundation phase are acknowledged as completed; provided, however, that such acknowledgment of completion may occur simultaneously and provided that the County Engineer may permit the posting of a guaranty guarantee to ensure the installation at a later time of those required improvements which are not deemed necessary to provide drainage, access, or utilities to such dependent phases.

C. Phasing Controls

The phasing plan and all phased construction shall be completed in accordance with any phasing controls and time frames required by this Code which are applicable to the development.

D. Time Limitation

When the Preliminary Subdivision Plan is approved for development in phases requiring more than one final plat, the duration of said approval shall be as specified by and subject to those provisions of Article 2.E, MONITORING, applicable to the development or phase thereof.

[Renumbered Accordingly]

Notes:

<u>Underlined</u> indicates <u>new</u> text. If being relocated destination is noted in bolded brackets [Relocated to:]. <u>Stricken</u> indicates text to be <u>deleted</u>.

ARTICLE 11 – SUBDIVISION, PLATTING, AND REQUIRED IMPROVEMENTS SUMMARY OF AMENDMENTS

Part 9. ULDC Art. 11.A.8, Exceptions to General Requirement (page 12-14 of 47), is hereby amended as follows:

CHAPTER A GENERAL REQUIREMENTS

Section 8 Exceptions to General Requirements

A. Authority

The County Engineer is hereby empowered to make certain exceptions to the platting requirement of Article 11.A.3.A, Platting Requirement, and required improvements installation requirement of Article 11.A.3.B, Required Improvements Installation Requirement, in accordance with the standards and procedures set forth in this Section.

B. Certified Abstracted Boundary Survey

When approved by the County Engineer, a certified abstracted boundary survey may constitute the Subdivision Plan and when the subdivision is not encompassed by a Final Subdivision Plan approved pursuant to Article 2.D.1, Development Review Officer.

BC. Plat Waiver with Certified Boundary Survey

If, after review of the preliminary subdivision plan, the County Engineer determines that the proposed subdivision meets one of the conditions specified in Article 11.A.8.B C.1, Application for Plat Waiver, the requirement to file a plat may be waived and an abstracted boundary survey shall be recorded in lieu of a plat along with an affidavit documenting approval of said waiver and restrictive covenants applicable to the subdivision, as prescribed by this Article. [Ord. 2011-016]

1. Application for Plat Waiver

In order to determine whether platting may be waived, the developer shall submit a <u>certified</u> <u>abstracted boundary survey or preliminary subdivision plan—in accordance with the requirements of Article 11.B.1, Preliminary Subdivision Plan, together with a statement demonstrating that the subdivision meets at least one of the following conditions:</u>

- a. The division is for the purpose of constructing not more than one townhouse building in compliance with applicable use regulations and standards pursuant to Article 3.C, STANDARD DISTRICTS:
- b. The division is to create no more than three contiguous lots and all of the following circumstances apply:
 - 1) The land concerned is isolated or removed in its relationship to platted lands;
 - 21) Dedications or reservations are not required for the installation or maintenance of the required improvements; and
 - 32) The improvements and dedications existing on the land are substantially in accordance with the requirements of this Article.

....

3. Effect of Approval

The approved abstracted boundary survey shall constitute the approved Final Subdivision Plan for the subdivision when such subdivision is not encompassed by a Final Subdivision Plan approved pursuant to Article 2.D.1, Development Review Officer. The granting of a plat waiver in no manner reduces or waives the requirements of Article 11.B.13, Technical Compliance through Article 11.B.57, Construction of Required Improvements, governing construction plan approval, land development permit issuance, and installation of the required improvements. Failure by the applicant to submit all documents required for the recordation of the affidavit of waiver within six months of approval by the County Engineer shall void said approval. [Ord. 2011-016]

CD. Lot Combination with Abandoned Right of Way and Combination of Lots

Right of way abandoned by Resolution of the BCC may be combined into an adjoining lot of record. A lot may also be combined with an adjoining lot or lots resulting in an overall decrease in the number of lots provided that there are no interior easements along the common lot line(s) that prevent the combination of the lots and that the new lot configuration decreases any existing non-conformities. The revised single lot of record may be created by one of the following: [Ord. 2010-022]

₽<u>E</u>. Exceptions to Installation of Improvements Requirement

If, after review of the preliminary subdivision plan, the County Engineer determines that certain improvements already existing on the proposed subdivision site are adequate to meet the intent of the required improvements requirement of this Article, the installation of those required improvements may be waived.

1. Application for Required Improvement Installation Waiver

The developer shall submit a Preliminary Subdivision Plan, or when approved a certified abstracted boundary survey, in accordance with the requirements of Article 11.B.1, Preliminary Subdivision Plan, together with a statement demonstrating that the applicable improvement(s) and associated dedications existing on the land and serving the proposed lot(s) are substantially in accordance with the requirements of this Article.

Notes:

<u>Underlined</u> indicates <u>new</u> text. If being relocated destination is noted in bolded brackets [Relocated to:]. <u>Stricken</u> indicates text to be <u>deleted</u>.

Italicized indicates text to be relocated. Source is noted in bolded brackets [Relocated from:].

ARTICLE 11 – SUBDIVISION, PLATTING, AND REQUIRED IMPROVEMENTS SUMMARY OF AMENDMENTS

2. Effect of Approval

The granting of a required improvement(s) installation waiver in no manner reduces or waives the requirement of this Article to file a plat and to comply with applicable provisions of Article 11.B.13, Technical Compliance, through Article 11.B.57, Construction of Required Improvements, with regard to all required improvements not specifically waived.

<u>EF</u>. Contents of Applications

Applications made pursuant to this Article shall be submitted in a form established by the County Engineer, prescribed in the Land Development Forms Manual, and made available to the public. Contents of said applications shall include the submittal requirements for preliminary subdivision plans contained in Article 11.B.1, Preliminary Subdivision Plan.

EG. Administration of Exceptions to General Requirements

The County Engineer shall review and act on applications for exceptions to this Article pursuant to Article 11.A.8, Exceptions to General Requirements. Such authority shall include the power to:

- 1. Waive compliance with the procedures of Article 11.B.13, Technical Compliance, through Article 11.B.57, Construction of Required Improvements, when the County Engineer finds that compliance with such procedures is unnecessary because:
- 4. Upon determining the facts of each application, determine whether: the proposal makes adequate provisions for public requirements, including safe and convenient vehicular and pedestrian circulation, access, stormwater management, utilities, water supply and wastewater disposal. [Relocated from Art. 11.A.8.F.4.b below]
 - a. The proposal would be in harmony and compatible with present and future development of the area as contemplated under the Plan, and
 - b. The proposal makes adequate provisions for public requirements, including safe and convenient vehicular and pedestrian circulation, access, stormwater management, utilities, water supply and wastewater disposal. [Relocated to Art. 11.A.8.G.4. above]

Part 10. ULDC Art. 11.B., Subdivision Requirements (page 15 – 26 of 47), is hereby amended as follows:

CHAPTER B SUBDIVISION REQUIREMENTS

Section 1 Preliminary Subdivision Plan

A. Purpose of Preliminary Subdivision Plan

The purpose of the preliminary subdivision plan is to provide adequate and necessary descriptive information regarding proposed subdivision layout and improvements for review of applications made under Article 11.A.8, Exceptions to General Requirements, for plat waivers and for required improvement(s) installation waivers.

B. Professional Services Required

The developer shall retain the services of an engineer or surveyor and mapper to prepare the preliminary subdivision plan. The subdivision plan shall be coordinated with the major utility suppliers involved with providing services. Where septic tanks are proposed, a satisfactory subdivision analysis for septic tanks from the PBCHD shall be required. [Ord. 2010-022]

C. Contents of Application

The developer shall submit a written statement and drawing in the form established by the County Engineer, prescribed in the Land Development Forms Manual, and made available to the public.

Section 2 Final Subdivision Plan

A. Purpose

The purpose of the Final Subdivision Plan is to provide a multi-agency review at a level of detail adequate to identify and resolve basic errors, omissions, and conflicts in the proposed subdivision layout with respect to applicable agency concerns, code requirements, and surrounding land uses, prior to the preparation of the detailed preliminary plat(s) and associated construction plans for required improvements.

B. Applicability

Except as provided in Article 11.A.8.B, Plat Waiver with Certified Boundary Survey, the developer of every proposed subdivision shall be required to obtain approval of a Final Subdivision Plan from the DRO, pursuant to Article 2.D.1, Development Review Officer prior to submittal of a preliminary plat and construction plans for Technical Compliance approval pursuant to Article 11.B.3, Technical Compliance. [Ord. 2011-016]

C. Procedure

1. Application

Application for Final Subdivision Plan approval shall be made in accordance with Article 2.D.1, Development Review Officer.

Notes:

<u>Underlined</u> indicates <u>new</u> text. If being relocated destination is noted in bolded brackets [Relocated to:]. <u>Stricken</u> indicates text to be <u>deleted</u>.

2. Threshold Review Requirement

In order to be eligible to submit an application for Final Subdivision Plan review, the development shall have a currently valid certificate of threshold review, issued in accordance with and when required pursuant to Article 15.C, GENERAL THRESHOLD REVIEW. A copy of the currently valid certificate shall be attached to and made part of the application.

3. Contents of Application

The application shall be submitted in a form established by the Zoning Director, and made available to the public. Contents of said application shall include, but not necessarily be limited to:

- A unified drawing describing existing site conditions, proposed streets, proposed lot layout, and other applicable development features in pictorial, note, or tabular form as appropriate;
- b. An internal traffic circulation analysis prepared by a professional engineer, adequate for determining the required classification of streets, the number of lanes, the requirement for traffic lights and other traffic control devices, and the capacity of the street system proposed or affected by the development, as well as the phasing of improvements;
- c. A preliminary stormwater management plan outlining the conceptual tertiary and secondary stormwater management facilities proposed for proper development of the subdivision, and prepared by a registered professional authorized through licensure by the State of Florida to perform such conceptual level of design for said stormwater management system; and
- d. A statement that all applicable utility providers have agreed to serve the subdivision, except that where septic tank systems are proposed, a satisfactory subdivision analysis for septic tanks from the PBCHD shall also be submitted.

4. Resubmittals

Final Subdivision Plan resubmittals required to address corrections or revisions requested by the DRO or for any modification by the developer shall be made in accordance with the applicable requirements of Article 2.D, ADMINISTRATIVE PROCESS.

D. Development Review Committee Action (DRO)

The DRO shall inform the developer that the plan and data as submitted do or do not meet the applicable provisions of this Article in accordance with the procedures established pursuant to Article 2.D, ADMINISTRATIVE PROCESS.

E. Duration of Final Subdivision Plan Approval

The duration of Final Subdivision Plan approval shall be as specified by and subject to those provisions of Article 2.E, MONITORING, applicable to the development.

Section 13 Technical Compliance

A. Purpose

The purpose of Technical Compliance is to provide a multi-agency review of the proposed subdivision plat and all applicable required improvement construction plans for conformance with technical and legal requirements of this Article, other applicable provisions of this Code, PBC Standards, and the approved Final Subdivision Plan or certified abstracted boundary survey (including any special conditions of approval) prior to application by the developer for issuance of a Land Development Permit and submittal of the Final Plat for recordation.

B. Application

Prior to the expiration of the Final Subdivision Plan approval, where applicable, and prior to commencing construction of required improvements, the developer shall have prepared and shall submit to the County Engineer an application for Technical Compliance review, which shall be accompanied by the required fee and the required number, as established by the County Engineer, of the following documents and information, as applicable to the subdivision or approved phase thereof. Within three days of receipt of an initial application submittal for Technical Compliance, the County Engineer shall review the submittal for completeness and shall send written notification to the applicant if the submittal is determined to be incomplete. Failure by the applicant to complete the application submittal within 60 days of the date of said notification shall be considered an abandonment of the application and any subsequent submittal shall require a new Technical Compliance application.

2. Certified Abstracted Boundary Survey

The developer shall submit a certified of a subdivision for which the requirement to plat has been waived pursuant to Article 11.A.8.B, Plat Waiver with Certified Boundary Survey, shall submit the applicable abstracted boundary survey meeting the requirements of Article 11.B.79, Requirements for Certified Abstracted Boundary Survey. [Ord. 2011-016]

3. Construction Plans and Supplemental Engineering Reports

Except for those required improvements have been specifically waived pursuant to Art. 11.A.8.C, Exceptions to Installation of Improvements Requirement, construction plans and supporting design information for all the required improvements shall be submitted for each subdivision. Construction plans and required engineering reports shall comply with the

Notes:

<u>Underlined</u> indicates <u>new</u> text. If being relocated destination is noted in bolded brackets [Relocated to:]. <u>Stricken</u> indicates text to be <u>deleted</u>.

....

3 4

5

6 7

8

9

10

11 12

13

14

15

16

17 18

19

20

21

22

23

24 25

26 27

28 29 30

31

32

33

34

35

36

37

38

39 40

41

42

43

44

45

46 47

48 49

50

51

52

53 54

55

56

57

58

59

60

61

62 63

64

65

C. Review of the Technical Compliance Submittal

1. Agency Comments

Within five days of receipt of a complete application, the <u>The</u> County Engineer shall forward copies of appropriate submittal documents to the following agencies for written comments regarding conformance with requirements of their respective regulations and program responsibilities:

- a. Director, Land Development Division of DEPW: construction plans and preliminary plat;
- b. Director, Traffic Division of DEPW: construction plans and preliminary plat;
- c. Director, Survey Section of DEPW: preliminary plat;
- d. Director, Zoning Division of PZB: preliminary plat;
- e. Addressing Section, Administration Division of PZB: preliminary plat;
- f. Director, Parks and Recreation Department: preliminary plat;
- g. Director, Roadway Production Division of DEPW: construction plans and preliminary plat for Thoroughfare Plan streets;
- h. Director, Environmental Resources Management: preliminary plat;
- i. Florida Department of Transportation: preliminary plat for lands abutting State roads;
- j. Local water control district: preliminary plat for lands abutting water control district facilities, easements, or R-O-W;
- k. County Attorney: preliminary plat; and
- . Director of Property and Real Estate Management: preliminary plat.

The County Engineer shall have up to 5 calendar days to forward the submittal to the review agencies. Said agencies shall be given up to 20 calendar days to forward comments to the County Engineer. Within five days of the end of this 20 day period, the County Engineer shall forward all comments to the developer in writing, with a copy to the developer's engineer, or other authorized agent.

....

D. Technical Compliance Approval

The statement of Technical Compliance shall be in writing and furnished to the developer and the developer's engineer. The statement shall contain the following conditions and information:

- 1. The name of the documents reviewed;
- 2. The amount of guaranty guarantee for the construction of required improvements, established in accordance with Article 11.B.2 4.A.6, Guarantees;
- 3. The amount of recording fees due for recordation of the final plat or certified boundary survey, which fees are payable to the Clerk of the Circuit Court of PBC; [Ord. 2011-016]
- 4. A requirement to submit with the Land Development Permit application a copy of all applicable property owners' association documents; and
- 5. Requirements for submittal of supplementary documentation deemed necessary by the County Engineer, such as deeds, easements, covenants and other recorded instruments creating rights or obligations for access, drainage, or utility services, which rights or obligations could not be established through dedications or reservations on the plat.

E. Expiration of Technical Compliance

The statement of Technical Compliance shall expire six months after its date of issuance. Failure to make a Land Development Permit application submittal prior to the expiration of the statement of Technical Compliance shall void the Technical Compliance approval and any subsequent submittal shall require a new Technical Compliance application unless the County Engineer has granted an extension to the Technical Compliance expiration.

F. Effect of Changes to Final Subdivision Plan

Any change to a Final Subdivision Plan, however approved, which would either increase or decrease the number of units in, or would, in the opinion of the County Engineer, cause a substantial change or revision to any preliminary plat or associated construction plans under review or approved for Technical Compliance, shall void any approvals issued for same pursuant to this article and shall require a new submittal and fee for such plat and construction plans, unless a modification to such plat and construction plans is approved by the County Engineer. Such determination shall be in writing and forwarded within ten days to the Developer's Engineer, with a copy to the Zoning Director.

Section 2 4 Land Development Permit

A. Land Development Permit Application Submittal

A Land Development Permit shall be required prior to commencement of construction of any required improvement. The effective date of the Land Development Permit shall be the date the County Engineer signs it. The Land Development Permit shall expire not more than 21 months from the effective date, unless extended pursuant to Article 11.B.57.B, Time of Completion of Required Improvements. Except when the installation of all required improvements has been waived pursuant to Article 11.A.8.C, Exceptions to Installation of Improvements Requirement, the

Notes:

<u>Underlined</u> indicates <u>new</u> text. If being relocated destination is noted in bolded brackets [Relocated to:]. <u>Stricken</u> indicates text to be <u>deleted</u>.

Italicized indicates text to be relocated. Source is noted in bolded brackets [Relocated from:].

ARTICLE 11 – SUBDIVISION, PLATTING, AND REQUIRED IMPROVEMENTS SUMMARY OF AMENDMENTS

Final Plat or certified boundary survey, as applicable, shall not be recorded until the developer has either installed the improvements or has guarantied guaranteed the installation of the improvements pursuant to the requirements of Article 11.B.2 4.A.6, Guarantees, below. As the final step in the review procedures to obtain development approval under this Article, the developer shall have prepared and shall submit, prior to expiration of the Technical Compliance, an application for Land Development Permit. The application for Land Development Permit shall be accompanied by the required fee and the required number, as determined by the County Engineer, of the following documents applicable to the subdivision or approved phase thereof: [Ord. 2011-016]

....

2. Certified **Abstracted** Boundary Survey

The developer of a subdivision for which the requirement to plat has been waived pursuant to this Article shall submit a check payable to the Clerk of the Circuit Court of PBC for the recordation of the certified boundary survey. When construction plans are not required, the certified <u>abstracted</u> boundary survey may be recorded without further review, provided, however, that the County Engineer shall review any documents submitted in compliance with Article 11.B. <u>2.4.</u>A.3, Maintenance and Use Documents. [Ord. 2011-016]

•••

4. Construction Plans and Supplemental Engineering Information

Construction plans shall conform to the plans which received Technical Compliance or, if modified, shall be accompanied by a written statement from the Developer's engineer which details, explains, and justifies the modifications. Construction plans shall comply with the requirements of Article 11.B.46, Construction Plans and Supplemental Engineering Information, and prior to issuance of a Land Development Permit, shall have received all applicable approvals of requisite governmental agencies.

5. Developer's Acknowledgment of Responsibility for Construction of Required Improvements

The application shall indicate whether the required improvements are to be constructed prior to recordation or after recordation of the plat or certified boundary survey. When the required improvements are to be constructed after recordation, the Developer shall submit a statement acknowledging responsibility for completion of said required improvements. The statement shall be in the form contained in the latest version of the Land Development Forms Manual and shall be executed by all owners shown on the applicable final plat. The statement shall be accompanied by a guaranty guarantee for completion of required improvements, pursuant to Article 11.E.1.A, Minimum Required Improvements for All Subdivisions. Said guaranty guarantee shall meet the applicable requirements of Article 11.B.2 4.A.6, Guarantees. [Ord. 2011-016]

6. Guarantees

All guarantees required pursuant to to Article 11.E.1.A, Minimum Required Improvements for All Subdivisions, shall be in one of the forms prescribed in the Land Development Forms Manual or in an alternate form approved by the County Attorney. The initial guaranty guarantee shall be in an amount equal to 110 percent of the construction cost of the required improvements. The guaranty guarantee shall be in one of the following types:

Section 35 Substitution of Developers

A. Voluntary Substitution of Developers

When there is a voluntary substitution of developers after the Land Development Permit has been issued but before PBC has acknowledged completion of the required improvements, it shall be the responsibility of both developers to transfer the rights and responsibilities from the original developer to the succeeding developer. The original and succeeding developers shall make a joint application to the County Engineer for a transfer of the original developer's Land Development Permit. If the original developer posted a guarantee with PBC for completion of required improvements, the succeeding developer must post a substitute guarantee in the current amount of the original developer's guarantee and in a form acceptable to PBC. The application for transfer shall include the executed acknowledgment of responsibility for completion of required improvements pursuant to Article 11.B.2 4.A.5, Developer's Acknowledgment of Responsibility for Construction of Required Improvements.

B. Involuntary Substitution of Developers

When a developer becomes the succeeding developer through foreclosure or some similar action and it is not possible to obtain the original developer's signature on a joint application for transfer of the Land Development Permit, the succeeding developer must comply with all provisions of Article 11.B.35.A, Voluntary Substitution of Developers, except that, in lieu of said original developer's signature, the succeeding developer shall submit a current certification of title, foreclosure judgment, or other proof of ownership of the lands encompassed by the plat referred to in the Land Development Permit.

Notes:

<u>Underlined</u> indicates <u>new</u> text. If being relocated destination is noted in bolded brackets [Relocated to:]. <u>Stricken</u> indicates text to be <u>deleted</u>.

ARTICLE 11 – SUBDIVISION, PLATTING, AND REQUIRED IMPROVEMENTS SUMMARY OF AMENDMENTS

Section 46 Construction Plans and Supplemental Engineering Information

B. Submittal Requirements

Construction plans and supplemental engineering information shall be submitted under separate cover for each of the categories of improvements listed in this Section. Plan sets shall be submitted in the number required by the County Engineer, as prescribed in the Land Development Forms Manual.

2. Submittals for Other Improvements

Construction plans shall be submitted for the following additional improvements which the developer may be required to install or otherwise elect to provide:

- a. Landscaping within streets;
- b. Guardhouse, gates, or other structures within streets;
- c. Landscaping or structures in lake maintenance easements: See Article 11.B.<u>68</u>.A, Construction and Landscaping in Lake Maintenance Easements and Water Management Tracts

F. Soils Report

The Technical Compliance application shall include a soils report describing soil profiles of the work site to such depth and extent necessary to determine special design or construction needs. In lieu of Article 11.B.46.F.4 and Article 11.B.46.F.5, the Developer may submit as part of the report a certified statement from an engineer that he has investigated the subsurface conditions of the site and has determined that such conditions are suitable for the work as shown on the construction plans. The soils report shall include:

- 1. A map, drawn to stated scale, showing boring, penetrometer, and/or test pit locations;
- 2. Results of each boring or other soil test, keyed to the map;
- 3. Soil profiles with horizons described according to the USDA, ASTM, or Unified standard soils classified system;
- 4. Location and extent of muck, hardpan, marl, or other deleterious materials which may require special consideration in design or construction; and
- A description of groundwater conditions which may require special consideration in design or construction.

Section 57 Construction of Required Improvements

B. Time of Completion of Required Improvements

- 1. The time of completion of all required improvements shall not exceed 21 months from the date of issuance of the Land Development Permit unless an extension is granted pursuant to this Section. For government facilities within the Public Ownership (PO) Zoning District, the completion of required improvements shall be permitted to: [Ord. 2007-013]
 - a. coincide with a Certification of Occupancy (CO) for the first building on a parcel of land that adjoins a required street improvement; or, [Ord. 2007-013]
 - b. be phased to coincide with a Certification of Occupancy (CO) for the first building within each phase of development that is accessed by a required street improvement. [Ord. 2007-013]
- 2. A one year time extension may be granted by the County Engineer after review of the written application for extension of the developer. The developer should submit the application for extension, including but not limited to a statement of justification and proof that an acceptable guaranty guarantee will remain in place for the duration of the extension, not less than two months prior to expiration of the Land Development Permit. Applications submitted after expiration of the Land Development Permit shall not be accepted. The County Engineer shall review and advise the developer in writing of his decision within ene month 30 calendar days of receipt of the application.

C. Completion Prior to Plat Recordation

When the developer elects to complete required improvements prior to recording of the final plat or certified boundary survey, the following procedures shall apply, as applicable. **[Ord. 2011-016]**

1. Upon approval of the final plat and acknowledgment of completion of the required improvements pursuant to Article 11.B.<u>5</u>7.G, Acknowledgment of Completion and Maintenance of Required Improvements, the plat shall be submitted to the Office of the Clerk of the Circuit Court for recordation.

D. Completion After Plat Recordation

....

2. Amount of Reductions in Guaranty Guarantee

The County Engineer shall not reduce the amount of any guaranty guarantee below 20 percent of the original cost estimate amount. In addition to this limitation, no reduction in the

Notes:

<u>Underlined</u> indicates <u>new</u> text. If being relocated destination is noted in bolded brackets [Relocated to:]. <u>Stricken</u> indicates text to be <u>deleted</u>.

Italicized indicates text to be relocated. Source is noted in bolded brackets [Relocated from:].

39 40

41 42

43

44

45 46 47

48 49

50

51

52

53 54

55

56

57

58

59

60

61

62 63

64 65 dollar amount of the guaranty guarantee shall be made unless sufficient funds will remain to complete the remaining required improvements and the cost of required improvements installed equals or exceeds the amount of the request. To ensure that sufficient funds remain for completion of the remaining required improvements, the County Engineer shall release not more than 90 percent of the dollar amount of required improvements certified as completed during the period for which a reduction is requested, provided the amount is not reduced to less than 20 percent of the original cost estimate amount.

3. Release of Guaranty Guarantee

The guaranty guarantee shall only be released upon acknowledgment of completion of the required improvements pursuant to Article 11.B.57.G, Acknowledgment of Completion and Maintenance of Required Improvements. Two weeks prior to the release of the guaranty guarantee, the County Engineer shall notify the appropriate District Commissioner of intent to

E. PBC Use of Funds; Failure of Developer to Complete

The County Engineer, as the authorized agent of the Board, shall have the right to any funds available under the guaranty guarantee to secure satisfactory completion of the required improvements in the event of default by the developer or failure of the developer to complete such improvements within the time required by Article 11.B.57.B, Time of Completion of Required Improvements. The County Engineer shall send the developer a courtesy written notice of PBC's intent to expend any drawn funds or demand performance, as applicable. Such notice shall be sent at least 30 calendar days prior to said expenditure or demand, and shall be mailed to the last known address of the developer or his authorized agent according to the Land Development Permit records on file with the County Engineer.

F. Administration of Construction

Inspections, Reports, and Stop Work Orders

The County Engineer shall be notified in advance of the date of commencement of construction pursuant to the Land Development Permit, and of such points during the progress of construction for which joint review by the County Engineer and developer's engineer are required.

- Construction shall be performed under the surveillance of, and shall at all times be subject to, review by the County Engineer; however, this in no way shall relieve the developer of the responsibility for ensuring close field coordination and final compliance with the approved plans, specifications and the requirements of this Code.
- The developer's engineer shall provide require progress reports of the construction of the required improvements to from the developer's engineer. The developer's engineer may also be required to submit construction progress reports directly to and at points of progress prescribed by the County Engineer. The developer's engineer shall coordinate joint reviews of the construction with the County Engineer at points specified by the County Engineer.
- The County Engineer and his or her designees shall have the right to enter upon the property for the purpose of reviewing the construction of required improvement during the progress of such construction. The County Engineer shall have the authority to stop the work upon failure of the developer or his engineer to coordinate the construction of the required improvements as required by this subsection.

G. Acknowledgment of Completion and Maintenance of Required Improvements

2. Acknowledgment of Completion by County Engineer; Release of Guaranty Guarantee Upon submittal of the documents and records required by Article 11.B.57.F.4, Engineer's Certificate of Completion, and Article 11.B.57.G.1, Developer's Warranty on Workmanship and Material, and recorded copies of the approved Maintenance and Use Covenants, the County Engineer shall determine the completeness of the required improvements in accordance with the provisions of this Article and the Land Development Permit. When the County Engineer determines that the required documentation is acceptable and the required improvements have been installed as required by this Article, he shall acknowledge completion of the required improvements and, when a guaranty guarantee has been posted, release the guaranty guarantee in accordance with the following:

Effect of Release

Issuance of the statement acknowledging completion and, when applicable, releasing the guaranty guarantee shall relieve the developer of his obligations for construction of required improvements but shall not relieve the developer of his obligations under the warranty for required improvements required under Article 11.B.57.G.1, Developer's Warranty on Workmanship and Material.

<u>Underlined</u> indicates <u>new</u> text. If being relocated destination is noted in bolded brackets [Relocated to:]. Stricken indicates text to be deleted.

Italicized indicates text to be relocated. Source is noted in bolded brackets [Relocated from:].

ARTICLE 11 – SUBDIVISION, PLATTING, AND REQUIRED IMPROVEMENTS SUMMARY OF AMENDMENTS

5. Developer's Failure to Complete Improvements in Unrecorded Subdivisions

Where a developer has elected to install the required improvements prior to recordation of the plat and fails to complete such improvements within the time limits prescribed in Article 11.B.57.B, Time of Completion of Required Improvements, all previous approvals applicable to the proposed subdivision shall be deemed void.

Section 68 Supplemental Procedures

A. Construction and Landscaping in Lake Maintenance Easements and Water Management Tracts

4. Application Requirements for Structures or Plantings in LME

Persons desiring to place trees or shrubs or construct or place structures within a LME shall apply to the County Engineer. Approval by the County Engineer shall be required prior to installation when said planting or construction is to encroach a lake maintenance easement within a plat for which the associated required improvements have not been acknowledged as complete, pursuant to the applicable land development permit and Article 11.B.57.G, Acknowledgment of Completion and Maintenance of Required Improvements, or when the County Engineer determines that there is a continuing PBC or public beneficiary interest in said easement. Prior to granting such approval, the County Engineer shall ensure that adequate conditions are imposed, and appropriate documents are executed and, if appropriate, recorded to ensure compliance with the provisions of this Subsection and approvals granted pursuant to this Article.

Section 79 Requirements for Certified Abstracted Boundary Survey

Part 11. ULDC Art. 11.D.1.B., Final Plat (page 30 of 47), is hereby amended as follows:

CHAPTER D PLATTING

Section 1 Requirements for the Preliminary and Final Plat

B. Final Plat

15. Certification and Approvals

The plat shall contain on the any of the title face or first page(s) the following certifications and approvals, acknowledged as required by law, all being in the form set forth below. However, the County Engineer's approval certification and seal shall be contained on the face or first page.

••••

Part 12. ULDC Art. 11.E, Required Improvements (pages 33-39, 41, 43, and 45-46 of 47), is hereby amended as follows:

41 CHAPTER E REQUIRED IMPROVEMENTS

Section 1 Required Improvements

A. Minimum Required Improvements for All Subdivisions

Except when waived pursuant to Article 11.A.8.DC, Exceptions to Installation of Improvements Requirement, the improvements set out herein shall be the minimum required improvements for all subdivisions in order to provide the physical improvements necessary to implement certain performance standards, objectives and policies of the Capital Improvements Element and other elements of the Plan. These required improvements shall be installed prior to recordation of the corresponding plat or certified boundary survey unless the developer furnishes a guaranty guarantee assuring their installation in accordance with the provisions of this Article. Except as provided in this Section, the cost of all required improvements shall be guaranteed. [Ord. 2011-016]

....

C. Parks and Recreation

The developer shall satisfy all applicable requirements for provision of parks, recreation areas, and recreational facilities to serve residents of a proposed subdivision in accordance with Art. 5.D, Parks and Recreation – Rules and Recreation Standards. The means of complying with said requirements shall be fully addressed on the Final Subdivision Plan. **[Ord. 2005 – 002]**

Notes:

<u>Underlined</u> indicates <u>new</u> text. If being relocated destination is noted in bolded brackets [Relocated to:]. <u>Stricken</u> indicates text to be <u>deleted</u>.

ARTICLE 11 – SUBDIVISION, PLATTING, AND REQUIRED IMPROVEMENTS SUMMARY OF AMENDMENTS

Section 2 Access and Circulation Systems

A. Vehicular Circulation Systems

....

2. Minimum Legal Access Requirement

There is hereby established a hierarchy of legal access as shown on Table 11.E.2.A-1, Chart of Access Hierarchy. Except as provided below, each lot shall abut a street of suitable classification to provide said lot with legal access consistent with the standards set forth in Table 11.E.2.A-2, Chart of Minor Streets.

- a. When legal access to a lot is permitted by this Code to be by a common parking area which serves more than one lot, it shall be dimensioned and depicted on the construction plans and reserved on the plat as a "parking tract". Said tract shall be reserved for parking and access purposes to the property owners association having jurisdiction over the parking area and the abutting lots.
- ab. A 32-foot Residential Access Street, common driveway may, with prior approval by the County Engineer, be utilized for legal access to a group of not more than four abutting lots situated adjacent to a curve on a residential access street—where said lots would otherwise have no reasonable means of obtaining direct access to or required frontage on the an adjacent residential access street. Said residential access street driveway shall be delineated and reserved on the applicable plat for purposes of perpetual access to the lots served.

[Renumber Accordingly]

....

4. Double Frontage Lots

Where a lot has two frontage lines, legal access to the lot shall be restricted as follows:

a. Residential Lots

Where a lot abuts both a street of non-plan collector or higher classification and a local street, access to said lot shall be by the local street. The lot line(s) abutting any street of higher classification than a local street shall be buffered in accordance with the provisions of Article 11.E.9.B, Buffering.

...

6. Street Intersections and Street Jogs

The centerline intersections of local or residential access streets with non-plan or plan collector streets shall be spaced a minimum distance of 200 feet, as measured along the centerline of the collector street, or as otherwise required by the County Engineer. Intersections which warrant traffic signalization shall be spaced a minimum distance of 1320 feet, centerline to centerline. Connection of local streets to arterial streets may be permitted by the County Engineer only where other access is unavailable. Local street jogs connections with centerline offsets of less than 125 feet are prohibited, unless the offset is to allow through lanes to align and is approved by the County Engineer.

10. Bridges and Culverts

Bridges or culverts shall be provided as necessary to facilitate the proposed vehicle and pedestrian system. The bridge or culvert requirement is subject to approval by the agency having jurisdiction over the facility being crossed. Bridges shall be designed in general accord with the current Department of Transportation practices and shall include planning for utility installation. They shall be reinforced concrete, unless, other low maintenance materials are approved by the County Engineer. Bridges shall have a clear roadway width between curbs two feet in excess of the pavement width in each direction, and shall have sidewalks four six feet wide on each side. All bridge structures shall be designed for H-20-S16-44 loading-HL-93 and all Florida Legal loads, incorporating adequate corrosion protection for all metal work and erosion protection for associated shorelines and embankments.

...

19. Limited Access Easements

Limited access easements <u>five foot in width</u> may be required along non-plan collector streets and major streets in order to control access to such streets from abutting property, when necessary. Easements for controlling access to local and residential access streets may also be required by the County Engineer in order to ensure continued control of access to such streets from abutting property. All limited access easements shall be conveyed or dedicated to PBC. **[Ord. 2013-001]**

20. Street Names

Proposed streets which are in alignment with existing named streets should bear the name of the existing street. All street names shall have a suffix and in no case, except as indicated in the preceding sentence, should the name of the proposed street duplicate or be phonetically similar to existing street names. All proposed street names shall be submitted to the Executive Director of the PZB for approval prior to submittal of the Final Subdivision Plan application.

Notes:

<u>Underlined</u> indicates <u>new</u> text. If being relocated destination is noted in bolded brackets [Relocated to:]. <u>Stricken</u> indicates text to be <u>deleted</u>.

ARTICLE 11 – SUBDIVISION, PLATTING, AND REQUIRED IMPROVEMENTS SUMMARY OF AMENDMENTS

21. Alignment, Tangent, Deflection, Radii

Streets shall be laid out to intersect as nearly as possible at right angles. Multiple intersections Intersections involving the junction of more than two streets shall be prohibited. The point of curvature of any local street or residential access street shall not be closer than 100 feet to any intersection, measured along the centerline from the extension of the intersecting street lines unless the Engineer of Record provides documentation assuring adequate safe sight distance is provided as prescribed in the most recent FDOT or the Florida "Green Book". Reverse curves shall be prohibited. Reversals in alignment shall be connected by straight tangent segment at least 50 feet in length. All intersections shall be designed to provide at least the minimum stopping and turning sight distances, in accordance with criteria prescribed in the most recent edition of the FDOT Manual of Uniform Minimum Standards for Design, Construction and Maintenance for Streets and Highways. When the centerline of a local street deflects by more than ten degrees, it shall be curved with a radius adequate to assure safe sight distance and driver comfort. Street pavement return radii shall be a minimum of 30 feet.

....

23. Median Strips

Median strips which are part of a public street may not be utilized for any purpose other than by PBC or public utility. However, a developer or property owner may install landscaping in a median strip or within shoulders in accordance with requirements as established by the County Engineer pursuant to the PBC Streetscape Standard Manual. Median strips shall not be developed solely for the purpose of creating decorative entrances to subdivisions served by public streets.

24. Subdivision Entranceways

Subdivision entranceways consisting of <u>signs</u>, walls, fences, gates, rock piles or other entrance features are not permitted within the median strip or other areas in a public street. Decorative entranceways must be constructed upon plots of land adjacent to a public street in compliance with applicable PBC codes and placed so as not to constitute a traffic hazard.

25. Guardhouses

A guardhouse, located so as not to create a traffic hazard, may be constructed in the median of an entrance to a subdivision having only private streets. The minimum setback to a guardhouse shall be 150 feet, measured from the extension of the intersecting street lines, unless waived by the County Engineer. Two lanes shall be required on each side of the median in the area of the guardhouse.

Table 11.E.2.A-1 - Chart of Access Hierarchy

MARGINAL ACCESS FRONTAGE ROAD
LOCAL
RESIDENTIAL ACCESS (private streets only):
-__40 FOOT
-__32 FOOT
ALLEY (secondary access only)

36

32

33

34

35

Table 11.E.2.A-2 - Chart of Minor Streets

CLASSIFICATION	MINIMUM WIDTH (FT.) STREET (b) PAVEMENT (c)		MAXIMUM ALLOWABLE ADT (d)	ALLOW LEGAL ACC COMMERCIAL	ESS FOR (a)
Residential Access (ef)					
No Sidewalk (f)	32	20	150 <u>40</u>		Х

Notes:

- (d) Dead end streets of all classifications shall not exceed 1,320 feet in length unless otherwise approved by the County Engineer.
- (de) Streets within a rural subdivision shall be at least 60 feet wide when they are to be constructed without a wearing surface.
- (ef) Use is restricted to private streets providing access to townhouse and zero lot line units within a Planned Development district.
- (f) Use is restricted to private streets providing access to up to four lots.

37 38

(This space intentionally left blank)

Notes:

<u>Underlined</u> indicates <u>new</u> text. If being relocated destination is noted in bolded brackets [Relocated to:]. <u>Stricken</u> indicates text to be <u>deleted</u>.

Table 11.E.2.A-3 - MGTS Cross Section Streets

CLASSIFICATION		мімімим м	VIDTH (FT): (e)	MAXIMUM	ALLOWED AS LEGAL ACCI FOR: (a)	
		STREET	PAVEMENT (c)	ALLOWABLE ADT (d)	COMMERCIAL	RESIDENTIAL
Note	s:					
(d)	(d) Dead end streets of all classifications shall not exceed 1,320 feet in length unless otherwise approved by the County Engineer.					
(<u>d</u> e)	e) Streets within a rural subdivision shall be at least 60 feet wide when they are to be constructed without a wearing surface.					
(<u>e</u> f)	ef) Required for all TDD's.					

B. Pedestrian Circulation System

1. Requirement for Sidewalks

Except as provided in this Section, sidewalks shall be constructed on both sides of all streets. For marginal access streets frontage roads and streets with a width of less than 50 feet and greater than 32 feet, a sidewalk on one side at a minimum dimension of six feet is required. No sidewalk is required in streets with a width of 32 feet or less. Required sidewalks shall be constructed by the Developer except as provided in Article 11.E.1.A.1, Access and Circulation Systems.

2. Master Pedestrian Circulation Plan; Waiver of Requirement

The DRO may approve a Master Pedestrian Circulation Plan and, upon such approval, may waive, in whole or in part, the requirement for sidewalks within the street of a subdivision, or portion thereof, where it finds that the alternative pedestrian circulation system provides accessibility, convenience, continuity and safety equivalent to or greater than that which would be provided by the required sidewalks. The Master Pedestrian Circulation Plan shall be submitted by the developer for approval concurrently with, and shall be considered part of the approved Final Subdivision Plan.

a. Requirements for Master Pedestrian Circulation Plan

An application, the required fee, and the required number of copies of a Master Pedestrian Circulation Plan shall be submitted in accordance with <u>Article 2.D.1.D.</u> <u>Application Requirements</u>, for placement on the agenda of the DRO. The Master Pedestrian Circulation Plan shall be a full-sized reproducible copy of the approved Final Subdivision Plan, and shall be modified, when necessary, to show:

- 1) The location of all lots and the number and type of dwelling units on each lot;
- 2) The classification and width of each street;
- 3) The location, width, and type of each pedestrian path, including those sidewalks and bicycle paths to be constructed within the streets; and
- 4) Locations of all connections to pedestrian systems outside the development.

b. Distribution of Approved Plan

Upon approval of a MPCP, a copy of the approved plan shall be forwarded to the County Engineer, Zoning Director, Building Director, and Metropolitan Planning Organization.

[Renumber Accordingly]

C. Reduction of Street Width

When pedestrian circulation is to be accomplished solely by paths constructed outside the streets, the <u>County Engineer through the</u> DRO may approve a concurrent request by the developer to reduce local street widths from those required pursuant to Article 11.E.2.A.2, Minimum Legal Access Requirement, by no more than eight feet if such reduction would neither reduce the vehicular carrying capacity and safety of the streets nor compromise the safety of pedestrians.

Section 4 Stormwater Management

E. Tertiary Stormwater System Design and Performance

The tertiary system shall consist of all drainage features and facilities such as storm sewerage, swales, gutters, culverts, ditches, erosion protection, and site grading necessary for the immediate drainage and rapid removal of stormwater from building sites, streets, and areas of other land uses subject to damage or disruption by inundation in accordance with acceptable levels of service as established by the Plan.

Notes:

<u>Underlined</u> indicates <u>new</u> text. If being relocated destination is noted in bolded brackets [Relocated to:]. <u>Stricken</u> indicates text to be <u>deleted</u>.

Italicized indicates text to be relocated. Source is noted in bolded brackets [Relocated from:].

1. Lot and Building Site Drainage

In order to provide for such levels of service, tertiary drainage for lots and buildings shall meet the following minimum requirements:

....

e. Each residential lot with a gross area greater than one-quarter acre shall have a finished grade as specified in Article 11.E.4.E.1.d within 20 feet of any principal building site, unless alternate construction methods such as stemwalls are approved by the County Engineer. The remainder of the lot shall be graded at sufficient elevation to ensure that inundation does not persist for more than eight hours following cessation of the three-year, 24-hour rainfall event, unless such area is designated for stormwater management purposes and included in an expressed easement for drainage, floodplain, or the like.

....

F. Secondary Stormwater System Design and Performance

The secondary system, including all facilities and appurtenant structures for detention, retention, discharge, and conveyance to legal positive outfall, shall be designed and constructed to provide the degree of treatment and control of all stormwater runoff discharged from a development site necessary to meet the requirements of the agency having jurisdiction over receiving waters at each point of legal positive outfall.

. . . .

2. No discharge of stormwater runoff resulting from rainfall up to and including the 25-year, 72-hour event shall take place from a development site except by means of one or more approved discharge control structures, other than those existing inflows from off-site for which separate, approved means of conveyance through the site have been provided. Further, the overflow weir within the approved discharge structures shall be set with an invert at the 25-year, 72-hour event unless otherwise permitted by the authority having jurisdiction over the property's point of legal positive outfall.

....

- 4. Except where bulk heading is approved in accordance with Article 4.D, EXCAVATION, each wet detention/retention facility designed for storage of stormwater runoff in an open impoundment shall have:
 - a. Side slopes no steeper than four(H): one(V) extending to a depth of at least two feet below the design control elevation;
 - b. Side slopes no steeper than two(H): one(V) from two feet below control elevation to the bottom of the facility; and
 - c. For properties requiring a Land Development Permit in accordance with Article 11.B.4, LAND DEVELOPMENT PERMIT, a A continuous berm, at least 20 feet wide with a cross-slope no steeper than eight (H): one (V), graded adjacent to the shoreline. Where said berm abuts any residential lot, it shall be graded at an elevation not lower than the maximum design water surface elevation resulting from the three-year, 24-hour rainfall event. Along portions of the impoundment where the design water surface is less than 40 feet wide at control elevation a berm shall be required on only one side, provided that adequate legal and physical access is established from a minor street to each separate segment of the remaining berm.

....

- 9. In order to protect against overdrainage of surrounding lands, no control elevation shall be lower than the pre-development average annual mean water table elevation of the detention facility site. In areas with variable water table elevations, the County Engineer may require soil testing or additional information to determine onsite water table elevations.
- 10. A perimeter berm with a top elevation equal to or greater than the stage for the onsite 25-year, 72-hour event shall be provided onsite within a minimum of 3 feet from the property line such that all required grading occurs onsite unless written approval is obtained from abutting property owners. Perimeter berms established onsite greater than 3 feet from the property line shall include drainage provisions to prevent offsite stormwater discharge.
- 11. If exfiltration trench is utilized for onsite water storage, the County Engineer may require stormwater stage calculations for the relationship between the exfiltration trench and rising water table.

...

Section 7 Utilities

A. Required Improvement

All utilities, including power and light, telephone and telegraph, cable television, wiring to street lights, and gas shall be installed underground, unless such requirement is waived by the County Engineer, as provided in this Section. Utilities shall be constructed in easements as prescribed by this Section. The developer shall make arrangements for utilities installation with each entity person furnishing utility service involved.

Notes:

<u>Underlined</u> indicates <u>new</u> text. If being relocated destination is noted in bolded brackets [Relocated to:]. <u>Stricken</u> indicates text to be <u>deleted</u>.

Italicized indicates text to be relocated. Source is noted in bolded brackets [Relocated from:].

ARTICLE 11 - SUBDIVISION, PLATTING, AND REQUIRED IMPROVEMENTS **SUMMARY OF AMENDMENTS**

1

Section 9 Subdivision Design and Survey Requirements

3 4 5 6

7

8

9

10

11

12

13

14 15

16

17 18

19

20 21

22 23

24

25

26

2

Required Improvement

The Developer shall install the required buffering and, when recording a plat, shall comply with Article 11.E.9.F, Survey Requirements, for setting of "P.R.M.s" and "P.C.P.s."

Buffering

Residential developments shall be buffered and protected from adjacent expressways, arterials and railroad rights-of-way with a five foot limited access easement, which shall be shown and dedicated on the plat, except where access is provided by means of a marginal access road or where such expressway, arterial or railroad R-O-W abuts a golf course.

AC. Maximum Length of Blocks

1. General Considerations

The length, width and shape of blocks shall be determined with due regard to:

- Provision of adequate building sites suitable to the special needs of the type of use contemplated:
- Zoning requirements as to lot size and dimensions;
- Need for convenient access, circulation, control and safety of vehicular and pedestrian traffic; and
- d. Limitations and opportunities of topography.

Maximum Length

Block lengths shall not exceed 1320 feet between intersecting streets. Provided, however, that greater lengths may be approved by the County Engineer on an individual basis after considering such factors such as but not limited to, lot size, the ADT, number of through streets, street layout and other engineering considerations, in accordance with acceptable engineering practices.

[Renumber Accordingly]

Notes:

<u>Underlined</u> indicates <u>new</u> text. If being relocated destination is noted in bolded brackets [Relocated to:]. Stricken indicates text to be deleted.

EXHIBIT D

ARTICLE 12 - TRAFFIC PERFORMANCE STANDARDS SUMMARY OF AMENDMENTS

Part 1. ULDC Art. 12.B.2.A.1.a.2), [Related to Part One, Intersections under Buildout Test –
 Test 1 – Part One and Two], (page 13 of 59), is hereby amended as follows

Chapter B STANDARD

4

5

6

7 8

9

10

11

12

13 14

15

16 17

18 19 20

21

22

23

24

25

26

27

28

29

30

31

32

33 34

35

36

37

38 39

40

41

42 43

44 45 46

47

48

49

50 51 52

53

54

55 56

57

58

59 60

61

Section 2 Project Buildout/Five Year Standard

A. Buildout Test - Test 1 - Part One and Two

1. Part One - Intersections

- a. The following major intersections shall be analyzed: [Ord. 2007-013]
 - 2) For a the Projects on Southern Boulevard, the Single Point Urban Interchange(s) on Southern Blvd. where when it is the nearest Major Intersection to the point at which the Project's Traffic enters the Project Accessed Link and where when the Project Traffic entering and exiting the intersection is significant. For purposes of determining significance of the traffic entering and exiting the intersection interchange, the traffic entering and exiting the ramps shall be considered against a directional ramp the combined LOS D capacity Service Volume of 2,100 vehicles per hour per lane the ramps, which shall be 4,200 vehicles per hour. [Ord. 2007-013] [Ord. 2009-040]

...

Part 2. ULDC Art. 12.C.1.C.2, Traffic Generation, (page 24 of 59), is hereby amended as follows:

Chapter C TRAFFIC IMPACT STUDIES

Section 1 Traffic Impact Study

- C. Traffic Volume Components
 - 2. Traffic Generation
 - a. Rates

Trip generation rates presented in Table 13.H.4-20, Fair Share Road Impact Fee Schedule, shall be used to calculate Average Daily Project trips. For peak hour Project trip generation and where no appropriate daily rates are listed in Table 13.H.4-20. Fair Share Road Impact Fee Schedule, the rate equation or tables published in the latest edition of the ITE Trip Generation and Informational Report shall be used unless the County Engineer accepts that other standards provide a more accurate means to evaluate the rates of generation or if documentation is supplied by the Applicant which affirmatively demonstrates more accurate generation rates based engineering principles. To estimate daily and peak hour trips generated from the Project, trip rates published on the PBC Traffic Engineering web site shall be used. If the use in the proposed Project is not listed in the PBC Traffic Engineering web site Trip Generation tables, then the latest available Trip Generation Manual published by the Institute of Transportation Engineers (ITE) shall be used. A prior consultation with the County Traffic Engineer is required before using trip rates, other than that published on the PBC Traffic Engineering web site. If the applicant feels that any other method to estimate trips would provide more realistic trip estimate for the proposed Project, prior consultation and approval from the County Engineer is required.

e. Pass by Trips

It is acknowledged that some trips generated by a proposed non-residential Project are from existing traffic passing the proposed Project and are not newly generated trips. Credit against the trip generation of the proposed Project may be taken for these trips up to the percentage shown in Article 13, IMPACT FEES, or the ITE manual when approved by the County Engineer as published on the PBC Traffic Engineering web site Trip Generation tables or in the latest Trip Generation Handbook, published by the Institute of Transportation Engineers (ITE), or as approved by the County Engineer. The study must detail: (1) all traffic generated from the Project, and (2) the number of Pass-By Trips subtracted from the traffic generated by the Project during the Buildout Period of the Project. Pass by rates for Uuses other than those listed in Article 13, IMPACT FEES the PBC Traffic Engineering web site or the ITE Trip Generation Handbook, and any percentage credit proposed to be taken in excess of that shown in Article 13, IMPACT FEES mentioned in this Article, must be justified based on accepted traffic engineering principles to the satisfaction of the County Engineer as part of the required traffic study, based upon the peculiar characteristics and location of the proposed Project. Factors

Notes:

<u>Underlined</u> indicates <u>new</u> text.

Stricken indicates text to be deleted. Stricken and italicized means text to be totally or partially relocated. If being relocated destination is noted in bolded brackets [Relocated to:].

Italicized indicates text to be relocated. Source is noted in bolded brackets [Relocated from:].

EXHIBIT D

ARTICLE 12 - TRAFFIC PERFORMANCE STANDARDS SUMMARY OF AMENDMENTS

234567

which should be considered in determining a different Pass-by rate include type and size of land use, location with respect to service population, location with respect to competing uses, location with respect to the surrounding Major Thoroughfare system, and existing and projected traffic volumes. In no case shall the number of Pass-By Trips exceed 25 percent of Existing traffic plus Background Traffic on the Link, unless demonstrated otherwise to the satisfaction of the County Engineer based on generally accepted traffic engineering principles.

....

Notes:

<u>Underlined</u> indicates <u>new</u> text.

Stricken indicates text to be deleted. Stricken and italicized means text to be totally or partially relocated. If being relocated destination is noted in bolded brackets [Relocated to:].

Italicized indicates text to be relocated. Source is noted in bolded brackets [Relocated from:].

ARTICLE 13 - IMPACT FEES SUMMARY OF AMENDMENTS

4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 33 33 34 35 36 36 37 37 38 37 38 37 38 37 38 37 38 37 38 37 38 37 38 37 38 37 38 37 38 37 38 37 38 37 37 37 38 37 37 37 37 37 37 37 37 37 37 37 37 37
30 31 32 33
34 35 36 37 38 39
40
41
42 43 44 45 46 47 48 49
50 51 52 53 54
55 56 57 58

3

2 Part 1. ULDC Art. 2.G.3.I, Impact Fee Appeals Board (page 79-80 of 88), is hereby deleted:

CHAPTER G DECISION MAKING BODIES

Section 3 APPOINTED BODIES

I. Impact Fee Appeals Board

1. Establishment

There is hereby established an Impact Fee Appeals Board (IFAB).

2. Powers and Duties

The IFAB shall have the following powers and duties:

- a. to hear and decide appeals from decisions of the Impact Fee Coordinator on independent calculation studies pursuant to Article 13, IMPACT FEES; and
- b. to hear and decide appeals from an interpretation of the Impact Fee Coordinator on Article 13, IMPACT FEES.

3. Board Membership

a. Qualifications

The IFAB shall be composed of five members. There shall be one traffic engineer, one accountant, one attorney, one representative of the general public, and one developer/builder on the IFAB. No member of the Impact Fee Review Committee may serve on the IFAB.

b. Appointment

The members of the IFAB shall be approved at large by a majority vote of the BCC.

c. Terms of Office

All IFAB members shall serve a term of three years.

4. Secretary and Staff

The Impact Fee Coordinator shall serve as Secretary of the IFAB. The staff of PZB shall be the professional staff of the IFAB. County Attorney shall attend meetings to serve as counsel to the IFAB. The Impact Fee Coordinator shall represent PBC by presenting PBC's position to the IFAB.

5. Meetings

a. General

General meetings of the IFAB will be called as necessary to carry out business, but no more frequently than once a month. Special meetings may be called by the Chair of the IFAB, or in writing by a majority of appointed members of the Board. Staff shall provide 24-hour written notice to each IFAB member for a special meeting.

[Renumber Accordingly]

Part 2. ULDC Art. 13.A.1, Intent, Authority and Findings [Related to Impact Fees General]

(page 5 of 48), is hereby amended as follows:

O CHAPTER A GENERAL

Section 1 Intent, Authority and Findings

B. Authority

The provisions of this Article are authorized by Art. VIII, Sec. 1(g), Fla. Const., F.S. § 125.01 et seq., F.S. §163.3161 et seq., F.S. §163.3801, F.S. §1011.19, and F.S. §380.06, Sec. 1.3(2), the PBC Charter, and the Capital Improvements Element of the Plan. In addition, the provisions of this Article are necessary for the implementation of the Plan. The inclusion of certain capital facilities in these impact fees shall not be construed as a limitation on the authority of PBC to impose impact fees for additional capital facilities consistent with Florida law. [Ord. 2005-047]

C. Findings

PBC finds that the provisions of this Article are land development regulations which are: necessary for the implementation of the Plan; needed to ensure that developments of regional impact are assessed impact fees under F.S. §380.06; innovative land development regulations authorized by F.S. §163.3202(3); necessary to ensure the coordination of new development and the provision of capital facilities, especially sites for new schools; a mandatory responsibility of PBC under the Local Government Comprehensive Planning and LDR Act, §163.3161 et seq.; consistent with the requirements in F.S. § 163.3801; and necessarily and reasonably related to the public health, safety and welfare.

Notes:

59 60 61

<u>Underlined</u> indicates <u>new</u> text.

Stricken indicates text to be deleted. Stricken and italicized means text to be totally or partially relocated. If being relocated destination is noted in bolded brackets [Relocated to:].

Italicized indicates text to be relocated. Source is noted in bolded brackets [Relocated from:].

ARTICLE 13 - IMPACT FEES SUMMARY OF AMENDMENTS

- 1 Part 3. ULDC Art. 13.A.6.G, Appeal (page 8 and 9 of 48), is hereby amended as follows:
- 2 CHAPTER A GENERAL
- 3 Section 6 Independent Fee Calculation Study

G. Appeal

- 1. Hearing Officers, as established in Article 2.G.3.G., are hereby authorized to hear and decide appeals of decisions by the Impact Fee Coordinator concerning independent fee calculations and interpretations of Article 13, Impact Fees.
- 42. Any An applicant may shall file an appeal with the decision of the Impact Fee Coordinator by filing an appeal with the Impact Fee Appeals Board (IFAB) a letter of appeal within 15 working days of a decision by the Impact Fee Coordinator. The letter of appeal must state with specificity the reasons for the appeal and shall contain such data and documentation upon which the applicant seeks to rely. The Impact Fee Coordinator may establish a reasonable fee to be paid by the applicant upon filing an appeal. This fee shall not exceed the cost to the County in processing the appeal. [Ord. 2005-047]
- 23. The Impact Fee Coordinator shall schedule an appeal a hearing before the Impact Fee Appeals Board Hearing Officer no later than 90 working days after an appeal has been filed. The Impact Fee Coordinator Appeals Board shall notify the applicant within of the hearing date at least 15 working days in advance of the hearing and invite the applicant or the applicant's representative to attend the hearing. Any of the time limitations set forth in this paragraph may be waived upon mutual agreement of the Impact Fee Coordinator and the party filing the appeal.
- 34. At the hearing, the IFAB Hearing Officer shall provide the applicant and the Impact Fee Coordinator an opportunity to present testimony and evidence, provided such information was part of the review before the Impact Fee Coordinator. The IFAB Hearing Officer shall reverse the decision of the Impact Fee Coordinator only if there is substantial competent evidence in the record that the Impact Fee Coordinator erred from the standards in this Chapter. [Ord. 2011-016]
- 45. Any aggrieved party, including PBC, may appeal an order of the Impact Fee Appeals Board Hearing Officer to the Fifteenth Judicial Circuit Court of PBC. Such appeal shall not be a hearing de novo, but shall be a petition for Writ of Certiorari and the Court shall be limited to appellate review of the record created before the Board Hearing Officer. PBC may assess a reasonable fee for the preparation of the record to be paid by the Petitioner in accordance with F.S. §119.07, as amended from time to time. [Ord. 2011-016]

Part 4. ULDC Art. 13.A.10., Refunds (page 11 of 48), is hereby amended as follows:

CHAPTER A GENERAL

Section 10 Refunds

A. General

1. Non-Commencement of Construction

If a building permit or other permit requiring payment of an impact fee expires or is canceled or revoked, the structure has not been completed, and no certificate of occupancy has been issued, or if the permit is modified prior to completion of construction so as to change the land use or structure to one of lower impact than that on which the permit was originally issued, and the impact fee paid for approval of the permit has not been encumbered or spent by PBC, then the feepayer, or if the property has been conveyed after payment of the fee, or a the successor in interest to the real property, shall be entitled to a refund if provided: an application for refund is submitted within three years of the payment of the impact fee; within one year of the permit's expiration, cancellation, revocation or modification, or of the event giving rise to the refund; and within three years of the payment of the impact fee, except that and the impact fee paid for approval of the permit has not been encumbered or spent by PBC or the School District as applicable. PBC shall retain an additional 3.4 percent of the impact fee to offset the costs of administering the refund. [Ord. 2010-018]

2. Untimely Encumbrance

a. Untimely Encumbrance

Notwithstanding Article 13.A.10.A.1, Non-Commencement of Construction, above, if PBC fails to encumber the impact fees paid by the feepayer by the end of the calendar quarter immediately following six years from the date the impact fees are paid, and fails to spend the impact fee within nine years of the end of the calendar quarter in which the impact fees are paid, the feepayer, or if the property has been conveyed after payment of the fee, or a the successor in interest to the real property, shall be entitled to a refund except

Notes:

<u>Underlined</u> indicates <u>new</u> text.

Stricken indicates text to be deleted. Stricken and italicized means text to be totally or partially relocated. If being relocated destination is noted in bolded brackets [Relocated to:].

Italicized indicates text to be relocated. Source is noted in bolded brackets [Relocated from:].

ARTICLE 13 - IMPACT FEES SUMMARY OF AMENDMENTS

that PBC shall retain an additional 3.4 percent of the impact fee to offset the costs of refund. The feepayer, or if the propery has been conveyed after payment of the fee, the successor in interest shall submit an application for refund to the Impact Fee Coordinator, within one year following the end of the calendar quarter in which the right to a refund occurs. In determining whether the impact fee paid by the feepayer has been encumbered or spent, monies in the trust funds shall be considered to be expended on a first in, first out basis; that is, the first impact fees paid shall be considered the first monies withdrawn. [Ord. 2010-018]

2

3

4

5

6

7

8

9 10

11

12 13

14

15

16 17

18

19

20 21

22

27

28

29

30

31

32

33

34 35

36 37

38

39

40

41

42

43

44

45

46 47

48

49

50

51

52

53

54 55

56

57

58

59

60

61 62

63

64

B. Procedure to Obtain Refund

2. Contents of Application

d. Documents

If the refund is requested due to the County's failure to encumber or spend funds, a notarized sworn statement that the applicant is the current owner of the land for which the impact fee was paid, a certified copy of the current deed, and a copy of the most recent ad valorem tax bill; If refund is requested due to computational or clerical error, evidence sufficient to demonstrate overpayment including but not limited to receipt indicating payment, building permit application, impact fee tables in effect at the time of payment and such other evidence deemed appropriate by the Impact Fee Coordinator. [Ord. 2005-047]

Part 5. ULDC Art. 13.A.11., Credits (page 12 – 13, 17 of 48), is hereby amended as follows:

GENERAL CHAPTER A

Section 11 **Credits**

A. General

Credit against impact fees shall be given to the feepayer, or if the property has been conveyed after payment of the fee, the or a successor in interest to the property for the following, as limited or permitted by specific provisions of this Section.

4. In-Kind Contributions

b. In-Kind Contributions Made Prior to October 1, 1989, for Facilities Other Than Roads

In the case of in-kind contributions other than road facilities made to PBC prior to October 1, 1989, and except as specifically provided in the development order or Development Agreement, the value of the in-kind contribution at the time of its conveyance, dedication, construction, placement, delivery or remittance shall be apportioned between building permits for which a complete application was made prior to October 1, 1989 and building permits in the development which remain to be issued and for which no complete application was made as of October 1, 1989. The portion of the value allocated to building permits made on or after October 1, 1989, shall be adjusted to its present value as of October 1, 1989, using a compound interest rate of six percent per year, compounded quarterly. Only that portion of the contribution allocated to building permits for which a complete application was filed on or after October 1, 1989, shall be credited against impact fees. For the purpose of apportioning the contribution between uses and square footage or dwelling units, the number of permits shall be determined using the most recently approved master plan or site plan, the size and use of the buildings proposed for the remainder of the development, the effect of other land development regulations on the feepayer's ability to complete the development as proposed, and other information deemed relevant by the Impact Fee Coordinator. If the conveyance, dedication, construction, placement, delivery or remittance was required to be made prior to October 1, 1989, pursuant to a condition in a development order, a Development Agreement, or otherwise required by a local government, the value of the conveyance shall be established as of the required date of contribution. The present value of the contribution as of October 1, 1989 shall be established at six percent per year from the required date of the contribution. The apportionment of the value of the contribution to building permits shall be based on the date on which the contribution was to have been made. At the option of the feepayer, any remaining credit may be adjusted by the percentage change in the cost of the capital facility when PBC reviews capital facilities costs in the review and update process.

Notes:

Underlined indicates new text.

Stricken indicates text to be deleted. Stricken and italicized means text to be totally or partially relocated. If being relocated destination is noted in bolded brackets [Relocated to:].

Italicized indicates text to be relocated. Source is noted in bolded brackets [Relocated from:].

ARTICLE 13 – IMPACT FEES SUMMARY OF AMENDMENTS

[Renumber Accordingly]

9. Application of Credits

The credit shall be applied to the respective full impact fee associated with the first building permits issued for the development for which complete application was made on or after October 1, 1989, or if the credit is for roads, the date upon which the road impact fee was effective within the development, until the credit is exhausted. After such exhaustion the remainder of the impact fee for which a credit was obtained shall be paid in full. The credit shall be calculated and applied in dollar amounts and not in number of permits. No credit may be assigned, delegated, or otherwise conveyed to any development outside the boundaries of the development that originally received the credit.

10. Special Allocation of Credits

Provided that the conditions of this Subsection are satisfied, the fee payer making an in-kind contribution, or its heirs, assigns or successors in interest, may have all or some portion of the resulting credit allocated to specific parcels within the benefited development that originally received the credit.

....

2

3

4

5

6

7 8

9

10

11

12

13

14 15

16

Notes:

<u>Underlined</u> indicates <u>new</u> text.

Stricken indicates text to be deleted. Stricken and italicized means text to be totally or partially relocated. If being relocated destination is noted in bolded brackets [Relocated to:].

Italicized indicates text to be relocated. Source is noted in bolded brackets [Relocated from:].

EXHIBIT F

ACCESSORY RADIO TOWERS SUMMARY OF AMENDMENTS

1 2 3	Part 1.		ULDC Art. 1.I.3, Abbreviations and Acronyms (pages 116 and 119 of 119), is hereby amended as follows:
4	CHAPT	ER I	DEFINITIONS & ACRONYMS
5	Section	า 3	Abbreviations and Acronyms
	EAA		Everglades Agricultural Area
	EPA EvPA		United States Environmental Protection Agency <u>Everglades Protection Area</u>
6	TIITE		Board of Trustees of the Internal Improvement Trust Fund of the State of Florida
7 8 9	Part 2.		ULDC Art. 3.A.3.B.1, Standard District Exceptions and Limitations (pages 16 and 17 of 229), is hereby amended as follows:
10	CHAPT	ER /	A GENERAL
11	Section	າ 3	Zoning District Consistency with the Future Land Use Atlas (FLUA)
12 13 14 15	В.	Any	ndard Districts application for a rezoning to a Standard Zoning District shall correspond to a FLU ignation indicated in the table below.
16 17 18			Standard District Exceptions and Limitations The following list of exceptions shall be permitted:
19 20 21			I. A rezoning shall not be required for the installation or replacement of a SFWMD telemetry tower in accordance with Art. 5.B.1.A.12.c, Exceptions for SFWMD Telemetry Towers.
22 23 24	Part 3.		ULDC Art. 5.B.1.A.12, Accessory Radio Tower (page 25 of 100), is hereby amended as follows:
25	СНАРТ	ER I	B ACCESSORY AND TEMPORARY USES
26	Section	າ 1	Supplementary Regulations
27	A.		essory Uses and Structures
28			Accessory Radio Tower
29			A radio tower for noncommercial electronic communication purposes may be permitted as an
30			accessory structure to civic, institutional, recreational, and agricultural uses subject to the
31			following standards:
32			a. Height The radio tower shall not exceed 100 feet in height from ground level, and
33			The radio tower shall not exceed 100 feet in height from ground level; and
34			b. Setbacks
35 36			An accessory radio tower shall be setback a distance equal to the height of the tower. The radio tower shall be located in such a manner that it will not fall on any power line.
37			c. Exceptions for SFWMD Telemetry Towers in the Glades Tier
38			SFWMD Telemetry towers may be considered an accessory use within the Glades Tier,
39			subject to the following:
40			1) DRO approval of a FSP;
41			2) Located on parcels owned by the SFWMD or leased from the Board of Trustees of
42			the Internal Improvement Trust Fund (TIITF) of the State of Florida;
43			3) Height may exceed 80 feet;
44			4) The DRO may approve setback reductions for property lines or lease tracts within
45			parcels owned by the SFWMD or TIITF, when it is demonstrated to DRO that the
46			tower will collapse within the property or the adjoining parcels owned by the SFWMD
47			or TIITF.
48			5) If located within the USA of the Glades Tier, rezoning for consistency with the
49			parcel's FLU designation shall not be required.

- <u>Underlined</u> indicates <u>new</u> text. <u>Stricken</u> indicates text to be <u>deleted</u>. If being relocated, or partially relocated, destination is noted in bolded brackets [Relocated to:].

 Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].
- A series of four bolded ellipses indicates language omitted to save space.

EXHIBIT G

INLAND LOGISTICS CENTER SUMMARY OF AMENDMENTS

2 Part 1. ULDC Art. 2.D.6, Type I Waiver (page 45 of 229), is hereby amended as follows:

CHAPTER D ADMINISTRATIVE PROCESS

4 Section 6 Type I Waiver

A. Purpose

3

5

6 7

8

9

10 11

12

13 14 The purpose of Type I Waivers is to allow flexibility for mixed use or infill redevelopment projects, or site design or layout, where alternative solutions can be permitted, subject to performance criteria or limitations. Waivers are not intended to relieve specific financial hardship nor circumvent the intent of this Code. A Waiver may not be granted if it conflicts with other sections of this Code, or the Florida Building Code. [Ord. 2011-016]

B. Applicability

Requests for Type I Waivers shall only be permitted where expressly stated within the ULDC: [Ord. 2011-016] [Ord. 2012-027]

Table 2.D.6.B - Summary of Type I Waivers

rable Zibioib Gaillinary of Type I traitele				
Type I Waiver Summary List				
Glades Area Overlay (GAO)				
Infill Redevelopment Overlay (IRO)				
Urban Redevelopment Overlay (URAO)				
Lifestyle Commercial Center (LCC)				
Required Parking for Location Criteria Exception in Type I Restaurant with Drive Through				
Commercial Greenhouse Loading Zones				
Solid Waste Transfer Station Landscape Buffer Planting				
Screening for Room Mounted Mechanical Equipment				
Green Architecture				
Eliminate or Reduce Loading Standards				
Requirements for Walls or Fences Where Adjacent to Existing Walls				
Billboard Replacement – Billboard Location Criteria				
[Ord. 2012-027]				

15 16

17 18

19

20

Part 2.

ULDC Table 2.E.3.B, Time Limitation for Development Order for Each Phase (Page 58 of 88), is hereby amended as follows:

Table 2.E.3.B - Time Limitation of Development Order for Each Phase

TYPE OF DEVELOPMENT ORDER	MAXIMUM NUMBER OF PHASES	NEXT REQUIRED ACTION OR DEVELOPMENT ORDER	MAXIMUM TIME TO RECEIVE DEVELOPMENT PERMIT OR COMMENCE DEVELOPMENT	MAXIMUM LENGTH OF ADMINISTRATIVE TIME EXTENSION ⁴	ACTION UPON FAILURE TO COMPLY WITH TIME REQUIREMENT WITHOUT AN APPROVED TIME EXTENSION
PDD: GAO PIPD (including any associated waivers)	No Maximum	Record Plat	Three Years (2)(7)	Twenty-four Months	BCC review pursuant to subsections Article 2.E.2.A, Suspension of Development Orders and Article 2.E.2.D, Failure to Comply with Conditions herein

Ord. 2005 – 002] [Ord. 2006-004] [Ord. 2007-01] [Ord. 2008-003] [Ord. 2008-037] [Ord. 2009-040]

Notes:

 From resolution adoption date for first phase, and from date of commencement of development of last phase, or last plat recordation date, for subsequent phases. The maximum time to commence development for each phase of a Type III excavation shall be established by a condition of approval.

An additional 90 days will be provided if prior to the expiration of any time period established by this Code, staff is notified by the property owner that either a complete building permit application has been submitted, or technical compliance for a plat has been received, as appropriate, and development will commence, or the plat will be recorded, within 90 days of the deadline. If the required action does not occur within the 90 days, the requirements of Art. 2.E.2, Procedures, shall apply. This provision shall not be utilized when there has been a failure to comply with concurrency reservation or development order conditions which are required for the Development Order to comply with Art. 12.C.2, Conditions. [Ord. 2005-002]

- <u>Underlined</u> indicates <u>new</u> text.
- Stricken indicates text to be deleted. If being relocated, or partially relocated, destination is noted in bolded brackets [Relocated to:] or [Partially relocated to:].
- Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].
- A series of four bolded ellipses indicates language omitted to save space.

EXHIBIT G

INLAND LOGISTICS CENTER SUMMARY OF AMENDMENTS

3
J
4
5
6
6 7 8
8
9
10 11
11
13
112 133 144 155 166 177 189 202 212 223 244 255 262 272 283 303 313 323 334 335 336 337 338 338
15
16
17
18
20
21
22
23
24
25
26
27
28
29 30
31
32
33
34
35
36
3/
39
40
41
42
43
44
45 46
46 47
48
49
50
51
52 53 54
53
54 55
55 56

Part 3. ULDC Art. 3.B.4, Glades Area Overlay (GAO) (page 24 of 229), is hereby amended as follows:

CHAPTER B OVERLAYS

Section 4 Glades Area Overlay (GAO)

A. Purpose and Intent

The GAO is established to promote sustainable economic diversification in the Glades Area. The A GAO district is to provides flexibility in the range of uses and PDRs allowed in the underlying districts in the Glades Tier and to accommodate uses which, if deemed appropriate, will increase job opportunities and improve the economic vitality of the area. In addition, the GAO may include district will provide a set of regulations that recognize the character of the area.

B. Applicability

<u>The GAO</u> shall apply to all land within the <u>Urban Service Area (USA) of the Glades Tier</u>. All development orders within the GAO district shall also comply with all applicable Joint Planning Area Agreements, pursuant to Florida Statutes.

C. Boundaries

The <u>boundaries of the GAO coincides with shall apply to all land within</u> the USA in the Glades Tier, which is delineated on Comprehensive Plan Map LU 2.1, Service Areas, and is generally comprised of those lands lying near or around the Cities of Belle Glade, Pahokee and South Bay, and the unincorporated community of Canal Point.

1. Tier requirements

The Urban/Suburban Tier Requirements of the ULDC shall apply. [Ord. 2005 – 002]

D. Use Regulations Exceptions

Uses allowed in In the GAO district, use shall be permitted, as follows: [Ord. 2005-002]

1. Permitted Uses

Uses shown in a Use Matrix as Permitted by Right (P), Special Permit (S), or Development Review Officer (DRO) shall remain subject to the same approval process shown in the Use Matrix permitted as of right in the underlying district are permitted as of right in the GAO.

2. Special Uses

Uses allowed as special uses in the underlying district shall be permitted in the GAO district after compliance with the special use standards. In addition: [Relocated and consolidated above.]

a. Nonconforming Use

Any nonconforming use may be expanded subject to a Special Permit. [Ord. 2006-036] [Relocated below to new 3, Nonconforming Uses.]

23. Conditional/RequestedUses

Uses allowed as e Conditional or Requested uses in a the non-residential Zoning district shall be permitted by the DRO in the GAO district after compliance with Art. 2.B.2.B, Standards for Conditional Uses, Requested Uses and Development Order Amendments the conditional use regulations. Uses not otherwise permitted in a the non-residential Zoning district may be permitted as Class A e Conditional or Requested uses in the GAO district after compliance with the conditional use regulations and after the BCC determines that the proposed use meets the following criteria:

- a. increases the number of jobs or provides needed housing;
- b. does not adversely affect adjacent land uses;
- c. is consistent with the goals, objectives and policies of the Plan; and
- d. helps to support existing or encourage additional Glades Area economic development.

3. Nonconforming Use

A nonconforming use permitted to expand subject to DRO approval may be expanded subject to approval of a Special Permit. [Ord. 2006-036]

E-4.Property Development Regulations (PDRs) **Exceptions**

a. General

All development within the GAO district shall be subject to the (PDRs) of the underlying district, except as otherwise provided below.

1b. Type II Waiver - Minimum Density

The BCC may consider the waiver of the minimum density requirement as a Type II Waiver for proposed development in the Glades area when: [Ord. 2012-027]

- <u>a.1)</u>The proposed development is consistent with the provisions of any applicable Joint Planning Area Agreement, and;
- **b.2**) An analysis is completed that addresses:
 - 1a) the impact of a reduced density development on the overall infrastructure system;
 - 2b) the compatibility of the proposed development with adjacent land uses; and

Notes:

57

58

59 60

61 62

- <u>Underlined</u> indicates <u>new</u> text.
- Stricken indicates text to be deleted. If being relocated, or partially relocated, destination is noted in bolded brackets [Relocated to:] or [Partially relocated to:].
- Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].
- A series of four bolded ellipses indicates language omitted to save space.

18 19

25

26

34

35 36

37 38

47

48

3e) the effect of the reduced density development on the ability of PBC to meet its goals, objectives and policies related to affordable housing. If the development is located in a municipal annexation area, the analysis must be performed by the annexing municipality.

2e. Maximum Density and Intensity – Conditional/Requested Use Approval

The BCC may consider an increase in the maximum Maximum density and intensity allowed by the Plan of uses within the GAO district may be allowed to exceed those imposed by the underlying district and shall be determined by the BCC during the conditional use review process subject to approval of a Conditional or Requested Use.

3d. Location of Structures

Building permits in the GAO district may be permitted between the 120 foot and 220 foot R-O-W line within the R-O-W of State Road 700 through Canal Point, from Third Street on the north to Triangle Park on the east, subject to approval of the County Engineer.

Planned Industrial Park Development (PIPD)

Development Standard Exceptions

Planned Industrial Park Developments (PIPD) located in the GAO shall be subject to the following exception provisions:

Public Street

For the purposes of this Section, a public street within a PIPD shall not include private streets that comply with the following:

- Located within or adjacent to an Industrial Pod; and,
- Services industrial uses only,

Minimum Frontage

The PIPD is not required to have minimum frontage on an arterial or collector street but at a minimum must connect to an arterial or collector street through a non-plan collector roadway, subject to approval of the Zoning Director and County Engineer.

Maximum Commercial Acreage - Requested Use Approval

The BCC may consider an increase in the maximum Commercial acreage allowed pursuant to Table 3.E.5.D, PIPD Land Use Mix, subject to approval of a Requested Use; and, upon finding that the increase will serve the projected workforce and residential population of the PIPD, and encourage internal automobile trip capture.

Architectural Review

Industrial buildings visible from a public street or residential zoning district may be exempt from the Roofline, Facade and Additional Design Elements of Article 5.C.1.H Architectural Guidelines, if the adjacent perimeter ROW or incompatibility buffer is doubled in width and planting requirements, and upon demonstration by line of sight that the majority of the affected area of the building will be screened by the increased buffering. For those parcels that use this exemption, only that portion of the building façade with the main public and employee entrances, and extending along the façade a minimum of 100 feet in each direction from each entrance, including around corners, unless interfering with a loading area/space/dock/bay, are subject to the provisions of Article 5.C.1.H, Architectural Guidelines. If the distance between entry treatments is less than 10 percent of the overall length of the building façade, the treatment shall be extended.

Parking and Loading in Industrial Pods

Loading Area Screening <u>1)</u>

- a) Loading spaces, docks and associated maneuvering areas not visible from a public street are exempt from screening requirements of Art. 6.B.1.F.2, Loading Areas; and
- Loading areas are not subject of the provisions of Art. 6.B.1.F.3, Single Tenant.

Landscaping in Industrial Pods

Foundation Planting

Industrial buildings visible from a public street or residential zoning district may be exempt from the foundation planting requirements of Art. 7.D.11, Foundation Planting if the adjacent perimeter ROW or incompatibility buffer is increased in width by eight feet and the foundation planting requirements are relocated to the buffer. For those parcels that use this exemption, only that portion of the building façade with the main public and employee entrances, and extending along the façade a minimum of 100 feet in each direction from each entrance, including around corners unless interfering with a loading area/space/dock/bay, are subject to the provisions. If the distance between foundation planting treatments is less than 10 percent of the overall length of the building façade, the treatment shall be extended. If the Architectural Review exemption in Art. 3.B.4.F.1.d, Architectural Review is utilized, the additional buffer width and planting is not required to utilize the Foundation Planting exemption.

2) Interior Landscaping Exceptions

a) Interior Tree and Shrub Requirements

- Underlined indicates new text.
- Stricken indicates text to be deleted. If being relocated, or partially relocated, destination is noted in bolded brackets [Relocated to:] or [Partially relocated to:].
- Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].
- A series of four bolded ellipses indicates language omitted to save space.

INLAND LOGISTICS CENTER SUMMARY OF AMENDMENTS

- (1) One Tree per 4,000 sq. ft.; and,
- (2) Three Shrubs per 4,000 sq. ft.
- b) Interior Vehicular Use Areas not used for parking of passenger vehicles are not required to provide terminal or interior landscape islands.
- <u>Perimeter compatibility buffers are not required between parcels supporting compatible industrial uses. Where fences or walls are installed along the perimeter, they shall be protected from vehicles by a curb or similar barrier, and shall not encroach into the drive aisle (excluding gates) or impede vehicular circulation.</u>

g. Hours of Operation

Any non-residential use located within 250 feet of a residential FLU designation or zoning district as measured by drawing a straight line from the closest point on the perimeter of the exterior wall, structure or bay or the limits of any outdoor storage to the residential property line, shall be subject to the following hours of operation:

- 1) Industrial Uses 7:00 a.m. to 7:00 p.m.;
- 2) Industrial Uses without Outdoor Activities 6:00 a.m. to 11:00 p.m.; and,
- S) Commercial Uses and all Loading Activities 6:00am to 11:00 p.m.

2. Type I Waivers for Industrial Pods

An applicant may apply for waivers for development standards within an Industrial Pod in accordance with Art. 2.D.6, Type I Waivers. Applications for Type I Waivers shall be expressly limited to the requirements listed below:

Table 3.B.4.F. - Type I Waivers for Industrial Pods

Table	3.B.4.F Type Twarvers for In	uustridi Fous
Article/Table Reference and Title	Maximum Waiver	<u>Criteria</u>
Art. 3.E.1.C.2.h.2), Non Residential Uses [Related to PDD Performance Standards for Parking]; or, Table 6.A.1.B, Minimum Off-Street Parking and Loading Requirements	The minimum or maximum number of parking spaces may be reduced or increased by up to 25 percent, subject to DRO approval of a parking demand study.	 The parking demand study, justification and any supporting documentation shall be submitted in a form established by the Zoning Director; Alternative calculations shall be based on evidence of actual parking demand for similar uses or reliable traffic engineering and planning information; and, A reduction in required parking shall require designation of reserved space or a limitation of uses consistent with the parking demand study.
Art. 3.E.1.C.2.h.5), Location Non Residential PDDs [Related to PDD Performance Standards for Parking]; or, Art. 6.A.1.D.2.c, Location of Required Front, Side and Rear Parking	Parking required to be located on the side or rear of a building may be relocated for industrial uses.	 Demonstration that proposed use(s) require limited public or employee access due to special security requirements, or where side or rear facades are primarily utilized for bay door or other transportation logistics parking or access; and, Demonstration that proposed Site Plans and building floor plans provide building entrances within reasonable proximity to any public or employee parking areas.
Art. 7.D.12 – Landscape in Easements	Landscape buffers may overlap easements by up to 10 feet.	For one of the following scenario's: Any R-O-W buffer 30 feet in width or greater resulting from use of Art. 3.B.4.F.1.d. Architectural Review; or Landscape buffers 20 feet in width or greater, upon demonstration that new technology developed after the original utility easement was platted necessitate increased easement width. Documentation from a licensed landscape architect demonstrating that careful consideration in the selection of planting materials to be used will ensure that all required landscaping is sustainable and will not adversely impact utilities.

(This space intentionally left blank)

Notes:

23 24 25

- <u>Underlined</u> indicates <u>new</u> text.
- Stricken indicates text to be deleted. If being relocated, or partially relocated, destination is noted in bolded brackets [Relocated to:] or [Partially relocated to:].
- Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].
- A series of four bolded ellipses indicates language omitted to save space.

BCC Adoption Hearing

Table 3.B.4.	F Type I Waivers for Industri	al Pods (continued)
Article/Table Reference and Title	Maximum Waiver	Criteria
Art. 5.B.1.A.2.c Fences, Walls and Hedges – Dangerous Materials	Barbed wire on the top of fences or walls may be allowed.	 When the applicant demonstrates that an increased level of security is necessary. The applicant shall provide written justification and support documentation to support the
Art. 5.B.1.A.3.b Outdoor Storage - Location	Outdoor storage may be allowed within required building setbacks.	 need for barbed wire. When all parcels adjacent to the outdoor storage are within an Industrial pod of the PIPD. When all parcels adjacent to the generator
Art. 5.B.1.A.18 Permanent Generators	Permanent generators may be allowed within required side or rear building setbacks. Screening for ground mounted	location are within an Industrial pod of the PIPD. If the equipment cannot be viewed from a
Art. 5.B.1.A.19.a.2) Ground Mounted Mechanical Equipment Screening Requirements	Screening for ground mounted mechanical equipment is not required.	ROW or any Commercial, Civic, Recreation or Residential parcels.
Art. 5.B.1.A.19.a.2)b)(1)(b), Roof Mounted Mechanical Equipment Screening	Screening for roof mounted mechanical equipment is not required.	 If all adjacent parcels having a view of the equipment are within the Industrial pods of the PIPD.
Table 5.E.4.D, Illumination Levels	Increased illumination levels in outdoor work areas of up to 25 percent may be allowed when all adjacent parcels are within an Industrial pod, as follows:	 Demonstration in writing and with supporting documentation that increased illumination levels will not adversely impact other uses within or abutting the PIPD; Demonstration that the need for additional lighting is for employee safety or site security; provided the illumination level complies with the Table at the perimeter property line adjacent to a public ROW or to residentially zoned property.
Table 5.E.4.D, Maximum Permitted Luminaire Height	Luminaire heights may be increased by 25 percent.	When all adjacent parcels are within an Industrial pod.
Art. 6.A.1.D.14.b.2), Pedestrian Circulation	Canopy trees, benches and accented walkways are not required.	 Demonstration that these amenities conflict with site security: Demonstration in writing and supporting documentation that either manned or electronic security access is provided for employees; and, That a minimum of 25 percent of the required amenities or equivalent improvements are utilized at the public or employee entrances to the facility or in outdoor break areas, if applicable.
Table 8.G.2.B, Freestanding Sign Standards	Maximum sign area for freestanding signs may be increased by 25 percent to accommodate additional address information for multiple tenant buildings.	 With uses that generate heavy truck traffic, as documented within the traffic study for the project.
Table 8.G.2.B, - Freestanding Outparcel Identification Signs	Maximum sign area for freestanding outparcel identifications signs may be increased by up to 50 percent to accommodate additional address information for multiple tenant buildings.	 With uses that generate heavy truck traffic, as documented within the traffic study for the project.

4

5

7

8

9

10 11 12

13 14

15

16

Part 4. ULDC Art. 4.A.4.A, Development Thresholds (page 19 of 171), is hereby amended as follows:

6 CHAPTER A USE CLASSIFICATIONS

Section 4 Development Thresholds

A. General

Any amendment to an existing development, or new construction of residential, commercial or industrial projects that meets or exceeds either the maximum square footage or units, or maximum acreage of Table 4.A.4.A, Thresholds for Projects Requiring Board of County Commission Approval, shall be reviewed and approved as a PDD or TDD in accordance with Art. 2.B.1, Official Zoning Map Amendment (Rezoning). Projects that meet or exceed the thresholds of this table that do not meet the access and dimension requirements of a PDD or TDD; are not allowed to be a PDD or TDD by the Plan; or for non-residential projects, consist of only one use, shall be approved as a Class A Conditional Use. [Ord. 2006-004] [Ord. 2007-013] [Ord. 2010-005]

17 18

- <u>Underlined</u> indicates <u>new</u> text.
- Stricken indicates text to be deleted. If being relocated, or partially relocated, destination is noted in bolded brackets [Relocated to:] or [Partially relocated to:].
- Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].
- A series of four bolded ellipses indicates language omitted to save space.

Table 4.A.4.A - Thresholds for Projects Requiring Board of County Commission Approval (1)

h		
FLU Designation (2) (3)	Number of Square Footage or Units (4)(5)	Acreage
Residential (Excluding RR FLU)	200 du	50 acres
AGR (Residential Only)	-	250 acres
CLO	30,000	<u>-</u>
CHO	50,000	-
CL	30,000	-
CH	50,000	-
IND	100,000	-
INST	50,000	-
CR	100,000	-
MLU	50,000	-
EDC	100,000	-
NI-4		

Land area devoted to retention pursuant to the requirements of the C-51 drainage basin, or land area devoted to vegetation preservation pursuant to the Environmentally Sensitive Lands Ordinance, excluding AGR or Sector Plan preserve areas, shall not be counted toward the maximum acreage threshold. [Ord. 2006-004] PDDs or TDDs in the AGR Tier are limited to the 80/20 PUD, 60/40 PUD or AGR TMD (FLUE Policy 1.5.1-a). There are no thresholds for the UC or UI FLU designations. [Ord. 2011-016] Dwelling units shall include any density awarded as part of a density bonus program. [Ord. 2006-004 [Ord. 2011-016] A BCC approved PDD or TDD shall not be subject to these thresholds for any subsequent Development Order approval.

3

- **Underlined** indicates **new** text.
- Stricken indicates text to be deleted. If being relocated, or partially relocated, destination is noted in bolded brackets [Relocated to:] or [Partially relocated to:].
- Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].
- A series of four bolded ellipses indicates language omitted to save space.

EXHIBIT H

NORTHLAKE BOULEVARD OVERLAY ZONE (NBOZ) SUMMARY OF AMENDMENTS

2 Part 1. ULDC Art. 3.B.8, NBOZ, and Northlake Boulevard Overlay Zone (page 28 of 229), is hereby amended as follows:

CHAPTER B OVERLAYS

4

5

6

7

8

9

10 11

12

13

14 15

16

17

18

19 20

21

22

23

24 25

26 27

28

29

30

31

32

33 34

35

36

Section 8 NBOZ, Northlake Boulevard Overlay Zone

A. Purpose and Intent

The purpose and intent of the NBOZ is to encourage improvement, enhancement, renovation, and/or redevelopment of the Northlake Boulevard Corridor and to provide criteria by which to review development/redevelopment within the Overlay Zoning District. The criteria outlined in "Design Guidelines: Northlake Boulevard Overlay Zoning District (NBOZ)" will serve to unify commercial development along the corridor and provide a positive collective identity for the corridor. These regulations were prepared under the guidance of the Northlake Boulevard Corridor Task Force (NBCTF) – an intergovernmental task force created by Interlocal agreement composed of two representatives each from PBC, the Town of Lake Park, the Village of North Palm Beach and the City of Palm Beach Gardens.

B. Applicability

The provisions of the NBOZ, as outlined in "Design Guidelines: Northlake Boulevard Overlay Zoning District (NBOZ)" prepared by Michael Redd & Associates, and dated March 11, 2002, which are incorporated herein by reference, shall apply to all proposed development order applications within the boundaries of the NBOZ, as described in Article 3.B.9.C, Boundaries.

C. Boundaries

The NBOZ includes the public R-O-W for Northlake Boulevard and all properties along Northlake Boulevard from Military Trail to U.S. Highway One for one property depth north and south of Northlake Boulevard, including the street intersection properties at U.S. Highway One and at Military Trail. Unincorporated portions of the NBOZ include portions of Section 18, Township 42, Range 43; Section 17, Township 42, Range 43; Section 24, Township 42, Range 42; and Section 19, Township 42, Range 43, as indicated in the Official Zoning Map.

D. Conflict

In the event of a conflict between the NBOZ and other applicable regulations, the more restrictive regulation shall prevail.

E. Deadline to Comply with Requirements for Signage and Landscaping

The deadlines to comply with signage and landscaping requirements contained in the provisions of the Design Guidelines for the NBOZ are hereby extended to <u>July 5, 2016</u> May 31, 2014.

1. Notice to Property Owners

Written certified notice shall be provided by PBC Zoning to the property owner at least one year in advance of the <u>July 5, 2016 May 31, 2014</u> deadline.

- <u>Underlined</u> indicates <u>new</u> text.
- Stricken indicates text to be deleted. If being relocated, or partially relocated, destination is noted in bolded brackets [Relocated to:] or [Partially relocated to:].
- Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].
- A series of four bolded ellipses indicates language omitted to save space.

EXHIBIT I

URAO AND IRO ALTERNATIVE PARKING LOT DESIGN OPTIONS SUMMARY OF AMENDMENTS

Part 1.	ULDC Art. 3.B.15.F.11.c, Alternative Parking Lot Design Options [Related to Landscape Standards] (page2 81-82 of 229), is hereby amended as follows:
CHAPTER	B OVERLAYS
Section 15	INFILL REDEVELOPMENT OVERLAY (IRO)
F. Des	sign and Development Standards Landscape Standards C. Alternative Parking Lot Design Options This section allows provides landscape or alternatives, parking lot designs through modifications to or reductions Art. 7.G. Off Street Parking Requirements for interconnectivity that allow for the use of to promote innovative design or use of green building materials necessary for smaller sites or desired for larger projects. The following may be used individually or in combination, unless stated otherwise: [Ord. 2010-005] 1) Option 1 Projects that are one-half acres or less in size, with 20 or fewer parking spaces may consolidate relevate all required interior landscape island areas and planting parking materials into one or more locations anywhere within the project open space preserve; [Ord. 2010-005] 2) Option 2 Projects that are two acres or less in size may reduce required terminal island landscape width to a minimum of five feet in width of landscape area. This option may not be used in conjunction with any option relocating these landscape areas: [Ord. 2010-005] 3) Option 3 Landscape area and shrub or groundcover requirements for terminal, interior and divider median islands may be replaced with bio-swales and appropriate landscaping, provided that required canopy trees can be accommodated. Alterations to required curbing may be permitted subject to demonstration that vegetated areas are protected from vehicles and that there will be no adverse impacts to pedestrians; or [Ord. 2010-005] 4) Option 4 Up to a maximum of 25 percent of required terminal, interior and divider median landscape islands areas shall not be required provided that those parking areas provide shade by installing covered parking that utilizes materials with appropriate solar reflectance index (SRI) materials are installed where islands are removed depending on the pitch of the roof of the structure; [Ord. 2010-005] 5) Option 5 Landscape shrub or groundcover requirements for Required terminal, interior and divider median landscap
	protection; [Ord. 2010-005] <u>be</u>) Green building standards for tree wells and related root growth areas are utilized;
	[Ord. 2010-005] d) All abutting parking spaces utilize pervious pavement that has an SRI of at least 29 to improve solar reflectance; and, [Ord. 2010-005] e) Land Development approval. [Ord. 2010-005] 6) Option 6 No interior islands are required if parking spaces are abutting landscape buffers, street walls or tree planting areas. [Ord. 2010-005]
Part 2.	ULDC Art. 3.B.16.F.10.c, Alternative Parking Lot Design Options [Related to Landscape Standards] (page 107 of 229), is hereby amended as follows:
CHAPTER	B OVERLAYS
Section 16	Urban Redevelopment Area Overlay (URAO)
	A Design and Development Standards Landscape Standards c. Alternative Parking Lot Design Options

- <u>Underlined</u> indicates <u>new</u> text. <u>Stricken</u> indicates text to be <u>deleted</u>. If being relocated, or partially relocated, destination is noted in bolded brackets [Relocated to:].

 Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].
- A series of four bolded ellipses indicates language omitted to save space.

28 29

30

31

32

33

34

35

36 37

38

39

40

41

42

43

44

URAO AND IRO ALTERNATIVE PARKING LOT DESIGN OPTIONS SUMMARY OF AMENDMENTS

This section <u>allows</u> <u>provides landscape or</u> alternatives, <u>parking lot designs through modifications to or reductions Art. 7.G, Off Street Parking Requirements for interconnectivity that allow for the use of to promote innovative design or <u>use of green building materials necessary for smaller sites or desired for larger projects. The following may be used individually or in combination, <u>unless stated otherwise</u>:</u></u>

1) Option 1

Projects that are one-half acres or less in size, with 20 or fewer parking spaces may consolidate relocate all required interior landscape island areas and planting parking materials into one or more locations anywhere within the project open space preserve; [Ord. 2010-022]

2) Option 2

Projects that are two acre or less in size may reduce required terminal island landscape width to a minimum of five feet in width of landscape area. This option may not be used in conjunction with any option relocating these landscape areas; [Ord. 2010-022]

3) Option 3

Landscape area and shrub or groundcover requirements for terminal, interior and divider median islands may be replaced with bio-swales and appropriate landscaping, provided that required canopy trees can be accommodated. Alterations to required curbing may be permitted subject to demonstration that vegetated areas are protected from vehicles and that there will be no adverse impacts to pedestrians; or, [Ord. 2010-022]

4) Option 4

Up to a maximum of 25 percent of required terminal, interior and divider median landscape <u>islands</u> areas shall not be required provided <u>that</u> those parking areas provide shade by installing covered parking that utilizes <u>materials</u> with appropriate solar reflectance index (SRI) <u>materials</u> are installed where islands are removed depending on the pitch of the roof of the structure: [Ord. 2010-022]

5) Option 5

<u>Landscape shrub or groundcover requirements for Required</u> terminal, interior and divider median landscape areas <u>and required shrubs</u> shall not be required, subject to the following: [Ord. 2010-005]

- a) The number of required terminal, interior and divider median trees are doubled; and, [Ord. 2010-005]
- b) Trees are protected by curbing, wheel stops or other similar methods of protection; [Ord. 2010-005]
- be) Green building standards for tree wells and related root growth areas are utilized; [Ord. 2010-005]
- d) All abutting parking spaces utilize pervious pavement that has an SRI of at least 29 to improve solar reflectance; and, [Ord. 2010-005]
- e) Land Development approval. [Ord. 2010-005]

6) Option 6

No interior islands are required if parking spaces are abutting landscape buffers, street walls or tree planting areas. [Ord. 2010-022]

- <u>Underlined</u> indicates <u>new</u> text.
- Stricken indicates text to be deleted. If being relocated, or partially relocated, destination is noted in bolded brackets [Relocated to:].
- Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].
- A series of four bolded ellipses indicates language omitted to save space.

EXHIBIT J

RESIDENTIAL SETBACK EXCEPTIONS AND ZERO LOT LINE ENCROACHMENTS **SUMMARY OF AMENDMENTS**

	7
	8
	9
1	0
4	4
1 1 1 1	2
1	3
1	4
1	5
1	6
1	7
1	8
1	9
2	0
2	0
2	2
2	2 3 4
2	4
2	5
_	^
2	6
2	7
_	'
2	8
2	9
3	0
3	1
3	2
3	3
3	4
3	5
3	6
3	4 5 6 7 8
3	8
3	9
4	0
4	1
4	
4	
4	
4	
4	6
4	0
4	9
5	0
5	1
	2
5	
5	
5	5
	6

Part 1. ULDC Art. 3.D.1.D.5, Setback Exceptions (page 127 and 128 of 229), is hereby amended as follows:

CHAPTER D PROPERTY DEVELOPMENT REGULATIONS (PDRS) 4

PDRs for Standard Zoning Districts 5 Section 1

D. Setbacks

Setback Exceptions

The following structures, projections, and improvements shall be allowed within required setbacks:

Structures Projections and Improvements Permitted in Setbacks

3) Permanent/retractable awnings, or canopies or Bahama shutters projecting a maximum of three feet into a setback, and having no support other than provided by the wall or structure to which it is attached; [Ord. 2005-041]

- 26) Bus shelters and bus benches; and [Ord. 2005-041]
- 27) Fire hydrants and other government service/utility structures required to be in certain locations by applicable Codes and ordinances: [Ord. 2005-041]
- 28) Impact shutters projecting a maximum of 18 inches into the setback.
- 29) Decorative architectural treatment such as lintels, stone veneer or stucco banding, projecting a maximum of six inches into a setback.

1 2

3

6

Part 2. ULDC Art. 3.D.2.B.9.c, Maintenance and Roof Overhang Easement (pages 134 and 135 of 229), is hereby amended as follows:

PROPERTY DEVELOPMENT REGULATIONS (PDRS) **CHAPTER D**

Section 2 **PDRs for Specific Housing Types**

B. Zero Lot Line (ZLL)

9. Permitted Openings and Attachments

Maintenance and Roof Overhang Easement

The subdivision plan and plat shall indicate a maintenance and roof eave encroachment easement along the ZLL for each ZLL lot for the purpose of allowing maintenance of the portion of the home with a zero setback and to accommodate any overhang of the roof eave and gutter. Should a fence or wall traverse or be located within a maintenance and roof easement, written permission from all easement beneficiaries will be required prior to the issuance of a permit by PBC. A gate for access and maintenance purposes will be required. Access for the owner of the lot abutting the easement and the easement beneficiaries shall be provided after advanced notification and during reasonable hours. No construction, landscaping, mechanical equipment, fence or wall shall prevent perpetual access to said easement by the owner of the lot abutting the easement or the easement beneficiaries. [Ord. 2013-001]

Easement Width

This easement shall have a minimum width of two feet.

2) Roof Overhang

Roof eaves, soffits and gutters may encroach the easement up to a maximum of 24 inches. Gutters shall be installed along the entire length of the ZLL side to prevent water runoff onto the adjacent property.

3) Drainage

This easement shall not overlap a drainage easement.

The following language shall be on the plat for each ZLL subdivision: Maintenance and roof overhang easements are hereby reserved in perpetuity to the owner of the lot abutting the easement and the HOA for the purpose of access to and maintenance of improvements, the roof overhang, eave, gutters, drainage and utility services, decorative architectural treatment, and impact utters, within and adjacent to said easement without recourse to PBC. [Ord. 2013-001]

Easement Encroachments

Projections or improvements may be permitted to encroach into the ZLL maintenance and roof overhang easement, upon demonstration that the plat dedication includes the items specified, as follows:

Notes:

57

58

59

60

- Underlined indicates new text.
- Stricken indicates text to be deleted. If being relocated, or partially relocated, destination is noted in bolded brackets [Relocated to:] or [Partially relocated to:].
- Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].
- A series of four bolded ellipses indicates language omitted to save space.

EXHIBIT J

RESIDENTIAL SETBACK EXCEPTIONS AND ZERO LOT LINE ENCROACHMENTS SUMMARY OF AMENDMENTS

1	
2	
3	
4	
_	

- <u>a) Mounting hardware for impact shutters, accordion shutters, or roll down shutters, projecting a maximum of six inches into the ZLL easement; and,</u>
- b) Decorative architectural treatment such as lintels, stone veneer or stucco banding extending a maximum distance of three feet measured form the front facade, projecting a maximum of two inches into a ZLL easement.

- <u>Underlined</u> indicates <u>new</u> text.
- Stricken indicates text to be deleted. If being relocated, or partially relocated, destination is noted in bolded brackets [Relocated to:] or [Partially relocated to:].
- Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].
- A series of four bolded ellipses indicates language omitted to save space.

EXHIBIT K

RVPD REAL ESTATE SALES OFFICE SUMMARY OF AMENDMENTS

1 2	Part 1. Ul	DC Art. 3.E.1.G.1, General [Related to PDD Sales Office and Models] (pages 154-155
3		229), is hereby amended as follows:
4	CHAPTER E	PLANNED DEVELOPMENT DISTRICTS (PDDS)
5	Section 1	General
6		Office and Models
7	1. Ge	eneral
8		
9	b.	Permanent
10		A permanent real estate sales office is permitted in a commercial pod only, except where
11		allowed otherwise within a Recreational Vehicle Park Development (RVPD).
12	C.	Definitions – see Art. 1.I, Definitions and Acronyms
13		1) Real Estate Sales Office, Planned Development
14		An office for the sale and resale of new and existing residential units, or Recreation
15		<u>Vehicle (RV) sites</u> , in a planned development.
16		a) Temporary, Pod
17		A temporary real estate sales office for the sale of new units only shall be
18		permitted in a residential pod or other temporary location approved by the DRO.
19		Sales shall be limited to only new units in the pod. A temporary sales office in a
20		mobile home shall be subject to Article 5.B.1.B, Temporary Structures. Sanitary
21		facilities shall be available in the office. A temporary real estate sales office shall
22		be removed from the site prior to the issuance of the CO for the last remaining
23		unit in the pod. Temporary access to the sales office may be permitted, subject
24		to approval by the DRO. The temporary access shall be limited to one year,
25		unless extended by the DRO.
26		b) Temporary, Project
27		A temporary real estate sales office for the sale and resale of units in the entire
28		project, or phase of a project, shall be permitted in a residential pod, private civic
29		pod, commercial pod, or recreation pod, subject to approval by the BCC. A
30		temporary sales office in a mobile home shall be subject to Article 5.B.1.B,
31		Temporary Structures. Sanitary facilities shall be available in the office. A
32		temporary real estate sales office serving an entire project shall only be permitted
33		within a planned development and/or phase approved for 300 or more units.
34		Sales and resales shall be limited to only units within the planned development.
35		A temporary real estate sales office shall be removed from the site prior to the
36		issuance of the CO for the last remaining unit in the project or phase, as
37		applicable. Temporary access to the sales office may be permitted, subject to
38		approval by the BCC.
39		<u>c)</u> <u>RVPD</u>
40		A temporary real estate sales office for the sale of RV sites shall be permitted
41		within an RVPD in accordance with the provisions above, and the following:
42		(1) Units shall mean RV sites;
43		(2) May be located within the Recreation Pod;
44		(3) The temporary RVPD real estate sales office shall be removed upon
45		completion of the project, CO of a permanent RV site real estate sales office,
46		or upon expiration of the maximum time to commence development for the
47		last phase, in accordance with Table 2.E.3.B, Time Limitation of
48		Development Order for Each Phase. The BCC may impose a Condition of
49		Approval with a specific date for compliance;
50		•••
51		
52	B 4.2	
53 54		LDC Art. 3.E.7, Recreational Vehicle Park Development (RVPD) (pages 183-184 of 19), is hereby amended as follows:
55	CHAPTER E	PLANNED DEVELOPMENT DISTRICTS (PDDS)
56	Section 7	Recreational Vehicle Planned Development District (RVPD)
E7		
57 50	C. Pods	
58 59	C. Pous	
JJ		

Notes:

60

2. Commercial

- <u>Underlined</u> indicates <u>new</u> text. <u>Stricken</u> indicates text to be <u>deleted</u>. If being relocated, or partially relocated, destination is noted in bolded brackets [Relocated to:].
- Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].
- A series of four bolded ellipses indicates language omitted to save space.

EXHIBIT K

RVPD REAL ESTATE SALES OFFICE SUMMARY OF AMENDMENTS

No commercial use, building or structure shall front or have direct legal access on any arterial or collector street bordering or traversing the RVPD. Commercial uses shall be intended for the use of temporary residents in the RVPD only, with exception to a permanent real estate sales office for the sale of RV sites located within the RVPD.

4 5 6

7 8

9 10 11

2

G. Supplemental Standards

....

3. Temporary Structures

Temporary structures, such as construction trailers, RV site real estate sales office and security quarters, may be allowed, subject to Article 5.B.1.B, Temporary Structures. A mobile home may be used as a caretakers quarters, security quarters, watchmans trailer, or temporary structure.

12 13 14

15

16

5. Real Estate RV Site Sales

A permanent real estate sales office for RV sites may be collocated with an accessory management office in a Recreational Pod.

- <u>Underlined</u> indicates <u>new</u> text.
- Stricken indicates text to be deleted. If being relocated, or partially relocated, destination is noted in bolded brackets [Relocated to:].
- Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].
- A series of four bolded ellipses indicates language omitted to save space.

8

10 11 12

13

ECONOMIC DEVELOPMENT CENTER (EDC)

SUMMARY OF AMENDMENTS

ULDC Art. 3.A.3.B, Future Land Use (FLU) Designation and Corresponding Standard Part 1. Zoning Districts (page 17 of 229), is hereby amended as follows:

> Table 3.A.3.B - Future Land Use (FLU) Designation and Corresponding **Standard Zoning Districts (1)**

FLU Designation	Zoning District (2)											
Industrial												
IND	IL	IG	CRE									
EDC	Æ	IG) 									
[Ord. 2006-004] [Ord. 2008	-003] [Ord. 2008-	037] [Ord. 2010-	005] [Ord. 2010-0	22] [Ord. 2011	-016]							
Notes:												
••••												

Part 2. ULDC Table 3.A.3.C, Future Land Use Designation and Corresponding Planned Development Districts (page 18 of 229), is hereby amended as follows:

Table 3.A.3.C - FLU Designation and Corresponding Planned Development Districts (1)

	AGR (2)	RR	AGE	LR1	LR2	LR3	MR5	HR8	HR12	HR18	MLU	EDC
PUD	V	V	√	√	√	√	√	√	√	$\sqrt{}$	V	
MHPD		V		√	√	√	√	√	√	√		
MXPD									(3)	(3)		

	AGR (1)	RR	CL	СН	CLO	СНО	IND	INST	CRE	MLU	EDC
MUPD			√	√	√	V	√	V	V	V	V
MXPD				√		V				√	→
PIPD							√			√	√
RVPD		\checkmark							√		
LCC			√	√							
[Ord. 2008	-037] [Ord.	. 2009-040] [Ord.	2009-040] [2010-0	05] [Ord.	2010-022]					
Notes:											
	•		•		•		•			•	

Part 3. ULDC Table 3.A.3.D, Corresponding Land Use (page 18 of 229), is hereby amended as follows:

Table 3.A.3.D - FLU Designation and TDD Corresponding Traditional Development Districts (TDD) Land

	AGE	AGR	RR	LR1	LR2	LR3	MR5	HR8	HR12	HR18	MLU	EDC
TND	√(1)			1	√	√	1	1	4	√	√	4
TTD	√(1)			1	√	√	1	1	√	√	√	
	AGE	AGR	RR	CL	СН	CLO	СНО	IND	INST	CRE	MLU	EDC
TMD	√ (1)			√	√	√	√			4	√	4

[Ord. 2010-022]

Legend: Check ($\sqrt{}$) indicates the TDD corresponds to the FLU category. Any application for a rezoning to a TDD shall be to a TDD that corresponds to a FLU designation. [Ord. 2008-037]

15

16 17 18

(This space intentionally left blank.)

Notes:

<u>Underlined</u> indicates <u>new</u> text.

<u>Stricken</u> indicates text to be <u>deleted</u>. If being relocated, destination is noted in bolded brackets [Relocated to:].

Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].

ECONOMIC DEVELOPMENT CENTER (EDC) SUMMARY OF AMENDMENTS

Part 4. ULDC Table 3.E.1.B, PDD Use Matrix (pages 141 - 147 of 229), is hereby amended as follows:

Table 3.E.1.B - PDD Use Matrix

Table 3.E.1.B - PDD Use Matrix																							
		I	PUE)					MU	IPD				MX	PD	F	PIPD				LC	C	
		F	od	S					FL	_U				FL	.U	Use Zone					FL	.U	
Use Type	R	С	R	С	Α	С	С	С	С	С	ı	E	ı	С	С	ı	С	ı	М	R	С	С	N
	Е	0	Е	ı	G	L	н	L	Н	R	N	<u>D</u>	N	Н	н	N	0	N	н	v	L	н	0
	s	М	С	٧	R			0	0		D	<u>c</u>	s		0	D	М	D	Р	Р			Т
					1								Т			1		1	D	D			Е
					Р											L		G					
Residential Uses																							
Single Family	Р																						122
Zero Lot Line Home	Р													Р	Р								142
Townhouse	Р													Р	Ρ						Р	Р	132
Multi-Family	Р													Р	Ρ						Р	Р	87
Mobile Home Dwelling					s														Р				85
Accessory Dwelling	S				s																		1
Congregate Living Facility, Type 1	Р																						34
Congregate Living Facility, Type 2	R			s																	D	D	34
Congregate Living Facility, Type 3	R	R		R		R	R	R	R				R	R	R						R	R	34
Estate Kitchen	Р																						48
Farm Residence																							50
Farm Worker Quarters					Р																		51
Garage Sale	Р				Р								Р	Р	Р				Р				60
Guest Cottage	Р																						66
Home Occupation	Р				Р									Р	Р				Р		Р	Р	70
Kennel Type I (Private)	Р																						73
Nursing Or Convalescent Facility		R		R		R	R						D	R									90
Security Or Caretaker Quarters				s	s	s	s	s	s	s	S	<u>s</u>	s	s	s	s	s	s	s	s			119
[Ord. 2005-002] [Ord. 2006-036] [Ord. 2007-001] [Ord.	200	8-0	37]	[Orc	1. 20)09-	040] [0	rd. 2	2010	-005	5]											
Notes:																							
P Permitted by right																							ļ
Permitted subject to approval by the DRO																							

- S R Permitted in the district only if approved by Special Permit
- Permitted in the district only if approved by the Board of County Commissioners (BCC) as a requested use.

10

11

(This space intentionally left blank)

Notes:

<u>Underlined</u> indicates <u>new</u> text.

<u>Stricken</u> indicates text to be <u>deleted</u>. If being relocated, destination is noted in bolded brackets [Relocated to:].

Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].

ECONOMIC DEVELOPMENT CENTER (EDC) SUMMARY OF AMENDMENTS

Table 3.E.1.B - PDD Use Matrix Continued

Table 3.												_				_							
			PUI)					MU	JPD				MX	PD	F	PIPE)			LC	CC	
			Pod	s					FI	LU				FL	.U	Us	e Zo	one			FL	LU	
Use Type	R	С	R	С	Α	С	С	С	С	С	ı	E	ı	С	С	ı	С	1	М	R	С	С	N
	E	0	Е	I	G	L	Н	L	н	R	N	<u>D</u>	N	Н	Н	N	0	N	н	٧	L	н	0
	s	M	С	٧	R			0	0		D	<u>C</u>	s		0	D	М	D	Р	Р			Т
				ļ	1	·	ļ						T			1		1	D	D			E
					Р											L		G					
	1	(Con	ıme	rcia	l Us	ses									_	<u> </u>	<u> </u>	<u> </u>			_	
Adult Entertainment	-															S	S						2
Auction, Enclosed		R					Р			Р	D						Р				Р	Р	16
Auction, Outdoor							R			R	R					Р	Р	Р					16
Auto Paint Or Body Shop		R					R				R					Р	Р	Р					17
Bed And Breakfast	D	D				S	S	S	S	S				S	S		S					Ш	20
Broadcast Studio		R				R	Р	R	Р	Р	Р	<u>P</u>		R	R	Р	Р				R	R	21
Building Supplies		R					R							R			Р				R	R	22
Butcher Shop, Wholesale							R				Р			R		Р	Р	Р				Ш	23
Car Wash		R					R				Р			R		Р	Р	Р			R	R	25
Catering Service																D						Ш	26
Contractor Storage Yard											Р	<u>D</u>				Р		Р					35
Convenience Store		Р				Р	Р							Р	P		Р		Р	Р	Р	Р	36
Convenience Store With Gas Sales						R	R				R			R		R	Р					R	37
Crematory						R	R				R		R	R			R						59-2
Day Labor Employment Service		R					R				R						Р						41
Dispatching Office							R							R		Р	Р	Р					42
Dog Day Care							R							R		Р	R				R	R	43
Financial Institution		R				R	Р	R	Р					Р	Р		Р				R	R	55
Flea Market, Enclosed		Р					R							R			Р					R	57
Flea Market, Open							R										R						58
Funeral Home		Р				R	R				D		R	R			Р						59-1
Gas and Fuel, Retail		R				R	R							R		Р	R	Р			R	R	18
Green Market																					D	D	64
Hotel, Motel, SRO, Rooming And Boarding							R		R	R				R	R		Р					R	72
Kennel, Type II (Commercial)		R					R							R								Ш	74-1
Kennel, Type III (Commercial–Enclosed)		R				R	R							R							R	R	74-2
Kiosk						Р	Р	Р	Р	Р				Р	Р	Р	Р	Р			Р	Р	75
Landscape Service		R					R				Р	<u>D</u>		R		Р	Р	Р					77
Laundry Services		R				Р	Р		Р					Р	Р	Р	Р		Р	Р	Р	Р	78
[Ord, 2005-002] [Ord, 2004-051] [Ord, 2006-036] [Ord	200	7-00	111 [Ord	20	08 -	0371	ΙΩ	rd 2	nna	-040	11 [()rd	201	I	051	ſΩr	d 2	011	-016	31.16)rd	2012

[Ord. 2005-002] [Ord. 2004-051] [Ord. 2006-036] [Ord. 2007-001] [Ord. 2008-037] [Ord. 2009-040] [Ord. 2010-005] [Ord. 2011-016] [Ord. 2012-003] [Ord. 2012-027] [Ord. 2013-001]

Notes:

- Permitted by right
- D Permitted subject to approval by the DRO
- s Permitted in the district only if approved by Special Permit
- Permitted in the district only if approved by the Board of County Commissioners (BCC) as a requested use.

1 2 3

(This space intentionally left blank)

Notes:

<u>Underlined</u> indicates <u>new</u> text. <u>Stricken</u> indicates text to be <u>deleted</u>. If being relocated, destination is noted in bolded brackets [Relocated to:].

Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].

ECONOMIC DEVELOPMENT CENTER (EDC) SUMMARY OF AMENDMENTS

Table 3.E.1.B - PDD Use Matrix Continued

Table 3.E							-							N. 63.5	D E)ID-						
			PUI)					MU	IPD				MX	PD	F	PIPE)			LC	C	
			Pod	s					Fl	LU				FL	.U	Us	e Zo	ne			FL	.U	
Use Type	R	С	R	С	Α	С	С	С	С	С	ı	Ш	ı	С	С	ı	С	_	м	R	С	С	N
	Ε	0	E	ı	G	L	н	L	Н	R	N	<u>D</u>	N	н	н	N	0	N	н	٧	L	н	О
	s	М	С	٧	R			0	0		D	<u>C</u>	s		0	D	м	D	Р	Р			Т
					1								Т			1		1	D	D			Е
					Р											L		G					
		C	om	mei	cial	Us	es																
Lounge, Cocktail		R				R	R		R	R				R	R		R				R	R	79
Medical Or Dental Office		Р				Р	Р	Р	Р					Р	Р		Р				Р	Р	83
Monument Sales, Retail						Р	Р							Р			Р						86
Office, Business Or Professional		Р				Р	Р	Р	Р					Р	Р		Р				Р	Р	91
Parking Garage, Commercial		Р					R		R	R							Р						95
Parking Lot, Commercial		R					R		R	Р													96
Pawnshop							R																97
Personal Services		Р				Р	Р		Р					Р	Р		Р		Р		Р	Р	98
Printing And Copying Services		Р				Р	Р	Р	Р					Р	Р		Р				Р	Р	100
Repair And Maintenance, General		R					R				Р	D				Р	Р	Р					107
Repair Services, Limited		Р				Р	Р		Р		Р			Р	Р		Р				Р	Р	108
Restaurant, Type I		R				R	R		R					R	R		R				R	R	109
Restaurant, Type II		R				R	D		R	R				D	R		R				D	D	111
Retail Sales, Auto Accessories and Parts		Р				Р	Р							Р	Р		Р				Р	Р	113
Retail Sales, General		Р				Р	Р							Р	Р		Р				Р	Р	114
Retail Sales, Mobile Or Temporary		s												s			s						115
Self-Service Storage						R	R				Р	D				Р	R	Р					120
Theater, Drive-In							R			R							R						128
Theater, Indoor		R					R			Р				R								R	129
Towing Service And Storage											Р					Р							130
Vehicle Sales And Rental		R				R	R							R			R				R	R	135
Veterinary Clinic		R				R	Р	R	Р					R	R		Р				R		136
Vocational School		R				R	Р		Р		Р	<u>R</u>	D	R	R	R		R			R		137
Work/Live Space		Р				Р	Р	Р	Р					Р	Р		Р				Р	Р	141- 1
Live/Work														D	D						D	D	141- 2
[Ord. 2005-002] [Ord. 2006-004] [Ord. 2007-001] [Ord. 2	2007	7-01	3] [0	Ord	. 20	09-0	40]	[Or	d. 2	010	-005	[C	rd.	201	0-02	22]	[Ord	1. 20	012-	027]		
Notes:																							
P Permitted by right																							
Permitted subject to approval by the DRO	٦.	_:.																					
Permitted in the district only if approved by Special FPermitted in the district only if approved by the Boar			untv	C^	mm:	eeio	ner	, (D	<u>ک</u> (۲)	20.4	a roc	יטור	stad	LICO	,								
Permitted in the district only if approved by the Boar	u Ul	CO	urity	CO	111111	SOIU	IICIS	ום) כ	JU)	as i	a 16(լսեն	งเซน	ust									

(This space intentionally left blank)

Notes:

<u>Underlined</u> indicates <u>new</u> text. <u>Stricken</u> indicates text to be <u>deleted</u>. If being relocated, destination is noted in bolded brackets [Relocated to:].

Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].

ECONOMIC DEVELOPMENT CENTER (EDC) SUMMARY OF AMENDMENTS

Table 3.E.1.B - PDD Use Matrix Continued

l able 3.5	· · ·	<u> </u>	1 6	י טי	030	- IVI	au	17 (701	14111	ue	u											
			PUI)					MU	PD				MX	PD	F	PIPE)			LC	C	
			Pod	s					FL	_U				FL	.U	Us	e Zo	one			FL	.U	
Use Type	R	С	R	С	Α	С	С	С	С	С	ı	E	ı	С	С	ı	С	ı	М	R	С	С	N
	E	0	E	I	G	L	Н	1	Н	R	N	<u>D</u>	N	Н	Н	N	0	N	Н	٧	L	Н	0
	s	М	С	v	R			0	О		D	C	s		0	D	М	D	Р	Р		İ	т
					1								Т			1		1	D	D			E
	ĺ				Р											L		G					
		Pu	blic	and	l Civ	vic l	Jse	s															
Airport, Helipad & Landing Strip										R	R	<u>R</u>				R		R					10
Assembly, Nonprofit Institutional		R		R		R	R			R			R	R	R		R				R	R	14
Assembly, Nonprofit Membership				R		R	R	R	R	R			R	R	R		R				R	R	15
Cemetery				R																			27
Place Of Worship		R		R		R	R	R	R	R			R	R	R		R		R		R	R	29
College Or University				R		R	R	R	R	R	R		R	R			R				R	R	30
Day Camp			Р	Р			R			Р			Р	R							R	R	39
Day Care, General		R		R		R	R	R	R	R			R	R	R	R	R	R	R	R	R	R	40
Day Care, Limited		D		D		D	D	D	D	D	D		D	D	D	D	D	D	D	D	D	D	40
Government Services		Р		Р		Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	63
Homeless Resource Center							R		R			_	R			R	R						70-1
Hospital Or Medical Center		R				R	R		R				R	R	R		R				R	R	71
Kennel, Type IV (Animal Shelter)						R	R						R	R									74-3
School, Elementary Or Secondary				R		R	R	R	R				D	R	R		R						118
	<u>,, </u>		Rec	reat	ion	Use	s													<u> </u>			
Arena, Auditorium Or Stadium		R	T				R			R				R									12
Campground										Р										Р			24
Entertainment, Indoor		R				R	R			Р				R			Р				R	R	45
Entertainment, Outdoor		R				R	R			Р	D			R			Р						46
Fitness Center		R	Р	R		R	R		R	Р				Р	Р	R	Р				R	Р	56
Golf Course			R			R	R	R	R	R	R			R	R			Р	Р	R			62
Marine Facility		R	+				R		R	R				R	R		Р					 	82
Park, Passive	Р	Р	Р	Р	R	Р	Р	Р	Р	Р			Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	93
Park, Public			Р	Р		R	Р			Р	Р		Р	Р	Р		Р		R		Р	Р	94
Special Event		s	s	s		s	s			S	S	S	S	S			S	s			S	s	
Zoo			1	_		Ť	R			R		_									_		143
[Ord. 2005-002] [Ord. 2006-004] [Ord. 2006-013] [Ord. 2012-027]	d. 20	800	-037] [C	rd.	200		40]	[Or		010	-005	5] [C	Ord.	20	10-0)22]	[0	rd. 2	201	2-00		
Notes:																							
P Permitted by right																							
Permitted subject to approval by the DRO	n																						
Permitted in the district only if approved by Special IPermitted in the district only if approved by the Boar			untv	Cor	mm:	ecio	nor	. (D/	CC)	ac 1	a roc	2000	to.d	HEC									
<u> </u>	u Ul	<u></u>	urity	CUI	111111	3310	HEI	o (D(JU)	as i	a 1 0 (1ues	oieu	use	•								
1 2																							
3																							

4 5

(This space intentionally left blank)

Notes:

<u>Underlined</u> indicates <u>new</u> text. <u>Stricken</u> indicates text to be <u>deleted</u>. If being relocated, destination is noted in bolded brackets [Relocated to:].

Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].

ECONOMIC DEVELOPMENT CENTER (EDC) SUMMARY OF AMENDMENTS

Table 3.E.1.B - PDD Use Matrix Continued

Table 3.E	Ī						-				-												
		l	PUE	<u> </u>					MU	PD				MX	PD	F	PIPE)			LC	;C	
			od	s					FL	_U				FL	.U	Use	e Zo	ne			FL	u	
				_																			
Use Type	R	С	R	С	Α	С	С	С	С	С	ı	<u>E</u>	1	С	С	1	С	1	М	R	С	С	N
	Е	0	Ε	I	G	L	Н	L	Н	R	N	<u>D</u>	N	Н	Н	N	0	N	Н	٧	L	Н	0
	s	М	С	٧	R			0	0		D	<u>C</u>	s		0	D	М	D	Р	Р			Т
	ļ				1								Т			1		1	D	D			Ε
					Р											L		G					
		Δ	gri	cult	ural	Us	es															-	
Agriculture, Bona Fide					Р																		3
Agriculture, Light Manufacturing																							4
Agriculture, Packing Plant					R																		5
Agriculture, Research/Development						Р	Р	Р	Р	Р	Р	<u>P</u>	Р			Р		Р					3.1
Agriculture, Sales And Service							Р										Р						6
Agriculture, Storage																							7
Agriculture, Transshipment											Р	<u>P</u>				Р		Р					8
Aviculture, Hobby Breeder					Р																		19
Community Vegetable Garden																							32
Equestrian Arena, Commercial				R						Р													47
Farmers Market							Р			Р				Р		Р	Р	Р					52
Farrier																							53
Groom's Quarters	Р				Р																		65
Nursery, Retail		Р			Р		Р							Р			Р						88
Nursery, Wholesale					Р											Р		Р					89
Potting Soil Manufacturing																							99
Produce Stand																							101
Shadehouse					Р																		121
Stable, Commercial					Р					Р													125
Stable, Private	Р				Р																		126
Sugar Mill Or Refinery																		Р					127
[Ord. 2005-002] [Ord. 2006-036] [Ord. 2008-037] [Ord.	2009	9-04	0] [0	Ord	. 20	10-0	05]	[Or	d. 2	012	-027]		<u> </u>									_
Notes:																							
P Permitted by right																							
Permitted subject to approval by the DRO	_																						
S Permitted in the district only if approved by Special	Permitted in the district only if approved by Special Permit Permitted in the district only if approved by the Record of County Commissioners (RCC) as a required to a																						

- Permitted in the district only if approved by the Board of County Commissioners (BCC) as a requested use.

(This space intentionally left blank)

Notes:

<u>Underlined</u> indicates <u>new</u> text.

<u>Stricken</u> indicates text to be <u>deleted</u>. If being relocated, destination is noted in bolded brackets [Relocated to:].

Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].

ECONOMIC DEVELOPMENT CENTER (EDC) SUMMARY OF AMENDMENTS

Table 3.E.1.B - PDD Use Matrix Continued

						T .																	
			PUE)					MU	IPD				MX	PD	F	PIPE)			LC	;C	
		ı	Pod	s					FL	_U				FL	.U	Us	e Zo	ne			FL	.U	
Use Type	R	С	R	С	Α	С	С	С	С	С	ı	E	ı	С	С	ı	С	ī	М	R	С	С	N
333 1,550	Ε	0	E	ı	G	L	Н	L	Н	R	N	<u>D</u>	N	Н	Н	N	0	N	Н	٧	L	Н	0
	s	М	С	٧	R			0	0		D	<u> </u>	s		0	D	М	D	Р	Р			Т
					1								Т			1		1	D	D			Е
					Р											L		G					
	Util	ities	s an	d E	xca	vati	on l	Jses	5														
Air Curtain Incinerator																							9
Air Stripper, Remedial																							11
Chipping and Mulching											Р					Р		Р					28
Communication Cell Sites On Wheels (COW) Tower, Mobile	s	s	s	s	s	s	s	s	s	s	s	<u>s</u>	s	s	s	s	s	s	s	s	s	s	31
Communication Panels, Or Antennas, Commercial	В	D	D	D		D	D	D	D	D	Р	<u>P</u>	D	D	D	Р	Р	Р			D	D	31
Communication Tower, Commercial							R				R	<u>R</u>	R	R		R	R	R				R	31
Composting Facility											Р					Р		Р					33
Electric Power Facility		R					R		R	R	R					R	R	R					44- 1
Electric Transmission Facility		R					R		R	R	R	<u>R</u>				R	R	R					44- 2
Excavation, Agricultural					Р																		49
Excavation, Type I																							49
Excavation, Type II	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	<u>P</u>	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	49
Excavation, Type III A																		R					49
Excavation, Type III B																		R					49
Recycling Center							Α				Р	ם				Р	Α	Р					103
Recycling Drop-Off Bin		D	D	D		D	D	D	D	D	D	D	D	D	D	D	D	D			D	D	104
Recycling Plant											Р					P R		Р					105
Renewable Energy Facility, Solar		D	D	D		D	D	D	D	D	D	<u>D</u>	D	D	D	D	D	D	В	В			106 -1
Renewable Energy Facility, Wind						R	R	R	R	R	R	<u>R</u>	R	R	R	R	R	R	R	R			106 -2
Sanitary Landfill Or Incinerator																							117
Solid Waste Transfer Station							R		R	R	R		R			₽ R	R	Р					123
Utility, Minor	Р	Р		Р		Р	Р	Р	Р	Р	Р	<u>P</u>	Р	Р	Р	Р	Р	Р	Р	Р	Р	Р	134
Water Or Treatment				R			R		R	R	R			R	R	Р		Р	R	R			139
[Ord. 2005-002] [Ord. 2006-004] [Ord. 2007-001] [Ord. 2	2009	9-04	0] [0	Ord.	. 20	10-0	05]	[Or]											
Notes:																							
P Permitted by right																							

- Permitted subject to approval by the DRO
- Permitted in the district only if approved by Special Permit
- D S R Permitted in the district only if approved by the Board of County Commissioners (BCC) as a requested use.

(This space intentionally left blank)

Notes:

8

Underlined indicates new text.

Stricken indicates text to be deleted. If being relocated, destination is noted in bolded brackets [Relocated to:].

Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].

ECONOMIC DEVELOPMENT CENTER (EDC) SUMMARY OF AMENDMENTS

Table 3.E.1.B - PDD Use Matrix Continued

			PUE)					MU	PD				мх	PD	F	PIPE)			LC	C	
		F	Pod	s					FL	.U				FL	.U	Use	e Zo	one			FL	.U	
Use Type	R	С	R	С	Α	С	С	С	С	С	1	<u>E</u>	1	С	С	I	С	ı	М	R	С	С	N
	Е	О	Е	ı	G	L	Н	L	Н	R	N		N	Н	н	N	0	N	н	٧	L	н	0
	s	М	С	V	R			0	0		D	<u>C</u>	s		0	D	М	D	Р	Р			Т
					1								Т			1		1	D	D			Е
					Р											L		G					
			Ind	ustr	ial (Jse	S																
Asphalt Or Concrete Plant											R							Р					13
Data Information Processing						Ρ	Р		Р		Р	<u>P</u>		Р	Р	Р	Р	Р			Р	Р	38
Film Production Studio							Р		Р	R	Р	<u>P</u>				Р	Р	Р				Р	54
Gas And Fuel, Wholesale											R							Р					61
Heavy Industry											R					R		Р					69
Laboratory, Research						R	R	R	R	R	Р	<u>P</u>	R	R		Р	R	Р			R	R	76
Machine Or Welding Shop											Р					Р		Р					80
Manufacturing And Processing						R	R	R	R	R	Р	<u>R</u>				Р		Р					81
Medical Or Dental Laboratory		Р				Р	Р	Р	Р			<u>P</u>				Р							84
Salvage Or Junk Yard											R							R					116
Transportation Facility												<u>P</u>				Р		Р					133
Truck Stop											R					R		R					131
Warehouse							R				Р	<u>P</u>				Р		Р					138
Wholesaling, General											Р	<u>P</u>				Р		Р					140
[Ord. 2005-002] [Ord. 2004-040] [Ord. 2009-040] [Ord. 2	2010	0-00	5]																				
Notes:																							
P Permitted by right																							
Permitted subject to approval by the DRO																							
S Permitted in the district only if approved by Special F				_																			

R Permitted in the district only if approved by the Board of County Commissioners (BCC) as a requested use.

2

4

5

6

7

8

9

10

11

12 13

14

15

16

17

20

21

22 23

24

25

Part 5. ULDC Art. 3.E.3, Multiple Use Planned Development (MUPD) (pages 171 - 173 of 229), is hereby amended as follows:

CHAPTER E PLANNED DEVELOPMENT DISTRICTS (PDDS)

Section 3 Multiple Use Planned Development (MUPD)

A. General

1. Purpose and Intent

The purpose of an MUPD is to provide for the efficient use of land by the integration of multiple uses, or large single uses, within a unified development. The intent of an MUPD is to provide opportunities for enlightened and imaginative approaches to community planning and-site-design by:

- a. allowing flexibility from standard PDRs;
- b. applying PDRs to the entire project rather than individual lots, such as: access, parking, lot dimensions, lot frontage, and landscaping; and
- c. encouraging the creation of a unified image between buildings and signage through architecture and linkages between land uses.

18 19

B. Objectives and Standards

1. Design Objectives

A MUPD shall comply with the following objectives:

.

- e. Allow for landscape design that enhances the appearance of the project; and,
- f. An MUPD with an EDC FLU designation shall be primarily utilized by office and research parks, which may also include manufacturing and processing, research and development, wholesale distribution and storage of products.

26 27

Notes:

Underlined indicates new text.

Stricken indicates text to be deleted. If being relocated, destination is noted in bolded brackets [Relocated to:].

Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].

ECONOMIC DEVELOPMENT CENTER (EDC) SUMMARY OF AMENDMENTS

2. Performance Standards

2

3 4

5

6 7

8

9

10

11 12

15

Table 3.E.3.B - Freestanding Buildings

				 	,			
FLU Designations	CL	СН	CLO	СНО	IND	EDC	CR	INST
Number of buildings	1	3	1	3	3	3	3	3

4. EDC FLU – Use Limitations

All permitted Commercial, Public and Civic, Agricultural, Utility or Industrial uses shall comply

- Shall be clustered within the overall project so as to minimize any adverse impacts, including heavy truck traffic, on office and research portions of the project; and,
- Outdoor storage or activity areas shall be buffered and screened from view of office or research areas, or operate completely in enclosed buildings.

C. Thresholds

Table 3.E.3.C - MUPD Thresholds

FLU	CL	СН	CLO	СНО	IND	EDC (1)	CR	INST
Square Feet	30,000	50,000	30,000	50,000	100,000	<u>50,000</u>	100,000	50,000
[Ord. 2013-]								
Notes:								
1. Minimum square	footage ma	y be reduce	ed if a lower	square foot	age is appro	ved as part o	f a FLUA am	endment.

13 14

D. Property Development Regulations

Table 3.E.3.D - MUPD Property Development Regulations

FLU		Lot Dimensions			Max. Bldg.		Setba	ncks (1)	
Designations	Size	Width & Frontage	Depth	FAR (2)	Coverage	Front	Side	Side Street	Rear
EDC	<u>5 ac</u>	<u>300</u>	<u>300</u>	-	45 percent	<u>30</u>	<u>C-15</u> <u>R-40</u>	<u>30</u>	<u>C-20</u> <u>R-40</u>

[Ord. 2007-001] Notes:

- Indicates the building setback if the lot abuts a non-residentially zoned or designated lot.
- Indicates the setback from an adjacent parcel with a residential zoning designation.
- The maximum FAR shall be in accordance with FLUE Table III.C.2 of the Plan, and other related provisions, unless otherwise noted.

1. Work/Live Space

Table 3.E.3.D - - Work/Live Space PDD

FLU Designation	CL/Commercial Pod in a PUD	СН	CLO	СНО	IND (1)	EDC (1)
Number of-Spaces	1/acre	5/acre	3/acre	3/acre	3/acre	3/acre
DRO (2)	8	24	24	24	24	<u>24</u>
[Ord. 2004-040]						
Notes:						
(1) Limited to comme(2) Maximum number	rcial and light indus	trial pods in	a PIPD only			
(2) Maximum number	of spaces.					

19 20

21

22

23

24

25

26

27 28

29

30

16

17 18

ULDC Art. 3.E.5, Planned Industrial Park Development (PIPD) (pages 177 - 179 of 229), Part 6. is hereby amended as follows:

PLANNED DEVELOPMENT DISTRICTS (PDDS) **CHAPTER E**

Section 5 Planned Industrial Park Development (PIPD)

A. General

Purpose and Intent

The purpose of the PIPD district is to create an industrial development alternative, which provides employment opportunities for industries, manufacturing, research and development and encourages internal trip capture by offering support uses. The intent of a PIPD is to promote creative design approaches to community planning and site design for planned

Notes:

Underlined indicates new text.

Stricken indicates text to be deleted. If being relocated, destination is noted in bolded brackets [Relocated to:].

Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].

39

40

41

42

43

44 45

46

47

48

2

ECONOMIC DEVELOPMENT CENTER (EDC) SUMMARY OF AMENDMENTS

industrial developments. Support uses, such as hotels, offices, commercial, institutional, and residential are intended to serve the PIPD workforce, and ether residential populations. [Ord. 2004-040]

_

B. Objectives and Standards

1. Design Objectives

The intent of a PIPD is to promote creative design approaches to community planning and site design for planned industrial developments. A PIPD shall comply with the following objectives:

...

- b. Be designed as a predominantly industrial development, with exception to:
 - 1) the SR-7 EDO, which shall allow for larger percentages of business or professional office uses, or other similar uses that are identified in Art. 3.B.18, SR-7 EDO; and, [Ord. 2010-022]
 - 2) the EDC FLU designation, which shall be primarily utilized by office and research parks, but may also include manufacturing and processing, research and development, wholesale distribution and storage of products.

2. Performance Standards

....

C. Thresholds

1. General

••••

a. Lot Size

The minimum gross land area required for a PIPD is 40 contiguous acres shall be as follows: [Ord. 2006-004]

- 1) IND FLU designation: 40 contiguous acres; or,
- 2) EDC FLU designation: 20 acres, except for parcels approved with a lower acreage as part of a FLUA amendment.

b. Land Use Mix

Land uses shall be grouped into <u>Pods</u> <u>peds</u> which limit and define the types of uses within a specific area of a PIPD. Table 3.E.5.D, PIPD Land Use Mix, indicates the range of each pod <u>within</u> <u>required for</u> a PIPD.

Table 3.E.5.D - PIPD Land Use Mix

		O.D I II D Land OSC III	·
	Pods	Minimum	Maximum
	Industrial	60%	100%
	Light	20%	100%
	General (1)	-	50%
	Commercial	-	20%
	Commercial		(max. 15 ac) (<u>2</u> -1)
	Residential	=	20%
	Recreation	.006 acre (3)	20%
Note	s:		
<u>1.</u>	A General Industrial Pod shall of Industrial Pods shall be prohibite		
<u>2</u> -1.	The maximum commercial acre-	age shall not apply to an Eco	nomic Development Center
<u>3.</u>	Minimum Recreation Pod requiruses such as Live/Work located 5.D, Parks and Recreation – Rul	in other than a Residential Po	od shall still comply with Art.

__

E. Pods

1. Industrial Pods

An industrial pod is intended to provide areas for light and general industrial uses, and accessory uses. [Ord. 2004-040]

a. Use Regulations

Uses shall be permitted in accordance with Table 3.E.1.B, PDD Use Matrix; and Art. 4, Use Regulations. [Ord. 2004-040] [Ord. 2008-003]

b. EDC Future Land Use Designation

1) Industrial Pods

General Industrial Pods are prohibited.

2) Use Limitations

Notes:

<u>Underlined</u> indicates <u>new</u> text.

Stricken indicates text to be deleted. If being relocated, destination is noted in bolded brackets [Relocated to:].

Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].

ECONOMIC DEVELOPMENT CENTER (EDC) SUMMARY OF AMENDMENTS

1	All Commercial, Public and Civic, Agricultural, Utility or Industrial uses permitted
2	within a Light Industrial Pod shall comply with the following:
3	a) Shall be clustered within the overall project so as to minimize any advers
4	impacts, including heavy truck traffic, on office and research portions of the
5	project; and,
6	b) Outdoor storage or activity areas shall be buffered and screened from view of
7	office and research areas, or operate completely in enclosed buildings.
8	•••
9	
10	
11	Part 7. ULDC 3.F.5, Traditional Town Development (pages 226 - 227 of 229), is hereby
12	amended as follows:
13	CHAPTER E CHAPTER F TRADITIONAL DEVELOPMENT DISTRICTS (TDDS)
14	Section 5 Traditional Town Development (TTD)
15	
16	B. Organization and Applicability
17	The requirements of this Section, Article 3.F.1, General Provisions for TDDs, and Article 3.F.2
18	General Standards, shall apply to all TTDs. In addition, the components of a TTD shall be subject
19	to the following requirements:
20	
21	4. Office Multiple Use Planned Development (MUPD)
	A MUPD may be included within a TTD with a minimum of 320 acres, provided it has a CH-C
22 23	FLU designation, subject to the requirements for a of Article 3.E.3, Multiple Use Planne
24	Development (MUPD) with an EDC FLU designation.
25	

Notes:

<u>Underlined</u> indicates <u>new</u> text. <u>Stricken</u> indicates text to be <u>deleted</u>. If being relocated, destination is noted in bolded brackets [Relocated to:].

Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].

Part 1. ULDC Art. 1.I.2, Definitions (pages 64 and 95 of 119), is hereby amended as follows:

3 **CHAPTER I DEFINITIONS AND ACRONYMS**

Section 2 **Definitions**

4

G. Terms defined herein or referenced Article shall have the following meanings:

9 10 11

36. Gun Club, Enclosed - an open or enclosed facility used for the discharge of firearms or projectiles at targets.

12

S. Terms defined herein or referenced Article shall have the following meanings:

13 14 15

16

40. Shooting Range, Outdoor - An outdoor establishment used for the discharge of firearms or projectiles at targets for sport or training, excluding private gun ranges where preempted by state law

[Renumber Accordingly]

17 18 19

20

21

Part 2. ULDC Table 3.B.15.F - IRO Permitted Use Schedule (page 75 of 229), is hereby amended as follows:

Table 3.B.15.F - IRO Permitted Use Schedule (continued)

Land Use Land Use 0 Use Type Use Type НО н L L Н F 0 Recreation Uses Gun Club, Enclosed 67<u>-1</u> Industrial Uses [Ord. 2010-005] [Ord. 2012-007] [Ord. 2013-001]

22 23 24

25

ULDC Table 3.B.16.E – PRA Use Matrix (page 88 of 229), is hereby amended as follows: Part 3.

Table 3.B.16.E - PRA Use Matrix Continued

Has Type		Note				
Use Type	UC 1	UC 2	UC 3	UI 1	UI 2	Note
Recreational Uses						
Gun Club, Enclosed						67 <u>-1</u>
[Ord. 2011-016] [Ord. 2012-007]						

36 37

38

26

(This space intentionally left blank)

Notes:

Underlined indicates new text.

Stricken indicates text to be deleted. Stricken and italicized means text to be totally or partially relocated. If being relocated destination is noted in bolded brackets [Relocated to:].

Italicized indicates text to be relocated. Source is noted in bolded brackets [Relocated from:].

.... A series of four bolded ellipses indicates language omitted to save space.

O T

НО

Part 4. ULDC Table 3.E.1.B PDD Use Matrix (page 144 of 229), is hereby amended as follows:

Table 3.E.1.B - PDD Use Matrix Continued

						,																
			PUE)				N	MUPD				MX	PD	PIPD)			LC	CC	
		Pods				FLU							FL	_U	Us	se Zone				FL	LU	
Use Type	R	С	R	С	Α	С	С	С	С	С	Ι	I	С	С	ı	С	I	М	R	С	С	N
	E	0	E	I	G	L	Н	L	Н	R	N	N	Н	н	N	0	N	н	٧	L	н	0
	s	М	С	٧	R			0	0		D	s		О	D	M	D	Р	Р			Т
					1							Т			1		1	D	D			Е
					Р										L		G					
			Reci	reat	ion	Use	s															
																						
Gun Club, Enclosed								67 <u>-1</u>														
Gun Club, Open Shooting Range, Outdoor										R												<u>67-2</u>
[Ord. 2005-002] [Ord. 2006-004] [Ord. 2006-013] [Ord. 2008-037] [Ord. 2009-040] [Ord. 2010-005] [Ord. 2010-022] [Ord. 2012-007] [Ord. 2012-027]																						

4 5

6 7

8

Part 5. ULDC Table 4.A.3.A, Use Matrix (page 15 of 171), is hereby amended as follows:

Table 4.A.3.A - Use Matrix Continued

							Z	onir	ng Di	istric	ct/Ov	verla	ıy							
	Agriculture/ Conservation P A A													Ind	N					
Use Type			Α	Α	R	R	R	R	R	С	С	С	С	С	С	I	I	Р	I	0
		G	Р	R	U	E	Т	s	М	N	L	С	н	G	R	L	G	0	Р	Т
		R		s	s						О		О		Ε				F	E
				Α	Α															
	Recreation Uses																			
Gun Club, Enclosed																				67 <u>-1</u>
Gun Club, Open Shooting Range, Outdoor															Α			B A		<u>67-2</u>
																				82
[Ord. 2005-002] [Ord. 2006-013] [Ord	Ord. 2005-002] [Ord. 2006-013] [Ord. 2008-037] [Ord. 2009-040] [Ord. 2012-007]																			

9 10

11

12

13

14 15

16 17

18 19

20

21

22

23

24

25

26

Part 6. ULDC Art. 4.B.1.A.67 Gun Club (page 58 of 171), is hereby amended as follows:

CHAPTER B SUPPLEMENTARY USE STANDARDS

Section 1 Uses

A. Definitions and Supplementary Standards for Specific Uses

67-1.Gun Club, Enclosed

An open or enclosed facility used for the discharge of firearms or projectiles at targets.

- a. Setbacks and Buffers
 - 1) Enclosed

An enclosed gun club shall have a 100-foot setback and a 50 foot buffer from a residentially occupied or zoned property. These setbacks are in addition to the minimum required setbacks of the district.

2) Open

An open gun club and its accessory shooting areas shall have a 300 foot setback to a 100 foot buffer from residentially occupied or zoned property. These setbacks are in addition to the minimum required setbacks of the district.

b. Lot Size

Notes:

Underlined indicates **new** text.

Stricken indicates text to be deleted. Stricken and italicized means text to be totally or partially relocated. If being relocated destination is noted in bolded brackets [Relocated to:].

Italicized indicates text to be relocated. Source is noted in bolded brackets [Relocated from:].

EXHIBIT M

SHOOTING RANGE, OUTDOOR SUMMARY OF AMENDMENTS

Except in the IL district, a gun club shall be located on a minimum of five acres or meet the minimum lot and setback requirements of the district in which it is located, whichever is greater.

c. AR/RSA

An open gun club may be permitted in the SA FLU subject to a Class A conditional use approval. [Ord. 2005 – 002]

10

11

12

13 14

16 17

18

19

20 21

22

23

24 25

26

27

28

29

30 31

32 33

34

35

36

37

2

3

4

5

Part 7. ULDC Art. 4.B.1.A.67-2 Shooting Range, Outdoor (page 58 of 171), is hereby established:

CHAPTER B SUPPLEMENTARY USE STANDARDS

Section 1 Uses

A. Definitions and Supplementary Standards for Specific Uses

15

67-2.Shooting Range, Outdoor

a. Definition

An outdoor establishment used for the discharge of firearms or projectiles at targets for sport or training, excluding private gun ranges where preempted by State law.

b. Separation Distance

An outdoor shooting range shall not be located within 1,320 feet of a property line with a civic or residential use, zoning district, or FLU designation, unless the adjacent properties are owned by a government agency and utilized for other than civic or residential purposes.

c. Site Design

Except where preempted by State law, during Zoning or Building Permit review, whichever occurs first, the applicant shall provide documentation demonstrating acceptable industry design, configuration and operational standards, based on type of shooting activity, to address potential adverse safety and nuisance concerns. Range design shall include, but not be limited to: backstops, sideberms, sidewalls, sound and visual baffles and target placement.

d. Archery Range

1. DRO Approval Process

An outdoor shooting range allowed as a Conditional Use may be approved by the DRO when limited to non-mechanical archery equipment.

2. Separation Distance

Shall not be subject to the 1,320 foot separation distance when limited to non-mechanical archery equipment. An alternative separation distance may be required if warranted based on the site design requirements contained above.

Part 8. ULDC Table 6.A.1.B - Minimum Off-Street Parking and Loading Requirements (page 8 of 39), is hereby amended as follows:

42 43

Table 6.A.1.B - Minimum Off-Street Parking and Loading Requirements - Cont'd

Use Type: Recreational	Parking	Loading (1)							
Gun club, enclosed and open Shooting Range, Outdoor	1 space per target area	N/A							
[Ord. 2005-002] [Ord. 2007-001] [Ord. 2012-007]									
Loading Key:									

45

Notes:

<u>Underlined</u> indicates <u>new</u> text.

Stricken indicates text to be deleted. Stricken and italicized means text to be totally or partially relocated. If being relocated destination is noted in bolded brackets [Relocated to:].

Italicized indicates text to be relocated. Source is noted in bolded brackets [Relocated from:].

EXHIBIT N

MODIFICATIONS TO BCC/ZC APPROVALS SUMMARY OF AMENDMENTS

1 2 3	Part 1.	ULDC Art. 2.A.1.L, Actions by Decision Making Bodies or Persons [Related to Art. 2.A.1.L.2, Administrative Processes] (page 21 of 90), is hereby amended as follows:
4	CHAPTER	A GENERAL
5	Section 1	Applicability
6	L. Ac	tions by Decision Making Bodies or Persons
7		General
8		All decision making persons and bodies shall act in accordance with the time limits
9		established in this Code.
10	2.	Administrative Processes
11		a. Action by DRO
12		The DRO shall approve, approve with conditions, revoke, deny or administratively
13		withdraw an application based upon the recommendation of the reviewing agencies, in
14		accordance with the procedures, standards and limitations of this Code and Article 2.D,
15		ADMINISTRATIVE PROCESS, including where applicable: the standards of Art. 2.D.1.E,
16		Standards for Administrative Approval, and the standards of Art. 2.D.4.D, Standards, applicable to Administrative Amendments; or the standards of Art. 2.D.7.C. Standards
17 18		applicable to Administrative Amendments; or, the standards of Art. 2.D.7.C, Standards, applicable to Type I Waivers. [Ord. 2012-027]
19		applicable to Type Twalvers. [Ord. 2012-027]
20	Part 2.	ULDC Art. 2.D.1.G, Administrative Review [Related to Art. 2.D.1.G.1, Amendments to
21	r dit 2.	BCC/ZC Approvals] (page 40 of 89), is hereby amended as follows:
22	CHAPTER	D ADMINISTRATIVE PROCESS
23	Section 1	Development Review Officer (DRO)
24	G. Mo	odifications to Prior Development Orders
25		e DRO may approve amendments to Preliminary Plans approved by the BCC/ZC, and approve
26		al Plans, in accordance with the following procedures. [Ord. 2007-001] [Ord. 2008-003] [Ord.
27		09-040] [Ord. 2010-005] [Ord. 2010-022] [Ord. 2011-001] [Ord. 2014-001]
28	1.	
29		The DRO shall have the authority to approve modifications to a Development Order approved
30		by the BCC or ZC. An application for an amendment shall be submitted in accordance with
31		Article 2.A.1, Applicability, and reviewed in accordance with the standards in Article 2.D.1.C,
32		Review Procedures. Applications must be submitted on deadlines established on the Zoning
33		Calendar. The authority of the DRO to modify a BCC or ZC approved plan shall be limited to
34		the following: [Ord. 2008-003] [Ord. 2010-005] [Ord. 2010-022] [Ord. 2011-001]
35		The Anthony of the control for the Control of the Control for the Control of the
36		b. An increase of no more than five percent in the total floor area square footage indicated
37 38		
323		on the most recently ZC or BCC approved Plan(s) of any building or structure, or outdoor
		area considered as square footage, provided that the increase does not exceed 5,000
39		area considered as square footage, provided that the increase does not exceed 5,000 square feet whichever is less; shall be subject to the following: [Ord. 2008-003] [Ord.
39 40		area considered as square footage, provided that the increase does not exceed 5,000 square feet whichever is less; shall be subject to the following: [Ord. 2008-003] [Ord. 2009-040]
39 40 41		area considered as square footage, provided that the increase does not exceed 5,000 square feet whichever is less; shall be subject to the following: [Ord. 2008-003] [Ord. 2009-040] 1) Maximum of five percent or 5,000 square feet of any building, structure or outdoor
39 40 41 42		area considered as square footage, provided that the increase does not exceed 5,000 square feet whichever is less; shall be subject to the following: [Ord. 2008-003] [Ord. 2009-040] 1) Maximum of five percent or 5,000 square feet of any building, structure or outdoor area considered as square footage, whichever is less; and,
39 40 41 42 43		area considered as square footage, provided that the increase does not exceed 5,000 square feet whichever is less; shall be subject to the following: [Ord. 2008-003] [Ord. 2009-040] 1) Maximum of five percent or 5,000 square feet of any building, structure or outdoor area considered as square footage, whichever is less; and, 2) Maximum 5,000 square feet of the total ZC or BCC approved square footage.
39 40 41 42		area considered as square footage, provided that the increase does not exceed 5,000 square feet whichever is less; shall be subject to the following: [Ord. 2008-003] [Ord. 2009-040] 1) Maximum of five percent or 5,000 square feet of any building, structure or outdoor area considered as square footage, whichever is less; and,

Notes:

47

48

<u>Underlined</u> indicates <u>new</u> text. If being relocated destination is noted in bolded brackets [Relocated to:]. <u>Stricken</u> indicates text to be <u>deleted</u>.

Italicized indicates text to be relocated. Source is noted in bolded brackets [Relocated from:]. A series of four bolded ellipses indicates language omitted to save space.

2011-016]

[Renumber Accordingly.]

EXHIBIT O

DIGITAL FUEL PRICE SIGNAGE SUMMARY OF AMENDMENTS

CHAPTER Section 2	DEFINITIONS & ACROI	
Section 2	DEFINITIONS & ACROI	NYMS
	Definitions	
28.		enced Article shall have the following meanings: ch text frame of an electronic message center sign shall hole ye seconds.
S. Ter	ms defined herein or refere	nced Article shall have the following meanings:
	attract attention or convey a	figure, symbol, design or device or combination of these used to message and which is visible to any area outside of a building pennants, streamers, moving mechanisms and lights.
	message center sigr	ye - for the purposes of Art. 8, each text frame of an electroning shall hold constant for a minimum of two seconds.
	lights <u>, digital</u> or an wherein the sequen	y.] sage - for the purposes of Art. 8, a sign that uses changing other electronic medium to form a sign message or message are of the messages and the rate of change are electronically n be modified by electronic processes.
	erected or standing poles, columns, upi	ed - for the purposes of Art. 8, any sign which is permanentle on the ground and supported from the ground by one or more rights, braces, or anchors and includes all freestanding signs delectronic message center signs.
		•
	amended as follows:	anization of Sign Regulations (page 7 of 39), is hereb
CHAPTI		Lists specific provisions and standards for building-mounted signs (wall

- <u>Underlined</u> indicates <u>new</u> text. <u>Stricken</u> indicates text to be <u>deleted</u>. If being relocated, or partially relocated, destination is noted in bolded brackets [Relocated to:] or [Partially relocated to:].
- Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].
- A series of four bolded ellipses indicates language omitted to save space.

EXHIBIT O

DIGITAL FUEL PRICE SIGNAGE

SUMMARY OF AMENDMENTS 2 Part 4. ULDC Art. 8.F.6, Changeable Copy [Related provisions applicable to all sign types], 3 (page 22 of 39), is hereby amended as follows: 4 **CHAPTER F GENERAL PROVISIONS FOR ALL SIGN TYPES** 5 Section 6 **Changeable Copy** Changeable copy shall cover no more than 20 percent of the total sign area, except for the following uses 6 7 which are exempt from this restriction: all public and civic uses, indoor theaters, fuel price signs, and 8 signs that flash the time and temperature subject to Article 8.G.3.B, Electronic Message Center Signs. 9 10 11 ULDC Art. 8.G.1.D, Marquee Signs [Related to Building] (page 25 of 39), is hereby 12 Part 5. amended as follows: 13 14 CHAPTER G STANDARDS FOR SPECIFIC SIGN TYPES 15 Section 1 **Building Mounted Signs** 16 D. Marquee Signs Marquee signs are allowed for theaters, stadiums, auditoriums, and similar uses subject to BCC 17 approval. Marquee signs are not subject to wall sign area limits, but the maximum sign area shall 18 not exceed one square foot for each foot of building frontage. Marquee signs may be electronic 19 20 message center signs, subject to Article 8.G.3.B, Electronic Message Center Signs, and have changeable copy. A marquee sign may project a maximum of six feet above the cornice of a 21 22 building provided that it is architecturally integrated with the building.

23 24 25

26

27

28

29

30

31

32

33 34

35

36

37

38 39

40

41

42 43

44

45

46

47

48

49

50

51

52 53

54

55

56 57

58

Part 6. ULDC Art. 8.G.3.B, Electronic Message Center Signs (page 29 - 30 of 39), is hereby amended as follows:

STANDARDS FOR SPECIFIC SIGN TYPES **CHAPTER G**

Section 3 **Other Sign Types**

B. Electronic Message Center Signs

Electronic message signs shall only be allowed at regional facilities, facilities with serial performances, and, specialized attractions that, by their operating characteristics, have unique sign requirements; or, for time and temperature, and fuel price signage. These signs shall be subject to Class A Conditional Use or Requested Use approval unless exempt under Article 8.B, EXEMPTIONS, or stated otherwise below. Electronic message signs that only display time or temperature with a message unit less than 20 square feet in area shall be permitted in nonresidential zoning districts, subject to issuance of a building permit. These signs shall not be required to comply with the requirements of Sections Sections 8.G.3.B.3, Location and 8.G.3.B.4, Required Findings. [Partially relocated under new Art. 8.G.3.B.7, Approval Process Exceptions for Time and Temperature] [Ord. 2010-022]

1. Prohibited Elements

- a. Electronic message center signs in windows and externally visible;
- Message units that change copy, light, color, intensity, words or graphics more than once per eight two seconds. Any change in message shall be completed instantaneously. There shall be no special effects in-between messages;
- Reflectorized lamps; and C.
- Electronic message center signs with lamps Lamps, light-emitting diodes or bulbs in excess of the amount and intensity of light generated by a over 30 watts incandescent lamp or 300 lumens, whichever is less.
- The message shall be static. There shall be no animation, flashing, scintillating lighting, movement, or the varying of light intensity during the message. Messages shall not scroll or give the appearance of optional illusion or movement.

2. Standards

Electronic message center signs are subject to the standards in Table 8.G.3.B, Electronic Message Center Sign Standards, and the height standards for freestanding signs in Table 8.G.2.A, Freestanding Signs: Maximum Heights, and the following:-

Each sign shall have a light sensing device that automatically adjusts brightness as ambient light conditions change in order to ensure that the message meets the standard for maximum brightness;

- Underlined indicates new text.
- Stricken indicates text to be deleted. If being relocated, or partially relocated, destination is noted in bolded brackets [Relocated to:] or [Partially relocated to:].
- Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].
- A series of four bolded ellipses indicates language omitted to save space.

13 14

15

16

17

11

35

36 37

26

43

44


45

DIGITAL FUEL PRICE SIGNAGE **SUMMARY OF AMENDMENTS**

- The maximum brightness shall be 0.2 foot candles above ambient light measured 150 feet perpendicular from the sign face area from a height of six feet. No sign shall display light of such intensity to cause glare or otherwise impair the vision of a driver, or interferes with the effectiveness of an official traffic sign, signal or device;
- The sign shall be equipped with a default mechanism or setting that will cause the sign to turn off or show a full black or similar image if a visible malfunction or failure occurs;
- Each message shall be monochromatic. Separate messages may have different colors;
- The maximum sign face area and minimum setbacks for an electronic message sign shall be per Table 8.G.3.B, Electronic Message Sign Face Area and Setbacks.

Table 8.G.3.B - Electronic Message Center Sign Standards Face Area and Setbacks

Maximum Sign Area	50 percent of allowable freestanding sign area (Table									
-	8.G.2.A-7, Freestanding Sign Standards)									
Minimum Setback: Front	15 feet									
Minimum Setback: Side and Rear	30 feet									
Minimum Setback: Side Street	50 feet									



[Figure 8.G.3.B.3, Electronic Message Sign partially relocated below.]

3. Location

An electronic message center sign may be located in the following areas and subject to the following provision:

- In a CG, CRE, PO, or IL zoning district or in a non-residential planned development.
- age center signs may Shall not be located within 100 feet of a residential zoning district, undeveloped property with a residential FLU designation, or residential
- Adjacent to roadways classified as arterials or expressways, and a minimum of 1,000 feet from any signalized intersection and/or existing electronic message signs; and
- No more than one electronic message center sign shall be permitted per project; and -
- Electronic message center signs are prohibited in the WCRAO. [2006-004]

Required Findings

The BCC may approve an application for an electronic message center sign upon finding that:

- The sign will not create confusion or a significant distraction to passing motorists; a.
- The sign is of the same architectural character as the building's principal use; b.
- The sign will not be a nuisance to occupants of adjacent and surrounding properties; and
- The sign is accessory to a use regional in scale and attraction that, by its nature, demonstrates a unique need to communicate more information than is ordinarily needed for a business or attraction.

Conditions of Approval

In reviewing an application for an electronic message center sign, the BCC may impose conditions to assure the sign is compatible with and minimizes adverse impacts on the area surrounding the proposed sign.

Submittal Requirements

All building permit applications that include electronic message signs shall include the following:

- Manufacturer's cut sheets that provide a description of all devices and compliance with the prohibited elements and standards listed above; and,
- A Certificate of Compliance signed and sealed by a licensed engineer, architect or landscape architect.
- 7. Approval Process Exceptions

- Underlined indicates new text.
- Stricken indicates text to be deleted. If being relocated, or partially relocated, destination is noted in bolded brackets [Relocated to:] or [Partially relocated to:].
- Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].
- A series of four bolded ellipses indicates language omitted to save space.

11

12 13 14

15

16

17 18

19 20

21

22 23


DIGITAL FUEL PRICE SIGNAGE SUMMARY OF AMENDMENTS

The following signs shall not be subject to the Required Findings above and may be approved administratively, where located in a freestanding or outparcel identification sign and non-residential Zoning districts, including the Commercial Pod of PUD.

a. Time and Temperature - Building Permit Approval

Signs that only display time or temperature <u>may be approved</u> subject to issuance of a building permit, and where the message unit is less than 20 square feet in sign face area; [Partially relocated from Art. 8.G.3.B, Electronic Message Center Signs]

Figure 8.G.3.B – Typical Example of Time and Temperature Electronic Sign



[Ord. 2014-]

b. Fuel Price Signage – DRO Approval

Signs that only display fuel prices may be approved by the DRO, subject to the following:

- 1) Compliance with the County Fuel Price Posting Ordinance (Ord. 2014-005, as may be amended);
- 2) Only displays words for cash or credit, fuel grades and numerals for fuel prices; and,
- 3) Words or numerals shall not be greater than 12 inches in height, but may be increased to 18 inches in height for signs fronting on an Arterial or Collector where separated by a canal R-O-W of 80-feet in width or greater.

c. Exemptions

Time and temperature, and fuel price signage shall be exempt from the following:

- 1) Minimum setbacks of Table 8.G.3.B, Electronic Message Sign Face Area and Setbacks; and,
- 2) Art. 8.G.3.B.3, Location, except for Art. 8.G.3.B.3.b, which requires a minimum setback from residential.

- <u>Underlined</u> indicates <u>new</u> text.
- Stricken indicates text to be deleted. If being relocated, or partially relocated, destination is noted in bolded brackets [Relocated to:] or [Partially relocated to:].
- Italicized indicates relocated text. Source is noted in bolded brackets [Relocated from:].
- A series of four bolded ellipses indicates language omitted to save space.